

The evidence behind these guidance documents is comprised of a mix of peer reviewed scientific studies, conservation agency scientific reports and assessments, and ICES working group reports.

Adey, 2007. Aspects of the sustainability of creel fishing for Norway lobster, *Nephrops norvegicus* (L.), on the west coast of Scotland. Degree of Doctor of Philosophy, to the Faculty of Biomedical & Life Sciences, University of Glasgow.

Anon. 2010. Ecosystem concepts for sustainable bivalve mariculture. Committee on best practices for shellfish mariculture and the effects of commercial activities in Drakes Estero, Pt. Reyes National Seashore, California. ISBN: 0-309-14696-8, 190 pp. Downloaded from: <http://www.nap.edu/catalog/12802.html> (February 2012).

Ball, B.J., Fox, G. and Munday, B.W. 2000. Long- and short-term consequences of a *Nephrops* trawl fishery on the benthos and environment of the Irish Sea. *ICES Journal of Marine Science*, **57**: 1315–1320.

Barbera, C., Bordehore, C., Borg, J., Glémarec, M., Grall, J., Hall-Spencer, J. M., de la Huz, C., Lanfranco, E., Lastra, M., Moore, P., Mora, J., Pita, M., Ramos-Esplá, A., Rizzo, M., Sánchez-Mata, A., Seva, A., Schembri, P. and Valle, C. 2003. Conservation and management of northeast Atlantic and Mediterranean maerl beds. *Aquatic Conservation: Marine and Freshwater Ecosystems*, **13**: S65–S76.

Baxter, J. M., Boyd, I. L., Cox, M., Donald, A. E., Malcolm, S. J., Miles, H. M., Miller, B., and Moffat, C. F., (editors). 2011. Scotland's marine atlas: Information for the national marine plan. Marine Scotland, Edinburgh. pp191.

Bergmann, M.J.N. and Van Santbrink, J.W. 2000. Fishing mortality and populations of megafauna in sandy sediments. In: Kaiser M.J. and de Groot S.J. (eds.) *Effects of fishing on non-target species and habitats*. Blackwell, Oxford.

Blyth, R. E., Kaiser, M. J., Edwards-Jones, G., Hart, R, J. 2004. Implications of a zoned fishery management system for marine benthic communities. *Journal of applied ecology*, **41**, 951-961.

Bowden, D. A. 2010. Identifying taxonomic groups vulnerable to bottom longline fishing gear in the Ross Sea region. *CCAMLR Science*. **17**: 105-127.

Brown, R.A. 1989. Bottom trawling in Strangford Lough: problems and policies. In *Proceedings from the North Sea meeting*, Rotterdam.

Buschbaum, C., Dittmann, S., Hong, J.S., Hwang, I.S., Strasser, M., Thiel, M., Valdivia, N., Yoon, S.P. and Reise, K. 2009. Mytilid mussels: Global habitat engineers in coastal sediments. *Helgoland Marine Research*, **63**: 47–58.

Clark, M. R., and Tittensor, D, P. 2010 An index to assess the risk to stony corals from bottom trawling on seamounts. *Marine ecology*. **31**: 200-211.

Clark, M. R., Rowden, A. A., Schlacher, T., Williams, A., Consalvey, M., Stocks, K. I., Rogers, A. D., O'Hara, T. D., White, M., Shank, T. M., and Hall-Spencer, J. M. 2010. The ecology of seamounts: Structure, function and human impacts. *Annual review of marine science*. **2**: 253-78.

Collie, J.S., Hermesen, J.M., Valentine, P.C. and Almeida, F.P. 2005. Effects of fishing on gravel habitats: assessment and recovery of benthic megafauna on Georges Bank. *American Fisheries Society Symposium*. American Fisheries Society. 325pp.

Dernie, K.M., Kaiser, M.J. and Warwick, R.M. 2003. Recovery rates of benthic communities following physical disturbance. *Journal of Animal Ecology*, **72**: 1043–1056.

- Dolmer, P., Kristensen, T., Christiansen, M., Petersen, M., Kristensen, P. and Hoffmann, E. 2001. Short-term impact of blue mussel dredging (*Mytilus edulis* L.) on a benthic community. *Journal of Shellfish Research*, **18**: 714.
- Eleftheriou, A., and Robertson, M. R. 1992. The effects of experimental scallop dredging on the fauna and physical environment of a shallow sandy community. *Netherlands Journal of Sea research*. **30**: 289-299.
- Eno, N. C., MacDonald, D. A., Kinnear, J. A. M., Amos, C. S., Chapman, C. J., Clark, R. A., Bunker, F., and Munro, C. 2001. Effects of Crustacean traps on benthic fauna. *ICES Journal of Marine Science*, **58**: 11-20.
- Foden, J., Rogers, S.I. and Jones, A.P. 2010. Recovery of UK seabed habitats from benthic fishing and aggregate extraction- towards a cumulative impact assessment. *Marine Ecology Progress Series*, **411**: 259–270.
- Fosså, J.H., Mortensen, P.B. and Furevik, D.M. 2002. The deep-water coral *Lophelia pertusa* in Norwegian waters: distribution and fishery impacts. *Hydrobiologia*, **471**: 1–12.
- Freese, L., Auster, P.J., Heifetz, J. and Wing, B.L. 1999. Effects of trawling on seafloor habitat and associated invertebrate taxa in the Gulf of Alaska. *Marine Ecology Progress Series*, **182**: 119–126.
- Hinz, H., Tarrant, D., Ridgeway, A., Kaiser, M. J., Hiddink, J. G., 2011. Effects of scallop dredging on temperate reef fauna. *Marine ecology progress series*. **432**: 91-102.
- Grehan, A., Unnithan, V., Wheeler, A., Monteys, X., Beck, T., Wilson, M., Guinan, J., Foubert, A., Klages, M. and Thiede, J. 2004. Evidence of major fisheries impact on cold-water corals in the deep waters off the Porcupine Bank, west coast of Ireland: are interim management measures required? *ICES CM 2004/AA:07*.
- Hall-Spencer, J. M., 2000. Effects of towed demersal fishing gear on biogenic sediments: A 5-year study. In *Impact of trawl fishing on benthic communities*. O. Giovanardi, ICRAM, Rome.
- Hall-Spencer, J. M., and Moore, P. G. 2000. Scallop dredging has profound, long-term impacts on maerl habitats. *ICES Journal and marine science*. **57**:1407-1415.
- Hall-Spencer, J., Allain, V. and Fossa, J.H. 2002. Trawling damage to Northeast Atlantic ancient coral reefs. *Proceedings of the Royal Society, London B*, **269**: 507–511.
- Hall-Spencer, J. M., Grall, J., More, P. G., and Atkinson, R. J. A. 2003. Bivalve fishing and maerl-bed conservation in France and the UK – retrospect and prospect. *Aquatic conservation*. **13**: S33-S41.
- Hauton, C., Hall-Spencer, J. M., and Moore, P. G. 2003. An experimental study of the ecological impacts of hydraulic bivalve dredging on maerl. *ICES journal of marine science*. **60**: 381-392.
- Herlyn, M. and Millat, G. 2000. Decline of the intertidal blue mussel (*Mytilus edulis*) stock at the coast of Lower Saxony (Wadden Sea) and influence of mussel fishery on the development of young mussel beds. *Hydrobiologia*, **426**: 203–210.
- Hiddink, JG, Jennings, S, Kaiser, M. J, Queirós, AM, Duplisea, DE and Piet, G. J (2006) Cumulative impacts of seabed trawl disturbance on benthic biomass, production, and species richness in different habitats. *Canadian Journal of Fisheries and Aquatic Sciences*, **63** (4). pp. 721-736. ISSN 0706-652X.
- Hinz, H., Tarrant, D., Ridgeway, A., Kaiser, M. J., and Hiddink, J. G. 2011. Effects of scallop dredging on temperate reef fauna. *Marine ecology progress series*. **432**: 91-102.
- Holt, T.J., Rees, E.I., Hawkins, S.J. and Seed R. 1998. Biogenic Reefs (volume IX). An overview of dynamic and sensitivity characteristics for conservation management of marine SACs. Scottish Association for Marine Science (UK Marine SACs Project). 170 pp.

Hughes, D. J., 1998. Sea pens and burrowing megafauna (vol. III): an overview of dynamics and sensitivity characteristics for conservation management of Marine SACs. *Scottish Association of Marine Science (UK Marine SAC's Project)*, 105 pp.

ICES advice, 2005 – 2010 see www.ices.dk

ICES 2007. Report of the Working Group on Deep-water Ecology (WGDEC). 26-28 February 2007, Chapter 7 Soft corals in the North Atlantic. ICES Advisory Committee on Ecosystems. ICES CM 2007/ACE: **01**, 35-49.

ICES 2009. Report of the ICES-NAFO Working Group on Deep-water Ecology (WGDEC). ICES CM 2009/ACOM:23.

ICES 2010 ICES. 2010. Report of the ICES Advisory Committee, 2010. ICES Advice, 2010. Books 1 - 11. 1,928 pp.

<http://www.ices.dk/committe/acom/comwork/report/2010/Special%20Requests/OSPAR%20Impacts%20of%20human%20activities%20on%20cold%20water%20corals%20and%20sponge%20aggregations.pdf>

ICES. 2011. Report of the ICES/NAFO Joint Working Group on Deep-water Ecology (WGDEC), 28 February–4 March, Copenhagen, Denmark. ICES CM 2011/ACOM: **27**. 104 pp.

Jennings, S., and Kaiser, M. J. 2008. The effects of fishing on marine ecosystems. *Advances in Marine Ecosystems* **34**: 201-212.

Jones, N.S. 1951. The bottom fauna off the south of the Isle of Man. *Journal of Animal Ecology*, **20**: 132–144.

Jones, L.A., Hiscock, K. and Connor, D. W. 2000. Marine habitat reviews. A summary of ecological requirements and sensitivity characteristics for the conservation and management of marine SACs. Joint Nature Conservation Committee, Peterborough. (UK Marine SACs Project report).

Kaiser, M. J., and Spencer, B. E. 1996. The effects of beam-trawl disturbance on infaunal communities in different habitats. *Journal of animal ecology*. **65**: 348-358.

Kaiser, M. J., Ramsay, K., Richardson, C. A., Spence, F. E. 2000. Chronic fishing disturbance has changed shelf sea benthic communities structure. *Journal of animal ecology*. **69**: 494-503.

Kaiser M.J., Clarke, K.R., Hinz, H., Austen, M.C.V., Somerfield P.J. and Karakassis, I. 2006. Global analysis of response and recovery of benthic biota to fishing. *Marine Ecology Progress Series*, **311**: 1–14.

Lieberknecht, L. M., Vincent, M.A., Connor, D., 2004. Report on the Identification of Nationally Important Marine Features in the Irish Sea. Report No. 348. Joint Nature Conservation Committee, Peterborough.
http://www.jncc.gov.uk/pdf/all_testcases2_JNCC.pdf.

Løkkeborg, S. 2005. Impacts of trawling and scallop dredging on benthic habitats and communities. FAO Fisheries Technical Paper. No. 472. Rome, FAO. 58pp.

Long, D., Howell, K., Davies, J., and Stewart, H. unpublished 2010. JNCC Offshore Natura survey of Anton Dohrn Seamount and East Rockall bank Areas of Search. No 437. JNCC, Peterborough.

MacDonald, D. S., Little, M., Eno, C., and Hiscock. 1996. Disturbance of benthic species by fishing activities: a sensitivity index. *Aquatic conservation*, **6**, 194. 1-12.

Magorrian, B. H. and Service, M. 1998. Analysis of underwater visual data to identify the impact of physical disturbance on horse mussel (*Modiolus modiolus*) beds. *Marine Pollution Bulletin*, **36**: 354–359.

Mortensen, P.B., Buhl-Mortensen, L., Gordon, D.C.J., Fader, G.B.J., McKeown, D.L., Fenton, D.G., 2005. Effects of fisheries on deepwater gorgonian corals in the Northeast Channel, Nova Scotia. In: Barnes, B.W., Thomas, J.P. (Eds.), *Benthic Habitats and the Effects of Fishing*. American Fisheries Society Symposium, pp. 369-382.

Muñoz, R. D., Murillo, F. J., Sayago-Gil, M., Serrano, A., Laporta, M., Otero, I., and Gomez, C. 2010. Effects of deep-sea bottom longlining on the Hatton Bank fish communities and benthic ecosystem, north-east Atlantic. *Journal of the marine biological association of UK*. **91**: 939-952.

Muñoz, R. D., and Sayago-Gil, M. 2011. An overview of cold-water coral protection on the high seas: The Hatton bank (NE Atlantic) – A case study. *Marine Policy*. **35**: 615–622.

OSPAR 2006. OSPAR Case Reports for the Initial List of Threatened and/or Declining Species and Habitats in the OSPAR Maritime Area. Publication no. 276, pp 125–128 http://gsr2010.ospar.org/media/assessments/Species/P00491_maerl.pdf

OSPAR (2008) Case Reports for the OSPAR List of Threatened and/or Declining Species and Habitats OSPAR Commission Publication Number: 358/2008.

OSPAR. 2010 Background Document for Coral gardens. Publication Number: 486/2010 OSPAR Commission, London. http://www.ospar.org/documents/dbase/publications/P00486_Coral_Garden.pdf

Roberts, D., Davies, C., Mitchell, A., Moore, H., Picton, B., Portig, A., Preston, J., Service, M., Smyth, D. Strong, D. and Vize, S. 2004. Strangford Lough ecological change investigation (SLECI) Report to the environment and heritage service by the Queen's University, Belfast. 7pp.

Roberts, C., Smith, C., Tillin, H. Tyler-Walters, H, 2010. Review of existing approaches to evaluate marine habitat vulnerability to commercial fishing activities. Environment Agency report No SC080016/R3.

Smith, J.R. and Murray, S.N. 2005. The effects of experimental bait collection and trampling on a *Mytilus californianus* mussel bed in southern California. *Marine Biology*, **147**: 699–706.

Tillin, H. M, Hull, S. C., Tyler-Walters, H. 2010. Development of a Sensitivity Matrix (pressures-MCZ/MPA features). Report to the Department of Environment Food and Rural Affairs from ABPmer, Southampton and the Marine Life Information Network (MarLIN) Plymouth Biological Association of the UK. Defra contact No. MB102 Task 3A, report No. 22.

Trigg, C., and Moore, C. G. 2009. Recovery of the biogenic nest habitat of *Limaria hians* (Molluca: Limacea) following anthropogenic disturbance. *Elsevier*. **82**: 351-356.

Tuck, I. D., Hall, S. J., Robertson, M. R., Armstrong, E. and Basford, D. J., 1998. Effects of physical trawling disturbance in a previously unfished sheltered Scottish sea loch. *Marine Ecology Progress Series*, **162**: 227-242.

Tyler-Walters, H. 2008. *Mytilus edulis*. Common mussel. Marine Life Information Network: Biology and Sensitivity Key Information Sub-programme [on-line]. Plymouth: Marine Biological Association of the United Kingdom. [cited 21/02/2011]. Available from: <http://www.marlin.ac.uk/speciesbenchmarks.php?speciesID=3848>.

Tyler-Walters, H., Rogers, S. I., Marshall, C. E., and Hiscock, K. 2009. A method to assess the sensitivity of sedimentary communities to fishing activities. *Aquatic Conservation: Marine and Freshwater Ecosystems*. **19**: 285-300.

UK Biodiversity Action Plan Priority Habitat Descriptions - Subtidal Sands and Gravels. UK Biodiversity Action Plan; Priority Habitat Descriptions. BRIG (ed. Ant Maddock) 2008. http://www.rebent.org/mesh/signatures/search/habitat.php?q_id=27

UK Biodiversity Action Plan Priority Habitat Descriptions. UK Biodiversity Action Plan; Priority Habitat Descriptions. BRIG (ed. Ant Maddock) 2008. (Updated July 2010).

Wilson, S., Blake, C., Berges, J.A. and Maggs, C.A. 2004. Environmental tolerances of free-living coralline algae (maërl): implications for European marine conservation. *Biological Conservation*, **120**: 279–289.