

Quaternary of Scotland

Edited by

J. E. Gordon

Scottish Natural Heritage,
Edinburgh, Scotland.

and

D. G. Sutherland

Edinburgh, Scotland.

GCR Editor: W. A. Wimbledon

**JOINT
NATURE
CONSERVATION
COMMITTEE**



CHAPMAN & HALL

London · Glasgow · New York · Tokyo · Melbourne · Madras

Index

Page numbers appearing in **bold** refer to figures and page numbers appearing in *italic* type refer to tables.

- Aberdeen Ground Formation
18, 21, 245
- Aberdeen Readvance 482
- Aberdeen–Lammermuir
Readvance 89, 482
- Abernethy Forest 257, 259,
272, 285–9, **286**
- Abhainn Ruaival 25
- Abies* (silver fir) 57, 60
- Achnaba 319–23, **321**
- Achnasheen 106–10, **107**, 192
- Aeolian deposits 54, 414,
430–1, 553, 602
see also Mountain-top sand
deposits
- Afton Lodge 18, 535, 538–41
- Agassiz Rock 559, 565–8, **566**,
567
- Allerød 136, 250
- Allt Leachdach valley 336
- Allt Lorgaidh fan 299–301
- Allt na Feithe Sheilich 287,
288, 289–92, **291**
- Allt Odhar 25, 149, 159–64,
161, **162**
- Alluvial fans 38, 39, **114**, **175**,
187, 299–301, **300**,
310, **332**, 333, 342, **352**,
353, **457**, 461, 561
- Almondbank 478, 485–7, **486**
- Alnus* (alder) 43, 98, 138, 140,
141, 144, 146, 150, 155,
227, 237, 239, 250,
251–2, 288, 345, 346,
351, 353, 391, 399, 403,
405, 414, 433, 467, 483,
503, 515, 527–9, 530,
531, 553, 586, 598, 606,
610
- Amino acid analysis 20, 73, 78,
90, 167, 236, 241, 244,
415, 540
- An Teallach 29, 67, 81, 103,
110–15, **112**, **113**, **114**,
209
- Anglian glaciation 21–2, 229,
484
- Anthropogenic impacts 43, 74,
78, 98, 115, 132, 146,
216, 289, 293, 302, 310,
351, 353–4, 355, 392,
403, 405, 431, 434, 505,
529–31, 561, 586, 593,
606, 610
- Applecross peninsula 104
- Arctic–alpine vegetation, *see*
Relict arctic–alpine
vegetation
- Arctica islandica* 78, 88, 232,
241, 244, **327**, 415, 442,
444, 452, 490, 492, **539**
- Ardersier 151, 170–4, **171**
- Ardersier Readvance 151, 170,
172, 173
- Arêtes 365, 366
- Arran 537, 538
- Artemisia* 38, 61, 136, 138,
250, 259, 284, 287, 391,
394, 433, 442, 471, 479,
492, 503, 527, 530, 561,
582, 598
- Astarte sulcata* 167, 170, 311,
327, **539**, 594
- Astronomical theory of ice
ages 5–7
- Aucheneck 439–42, **440**
- Auchteraw 195
- Avalanches
rock/rockfalls 115, **117**,
118–22, **120**, **121**, 280,
368
snow 272, 280, 368
- Badger Cave (Creag nan
Uamh) 128, 129
- Baile an t-Sratha 89, 91–2,
93–4
- Balure of Shian, *see* South Shian
and Balure of Shian
- Baosbheinn 39, 103, 115–18,
116, **117**
- Barnyards 199–204, **200**, **202**
- Beanrig Moss 581–4, **583**
- Beaully Firth 43, 187, 199–204,
200, **202**, 206, 340
- Beinn Alligin 39, 103, 118–22,
120, **121**
- Beinn Shiantaidh 362, 373–5,
374
- Bellscamphie 22, 213, 230–3,
231
- Ben Avon 261, **262**
- Ben Macdui 269, 271
- Ben Mór Coigach 104
- Ben Nevis range 29
- Ben Wyvis 151, 207–9, **208**
- Betula* (birch) 36, 41, 43, 61,
65, 103, 136, 138, 140,
141, 144, 146, 150, 156,
162, 163, 164, 215, 216,
237, 250, 251–2, 257,
259, 273, 274, 281–2,
287–9, 290, 292, 297,
344–6, 351, 362, 391,
394, 399, 401, 403–5,
433, 467, 471, 473,
478–9, 494, 503, 515,
516, 527, 579, 584, 586,
592, 593, 598, 606, 610

Index

- Bigholm Burn 592, 596–9
 Biosphere, rates of change 46
 Bishopbriggs 25, 535
 Black Loch 43, 511, 526–31, 528
 Blackford Hill 559, 565–8, 567
 Blane Valley Silts 442, 446, 447
 Blanket bogs, *see* Peat, blanket
 Blockfields 67, 111, 113, 114, 269–70, 277, 279, 376, 377
 Blue Grey 'Series' 213, 214
 Bølling 136, 137
 Bone Cave (Creag nan Uamh) 128, 129, 132
 Bonnington Linn waterfall 551
 Borlum 195–6
 Borve 414, 429–31
 Boulder lobes 111, 209, 259, 270, 277, 278, 279, 280, 377
 Boyne Quarry 233–6
Bruckenthalia spiculifolia 57, 60
 Brunhes–Matuyama boundary 18, 21
 Buchan Gravels 213, 214, 216–18, 218–21
 Buried Gravel Layer 317, 318
 Buried river channels 535
 Burn of Aith 54, 61–3, 62
 Burn of Benholm 20, 25, 232, 477–8, 482–5
 Cairngorms 16, 259–76, 260, 262, 266, 268, 269, 271, 287–9
 deglaciation landforms and deposits 265–8, 274–5, 276
 geology 261–3
 glacial erosion 263–5, 274, 276
 Lateglacial and Holocene vegetation history 272–4
 periglacial activity 268–72, 275, 276
 pre-glacial landforms 257, 261–3, 274, 276
 Caithness 71, 83–98, 86
 Callander Moraine 464, 465, 470
Calluna (heather) 81, 96, 138, 140, 144, 146, 227, 237, 287, 290, 353, 399, 401, 403, 405, 433, 434, 503, 530, 606–9, 610
 Cam Loch 134–7, 135
 Cambrian Quartzite 111
 Cambridge, P.G. 244
 Cannabinaceae 528, 530, 531
 Caol Lairig 333–4
 Carey 511, 515–18
 Carlops 559, 573–5, 574, 575
Carpinus (hornbeam) 57, 60
 Carse clay, *see* Estuarine sediments
 Carstairs Kames 30, 181, 537, 544–9, 545, 546
 Caryophyllaceae 398, 433, 442, 527
 Cassie Till 22, 166
 Castle Hill 240–2
 Cave deposits 127–33, 131
 Cereal-type pollen 351, 403, 529, 530, 586
 Chelford Interstadial 164
 Chenopodiaceae 522
 Cheviot Hills 559
 Chutes, subglacial 578
 Clach Tholl 316, 318
 Cladach Lag na Greine 420
 Claddochside 448–50
 Clava 20, 149, 151, 165–70, 166
 Clava Shelly Clay 20, 151, 167, 167, 168–70
 Clay mineralogy 153, 218, 221, 222, 223, 224, 263, 394
 Clochodrick Stone 537, 549–50, 550
 Clunas 152–4
 Clyde beds 307, 323, 325, 326, 437, 442, 443, 446, 447, 449, 450–2, 451, 453, 454, 454–5
 Clyde estuary 537–8
 Cnoc a'Mhoraire 122–3
 'Coastal Deposits' 235, 236, 241
 Coir' Odhar moraine 361, 378, 381–2
 Coire a'Cheud-chnoic 123–6, 125, 126
 Coire Dho 152, 189–92, 191
 Coire Fee 259, 292–5, 294
 Coleoptera (beetles) 8, 34, 36, 38–9, 46, 160, 162, 164, 398, 454, 505, 561, 591–2, 596–7, 598, 599, 600–1
 Continental shelf 13, 20, 413
 Cora Linn waterfall 551
 Corries 17–18, 73–4, 111, 113, 118, 257, 260, 261, 264–5, 268, 272, 274, 276, 277, 278, 280, 359, 363, 365, 366, 368, 578–9, 594–6, 604–9
 Corrieshalloch Gorge 126–7
Corylus (hazel) 41, 61, 138, 140, 141, 143, 144, 146, 216, 237, 250, 251, 259, 273, 288, 290, 310, 345, 351, 353, 362, 391, 394, 399, 405, 433, 467, 473, 479, 494, 503, 515, 516, 527, 586, 593, 606, 610
 County Donegal 67
 Crag and tail 16, 426, 427, 566, 567, 568, 587
 Craigs of Auchterellon 230, 232, 233
 Creag nan Uamh 25, 41, 101, 103, 127–33, 130, 131
 Creran glacier 37, 323, 326, 443
 Croftamie 37, 438, 442–4
 Crossbrae Farm 25, 27, 215, 229
 Cruciferae 442, 516, 527, 598
 Crustal dislocation 317, 319, 342, 459
 Cryoturbation 89, 90, 522
 Cuillin, The 363–9, 364
 Cunndal 420
 Cyperaceae 391–2, 442, 483, 492, 494, 503, 527, 529–30, 598
Daboecia cantabrica 57
 Dalcharn 22, 149–50, 154–9
 Dalcharn 'biogenic formation' 22, 23, 149–50, 154, 155, 155, 156, 157, 158
 Dalsetter erratic 53
 'Dead'-ice topography, *see* Kame and kettle topography
 Dearg Till 22, 154
 Debris flows/cones 44, 115, 270–1, 271, 275, 301–3, 302, 310, 351–5, 354, 377, 422, 423
 Deep-sea cores 7–8, 13
 Deflation surfaces 111, 114, 272
 Deltas
 glaciolacustrine 106, 107, 108, 109, 110, 188, 333, 334–6, 335, 337, 342–3, 427
 glaciomarine 173, 179, 307, 361, 485, 487

Index

- Den Wick 76–8
- Devensian
- Early 22, 25, 27, 71, 73, 78–9, 160, 162–4, 484
 - Middle 20, 25, 27, 101, 239, 423–5, 484
 - Late
 - chronology 27, 281–5, 361, 464–74
 - ice-sheet deglaciation
 - 30–4, 33, 149, 151, 170–4, 176–81, 187–9, 204–6, 236, 245, 246, 248, 265–6, 276–7, 284, 299, 307, 361, 382, 422, 425, 427, 429, 437, 478, 485–7, 487–9, 499–502, 509, 537, 559–61, 577–8, 591
 - ice-sheet glaciation 27–34, 46, 101, 207, 236, 245, 257, 307, 446, 509, 535, 559
 - ice-sheet limits 29, 53, 90–1, 105–6, 241, 359, 412, 577–8
 - ice-sheet maximum 8, 29, 411, 420, 421, 526
 - ice-sheet movements
 - 16–17, 28, 29, 71, 76–8, 78–80, 85, 88–90, 91, 93, 95, 149, 150, 151, 214, 258, 360, 366, 411, 412, 477, 478, 481, 509, 510, 536, 537, 540, 542–4, 560, 562, 568, 568–70, 570–2, 592
 - ice-sheet readvances
 - 32–4, 105–6, 149, 151, 170, 172, 173, 482, 486–7, 487–9, 537, 543–4
 - see also* Loch Lomond Readvance; Wester Ross Readvance
 - marine fauna, *see* Clyde beds; Errol beds
 - periglacial features 208, 377, 525
 - terrestrial fauna 127–33, 131
 - see also* Lateglacial; Lateglacial Interstadial; Loch Lomond Stadial; Wester Ross Readvance
- Diatoms 44, 61, 136, 140, 423–5, 516–17, 609, 613
- Diluvial hypothesis 562, 567
- Din Moss 584–6, 585
- Dinnet Readvance 246, 247
- Dirlot 88–9
- Dirrie More 122–3, 126–7
- Dog Stone, The 316, 318
- Dores 196–9, 197
- Drift limit 107, 108, 111, 113, 126, 193, 194, 195, 333, 364, 377
- Drumhollistan 92–4
- Drumlins 29, 440, 441, 445, 446, 537, 591, 593
- Dryas octopetala* 141
- Dryleys 478, 489–93, 490
- Dunbar 587, 587–8
- Dunbeath Till 85
- Dunbeath Valley 91
- Dundonald Burn 552–4
- Dwarfie Hamars 79, 80, 81–2
- Dwarfie Stone 82
- Early Pleistocene 18, 21
- Earth pillars 94
- Eas na Broige 310, 351–5, 354
- East Flanders Moss 459, 461–2
- Easter Garden 460–1
- Easter Poldar 462–3
- Easter Ross moraines 101, 106, 149
- Eastern Highland Boundary 477, 477–505
- Edinburgh and Lothians glaciation 562–5
- Eilean Dubh na Sroine 144, 146
- Eilean Mór 138, 140
- Empetrum* (crowberry) 101, 136–7, 138, 141–3, 144, 152, 250, 273, 281, 307, 344, 346, 362, 391, 394, 398, 433, 473, 478, 492, 503, 527, 600
- Enegars Corrie 79, 80, 81–2
- Equilibrium line altitude 38, 39, 82, 277, 367, 389, 596
- Ericaceae 57, 60, 101, 345, 396, 433
- Eriophorum* (cotton-grass) 290, 606–9, 610
- Erratics 21–2, 29, 52, 53, 71, 72, 78, 82, 85, 86, 89, 94–5, 101, 111, 112, 115, 151, 169, 189, 229, 245, 257, 307, 359, 411, 413, 422, 477, 480, 514, 537, 547, 549–50, 550, 559, 568, 591, 593–4
- Errol beds 30, 32, 437, 450, 478, 509, 511–15, 513, 591
- Eskers 30, 104, 151, 176–81, 178, 179, 181–4, 182, 185, 186, 187, 215, 242, 243, 246, 247, 248, 260, 281, 282, 321, 322, 440, 464, 465, 470, 544–9, 574, 577
- Estuarine sediments (carse clay) 30–2, 199–204, 206, 207, 251–4, 456, 457, 458, 459, 460, 461–3, 462, 489–93, 493–7, 511–15, 515–18, 518–22, 522–5, 523, 524, 599–602, 602–4
- Eustasy, *see* Glacio-eustasy
- Falls of Clyde 535, 551–2
- Fannich Mountains 29, 45, 133–4
- Felsenmeer, *see* Blockfields
- Fife and Lower Tay 509–31, 510
- Findhorn Terraces 187–9, 188
- Firth of Clyde 32, 34, 437, 439, 452, 543–4
- Firth of Forth 40, 559, 561
- Fisher Formation 22
- Flemington Eskers, *see* Kildrummie Kames
- Flint gravels 213, 218–21
- Flood deposits 271
see also Jökulhlaup deposits
- Flowstones 128, 132
- Fluvial erosion, gorges 337–9, 338, 340, 343, 551–2
- Fluvial terraces 107, 108, 109, 187–9, 188, 299, 332, 333, 336, 340
- Foraminifera 30, 88, 170, 234, 441, 448, 454, 485, 513, 514, 539, 539
- Forest Bed 66, 289
- Forest history 41–3, 54, 66, 87, 96–8, 103, 138, 216, 259, 273–4, 287–8, 344–6, 350–1, 391–2, 399–407, 406, 414, 473, 479, 503, 516, 527–9, 530, 531, 538
- Forest zones 42
- Fort Augustus 38, 152, 192–6, 194, 340
- Foula 54, 66

Index

- Fraxinus* (ash) 352, 363, 405, 414, 529, 530
 Fugla Ness 22, 23, 51, 54–8, 56, 159
 Gairloch Moraine 32, 103–6, 104, 105
 Gallowflat 511–15
 Galson beach 413, 415, 418
 Gardenstown 23
 Gare Loch 453–4
 Garrabost 411
 Garths Voe 54, 63–6, 64, 65
 Gartness 192, 444–8, 445
 Gartocharn Till 442, 446, 447, 448, 449
 Geilston 450–2, 451
 Gelifluction deposits 90, 209, 226, 229, 275, 441
 Geochemistry of sediments 136–7, 140, 222–3, 224, 349, 524, 524, 530, 539, 543
 Gharbhrair stage 123
 Gibbsite 263
 Gills Bay 89
 Glacial deposits 21–2, 29, 85
 see also High-level shell beds; Shelly till; Till
 Glacial drainage systems 30, 181, 184, 186–7, 192, 195, 196, 246–8, 265, 274, 275, 320–3, 340, 342, 509, 537, 573–5, 576–8, 577
 Glacial erosion 13–18, 149, 217, 263–5, 274, 276, 359, 363, 365, 365–8, 369
 areal scouring 16
 ice-moulded bedrock 53, 86, 245, 260, 264, 365, 368, 368, 427
 troughs/glaciated valleys 13–16, 16, 261, 264, 276, 298, 365, 578–81
 watershed breaches 13, 101, 122, 126–7, 264, 266, 340
 zones 14
 see also Corries
 Glacial modification/diversion of drainage 38, 126–7, 192, 265, 274, 340, 364, 365–6, 551–2
 Glacial overdeepening 17, 365–6
 Glacial theory 21, 365–6, 453, 455, 562, 565–8
 Glacio-eustasy 4, 8, 32, 380, 414, 453
 Glacio-isostasy 8, 32, 40, 43–4, 193, 195, 196, 199, 203–4, 206, 207, 251–4, 307, 317, 333, 359, 380, 453, 463, 509, 515–18
 Glacio-isostatic tilting/uplift 20–1, 40, 44, 310, 318, 319, 342, 361, 362, 380, 381, 383–4, 385–6, 511, 514, 561
 Glaciofluvial deposits 8, 30, 31, 106–10, 107, 108, 149, 151, 155, 176–81, 183–4, 184–7, 193, 195–6, 196–8, 204–6, 215, 242–5, 246–51, 257, 265, 299, 303, 319–23, 330–1, 389–91, 413–14, 427, 453, 458, 479–82, 489, 499–502, 509, 537, 544–9, 559, 570–2, 576–8, 591
 Glaciolacustrine deposits 110, 240–2, 334, 446, 447, 109
 Glaciolacustrine shorelines 189–92, 192–6, 328–43
 Glaciomarine deposits 21, 27, 172–4, 215, 359
 Glaciotectionics 91, 154, 169, 173, 445–6, 447, 453, 455, 487–9
 Gleann Mór 431–4, 432
 Glen Feshie 25, 257, 270–1, 298–303, 300
 Glen Gloy 329, 330, 334
 Glen More 257, 265, 266
 Glen Roy and the Parallel Roads of Lochaber 38, 187, 309, 328–43, 329, 330, 332, 341
 Glen Spean 187, 192, 329, 334–9, 335, 338
 Glen Valtos 413–14, 425–9, 426, 428
 Glenacardoch Point 313–16, 314, 315
 Goodie Water 460, 460
 Gorges, *see* Fluvial erosion
 Gramineae (grasses) 138, 227, 237, 345, 353, 391–2, 399, 433, 442, 483, 492, 503, 527, 529–30, 582, 584, 598
 Grampian Mountains 154, 157, 159, 255–303, 344–6
 Granite, decomposed 153, 221–3, 223–5, 263
 Greenock Mains 542–4
 Greensand, Lower Cretaceous 219
 Gribun 362, 389–92, 390
 Gullies 492, 518–20, 522–5, 523, 524
 Gytta 134, 249, 281, 283, 295, 296, 344, 345, 346, 389, 443, 472, 503, 504
 Hanging valleys 365–6, 578
 Hard water error 61, 96, 141, 284, 287, 346, 443, 586
 Head 58, 74–6, 75, 87, 93, 480
 Hewan Bank 568–70
 High Buried Beach 40, 438, 458, 461
 High Rock Platform 59, 360, 361, 378–80, 380, 382, 383–4, 385
 High-level shell beds 18–20, 168, 169, 307, 310–13, 484, 535, 538–41, 543
 Highland ice 29, 537, 540, 541–2, 543, 559, 562–5, 570, 591, 594
 Hill dunes, *see* Mountain-top sand deposits
 Hill of Longhaven Quarry 223–5
 Hirta 431–4
 Holocene 41–5
 aeolian deposits (coastal) 414, 430–1, 553, 602
 aeolian deposits (upland), *see* Mountain-top sand deposits
 environmental conditions 63, 137–41, 288–9, 295, 297, 326, 344–6, 389–92, 429–31, 431–4, 493–7, 515–18, 538, 552–4, 584–6, 604–9, 609–13
 fluvial landforms and deposits 298–303, 303, 310, 351–5, 354
 forest degradation/clearance 103, 141, 144–6, 288–9, 290, 351, 362, 391–2, 401, 403, 405, 479, 503, 529–30, 606
 forest expansion 41–3, 42, 46–7, 141, 144, 146, 259, 273–4, 287–8, 290, 310, 344–5, 351, 362, 391, 399, 401–3,

Index

- Holocene, forest expansion
(*contd*)
403–5, 414, 467, 473,
479, 494, 503, 516,
527–9, 530, 531, 553,
561, 586, 593, 598, 606,
610
palaeomagnetic record 449
periglacial landforms and
deposits 45, 67–8, 80–2,
103, 111, 113, 114, 115,
133–4, 208, 209, 259,
270–2, 376, 377, 554–6
sea-level changes 43–4, 152,
172, 174, 203, 204,
206–7, 215, 251–4,
315, 388, 414, 429–31,
448–9, 461–2, 463,
493–7, 497–9, 511,
515–18, 518–22, 525,
538, 552–4, 562, 593,
600, 601, 602–4
slope landforms and deposits
44–5, 298–303, 351–5
terrestrial fauna 128, 133
vegetational development
41–3, 45, 54, 61, 63–5,
66, 74, 87, 96–8,
137–41, 139, 141–3,
144, 215, 216, 248–50,
272–4, 275, 276,
280–5, 287–8, 289–92,
292–5, 297, 344–7,
350–1, 359, 362,
389–92, 399–407, 414,
431–4, 439, 464–9,
553, 561, 579, 584–6,
593, 604–9, 609–13
Hoxnian Interglacial 22, 23,
54, 55–8, 229
Hoy 71, 73–4, 80–2
Ice ages initiation 5
Ice caps 27, 51, 53–4, 411,
413, 420, 422, 559
Ice limits 109–10, 112, 173,
189–90, 246, 247, 341,
420, 421, 440, 441, 443,
456–63, 467, 474
see also Devensian, Late, ice-
sheet limits
Ice-contact deposits 104,
106–8, 109, 168,
170–4, 242, 265, 309,
322, 325, 422, 423, 499,
502
Ice-dammed lakes 33, 38, 106,
108, 149, 152, 186–7,
189, 192, 195, 196, 241,
242, 245, 309, 340, 341,
342, 343, 437, 446, 447,
448
Ice-free areas 27, 29, 101, 214,
215, 242, 412, 413,
420–1
Ice-marginal deposits, *see* Ice-
contact deposits
Ice-moulded bedrock, *see*
Glacial erosion
Ice-sheet glaciations 213
Pre-Late Devensian 21, 22,
51–3, 57–8, 73, 90,
149–50, 159, 160, 164,
165–70, 213, 215, 229,
232–3, 236, 241, 313,
413, 477, 480–1, 482,
509, 540
see also Devensian, Late, ice-
sheet glaciation
Ice-sheet growth 46
and decay 7
Ice-sheet models 29, 46, 71,
73, 265
Ice-wedge casts 39, 111, 482
Ice-wedge polygons 215, 561
Ilex (holly) 23, 150, 155,
157–9, 362, 405
Inchcoonans 511–15
Inchie 458, 459–60
Indigo boulder clay 230, 232,
233
Inland 'Series' 213, 214, 229
Inner Hebrides 359–407, 360
Interglacial deposits 8, 20–1,
22, 23, 25–7, 51, 54, 55,
55–8, 59, 60, 149–50,
154–9, 411, 413, 419
see also Palaeosols
Inverness area 147–209, 150
Ipswichian Interglacial 22, 25,
51, 53, 58, 59, 60, 128,
229, 237, 239, 419
Islay, Northern 32, 361, 372,
378–82, 379
Isobases 203, 253
Isostasy, *see* Glacio-isostasy
Isostatic tilting, *see* Glacio-
isostatic tilting/uplift
Jaramillo Geomagnetic Event
18, 21
Jökulhlaup deposits 38, 152,
192, 193, 195, 196, 340
Juncus (rushes) 55, 273
Juniperus (juniper) 37, 57, 61,
101, 136, 137, 138,
141–3, 144, 146, 150,
250, 257, 259, 290, 297,
307, 310, 344, 362, 391,
394, 395, 398, 399, 467,
471, 473, 478–9, 516,
527, 584, 586, 592, 593,
598, 610
Jura, West Coast of 32, 361,
362, 382–9, 384
Kame and kettle topography
186, 193, 204, 246, 248,
260, 265–6, 337, 478,
499, 509, 591
Kame terraces 30, 151, 181,
184–6, 187, 188, 191,
197, 198, 247, 281,
282, 300, 320–2, 321,
335, 336, 464, 470,
576
Kames 30, 86, 178, 215, 247,
260, 281, 299, 300, 322,
465, 470, 482, 576
Kaolinite 153, 216, 217, 218,
222, 224, 263
Keith Water 570–2
Kettle holes 30, 106, 107, 171,
178, 183, 185, 186, 194,
197, 205, 242, 243, 247,
248, 260, 282, 284, 300,
320, 321, 322, 331–3,
335, 336, 457, 464–9,
465, 469–74, 478, 486,
487, 502–5, 574, 577,
602–4
Kildrummie Kames
(Flemington eskers)
151, 176–81, 178, 179,
180, 184
Kilmaurs 535
Kincraig Point 525–6
King Edward 20, 215
Kingshouse 310, 344–7, 345
Kippet Hills 18, 242–5, 243
Kirkhill 21, 22, 23, 25, 27, 213,
225–30, 226
Koenigia islandica 61, 527,
598
Lacustrine beaches 107, 109,
110, 151
Lacustrine sediments 35,
61–3, 106, 108, 134–7,
138, 143–6, 190, 192,
198, 257, 280–5,
292–3, 295, 334, 343,
389–91, 396, 423–5,
429–31, 430, 437–8,
447
Lacustrine shingle ridges 193,
196–9, 197

Index

- Lacustrine shorelines 190, **191**, 193, 195–6, 198
see also Glen Roy and the Parallel Roads of Lochaber
- Lake acidification 43, 140–1, 609, 613
- Lake District 369
- Lammermuir–Stranraer Readvance 591
- Landslides 39, 103, 333, 343, 389
- Late Devensian, *see* Devensian, Late
- Lateglacial
 environmental changes 134–7, 137–41, 284, 297, 596–9, 599–601
see also Lateglacial Interstadial, environmental conditions
 sea-level changes 172, 173, 174, 206–7, 448, 449, 450, 489–93, 510–11, 525–6, 601
see also Lateglacial Interstadial, sea-level changes; Loch Lomond Stadial, sea level
 soil development 138–40
 vegetation 138, 141–3, 248–50, 272–4, 280–5, 285, 287, 295, 297, 347–50, 561, 597–8, 600
see also Lateglacial Interstadial, vegetation; Loch Lomond Stadial, vegetation
- Lateglacial Interstadial 34–6
 environmental conditions 61–3, 347–50, 392–5, 395–8, 450–2, 502–5, 581–4, 596–9, 599–601
 marine fauna 34, 36, 151–2, 325–6, 450, 454–5, 489–92, 491
see also Clyde beds; Errol beds
- palaeoclimate 34, 36, 61–3, 284, 307, 347, 349–50, 394, 395, 398, 437, 503, 505, 592, 596–9, 601
- sea-level changes 36, 174, 489–93, 510–11
- terrestrial fauna 34, 36, 454–5, 489–92, 491, 591, 598–9, 601
- terrestrial sediments **35**
- vegetation 34–6, **35**, 46, 87, 96–8, 101, 138–40, 141–3, 152, 215, 257, 280–5, 287, 307, 347–9, 361–2, 392–5, 395–8, 403, 405, 437, 478–9, 502–5, 510, 527, 561, 581–4, 591–2, 600, 601
- Latheronwheel 90, 94
- Laurentide Ice Sheet 481
- Leavad 22, 94, 94–5
- Leavad erratic 85, 89, 94–5
- Lemna* (duckweed) 251, 516
- Lennox town erratic train 567
- Letterewe woods 144
- Lewis 20, 21, 22, 29, 414–21, **416**, **417**, **418**
- Lewisian gneiss 16, 17
- Leys Gravels 225–7
- Leys Till 22, **226**, 227
- Ling Bank Formation 22
- Lismore, Isle of 309, 316–19
- Little Ice Age 45, 47, 67, 270, 272, 301, 433–4
- Littlemill 181–4, **182**
- Littorina littorea* 167, 459
- Loch Lomond Readvance **33**, 37–8, 54, 74, 82, 101, **102**, 109–11, **112**, **113**, 115, 122–6, 189–93, **191**, 195, 246, 247, **258**, 267, **268**, **269**, 275–7, 280, 292, 293, 298–9, 307, **308**, 309–10, 319–23, 326, 333–4, 336–7, 340, **341**, 342, 344–7, **361**, 362, **364**, 367, 369, 389, 437–45, **438**, **440**, **445**, 447, 449, 455–63, 467–9, 470, 473–4, 578–81, **580**, 594–6, **595**, 606
- Loch Lomond Stadial 36–41, 376
 glacial landforms and deposits, *see* Loch Lomond Readvance
 glacio-isostasy 193, 195, 196
 marine fauna 40, 309, 325–6, 327–8, 437, 448, 459–60
 palaeoclimate 38, 39, 63, 118, 309, 375, 395, 503, 527, 578–81
 periglacial landforms and deposits 39, 90, 103, 116, 117–18, 122, 259, 309, 362, 373–5, 433, 537
- sea level 40, 103, 206, 456, 458–60, 463
- soil changes 136, 140
- terrestrial fauna 38, 132
- vegetation 38, 103, 136–7, 138, 141, 215, 259, 284, 285, 287, 349, 350, 362, 394, 433–4, 437, 442, 470–3, 479, 503, 527, 561, 582, 598
- Loch of Winless 87, 96–8, **97**
- Lochaber, Parallel Roads of, *see* Glen Roy and the Parallel Roads of Lochaber
- Lochan an Druim 141–3, **142**
- Lochar Moss 593
- Lochnagar 257, 259, 276–80, **278**
- Lochs
 An t-Suidhe 392–5, **393**
 Ashik 395–8, **397**, 399–401, **400**, **406**
 Cill an Aonghais 350–1, **352**
 Cleat 362, 399, 401–3, **402**, **406**
 Droma 36, 122–3
 Dungeon 593, 604–9, **605**, **607**, **608**
 Einich 273, 274, 287, 288
 Etteridge 257, 267, 280–5, **282**, **283**, 287, 288
 Kinord 215, 248–50, **249**, 287, 288, 289
 Lang 414
 Lomond 437, 439
 South 448–50
 Maree 143–6, **145**
 Meodal 362, 399, 403–5, **406**
 Ness 38, 151, 152, 186–7, 193, 195–6, 198–9
 Sionascaig 137–41, **139**
 Skene 578–81
 Spelve 455
 Treig 372
see also Black Loch; Cam Loch; Gare Loch; Round Loch of Glenhead; Spiggie Loch; Stormont Loch
- Lothians and Borders 559–88, **560**
 Edinburgh and Lothians glaciation 562–5
- Low Buried Beach 43, 458, 461, 463
- Low Rock Platform 361, 378, 381, 386

Index

- Lundy Gorge 337–9, **338**, 340
 Lybster Till 85, 89–90
Lycopodium (clubmoss) 57,
 61, 138, 152, 391, 398,
 464, 471, 527
- Macoma calcarea* 170, 241,
 312, **327**, 420, 460, 512
- Main Buried Beach 43, 203,
 458, 459, 460, 461, 462,
 515–18
- Main Lateglacial Shoreline 40,
 152, 173, 201–3, 206,
 318–19, 510–11, 561,
 588
- Main Perth Shoreline 105, 486,
 487, 514, 526, 561
- Main Postglacial Shoreline 44,
 152, 203, 206, 253, 320,
 439, 459, 461, 492, 493,
 496, 497, 498, 511, 515,
 518, 520, 562
- Main Postglacial Transgression
 36, 43–4, 103, 201–3,
 215, 252, 253, 310,
 362–3, 388, 458, 459,
 460, 461, 479, 492, 496,
 511, 518–22, 522–5,
 538, 552–4, 593, 600,
 601–2, 603–4
- Main Rock Platform 40, 309,
 315, 316–19, **317**, 325,
 362, **364**, 378, **380**, 381,
 384–6, **385**, 437, 448,
 449, 588
- Main Wester Ross Shoreline
 105
- Mammal remains 8, 25, 129,
 131, 132, 491, 512, 535,
 553
see also Reindeer
- Marine submergence theory
 151, 165, 168–70, 419,
 422, 443, 539
- Marr Bank Formation 27
- Maryton 493–7, **494**, **495**
- Melampyrum* 290
- Meltwater channels 30, **31**,
 151, 174–6, **175**, **178**,
 181, 190, **191**, 192,
 204–6, **243**, 246, **247**,
 248, **260**, 265, **278**, **282**,
 320, **321**, **335**, 337, **338**,
 425–9, **428**, 439, **440**,
457, 457, 460, 461, 478,
 499, 502, 554, 559,
 573–5, **574**, **575**,
 576–8, **577**
- Meltwater drainage systems,
see Glacial drainage
 systems
- Meltwater gorge 126–7
- Menteith moraine 40, 438,
 456–8, 459
- Microtus gregalis* (Tundra
 vole) 132
- Middle Pleistocene 18, 20, 51,
 57, 310–13, 509
- Mill Bay 58, 78–80, 229, 484
- Milton Ness 477, 478, 497–9
- Mollands 464–9, **465**, **466**, **468**
- Mollusca
 marine 8, 18, 20, 30, 78, 79,
 88, 170, 241, 242, 243,
 244, 245, 311–12, 325,
 326, 327–8, 413,
 421–2, 441, 446, 452,
 453, 482–5, 512, 539,
 553, 594
 non-marine 8
- Montane vegetation types 292,
 293, 295, 297
- Montmorillonite 153
- Moraines 73, 89, **112**, **114**, **117**
 boulder 111, 267, **268**, 275,
 277, 280, 292
 continental shelf 413
 cross-valley **107**, 108, 189,
 190–2, 337, 342
 end 29, 32, 38, 53, 74, **79**,
 80, 81–2, 88–9, 101,
 103–6, **104**, **105**, 111,
 122–3, 246, 247, **260**,
 268, 323, **335**, **338**, 340,
 361, 367, 378, 381–2,
 389, 439–42, **440**, **444**,
 445–6, 453–5, 456–7,
 459–60, 460–1, 463,
 464, **465**, 470, **580**, 581,
 592, 594–6, **595**, 606
 fluted **112**, **120**, 124, **278**,
 367, 369, **580**
 glaciolacustrine 444, 445–6,
 447, 448
see also Moraines, cross-
 valley
 hummocky 38, **86**, 101–3,
112, **114**, **120**, **121**,
 123–6, **125**, **126**, **260**,
 266–8, 269, 275, **278**,
 284, 292, **335**, 337, 340,
 367–8, 369, **465**, 579,
580, **605**
 lateral 111, **113**, 117, 118,
 119, **121**, 193, 337, 340,
 367, 579, **595**, 595–6
 medial 32–4, 106, 111, 119,
 122, 292, 361, 387–8,
388
- rogen 591
- Moray Firth 29, 73, 78, 88–9,
 90, 95, 149–52, 157–9,
 164, 170–4, 217, 219,
 220, 227, 232, 233–6,
 240–2
- Morrone 259, 295–8, **296**
- Moss of Achnacree 30, 309,
 319–23, **321**
- Moss of Cruden 218–21, **219**
- Mountain-top sand deposits
 (niveo-aeolian sands)
 45, 54, 67–8, 74, 80–1,
 82, 103, 111–13, **114**,
 115
- Moy Formation 161, **162**
- Muckle Head 74–6, **79**
- Muir of Dinnet 246–51, **247**
- Mull 13, 349, 359, 362
see also Gribun; Lochs, An t-
 Suidhe; Scarisdale
- Multiple ice-sheet glaciation
 559, 591
see also Till, multiple
 sequence
- Munlochy Valley 204–7, **205**
- Murraster 57
- Mya truncata* 78, 88, **327**, 421,
 444
- Myrica* (myrtle) 146, 273, 391,
 516
- Mytilus edulis* 78, 459, 460
- Neogene geological history 13
- Neotectonics 319, 342, 459,
 463
- Newbie 602–4, **603**
- Nigg Bay 477, 478, 479–82
- Nith Bridge **541**, 541–2
- Nivation 113, **114**, **208**, 209,
 272
- Niveo-aeolian sands, *see*
 Mountain-top sand
 deposits
- North Atlantic 45
- North Atlantic Drift 34, 36, 41,
 45, 63, 540
- North Esk River 499–502, **500**
- North Sea Basin 18, 21, 27, 29,
 71, 73, 85, 88, 90, 213,
 483, 604
- North Wales 369
- North-east Scotland 213–54
- North-west Highlands 101–46,
102
- Northern Highlands 29, 32
- Nuculana pernula* 170, 234,
 312, **327**, 460, **539**, 594
- Nunataks 29, 68, 101

Index

- Oceanic Polar Front 34, 36,
101, 284, 394, 514, 591
- Odhar Gravel 160, **162**
- Odhar Peat 25, 159, 160, **162**,
162–3, **163**, 164
- Older Dryas 34, 101, 136, 137,
152, 250, 349, 479, 503
- Orbital periodicities 4, 5–7, 8
- Orkney Islands 13, 71–82, **72**
- Ostracods 30, 170, 454, 485,
491, 512–13, 514, **539**,
539, 582
- Outer Hebrides 27, 411–34,
412
- Outwash deposits
fans 320, 322–3, 323–5,
340–2, 478
terraces 30, 106–10, **107**,
108, 151, 186, 187–9,
188, 190, **191**, 193, **194**,
195, 197–8, 215, 246,
247, 248, 299, 307, 320,
321, 322–3, 336, 460,
486, 493, 499–501, 559
- Oxygen Isotope Stages 7–8, 21,
22, 163–4
- Oxyria* (mountain sorrel) 433,
582
- P-forms 336, 359, 369–73,
370, **371**
- Palaeochannels 246, 299, 301,
499–502
- Palaeoprecipitation
reconstruction 38, 118,
268, 273–4, 277, 284,
367
- Palaeoseismicity 342
- Palaeosols 23, 25, 103, 136,
138–40, 225–7, **228**,
236–40, **237**, 301, **302**,
353, **354**
- Palaeotemperature
reconstruction 38, 57,
162–3, 307, 367,
423–5, 598, 601
- Papa Stour 53
- Paraglacial deposits 150, 161,
188–9
- Parallel Roads of Lochaber, *see*
Glen Roy
- Patterned ground
non-sorted 209, 362
sorted 67–8, 103, 111, 152,
271–2, 275, 376, 554–6
- Peat
blanket 47, 63–5, 66, 87,
96–8, 103, 138–41,
144, 146, 273, 274, 276,
289–92, 298, 310, 344,
399, 401, 431–4, 462,
584–6, 593, 604–9, 610
buried 25, 55, 59, 149–50,
159–64, **162**, **163**, 210,
229, **457**, 458–9, **460**,
460, **462**, 463, 479,
493–7, 496, 515–25,
516, **523**, **524**, 538,
599–602
erosion 47, 274, 613
interglacial 23, 25, 51, 54,
55, 55–7, 58–60, 154,
155, 413, **418**, **419**, 420,
478, 483
interstadial 39, 90, 150–1,
219, 478, 482–5
intertidal 54, 251–4, 429,
461–2, 479
- Pentland Hills 563–4
- Periglacial activity 8, 23, 27,
40, 54, 66–8, 74, 80–1,
82, 85, 87, 103, 110–15,
114, 133–4, 152, 195,
207–9, **208**, 213, 215,
225, 229, 259, 268–72,
275, 276, 277–80, 309,
343, 362, **364**, 368,
375–8, 377, 413, 433,
525, 554–6, **555**
- Permafrost 207, 271, 375, 376
- Perth Readvance 32, 247, 478,
485–6, 487, 488
- Philorth Valley 251–4, **252**,
253
- Phoca vitulina* (common seal)
512
- Phragmites* (reed) 350, 606
- Picea* (spruce) 57, 60, 530
- Pinus* (pine) 36, 41–3, 103,
138, 140, 143, 144–6,
150, 154, 155, 156, 157,
159, 215, 216, 227, 237,
241, 250, 251, 252, 259,
285, 288, 290, 292, 297,
310, 345–6, 351, 353,
362, 391, 399–401,
405, 479, 483, 494, 515,
519, 522, 527, 530, 531,
586, 593, 598, 606, 610
stumps 87, 98, 162, 273,
275, 288, 289, 290, 604
- Pitlowie 44, 522–5, **523**
- Pittodrie 221–3, **222**
- Planation surfaces 206, 261–3,
276
- Plant macrofossils 51, 66, 160,
272–4, 285–9, 289–92,
295, 297, 344, 346, 414,
423, 429, 581–4, 604–9
- Plantago* (plantain) 57, 237,
239, 251, 252, 353, 403,
433, 434, 529–30, 586,
610
- Plateau surfaces 13, 261–3
- Ploughing boulders **208**, 209,
270, 280, 376
- Pollen analysis 522
and deglaciation chronology
37, 122–3, 267, 331,
344–6, 347, 394, 395,
469, 471, 473, 591
- Polytrichum norvegicum*
(moss) 297
- Populus* (poplar) 414
- Port Logan 593–4
- Port of Ness 411, 421–3
- Portlandia arctica* 40, 166,
167, 325, 326, **327**, 453,
485, 512, 514
- Portnellan 448–50
- Potamogeton* (pondweed)
251, 433
- Potentilla* 433
- Potholes 337
- Pre-glacial landforms and
deposits 13–18, 257,
261–3, **262**, 274, 276
- Pre-Holocene
fluvial deposits and
landforms 174–6,
176–81, 184–7, 187–9,
319–23
see also Glen Roy and the
Parallel Roads of
Lochaber
- Pre-Ipswichian, interglacial
vegetation 55–7, **56**, 60,
227
- Pre-Late Devensian
ice-sheet glaciations, *see* Ice-
sheet glaciations, Pre-
Late Devensian
marine deposits and
landforms 18–21, **19**,
165–70, 307, 309,
313–16, 359–61,
414–21, 497–9, 535,
559, **587**, 587–8
see also High Rock
Platform; High-level
shell beds; Low Rock
Platform
non-marine organic
sediments 23–7, **24**
see also Interglacial
deposits
periglacial deposits 23,
225–9
terrestrial fauna 535

Index

- Pre-Loch Lomond Stadial,
periglacial landforms
and deposits 23,
225–9
- Protalus ramparts 39, 103, 111,
115–18, **116**, **117**, 259,
269, 375
- Pteridium* (bracken) 144
- Pulpit Hill 347–50, **348**
- Quartzite gravels 213, 216–18
- Quaternary
climatic change 5–7
definition 5
depositional events 26
environments 8–9
subdivision 7–8
timescale *xvi–xix*
- Quercus* (oak) 41, 60, 103,
138, 144, 237, 250,
251–2, 259, 288, 310,
345, 346, 351, 362, 391,
399, 401, 405, 414, 467,
479, 483, 494, 515, 519,
522, 527, 529, 530, 553,
561, 593, 598, 606, 610
- Radiocarbon dating 25, 30, 37,
44, 54, 63–5, 65, 66, 87,
95, 129–30, 134, **135**,
136, 138, 140, 144, 160,
163, 167–8, 227, 239,
248, 251, **252**, **253**, 270,
273–4, 277, 281, 284,
285, 287, 293, 295, 310,
325, 326, 344–6, 361,
362, 394–5, 396, 399,
420, 423–5, 429–30,
437–8, 443, 446, 449,
452, 453, 455, 459, 467,
470, 478, 483, 496, 496,
503, 518, 519, 519–20,
522–4, **524**, 537, 553,
554, 586, 597, 599, 602,
610
- problems 61, 215, 346, 396,
433, 443–4, 467–9
see also Hard water error
- Raised beaches 27, 32, **72**, 74,
75, 151, 152, 170, **171**,
172, 173, 174, 186, 199,
201–3, 204–7, **205**,
307, 313–15, 316, 320,
321, **323**, **324**, 325, 326,
386–7, 388, 411, **412**,
416, **454**, 478, 479, 489,
497–9, **498**, 509, 518,
523, 591
- Rammer Cleugh 559, 576–8
- Rangifer tarandus* (reindeer)
25, 40–1, 101, 103,
129–30, 132, 442, 443,
535
- Rannoch Moor 46, 257, 273,
309–10, 344–7
- Reay Till 85, 89–90
- Red 'Series' 213, **214**, 215, 232,
233, 245
- Redkirk Point 592, 598,
599–602, **600**
- Redpoint Moraine 104–5
- Reindeer, *see* *Rangifer*
tarandus
- Reindeer Cave (Creag nan
Uamh) 128, 129, 132
- Relict arctic–alpine vegetation
141, 259, 297, 579
- Rhins of Wigtownshire 591
- Rhu Point 452–5, **454**
- River terraces 9, 38, 44, **178**,
180, **194**, **205**, 246, 259,
282, 299, **302**, **332**, 333,
336, 343, 499, **500**, 501
- Roches moutonnées 71, 183,
246, **247**, **260**, 264, **364**
- Rock basins 13, **14**, **15**
- Rock glaciers 39, 103, 118–22,
120, **121**, 259, **260**, 269,
275, 362, 373–5, **374**
- Rock platforms and cliffs 20–1,
307, 313–16, **314**, **315**,
317, 331, 361, **412**, 413,
415, 419, 420, 477,
497–9, **498**, 509,
525–6, **587**, 587–8, 594
see also High Rock Platform;
Low Rock Platform;
Main Rock Platform
- Rockslides 118–22, **120**, **121**
- Ronas Hill 54, 66–8
- Roslin Till 559, 563, 564–5,
569
- Ross Priory 448–50
- Round Loch of Glenhead 43,
593, 609–13, **611**, **612**
- Rum, Western Hills of 359,
362, 375–8
- Rumex* (docks, sorrels) 61,
136–7, 138, 144, 152,
250, 281, 282, 391, 398,
433, 470–1, 503, 527,
530, 584, 598, 610
- Saalian glaciation, *see*
Wolstonian glaciation
- St Abbs Formation 30
- St Fergus 27, 215
- St Kilda 29, 411, 413, 414,
431–4
- Salix* (willow) 61, 65, 136,
140, 141, 146, 150, 250,
251, 257, 281, 282, 290,
297, 307, 391, 398, 399,
401, 414, 433, 442, 494,
515, 516, 527, 530, 582,
592, 606, 608
- Sand dune and machair
development 414,
429–31
- Sand sheets, *see* Mountain-top
sand deposits
- Sandar 299, **300**, 303, 499, 501
see also Outwash deposits
- Saville Boulder 71
- Saxifraga* 141, 293, 297, 433,
582, 598
- Scandinavian ice/erratics 21,
51, 53, 71, 73, 89,
480–1, 483, 484
- Scarisdale 369–73, **370**, **371**
- Scree slopes 39, 115, 368–9,
373–5, **374**
- Scriob na Caillich 32–4, 361,
387–8, **388**
- Sediment geochemistry, *see*
Geochemistry of
sediments
- Sel Ayre 23, 25, 51, 53, 58–60,
59
- Selaginella* (clubmoss) 464,
471, 527, 600
- Selwick 74–6, **79**
- Sgùrr Mór 103, 133–4, 288
- Sheet jointing
(pseudobedding) 263
- Sheet-wash gravel 162
- Shelly till 20, 71, 72, 78–80,
85–90, **86**, 91–2, 93,
151, 167, 168–70, 359,
412, 442–3, 444, 446,
447, 448, 477–8,
482–5, 593–4
- Shetland Islands 29, 51–68, **52**
- Shingle ridges 32, 152, 172,
173, 174, 197, 198, 307,
321, 361, 363, 383, 384,
385, 386–7, 388–9
- Shochie Burn 478, 487–9, **488**
- Silver Moss 511, 518–22, **519**,
521
- Skye 13, 29, 362, 398, **406**
see also Cuillin, The; Lochs,
Ashik; Lochs, Cleat;
Lochs, Meodal
- Snowbeds, perennial 272

Index

- Solifluction 23, 45, 67, 90, 103,
208, 215, 219, 222,
229, 239, 261, 347, 349,
377, 416, 419–20, 483, 561
lobes 111, 133–4, 207–9,
208, 219, 260, 267, 270,
277, 376
terraces 67, 80, 81, 133–4,
260, 270, 376
Solway Firth 591–3, 593–4,
599–602, 602–4
Sorbus (rowan/mountain ash)
143, 362, 399, 401, 405,
414, 606
Sourlie 22, 25, 535
South Shian and Balure of Shian
323–8, 324, 455
South-west Highlands 307–55,
308
South-west Scotland 591–613,
592
Southern Uplands 29, 594–6
Southern Uplands ice 29, 478,
535, 537, 540, 541–2,
543, 547–8, 559,
562–5, 570–2, 573,
591, 594
Southern Uplands till 541,
541–2, 559, 562–5,
569, 570–2
Speleothems 128, 130, 316,
317, 317–18, 319
Spey Bay 388–9
Sphagnum (bog moss) 65, 96,
138, 146, 273, 299, 401,
463, 584–6, 610
Spiggie Loch 63
Stone stripes 54, 271, 376,
377, 554–6, 555
Stormont Loch 478–9, 502–5,
504
Strathmore 478, 502–3
Strathmore glaciation 89, 483–4
Strathrory 151, 174–6, 175
Strathspey 287
Striations 29, 51–3, 52, 71, 72,
78, 86, 149, 359, 427,
559, 565–8, 568
Strollamus Moraine 106
Struie Channels 174–6, 175
Subhainn Bog 144, 146
Subhainn Lochan 144, 146
Suidheig Till 22, 160, 164
Swainbost 411, 414–15, 420

Talus, *see* Scree slopes
Tangy Glen 20, 310–13, 311

Tauchers 594–6
Tay Estuary 253, 478
Teindland Quarry 23, 25,
236–40, 238
Tertiary gravels, *see* Buchan
Gravels
Thermal regime (glaciers) 17,
264
Till 21, 22, 29, 51, 58, 71, 73,
74–6, 75, 94–5, 150,
154, 160, 213, 219, 219,
227, 241, 311, 311, 313,
315–16, 333, 364,
366–7, 416, 535–7
flow 29, 89–90, 168, 169,
481, 559, 571–2
lodgement 22, 91–2, 154–9,
161–2, 166, 383, 420,
481, 565, 569, 571–2
melt-out 22, 157, 166, 481,
569
multiple sequence 22, 57–8,
76–8, 91–5, 149,
154–64, 168, 225, 227,
229, 230–6, 417–22,
479–82, 541–2, 559,
563–5, 569, 570–2
soliflucted 87, 222, 420
weathered 213, 233–4,
235–6
see also Shelly till
Tinto Hill 45, 537, 554–6, 555
Toa Galson 23, 25, 411, 413,
415, 417, 418, 419, 420
Toll a'Mhadaidh Mór 119, 121
Tolsta Head 25, 411, 423–5,
424
Tors 16, 260, 261–3, 262, 278
Torvean 30, 151, 184–7, 185
Traigh Sands 420
Tridonta elliptica 170, 325,
327
Trim lines 29, 115, 364, 368
Trotternish Peninsula 29
Tsunami/storm surge deposits
44, 65, 65–6, 203, 206,
252, 253, 459, 462, 463,
479, 492, 492, 493, 496,
497, 517, 518, 520, 604
Turf-banked terraces 67, 80,
81, 114, 114, 115, 208,
209, 270, 377
Turret fan 331, 332, 342
Tynaspirit 469–74, 471, 472

Ulmus (elm) 41, 60, 61, 98,
103, 138, 141, 144, 250,
259, 288, 345, 351, 362,
391, 399, 401, 405, 414,
467, 469, 479, 484, 494,
503, 527, 529, 530, 531,
553, 561, 586, 593, 598,
606, 610
Uranium-series dating 25, 101,
128, 130, 160–1,
163–4, 317–18, 319

Valley-floor development
298–303
Varves 389, 442, 487
Vedde Ash 40
Voe of Scatsta 65, 65
Volcanic ash 40

Ward Hill 67, 68, 74, 79, 80–2
Water-worn bedrock 189, 190,
191, 192, 336
Waterfalls 127, 535, 551–2
Watershed breaches, *see*
Glacial erosion,
watershed breaches
Weathered bedrock 13, 17,
149, 152–4, 213,
221–3, 222, 223–5
Weathering 93, 152–4, 217,
223
see also Clay mineralogy;
Granite, decomposed
West Flanders Moss 459, 462
West Moss-side 461–2, 462
West Water River 499–502,
500
Wester Rhynd 517
Wester Ross 407
Wester Ross Readvance 101,
102, 103–6, 111, 115,
117, 173
Western Central Lowlands
535–56, 536
Western Forth Valley 37, 40,
43, 253, 437, 438, 439,
449, 456–64, 457, 460,
462
Western Highland Boundary
437–74, 438
Wilderness Till 437, 442, 447
Wind stripes 67, 80–1, 114
Windy Hills 216–18
Witch Ground Formation 30
Wolstonian glaciation (Saalian
glaciation) 21, 22, 89,
90, 484

Younger Dryas 136, 137, 250