

British Upper Jurassic Stratigraphy (Oxfordian to Kimmeridgian)

J.K. Wright

Department of Geology, Royal Holloway,
University of London.

and

B.M. Cox

Formerly of the British Geological Survey, Keyworth.

GCR Editor: D. Skevington

**JOINT
NATURE
CONSERVATION
COMMITTEE**

References

In this reference list the arrangement is alphabetical by author surname for works by sole authors and dual authors. Where there are references that include the first-named author with others, the sole-author works are listed chronologically first, followed by the dual author references (alphabetically) followed by the references with three or more authors listed *chronologically*. Chronological order is used within each group of identical authors.

- Ahmed, S.T. (1987) Upper Oxfordian and Lower Kimmeridgian ostracods from the South Ferriby Quarry, South Humberside. *Proceedings of the Yorkshire Geological Society*, **46** 267–74.
- Aigner, T. (1980) Biofabrics and stratigraphy of the Lower Kimmeridge Clay (U. Jurassic, Dorset, England). *Neues Jahrbuch für Geologie und Paläontologie, Abhandlungen*, **159** (3), 324–38.
- Ali, O.E. (1977) Jurassic hazards to coral growth. *Geological Magazine*, **114**, 63–4.
- Ali, O.E. (1983) Microsolenid corals as rock formers in the Corallian (Upper Jurassic) rocks of England. *Geological Magazine*, **120**, 375–80.
- Ali, O.E. (1984) Sclerochronology and carbonate production in some Upper Jurassic coral reefs. *Palaeontology*, **27**, 537–48.
- Allen, P.A. and Underhill, J.R. (1989) Swaley cross-stratification produced by unidirectional flows: Bencliff Grit (Upper Jurassic), Dorset, U.K. *Journal of the Geological Society, London*, **146**, 241–52.
- Anderson, F.W. and Dunham, K.C. (1966) *The Geology of Northern Skye*. Memoir of the Geological Survey of Great Britain (Scotland).
- Anon (1995) The Ringstead Bay saga – what is really going on? *Down to Earth*, **10**, 1.
- Arkell, W.J. (1927) The Corallian rocks of Oxford, Berkshire and north Wiltshire. *Philosophical Transactions of the Royal Society of London*, **B216**, 67–181.
- Arkell, W.J. (1928) Aspects of the ecology of certain fossil coral reefs. *Journal of Ecology*, **16**, 134–49.
- Arkell, W.J. (1929–1937) *A Monograph of British Corallian Lamellibranchia*, Monograph of the Palaeontographical Society (London).
- Arkell, W.J. (1931) The age of the Natica Band in the Corallian at Cumnor, near Oxford, and descriptions of two new sections at Cothill. *Proceedings of the Geologists' Association*, **42**, 44–52.
- Arkell, W.J. (1933) *The Jurassic System in Great Britain*, Clarendon Press, Oxford.
- Arkell, W.J. (1934) The Corallian rocks exposed in the new railway cutting at Westbury, Wiltshire. *Geological Magazine*, **71**, 317–20.
- Arkell, W.J. (1935) On the nature, origin and climatic significance of the coral reefs near Oxford. *Quarterly Journal of the Geological Society of London*, **91**, 77–110.
- Arkell, W.J. (1935–1948) *A Monograph on the Ammonites of the English Corallian Beds*, Monograph of the Palaeontographical Society (London).
- Arkell, W.J. (1936a) The Corallian Beds of

References

- Dorset, Part 1: The Coast. *Proceedings of the Dorset Natural History and Archaeological Society*, 57, 59–93.
- Arkell, W.J. (1936b) The ammonite zones of the Upper Oxfordian of Oxford. *Quarterly Journal of the Geological Society of London*, 92, 146–87.
- Arkell, W.J. (1937a) Report on ammonites collected at Long Stanton, Cambs., and the age of the Ampthill Clay. *Summary of Progress of the Geological Survey of Great Britain and the Museum of Practical Geology for the year 1935*, 2, 64–88.
- Arkell, W.J. (1937b) The zonal position of the Elsworth Rock, and its alleged equivalent at Upware. *Geological Magazine*, 74, 445–58.
- Arkell, W.J. (1938a) Zonal position of the Elsworth rock. *Geological Magazine*, 75, 96.
- Arkell, W.J. (1938b) The age of the Elsworth rock. *Geological Magazine*, 75, 334.
- Arkell, W.J. (1938c) Elsworth rock and other matters. *Geological Magazine*, 75, 384.
- Arkell, W.J. (1939a) A map of the Corallian Beds between Marcham and Faringdon. *Proceedings of the Geologists' Association*, 50, 487–509.
- Arkell, W.J. (1939b) The ammonite succession at the Woodham Brick Company's pit, Akeman Street Station, Buckinghamshire, and its bearing on the classification of the Oxford Clay. *Quarterly Journal of the Geological Society of London*, 95, 135–222.
- Arkell, W.J. (1941a) The Upper Oxford Clay at Purton, Wiltshire, and the zones of the Lower Oxfordian. *Geological Magazine*, 78, 161–72.
- Arkell, W.J. (1941b) A map of the Corallian Beds around Highworth. *Proceedings of the Geologists' Association*, 52, 79–102.
- Arkell, W.J. (1941c) Map of the Corallian Beds around Purton, Wilts. *Wiltshire Archaeological and Natural History Society Magazine*, 49, 274–82.
- Arkell, W.J. (1942) Stratigraphy and structures east of Oxford. *Quarterly Journal of the Geological Society of London*, 98, 187–204.
- Arkell, W.J. (1944a) Stratigraphy and structure east of Oxford. Part II: the Milton and the Haseleys. *Quarterly Journal of the Geological Society of London*, 100, 45–60.
- Arkell, W.J. (1944b) Stratigraphy and structure east of Oxford. Part III: Islip. *Quarterly Journal of the Geological Society of London*, 100, 61–73.
- Arkell, W.J. (1945) The zones of the Upper Jurassic of Yorkshire. *Proceedings of the Yorkshire Geological Society*, 25, 339–58.
- Arkell, W.J. (1946) Standard of the European Jurassic. *Bulletin of the Geological Society of America*, 57, 1–34.
- Arkell, W.J. (1947a) *The Geology of the Country around Weymouth, Swanage, Corfe and Lulworth*. Memoir of the Geological Survey of Great Britain (England and Wales).
- Arkell, W.J. (1947b) *The Geology of Oxford*. Clarendon Press, Oxford.
- Arkell, W.J. (1947c) *Oxford Stone*. Faber and Faber, London.
- Arkell, W.J. (1948) A geological map of Swindon. *Wiltshire Archaeological and Natural History Magazine*, 52, 195–212.
- Arkell, W.J. (1949) The Kimeridge [sic] Clay succession at Burning Cliff, Ringstead. *Proceedings of the Dorset Natural History and Archaeological Society*, 70, 124.
- Arkell, W.J. (1951) Dorset geology 1940–50. *Proceedings of the Dorset Natural History and Archaeological Society*, 72, 176–94.
- Arkell, W.J. (1951) The geology of the Corallian ridge between Wootton Bassett and Lyneham, Wiltshire. *Wiltshire Archaeological and Natural History Magazine*, 54, 1–18.
- Arkell, W.J. (1956) *Jurassic Geology of the World*. Oliver and Boyd, Edinburgh and London.
- Arkell, W.J. and Callomon, J.H. (1963) Lower Kimeridgian [sic] ammonites from the drift of Lincolnshire. *Palaeontology*, 6, 219–45.
- Astin, T.R. and Scotchman, I.C. (1988) The diagenetic history of some septarian concretions from the Kimmeridge Clay, England. *Sedimentology*, 35, 349–68.
- Atrops, F. (1997) Kimmeridgian B[oundary] W[orking] G[roup]. *Newsletter of the International Subcommission on Jurassic Stratigraphy*, 24, 43–4.
- Bailey, D., Milner, P. and Varney, T. (1997) Some dinoflagellate cysts from the Kimmeridge Clay Formation in North Yorkshire and Dorset, UK. *Proceedings of the Yorkshire Geological Society*, 51, 235–43.
- Bailey, E.B. and Weir, J. (1932) Submarine faulting in Kimmeridgian times: East Sutherland. *Transactions of the Royal Society of Edinburgh*, 57, 429–67.
- Bailey, E.B., Collet, L.W. and Field, R.M. (1928) Palaeozoic submarine landslips near Quebec City. *Journal of Geology*, 36, 577–614.
- Barnard, T. (1952) Foraminifera from the Upper Oxford Clay (Jurassic) of Warboys, Hunting-

References

- donsire. *Proceedings of the Geologists' Association*, **63**, 336–50.
- Barnard, T. (1953) Foraminifera from the Upper Oxford Clay (Jurassic) of Redcliff Point near Weymouth, England. *Proceedings of the Geologists' Association*, **64**, 183–97.
- Barron, H.F. (1989) Dinoflagellate cyst biostratigraphy and palaeoenvironments of the Upper Jurassic (Kimmeridgian to basal Portlandian) of the Helmsdale region, east Sutherland, Scotland. In *Northwest European Micropalaeontology and Palynology* (eds D.J. Batten and M.C. Keen), British Micropalaeontological Society Series, Ellis Horwood, Chichester, pp. 193–213.
- Benton, M.J. and Spencer, P.S. (1995) *Fossil Reptiles of Great Britain*, Geological Conservation Review Series, No. 10, Chapman and Hall, London, 386 pp.
- BGS (1993) Great Driffield. *England and Wales Sheet 64. Solid Geology and Drift. 1:50,000 Provisional Series*. British Geological Survey, Keyworth, Nottingham, UK.
- BGS (1996) *1:1,500,000 Tectonic Map of Britain, Ireland and Adjacent Areas*. British Geological Survey, Keyworth, Nottingham, UK.
- BGS (1998a) Scarborough. *England and Wales Sheet 54. Solid and Drift Geology. 1:50,000. Provisional Series*. British Geological Survey, Keyworth, Nottingham, UK.
- BGS (1998b) Helmsdale. *Scotland Sheet 103E. Solid and Drift Geology. 1:50,000. Provisional Series*. British Geological Survey, Keyworth, Nottingham, UK.
- Birkelund, T. and Callomon, J.H. (1985) The Kimmeridgian ammonite faunas of Milne Land, central East Greenland. *Grønlands Geologiske Undersøgelse*, **153**, 1–56.
- Birkelund, T., Thusu, B. and Vigran, J. (1978) Jurassic–Cretaceous biostratigraphy of Norway, with comments on the British *Rasenia cymodoce* Zone. *Palaeontology*, **21**, 31–63.
- Birkelund, T., Callomon, J.H., Clausen, C.K., Nøhr Hansen, H. and Salinas, I. (1983) The Lower Kimmeridge Clay at Westbury, Wiltshire, England. *Proceedings of the Geologists' Association*, **94**, 289–309.
- Blake, J.F. (1875) On the Kimmeridge Clay of England. *Quarterly Journal of the Geological Society of London*, **31**, 196–233.
- Blake, J.F. (1880) On the Portland rocks of England. *Quarterly Journal of the Geological Society of London*, **33**, 189–236.
- Blake, J.F. (1881) On the correlation of the Upper Jurassic rocks of England with those of the continent. Part 1: The Paris Basin. *Quarterly Journal of the Geological Society of London*, **37**, 497–587.
- Blake, J.F. (1891) The geology of the country between Redcar and Bridlington. *Proceedings of the Geologists' Association*, **12**, 115–44.
- Blake, J.F. (1892) Excursion to Devizes, Swindon and Faringdon. II Swindon. *Proceedings of the Geologists' Association*, **12**, 326–7.
- Blake, J.F. (1902a) Excursion to Headington, Shotover and Wheatley – report by the director. *Proceedings of the Geologists' Association*, **17**, 383–5.
- Blake, J.F. (1902b) On a remarkable inlier among the Jurassic rocks of Sutherland, and its bearing on the origin of the Breccia-Beds. *Quarterly Journal of the Geological Society of London*, **58**, 290–312.
- Blake, J.F. and Hudleston, W.H. (1877) On the Corallian rocks of England. *Quarterly Journal of the Geological Society of London*, **33**, 260–405.
- Bonney, T.G. (1872a) On the section exposed at Roslyn Hill pit, Ely. *Proceedings of the Cambridge Philosophical Society*, **2**, 268.
- Bonney, T.G. (1872b) Notes on the Roslyn Hill Clay pit. *Geological Magazine*, **4**, 403–5.
- Bonney, T.G. (1875) *Cambridgeshire Geology*, Reighton Bell and Co., London.
- Bradshaw, M.J., Cope, J.C.W., Cripps, D.W. et al. (1992) Jurassic. In *Atlas of Palaeogeography and Lithofacies* (eds J.C.W. Cope, J.K. Ingham and P.F. Rawson), Memoir of the Geological Society of London, **13**, 107–29.
- Brighton, A.G. (1938) The Mesozoic rocks of Cambridgeshire. In *The Cambridge Region* (ed. H.C. Darby), Cambridge University Press, Cambridge, pp. 6–15.
- Bristow, C.R., Barton, C.M., Freshney, E.C. et al. (1995) *Geology of the Country around Shaftesbury*. Memoir of the British Geological Survey (England and Wales).
- Brookfield, M.E. (1973a) Palaeogeography of the Upper Oxfordian and Lower Kimmeridgian (Jurassic) in Britain. *Palaeogeography, Palaeoclimatology, Palaeoecology*, **4**, 137–67.
- Brookfield, M.E. (1973b) The palaeoenvironment of the Abbotsbury Ironstone (Upper Jurassic) of Dorset. *Palaeontology*, **16**, 261–74.
- Brookfield, M.E. (1976) The age of the Allt na

References

- Cuile Sandstones (Upper Jurassic, Sutherland). *Scottish Journal of Geology*, **12**, 181–6.
- Brookfield, M.E. (1978) The lithostratigraphy of the Upper Oxfordian and Lower Kimmeridgian beds of south Dorset. *Proceedings of the Geologists' Association*, **89**, 1–32.
- Buckland, W. and De la Beche, H.T. (1836) On the geology of the neighbourhood of Weymouth and the adjacent part of the coast of Dorset. *Transactions of the Geological Society of London*, **2**, 1–46.
- Buckman, S.S. (1909–1930) *Yorkshire Type Ammonites* (continued as) *Type Ammonites*, 7 vols, published by the author, London and Thame.
- (1909–1912) *Yorkshire Type Ammonites*, Volume 1, London and Thame.
- (1913–1919) *Yorkshire Type Ammonites*, Volume 2, London and Thame.
- (1919–1921) *Type Ammonites*, Volume 3, London and Thame.
- (1922–1923) *Type Ammonites*, Volume 4., London and Thame
- (1923–1925) *Type Ammonites*, Volume 5, London and Thame.
- (1925–1927) *Type Ammonites*, Volume 6, London and Thame.
- (1927–1930) *Type Ammonites*, Volume 7, London and Thame.
- Burkhalter, R.M. (1995) Ooidal ironstones and ferruginous microbialites – origin and relation to sequence stratigraphy (Aalenian and Bajocian, Swiss Jura Mountains). *Sedimentology*, **42**, 57–74.
- Calkin, J.B. (1955) 'Kimmeridge Coal-money' The Romano-British Shale Armlet Industry. *Proceedings of the Dorset Natural History and Archaeological Society*, **75**, 45–71.
- Calkin, J.B. (1972) Kimmeridge Shale objects from Colliton Park, Dorchester. *Proceedings of the Dorset Natural History and Archaeological Society*, **94**, 44–8.
- Callomon, J.H. (1960) New sections in the Corallian Beds around Oxford and the sub-zones of the *plicatilis* Zone. *Proceedings of the Geologists' Association*, **71**, 177–208.
- Callomon, J.H. (1964) Notes on the Callovian and Oxfordian stages. In *Comptes rendues et Mémoires de Colloque du Jurassique à Luxembourg 1962* (ed. P.L. Maubeuge), Congrès géologique International, Luxembourg, pp. 269–91.
- Callomon, J.H. (1965) Subdivision of the Jurassic: the Middle–Upper Jurassic boundary. *Reports, VII Congress of the Carpatho-Balkan Geological Association, Sofia*, **2**, 87–90.
- Callomon, J.H. (1968) The Kellaways Beds and the Oxford Clay. In *The Geology of the East Midlands* (eds P.C. Sylvester-Bradley and T.D. Ford), University Press, Leicester, pp. 264–90.
- Callomon, J.H. (1985a) Biostratigraphy, chronostratigraphy, and all that – again. In *International Symposium on Jurassic Stratigraphy Erlangen 1984*, **3**, (eds O. Michelsen and A. Zeiss), Geological Survey of Denmark, Copenhagen, pp. 612–24.
- Callomon, J.H. (1985b) The evolution of the Jurassic ammonite family Cardioceratidae. *Special Papers in Palaeontology*, **33**, 49–90.
- Callomon, J.H. (1990) On the definition of the basal boundary stratotype of the Jurassic Oxfordian Stage. First ISJS Oxfordian Working Group Meeting, Zaragoza, 1988. *Publicaciones del Seminario de Paleontología de Zaragoza*, **2**, 119–27.
- Callomon, J.H. and Chandler, R.B. (1990) A review of the ammonite biohorizons of the Aalenian–Lower Bajocian stages in the Middle Jurassic of southern England. *Memorie descrittive della Carta Geologica d'Italia*, **40**, 85–112.
- Callomon, J.H. and Cope J.C.W. (1971) The stratigraphy and ammonite succession of the Oxford and Kimmeridge Clays in the Warlingham borehole. *Bulletin of the Geological Survey of Great Britain*, **36**, 147–76.
- Callomon, J.H. and Cope, J.C.W. (1995) The Jurassic geology of Dorset. In *Field Geology of the British Jurassic* (ed. P.D. Taylor), Geological Society, London, pp. 51–103.
- Chadwick, R.A. (1985) Upper Jurassic: late Oxfordian to early Portlandian. In *Atlas of Onshore Sedimentary Basins in England and Wales: Post-Carboniferous Tectonics and Stratigraphy* (ed. A. Whittaker), Blackie, Glasgow and London, pp. 49–51.
- Chatwin, C.P. and Pringle, J. (1922) The zones of the Kimmeridge and Portland rocks at Swindon. *Summary of Progress of the Geological Survey of Great Britain and the Museum of Practical Geology for 1921*, 162–8.
- Childs, A. (1969) Upper Jurassic rhynchonellid brachiopods from Northwestern Europe. *Bulletin of the British Museum (Natural History), Geology*, Supplement 6.
- Chowdhury, A.N. (1982) Smectite, zeolite, biotite and apatite in the Corallian (Oxford-

References

- ian) sediments of the Baulking area in Berkshire, England. *Geological Magazine*, **119**, 487–96.
- Cobbold, E.S. (1880) Note of strata exposed in laying out the Oxford Sewage Farm at Sandford on Thames. *Quarterly Journal of the Geological Society of London*, **36**, 314–20.
- Coe, A.L. (1995) A comparison of the Oxfordian successions of Dorset, Oxfordshire and Yorkshire. In *Field Geology of the British Jurassic* (ed. P.D. Taylor), Geological Society, London, pp. 151–72.
- Coe, A.L., Hesselbo, S.P. and H.C. Jenkyns (1990) Sequence stratigraphy of the Kimmeridgian strata of the Wessex Basin, southern England. *13th International Sedimentology Congress, Nottingham 1990. Abstracts – Papers*, British Sedimentology Research Group, p. 97.
- Cole, D. (1974) A recent example of spontaneous combustion of oil-shale. *Geological Magazine*, **111**, 355–6.
- Cole, D. (1975) Observations on a burning cliff. *Proceedings of the Dorset Natural History and Archaeological Society*, **96**, 16–9.
- Conybeare, W.D. and Phillips, W. (1822) *Outlines of the Geology of England and Wales*, W. Phillips, London.
- Cope, J.C.W. (1967) The palaeontology and stratigraphy of the lower part of the Upper Kimmeridge Clay. *Bulletin of the British Museum (Natural History), Geology*, **15** (1).
- Cope, J.C.W. (1974) New information on the Kimmeridge Clay of Yorkshire. *Proceedings of the Geologists' Association*, **85**, 211–21.
- Cope, J.C.W. (1978) The ammonite faunas and stratigraphy of the upper part of the Upper Kimmeridge Clay of Dorset. *Palaeontology*, **21**, 469–533.
- Cope, J.C.W. (1980) Kimmeridgian correlation chart. In *A Correlation of Jurassic Rocks in the British Isles. Part Two: Middle and Upper Jurassic* (J.C.W. Cope, K.L. Duff, C.F. Parsons et al.), *Geological Society of London Special Report No. 15*, pp. 76–85.
- Cope, J.C.W. (1993) The Bolonian Stage: an old answer to an old problem. *Newsletters on Stratigraphy*, **28**, 151–6.
- Cope, J.C.W. (1995a) Towards a unified Kimmeridgian Stage. *Petroleum Geoscience*, **1**, 351–4.
- Cope, J.C.W. (1995b) Introduction to the British Jurassic. In *Field Geology of the British Jurassic* (ed. P.D. Taylor), Geological Society, London, pp. 1–7.
- Cope, J.C.W. and Torrens, H.S. (1969) The Corallian Beds. In *International Field Symposium on the British Jurassic, Guide No. 1, Dorset and South Somerset* (ed. H.S. Torrens), University of Keele, pp. A44–A47.
- Cope, J.C.W., Duff, K.L., Parsons, C.F., Torrens, H.S., Wimbledon, W.A. and Wright, J.K. (1980) *A Correlation of Jurassic Rocks in the British Isles. Part Two: Middle and Upper Jurassic. Geological Society of London Special Report No. 15*.
- Cosgrove, M.E. (1970) Iodine in the bituminous Kimmeridge Shales of the Dorset coast, England. *Geochimica et Cosmochimica Acta*, **34**, 830–5.
- Cox, B.M. and Gallois, R.W. (1979) Description of the standard stratigraphical sequences of the Upper Kimmeridge Clay, Ampthill Clay and West Walton Beds. *Report of the Institute of Geological Sciences*, **78/19**, 68–72.
- Cox, B.M. and Gallois, R.W. (1981) The stratigraphy of the Kimmeridge Clay of the Dorset type area and its correlation with some other Kimmeridgian sequences. *Report of the Institute of Geological Sciences*, **80/4**, 44 pp.
- Cox, B.M. and Richardson, G. (1982) The ammonite zonation of Upper Oxfordian mudstones in the Vale of Pickering, Yorkshire. *Proceedings of the Yorkshire Geological Society*, **44**, 53–8.
- Cox, B.M. and Sumbler, M.G. (1994) The Oxfordian–Kimmeridgian boundary beds in southern England (Dorset to Fenland). *Geobios, Mémoire Spécial*, **17**, 133–40.
- Cox, B.M. and Sumbler, M.G. (in press) *British Middle Jurassic Stratigraphy*, Geological Conservation Review Series, Joint Nature Conservation Committee, Peterborough.
- Cox, B.M., Lott, G.K., Thomas, J.E. and Wilkinson, I.P. (1987) Upper Jurassic stratigraphy of four shallow cored boreholes in the U.K. sector of the southern North Sea. *Proceedings of the Yorkshire Geological Society*, **46**, 97–109.
- Cox, B.M., Sumbler, M.G., Horton, A. and Ambrose, K. (1991) Thicknesses of Kimmeridge Clay in the Oxford area. *Proceedings of the Geologists' Association*, **102**, 145–8.
- Cox, B.M., Hudson, J.D. and Martill, D.M. (1992) Lithostratigraphic nomenclature of the Oxford Clay (Jurassic). *Proceedings of the Geologists' Association*, **103**, 343–5.
- Cox, B.M., Gallois, R.W. and Sumbler, M.G.

References

- (1994) The stratigraphy of the BGS Hartwell Borehole, near Aylesbury, Buckinghamshire. *Proceedings of the Geologists' Association*, **105**, 209–24.
- Cox, L.R. (1929) A synopsis of the Lamellibranchia and Gastropoda of the Portland Beds of England. *Proceedings of the Dorset Natural History and Archaeological Society*, **50**, 131–202.
- Cox, L.R. (1958) William Joscelyn Arkell. *Biographical Memoirs of Fellows of the Royal Society*, **4**, 1–14.
- Crossley, D. (1987) Sir William Clavell's Glasshouse at Kimmeridge, Dorset: the excavations of 1980–81. *Archaeological Journal*, **144**, 340–82.
- Cunningham, H.R.J. (1841) Geognostical account of the county of Sutherland. *Transactions of the Highland and Agricultural Society*, **13**, 73.
- Curtis, C.D. and Spears, D.A. (1968) The formation of the sedimentary iron minerals. *Economic Geology*, **63**, 257–70.
- Damon, R. (1860) *Handbook to the Geology of Weymouth and the Island of Portland*, Edward Stanford, London.
- Damon, R. (1884) *The Geology of Weymouth, Portland and the Coast of Dorsetshire, From Swanage to Bridport on Sea, with Natural History and Archeological Notes* (new, enlarged edition), Stanford, London.
- Davies, A.M. (1909) Excursion to Wheatley and Arngrove – report by the director. *Proceedings of the Geologists' Association*, **21**, 234.
- De Wet, C.B. (1987) Deposition and diagenesis in an extensional basin: the Corallian Formation (Jurassic) near Oxford, England. In *Diagenesis of Sedimentary Sequences* (ed. J.D. Marshall), *Geological Society of London Special Publication*, No. 36, 339–53.
- Delair, J.B. (1986) Some little known Jurassic ichthyosaurs from Dorset. *Proceedings of the Dorset Natural History and Archaeological Society*, **107**, 127–34.
- Dixon, E.E.L. (1937) Some exposures of the Corallian rocks near Cambridge. *Summary of Progress of the Geological Survey of Great Britain and the Museum of Practical Geology for the year 1935*, 2, 60–3.
- Donaldson, W.S., Plint, A.G. and Longstaffe, F.J. (1999) Tectonic and eustatic control on deposition and preservation of Upper Cretaceous ooidal ironstone and associated facies, Peace River Arch area, N.W. Alberta, Canada. *Sedimentology*, **46**, 1159–82.
- d'Orbigny, A. (1850) Division des terrains jurassiques en étages. In *Paléontologie Française. Terrain Jurassique. I Céphalopodes*, Paris, Victor Masson, pp. 600–11.
- Downie, C. (1957) Microplankton from the Kimmeridge Clay. *Quarterly Journal of the Geological Society of London*, **112**, 413–34.
- Dugué, O. (1995) Séismites dans le Jurassique supérieur du Bassin anglo-parisien (Normandie, Oxfordien supérieur, Calcaire gréseux de Hennequeville). *Sedimentary Geology*, **99**, 73–93.
- Dunn, C.E. (1974) Identification of sedimentary cycles through Fourier analysis of geochemical data. *Chemical Geology*, **13**, 217–32.
- Edmonds, E. A. and Dinhamb C.H. (1965) *The Geology of the Country around Huntingdon and Biggleswade*. Memoir of the Geological Survey of Great Britain (England and Wales).
- Ellis, N.V. (ed.), Bowen, D.Q., Campbell, S. et al. (1996) *An Introduction to the Geological Conservation Review*, Geological Conservation Review Series No.1, Joint Nature Conservation Committee, Peterborough, 131 pp.
- Etches, S. and Clarke, J. (1999) *Steve Etches Kimmeridge Collection Illustrated Catalogue*, Jane Clarke, Chandler's Ford, Hampshire.
- Farrimond, P., Comet, P., Eglinton, G. et al. (1984) Organic geochemical study of the Upper Kimmeridge Clay of the Dorset type area. *Marine and Petroleum Geology*, **1**, 340–54.
- Fisher, O. (1868) On Roslyn or Roswell Hill Clay-pit, near Ely. *Geological Magazine*, **5**, 407–11.
- Fitton, W.H. (1827) Remarks on some of the strata between the Chalk and the Kimmeridge Clay in the SE of England. *Proceedings of the Geological Society of London*, **1**, 26–7.
- Fitton, W.H. (1836) Observations on some of the strata between the Chalk and the Oxford Oolite in the south-east of England. *Transactions of the Geological Society of London*, **4**, 103–38.
- Folk, R.L. (1959) Practical petrographic classification of limestones. *Bulletin of the American Association of Petroleum Geologists*, **43**, 1–38.
- Forbes, C.L. (1960) Field meeting in the Cambridge district. *Proceedings of the Geologists' Association*, **71**, 233–41.
- Forbes, E. (1851) On the Estuary beds and the

References

- Oxford Clay at Loch Staffin, in Skye. *Quarterly Journal of the Geological Society of London*, **7**, 104–13.
- Fortwengler, D. and Marchand, D. (1994) Nouvelles unités biochronologiques de la zone à Mariae (Oxfordien inférieur). *Geobios, Mémoire Spécial*, **17**, 203–9.
- Fox-Strangways, C. (1881) *The Geology of the Oolitic and Liassic Rocks to the North and West of Malton*, Memoir of the Geological Survey of Great Britain (England and Wales), Sheet 96SE (Old Series).
- Fox-Strangways, C. (1892) *The Jurassic Rocks of Britain, I. Yorkshire*, Memoir of the Geological Survey of the United Kingdom, HMSO, London.
- Fox-Strangways, C. (1904) *The Geology of the Oolitic and Cretaceous Rocks South of Scarborough*, Memoir of the Geological Survey of Great Britain (England and Wales).
- Fürsich, F. (1973) *Thalassinoides* and the origin of nodular limestone in the Corallian Beds (Upper Jurassic) of southern England. *Neues Jahrbuch für Geologie und Paläontologie Abhandlungen*, **140**, 136–56.
- Fürsich, F.T. (1974) Corallian (Upper Jurassic) trace fossils from England and Normandy. *Stuttgarter Beiträge zur Naturkunde, Serie B (Geologie und Paläontologie)*, **13**, 52 pp.
- Fürsich, F.T. (1975) Trace fossils as environmental indicators in the Corallian of England and Normandy. *Lethaia*, **8**, 151–72.
- Fürsich, F.T. (1976a) Fauna–substrate relationships in the Corallian of England and Normandy. *Lethaia*, **9**, 343–56.
- Fürsich, F.T. (1976b) The use of macro-invertebrate associations in interpreting Corallian (Upper Jurassic) environments. *Palaeogeography, Palaeoclimatology, Palaeoecology*, **20**, 235–56.
- Fürsich, F.T. (1977) Corallian (Upper Jurassic) marine benthic associations from England and Normandy. *Palaeontology*, **20**, 337–85.
- Gallois, R.W. (1976) Coccolith blooms in the Kimmeridge Clay and origin of North Sea oil. *Nature*, **259**, 473–5.
- Gallois, R.W. (1979a) *Oil Shale Resources in Great Britain*, 2 vols, Institute of Geological Sciences, London. Unpublished report for the Department of Energy.
- Gallois, R.W. (1979b) Geological investigations for the Wash Water Storage Scheme. *Report of the Institute of Geological Sciences*, **78/19**, 74 pp.
- Gallois, R.W. (1988) *Geology of the Country around Ely*. Memoir of the British Geological Survey (England and Wales), Sheet 173.
- Gallois, R.W. (1994) *Geology of the Country around King's Lynn and The Wash*. Memoir of the British Geological Survey (England and Wales), Sheet 145 and part of 129.
- Gallois, R.W. (2000) The stratigraphy of the Kimmeridge Clay Formation (Upper Jurassic) in the RGGE Project boreholes at Swanworth Quarry and Metherhills, south Dorset. *Proceedings of the Geologists' Association*, **111**, 265–80.
- Gallois, R.W. and Cox, B.M. (1974) Stratigraphy of the Upper Kimmeridge Clay of the Wash area. *Bulletin of the Geological Survey of Great Britain*, **47**, 1–16.
- Gallois, R.W. and Cox, B.M. (1976) The stratigraphy of the Lower Kimmeridge Clay of eastern England. *Proceedings of the Yorkshire Geological Society*, **41**, 13–26.
- Gallois, R.W. and Cox, B.M. (1977) The stratigraphy of the Middle and Upper Oxfordian sediments of Fenland. *Proceedings of the Geologists' Association*, **88**, 207–28.
- Gallois, R.W. and Cox, B.M. (1994) The Kimmeridge Clay and underlying strata (Upper Jurassic) at Swindon, Wiltshire. *Proceedings of the Geologists' Association*, **105**, 99–110.
- Gallois, R.W. and Medd, A.W. (1979) Coccolith-rich marker bands in the English Kimmeridge Clay. *Geological Magazine*, **116**, 247–60.
- Gaunt, G.D., Fletcher, T.P. and Wood, C.J. (1992) *Geology of the Country around Kingston upon Hull and Brigg*. Memoir of the British Geological Survey (England and Wales), Sheets 80 and 89.
- George, T.N., Harland, W.B., Ager, D.V. et al. (1969) Recommendations on stratigraphical usage. *Proceedings of the Geological Society of London*, **1656**, 139–66.
- Geyssant, J.R. (1994) Colonisation par des ammonites méridionales des mers Subboréales Kimméridgiennes du Yorkshire (Angleterre). *Geobios*, **17**, 245–54.
- Głowniak, E. (1997) Middle Oxfordian ammonites. Oxfordian (Jurassic) meeting in Poland, 26–28 May 1997 (E. Głowniak, B.A. Matyja, N.E. Poulsen, and A. Wierzbowski). *International Subcommission on Jurassic Stratigraphy Newsletter*, **25**, 45–6.
- Goldring, R., Astin, T.R., Marshall, J.E.A., Gabbott, S. and Jenkins, C.D. (1998a)

References

- Towards an integrated study of the depositional environment of the Bencliff Grit (Upper Jurassic) of Dorset. In *Development, Evolution and Petroleum Geology of the Wessex Basin* (ed. J.R. Underhill), *Geological Society of London Special Publication*, No. 133, 355–72.
- Goldring, R., Layer, M.G., Magyari, A., Palotas, K. and Dexter, J. (1998b) Facies variation in the Corallian Group (Upper Jurassic) of the Faringdon–Shellingford area (Oxfordshire) and the rockground base to the Faringdon Sponge Gravels (Lower Cretaceous). *Proceedings of the Geologists' Association*, **109**, 115–25.
- Gordon, W.A. (1965) Foraminifera from the Corallian Beds, Upper Jurassic, of Dorset, England. *Journal of Palaeontology*, **39**, 828–63.
- Gould, S.J. (ed.) (1993) *The Book of Life*, Ebury Hutchinson, London.
- Gradstein, F.M. and Ogg, J. (1996) A Phanerozoic time scale. *Episodes*, **19**, 3–5.
- Greenwell, G.C. (1859) On the ironstone of Wiltshire and Somerset. *Proceedings of the South Wales Institute of Engineers*, **1**, 307–23.
- Gregory, F.J. (1989) Palaeoenvironmental interpretation and distribution of the Lower Kimmeridgian foraminifera from the Helmsdale–Brora outlier, northeast Scotland. In *Northwest European Micropalaeontology and Palynology* (eds D.J. Batten and M.C. Keen), British Micropalaeontological Society Series, Ellis Horwood, Chichester, pp. 173–92.
- Hallam, A. (1978) Eustatic cycles in the Jurassic. *Palaeogeography, Palaeoclimatology, Palaeoecology*, **23**, 1–32.
- Hallam, A. (1986) Role of climate in affecting late Jurassic and early Cretaceous sedimentation in the North Atlantic. In *North Atlantic Palaeo-oceanography* (eds C.P. Summerhayes and N. Shackleton), *Geological Society of London Special Publication*, No. 21, pp. 277–81.
- Hallimond, A.F. (1925) *Iron Ores: Bedded Ores of England and Wales, Petrography and Chemistry*. Special Reports on the Mineral Resources of Great Britain, **29**, Memoir of the Geological Survey, HMSO, London.
- Hancock, J.M. (1954) A new Ampthill Clay fauna from Knapwell, Cambridgeshire. *Geological Magazine*, **91**, 249–51.
- Harland, W.B., Armstrong, R.L., Cox, A.V., Craig, L.E., Smith, A.G. and Smith, D.G. (1990) *Geologic Time Scale*, Cambridge University Press, Cambridge.
- Hemingway, J.E. (1974) Jurassic. In *The Geology and Mineral Resources of Yorkshire* (eds D.H. Rayner and J.E. Hemingway), Yorkshire Geological Society.
- Hemingway, J.E. and Twombly, B.N. (1963) Convolution phenomena in the Hambleton Oolite. *Transactions of the Leeds Geological Association*, **7**, 139–50.
- Hemingway, J.E. and Twombly, B.N. (1964) Rosedale and Pickering. [Field meeting report.] *Proceedings of the Yorkshire Geological Society*, **34**, 465–8.
- Herbin, J.P. and Geyssant, J.R. (1993) 'Organic belts' during Kimmeridgian/Tithonian in England (Yorkshire, Dorset) and France (Boulonnais). *Comptes rendus des séances de l'Académie des Sciences Paris*, **317**, Série II, 1309–16.
- Herbin, J.-P., Müller, C., Geyssant, J.R., Mélières, F., Penn, I.E. and Yorkim Group (1991) Hétérogénéité quantitative et qualitative de la matière organique dans les argiles du Kimmeridgien du Val de Pickering (Yorkshire, UK). Cadre sédimentologique et stratigraphique. *Revue de l'Institut Français du Pétrole*, **46**, 675–712.
- Herbin, J.P., Müller, C., Geyssant, J.R., Mélières, F., Penn, I.E. and Yorkim Group (1993) Variation of the distribution of organic matter within a transgressive system tract: Kimmeridge Clay (Jurassic), England. In *Source rocks in a sequence stratigraphic framework* (eds B.J. Katz and L.M. Pratt). *American Association of Petroleum Geologists, Studies in Geology*, **37**, 67–100.
- Herbin, J.P., Fernandez-Martinez, J.L., Geyssant, J.R., Albani, A.E., Deconinck, J.F., Proust, J.N., Colbeaux, J.P. and Vidier, J.P. (1995) Sequence stratigraphy of source rocks applied to the study of the Kimmeridgian/Tithonian in the north-west European shelf (Dorset/UK, Yorkshire/UK and Boulonnais/France). *Marine and Petroleum Geology*, **12**, 177–94.
- Hinde, G.J. (1886–1911) *A Monograph of the British Fossil Sponges: I, Sponges of the Palaeozoic and Jurassic Strata*. Monograph of the Palaeontographical Society (London).
- Hitchins, V.H. (1980) *Tentilenticulina latens* n. gen. n. sp.: a new foraminifera from the Corallian (Upper Jurassic), Great Britain. *Micropalaeontology*, **26**, 216–21.
- Hitchins, V.H. (1983) The Corallian 'reefs' of

References

- Yorkshire. Unpublished PhD thesis, University of Swansea.
- Holgate, N. (1969) Palaeozoic and Tertiary transcurrent movements on the Great Glen Fault. *Scottish Journal of Geology*, **5**, 97–139.
- Holloway, S. (1985) Upper Jurassic: early Callovian to Middle Oxfordian. In *Atlas of Onshore Sedimentary Basins in England and Wales: Post-Carboniferous Tectonics and Stratigraphy* (ed. A. Whittaker), Blackie, Glasgow and London, pp. 47–8.
- Horton, A. and Horrell, J. (1971) Field meeting in the Peterborough district, report by the Directors. *Proceedings of the Geologists' Association*, **82**, 353–7.
- Horton, A., Sumbler, M.G., Cox, B.M. and Ambrose, K. (1995) *Geology of the Country around Thame*, Memoir of the British Geological Survey (England and Wales), Sheet 237.
- House, M.R. (1965) Geology. *Proceedings of the Dorset Natural History and Archaeological Society*, **86**, 38–40.
- House, M.R. (1985) A new approach to an absolute time scale from measurements of orbital cycles and sedimentary microrhythms. *Nature*, **315**, 721–5.
- House, M.R. (1986) Are Jurassic sedimentary microrhythms due to orbital forcing? *Proceedings of the Ussher Society*, **6**, 299–311.
- House, M.R. (1989) *Geology of the Dorset Coast*, Geologists' Association Guide, The Geologists' Association, London.
- House, M.R. (1995) Orbital forcing timescales: an introduction. In *Orbital Forcing Timescales and Cyclostratigraphy* (eds M.R. House and A.S. Gale), Geological Society of London Special Publication, No. 85, pp. 1–18.
- Hudleston, W.H. (1876) The Yorkshire Oolites. Part 2, The Middle Oolites. Introduction and Section 1. *Proceedings of the Geologists' Association*, **4**, 353–410.
- Hudleston, W.H. (1878) The Yorkshire Oolites. Part 2, Section 2, The Coralline Oolites, Coral Rag and Supra-coralline Beds. *Proceedings of the Geologists' Association*, **5**, 407–94.
- Hudleston, W.H. (1880) Excursion to Oxford. *Proceedings of the Geologists' Association*, **6**, 338–44.
- Hudleston, W.H. (1889) Excursion to Weymouth. *Proceedings of the Geologists' Association*, **11**, 49–52.
- Hudson, J.D. and Morton, N. (1969) International Field Symposium on the British Jurassic. *Excursion No. 4, Guide for Western Scotland*, University of Keele.
- Hudson, J.D. and Palframan, D.F.B. (1969) The ecology and preservation of the Oxford Clay fauna at Woodham, Buckinghamshire. *Quarterly Journal of the Geological Society of London*, **124**, 387–418.
- Hull, E. and Whittaker, W. (1861) *The Geology of Parts of Oxfordshire and Berkshire*, Memoir of the Geological Survey of Great Britain (England and Wales).
- Hurst, A. (1985) The implications of clay mineralogy to palaeoclimate and provenance during the Jurassic in NE Scotland. *Scottish Journal of Geology*, **21**, 143–60.
- Insalaco, E. (1996) The use of Late Jurassic coral growth bands as palaeoenvironmental indicators. *Palaeontology*, **39**, 413–31.
- Institute of Geological Sciences (1974) *Annual Report for 1973*, Institute of Geological Sciences, Keyworth.
- Irwin, H. (1979) On an environmental model for the type Kimmeridge Clay. *Nature*, **279**, 819.
- Irwin, H. (1980) Early diagenetic carbonate precipitation and pore fluid migration in the Kimmeridge Clay of Dorset, England. *Sedimentology*, **27**, 577–91.
- Irwin, H. (1981) On calcic dolomite–ankerite from the Kimmeridge Clay. *Mineralogical Magazine*, **44**, 105–7.
- Irwin, H., Curtis, C.D. and Coleman, M. (1977) Isotopic evidence for source of diagenetic carbonates formed during burial of organic-rich sediments. *Nature*, **269**, 209–13.
- James, H.L. (1966) Chemistry of the iron-rich sedimentary rocks. In *Data of Geochemistry* (ed. M. Fleischer), United States Geological Survey Professional Paper 440–W.
- Johnson, A.L.A. (1983) Field Meeting on the Corallian of Oxfordshire – report by the director. *Proceedings of the Geologists' Association*, **94**, 177–80.
- Judd, J.W. (1868) On the Speeton Clay. *Quarterly Journal of the Geological Society of London*, **24**, 218–50.
- Judd, J.W. (1873) The secondary rocks of Scotland. First paper. *Quarterly Journal of the Geological Society of London*, **29**, 97–195.
- Judd, J.W. (1878) The secondary rocks of Scotland. Third Paper. The strata of the western coasts and islands. *Quarterly Journal of the Geological Society of London*, **34**, 660–743.
- Jukes-Browne, A.J. (1885) *The Geology of the*

References

- South-west Part of Lincolnshire*, Memoir of the Geological Survey of Great Britain (England and Wales), Sheet 70 (Old Series).
- Jukes-Browne, A.J. (1887) *Geology of Part of East Lincolnshire*, Memoir of the Geological Survey of Great Britain (England and Wales).
- Kelly, S.R.A. (1985) Jurassic and Cretaceous deposits of Upware, Cambridgeshire (review and excursion report). *Bulletin of the Geological Society of Norfolk*, **35**, 3–38.
- Kelly, S.R.A. and Rawson, P.F. (1983) Some late Jurassic–mid-Cretaceous sections on the East Midlands Shelf, England, as demonstrated on a field meeting, 18–20 May 1979. *Proceedings of the Geologists' Association*, **94**, 65–73.
- Kendall, P.F. and Wroot, H.E. (1924) *The geology of Yorkshire*, 2 vols, privately printed in Vienna.
- Kent, P.E. (1980a) Subsidence and uplift in East Yorkshire and Lincolnshire – double inversion. *Proceedings of the Yorkshire Geological Society*, **42** (4), 505–24.
- Kent, P.E. (1980b) *Eastern England from the Tees to the Wash*, British Regional Geology, Institute of Geological Sciences, HMSO, London.
- Kilenyi, T.I. (1969) The Ostracoda of the Dorset Kimmeridge Clay. *Palaeontology*, **12**, 112–60.
- Kirkby, G.A. and Swallow, P.W. (1987) Tectonism and sedimentation in the Flamborough Head region of northeast England. *Proceedings of the Yorkshire Geological Society*, **46**, 301–9.
- Koby, F. (1881–1889) *Monographie des polipiers jurassiques de la Suisse*. Mémoire du Société Paléontologique Suisse, VII–XVI.
- Kreisa, R.D. and Bambach, R.K. (1982) The role of storm processes in generating shell beds in Palaeozoic shelf sequences. In *Cyclic and Event Stratification* (eds G. Einsele and A. Seilacher), Springer-Verlag, Berlin, pp. 200–7.
- Lam, K. and Porter, R. (1977) The distribution of palynomorphs in the Jurassic rocks of the Brora Outlier, N.E. Scotland. *Journal of the Geological Society, London*, **134**, 45–55.
- Lamplugh, G.W. (1896) On the Speeton Series in Yorkshire and Lincolnshire. *Quarterly Journal of the Geological Society of London*, **52**, 179–220.
- Lamplugh, G.W. (1924) A review of the Speeton clays. *Proceedings of the Yorkshire Geological Society*, **20**, 1–31.
- Lamplugh, G.W., Kitchen, M.A. and Pringle, J. (1923) *The Concealed Mesozoic Rocks in Kent*, Memoir of the Geological Survey of Great Britain (England and Wales).
- Lamplugh, G.W., Wedd, C.B. and Pringle, J. (1920) *Iron Ores: Bedded Ores of the Lias, Oolites and Later Formations in England*. Special Reports on the Mineral Resources of Great Britain, **12**, Memoir of the Geological Survey, HMSO, London
- Laporte, L.F. (ed) (1974) *Reefs in Time and Space. Special Publication of the Society of Economic Palaeontologists and Mineralogists*, **18**, Tulsa.
- Leckenby, J. (1859) Note on the Speeton Clay of Yorkshire. *The Geologist*, **1859**, 9–11.
- Lee, A.K.C. (1971) A petrographic and palaeoenvironmental study of the Coralline Oolite Formation (Corallian) east of Newtondale, Yorkshire. Unpublished PhD thesis, Chelsea College, London.
- Lee, G.W. (1925) Mesozoic rocks. In *The Geology of the Country around Golspie, Sutherlandshire* (eds H.H. Read, G. Ross and J. Phemister), Memoir of the Geological Survey of Great Britain (Scotland), pp. 65–114.
- Lee, G.W. and Pringle, J. (1932) A synopsis of the Mesozoic rocks of Scotland. *Transactions of the Geological Society of Glasgow*, **19**, 158–224.
- Linsley, P.N. (1972) The stratigraphy and sedimentology of the Kimmeridgian deposits of Sutherland, Scotland. Unpublished PhD thesis, University of London.
- Lloyd, A.J. (1958) Foraminifera from the type Kimmeridgian. Unpublished PhD thesis, University of London.
- Lloyd, A.J. (1959) Arenaceous foraminifera from the type Kimmeridgian (Upper Jurassic). *Palaeontology*, **1**, 298–320.
- Lloyd, A.J. (1962) Polymorphinid, miliolid and rotaliform foraminifera from the type Kimmeridgian. *Micropalaeontology*, **8**, 369–83.
- Lonsdale, W. (1832) On the oolitic district of Bath. *Transactions of the Geological Society of London, 2nd Series*, **3**, 241–76.
- Macculloch, J. (1819) *A Description of the Western Islands of Scotland, Including the Isle of Man: Comprising an Account of their Geological Structure; With Remarks on Their Agriculture, Scenery, and Antiquities*, 3 vols, Hurst Robinson, London.
- Macdonald, A.C. (1985) Kimmeridgian and Volgian fault-margin sedimentation in the northern North Sea area. Unpublished PhD thesis, University of Strathclyde.

References

- Macdonald, A.C. and Trewin, N.H. (1993) The Upper Jurassic of the Helmsdale area. In *Excursion Guide to the Geology of East Sutherland and Caithness*, (eds N.H. Trewin and A. Hurst), Scottish Academic Press, Edinburgh, pp. 75–114.
- MacFadyen, W.A. (1970) *Geological Highlights of the West Country*, Butterworth, London, 296 pp.
- Macgregor, M. (1916) A Jurassic shore line. *Transactions of the Geological Society of Glasgow*, **16**, 75–85.
- Macgregor, M. (1934) The sedimentary rocks of North Trotternish, Isle of Skye. *Proceedings of the Geologists' Association*, **45**, 389–406.
- Mckee, E.D. and Goldberg, M. (1969) Experiments on formation of contorted structures in mud. *Bulletin of the Geological Society of America*, **80**, 231–44.
- McKenny Hughes, T. (1884) Excursion to Cambridge. *Proceedings of the Geologists' Association*, **8**, 399–404.
- McKenny Hughes, T. (1894) Excursion to Cambridge and Ely. *Proceedings of the Geologists' Association*, **13**, 292–5.
- McKerrow, W.S. (1958) *Geology Around the University Towns: the Oxford District*, 1st edn, Geologists' Association Guide No. 3, Geologists' Association, London.
- McKerrow, W.S. and Baden Powell, D.F.W. (1953) Easter Field Meeting 1952. The Jurassic rocks of Oxfordshire and their superficial deposits. *Proceedings of the Geologists' Association*, **64**, 86–98.
- McKerrow, W.S. and Kennedy, W.J. (1973) *Geology around the University Towns: the Oxford district*, 2nd edn, Geologists' Association Guide No. 3, Geologists' Association, London.
- McQuillan, R., Donato, J.A. and Tulstrup, J. (1982) Inner Moray Firth Basin formation by dextral strike slip. *Earth and Planetary Science Letters*, **60**, 127–39.
- Macquaker, J.H.S. and Gawthorpe, R.L. (1993) Mudstone lithofacies in the Kimmeridge Clay Formation, Wessex Basin, southern England: implications for the origin and controls of the distribution of mudstones. *Journal of Sedimentary Petrology*, **63**, 1129–43.
- Macquaker, J.H.S. and Gawthorpe, R.L. (1994) Mudstone lithofacies in the Kimmeridge Clay Formation, Wessex Basin, southern England: implications for the origin and controls of the distribution of mudstones – Reply. *Journal of Sedimentary Research*, **A64**, 930–2.
- Marchand, D. (1979) Un nouvel horizon paléontologique: l'horizon à *paucicostatum* (Oxfordien inférieur, zone à Mariae, base de la sous-zone à Scarburgense). *Compte Rendu Sommaire des Séances de la Société Géologique de France*, **1979** (3), 122–4.
- Marchand, D. and Fortwengler, D. (1995) Selection of the Oxfordian G.S.S.P.: Proposal for Savournon/Thoux sections, south-eastern France (Hautes-Alpes Department). *Kimmeridgian Boundary Working Group Report*. Unpublished report of the International Subcommission on Jurassic Stratigraphy.
- Mathews, P.M. (1932) A description of the G.W.R. cutting at Westbury, Wiltshire. *Proceedings of the Bristol Naturalists' Society*, **viii**, 382–7.
- Maubeuge, P.-L. (1970) Resolutions du deuxième Colloque International du Jurassique. In *Colloque du Jurassique à Luxembourg 1967*, Musée d'Histoire naturelle, Grand-Duché de Luxembourg, Luxembourg, p. 38.
- Melville, R.V. (1956) The boundary between Middle and Upper Jurassic. *Geological Magazine*, **93**, 436–7.
- Miller, H. (1854) The fossiliferous deposits of Scotland. *Proceedings of the Royal Physical Society of Edinburgh*, **1**, 1.
- Milne-Edwards, H. and Haime, J. (1851) *A Monograph of British Fossil Corals*, Monograph of the Palaeontographical Society (London).
- Milsom, J. and Rawson, P.F. (1989) The Peak Trough, a major control on the geology of the North Yorkshire coast. *Geological Magazine*, **126**, 699–705.
- Morris, N.J. (1968) Stratigraphical and palaeontological researches in the Upper Jurassic rocks. Unpublished DPhil thesis, University of Oxford.
- Morton, N. (ed.) (1974) The definition of standard Jurassic stages. *Mémoires du Bureau de Recherches Géologiques et Minières*, **75** [for 1971], 83–93.
- Morton, N. and Hudson, J.D. (1995) Field guide to the Jurassic of the Isles of Raasay and Skye, Inner Hebrides, NW Scotland. In *Field Geology of the British Jurassic* (ed. P.D. Taylor), Geological Society, London, pp. 209–80.
- Murchison, R.I. (1829a) Supplementary remarks on the strata of the Oolitic Series, and the rocks associated with them, in the counties of Sutherland and Ross, and in the Hebrides.

References

- Transactions of the Geological Society of London*, 2nd series, **2**, 353–68.
- Murchison, R.I. (1829b) On the coal-field of Brora in Sutherlandshire, and some other stratified deposits in the north of Scotland. *Transactions of the Geological Society of London*, 2nd series, **2**, 293–326.
- Myers, K.J. and Wignall, P.B. (1987) Understanding Jurassic organic-rich mud-rocks – new concepts using gamma-ray spectrometry and palaeoecology: examples from the Kimmeridge Clay of Dorset and the Jet Rock of Yorkshire. In *Marine Clastic Sedimentology* (eds J.K. Leggett and G.G. Zuffa), Graham and Trotman, London, pp. 172–89.
- Neaverson, E. (1925) Ammonites from the Upper Kimmeridge Clay. *Paper of the Geology Department of the University of Liverpool*, **1**, 1–52.
- Negus, P.E. (1975) British Jurassic corals in the literature. *Fossil Cnidaria Newsletter*, **2**, 34–6.
- Negus, P.E. and Beauvais, L. (1979) The corals of Steeple Ashton (English Upper Oxfordian), Wiltshire. *Proceedings of the Geologists' Association*, **90**, 213–27.
- Neves, R. and Selley, R.C. (1975) A review of the Jurassic rocks of north-east Scotland. In *Proceedings of the Northern North Sea Symposium, Stavanger* (eds K.G. Finstad and R.C. Neves), Norwegian Petroleum Society, JNNSS/5, pp. 1–29.
- Newell, A.J. (2000) Fault activity and sedimentation in a marine rift basin (Upper Jurassic, Wessex Basin, UK). *Journal of the Geological Society, London*, **157**, 83–92.
- Norton, W.H. (1917) A classification of breccias. *Journal of Geology*, **25**, 160–94.
- Oakley, K.P. and Muir-Wood, H.M. (1967) *The Succession of Life Through Geological Time*, Trustees of the British Museum (Natural History), London.
- Oates, M.J. (1991) Upper Kimmeridgian stratigraphy of Aylesbury, Bucks. *Proceedings of the Geologists' Association*, **102**, 185–99.
- Oschmann, W. (1985) Faziesentwicklung und Provinzialismus in Nordfrankreich und Südengland zur Zeit des obersten Jura (Oberkimmeridge–Portland). *Münchener Geowissenschaftliche Abhandlungen*, A2, 119 pp.
- Oschmann, W. (1988) Kimmeridge Clay sedimentation – a new cyclic model. *Palaeogeography, Palaeoclimatology, Palaeoecology*, **65**, 217–51.
- Oschmann, W. (1994) Der Kimmeridge Clay von Yorkshire als ein Beispiel eines fossilen Sauerstoff-kontrollierten Milieus. *Beringeria*, **9**.
- Page, K.N. (1986) A new section in the Elsworth Rock (Jurassic, Oxfordian) at Papworth Everard, near Cambridge, England. *Proceedings of the Geologists' Association*, **97**, 229–35.
- Page, K.N. (1995) Biohorizons and zonules: intra-subzonal units in Jurassic ammonite stratigraphy. *Palaeontology*, **38**, 801–14.
- Page, K.N. and Cox, B.M. (1995) Notes on the potential of sites in Great Britain as candidate GSSPs for the Oxfordian–Kimmeridgian boundary. *Kimmeridgian Boundary Working Group Report*, Unpublished report for International Subcommission on Jurassic Stratigraphy.
- Palmer, T.J. and Fürsich, F.T. (1981) Ecology of sponge reefs from the Upper Bathonian of Normandy. *Palaeontology*, **24**, 1–23.
- Parkinson, J. (1804–1811) *Organic Remains of a Former World*, 3 vols, J. Robson, London.
- Pavlow, A. and Lamplugh, G.W. (1892) *Argiles de Speeton et leurs équivalents*, Imprimerie de l'Université Impériale, Moscow.
- Penn, I.E., Cox, B.M. and Gallois, R.W. (1986) Towards precision in stratigraphy: geophysical log correlation of Upper Jurassic (including Callovian) strata of the Eastern England Shelf. *Journal of the Geological Society, London*, **143**, 381–410.
- Pennant, T. (1774) *A Tour in Scotland and Voyage to the Hebrides, 1772*, John Monk, Chester.
- Penney, L.F. and Rawson, P.F. (1969) Field Meeting in East Yorkshire and North Lincolnshire: report by the directors. *Proceedings of the Geologists' Association*, **80**, 193–216.
- Phemister, J. (1936) *Scotland: The Northern Highlands*, British Regional Geology, HMSO, Edinburgh for the Geological Survey of Great Britain.
- Phillips, J. (1829) *Illustrations of the Geology of Yorkshire. Part 1, The Yorkshire Coast*, Murray, London.
- Phillips, W. (1818) *Outline of the Geology of England and Wales*, W. Phillips, London.
- Pichon, M. (1972) Les peuplements à base de Scleractiniaires dans les récifs coralliens de la Baie de Tuléar (S.W. de Madagascar). In

References

- Proceedings of the Symposium on Corals and Coral Reefs 1969*, Marine Biological Association of India, pp. 135–54.
- Pickering, K.T. (1984) The Upper Jurassic 'Boulder Beds' and related deposits: a fault-controlled submarine slope, NE Scotland. *Journal of the Geological Society, London*, **141**, 357–74.
- Pocock, T.I., Woodward, H.B. and Lamplugh, G.W. (1908) *The Geology of the Country around Oxford*, Memoir of the British Geological Survey (England and Wales), explanation of Special Oxford Sheet.
- Powell, J.H., Cooper, A.H. and Benfield, A.C. (1992) *Geology of the Country around Thirsk*, Memoir of the British Geological Survey (England and Wales), Sheet 52.
- Pringle, J. (1922) On a boring for coal at Westbury, Wiltshire. *Summary of Progress of the Geological Survey of Great Britain and the Museum of Practical Geology for 1921*, pp. 146–53.
- Pringle, J. (1923) On the concealed Mesozoic rocks in south-west Norfolk. *Summary of Progress of the Geological Survey of Great Britain and the Museum of Practical Geology for 1922*, pp. 126–39.
- Pringle, J. (1926) *The Geology of the Country around Oxford*, 2nd edn, Memoir of the Geological Survey of Great Britain (England and Wales), explanation of Special Oxford Sheet.
- Pyrah, B.J. (1977) An exposure of Upper Oxfordian clays in the Vale of Pickering, Yorkshire. *Proceedings of the Yorkshire Geological Society*, **41**, 197–8.
- Ramsay, A.C. (1865) The glacial theory of lake basins. *Philosophical Magazine*, **29**, 285.
- Rastall, R.H. (1909) Cambridgeshire, Bedfordshire and west Norfolk. In *Geology in the Field* (eds H.W. Monckton and R.S. Herries), Jubilee Volume of the Geologists' Association, Part 1, Edward Stanford, London, pp. 124–78.
- Rawson, P.F. and Wright, J.K. (1995) Jurassic of the Cleveland Basin, North Yorkshire. In *Field Geology of the British Jurassic* (ed. P.D. Taylor), Geological Society, London, pp. 173–208.
- Rawson, P.F. and Wright, J.K. (2000) *The Yorkshire Coast*, 3rd edn, Geologists' Association Guide No. 34, Geologists' Association, London.
- Read, H.H., Ross, G. and Phemister, J. (1925) *The Geology of the Country around Golspie*, Sutherlandshire. Memoir of the Geological Survey of Great Britain (Scotland).
- Reed, F.R.C. (1897) *Handbook to the Geology of Cambridgeshire*, Cambridge University Press, Cambridge.
- Reineck, H.E. and Singh, I.B. (1980) *Depositional Sedimentary Environments with Reference to Terrigenous Clastics*, Springer Verlag, Berlin, Heidelberg, New York.
- Richardson, G. (1979) The Mesozoic stratigraphy of two boreholes near Worlaby, Humberside. *Bulletin of the Geological Survey of Great Britain*, **58**.
- Riding, J.B. and Thomas, J.E. (1988) Dinoflagellate cyst stratigraphy of the Kimmeridge Clay (Upper Jurassic) from the Dorset coast, southern England. *Palynology*, **12**, 65–88.
- Riding, J.B. and Thomas, J.E. (1997) Marine palynomorphs from the Staffin Bay and Staffin Shale formations (Middle–Upper Jurassic) of the Trotternish Peninsula, NW Skye. *Scottish Journal of Geology*, **33**, 59–74.
- Riley, L.A. (1980) Palynological evidence of an early Portlandian age for the uppermost Helmsdale Boulder Beds, Sutherland. *Scottish Journal of Geology*, **16**, 29–31.
- Roberts, A. (1989) Fold and thrust structures in the Kintradwell 'Boulder Beds' Moray Firth. *Scottish Journal of Geology*, **25**, 173–86.
- Roberts, T. (1889) The Upper Jurassic clays of Lincolnshire. *Quarterly Journal of the Geological Society of London*, **45**, 545–60.
- Roberts, T. (1892) *The Jurassic Rocks of the Neighbourhood of Cambridge. Sedgwick Prize Essay for 1886*, Cambridge University Press, Cambridge.
- Salfeld, H. (1913) Certain Upper Jurassic strata of England. *Quarterly Journal of the Geological Society of London*, **69**, 423–30.
- Salfeld, H. (1914) Die Gliederung des oberen Jura in Nordwesteuropa von den Schichten mit *Perisphinctes Martelli* OPPEL an aufwärts auf Grund von Ammoniten. *Neues Jahrbuch für Mineralogie, Geologie und Paläontologie. Beilage-Band*, **37**, 125–246.
- Sandy, M.R. (1985) Brachiopods from the Jurassic Abbotsbury Ironstone, Abbotsbury. *Proceedings of the Dorset Natural History and Archaeological Society*, **106**, 171–2.
- Schweigert, G. and Callomon, J.H. (1997) Der *baubini*-Faunenhorizont und seine Bedeutung für die Korrelation zwischen tethylem und subborealem Oberjura. *Stuttgarter*

References

- Beiträge zur Naturkunde, Serie B (Geologie und Paläontologie)*, 247.
- Scotchman, I.C. (1984) Diagenesis of the Kimmeridge Clay Formation. Unpublished PhD thesis, University of Sheffield.
- Scotchman, I.C. (1987a) Relationship between clay diagenesis and organic maturation in the Kimmeridge Clay Formation, onshore UK. In *Petroleum Geology of North West Europe* (eds J. Brooks and K. Glennie), Graham and Trotman, London, pp. 251–61.
- Scotchman, I.C. (1987b) Clay diagenesis in the Kimmeridge Clay Formation, onshore UK, and its relation to organic maturation. *Mineralogical Magazine*, **51**, 535–51.
- Scotchman, I.C. (1989) Diagenesis of the Kimmeridge Clay Formation, onshore UK. *Journal of the Geological Society, London*, **146**, 285–303.
- Scotchman, I.C. (1991a) The geochemistry of concretions from the Kimmeridge Clay Formation of southern and eastern England. *Sedimentology*, **38**, 79–106.
- Scotchman, I.C. (1991b) Kerogen facies and maturity of the Kimmeridge Clay Formation in southern and eastern England. *Marine and Petroleum Geology*, **8**, 278–95.
- Sedgwick, A. (1826) On the classification of the strata which appear on the Yorkshire coast. *Annals of Philosophy, 2nd Series*, **11**, 339–62.
- Sedgwick, A. (1846) On the geology of the neighbourhood of Cambridge, including the formations between the Chalk escarpment and the Great Bedford Level. *Report of the British Association [for 1845]*, 40.
- Seeley, H.G. (1861a) Notice of the Elsworth and other new rocks in the Oxford Clay, and of the Bluntisham Clay above them. *Geologist*, **4**, 460–1.
- Seeley, H.G. (1861b) On the Fen Clay Formation. *Annals and Magazine of Natural History*, **8**, 503–5.
- Seeley, H.G. (1862) Notes on Cambridge geology: preliminary notice of the Elsworth Rock and associated strata. *Annals and Magazine of Natural History*, **10**, 97–110.
- Seeley, H.G. (1865a) On the significance of the sequence of rocks and fossils: theoretical considerations on the Upper Secondary rocks, as seen in the section at Ely. *Geological Magazine*, **2**, 262–5.
- Seeley, H.G. (1865b) On a section discovering the Cretaceous beds at Ely. *Geological Magazine*, **2**, 529–34.
- Seeley, H.G. (1868) On the collocation of the strata at Roswell Hole, near Ely. *Geological Magazine*, **5**, 347–9.
- Seeley, H.G. (1869) *Index to the Fossil Remains of Aves, Ornithosauria, and Reptilia from the Secondary System of Strata, arranged in the Woodwardian Museum of the University of Cambridge*, Cambridge University Press, Cambridge.
- Sellwood, B.W. and Wilson, R.C.L. (1990) Jurassic sedimentary environments of the Wessex Basin, *13th International Sedimentological Congress, Nottingham, UK, 1990, Field Guide No. 7*, British Sedimentological Research Group.
- Seward, A.C. (1911) The Jurassic flora of Sutherland. *Transactions of the Royal Society of Edinburgh*, **47**, 643–709.
- Seward, A.C. and Bancroft, T.N. (1913) Jurassic plants from Cromarty and Sutherland, Scotland. *Transactions of the Royal Society of Edinburgh*, **48**, 867–88.
- Shephard-Thorn, E.R., Moorlock, B.S.P., Cox, B.M., Allsop, J.M. and Wood, C.J. (1994) *Geology of the Country around Leighton Buzzard*, Memoir of the British Geological Survey (England and Wales), Sheet 220.
- Skertchly, S.B.J. (1877) *The Geology of the Fenland*, Memoir of the Geological Survey of Great Britain (England and Wales).
- Smart, J.G.O. and Wood, C.J. (1976) South Humberside [report of field meeting]. *Proceedings of the Yorkshire Geological Society*, **40**, 586–93.
- Smith, W. (1829–1830) Memoir on the stratification of the Hackness Hills. In *The Jurassic Rocks of Britain, I. Yorkshire* (ed. C. Fox-Strangways), Memoir of the Geological Survey of the United Kingdom, pp. 507–14.
- Spath, L.F. (1925) Ammonites and apytychi. In *The Collection of Fossils and Rocks from Somaliland made by Messrs B.N.K. Wyllie, B.Sc., F.G.S. and W.R. Smellie, D.Sc. F.R.S.ED. Monograph of the Geology Department of the Hunterian Museum Glasgow University*, **1**, 111–64.
- Spath, L.F. (1935) The Upper Jurassic invertebrate faunas of Cape Leslie, Milne Land I. Oxfordian and Lower Kimmeridgian. *Meddelser om Grönland*, **99**, 82 pp.
- Spath, L.F. (1939) The ammonite zones of the Upper Oxford Clay of Warboys, Huntingdonshire. *Bulletin of the Geological Survey of Great Britain*, **1**, 82.

References

- Stancliffe, R.P.W. (1984) The palynology of the Oxfordian–Kimmeridgian boundary at South Ferriby Chalk Quarry, South Humberside. Unpublished MSc thesis, University of Hull.
- Strahan, A. (1898) *The Geology of the Isle of Purbeck and Weymouth*, Memoir of the Geological Survey (England and Wales).
- Strahan, A. (1920) *Lignites, Jets, Kimmeridge Oil-Shale, Mineral Oil, Cannel Coals, Natural Gas. Part 1, Special Report on the Mineral Resources of Great Britain*, 7, Memoir of the Geological Survey (England and Wales), HMSO, London, pp. 18–40.
- Sun, S.Q. (1989) A new interpretation of the Corallian (Upper Jurassic) cycles of the Dorset coast, southern England. *Geological Journal*, **24**, 139–58.
- Sun, S.Q. (1990) Facies-related diagenesis in a cyclic shallow marine sequence: the Corallian Group (Upper Jurassic) of the Dorset coast, southern England. *Journal of Sedimentary Petrology*, **60**, 42–52.
- Swinnerton, H.H. and Kent, P.E. (1976) *The Geology of Lincolnshire, from the Humber to the Wash*, 2nd edn (revised by Sir Peter Kent), Lincolnshire Naturalists' Union, Lincoln.
- Sykes, R.M. (1975) The stratigraphy of the Callovian and Oxfordian stages (Middle–Upper Jurassic) in northern Scotland. *Scottish Journal of Geology*, **11**, 51–78.
- Sykes, R.M. and Callomon, J.H. (1979) The *Amoeboceras* zonation of the Boreal Upper Oxfordian. *Palaeontology*, **22**, 839–903.
- Sykes, R.M. and Surlyk, F. (1976) A revised ammonite zonation of the Boreal Oxfordian and its application in N.E. Greenland. *Lethaia*, **9**, 421–36.
- Sylvester-Bradley, P.C. (1953) *A Stratigraphical Guide to the Fossil Localities of the Scarborough District. 1. Geology and Botany*, Scarborough Field Naturalists' Society.
- Talbot, M.R. (1971) Calcite cements in the Corallian beds (Upper Oxfordian) of southern England. *Journal of Sedimentary Petrology*, **41**, 261–73.
- Talbot, M.R. (1973a) Major sedimentary cycles in the Corallian Beds (Oxfordian) of southern England. *Palaeogeography, Palaeoclimatology, Palaeoecology*, **14**, 293–317.
- Talbot, M.R. (1973b) The deposition and diagenesis of the Corallian Beds of southern England. Unpublished PhD thesis, University of Bristol.
- Talbot, M.R. (1974) Ironstones in the Upper Oxfordian of southern England. *Sedimentology*, **21**, 433–50.
- Tarlo, L.B. (1959) *Pliosaurus brachyspondylus* (Owen) from the Kimmeridge Clay. *Palaeontology*, **1**, 283–91.
- Taylor, J.H. (1949) *Petrology of the Northampton Sand Ironstone Formation*, Memoir of the Geological Survey of Great Britain, HMSO, London.
- Toomes, R.F. (1884) A critical and descriptive list of the Oolitic Madrepores of the Boulonnaise. *Quarterly Journal of the Geological Society of London*, **40**, 698–723.
- Torrens, H.S. (1980) Definition of the Middle and Upper Jurassic. In *A Correlation of Jurassic Rocks in the British Isles. Part Two: Middle and Upper Jurassic* (J.C.W. Cope, K.L. Duff, C.F. Parsons et al.), *Geological Society of London Special Report No. 15*, p. 2.
- Torrens, H.S. and Callomon, J.H. (1968) The Corallian Beds, the Ampthill Clay and the Kimmeridge Clay. In *The Geology of the East Midlands* (eds P.C. Sylvester-Bradley and T.D. Ford), Leicester University Press, Leicester, pp. 291–9.
- Torrens, H.S. and Wright, J.K. (1980) Event stratigraphy in the British Jurassic. In *A Correlation of Jurassic Rocks in the British Isles. Part One, Introduction and Lower Jurassic* (J.C.W. Cope, T.A. Getty, M.K. Howarth, N. Morton and H.S. Torrens), *Geological Society of London Special Report No. 14*, pp. 13–16.
- Townson, W.G. (1975) Lithostratigraphy and deposition of the type Portlandian. *Journal of the Geological Society, London*, **131**, 619–38.
- Treacher, L. (1907) Report of an excursion to Faringdon. *Proceedings of the Geologists' Association*, **20**, 115–21.
- Trewin, N.H. (1990) Jurassic sedimentation and tectonics in the Brora–Helmsdale area, and Old Red Sandstone fluvial and lacustrine facies in N. Scotland. *13th International Sedimentology Congress, Nottingham, 1990. Excursion Guide A20*, British Sedimentology Research Group.
- Turner, J.A. (1966) The Oxford Clay of Skye, Scalpay and Eigg. *Scottish Journal of Geology*, **2**, 243–52.
- Turner, J.A. (1970) The ammonites of the *bukowskii* Subzone of the Oxfordian of Skye. *Scottish Journal of Geology*, **6**, 371–8.
- Twombly, B.N. (1965) Environmental and dia-genetic studies of the Corallian rocks in

References

- Yorkshire, west of Newtondale. Unpublished PhD thesis, University of Newcastle.
- Tyson, R.V. (1989) Late Jurassic palynofacies trends, Piper and Kimmeridge Clay Formations, UK onshore and northern North Sea. In *Northwest European Micropalaeontology and Palynology* (eds D.J. Batten and M.C. Keen), British Micropalaeontological Society Series, Ellis Horwood, Chichester, pp. 136–72.
- Tyson, R.V., Wilson, R.C.L. and Downie, C. (1979) A stratified water column environmental model for the type Kimmeridge Clay. *Nature*, **277**, 377–80.
- Ussher, W.A.E. (1890) The Geology of Parts of North Lincolnshire and South Yorkshire, Memoir of the Geological Survey of Great Britain (England and Wales).
- Ussher, W.A.E., Jukes-Browne, A.J. and Strahan, A. (1888) *The Geology of the Country around Lincoln*, Memoir of the Geological Survey of Great Britain (England and Wales), Sheet 83 (Old Series).
- van de Burgh, J. (1987) Macroflora of the Kimmeridgian of Sutherland – a preliminary report. *Documenta Naturae*, **41**, 1–10.
- van de Burgh, J. and van Konijnenburg-van Cittert, J.H.A. (1984) A drifted flora from the Kimmeridgian (Upper Jurassic) of Lothbeg Point, Sutherland, Scotland. *Review of Palaeobotany and Palynology*, **43**, 359–96.
- Versey, H.C. (1929) The tectonic structure of the Howardian Hills and adjacent areas. *Proceedings of the Yorkshire Geological Society*, **21**, 197–227.
- von Buch, L. (1839) Über den Jura im Deutschland. *Abhandlungen der K. Akademie Wissenschaften Berlin*, **1837**, 49–135.
- Waagen, W. (1865) *Versuch einer allgemeinen Classification der Schichten des oberen Jura*, Hermann Manz, München.
- Waterhouse, H.K. (1995) High-resolution palynofacies investigation of Kimmeridgian sedimentary cycles. In *Orbital Forcing Timescales and Cyclostratigraphy* (eds M.R. House and A.S. Gale), *Geological Society of London Special Publication*, No. **85**, pp. 75–114.
- Webster, T. (1816) Geological observations on the Isle of Wight. In *Description of the Principal Picturesque Beauties, Antiquities, and Geological Phenomena of the Isle of Wight* (H. Englefield), Payne and Foss, London.
- Wedd, C.B. (1898) On the Corallian rocks of Upware (Cambs.). *Quarterly Journal of the Geological Society of London*, **54**, 601–19.
- Wedd, C.B. (1901) On the Corallian rocks of St Ives (Huntingdonshire) and Elsworth. *Quarterly Journal of the Geological Society of London*, **57**, 73–85.
- Wedd, C. B. (1910) In *Geology of Glenelg, Lochalsh and the southeast part of Skye* (B.N. Peach, J. Horne, H.B. Woodward, C.T. Clough, A. Harker and C.B. Wedd), Memoir of the Geological Survey of Great Britain (Scotland).
- Wells, C. (1964) Pathological epipodials and tarsus in *Stretosaurus macromerus* from the Kimmeridge Clay, Streatham, Cambridgeshire. *Quarterly Journal of the Geological Society of London*, **120**, 299–304.
- Whitaker, W. (1883) Excursion to Hunstanton. *Proceedings of the Geologists' Association*, **8**, 133.
- Whitaker, W., Woodward, H.B., Bennett, F.J., Skertchly, S.B.J. and Jukes-Browne, A.J. (1891) *The Geology of parts of Cambridgeshire and Suffolk (Ely, Mildenhall and Thetford)*. Memoir of the Geological Survey of Great Britain (England and Wales).
- Whitaker, W., Skertchley, S.B.J. and Jukes-Browne, A.J. (1893) *The Geology of South-western Norfolk and Northern Cambridgeshire*. Memoir of the Geological Survey of Great Britain (England and Wales).
- White, H.J.O. (1925) *The Geology of the Country around Marlborough*, Memoir of the Geological Survey of Great Britain (England and Wales).
- Whitham, F. (1984) Field meeting at the Rugby Portland Cement Quarry, South Ferriby. *Humberside Geologist*, **4**, 19–21.
- Wignall, P.B. (1989) Sedimentary dynamics of the Kimmeridge Clay: tempests and earthquakes. *Journal of the Geological Society, London*, **146**, 273–84.
- Wignall, P.B. (1990a) Benthic palaeoecology of the late Jurassic Kimmeridge Clay. *Special Papers in Palaeontology*, **43**, 74 pp.
- Wignall, P.B. (1990b) Depositional history and palaeoecology of the Oxfordian/Kimmeridgian boundary beds at South Ferriby, South Humberside. *Proceedings of the Yorkshire Geological Society*, **48**, 197–208.
- Wignall, P.B. (1991) Test of the concepts of sequence stratigraphy in the Kimmeridgian (Late Jurassic) of England and northern France. *Marine and Petroleum Geology*, **8**, 430–41.

References

- Wignall, P.B. (1993) The stratigraphy of the Upper Kimmeridge Clay (late Jurassic) of Golden Hill, Vale of Pickering, North Yorkshire. *Proceedings of the Yorkshire Geological Society*, **49**, 207–14.
- Wignall, P.B. (1994) Mudstone lithofacies in the Kimmeridge Clay Formation, Wessex Basin, southern England: implications for the origin and controls of the distribution of mudstones – Discussion. *Journal of Sedimentary Research*, **A64**, 927–9.
- Wignall, P.B. and Myers, K.J. (1988) Interpreting benthic oxygen levels in mudrocks: a new approach. *Geology*, **16**, 452–5.
- Wignall, P.B. and Pickering, K.T. (1993) Palaeoecology and sedimentology across a Jurassic fault scarp, N.E. Scotland. *Journal of the Geological Society, London*, **150**, 323–40.
- Wignall, P.B. and Ruffell, A.H. (1990) The influence of a sudden climatic change on marine deposition in the Kimmeridgian of northwest Europe. *Journal of the Geological Society, London*, **147**, 365–71.
- Williams, P.F.V. (1986) Petroleum geochemistry of the Kimmeridge Clay of onshore southern and eastern England. *Marine and Petroleum Geology*, **3**, 258–81.
- Wilson, R.C.L. (1968a) Upper Oxfordian palaeogeography of southern England. *Palaeogeography, Palaeoclimatology, Palaeoecology*, **4**, 5–28.
- Wilson, R.C.L. (1968b) Carbonate facies variation within the Osmington Oolite series in Southern England. *Palaeogeography, Palaeoclimatology, Palaeoecology*, **4**, 89–123.
- Wilson, V. (1931) A borehole section in the Upper Jurassic at Irton, near Scarborough. *Transactions of the Leeds Geological Association*, **5**, 20–2.
- Wilson, V. (1933) The Corallian rocks of the Howardian Hills (Yorkshire). *Quarterly Journal of the Geological Society of London*, **89**, 480–509.
- Wilson, V. (1934) A synopsis of the Jurassic rocks of Yorkshire – the Cornbrash and Upper Jurassic rocks. *Proceedings of the Geologists' Association*, **45**, 274–89.
- Wilson, V. (1936) The Upper Jurassic rocks of the country between Malton and Castle Howard, Yorkshire. *Proceedings of the Geologists' Association*, **47**, 254–64.
- Wilson, V. (1949) The lower Corallian rocks of the Yorkshire coast and Hackness Hills. *Proceedings of the Geologists' Association*, **60**, 235–71.
- Wilson, V. (1954) Summer Field Meeting in East Yorkshire: report on a visit to Scarborough and the Hackness Hills. *Proceedings of the Geologists' Association*, **65**, 313–14.
- Wilson, V., Welch, F.B.A., Robbie, J.A. and Green, G.W. (1958) *Geology of the Country around Bridport and Yeovil*, Memoir of the Geological Survey of Great Britain (England and Wales).
- Wimbledon, W.A. (1980) Portlandian correlation chart. In *A Correlation of Jurassic Rocks in the British Isles. Part Two: Middle and Upper Jurassic* (J.C.W. Cope, K.L. Duff, C.F. Parsons et al.), *Geological Society of London Special Report No. 15*, pp. 85–93.
- Woodward, A.S. (1890) On the head of *Eurycormus* from the Kimmeridge Clay of Ely. *Geological Magazine*, **7**, 289–92.
- Woodward, H.B. (1888) Note on the Portland Sands of Swindon and elsewhere. *Geological Magazine*, **35**, 469–70.
- Woodward, H.B. (1895) *The Jurassic Rocks of Britain. Vol. 5. The Middle and Upper Oolitic Rocks of England (Yorkshire excepted)*, Memoir of the Geological Survey of the United Kingdom, HMSO, London.
- Woodward, H.B. (1904) *The Water Supply of Lincolnshire*, Memoir (Water Supply) of the Geological Survey of Great Britain, HMSO, London.
- Worssam, B.C. and Taylor, J.H. (1969) *Geology of the Country around Cambridge*, Memoir of the Geological Survey of Great Britain (England and Wales).
- Wright, C.D. (1976) New outcrops of the Amphilhill Clay north of Market Weighton, Yorkshire, and their structural implications. *Proceedings of the Yorkshire Geological Society*, **41**, 127–40.
- Wright, J.K. (1964) The so-called Oxfordian shales of Eigg, Inner Hebrides. *Geological Magazine*, **101**, 185–6.
- Wright, J.K. (1968) The stratigraphy of the Callovian rocks between Newtondale and the Scarborough coast, Yorkshire. *Proceedings of the Geologists' Association*, **79**, 363–99.
- Wright, J.K. (1969) Callovian. In *International Field Symposium on the British Jurassic. Excursion no. 3. Guide for North-east Yorkshire* (eds J.E. Hemingway, J.K. Wright and H.S. Torrens), University of Keele, pp. C14–C17.
- Wright, J.K. (1972) The stratigraphy of the

References

- Yorkshire Corallian. *Proceedings of the Yorkshire Geological Society*, **39**, 225–66.
- Wright, J.K. (1973) The Middle and Upper Oxfordian and Kimmeridgian Staffin Shales at Staffin, Isle of Skye. *Proceedings of the Geologists' Association*, **84**, 447–57.
- Wright, J.K. (1980) The Oxfordian Stage. In *A Correlation of the Jurassic Rocks in the British Isles. Part Two: Middle and Upper Jurassic* (J.C.W. Cope, K.L. Duff, C.F. Parsons *et al.*), *Geological Society of London Special Report No. 15*, pp. 61–76.
- Wright, J.K. (1981) The Corallian rocks of north Dorset. *Proceedings of the Geologists' Association*, **92**, 17–32.
- Wright, J.K. (1983) The Lower Oxfordian (Upper Jurassic) of North Yorkshire. *Proceedings of the Yorkshire Geological Society*, **44**, 249–81.
- Wright, J.K. (1986a) A new look at the stratigraphy, sedimentology and ammonite fauna of the Corallian Group (Oxfordian) of south Dorset. *Proceedings of the Geologists' Association*, **97**, 1–21.
- Wright, J.K. (1986b) The Upper Oxford Clay at Furzy Cliff, Dorset: stratigraphy, palaeoenvironment and ammonite fauna. *Proceedings of the Geologists' Association*, **97**, 221–8.
- Wright, J.K. (1989) The early Kimmeridgian ammonite succession at Staffin, Isle of Skye. *Scottish Journal of Geology*, **25**, 263–72.
- Wright, J.K. (1992) The depositional history of the Hackness Coral-Sponge Bed and its associated sediments within the Passage Beds Member of the Coralline Oolite Formation (Corallian Group; Oxfordian) of North Yorkshire. *Proceedings of the Yorkshire Geological Society*, **49**, 155–68.
- Wright, J.K. (1996a) Perisphinctid ammonites of the Upper Calcareous Grit (Upper Oxfordian) of North Yorkshire. *Palaeontology*, **39**, 433–69.
- Wright, J.K. (1996b) The *Amoeboeras* faunas of the Upper Calcareous Grit Formation (Jurassic, Upper Oxfordian) of North Yorkshire. *Proceedings of the Yorkshire Geological Society*, **51**, 33–43.
- Wright, J.K. (1997) Cardioceratid ammonites from the Middle Oxfordian Vertebræ Subzone of North Yorkshire and Dorset. *Proceedings of the Yorkshire Geological Society*, **51**, 251–8.
- Wright, J.K. (1998) New stratigraphical and palaeoecological data from the Sandsfoot Formation (Upper Oxfordian) of south Dorset. *Proceedings of the Geologists' Association*, **109**, 15–24.
- Wright, J.K. (in press) Discussion on fault activity and sedimentation in a marine rift basin (Upper Jurassic, Wessex Basin, UK). *Journal of the Geological Society, London*.
- Wright, J.K., Kelly, S.R.A., and Page, K.N. (2000) The stratigraphy of the 'Corallian' facies (Upper Jurassic) deposits at Upware, Cambridgeshire, England. *Proceedings of the Geologists' Association*, **111**, 97–110.
- Young, G.M. and Bird, J. (1822) *A Geological Survey of the Yorkshire Coast; Describing the Strata and Fossils Occurring between the Humber and the Tees, from the Germany Ocean to the Plain of York*, Clark, Whitby.
- Young, J.R. and Bown, P.R. (1991) An ontogenetic sequence of coccoliths from the late Jurassic Kimmeridge Clay of England. *Palaeontology*, **34**, 843–50.
- Ziegler, B. (1961) Stratigraphische und zoogeographische Beobachtungen an *Aulacostephanus* (Ammonoidea—Oberjura). *Palaeontologische Zeitschrift*, **35**, 79–89.
- Ziegler, B. (1962) Die ammoniten-gattung *Aulacostephanus* im Oberjura (Taxonomie, stratigraphie, biologie). *Palaeontographica*, **119A**, 1–172.
- Zimmerle, W. (1985) New aspects on the formation of hydrocarbon source rocks. *Geologische Rundschau*, **74**, 385–416.

Glossary

This glossary provides brief explanations of the technical terms used in Chapter 1, the introductions to the chapters and in the 'Conclusions' sections of the site reports. These explanations are not rigorous scientific definitions but are intended to help the general reader. Detailed stratigraphical terms are omitted as they are given context within the tables and figures. Words in **bold** type indicate an internal reference to another glossary entry.

Age: a unit, usually taken to be the smallest division of geological time, of shorter duration than an **epoch**.

Algal limestones: sediments built up with a significant contribution from those marine algae that secrete or promote the deposition of calcium carbonate.

Ammonitina (-ites): 'horn of (Ammon) Jupiter', an advanced group of Mesozoic cephalopods, characterized by typically coiled, chambered shells that have complex sutures between the chamber walls and the outer wall of the shell.

Apatite: a mineral consisting essentially of calcium phosphate.

Aragonite: a form of calcium carbonate; distinguished from calcite by a different crystal structure. The shells of some **molluscs** (e.g. **ammonites**) are composed largely of aragonite. It is less stable than calcite and may recrystallize to the latter during **diagenesis**.

Arenaceous (noun: **arenite**): 'sand', describing a clastic sediment made of sand-sized particles.

Argillaceous (noun: **argillite**): 'clay', describing a fine-grained clastic sediment made of silt- or clay-sized particles.

Bed(-s): in lithostratigraphical terms, a subdivision of either a **member** or a **formation**;

the smallest unit within the scheme of formal lithostratigraphical classification. Also used informally to indicate a **stratum** within a **sedimentary rock succession**.

Belemnoidea (-ites): 'dart', an extinct order of marine **cephalopod mollusc**, the principal family of which is the Belemnitidae (belemnites), which possessed a bullet-shaped internal calcium carbonate shell.

Belemnite: See **Belemnoidea**.

Benthos (adj. **benthic**): 'depths', aquatic organisms living on or in the seafloor.

Berthierine: an iron-rich silicate mineral of the serpentine group; an important original constituent of certain Jurassic sedimentary rocks.

Bioclast (adj. **bioclastic**): 'life fragment', sediment grains consisting of comminuted fossil remains.

Bioherm: 'life reef', a reef-type mound of sediment made up from the skeletons and shells of living and dead organisms.

Biomicrite: a limestone containing bioclasts in a predominantly **carbonate** mud matrix.

Biosparite: a limestone containing bioclasts in a cementing matrix of crystalline calcite.

Biostratigraphy: 'life-layer writing', the subdivision of sedimentary strata into **biozones**, based on fossil content, and enabling stratal correlation.

Glossary

Biotite: a variety of the mineral mica, characteristically brown to black in colour.

Bioturbation: 'life disorder', burrows and feeding traces in sediment, made by the organisms living on or in it.

Biozone: in **biostratigraphy**, a restricted unit of sedimentary rocks defined by its fossil content, most usefully by species of narrowly defined temporal but wide spatial range, and named after one or more abundant or characteristic species.

Bivalvia (-ves): 'two shells', aquatic **molluscs** that have their bodies enclosed by two, often mirror-image, shells (valves); sometimes referred to as 'clams'; modern examples include cockles and mussels.

Boreal: 'northern', pertaining to the northern part of the Northern Hemisphere, and representing a relatively cold climatic zone; name given to one of the Jurassic **faunal realms** and provinces (see also **Tethyan**, **Sub-Boreal** and **Sub-Mediterranean**).

Brachiopoda (-ods): 'arm footed', a major group of shellfish superficially similar to the **bivalve molluscs** but distinguished by a different anatomy and symmetry. The two valves are typically dissimilar (cf. **bivalves**).

Calcite: the most common, rock forming, crystalline form of calcium **carbonate**; the main constituent of **limestone**; the shells of many **molluscs**, **brachiopods**, **echinoderms** etc. are made of calcite.

Calcrete: a deposit of concretionary calcium **carbonate**, specifically formed on or within the terrestrial soil layer.

Calcareous: containing, or composed of, calcium **carbonate**.

Carbonate: a mineral salt of carbonic acid, usually referring to the common sedimentary form of calcium carbonate in **limestones** and invertebrate shells, but also encompassing other minerals notably dolomite (magnesium carbonate).

Cardioceratidae (-tids): a Mid–Late Jurassic family of **ammonites** often characterized by a pointed or keeled venter.

Cephalopoda (-ods): 'head foot', a class of marine **mollusc** including modern squid, cuttlefish and octopus and their extinct fossil relatives including **belemnites** and **ammonites**.

Chronostratigraphy: 'time layer writing', the **correlation** and subdivision of rock units on

the basis of relative age – a hierarchy of sequential units to which the layers of **sedimentary** rocks are allocated, through the study and interpretation of their **stratigraphy**. The hierarchy of principal chronostratigraphical units is **system**, **series** and **stage**, which are related, respectively, to the geological time units of **period**, **epoch** and **age**. Rocks of the **Jurassic System** (a chronostratigraphical unit) were laid down in the Jurassic **Period** (a geological time unit).

Clastic (noun: clast): 'broken in pieces', descriptive of fragmental sediment composed mainly of particles derived from pre-existing rocks or minerals, including organic remains (then designated as **bioclastic**).

Coelenterata (-ates): 'hollow intestine', a phylum (**taxonomic** group) of aquatic animals with tissues not constituted into definite organs; typically possessing radial symmetry. The group includes the Anthozoa (sea anemones and **corals**) and jellyfishes.

Concretion: rounded or irregular mass of mineral matter formed during **diagenesis** in a sedimentary rock.

Coral: A marine **coelenterate**, which produces colonial or solitary calcium **carbonate** skeletons. Abundant in the fossil record from early **Palaeozoic** to modern times.

Corallian: a **Group** of **Oxfordian** age, occurring in southern Britain and comprising mainly **carbonate** and **arenaceous** rocks, including fossilized **coral** patch reefs.

Cornubia: an area of ancient (**Palaeozoic**) rocks that formed a land area in **Mesozoic** times, encompassing much of present day Cornwall and parts of Devon.

Correlation: tracing and identification of a stratigraphical unit away from its type area.

Cretaceous: the last major subdivision (**period**) of the **Mesozoic Era**, ranging from about 140 to 65 million years ago.

Crinoidea (-oids): 'lily form', a group of **echinoderms** with flowering-plant-like structure, hence the common name 'sea lily'.

Cyclic sedimentation: sediment accumulation that takes place in recurring cycles, reflected in a repeating pattern of **lithologies** through a succession of **strata**.

Diagenesis: the process whereby changes of mineralogy and/or texture (e.g. cementation of grains) occur after deposition (excluding changes due to subsequent **metamor-**

Glossary

phism).

Dip-slip fault: a tectonic break in strata in which the sense of displacement is parallel to the direction of inclination (see also **strike-slip fault**).

Disconformity: ‘asunder with form’; a minor unconformity without angular discordance. See also **non-sequence**.

Dogger: A traditional term for a type of large concretion; also the name formerly used for the Middle Jurassic Series in continental Europe.

Downdrown: referring to the amount of displacement of rock downwards along a fault.

Echinodermata (-derms): ‘spiny skin’, a phylum (taxonomic group) of marine invertebrates, characterized by a fivefold symmetry and calcareous skeleton. The phylum includes starfish, sea urchins, crinoids and their fossil relatives.

Epoch: a unit of geological time, of shorter duration than a period and itself divisible into ages (e.g. the Late Jurassic Epoch).

Era: one of the five major divisions of geological time, namely the Archean, Proterozoic, Palaeozoic, Mesozoic and Cainozoic, each of which comprises several periods.

Erratic: a clast, generally left by melting ice comprising rock not found locally.

Event stratigraphy: the elucidation, classification and correlation of the stratigraphical rock record, based on isochronous geological events evidenced by, for example, disconformities, erosion surfaces or occurrences of particular fossils.

Eustatic: concerning global (as distinct from local) change of sea level resulting from a major geological event such as plate tectonic or isostatic movement of the crust (often associated with ice ages).

Facies: the sum total of a rock’s lithological and gross faunal/floral characteristics that together reflect the particular environment in which it formed.

Fault: a fracture surface in rock along which there has been some movement of one side relative to the other.

Faunal realm: an extensive palaeobiogeographical unit based on the overall similarity of its contained fauna. On the basis of marine invertebrate faunas, two realms (see **Boreal** and **Tethyan**) are generally recog-

nized in the Jurassic System.

Ferruginous: containing iron or iron-rich minerals.

Filter feeder: an aquatic organism that feeds by sieving food particles from the surrounding water.

Foliaceous: descriptive of the planar arrangement of features in a rock, such as colouration, manifested as ‘banding’ in profile.

Footwall: the lower surface of an inclined fault plane.

Foraminifera (-ans): ‘carrying an opening’, small unicellular aquatic organisms; their shells, of carbonate or other material, constitute an important group of microfossils with a long geological history.

Formation: a succession of contiguous rock strata that is distinctive enough in its lithology from the surrounding rocks to be mappable as a unit; the fundamental unit of lithostratigraphy.

Gastropoda (-ods): ‘stomach foot’, an ancient class of univalved molluscs, mostly characterized by helical shells made of aragonitic calcium carbonate.

GCR: Geological Conservation Review, in which nationally important geological and geomorphological sites were assessed and selected with a view to their long-term conservation as SSSIs.

Geophysical log: a continuous record of the physical properties (e.g. rock density and radioactivity) of a succession of strata, generally measured by tools lowered down a bore-hole.

Graben: a large block of crust downthrown between two parallel faults or fault systems to produce a rift or trough.

Grainstone: a limestone comprising sand-sized particles, generally with little supporting matrix.

Group: a stratigraphical unit combining several formations.

GSSP: Global Boundary Stratotype Section and Point; an internationally recognized chronostratigraphical boundary established following strict procedures of the International Union of Geological Sciences Subcommission on Stratigraphy.

Half-Graben: an elongate trough bounded by normal faults on one side only. See also **graben**.

- Hanging wall:** the upper surface of an inclined fault plane. See also **footwall**.
- Holotype:** 'whole pattern', the single specimen selected to epitomize a particular named species.
- Homeomorphy:** 'similar shape', the phenomenon whereby two different unrelated species are superficially similar.
- Horst:** an upfaulted block of crustal rocks; the converse of a **graben**.
- Hypsosaline:** 'under salt', descriptive of salinities below that of normal sea water.
- Iapetus Ocean:** a former ocean, which separated what is now Scotland and northern Ireland from the rest of Britain until the ocean floor was **subducted** during early Palaeozoic times (see **plate tectonics**).
- Igneous:** 'fire', a rock formed by cooling and crystallization of a melt derived from within the Earth.
- Inlier:** an area of older rocks exposed by erosion through a 'window' in the younger surrounding rocks (see also **outlier**).
- Isochronous:** occurring at the same time.
- Isostatic (movement):** 'equal standing', vertical movement or readjustment of a relatively less dense body 'floating' on a more dense one, as a result of loading or unloading; with regard to crustal rocks, the loading can be produced by sediment deposition or ice and the unloading by erosion or ice melting.
- Jurassic:** the middle of three subdivisions (**periods**) of the **Mesozoic Era**, preceded by the **Triassic** and followed by the **Cretaceous**.
- Kimmeridgian:** a **stage** of the Upper Jurassic Series. It is followed by the **Portlandian** and preceded by the **Oxfordian**.
- Laterite (adj. lateritic):** a weathering product, or soil rich in iron and aluminium oxides and hydroxides.
- Lias:** the oldest **Group** of the Jurassic System, approximately equivalent to the Lower Jurassic Series.
- Limestone:** a sedimentary rock consisting predominantly of carbonate material, of organic, chemical or clastic origin.
- Lithology:** 'stone study', the composition and form of rocks.
- Lithostratigraphy:** 'rock layer writing', the organization and division of strata into main- ly mappable rock units and their **correlation** based entirely upon their **lithological** characteristics.
- Littoral:** 'seashore', pertaining to the zone between high and low water marks on a shoreline.
- Member:** a subdivision of a **formation**.
- Mesozoic:** 'middle life', the middle division (Era) of geological time with abundant life, between the **Palaeozoic** and **Cainozoic** eras and comprising the **Triassic**, **Jurassic** and **Cretaceous periods**.
- Metamorphism:** 'after formation', the processes whereby rocks undergo changes in the solid state by heat and/or pressure but without melting.
- Micrite:** carbonate mud, or **limestone** formed from such material. See also **biomicrite**.
- Mollusca (-uscs):** 'soft', a major group of invertebrates including some of the most important fossil-forming groups such as **bivalves**, **cephalopods** and **gastropods**.
- Nautiloidea (-oids):** 'nautilus form', an almost extinct group of **cephalopods** with straight or coiled, chambered conical shells.
- Nekton (adj. nektonic):** 'swimming', those organisms that actively swim in water.
- Non-sequence:** a minor break in accumulation of sediment and therefore a gap in the rock record.
- Oolite:** a sedimentary rock, generally **limestone**, composed mainly or entirely of **ooids**.
- Ooid:** a spherical/subspherical **carbonate**-coated sedimentary particle, less than 2 mm in diameter, formed of concentric, accretionary layers.
- Oxfordian:** the oldest **stage** of the Upper Jurassic Series. It is followed by the **Kimmeridgian**, and preceded by the **Callovian**.
- Outlier:** an outlying area of rocks isolated by erosion from the main outcrop (see also **inlier**).
- Palaeo-:** 'ancient'.
- Palaeobiogeography:** a branch of **palaeontology** dealing with spatial distribution of plants and animals in the geological past, in particular referring to environmental conditions and climate.
- Palaeoenvironment:** An environment in the

Glossary

- geological past.
- Palaeoecology:** a branch of palaeontology dealing with the relationships between plants and animals, and their **palaeoenvironment**.
- Palaeontology:** 'ancient being'; the study of fossil flora and fauna, including their evolution and reconstruction of past animal/plant communities and ancient environments.
- Palaeozoic:** 'ancient life', the first major division (**era**) of geological time, characterized by abundant life; succeeded by the **Mesozoic Era**.
- Penecontemporaneous:** occurring at almost the same time.
- Period:** a major division of geological time, of shorter duration than an **era** and itself divisible into **epochs**.
- Perisphinctaceae (-eans):** a Mid Jurassic–Cretaceous superfamily of ammonites including families such as **Perisphinctidae**, **Aspidoceratidae** and **Aulacostephanidae**.
- Perisphinctidae (-ids):** a Mid–Late Jurassic family of ammonites characterized by **planulate** forms with simple and/or branching ribs.
- Pisolite:** a large-grained oolite, with grains greater than 2 mm in diameter.
- Plankton** (adj. **planktonic**): 'wandering', belonging to the plankton; those generally small organisms that drift in water bodies and have limited powers of locomotion.
- Planulate:** a **cephalopod** shell form that is moderately compressed and coiled with a bluntly rounded venter.
- Plate tectonics:** the theory that the Earth's lithosphere (Earth's crust and upper mantle) is divided up into a series of rigid 'plates' that move relative to each other (of the order of a few centimetres per year). Over geological time therefore, the continents carried by the 'plates' can 'drift apart' or 'collide', and oceans can grow or 'close' as a result (see **subduction**). Relative movement between plates leads to earthquake and **tectonic** activity, which is most concentrated at boundary zones between plates.
- Portlandian:** the final stage of the Upper **Jurassic Series**, preceded by the **Kimmeridgian** and followed by the **Cretaceous System**.
- Prograde:** to cover with sediment in the situation where supply of sediment is greater than rise in sea level, such that the shoreline recedes seaward.
- Proto-Atlantic:** 'first Atlantic', the **Iapetus Ocean**.
- Proximal:** applied to a sediment or sedimentary environment (or volcanic products) close to the origin or source of the material forming the deposit.
- Pterosaur:** 'winged lizard', member of an order of **Jurassic** and **Cretaceous** reptiles capable of flight, having an membranous wing supported by an elongate fourth finger.
- Scleractinian:** a type of reef-building **coral**, which first appeared in the **Triassic Period** and still exists today.
- Sediment** (adj. **-ary**): rock material that is deposited on or near the Earth's surface by natural (e.g. marine, lacustrine, fluvial, terrestrial) processes.
- Series:** a major stratigraphical division of a geological **system** comprising all the rocks formed during a particular **epoch**.
- Siderite:** an iron **carbonate** mineral.
- Siliceous:** silica-bearing.
- Siliciclastic:** describing rock where the **clasts** are predominantly made of **siliceous** material, in particular indicating lack of carbonate material.
- Spiculite:** a rock composed largely of **siliceous** sponge spicules.
- SSSI:** Site of Special Scientific Interest; the designation of an area of land for statutory protection under the provisions of the *Wildlife and Countryside Act 1981*.
- Stage:** a chronostratigraphical subdivision of a **series**.
- Strata** (singular: **stratum**): layers within **sedimentary** rocks. The term is often used instead of **beds**.
- Stratigraphy** (adj. **-ical**): 'layer writing', the study of rock successions preserved from the geological past, in order to reveal the history of the succession of events and life of the past.
- Stratotype:** 'layer pattern', a sequence of strata at a particular location that has been internationally recognized as the definitive section for a particular **stratigraphical** subdivision.
- Strike-slip:** horizontal movement along a **fault**.
- Strike-slip fault:** a **tectonic** break in **strata** in which the sense of displacement is at right angles to the direction of inclination (see also **dip-slip fault**).
- Sub-Boreal:** pertaining to a province of the **Boreal Faunal Realm** covering areas including southern England, Normandy, the

Glossary

Boulonnais, northern Germany, parts of Poland and Russia west of the Urals. (See also **Tethyan**.)

Subduction: the process whereby one plate of oceanic crust is carried down into the Earth's mantle beneath another plate. See **plate tectonics**.

Sub-Mediterranean: pertaining to a province of the **Tethyan Faunal Realm** covering areas including Portugal, northern Spain, most of France south of and including the southern half of the Paris Basin, the Helvetic Alps, southern Germany and Poland, parts of the Balkans, the Crimea and Caucasus.

Succession: in **stratigraphy**, a continuous sequence of sedimentary rock units.

Supratidal: pertaining to the sea-shore above high water mark.

Syncline: a structural down-fold produced by **tectonic** deformation.

Syndepositional: having occurred at the same time as the deposition of the sediment.

Synsedimentary: see **syndepositional**.

System: a **chronostratigraphical** unit comprising all the rocks formed during a geological **period**, e.g. the Jurassic System comprises all the rocks of the Jurassic **Period**.

Taxonomy (adj. **-ic**): the science of classifying organisms into units (kingdom, phylum, class, order, family, genus, species) according to physical similarities or evolutionary relationships.

Tectonism (adj. **tectonic**): 'builder', the pro-

cesses of crustal deformation (e.g. rock folding and **faulting**), often associated with **plate tectonics** and mountain building.

Terrigenous: derived from the land.

Tethyan: pertaining to the Tethys Ocean which, in **Mesozoic** times, centred around the modern Mediterranean; name given to one of the **Jurassic faunal realms** and provinces covering the world outside the **Boreal Realm**. (See also **Boreal**, **Sub-Boreal** and **Sub-Mediterranean**)

Triassic: the first major subdivision (**period**) of the **Mesozoic Era** preceding the **Jurassic Period**.

Unconformity: a break in the relationship between successive **strata** resulting from a lack of deposition during an intervening phase of **tectonism** and erosion; the unrepresented time interval may be substantial, and there is often an associated angular discordance.

Upper Jurassic: the youngest **series** of the **Jurassic System**, preceded by the Middle Jurassic Series and followed by the **Cretaceous System**. It comprises the **Oxfordian**, **Kimmeridgian** and **Portlandian** stages.

Zeolites: a group of hydrated aluminium silicates of sodium, potassium, calcium and barium.

Zone: see **biozone**, but also used, more or less formally, as a 'building block' of a **Stage** in the **chronostratigraphical** hierarchy.

Fossil index

Note: Page numbers in **bold** and *italic* type refer to **tables** and **figures** respectively

- Acrosalenia angularis* 67
Alaria cf. *laevigata* 145
Ammonites decipiens? 62
Amoebites 32–3, 36–7
Amoeboceras 30, 67–8, 117, 123–6
 North Yorkshire 162–4, 166, 173, 175–6, 178–9
 Scotland 187, 203, 206, 210, 213, 215
?Amoeboceras 214
Amoeboceras baubini 123, 125–6
 A. bayi 126, 211
 A. aff. bayi 126, 211
 A. cricki 211–12
 A. aff. cricki 123
 A. cf. cricki 122, 126
 A. damoni 24, 208
 A. cf. freboldi 208
 A. glosense 24, 28, 204, 208
 North Yorkshire 134–5, 162–3, 173, 175–6, 178–9
 A. ilovaiskii 28–9, 134–5, 162–3, 175–6, 178–9
 A. kitchini 196
 A. koldeveyense 204, 206, 208
 A. leucum 208
 A. cf. lorioli 123, 126
 A. mansoni 208
 A. marstonense 208, 211
 A. cf. marstonense 123, 126, 214
 A. newbridgense 134–5, 161–3, 173, 175, 208
 A. newtonense 175–6, 178–9
 A. nunningtonense 134–5, 162, 175–6, 178–9, 208
 A. regulare 126, 204, 208
 A. rosenkrantzi 204, 206, 208–9, 211
 A. serratum 204, 206, 208
 A. aff. serratum 190
 A. schulginae 208
 A. shuravskii 162, 208
 A. subkitchini 195–7
 A. transitorium 134–5, 173, 175, 178–9, 208
Amoeboceras (Amoebites) 118, 165
Amoeboceras (Euprionoceras) kochi 199
Amoeboceras (Hoplocardioceras) 165, 167
Amoeboceras (Nannocardiooceras) 31–4, 55, 117, 119–20, 165
Ampullina 50
Anisocardia minima 145
Archaeopteryx 9
Arenicolites 197
Arispinctes 113
Aspidoceras 32, 33, 55, 80, 82–4, 87
 East Midlands 109, 118
 North Yorkshire 147, 149, 159
 Oxford 93, 98
 A. perarmatum 40
Aspidoceras (Euaspidoceras) 206, 208, 214
 A. (E.) acuticostatum 70
 A. (E.) catena 85
 A. (E.) douvillei 146
 A. (E.) loricatum 146
 A. (E.) nikitini 70
 A. (E.) vetersianum 93
Astarte 25, 88
 A. ovata 85, 152, 156
 A. subdepressa 156
 A. supracorallina 25, 32–4, 88
 See also *Neocrassina extensa*
'Astarte' saemannii 97
Aulacostephanus 32–3, 36, 54–5, 57, 98, 117
 North Yorkshire 138, 166
A. autissiodorensis 36, 55, 138
 A. ex gr. eudoxus 118
 A. eulepidus 32–3, 118
 A. fallax 138
 A. kirghensis 138
 A. mutabilis 32–3
 A. rigidus 138
 A. volgensis 117, 138, 165
?Aulacostephanus mutabilis 118
Aulacostephanus (Aulacostephanoceras) eudoxus 165
 A. (A.) cf. pseudomutabilis anglicus 165
 A. (A.) pusillus 165

Fossil index

- Aulacothyris dorsetensis* see
Rugitela
- Barbatia* 108
B. pectinata 156
- Bathrotomaria rugata* 98
- Belemnites* 171
- Blastina aspera* 151
- Bourguetia* 50
B. saemannii 156
B. striata 155
- Buchia concentrica* 197–9
- Calamophyliopsis* 67
- Camptonectes* 203, 214
C. auritus 72, 97, 166
- Cardioceras* 20–1, 30, 109, 214
 North Yorkshire 136, 143, 146–9, 158–9
 Oxfordshire 79–80, 82–4, 85–7, 93
 Scotland 189–90, 203, 206
C. bukowskii 206
- Cardioceras (Cardioceras)* 208
C. (C.) angusticordatum 141
C. (C.) cautisrufae 22
C. (C.) cordatiforme 70, 85
C. (C.) aff. cordatiforme 158
C. (C.) cordatum 21, 70, 134–5, 141
C. (C.) cf. cordatum 207
C. (C.) costicardia 28–9, 189, 207
C. (C.) aff. costicardia 51
C. (C.) cuneiforme 85, 87
C. (C.) galeiferum 70
C. (C.) bigbmoori 109
C. (C.) persecans 21, 134–5, 140–1
C. (C.) aff. persecans 140
- Cardioceras (Cawtoniceras)*
blakei 208
C. (C.) cawtonense 110, 189, 207
C. (C.) ogivale 208
- Cardioceras (Cuneicardioceras) cuneiforme* 90
- Cardioceras (Maltoniceras)* 190
C. (M.) bighworthensis 188
C. (M.) maltonense 22–3, 79, 110, 189
C. (M.) schellwieni 189, 208
C. (M.) vagum 108, 189, 208
- Cardioceras (Miticardioceras) mite* 207
C. (M.) tenuiserratum 110, 113, 133, 188, 190, 206–8
C. (M.) aff. tenuiserratum 108
- Cardioceras (Plasmatoceras)* 206
C. (P.) aff. plasticum 140
C. (P.) popilianiense 114, 134–5, 158–9, 207
C. (P.) tenuicostatum 191, 192, 207
C. (P.) tenuistriatum 207
- Cardioceras (Sagitticeras)* 93
C. (S.) cariniferum 93
C. (S.) moderatum 70, 93
- Cardioceras (Scarburgiceras)*
aff. alphacordatum 145, 206
C. (S.) bukowskii 114, 145–6, 189, 206
C. (S.) excavatoides 145, 206, 214
C. (S.) gloriosum 145
C. (S.) harmonicum 134–5, 145
C. (S.) leckenbyi 145
C. (S.) praecordatum 28–9, 114, 206, 214
 North Yorkshire 134–5, 145, 147
C. (S.) reesidei 134–5, 206
C. (S.) cf. reesidei 145–6
C. (S.) scarburgense 20, 114, 189, 206, 214
 North Yorkshire 134–5, 147–9
- Cardioceras (?Scarburgiceras)* 70
- Cardioceras (Scotiocardioceras)* 88
C. (S.) excavatum 77, 85, 93
 East Midlands 109, 114
 North Yorkshire 140, 143, 158
 Scotland 189, 192, 207, 214
C. (S.) stella 70
- Cardioceras (Subvertebriceras)*
costellatum 207
C. (S.) costulosum 85, 93
C. (S.) densiplicatum 85, 87, 88, 90, 161, 190, 206
 East Midlands 110, 114
- North Yorkshire 140, 160–1
 Scotland 189, 192, 206–7, 214
C. (S.) cf. deineri 80
C. (S.) sowerbyi 85, 114, 192, 207
C. (S.) cf. vertebrale 88
C. (S.) zenaiae 22, 28–9, 90, 110, 158
 Scotland 188–9, 207
- Cardioceras (Vertebriceras)* 51, 146, 206
C. (V.) altumeratum 20
C. (V.) cf. altumeratum 189
C. (V.) bulbosum 146
C. (V.) dieneri 90
C. (V.) cf. dieneri 70, 90
C. (V.) cf. dorsale 134–5
C. (V.) gracile 146
C. (V.) phillipsi 134–5, 146
C. (V.) pumilum 146
C. (V.) quadrarium 28–9, 189
C. (V.) sequanicum 146
C. (V.) tumescens 146
C. (V.) cf. vertebrale 158
- Cawtoniceras* 113
See also Cardioceras (Cawtoniceras)
- Cerithium* 41, 159, 176
C. bumbertium 156
C. inornatum 156
C. limaeformis 156
C. muricatum 175
- '*Cerithium*' 51, 176
- Chemnitzia* 175
- Chlamys* 33, 50, 70, 79, 90, 93, 198
 East Midlands 108, 110, 114
 North Yorkshire 146, 151, 158, 162, 175–6, 180
- C. fibrosus* 87, 141, 145, 148
 North Yorkshire 152, 159, 176, 180
- C. midas* 42, 162, 171
- C. nattbeimensis* 25, 67, 152, 155–6, 180
- C. qualicosta* 41
- Chondrites* 123–4, 197
- Cidaris* 175
C. florigemma 157
- '*Cidaris*' *smithi* 152, 155–6
- Collyrites* 109

Fossil index

- Corbulomima* 58, 122–4
C. suprajurensis 167
- Corynella* 143
C. chadwicki 151
- Cosmoseris* 67
- Ctenostreon* 42, 46
C. proboscideum 152, 175–6
- Cucullaea* 188–9, 192, 203, 214
C. contracta 41, 156
- Cycloserpula intestinalis* 72
- Cylindroteuthis* 24
- Decipia* 163, 171, 179, 203, 206, 208
D. decipiens 24, 162
D. lintonensis 24, 162
D. ravenswykensis 162–3, 176
- Deltoideum* 64, 123
D. delta 32, 42, 46–7, 64
 East Midlands 119–20, 122–4
- Dichotomosphinctes* 93
- Dicroloma* 50, 98, 116–17, 122–3, 212
D. trifida 125
- Diplocraterium* burrows 22, 77
D. parallelum burrows 25, 75
- Ditremaria tornatilis* 156, 175
- Enaulofungia bella* 151
E. bernesis 151
E. floriceps 151
E. bindei 151
E. polita 151
E. smitti 151
E. suffieldensis 151
- Entolium* 57
E. nitescens 97
- Euaspidoceras* 206, 208, 214
- Eurycornus* 119
- Exogyra bruntrutana* 72
 See also *Nanogyra nana*
- Fungiastrea* 67, 84, 143, 151, 153
- F. arachnoides* 93, 109
 North Yorkshire 151, 159, 178, 180
- Gastrochaena* 108
- Gastrochaenolites* borings 67, 108, 176
- Gervillella* 79, 93, 112, 142–3
G. aviculoides 24, 69, 75, 77, 85
 North Yorkshire 152, 154, 158–9, 175, 180
- Glomerula gordialis* 67
- Goliathiceras* 51, 82–4, 203, 206
 North Yorkshire 140, 149
 Oxfordshire 82–4, 87, 89, 90, 93
G. cf. chamousetiforme 88
G. pavloides 146
- Goliathiceras (Goliathiceras) ammonoides* 93
G. (G.) chamousetiforme 88, 93
G. (G.) elegans 93
G. (G.) microtrypa 93
- Goliathiceras (Goliathites) capax* 70, 85, 189
G. (G.) cyclops 70
G. (G.) goliathus 146
G. (G.) titan 70, 85, 87, 90
- Goliathiceras (Korythoceras) falcatum* 146
G. (K.) korys 206
- Goliathiceras (Pachycardioceras) anacanthum* 20, 146
G. (P.) globulus 146
G. (P.) magnacanthum 146
G. (P.) nitidum 20, 159–61
G. (P.) repletum 207
- Goniomya* 31, 42, 112–13, 143
G. literata 24, 162
- Grammatodon* 114, 122–3, 210
G. longipunctata 125
G. schourovskii 125
- Gravesia* 5–6, 55, 57
- Gryphaea* 25, 51, 110, 112–13, 114
G. dilatata 20, 51, 148, 162
 Scotland 189, 192
- Gyrochorte* feeding trails 25
- Hartwellia bartwellensis* 97
H. swindonensis 97
- Hemicidaris* 175
- H. intermedia* 93, 152, 156
- Hibolithes* 57
- Isastraea* 67, 76–7, 107, 109, 151, 198–9
 Oxfordshire 87, 91
I. explanata 75, 109, 151, 175–6, 180
- Isoarca* 108
- Isocyprina* 88, 122–4
I. minuscula 98
- Isognomon* 42, 108, 159, 198, 1*promytiloides* 156
- Kutchithyris* 62
- Laevaptybus* 32, 98, 118
- Latiphyllia* 67
- Lima* 82, 93, 180
L. aciculata 176
L. rigida 152, 156
L. zonata 152
- Lingula* 8, 117
L. ovalis 166
- Liostrea* 42, 51, 70, 198
 East Midlands 108, 122–3
 North Yorkshire 156, 159, 165
L. expansa 97
L. multiformis 166–7, 197–9
L. quadrangularis 152
- '*Liostrea*' *bullata* see *Gryphaea dilatata*
- Lithophaga* 107–8
L. inclusa 67, 88, 89
 North Yorkshire 151, 155–6, 175–6
L. lycetti 156
- Littorina* 50
'i' *Littorina* *muricata* 156
- Longaeviceras* 203
L. staffinense 206
- Lopha* 32–3, 51, 108, 198
L. genuflecta 25
- L. gregarea* 51, 123
 North Yorkshire 151, 156, 159, 171
- Lucina* 50, 116–17
L. lirata 162
- '*Lucina*' *substriata* 97
- Macromesodon* cf. *bucklandi* 176
- Mactromya verioti* 97
- Maltoniceras* 113

Fossil index

- See also Cardioceras*
(Maltoniceras)
- Mesomorpha* 67
- Mesosaccella choroschowensis* 125
- Microbiplices* 162, 203
M. anglicus 24, 42, 64–5
See also Prorasenia anglica
- Microsolena* 67, 107–8, 109, 113
- Mirospinctes* 207
M. frickensis 146
- Miticardioceras* 113, 208
See also Cardioceras
(Miticardioceras)
- Modiola bipartita* 145
- Modiolus* 51, 97, 112, 189
 North Yorkshire 112, 122, 124
M. bipartitus 20, 51
M. pulchrum 162
- Monocraterion* 197
- Montivaltia* 107, 180
M. dispar 109–10, 175–6
- Montivaltia* (*Cladophyllia*) 67
- Morphastraea* 67
- Mucroserpula tricarinata* 67
- Musculus autissodorensis* 98
- Myochoncha saemannii* 97
M. texta 156
- Myophorella* 24–6, 51, 114, 158
 Oxfordshire 77, 79, 93
M. clavellata 41, 50, 67, 162
 Osmington site 24, 26
- M. budlestonei* 22, 39, 45, 51, 85
- M. swindonensis* 97
- M. triquetra* 146
- M. volzii* 72
See also Trigonia
- Mytilus* 108, 112–13
- Nannocardioceras* 32, 34, 36, 55
N. volgae 34, 55
- Nanogyra* 64, 198
 East Midlands 108, 123
 North Yorkshire 151–5, 163
N. nana 25, 70
 Betton Farm site 155
 Black Head site 32–4
 Cross Roads Quarry site 90, 93
 Cumnor site 85
- Dry Sandford site 82
- East Fleet site 50
- East Fleet-Small Mouth site 46–7
- Filey Brigg site 141–2
- Hackness Head site 151–2
- Headington 90, 93
- Lamb and Flag site 79
- Littlemore Railway Cutting site 87–8
- Littleworth Brick Pit site 95–6
- Lye Hill site 95–6
- Lynch Cove site 51
- Magdalen Quarry site 90, 93
- Newbridge site 162–3
- Nunnington sites 175–6
- Oxfordshire 99
- Seend Cleeve site 70
- South Ferriby site 123
- Spikers Hill site 158–9
- Steeple Ashton site 66
- Swindon Old Town site 71–2
- Tenants' Cliff site 145
- Wath Old Quarry site 141
- Westbury site 64
- See also Exogyra bruntrutana*
- N. virgula* 31–4, 36, 98, 142
 Cambridgeshire 117–18, 120
- Natica* 82–3, 85, 87
N. clio 175
'Natica' arguta 156
- Navicula quadrifusca* 156
- Neocampylites delmontanus* 146
- Neocrassina* 108
N. extensa 33
N. ovata 212
N. supracorallina 118
- Neoprioceras* 109
- Nerinea* 50, 175–6
N. fasciata 156
N. fusiformis 156
N. visurgis auct. 156
- Nicanella* 122
N. cuneata 72
N. cf. eatoniensis 199
- Nucleolites* 109, 168
N. scutatus 50, 67, 75
 North Yorkshire 158–9, 170,
- 180
- Nuculoma* 189, 190–191, 203
- Nuculana* 210, 212
- Opis* 50, 107–8, 112–13, 114
- Ornitella lampas* 62
- Ostrea* 50, 152
- Oxytoma* 110, 114, 122–5
 Scotland 188, 203, 214
O. inequivale 123
- Pachyceras* 146
- Pachyteuthis* 124
- Palaeonucula* 122–3, 199
- Paracidaris* 107–8
P. florigemma 157, 172, 175–6, 178, 180
 Magdalen Quarry 90
- Parainoceramus* 197–9
P. subtilis 125
- Pavlovia* 54, 56–7, 97
P. concinna 199
P. pallasioides 74
P. rotunda 56
- Pectinatites* 17, 22, 54–5, 57
 North Yorkshire 166–7
- Pectinatites* (*Arkellites*) 138, 199,
P. (A.) budlestonei 166
- Pectinatites* (*Pectinatites*) 166
P. (P.) cornutifer 166
P. (P.) eastlecottensis 72–4, 166
P. (P.) pectinatus 100
P. (P.) rarescens 100
P. (P.) tricostulatus 100
- Pectinatites* (*Virgato-sphinctoides*) 138
P. elegans 138
P. (V.) encombensis 166
P. (V.) wheatleyensis 96–100
P. (V.) wheatleyensis *delicatus* 98
- Peltoceras* 140, 147, 149, 203, 206
P. gerberi 146, 206
- Peltoceras* (*Parawedekindia*)
arduennense 206
P. (P.) arduennensis 147
- Peltoceras* (*Peltoceratoides*)
williamsoni 207
- Peltoceras* (*Peltomorphites*)
boplophorous 20, 206
- Pentacrinus'* 111–12, 150–4,

Fossil index

- 159–60
Peridonella backnessi 151
P. recta 151
Perisphinctes 22, 24, 30, 65, 93, 113, 109–10, 114
 Hebrides Basin 203, 206, 208, 214
 Inner Moray Firth 188, 192
 North Yorkshire 159, 162, 174–6, 179, 180
 North Yorkshire Coast 140, 147
 Oxfordshire 78–9, 80, 82–4, 87–8, 93
P. branensis 24
P. clotheri 24
P. dubius 24
P. plicatilis 143
?*Perisphinctes* 82
Perisphinctes (Amphillia) aff. *amphillensis* 173
Perisphinctes (Arisphinctes) 79, 113, 176, 207
P. (A.) cotovui 86, 88, 90, 159
P. (A.) belenae 88, 189
P. (A.) aff. kirkdalensis 173, 176
P. (A.) maximus 90
P. (A.) aff. maximus 110
P. (A.) osmingtonensis 24
P. (A.) pickeringius 77, 88, 90
P. (A.) aff. pickeringius 110
P. (A.) ringsteadensis 24
P. (A.) vorda 189
P. (A.) westburyensis 64
Perisphinctes (Dichotomoceras) cf. bifurcatus 298
P. (D.) dichotomus 190
Perisphinctes cf.
Dichotomoceras 204
Perisphinctes (Dichotomosphinctes) 28–9, 93, 134–5, 175, 204
P. (D.) antecedens 77, 93
P. (D.) aff. antecedens 109
P. (D.) auriculatus 95
P. (D.) buckmani 88, 93, 95
P. (D.) aff. dobrogensis 23
P. (D.) aff. elisabethae 176
P. (D.) rotoides 88, 90, 207
Perisphinctes (Discosphinctes) cautisrufae 24
P. (D.) weymouthensis 24
Perisphinctes (Kranaosphinctes) 79
P. (K.) cymatophorus 88
P. (K.) decurrens 88
P. (K.) aff. decurrens 23
P. (K.) cf. trifidus 88
Perisphinctes (?Kranaosphinctes) 88
Perisphinctes (Liosphinctes) apolipon 79, 214
P. (L.) cumnorensis 86–7
P. (L.) aff. linki 79
Perisphinctes (Perisphinctes) 87–8
P. (P.) boweni 24
P. (P.) cautisnigrae 24, 162
P. (P.) chloroolithicus 93, 95
P. (P.) parandieri 23, 95
P. (P.) aff. parandieri 176
P. (P.) pumilus 23
P. (P.) uptonensis 24, 28–9, 79, 116
P. (P.) wartaeformis 64
Perisphinctes (Properisphinctes) bernensis 146
Perisphinctes (Prososphinctes) mairei 146
P. (P.) mattheyi 146
Perisphinctes (Pseudarsiophinctes) 24, 175
P. (P.) damoni 24
P. (P.) durnovariae 24
P. (P.) pachachii 24, 28–9, 134–5, 162, 175–6
P. (P.) shortlakensis 24
P. (P.) strumatus 24
P. (P.) aff. strumatus 42
Perna 62
'Perna' listeri 97
Pholadomya 31, 88, 110, 143, 203
Pictonia 31, 37–8, 46, 48, 54, 62
 Scotland 187, 209, 211, 213
 South Ferriby site 122–3, 125–6
P. baylei 122, 126
P. densicostata 123, 125–6, 209, 211–12
 Dorset 31, 37–8, 46, 54, 62
P. cf. normandia 123, 126
Pinna 45, 110, 114, 123–4, 143
 Scotland 189–90, 203, 210, 214
P. lanceolata 192
P. sandsfootensis 42
Placopsilina 151
Placunopsis 123
Plagiostoma 107–8, 198–9
Planolites 197
Pleuromya 31, 42, 51, 64, 97
 East Midlands 110, 112–13, 123
 North Yorkshire 148
 Scotland 189–91, 203, 210, 214
P. alduini 51, 145
P. uniformis 24, 42, 69
 North Yorkshire 145–6, 152, 162
Pleurotomaria 31, 151
Plicatula 50, 107–8
Praeconia rhomboidalis 152
Procerithium 50, 212
Projectinatites 138
P. websteri 138
Projectinatites? 55, 98
Projectinatites (Arkellites) 138
Prorasenia 122–4, 211
P. anglica 122–3
Protocardia 58, 116–17, 123–4, 162, 165
P. morinica 97–8, 167
Protoseris 67
Pseudofissurella corallensis 156
Pseudolimnea alternicosta 98
Pseudomelanía 50
P. beddingtonensis 95, 156, 158, 175–6, 180
Pseudomonotis 145
P. ovalis 156, 162
Pseudorhytidopilus 58, 116–17
P. latissima 98
P. latissimus 166
Pteroperna 112–13
Quadrinervus ornatus 125
Quenstedtoceras 20, 149, 206
Q. aff. macrum 148
Q. mariae 148
Q. omphaloïdes 148
Q. paucicostatum 6–8, 149
Quenstedtoceras (Lambertioceras) lamberti 20
Quenstedtoceras (Quenstedto-

Fossil index

- ceras) mariae* 114
- Radulopecten* 98
- Rasenia* 32–3, 46, 48, 54, 61–2
East Midlands 106, 126
Scotland 187, 211–12
R. berryeri 62, 126
R. cf. berryeri 126
R. cf. cymodoce 48
R. cf. cymodoce/berryeri 122
R. erinus 62
R. evoluta 126, 195–6, 211
R. frequens 211
R. inconstans 126
R. cf. and aff. involuta 48
R. lepidula 197
trans. *Pictonia* 122, 125–6
- Rasenia (Eurasenia)* 48
- Rasenia (Prorasenia) cf. tripli-cata* 48
- Rasenia (Rasenoides) lepidula* 48
- Rasenia (Semirasenia) askepta* 48
- Rhabdophyllia* 67, 153, 155, 159, 162, 181
R. phillipsi 93, 151, 156, 175–6
- Rbaxella* 26, 50, 76, 110
Scotland 189, 192
North Yorkshire 131, 140, 145–6, 163, 171–3, 174
R. perforata 110
- Rbizocorallium* 197
- Rhynchonella*
(*Torquirhynchia*) *inconstans* 62
See also *Torquirhynchia*
- Rhynchonelloidella thurmani* 145
- Ringsteadia* 30, 37–8, 42, 62, 64
East Midlands 123–6
Scotland 187, 203–4, 206, 214–15
R. anglica 24, 64–5, 123–4, 126
R. caledonica 208
R. evoluta 21, 24, 28–9, 123–4, 126
R. cf. evoluta 124, 126
- R. frequens* 126, 211
R. cf. frequens 214–15
R. marstonense 214
R. pseudocordata 64–5, 123–6, 208
R. cf. pseudocordata incor-rect 209
R. pseudoyo 124–6
R. pseudoyo Salfeld/*pseudo-cordata* 214
- Ringsteadia/Pictonia* 123
- Rugitela dorsetensis* 62
- Rursiceras* 206
- Saccocoma* 8, 32–3, 36–7, 55, 119
- Sagitticeras* 93
- Semisolarium* 199
- ?*Septaliphora budlestonei* 62
- Serpula* 79, 110
- Skolithos* 197
- ?*Solenopora* 175
- Solemya* cf. *woodwardiana* 199
- Sowerbya* 108, 112
- Sphinctoceras* 138–9
S. *crassum* 98
- Styliina* 67, 181
S. *tubulifera* 180–2
- Subdichotomoceras* 138–9
S. cf. *lamplughii* 138–9
- Sutneria* 36
S. *eumela* 32
S. *rebbolzi* 33, 55
- Taramelliceras* 149
- Teichichnus* burrows 50
- Tentilenticulina* 151
- '*Terebratula*' *fileyensis* 152
'*T. kingsdownensis* 152, 156
'*T. subsella* 62
See also *Kutzbachites*
- Terebratulina substriata* 152
- Thalassinoides* burrows 22–3, 39, 42–4, 189
North Yorkshire 141–3, 145, 162–3, 173
- Tbammasteria* 67–8, 76–7, 108, 113
North Yorkshire 143, 153, 155–7, 159
- Oxfordshire 84, 87, 91, 93
- T. concinna* 25, 67, 75
Cambridgeshire 107–8, 109–10
North Yorkshire 151, 155–6, 159, 175–6, 180–1
Oxfordshire 82, 89–90, 93
- Thamnoseris* 67
- Thecosmilia* 67, 76–7, 84, 87, 91
East Midlands 108, 110
North Yorkshire 159, 175–6, 180–1
- T. annularis* 25, 75, 82, 151, 172, 175–6
Oxford 90, 93
- Thracia* 33, 97, 122–4, 162, 203
T. depressa 51, 122–4
- Torquirhynchia inconstans* 31–5, 37–8, 46–7
East Midlands 119–20, 123, 125
- See also *Rhynchonella*
T. speciosa 67
- Trautscholdia* 210
- Trichites* 42, 90, 108, 159
- Trigonia* 64, 75–7, 78–81, 82–4, 175
Dorset 30–3, 41, 45
East Midlands 108, 112
North Yorkshire 132, 136
- See also *Myophorella budle-stoni*
- Trochus aytonensis* 156
- Turbo funiculatus* 156
- Unicardium* 64
- Velata anglica* 152, 156
- Vertebriceras* 90
See also *Cardioceras (Verte-briceras)*
- Virgatopavlovia* 57
- Xenostephanus* 32–3, 212
See also *Rasenia evoluta*
- Zeilleria budlestonei* 152

General index

Note: Page numbers in **bold** and *italic* type refer to **tables** and *figures* respectively

- Abbotsbury Blind Lane site,
A
Abbotsbury Ironstone 15, 44,
59–62, 125–6
Abbotsbury Sandstone 61–2
Kimmeridge Clay Formation
15, 61–2
Abbotsbury–Ridgeway Fault 14
Albani Zone, Helmsdale site
196, 200
algae 8, 33, 36, 54, 58–9, 96,
158–61, 166
Allt Choll Breccia 195–7, 199
Allt na Cuile Sandstone
Formation 186–7
Allt na Cuile Breccia
Member 194–201
Allt na Cuile Sand Member
194–201
Helmsdale site 194–201
Loth Burn Siltstone Member
194–201
Lothbeg Siltstone Member
194–201
ammonites 103, 106, 125–6,
129–37
Balintore site 188–91
Black Head site 30–5
Blind Lane site 61–2
Brora site 191–4, 192–201
Cleveland Basin 129–37
Cornelian Bay site 147–50
Cross Roads Quarry site
89–91
Cumnor site 85–7
Dimmock's Cote site 109–13
Dry Sandford site 82–4
East Fleet site 49–50
East Fleet–Small Mouth site
46–8
East Midlands Shelf 106
Filey Bridge site 140–4
Green Lane and Golden Hill
Pits sites 165–7
Helmsdale site 197–201
Kildorais site 210–13
Lamb and Flag site 79–81
Littlemore Railway Cutting
site 88–9
Littleworth Brick Pit site
96–100
Lye Hill site 95–6
Lynch Cove site 50–2
Market Rasen 106
Newbridge site 162–4
North Elgol Coast site
213–16
Nunnington sites 173–9
Osmington site 20–4, 26,
28–30
Ringstead site 36–7
Roslyn Hole site 117–21
Sandsfoot site 38–40, 42–6
Seend Cleeve site 68–70
Shellingford Crossroads
Quarry site 77
Skye 179
Snape Hill site 173
South Ferriby site 121–6
Spikers Hill site 134–5,
158–61
Staffin site 187, 201–210
Swindon Old Town 70–4
Tenants' Cliff site 145–7
Tyneham Cap–Hounstout
site 54–7
Upware South Pit site
108–10, 113
Warboys Clay Pit site 114–15
Wath Quarry site 180
Westbury site 63–5
zonation 5–8, 17, 20, 125–6
see also cardioceratid
ammonites, perisphinctid
ammonites and the Fossil
Index
Amphill Clay Formation 7,
15–16, 99, 103–6, 129–37,
171
Cambridgeshire 105–6, 108,
114
Shellingford Crossroads site
76
South Ferriby site 123–6
Upware South Pit site 108
Warboys Clay Pit site 113–16
Ancholme Clay Group 105–6
Oxford Clay Formation
105–6
Antecedens Subzone 7
Betton Farm site 155–7
Cross Roads Quarry site
89–91
Cumnor site 5–7
Dry Sandford site 81–4
Highworth Limestone

General index

- Member 70
Lamb and Flag site 78–81,
 84
Littlemore Railway Cutting
 site 87–9
Magdalen Quarry site 93–4
North Elgol Coast site
 214–16
North Yorkshire 161
Pickering 161
 Upper Trigonia Bed 80–1
Ardassie Limestone Member
 186–7
 Brora site 191–4
Ardassie Point 191–3
Arngrove Spiculite Member
 13–16, 16
Asenby–Coxwold Graben 129,
 134, 167, 170–3, 174
Athleta Zone 190, 204, 214
 Balintore site 188–91
 North Elgol Coast site
 213–16
 Staffin site 203–10
attenuation, Corallian Oolite
 143
 Kimmeridge Clay 15,
 97–100, 119–20, 131
Lower Oxfordian 115–16,
 143, 148, 189
Middle Oxfordian 86–7, 160.
Oxford Clay 114–16, 129
Autissiodorensis Zone 7, 99,
 105, 130
 Black Head site 31–5, 32–4
 Blake's beds 32–4
 Helmsdale site 194–200
 Littleworth Brick Pit site
 98–9
 Maple Ledge Stone Band 34
 Ringstead Bay site 31–5,
 36–7
 Speeton Sands site 137–9
 The Flats Stone Band 34
 Tyneham Cap–Hounstout
 site 55, 57
 Washing Ledge Stone Band
 34
Aylesbury 74, 99, 100
Ayton 134
- Balintore Formation 188–93,
 215
 Balintore site 188–91, 192–3
- Brora site 191–4
Port-an-Righ Ironstone
 Member 188–91
Port-an-Righ Siltstone
 Member 188–91
Balintore site 187, 188–91, 215
 Balintore Formation 188–91
 Brora Arenaceous Formation
 188–91
 Brora Argillaceous
 Formation 188–91
Ball Beds *see* Saintoft Member
Basalt Stone Band 53–5
Basin Howe 153–4
Bathonian 203–10
 Staffin site 203–4
Baylei Zone 7, 99, 130
 Black Head site 30–5
 East Fleet–Small Mouth site
 45–9
 Inconstans Bed 30–5, 35–8,
 46–7, 61–2, 119–21, 123–6
Kildorais site 211–13
Nana Bed 31–5, 35–7, 46–7
Osmington Mills Ironstone
 17–39, 42–3, 45–9, 64
Roslyn Hole site 119–21
South Ferriby site 105,
 125–6
South Ferriby–Dorset–Skye
 125–6
 Staffin site 209–10
Beatrice Oilfield 194
Beckley Sand Member 13–17,
 70, 185
 Catena Beds 70
 Cross Roads Quarry site
 89–91
 Cumnor site 84–7
 Dry Sandford site 82–4
 Headington Shell Bed
 89–91, 93–4
 Littlemore Railway Cutting
 site 87–9
 Magdalen Quarry site 91–4
 Natica Band 70, 82–4, 85–7
 Shell–Pebble Bed 85–7
 Trigonia Beds 82–4
Bedfordshire 103–6, 115
belemnites 8, 42, 54–7
 Roslyn Hole site 119
 Scotland 198–9, 212
 Snape Hill site 170–3
 South Ferriby site 124
- Tyneham Cap–Hounstout
 site 54, 56–7
 see also the Fossil Index
Bencliff (Bincleaves) Grit
Member 78
 Osmington site 18–22, 25,
 27–30
 Sandsfoot site 38–40, 43
Bere Regis Fault 14
Betton Farm Rag 132, 155–7,
 178
Betton Farm site 67, 136, 153,
 155–7, 178
 Malton Oolite Formation
 155–7
Biggleswade 103
Birdsall Calcareous Grit
Member 130–37, 146, 160–1,
 168
 Filey Brigg site 139–44,
 160–1
Birmingham–Oxford Block
 86–7
bituminous shales 36–7
Flodigarry Shales 202,
 209–11
Golden Hill Pit site 165–7
Green Lane Pit site 164–7
- bivalves
- Balintore site 188–91
 Betton Farm site 155–7
 Blackhead site site 31–5
 Blind Lane site 62
 Brora site 191–2
 Cornelian Bay site 147–50
 Cumnor site 85
 Dimmock's Cote Quarry site
 68–70, 109–13
 Dry Sandford site 82–3
 East Fleet site 49–50
 East Fleet–Small Mouth site
 46–7
 East Midlands 109–13, 118
 Filey Brigg site 141–3
 Green Lane *and* Golden Hill
 Pits sites 167
 Hackness Head site 150–4
 Helmsdale site 197–201
 Kildorais site 212
 Kimmeridge Bay 31, 46–8,
 54, 56–8, 62
 Lamb and Flag site 178–81
 Littlemore Railway Cutting
 site 86–8

General index

- Littleworth Brick Pit site 96–100
 Lye Hill site 96
 Lynch Cove site 51
 Newbridge site 162–3
 North Elgol Coast site 214
 Nunnington sites 174–7
 Osmington site 22–8
 Roslyn Hole site 118–20
 Sandsfoot site 39, 41–5, 43–5
 Seend Cleeve site 68–70
 Shellford Crossroads Quarry site 76–8
 Snape Hill site 171–4
 South Ferriby site 122–5
 Spikers Hill site 158–60
 Staffin site 202–210
 Steeple Ashton site 67
 Swindon Old Town site 72–4
 Tenants' Cliff site 144–7
 Tyneham Cap–Hounstout site 54–9
 Upware South Pit site 107–9
 Warboys Clay Pit site 114
 Wath Quarries site 180–2
 Westbury site 64
see also the Fossil Index
 Black Head Siltstone 17, 32–4, 125–6
 East Fleet–Small Mouth site 46–9
 Ringstead site 36–7, 49
 Black Head site 17–18, 22–4, 26, 28–38, 44, 47, 59, 212–13
 Black Head Siltstone 31–5
 Grey Ledge Stone Band 32–4
 Inconstans Bed 32–5
 Nana Bed 31–5
 Nannocardioceras Cementstone 31–5
 Supracorallina Bed 31–5
 Virgula Limestone 31–5
 Wyke Siltstone 31–5
 Black Head–Osmington Mills–Skye correlation 125–6
 Blackstone
 Black Head site 32–4
 Kimmeridge Bay site 32–4
 Ringstead Bay site 32–4, 35–8
 Tyneham Cap–Hounstout site 53–6
- Blakei Subzone 7, 20, 130, 132–3, 214
 Digg Sandstone Member 203–10
 Flodigarry Shale Member 202–10
 Littleworth Brick Pit site 94–6
 Lye Hill site 94–6
 Staffin site 202–10
 Warboys Clay Pit site 114–15
 Blake's beds 32–4, 42, 53–9
 Blind Lane site 17, 44, 59–62
see also Abbotsbury
 Blue Course, Spikers Hill 158–61
 Boreal Province 6–7, 30
 Balintore site 190–1
 Brora site 193–4
 Cornelian Bay site 148–50
 Dry Sandford site 82–4
 East Midlands 106, 123, 125–6
 Green Lane and Golden Hill Pit sites 167
 Kildorais site 212–13
 Magdalen Quarry site 93–4
 Newbridge site 162–4
 North Elgol Coast site 214–16
 North Yorkshire 136
 Nunnington sites 175–9
 Osmington site 30
 Shaw's Gate Quarry site 179
 Speeton Sands site 138
 Spikers Hill site 160–1
 Staffin site 201–10
 Tenants' Cliff site 146
 boreholes 98, 103–6, 137
 Bolonian 6, 67
 Bow Buoy Skerry, Eathie 189
 Bowleaze Clays Member, East Fleet–Small Mouth site 46
 Lynch Cove site 46
 Osmington site 18–20, 25, 28–30
 Bowleaze Cove 20–2
 brachiopods 8, 21–2, 54, 61–2
 Cambridgeshire 119–21, 122–3
 North Yorkshire 141, 143, 147, 151–4, 156, 175–9
 see also the Fossil Index
 Bradley Farm Quarry 84–7
- Bran Point 18, 22–4, 43, 50
 Brandy Bay 31, 52–5, 59
 Brantingham Formation 105–6
 Bridge Pit North *see*
 Dimmock's Cote Quarry
 Bridge Pits, Upware 107
 Brill No 1 Borehole (BGS) 99
 Bristol Channel Basin 4
 Brora Arenaceous Formation 189–94
 Balintore site 188–91
 Brora site 192–4
 Brora Argillaceous Formation
 Balintore site 188–91, 215
 Shandwick Clay Member 189–91
 Brora Sandstone Member 186, 190
 Brora site 192–4, 215
 Brora site 187, 189–90, 191–4, 215
 Balintore Formation 191–4
 Brora Arenaceous Formation 192–4
 bryozoans 8, 54, 122
 Buchia mosquensis: Liostraea multiformis Association 166–7
 Buckinghamshire 103, 115
 Bukowskii Subzone 7, 20, 132–6
 Balintore site 188–91
 Dunans Clay Member 203–10
 Filey Brigg site 141–4
 Hackness Head site 151–4
 Lower Calcareous Grit Formation 141–4, 144–7, 151–4
 North Elgol Coast site 213–16
 Osmington site 20–2, 25, 28–30
 Oxford Clay Formation 13–21, 28–30, 108
 Saintoft Member 151–4
 Scotland 190, 204, 214
 Shandwick Clay Member 189–91
 Staffin site 202–10
 Tenants' Cliff Member 141–4, 145–7
 Tenants' Cliff site 144–7
 Warboys Clay Pit site 114–16

General index

- Weymouth Member 13–17,
20, 105, 134–5
Burning Cliff 37
- Cadh'-an-Righ Member,
Grossouvre Subzone 190
Caithness Flagstone clasts
197–200
Caledonica Subzone 7
Callovian 6, 8
Balintore site 189–91
Brora site 192–4
Cadh'-an-Righ Member
188–9, 199
Cornelian Bay site 147–50
Hebrides and Inner Moray
Firth Basins 186–7
Kildorais site 210–13, 214–5
North Elgol Coast site
213–216
Osgodby Formation 147–50
Osmington site 20
Staffin site 201–3, 209
transgression 3–5, 7–8, 202
Callovian–Oxfordian boundary,
Cornelian Bay site 147–50
Calne Freestone 64, 66, 68
Calne Member 15–16
Camasunary Fault 185
Camasunary Sandstone
Member 186–7, 202
North Elgol Coast site
213–16
Camasunary Siltstone Member
186–7
North Elgol Coast site
213–16
Cambridge Greensand raft 120
Cambridgeshire 103–6, 115
see also Elsworth, Roslyn
Hole, South Ferriby,
Upware, Warboys Clay Pit
Cannings Court Borehole 15
Cardigan Bay Basin 4
cardioceratid ammonites 6–7,
17, 106, 186–7
Balintore site 190–1
Brora site 3
Cornelian Bay site 147–50
Crossroads Quarry site 90
Cumnor site 85–6
Dimmock's Cote Quarry site
113
Dry Sandford site 82–3
- East Midlands Shelf 106,
123, 125–6
Green Lane *and* Golden Hill
Pit sites 167
Helmsdale site 196–200
Kildorais site 212–13
Littlemore Railway Cutting
87–8
Magdalen Quarry site 93–4
Market Rasen 126
Newbridge site 162–4
North Elgol coast site
214–16
North Yorkshire 134–6
Nunnington sites 175–9
Osmington site 20, 22–3,
28–30
Seend Cleeve site 69–70, 70
Shaw's Gate site 179
Skye 186–7
South Ferriby site 122–6
Speeton Sands site 138
Spikers Hill site 158–61,
160–1
Staffin site 206–10
Steeple Ashton site 65–8
Tenants' Cliff site 146, 146–7
Upware South Pit site 108
see also the Fossil Index
Carn Mor, North Elgol 213,
215
Carstone 121
Castle Cove 18, 23, 38, 41
Castle Hill, Scarborough 144,
147
Castle Ledge Stone Band,
Black Head site 34–5
Ringstead site 36–8
Tyneham Cap–Hounstout
site 53–9
Catena Beds 70
Cattle Ledge Shales 34, 36–8,
52–9
Black Head site 31–5
Ringstead site 35–8
Caukleys Bank 174, 176–9
Cautisnigrae Subzone 7, 28–30
Newbridge site 163
Osmington site 19–1, 23–4,
27–30, 163
Cautisnigrae Zone 7
Cayton Bay 147
see also Tenants' Cliff
Cayton Carr Borehole 143
- Cemetery Beds 70–4
Chalk raft 120
chamosite 26–7, 42, 63–5, 189
North Yorkshire 148–9,
151–3
see also berthierine
Chapman's Pool 13, 31, 52–4,
56–7, 74
Pebble Bed 54, 56–7
Chawley 98
Chief Shell Beds, East Fleet
49–50
Osmington 18–21, 23–4,
27–30
Sandsfoot site 39, 41, 44
cidarid echinoids 56–7, 123,
156
Cidarid Siltstone 54, 56–7
Clavell Tower 53, 55
Clavellata Formation 163–4,
187
Chief Shell Beds 18–21,
23–4, 27–30
Clay Band 18–21, 23–4,
27–30
East Fleet site 49–50
Newbridge and Nunnington
sites 178–9
Newbridge site 163–4
Osmington site 18–21, 23–4,
27–30
Red Beds 18–21, 23–4,
27–30
Sandsfoot Clay Member
18–24, 26–30
Sandsfoot site 38–9, 41,
44–5, 163
Sandy Block 18–21, 23–4,
27–30
Staffin Shales 163–4, 201–10
Steeple Ashton site 66–8
Clavellata Member 15–17, 67
East Fleet site 49–50
Osmington site 18–21, 23–4,
27–30, 67–8, 163–4
Steeple Ashton site 66–8
see also Chief Shell Beds,
Clay Band, Red Beds *and*
Sandy Block
Clavellata Member–Osmington
Oolite boundary 39–40, 44–5
Clavell's Hard 34, 52–3, 55–6
Clay Band, Clavellata Member
18–21, 23–4, 27–30

General index

- Cleveland Basin 4, 10, 103, 125, 129–82, 143, 163, 167, 181
 Yorkshire sites 129, 154
- Clifton Street, Swindon 70
- Cloughton Formation 170
- Clynekirkton Sandstone
 Member 186–7
 Brora site 191–4
- coal 54, 56, 58, 117
- Coprolite Bed, Speeton Sands
site 138
- Coral Bed, Upware Limestone
Member 109–13
- Coral Rag Member 13–17, 27, 67, 131–7, 143, 154, 157
 Cross Roads Quarry site
 89–91
 Cumnor site 84–7
 Dry Sandford site 81–4
 Filey Gasworks borehole
 144
 Leysthorpe Quarry site
 176–9
 Lye Hill site 94–6
 Magdalen Quarry site 89–91,
 91–40
 Newbridge site 157, 162–4
 Nunnington Railway Cutting
 Quarry site 175–9
 Nunnington Railway cutting
 site 174–9
 Shellingford Crossroads
 Quarry site 75–8
 Stanford Formation 75–8,
 81–4, 90–1
 Wath Quarry site 157,
 179–82
 see also Betton Farm Rag
- Coral Rag–Wheatley Limestone
succession 89–91
- Coral–Sponge Bed, Hackness
Head site 151–4
 Spikers Hill site 160
- Corallian Group 3–4, 13–17,
28–9, 131–7
 Abbotsbury Sandstone 61–2
 Black Head site 31–4, 34–5
 Cross Roads Quarry site
 89–91
 Dry Sandford site 81–4
 East Fleet site 49–50
 East Fleet–Small Mouth site
 45–9
- East Midlands Shelf 103–6
- Filey Brigg site 139–44
- Hackness Head site 150–4
- Lamb and Flag site 78–81
- Littlemore Railway Cutting
site 87–9
- Lye Hill site 94–6
- Newbridge site 161–4
- North Yorkshire 129–37,
139–64, 167–82
- Nunnington sites 134, 136,
172–9, 187
- Osmington site 18–30
- Oxford Cross Roads Quarry
site 89–91
- Ringstead Clay Member
13–17, 19, 32–8, 42–8, 64,
66
- Ringstead site 35–8
- Sandsfoot site 38–45
- Seend Cleeve site 68–70
- Shaw's Gate Quarry site
167–70
- Shellingford Crossroads
Quarry site 74–8
- Snape Hill site 170–3
- Spikers Hill site 159
- Steeple Ashton site 65–8
- Trigonia Beds 75–8, 78–81,
81–4
- Upware Limestone Member
104–9, 109–113
- Upware South Pit site 104–9
- Wath Quarry site 179–82
- Westbury Ironstone
Formation 63–5
- Westbury site 63–5
- Yorkshire 108
- Corallian Group–Kimmeridgian
Clay boundary 33–5,
37–8, 48–9
- Coralline Oolite Formation
129–37
- Betton Farm site 155–7
- Birdsall Calcareous Grit
Member 130–44, 146,
160–1, 168
- Coral Rag Member 162–4,
174–9
- Filey Brigg site 139–44
- Hackness Coral–Sponge Bed
151–4
- Hackness Head site 150–4
- Hambleton Oolite Member,
- Upper Leaf 140–4
- Leysthorpe Quarry site
176–9
- Malton Oolite Member
155–7
- Newbridge site 162–4
- North Yorkshire 129–137
- Nunnington Railway Cutting
Quarry site 175–9
- Nunnington Railway Cutting
site 174–9
- Passage Beds 131, 141–4,
150–4
- Shaw's Gate Quarry site
168–70
- Spaunton Sandstone
Member 174–9
- Spikers Hill site 157–61
- Wath Quarry site 179–82
- corals 8
- Betton Farm site 155–7
- Cambridgeshire 107–9,
109–13, 122–4
- Cross Roads Quarry site
89–91
- Cumnor site 85–7
- Dimmock's Cote site 109–13
- Dry Sandford site 82–4
- East Fleet–Small Mouth site
45–9
- Filey Brigg site 141–6
- growth-rate 153–4
- habitat 67, 86, 88–91,
112–13
- Hackness Head site 150–4
- Helmsdale site 197–201
- Inner Moray Firth 198–200
- Lamb and Flag site 79–80
- Littlemore Railway Cutting
site 87–9
- Lye Hill site 95–6
- Magdalen Quarry site 93
- Nunnington sites 174–7
- Osmington site 19–22, 24–6,
28, 30
- Shellingford Crossroads
Quarry site 76–8
- Spikers Hill site 157–61
- Steeple Ashton site 65–8
- Upware South Pit site
106–10
- Wath Quarries sites 179–82
- see also* the Fossil Index
- Cordatum Subzone 7, 20,

General index

- 132–6, 214
Ardassie Limestone Member 191–4
Balintore site 189–91
Birdsall Calcareous Grit Member 140–4
Brora Sandstone Member 192–4
Brora site 191–4
Dunans Clay Member 202–10
Filey Brigg site 140–4
Glashvin Silt Member 202–10
Hackness Head site 150–4
Hambleton Oolite Member 140–4, 157–61
Hambleton Oolite Member, Lower Leaf 141–4
Highworth Limestone Member 70, 80
Lynch Cove site 51–2
Nothe Clay Member 13–16, 20–2, 25–30, 38–41, 43–5
Nothe Grit Member 18–22, 25, 27–30, 43–5, 51–2
Osmington site 18–22, 25, 28–30
Seend Cleeve site 68–70
Shandwick Siltstone Member 189–91
Shellingford Crossroads Quarry site 76–8
Spikers Hill site 159–61
Staffin Shale Formation 202–10
Staffin site 202–10
Tenants' Cliff site 147
Warboys Clay Pit site 114–15
Cordatum Zone 7, 20, 51–2, 105, 130
Balintore site 188–191
Brora site 192–4
Lynch Cove site 51–2
North Elgol Coast 213–16
Scotland 190, 192, 204, 214
Staffin site 202–10
Tenants' Cliff site, basal 147
Warboys Clay Pit site 114–16
Cordatum–Vertebrata Subzone Boundary 158–61
Cornelian Bay site 134–6, 144, 147–50
Cornubian High 4
Coronatum Zone 190, 204, 214
Cornelian Bay site 147–50
Dunans Shale Member 203–10
North Elgol Coast 213–16
Staffin site 203–10
Costicardia Subzone 7, 20, 30, 132–3
Balintore site 189–91
Bowleaze Clay 20, 28–30, 46
Dunans Clay Member 202–10
Filey Brigg site 141–4
Hackness Head site 150–4
Lynch Cove site 50–2
North Elgol Coast 213–16
Osmington site 20–2, 25, 28–30, 52
Passage Beds Member 131–7, 150–4, 159–61
Red Nodule Bed 20–2, 25, 28–30, 50–2
Scotland 190, 204, 214
Shandwick Clay Member 189–91
Shandwick Siltstone Member 189–91
Spikers Hill site 158–61
Staffin site 203–10
Warboys Clay Pit site 114–15
Cothill, shell beds 80, 81–4
see also Dry Sandford site
Cowley–Sandford Shell Beds 86
Crackaig 195, 198
Cranbourne Fault 14
Cranbourne–Fordingbridge high 13–16
Cretaceous early 64, 96, 106, 121, 129, 134
erosion 15
raft 116–20
Crinoid Bed, Upware Limestone Member 109–13
crinoids 8, 32–3, 37, 54, 175
East Midlands 109–13
Scotland 198–9
see also the Fossil Index
crocodiles 8–9, 54, 119
Cross Roads Quarry 17–18, 89–91, 94
Crussoliceras Band 98–100, 120
Littleworth Brick Pit site 96–100
Roslyn Hole site 116–21
crustaceans 8, 54, 62, 122
Cucklington Oolite 13–15
Cuillins Tertiary Intrusion Complex 202, 213, 216
Cumnor site 17–18, 83, 84–7
Kingston Formation 84–7
Stanford Formation 84–7
Cunstone Nab 170
cyclic sedimentation 13–16, 26–7, 36, 54, 58–9
Cycloserpula intestinalis–Nanogyra nana Association 72
Cymodoce Zone 7, 99, 105, 130
Allt na Cuille Sandstone Formation 186–7, 194–201
Black Head Siltstone 32–5
Black Head site 31–5
Blind Lane site 60–2
East Fleet–Small Mouth site 45–9
Helmsdale site 194–200
Kildorais site 211–13
Ringstead site 32–4
South Ferriby site 122–6
Staffin site 203–10
?Cymodoce Zone, South Ferriby site 121–3, 125–6
Cymodoce–Mutabilis boundary 8, 32–4
Densiplicatum Zone 7, 20, 105, 130, 132–3
Balintore Formation 191–4
Brora site 191–4
Dimmock's Cote Quarry site 105, 109–13

General index

- Upware Limestone Member 104–5
Warboys Clay Pit site 105, 114
Denver Sluice Borehole 119
Digg 201–10, 212
Digg Siltstone Member 186–7, 203–10
Staffin site 203–10, 215
Dimmock's Cote Marl Member 105, 110–13
Dimmock's Cote Quarry site 17, 67, 105, 107–8, 109–13
Dimmock's Cote Marl Member 105, 110–13
Upware Limestone Member 105, 109–13
dinoflagellates 8, 54, 58–9, 166, 200
discontinuities, Kimmeridgian 32–5
Oxfordian 26–7, 115
Sandsfoot site 43–5
Dorset Coast 13–59, 137, 201
Dry Sandford site, Cothill 17–18, 67, 80, 81–4, 160–1
Kingston Formation 82–4
Stanford Formation 82–4
Dun Glas 194–201
Dunans Clay Member 186–7
Staffin site 203–10, 215

East Ayton 155
East Fleet site 17, 28–9, 44–6, 49–50, 55
East Fleet–Small Mouth site 17, 45–49
basal Kimmeridge Clay Formation 45–9
Black Head Siltstone Member 45–9
correlations 35, 37, 55, 59–61, 212–13
Inconstans Bed 45–9
Nana Bed 45–9
Osmington Mills Ironstone 45–9
Ringstead Clay Member 45–9
Wyke Siltstone Member 45–9
see also Osmington site
East Midlands Shelf 4, 10, 13–15, 103–26
East Stour borehole 15

Eastlecott 72
Eastlecottensis Subzone 7, 54
Middle White Stone Band 54–9
Old Town, Swindon site 70–4
Tyneham Cap–Hounstout site 54–9
Upper Cemetery Bed 70–4
Eathie 193
echinoids 8, 67, 197–9
Dorset 49–50, 54, 62
East Midlands 109–13, 119–21, 122–3, 151–2, 156, 170
North Yorkshire 143, 157–60, 175–9, 180–2
Oxfordshire 90, 93–5
Upware South Pit site 107–9
see also the Fossil Index
Egmont Bight 56
Elegans Zone 7, 105, 130
Black Head site 31–5
Helmsdale Boulder Bed 194–200
Helmsdale site 194–200
Ringstead site 36–7
Speeton Sands site 137–9
Elegans Zone and/or Autissiodorensis Zone, Ringstead site 36–8
Elegans–Pectinatus Zones 32–5, 36–8
Kimmeridge Bay 31–5
Osmington Mills site 31–5
Ringstead Bay 31–5, 35–8
Elegans–Scitulus zone 99
Elgol *see* North Elgol Coast and Strathaird
Elmhurst Silt 99–100
Elsham 103–6, 125–6
Elsworth 103–6
Elsworth Limestone Member 105–6, 108
Ely ridge 120
Encombe Stone Band 53–4, 56
Encombensis Subzone 7, 54
Basalt Stone Band 54–9
Golden Hill Pit site 165–7
Tyneham Cap–Hounstout site 54–9
White Stone Band 54–9
Eudoxus Zone 7, 105, 130
Black Head site 31–5

Green Lane Pit site 164–7
Helmsdale Boulder Bed 194–200
Helmsdale site 194–200
Hobarrow Bay Stone Band 31–5
Littleworth Brick Pit site 98–100
Lye Hill site 96–9
Nannocadioceras Cementstone 31–5, 35–8, 118
Ringstead site 36–8
Roslyn Hole site 118–21
Tyneham Cap–Hounstout site 54–5, 57–8
Virgula Limestone 31–5, 98–100, 117–20
Evoluta Subzone 7, 24, 28–30, 125–6
Amphill Clay Formation 123–6
Osmington Mills Ironstone 18–22, 25–30
Osmington site 18–22, 25–30
South Ferriby site 123–6
Exogyra (nana) Beds 98–100
see also Upper Cemetery Beds

Faringdon Member 16, 75–8
Lamb and Flag site 78–81
Shellingford Crossroads Quarry site 75–8
faulting, Asenby–Coxwold Graben 170
Cranbourne–Fordingbridge high 13–17
Flamborough Head Fault Zone 134
Highworth 13–17
Kildorais site 212
Kimmeridge Bay 31, 53, 55
Mere Basin 13–17
Peak Trough 134, 170
Ridgeway 31
Staffin Bay 203–10, 212
syndepositional 13–17, 134
Vale of Pickering/Wolds 134
Wheatley 95–6
Winterbourne Kingston Trough 13–17
see also named faults

General index

- faunal provincialism 6–7
Fernside Waste Management Co. 113
Ferriby Chalk 121
ferruginous beds 13
 Blind Lane site 60–2
 Green Lane Pit site 165
 Hackness Head site 151–3
 Moray Firth 188–91
 Roslyn Hole site 118–19
 Sandsfoot site 42–4
 Spikers Hill site 159
 Steeple Ashton site 66–7
 Westbury site 63–5
Ferry (or Small Mouth) Bridge 45–9
Fifehead Neville 15
Filey 129, 132, 136–7, 167
Filey Brigg site 132–3, 136–44, 152–4, 160
 ammonites 134–7
Birdsall Calcareous Grit Member 140–4
Coralline Oolite Formation 140–4
Lower Calcareous Grit 141–4
fish 54, 77, 95, 118–21, 165
Fittoni Zone 7, 54, 105, 130
 Hounstout Clay Member 52–9
Hounstout Silt Members 52–9
Ringstead site 37
Tyneham Cap–Hounstout site 52–9
Flamborough Head Fault Zone 134
Flassen Gill 131–7
Flassen Gill, ammonites 134–5
Flats Stone Band 32–5, 53–5
Fleet Lagoon 26–7, 45–6
Flodigarry 190, 201–13
Flodigarry Shale Member 186–7, 215
 Brora site 190
 Kildorais site 211–13
 Staffin site 201–210
florigemma-Rag 156
foraminifera 8, 54, 69–70, 121, 151
Forge Valley 157, 160
fossil sites 9–10, 46, 62, 64, 67
Freshwater Steps 52–9
Freshwater Steps Stone Band
 Black Head site 31–4
 Ringstead site 36–7
 Tyneham Cap–Hounstout site 52–5, 58–9
Furzedown Clay 18–20, 25, 28–30
Furzy Cliff–Ringstead Bay area 18–30
Gartymore 195, 200
gastropods 8
 Abbotsbury Blind Lane site 61–2
 Betton Farm site 155–7
 Black Head site 31
 Cambridgeshire 108, 122–3
 Cumnor site 85
 Dimmock's Cote site 109–13
 Dry Sandford site 82–3
 East Fleet site 50
 East Fleet–Small Mouth site 46–8
 Lynch Cove site 51
 North Yorkshire 147, 166, 180
 Nunnington sites 174–7
 Osmington site 25
 Sandsfoot site 41
 Scotland 198–9
 Spikers Hill site 158–60
 Tyneham Cap–Hounstout site 54
 see also the Fossil Index
Gaulters Gap Shales 52–4
 Tyneham Cap–Hounstout site 52–4
GCR site selection criteria 9–10
Gervillella aviculoides association of Fürsich 77
Girverndale 160
Glashvin Silt Member 186–7
 Staffin site 202–10, 215
Global Stratotype Sections and Points 9
 candidate basal Kimmeridgian Stage
 Black Head and Ringstead sites 33–5, 37–8
 Kildorais site 210–13
 South Ferriby site 121–6
Glosense Subzone 7, 20, 28–30, 132–3, 204
Clavellata Formation 20, 178
Flodigarry Shale Member 202–10
Leysthorpe Quarry site 174–9
Newbridge site 161–4
Nunnington Railway Cutting site 174–9
Osmington site 13–16, 18–22, 25, 27–30, 43
Sandsfoot Clay Member 20
Sandsfoot site 30, 38–43
Snape Hill Quarry site 171–3
Spaunton Sandstone Member 163, 173, 174–5
Staffin site 202–10
Steeple Ashton site 66–7
Glosense Zone 7, 20, 105, 130, 204
 Snape Hill site 170–3
 Steeple Ashton site 66–8
Golden Hill Pit site 125, 137–9
 see also Green Lane Pit site
Grampian High 4
Great Barugh 164
Great Edstone 164
Great Estuarine Series 186, 188
Great Glen Fault 185, 188–91, 192–3
Green Lane Pit and Golden Hill Pit sites 125, 164–7
 Kimmeridge Clay Formation 164–7
Grey Ledge 53–5
Grey Ledge Stone Band, Black Head site 32–4
Ringstead site 34, 36–8
Tyneham Cap–Hounstout site 53–5
Gristhorpe Cliffs 148–49
Gristhorpe Member 148–50
Grossouvrei Subzone 190, 192
 Brora site 190
 Cadh'-an-Righ Member 188–9
 North Elgol Coast 213–16
 Tobar Ceann Siltstone Member 213–16
Hackness Coral–Sponge Bed 143, 157
 Hackness Head site 150–4
Hackness coral–sponge reef 96, 143, 159
Hackness Head site 67, 136,

General index

- 150–4, 159–60
Coralline Oolite Formation 150–4
Lower Calcareous Grit Formation 151–4
Hackness Rock Member, Cornelian Bay site 148–50
Ham Cliff 20–1
Hambleton Hills 3, 129, 133, 137, 143, 167
Hambleton Oolite Member 131–7, 157
Blue Course 158–60
Coral-Sponge Bed 151–4, 158–61
Filey Brigg site 139–44
Hackness Head site 150–4
Lower Leaf 141–4
Shaw's Gate Quarry site 168–70
Spikers Hill site 157–61
Upper Leaf 140–4, 167–70
Hartwell Borehole BGS 99
Hartwell Silt 99–100, 106
Littleworth Brick Pit site 99–100
Hazelbury Bryan Formation 13–16, 70
Headington 'Hards' 92–4
Headington quarries 99
see also Magdalen Quarry and Cross Roads Quarry
Headington Quarry *see* Magdalen Quarry
Headington Shell Bed 89–91, 93–4
Cross Roads Quarry site 89–91
Magdalen Quarry site 93–4
Hebridean Basin 4, 10, 185–7, 189–90, 201–216
Hedgehog Course 92–4
Helmsdale Boulder Bed 186–7
Helmsdale site 194–200
Helmsdale Fault 185–6, 192–3, 194–201
Helmsdale Granite 194
Helmsdale site 5, 193–4, 194–201
Allt na Cuile Sandstone Formation 186–7, 194–201
Helmsdale Boulder Bed 186–7, 194–201
Kimmeridge Stage 194–201
Kintradwell Boulder Beds 186–7, 194–201
Portlandian 196
Helmsley 129, 132, 160, 164
Helmsley Fault 134
Hen Cliff Shales 52–5, 57–8
Henrici Subzone, Staffin site 203–10
Hesdin l'Abbe 65
hiatus, Corallian 75–6, 79–83, 115, 134, 148–50, 1423
Upper Kimmeridgian 70–4, 97–8, 125–6
Highfield House Quarry 181
Highworth 8, 13–16
Highworth Clay Member 16
Lamb and Flag site 78–81
Highworth Grit Member 84
Lamb and Flag site 78–81
Shellingford Crossroads Quarry site 75–8
Highworth Grit-'Coral Rag' interval 74–8
Highworth Limestone Member 16, 70
Lamb and Flag site 79–81
Upper Trigonia Bed 78–81, 81–4, 86
Hildenley 164
Hill of Nigg 193
Hill's Brickyard 72
Hinton St Mary Clay 13–15
Hobarrow Bay 34, 52–5
Hobarrow Bay Stone Band, Black Head site 34
Ringstead site 34, 36–8
Holman's Bridge Shale Member 99, 106
Holworth House Fault 37
Hounstout 17–18, 52–3, 74–8
Hounstout Clay 54, 56–7
Tyneham Cap-Hounstout site 54–9
Hounstout Marls *see* Upper Hounstout Silt
Hounstout Silts, Upper and Lower 54, 56–7
Tyneham Cap-Hounstout site 54–9
Hovingham 179
see also Wath New and Old Quarries
Hovingham Carrs 174
Howardian Hills 3, 129, 172, 174, 179, 181–2
Hudlestoni Zone 7, 54, 99, 105, 130
Blackstone 32–4, 35–8, 53–6
Golden Hill Pit site 164–7
Helmsdale site 194–6, 198–200
Littleworth Brick Pit site 98–100
Middle White Stone Band 36–7, 53–5, 58–9
Ringstead site 36–7
Speeton Sands site 138
Swindon Old Town site 72–4
Tyneham Cap-Hounstout site 54–9
Hudlestoni-Pectinatus zonal boundary 58, 164–7
Humber 104, 106
Huntingdon Memoir 103
ichthyosaurs 8, 54, 119
?Illovaikii Subzone 7, 20, 132–3, 214
Flodigarry Shale Member 202–10
Leysthorpe Quarry site 175–9
Newbridge Member 162–4, 175–9
Newbridge Site 162–4
Nunnington Railway Cutting Quarry site 175–9

General index

- East Fleet-Small Mouth sites 44–8
Helmsdale site 203, 206
Port-an-Righ 188–91
Sandsfoot site 42
Westbury site 63–5
Irton borehole 157, 160
Isle of Eigg 5, 187, 215
- Jason Zone 190, 192, 204
Dunans Shale Member 203–10
Jordan Cliff Clay Member 18–22, 25, 30
Osmington site 18–22, 25, 30
Jubilee Coppice 60–2
Jura 67–8
- Kilburn 134, 167, 170–1
Kilburn Fault 134, 170–1, 174
Kildorais site 125–6, 203–10, 210–13
Staffin Shale Formation 211
Kimmeridge Bay 30, 31, 52–9
see also Tyneham Cap–Hounstout site
Kimmeridge Clay Formation 5–8, 13–18, 103–6, 129–37, 187
Abbotsbury Blind Lane site 61–2
Black Head site 30–5
Cemetery Beds, Swindon 70–4
East Fleet-Small Mouth site 45–9
Elmhurst Silt Member 99, 106
Filey Gasworks borehole 144
Green Lane Pit and Golden Hill Pit sites 164–7
Hartwell Silt Member 99, 106
Helmsdale site 187, 194–201
Holman's Bridge Shale Member 99, 106
Hounstout Siltstone, Upper and Lower 54, 56–7
Inconstans Bed 30–8, 46–7, 47, 61–2, 99, 119–26
Kildorais site 187, 210–13
Littleworth Brick Pit site 97–100
Nana Bed 31–5, 35–7, 46–7
Pectinatus Sandstone Member 97–100
Ringstead site 35–8, 61–2, 62
Roslyn Hole site 116–21
South Ferriby site 121–6
Speeton Sands site 137–9
Swindon Clay Member 70–4, 97–9, 106
Swindon Old Town site 70–4
Tyneham Cap–Hounstout site 52–9
Upper Kimmeridge Clay 70–4, 96–100, 194–201
Watermead Clay Member 99, 106
Westbury site 64
Wyke Siltstone Member 33, 46
Kimmeridge Clay–Corallian Group boundary 33–5, 37–8, 48–9, 54–7
Kimmeridgian/Oxfordian 121–6, 208–10, 210–13
Kimmeridgian/Portlandian 57
Kingston Bagpuize 78
Kingston Formation 13–17, 75–8
Beckley Sand Member 82–4, 85–7, 87–91, 93–4
Cross Roads Quarry site 89–91
Cumnor site 84–7
Dry Sandford site 81–4
Headington Shell Bed 89–91
Highworth Clay Member 79–81
Highworth Grit Member 75–8, 79–81
Lamb and Flag site 79–81
Littlemore Railway Cutting site 13–17, 87–9
Magdalen Quarry site 91–4
Natica Band 82–4
Pebble Bed 76–8, 79–81
Shell Beds, Beckley Sand Member 89–91
Shellingfords Crossroads site 75–8
Trigonia Beds 76–8, 79–81, 82–4
Kintradwell 194–201
- Kintradwell Boulder Beds 186–7
Helmsdale site 194–201
Kirby Misperton 164
Kirby Moorside 164, 179
Knapton 164
Koldeweyense Subzone 7, 20, 132–3, 214
Flodigarry Shale Member 202–10
Staffin site 202–10
- Lamb and Flag Inn Quarry 17–18, 77, 78–81, 83–4
Kingston Formation 78–81
Lower Calcareous Grit Formation 78–81
Lamberti Zone 190, 192, 204, 214
Balintore site 188–91
Brora site 191–4
Clynelish Quarry Sandstone Member 192–4
Cornelian Bay site 148–50
Dunans Clay Member 203–10
Fascally Sandstone Member 192–4
Hackness Rock Member 148–50
North Elgol Coast 213–16
Staffin site 203–10
Langdale Member, Cornelian Bay site 149
Langton Clay 134
Leafs, Upper and Lower, Hambleton Oolite 131–7
Filey Brigg site 140–4
Shaw's Gate site 167–70
Leysthorpe Quarry site 17, 134–5, 163, 173–9, 181
Coral Rag Member 176–9
Coralline Oolite Formation 176–9
Malton Oolite Member 176–9
Newbridge Member 175–9
Spaunton Sandstone Member 175–9
Upper Calcareous Grit Formation 174–9
see also Nunnington sites
lignite 125
Limekiln Member 134

General index

- Limekilns, Steeple Ashton 66–7
limonite 24, 26–7
 Abbotsbury Blind Lane 61–2
 Black Head site 31
 East Fleet–Small Mouth site
 48–9
 Hackness Head site 151
 Westbury site 63–5
Lincolnshire, *see* Elsham
Lingula Shales *see* Lower Hounstout Silt
Littlemore Clay Member
 13–17, 87–9
Littlemore Railway Cutting site
 17–18, 87–9
 Beckley Sand Member 87–9
Littlemore Shell Bed 87–9
Littleworth Brick Pit 17–18, 70,
 74, 96–100
 Pectinatus Sand Member
 97–100
 Swindon Clay Member
 97–100
 Upper Lydite Bed 98–100
 Wheatley Sand Member
 97–100
London Landmass 3–5, 64, 103
London Platform 4, 86–7,
 110–12, 115, 120
Long Crendon 99
Longleat–Wootton Bassett
 Platform 13–16
Loth Burn Siltstone Member
 194–201
 Helmsdale site 194–201
Loth River Shales 194–201
Lothbeg Point 195–200
Lothbeg Siltstone Member
 186–7
 Helmsdale site 194–201
Lower Calcareous Grit
 Formation 13–16, 170
 Filey Brigg site 139–44
 Hackness Head site 150–4
 Lamb and Flag site 78–81
 North Yorkshire 129–137
 Saintoft Member 141–4,
 144–7, 151–4
 Seend Cleeve site 68–70
 Shellingford Crossroads site
 77–8
 Tenants' Cliff site 144–7
Lower Cemetery Beds,
 Swindon Old Town site 70–4
Lower Greensand 99, 118–19
Lower Kimmeridge Clay
 Black Head site 30–5
 East Fleet–Small Mouth site
 45–9
 Green Lane Pit 164–7
 Littleworth Brick Pit site
 96–100
Lower Leaf, Shaw's Gate
 Quarry site 168–70
Lower Lydite Bed 99
 Swindon Old Town site 71–4
Lower Oxfordian, Balintore
 site 188–91
 Brora site 191–4
 Cornelian Bay site 146–50
 North Elgol Coast site
 213–16
 Osmington site 18–30
 Seend Cleeve site 68–70
Lower Trigonia Bed, Cumnor
 site 84–7
 Dry Sandford site 81–4
 Lamb and Flag site 78–81
lydite 71–4, 93, 98–9
 see also Upper and Lower Lydite Beds
Lye Hill Quarry 17–18, 94–6
Lynch Cove site 17, 25, 28–9,
 46, 50–2
 Red Nodule Bed 50–2
 Weymouth Member 50–2
Lynch Farm 50
Lyon's Gate Bed 13, 15
M40 Motorway, Waterstock 99
Magdalen Quarry site 17–18,
 89, 91–4
 Kingston Formation 92–4
 Stanford Formation 92–4
Magdalen–Cross Roads
 Quarries, correlation 91
Malton 129, 133–4
Malton Oolite Member 131–7,
 144
 Betton Farm Rag 156–7
 Betton Farm site 155–7
 Filey Gasworks borehole
 144
 Leysthorpe Quarry site
 176–9
Nunnington Railway Cutting
 Quarry site 175–9
Nunnington Railway Cutting
 site 175–9
Spikers Hill site 157–61
Maltonense–Tenuiserratum
 site 175–9
Spikers Hill site 157–61
 (upper) Wath Quarry site
 179–82
Maltonense Subzone 7, 20,
 132–3
Balintore site 188–91
Brora site 192–4
Cross Roads and Magdalen
 Quarry sites 89–91, 93–4
Dimmock's Cote Quarry site
 105, 109–13
Dry Sandford site 84
Lamb and Flag Quarry site
 78–81
Littlemore Railway Cutting
 site 90
Magdalen Quarry site 93,
 93–4
North Elgol Coast site
 213–16
Osmington site 20–3, 25–28,
 30
Pickering 161
Scaladal Sandstone Member
 213–16
Scotland 190, 204, 214
Shandwick Clay Member
 188–9
Shellingford Crossroads site
 74–8
Shortlake Member 20,
 25–30, 39–41, 43–5, 49–50
Spikers Hill site 157–61
Third Trigonia Bed 75–8,
 80–1
Upton Member 20, 25–30,
 39–41, 43–5
Warboys Clay Pit site 115
Wath Quarry site 179–82
?Maltonense Subzone, Betton
Farm site 155–7
Glashvin Silt Member
 202–10
Leysthorpe Quarry site
 176–9
Malton Oolite Member
 175–9
Nunnington Railway Cutting
 Quarry site 175–9
Nunnington Railway Cutting
 site 175–9
Spikers Hill site 157–61
Maltonense–Tenuiserratum

General index

- Subzone interval 74–8
Manx–Cheshire Basin 4
Maple Ledge Stone Band,
Ringstead site 34–5
Tyneham Cap–Hounstout
site 52–5, 57
Mariae Zone 7, 20, 105, 114,
130
Balintore site 188–91
Cornelian Bay site 149–50
North Elgol Coast 213–16
Oxford Clay Formation
114–16
Scotland 190, 192, 204, 214
Staffin site 213–10
Warboys Clay Pit site 113–16
Weymouth Member 114–16
?Mariae Zone, Brora Sandstone
Member 192–4
Brora site 192–4
Market Rasen 103–6
Market Weighton High 4, 103,
129, 167
- Coral Rag Member 75–8
Cross Roads Quarry site
89–91
Digg Siltstone Member 209
Dimmock’s Cote site 109–13
Dry Sandford site 81–4
Faringdon Member 75–8
Glashvin Silt Member 209
Hackness Head site 151–4
Highworth Grit Member
75–8, 79–81
Kingston Formation 75–91,
93–4
Lamb and Flag site 78–81
Langton Clay Member 134
Lye Hill site 94–6
Magdalen Quarry site 92–4
Newbridge site 161–4
Nodular Rubble Member
18–30, 39–41, 43–5, 49–50
North Elgol Coast site
213–16
Nothe Clay Member 18–30,
39–4, 43–5, 51
Osmington site 18–30
Preston Grit Member 18–30,
39–4, 43–5, 51
Redcliff Formation 18–30,
39–40, 43
Seend Cleeve Sandstone
Member 69–70
Seend Cleeve site 68–70
Shellingford Crossroads site
74–8
Shortlake Member 18–30,
39–41, 43–5, 49–50, 78
Spikers Hill 157–61
Staffin site 201–10
Stanford Formation 75–8,
82–4, 89–91
Upton Member 18–30,
39–41, 43–5, 49–50
Upware South Pit site 107–9
Wath Quarry site 179–82
Middle White Stone Band,
Ringstead site 36–7
Tyneham Cap–Hounstout
site 53–5, 58–9
Middlegate Quarry *see* South
Ferriby site 121–6
Midland Microcratton *see*
Birmingham–Oxford Block
Minch Fault 185
Modiolus bipartitus—
- Pleuromya alduini* associa-
tion 51
Moortown Hill 125
Moray Firth Basin 4, 10
Mull 5
Mutabilis Zone 7, 99, 105, 130
Allt na Cuile Sandstone
Formation 194–200
Black Head *and* Osmington
Mills sites 31–5
Helmsdale site 194–200
Ringstead Bay site 31–5
Roslyn Hole site 118–21
Supracorallina Bed 32–4
- Nana Bed
Black Head site 31–5
East Fleet–Small Mouth site
31–5, 46–7
Ringstead site 35–7
Nannocardioceras
Cementstone, Black Head
site 31–5
Ringstead site 35–8
Roslyn Hole site 118
Natica Band 70
Cumnor site 85–7
Dry Sandford site 81–4
Seend Cleeve site 68–70
Ness 176, 178
Newbridge Member 131–7,
160–1, 172, 178–9
Leysthorpe Quarry site
175–9
Newbridge site 162–4
Nunnington Railway Cutting
Quarry site 175–9
Newbridge Quarry 134–7,
178–9, 181
Newbridge site 136, 157,
161–4, 187
Coralline Oolite Formation
161–4
Upper Calcareous Grit
Formation 161–4
Newbridge Trigonia Bed 132,
160–1
Spikers Hill site 160–1
Newton Clay Member 13–15
Newton Grange 164
Nodular Rubble Member
East Fleet site 49–50
Osmington site 18–23,
25–30

General index

- Sandsfoot site 39–41, 43–5
 Norfolk boreholes, correlations 103–6, 119
 Normanby 164
 North Elgol Coast site 202, 213–16
 North Grimston Cementstone Member 133–7
 Snape Hill site 170–3
 North Grimstone Cementstone Quarry 172–3
 North Kelsey 125
 North Wootton Borehole 119
 North Yorkshire 129–82
 Nothe Fort 38–39, 40–41
 Nothe Clay Member 13–16, 43
 Lynch Cove site 51–2
 Osmington site 18–22, 25, 27–8, 30
 Sandsfoot site 30, 38–41, 43–5
 Nothe Grit Member 43, 51–2
 Lynch Cove site 50–2
 Osmington site 18–22, 25, 27–8, 30
 Sandsfoot site 38–40, 43–5
 Nothe Point 38, 40
 Nunnington 131–3, 134, 136, 172–3, 173–9, 187
 Nunnington Railway Cutting Quarry site 173–9, 181
 Nunningtonense Subzone 7, 50
 Leysthorpe Quarry 173–9
- Oakley Beds 96
 Oaktree Soil or Clay 52, 106
 see also Kimmeridge Clay
 oil sands 22
 oil shales 8, 20, 48, 103–6
 Helmsdale site 194–201
 Osmington site 20
 Ringstead and Blackhead sites 34–8
 Rosslyn Hole site 116–20
 Tyneham Cap–Hounstout site 52–9
 see also bituminous shales
 Old Red Sandstone 188, 194, 197–200
 Old Town, Swindon site 13–17, 17–18, 70–4, 96, 100
 Cemetery Beds 70–4
 Swindon Clay Member 70–4
- Upper Kimmeridge Clay Formation 70–4
 ophiuroids 8, 122
 oppelids 114
 Osgodby Formation, Cornelian Bay site 147–50
 Hackness Rock Member 148–50
 Osgodby Nab Fault 144, 147–50
 Osmington Mills 19–30, 47–8
 Skye–Black Head correlation 126
 Osmington Mills Ironstone
 Black Head site 31–5
 East Fleet–Small Mouth site 42–3, 45–9
 Osmington site 17–21, 24, 26–30, 47–8
 Ringstead site 37–8
 Sandsfoot site 42–3
 Steeple Ashton site 64
 Osmington Oolite Formation 15–30, 49–50, 78
 Clavellata Member boundary 39–40, 43–45
 East Fleet site 49–50
 Nodular Rubble Member 20–3, 26–8, 30
 Osmington site 13–30, 49–50
 Sandsfoot site 39–41, 43–5
 Shellingford Crossroads site 78
 Shortlake Member 20–3, 26–8, 30
 Upton Member 20–3, 25–28, 30
 Osmington site 17–30, 31, 163
 see also Oxford Clay, Redcliff, Clavellata and Osmington Oolite Formations
 ostracods 8, 54, 122
 ostreids 114
 Oswaldkirk 131–7
 Oxford 13–17
 Oxford Clay Formation 13–21, 28–30, 105
 Bowleaze Clay 18–21, 25, 28–30
 Cornelian Bay site 147–50
 Furzedown Clay 18–21, 25, 28–30
- Jordan Cliff Clay 18–21, 25, 28–30
 Lynch Cove site 50–2
 North Yorkshire 129–37, 187
 Nothe Grit Member 18–30, 38–40, 43–5, 51
 Osmington site 18–30
 Red Nodule Bed 20–2, 25, 28–30, 50–2
 Tenant's Cliff site 144–5
 Warboys Clay Pit 113–16
 West Walton Formation 105–6
 Weymouth Member 13–21, 28–30, 105–6, 113–16
 Oxfordian–Kimmeridgian boundary 5–8, 16–17
 Abbotsbury 62
 Black Head site 32–4
 Kildorais site 212
 Ringstead site 36–8
 South Ferriby site 121–6
 Staffin site 209
 Oxytoma Cementstone 123, 125–6
 oysters 66, 72, 95–6
 Dorset 31, 32–3, 42, 56–7
 East Midlands 108, 117
 Helmsdale site 198
 North Yorkshire 166–8
 Roslyn Hole site 117
 Westbury site 64
- Pallasioides Zone 7, 54, 99, 105, 130
 Helmsdale site 194–6, 198–200
 Swindon Clay Member 74
 Swindon Old Town 70–4
 Tyneham Cap–Hounstout site 54–9
 palynomorph 212
 Parandieri Subzone 7
 Leysthorpe Quarry site 173–9
 Littlemore Clay Member 87–9
 Littlemore Railway Cutting site 87–9
 Lye Hill Quarry site 94–6
 Magdalen Quarry site 92–4
 Nunnington sites 173–9
 Upper Calcareous Grit Formation 173–9

General index

- Warboys Clay Pit site 114–15
Warboys Rock 114–16
Wheatley Limestone Member 92–4, 95–6
Paravirgatus Subzone 7, 54
 Kimmeridge Clay Formation 54–6
 Tyneham Cap–Hounstout site 54–9
Passage Beds Member 185
 Cleveland Basin 131–7
 Filey Brigg site 141–4
 Hackness Head site 150–4
 Spikers Hill site 112, 158–61
paucicostatum biohorizon 6, 8
Peak Fault 17
Peak Trough 170
Pebble Bed, Shellingford Crossroads Quarry 75–8
Pebble Beds, ?Lower Trigonia Bed 78–81
 Lamb and Flag site 78–81
pectinatid ammonites, Littleworth Brick Pit site 96–100
 Ringstead site 36
 Speeton Sands site 137–9
 see also the Fossil Index
Pectinatus Sand Member, Littleworth Brick Pit 96–100
Pectinatus Zone 7, 99, 105, 130
Black Head site 31–5
Freshwater Steps Stone Band 36
Golden Hill Pit site 164–7
Helmsdale site 194–6, 198–200
Littleworth Brick Pit site 96–100
Middle White Stone Band 36
Ringstead site 36–7
Speeton Sands site 138
Swindon Old Town site 70–4
Tyneham Cap–Hounstout site 54–9, 54
 White Stone Band 36
'Pendle' 91, 94
Pennine High 4
'Pentacrinus' biosparite 150–1, 154, 159–60
perisphinctid ammonites 6–8, 17, 106, 187
 Balintore site 190
Brora site 193–4
Cross Roads site 89–90
Cumnor site 86
Dimmock's Cote Quarry site 113
Dry Sandford site 82–4
Lamb and Flag site 79–81
Littlemore Railway Cutting site 87–91
Lye Hill site 95–6
Magdalen Quarry site 93–4, 159–61
Newbridge site 162–3
North Yorkshire 134–6, 162
Nunnington sites 173–9
Osmington site 20, 22–3, 28–30
Scottish Basins 187, 190, 193, 202–9
Shaw's Gate site 167, 179
Shellingford Crossroads Quarry site 77
South Ferriby site 122–6
Spikers Hill site 159–61
Staffin site 202–10
Tenants' Cliff site 146
Tyneham Cap–Hounstout site 54–9
Warboys Clay Pit site 114
Westbury site 64–5
 see also the Fossil Index
Perry facies, Highworth Grit Member 75–8
Pewsey Fault 14
Pickering 143, 160–2
 see also Newbridge site
plesiosaurs 8, 54, 119
Plicatilis Zone 7
 Coral Rag Member 82–4
 Dimmock's Cote site 113
 Dry Sandford site 82–4
 Upware Limestone Member 113
pliosauers 8, 116
Port-an-Righ Ironstone Member 5, 186–7, 193–4
 Balintore site 188–91
Port-an-Righ Siltstone Member 186–7
 Balintore site 188–91
Portgower fallen stack 195, 198–9
Portland Wight Basin and Fault 14
Portlandian 3–8, 138
Hebrides and Inner Moray Firth Basins 186–7
Helmsdale site 196
Littleworth Brick Pit site 96, 98–9
Ringstead site 37
Swindon Old Town site 70–2
Tyneham Cap–Hounstout site 52–4, 57–8
Praecordatum Subzone 7, 20, 134–6, 204, 214
Balintore site 188–91
Cornelian Bay site 147–50
Dunans Clay Member 202–10
Furzedown Clay 18–22, 25, 28–30, 134–6
North Elgol Coast site 213–16
Staffin site 203–10
Tenants' Cliff site 145–7
Tobar Cean Siltstone Member 213–16
Warboys Clay Pit site 114–16
Weymouth Member 20, 114–16
?Praecordatum Subzone, Shandwick Clay Member 189–91
Preston Grit Member 70
 Lynch Cove site 51
 Osmington site 18–22, 25, 27–30
 Sandsfoot site 39–41, 43–5
Propectinatites Band see Crussoliceras Band
Pseudocordata Zone 7
 South Ferriby–Dorset–Skye 123–6
Pseudoyo Subzone 7, 124–6
pterosaurs 8, 48, 54
Pumilus Zone 7
 Coral Rag Member 173–9
 Dimmock's Cote site 113
 Leysthorpe Quarry 173–9
 Upware Limestone Member 113
Purbeck Beds 71
Purbeck Monocline 52–3, 55–9
Pusey Flags 16, 81
Quirang Landslip 203–10, 212
Rauracian reefs 67

General index

- Ravenscar 170
 Ravenscar Group, Cornelian Bay site 148
 Ravenswyke Quarry 179
 Red Beds (Clavellata Member) Osmington site 18–21, 23–4, 27–30
 Sandsfoot site 39–40, 43–4
 'Red' Chalk 121
 Red Cliff Fault 136, 147
 Red Down Clay Member 16
 Red Down Ironstone Member 64–5
 'Red Lane' *see* Blind Lane
 Red Nodule Bed, East Fleet site 50–2
 Lynch Cove site 51–2
 Osmington site 20–2, 25, 28–30
 Redcar, Lower Jurassic 134
 Redcliff 13, 18, 20–2, 43
 Redcliff Anticline 20
 Redcliff Formation 18–22, 25, 27–30, 39–40
 Bencliff Grit Member 18–22, 25, 27–30, 39–40
 Nothe Clay Member 18–22, 25, 27–30, 39–40
 Nothe Grit Member 18–22, 25, 27–30, 39–40
 Osmington site 18–22, 25, 27–30
 Preston Grit Member 18–22, 25, 27–30, 39–40
 Sandsfoot site 39–40, 43
 regression, early-mid Oxfordian 15–16
 Middle Oxfordian 30, 44, 50, 189, 209
 Portlandian 3–5
 Sandsfoot site 44
 Regulare Zone 7–8, 20, 44, 105, 130, 204
 Flodigarry Shale Member 202–10
 Staffin site 202–10
 Reighton Gap 137–9
 Reisiformis Subzone 7, 54
 Rope Lake Head Stone Band 54–9
 Short Joint Coal 54, 56, 58
 Tyneham Cap-Hounstout 54–9
 reptiles 8, 116, 119
 restricted marine circulation 51
Rhizocorallium 40
Rhynchonella Marls 54, 57
see also Lower Hounstout Silt
Rhynchonella-bed *see* Inconstans Bed
 rhynchonellids 8, 32, 48, 57, 62, 67, 119–20, 125–6
 Riccaldale Member 132
 Ridgeway Fault 31
 Ringstead Bay 18, 24, 30–5, 35–8, 45–8
 Ringstead Clay Member 13–17, 19, 35–8, 64
 Abbotsbury Blind Lane site 61–2
 Black Head site 32–5
 East Fleet-Small Mouth site 45–8
 Osmington site 18–21, 24, 25–30
 Ringstead site 35–8
 Sandsfoot site 42–4
 Steeple Ashton site 64, 66
 Westbury Ironstone 66
 Ringstead Coral Bed 19, 109
 Black Head site 33–5
 East Fleet-Small Mouth site 46–8
 Osmington site 18–21, 24–30
 Ringstead site 26, 36–8
see also Osmington Mills Ironstone
 Ringstead site 17–18, 31, 34, 35–8, 55, 59, 61–2, 212–13
 Rock Edge Quarry *see* Cross Roads Quarry, Oxford
 Rockley Quarry *see* Bradley Farm Quarry
 Rodwell 39–40, 43–4
 Rope Lake Head Stone Band 52–6, 58
 Rosenkrantzi Zone 7–8, 20, 66, 105, 130
 Camasunary Sandstone Member 213–16
 Camasunary Siltstone Member 213–16
 Flodigarry Shale Member 201–10, 211–13
 Kildorais site 210–13
 North Elgol Coast site 214–16
 Osmington Mills Ironstone 17–21, 24, 26–30, 31–5, 42–5, 64
 Red Down Ironsand 66–7
 Ringstead Clay Member 20, 37–8
 Sandsfoot Grit Member 20
 Staffin site 202–10, 214
 Roslyn Hole site 116–21
 Kimmeridge Clay Formation 116–21
 Roswell Hole 119–20
see also Roslyn Hole site
 Rotunda Nodule Bed 53–4, 56–7, 74
 Tyneham Cap-Hounstout site 54–9
 Rotunda Zone 7, 54, 105, 130
 Rotunda Nodule Bed 53–4, 56–7
 Tyneham Cap-Hounstout site 54–9
 Rotunda-Fittoni Zone, Helmsdale Boulder Bed 186–7, 194–201
 Helmsdale site 194–201
 Rubha na h-Airigh Báine 213, 215
 St Alban's Head 52–3, 56
 Saintoft Member 131–7
 Filey Brigg site 141–4
 Hackness Head site 150–4
 Tenants' Cliff site 144–7
 Saintoft Quarry 141–2
 Salton 164
 Sandringham Sand Formation 120
 Sandsfoot Castle 38, 42–3, 45–9
 Sandsfoot Clay Member 13–17, 163
 Osmington site 18–24, 26–28, 30
 Sandsfoot site 38–9, 41–5
 Sandsfoot Formation 42–5
 Osmington Mills Ironstone 18–30
 Osmington site 18–21, 24–8, 30
 Ringstead Clay Member 13–17, 19, 35–8, 42–8,

General index

- 61–2, 64, 66
Ringstead Coral Bed 19, 109
Ringstead site 35–8
Sandsfoot Grit Member 16,
18–24, 26–30, 41–5, 61–5
Sandsfoot site 38–9, 41–5
Sandsfoot Grit Member 16,
42–5, 61–2, 64–5
marine fauna 44–5
Osmington site 18–21, 24,
26–8, 30, 64
Sandsfoot site 41–5
Westbury site 64–5
Weymouth 65
Sandsfoot site 17, 25, 38–45
Clavellata Formation 39–45
Osmington Oolite
Formation 39–45
Redcliff Formation 39–45
Sandsfoot Formation 39–45
Sandy Block, East Fleet–Small
Mouth site 45–6, 49–50
Osmington site 18–21, 23–4,
27–30
Sandsfoot site 37–9, 41,
44–5, 49–50
sauropods 116
Scagglethorpe 164
Scaladal Sandstone Member
186–7, 209
North Elgol Coast 213–16
Strathaird 209
scaphopods 54, 122
Scarborough 129, 136, 160
Scarborough Castle Hill 147
Scarburgense Subzone 7, 20,
134–6
Cornelian Bay site 147–50
Dunans Clay Member
202–10
Furzedown Clays 18–22, 25,
28–30
North Elgol Coast site
213–16
Scotland 190, 204, 214
Shandwick Clay Member
189–91
Staffin site 203–10
Tobar Cean Siltstone
Member 213–16
Warboys Clay Pit site 114–16
Weymouth Member 20,
147–50
Scitulus Zone 7, 105, 130
Allt na Cuile Sandstone
Formation 194–200
Cattle Ledge Stone Band 34,
36–8, 52–9
Helmsdale site 194–200
Ringstead site 36–7
Swindon Old Town site 74
Tyneham Cap–Hounstout
site 54
see also Elegans–Scitulus
Scitulus–Wheatleyensis zonal
boundary 8
sea lilies *see* crinoids
sea urchins *see* echinoids
Sedgewick Museum 103, 120–1
Seend Cleeve Quarry site
17–18, 68–70
Lower Calcareous Grit
Formation 68–70
Seend Cleeve Sandstone
Member 69–70
Seend Cleeve Sandstone
Member 16, 69–70
septarian concretions 32–3, 36,
98, 123–4
serpulids 8, 66–7, 71–2, 79,
95–6
Dorset 26, 31–3, 46, 54,
61–2, 66
East Midlands 108, 117–18,
122–4
Scotland 197–9
Serratum Subzone 7, 20
Flodigarry Shale Member
202–10
Staffin site 202–10
Serratum Zone 7, 20, 44, 105,
130, 204
Snape Hill site adjacent 173
Shaftesbury Sheet 16–17
Shandwick Clay Member 90,
186–7
Balintore site 188–91, 192–3
Brora site 190
Shandwick Siltstone Member
186–7, 188–91, 192–3
Shaw's Gate Quarry site 129,
134, 136, 167–70
Coralline Oolite Formation
168–70
Shaw's Moor 167
Shell–Pebble Bed, Beckley
Sand 85–7
Shellingford Crossroads
Quarry site 18, 67, 74–8, 80,
84
Shellingford facies, Highworth
Grit Member 75–8
Shellingford Quarry 75, 77
Short Joint Coal 54, 56, 58
Shortlake 18, 20
Shortlake Member 78
East Fleet site 49–50
Osmington site 18–22,
25–30
Sandsfoot site 39–41, 43–5
Shotover Brickworks 99
Shotover Hill Pit 100
siderite 20, 24–7, 42–3, 51,
63–5, 122, 203
Red Nodule Bed 50–2
Sinnington 164
Skudiburn Formation 203–10
Staffin site 203–10
Skye 179, 201–16
ammonites 179
Osmington Mills, Black
Head correlation 126
Slingsby 179
Small Mouth 18, 38
see also East Fleet–Small
Mouth and Ferry Bridge
Smedmorensis Subzone 7, 54
Grey Ledge Stone Band
53–5
Kimmeridge Clay Formation
54–9
Ringstead site 34, 36–8
snails *see* gastropods
Snape Hill site 170–3
Upper Calcareous Grit
Formation 170–3
Snape Sandstone Member
131–7
Snape Hill site 170–3
South Dorset High 14–15, 26
South Ferriby site 121–6
Amphill Clay Formation
123–6
Kimmeridge Clay Formation
122–6
South Holme 164
Southern Quarry Upware *see*
Upware South Pit
Spaunton Moor Quarry 134–5
Spaunton Sandstone Member
131–7
Leysthorpe Quarry site

General index

- 175–9
Newbridge site 161–4
Nunnington Railway Cutting site 174–9
Snape Hill site 170–3
Speeton Clay 129, 131, 134, 138
Speeton Sands 134
Speeton Sands site 136–9, 167
spiculites 178
Spikers Hill site 112, 134–6, 153–4, 157–61
Hambleton Oolite Member 158–61
Malton Oolite Member 158–61
Middle Calcareous Grit Member 158–61
Sponge Bed, Upware Limestone Member 109–13
sponges 8, 26, 50, 75–6
East Midlands 109–11
North Yorkshire 131, 134, 145–6, 150–4, 156, 158–60, 162–4, 171, 174–9
Scotland 189, 192
see also Coral–Sponge Bed and the Fossil Index
Spring Farm Quarry *see* Bradley Farm Quarry
Staffin Shale Formation, Camasuary Sandstone Member 213–16
Camasuary Siltstone Member 213–16
Digg Siltstone Member 202–10, 211–13
Dunans Clay Member 202–10
Flodigarry Shale Member 201–10, 211–13
Glashvin Silt Member 202–10
Kildorais site 211–13, 215
North Elgol Coast site 213–16
Scaladal Sandstone Member 213–16
Staffin site 126, 186–7, 201–10
Tobar Ceann Siltstone Member (part) 213–16
Staffin site 17, 186–7, 201–10, 215
Stanford Formation 13–17
Coral Rag Member 81–4
Cross Roads Quarry site 89–91
Cumnor site 84–7
Dry Sandford site 81–4
Faringdon Member 75–8
and see also Pebble Bed, Third Trigonia Bed *and* Urchin Marl
Littlemore Clay Member 87–9
Littlemore Railway Cutting site 87–9
Lye Hill site 94–6
Magdalen Quarry site 91–4
Shellingford Crossroads Quarry site 75–8
Wheatley Limestone Member 85–7, 89–91, 91–4, 94–6
Stanford Oncolite Bed 75–8
Stanford Pit 75
Stanford Quarry *see* Shellingford Crossroads Quarry
Steeple Ashton Coral Bed 16, 65–8, 109
Steeple Ashton site 17–18, 65–8, 109
Westbury Ironstone Member 64, 66
Stour Formation 13–17
Strathaird, *see* North Elgol Coast site
Sturminster 13–15
Sturminster Pisolate 13–15
Sub-Boreal Province 6–7, 125–6
East Midlands Shelf 106
Green Lane Pit site 167
Kildorais site 211–13
Leysthorpe Quarry site 175–9
Littlemore Railway Cutting site 87–91
Newbridge site 162–4
North Elgol Coast site 214–16
Nunnington sites 173–9
Osmington site 30
Oxfordshire 82–4, 93–4, 94–6
Scotland 190, 193, 212–13, 216
South Ferriby site correlation 125–6
Warboys Clay Pit site 114–15
Supracorallina Bed 32–4
missing, Roslyn Hole site 120
Osmington Mills site 32–4
Ringstead Bay 32–4
Swindon Borehole (BGS) 72–4
Swindon Clay Member 71–4, 106
Littleworth Brick Pit 96–100
Old Town, Swindon 70–4
Swindon, Old Town Railway cutting site 13–17, 17–18, 70–4, 96, 100
syndepositional deformation 13–17, 95, 134, 168–9, 194–5, 197–201
Tabular Hills 3, 129, 143, 155–7, 160, 164
tempestite 111–12, 159
Temple Cowley Member 13–16, 82
Tenants' Cliff Member 131–7, 144–7
Filey Brigg site 141–4
Tenants' Cliff site 131, 134–6, 141, 144–7, 163
Coralline Oolite Formation 144–7
Lower Calcareous Grit Formation 144–7
Tenuiserratum Subzone 7, 20, 132–3
Amphill Clay Formation 114–16
Balintore site 188–91
Digg Sandstone Member 203–10
Dimmock's Cote Quarry site 105, 110–13
Dry Sandford Quarry site 80–1
Glashvin Silt Member 202–10
Lamb and Flag Quarry site 78–81
Lye Hill site 95–6
Magdalen Quarry site 93–4
Nodular Rubble Member 20–30, 39–41, 43–5, 49–50, 93–4

General index

- Osmington site 20–3, 25–28, 30
Port-an-Righ Siltstone 188–91
Shellingford Crossroads site 74–8, 80–1
Staffin site 203–10
Upware South Pit site 107–9, 110
Warboys Clay Pit site 114–15
Warboys Rock 114–16
West Walton Formation 114–16
?Tenuiserratum Subzone, Leysthorpe Quarry site 176–9
Newbridge site 161–4
Nunnington Railway Cutting Quarry site 175–9
Nunnington Railway Cutting site 175–9
Wath Quarry site 179–82
Tenuiserratum Zone 7, 20, 105, 130
Dimmock's Cote Quarry site 105, 110–13
Scotland 190, 214
Staffin site 203–10
Warboys Clay Pit site 114–16
Tenuiserratum–Glosense boundary 8
terebratulids 8, 151–4
Tethyan forms 87–91, 146, 146–9, 190, 194, 210
East Midlands 108, 113
Thame Borehole 99
Thame Sand Member 99
Third Trigonia Bed, Lamb and Flag Inn site 80–1
Shellingford Crossroads Quarry site 75–8
Thornhill No. 2 Borehole 99
Tithonian Stage 54, 57–8
Tobar Ceann Siltstone Member 186–7, 209
North Elgol Coast 213–16
Strathaird 209
Todber Freestone 13, 15
transgressions, Callovian 3–8, 202
Late Oxfordian 26, 64, 131–4
Late Oxfordian Skye 209
Middle Oxfordian 77, 114–15, 181, 189
Oxfordian 25–8, 50, 84, 131
Trigonia beds 23, 161
Cumnor site 86
Dry Sandford site 81–4
Lamb and Flag 78–81
Shellingford Crossroads Quarry 75–7
see also Clavellata Member of Clavellata Formation, and Newbridge Trigonia Bed
Trigonia hudlestoni Bed 45
see also Preston Grit
Trotternish Peninsula 185, 201–13
Trowbridge Road 69
tube-dwelling worms *see* serpulids
Tulear 'Grand Recif' (Madagascar) 68
turtles 8, 48, 121
Tyneham Cap–Hounstout site 7, 17, 30, 35, 37, 52–9, 74, 166–7
Kimmeridge Clay Formation 52–9
uplift 114–15
Cretaceous 103
Kimmeridge Clay Formation 186
Middle Oxfordian 143
Upper Oxfordian 26
Upper Calcareous Grit Formation 129–37, 143, 146, 157
Coralline Oolite Formation 173–9
Filey Gasworks borehole 144
Leysthorpe Quarry site 174–9
Newbridge site 161–4
North Grimston Cementstone Member 170–3
North Yorkshire 129–137, 157
Nunnington Railway Cutting Quarry site 175–9
Nunnington Railway Cutting site 174–9
Snape Hill site 170–3
Snape Sandstone Member 170–3
Spaunton Sandstone Member 162–4, 173–9
Upper Cemetery Bed, Swindon 70–4
Old Town Railway Cutting site 70–4
Upper Kimmeridge Clay 16
Golden Hill Pit 164–7
Green Lane Pit site 164–7
Littleworth Brick Pit site 96–100
Old Town Swindon Railway cutting 70–4
Upper Leaf, Hambleton Oolite Member, Filey Brigg site 140–4
Shaw's Gate Quarry site 167–70
Upper Lydite Bed 71–2, 98–9
Littlemore Brick Pit site 98–9
Swindon Old Town site 71–2
Upper Oxfordian
Abbotsbury Blind Lane site 62
Calne Freestone 64, 68
Clavellata Formation 163–4, 187
Clavellata Member 17
and Flodigarry shales 190
Kildorais site 210–13
Newbridge site 161–4
North Elgol Coast site 213–16
Nunnington sites 173–9
Snape Hill site 171–5
South Ferriby site 121–6
Staffin site 201–10
Steeple Ashton site 66–9
Westbury site 63–5
Upper Trigonia Bed
Cumnor site 86
Dry Sandford site 81–4
Lamb and Flag site 78–81
Upton Member 78
East Fleet site 49–50
Osmington site 18–22, 25–28, 30
Sandsfoot site 39–41, 43, 43–5
Upware Limestone Member 67, 105–6, 106
Coral Bed 109–13
Crinoid Bed 109–13

General index

- Dimmock's Cote site 105,
 109–13
 Sponge Bed 109–13
 Upware South Pit site 104–9
 Upware South Pit site 67,
 105–9
 West Walton Formation
 104–9
 Urchin Marl Bed 84
 Dry Sandford site 82–4
 Lamb and Flag site 78–81
 Shellingford Crossroads site
 75–8

 Vale of Pickering 129–37,
 160–1, 164, 167, 173–4, 178,
 181–2
 Variocostatus Subzone 7
 Vertebrale Subzone 7, 20, 114,
 132–6
 Ardassie Limestone Member
 191–4
 Balintore site 189–91
 Bencliff Grit Member 20
 Blue Course 160
 Brora site 191–4
 Cross Roads Quarry site
 89–91
 Cumnor site 84–7
 Dry Sandford site 80, 81–4
 Filey Brigg site 140–4
 Glashvin Silt Member
 202–10
 Hambleton Oolite Member
 158–61
 Hambleton Oolite Member,
 Upper Leaf 140–4, 168–70
 Headington Shell Bed
 89–91, 91–4
 Lamb and Flag site 78–81
 Littlemore Railway Cutting
 site 87–9
 Littlemore Shell Bed 13–17,
 87–9
 Lower Trigonia Bed 79–81,
 79–82
 Magdalen Quarry site 93–4
 North Elgol Coast 214–16
 Nothe Grit Member 20
 Osmington site 20–2, 25,
 28–30
 Port-an-Righ Ironstone
 Member 188–91
 Preston Grit Member 20

 Scaladal Sandstone Member
 213–16
 Scotland 190, 204, 214
 Seend Cleeve site 68–70
 Shaw's Gate Quarry site
 167–70
 Spikers Hill site 157–61
 Staffin site 203–10
 Warboys Clay Pit site 114–15
 Vertebrale–Maltonense subzon-
 al succession 188–90
 Vicarage Quarry 89–91, 93–4
 Victoria Road channel beds,
 Swindon 72
 Viking Graben 201
 Virgula Limestone, Black Head
 site 31–5
 Littleworth Brick Pit site
 98–100
 Roslyn Hole site 117–120
 volcanic ash 77–8, 108

 Warboys Clay Pit site 104,
 113–16
 West Walton Formation
 114–16
 Warboys Rock 114–16
 Warlington Borehole 148
 Washing Ledge Shales 52–5
 Washing Ledge Stone Band
 34–5, 52–5
 Black Head site 34–5
 Tyneham Cap–Hounstout
 site 52–5
 Wass Grange 164
 Watermead Clay 99
 Watermead sections 99
 Wath Quarry site 27, 157, 178,
 179–82
 Coral Rag Member 179–82
 Malton Oolite Member
 179–82
 Welsh High 4
 Welton Chalk 121
 Wessex Basin 4, 10, 13–17
 Osmington site 26–7
 Westbury site 64
 West Newton Grange Borehole
 173, 178
 West Walton Formation 7,
 13–16, 104–6
 Brantingham Formation
 105–6
 Dimmock's Cote Marl

 Member 110–13
 Dimmock's Cote Quarry site
 105, 109–13
 Elsworth Limestone Member
 105–6
 Upware Limestone Member
 105–6, 107–9, 109–13
 Upware South Pit site 104–9
 Warboys Clay Pit site 114–16
 Warboys Rock 114–16
 Westbury Cement works 17, 64
 Westbury Ironstone Formation
 15–16
 Sandsfoot site 44
 Steeple Ashton site 66
 Westbury site 63–5, 153
 Westbury site 15–18, 63–5
 Weymouth 13–17, 46
 Weymouth Anticline 38
 Weymouth Member 13–17,
 105, 129–34
 ammonites 134–5
 Cornelian Bay 147–50
 Lynch Cove site 50–2
 Osmington 18–20, 25, 28–30
 Warboys Clay Pit site 113–16
 Wheatley Brick Pit *see*
 Littleworth Brick Pit
 Wheatley Fault Zone 95–6
 Wheatley Limestone Member
 13–17
 Cross Roads Quarry site
 89–91
 Cumnor site 84–7
 Lye Hill site 94–6
 Magdalen Quarry site 91–4
 Wheatley Nodule Bed 96–100
 Wheatley Sand Member
 96–100
 Wheatleyensis Subzone 7, 54,
 105
 Blackstone 54–9
 Littleworth Brick Pit 96–100
 Tyneham Cap–Hounstout
 site 54–9
 Wheatleyensis Zone 7, 105,
 130
 Black Head site 31–5
 Grey Stone Ledge Band
 32–8, 53–5
 Helmsdale Boulder Beds
 194–6, 198–200
 Helmsdale site 194–6,
 198–200

General index

- Littleworth Brick Pit site 96–100
Ringstead site 36–7, 36–8
Speeton Sands site 138
Swindon Old Town site 72–4
Tyneham Cap–Hounstout site 54–9
Wheatleyensis–Hudlestone boundary 55
White Quarry 160
White Stone Band 166–7
Black Head site 31–4
Ringstead Bay 31–4, 36–7
Tyneham Cap–Hounstout site 53–5, 58–9
Wicklesham Quarry 76
Wiltshire 114–15
see also Seend Cleeve, Steeple Ashton, Swindon and Westbury sites Windmill Quarry 91, 94 Winterborne Kingston Trough 13–16 Witch Ground Graben 201 Woburn Sand raft, Roslyn Hole site 116, 118–20 wood as fossil 61, 117, 119, 124, 147, 203 Helmsdale site 198, 201 Woodrow Clay 15 Wootton Bassett 13–17 Worcester Basin 4, 14 Workhouse Quarry *see* Magdalen Quarry Worlaby Boreholes 122, 125 Wrelton Quarry 163 Wyke Regis 31, 45–7, 49 Wyke Siltstone, Black Head site 31–5 East Fleet–Small Mouth site 46–9 Ringstead site 31–5 Wykeham Quarry 161 Wytch Farm Oilfield 16 Yedmandale 157, 160 Yellow Ledge Stone Band 100 Black Head site 34–5 Tyneham Cap–Hounstout site 53–5, 58 zonation nomenclature 5–8, 17