



JNCC Report No. 381
Checklist of birds
listed in the CITES appendices
and in EC Regulation No. 338/97

8th edition
2005

compiled by
UNEP-WCMC



The JNCC is the forum through which the three country conservation agencies - the Countryside Council for Wales, English Nature and Scottish Natural Heritage - deliver their statutory responsibilities for Great Britain as a whole, and internationally. These responsibilities contribute to sustaining and enriching biological diversity, enhancing geological features and sustaining natural systems. As well as a source of advice and knowledge for the public, JNCC is the Government's wildlife adviser, providing guidance on the development of policies for, or affecting, nature conservation in Great Britain or internationally.

Published by: Joint Nature Conservation Committee

Copyright: 2005 Joint Nature Conservation Committee

ISBN: 1st edition published 1986 ISBN 0-86139-356-2
2nd edition published 1990 ISBN 0-86139-601-4
3rd edition published 1993 ISBN 1-873701-45-4
4th edition published 1995 ISSN 0963-8091
5th edition published 1999 ISSN 0963-8091
6th edition published 2001 ISSN 0963-8091
7th edition published 2003 ISSN 0963-8091
8th edition published 2005 ISSN 0963-8091

Citation: UNEP-WCMC (2005). *Checklist of birds listed in the CITES Appendices and in EC Regulation 338/97*. 8th Edition. JNCC Reports, No. 381.

Further copies of this report available from:

CITES Unit
Joint Nature Conservation Committee
Monkstone House
City Road
Peterborough PE1 1JY
United Kingdom
Tel: +44 1733 562626
Fax: +44 1733 555948

This document can also be downloaded from:

<http://www.ukcites.gov.uk> and www.jncc.gov.uk

Prepared under contract from the Joint Nature Conservation Committee by **UNEP-WCMC**. The UNEP World Conservation Monitoring Centre was established in 2000 as the world biodiversity information and assessment centre of the United Nations Environment Programme. The roots of the organization go back to 1979, when it was founded as the IUCN Conservation Monitoring Centre. In 1988 the World Conservation Monitoring Centre was created jointly by IUCN, WWF International and UNEP. The financial support and guidance of these organizations in the Centre's formative years is gratefully acknowledged.

The designations of geographical entities in this report, and the presentation of the material, do not imply the expression of any opinion whatsoever on the part of JNCC or UNEP-WCMC concerning the legal status of any country, territory, or area, or of its authorities, or concerning the delimitation of its frontiers or boundaries.

Contents

Acknowledgements	i
Introduction	i
Explanatory notes.....	ii
Introductory References	vi
CHORDATA.....	1
AVES	1
STRUTHIONIFORMES	1
STRUTHIONIDAE.....	1
RHEIFORMES.....	1
RHEIDAE.....	1
TINAMIIFORMES	1
TINAMIDAE	1
SPHENISCIFORMES	2
SPHENISCIDAE.....	2
PODICIPEDIFORMES	2
PODICIPEDIDAE	2
PROCELLARIIFORMES	2
DIOMEDEIDAE	2
PELECANIFORMES	2
PELECANIDAE.....	2
SULIDAE	3
FREGATIDAE	3
CICONIIFORMES	3
ARDEIDAE.....	3
BALAEENICIPITIDAE	5
CICONIIDAE	5
THRESKIORNITHIDAE.....	7
PHOENICOPTERIDAE	9
ANSERIFORMES	10
ANATIDAE.....	10
FALCONIFORMES	18
CATHARTIDAE	18
PANDIONIDAE	19
ACCIPITRIDAE	19
SAGITTARIIDAE	56
FALCONIDAE	56
GALLIFORMES	68
MEGAPODIIDAE	68
CRACIDAE.....	68
PHASIANIDAE.....	70
GRUIFORMES	76
TURNICIDAE	76
GRUIDAE	76
RALLIDAE	79
RHYNOCHECIDAE.....	79
OTIDIDAE.....	79
CHARADRIIFORMES	83
BURHINIDAE	83
SCOLOPACIDAE	83
LARIDAE	84
COLUMBIFORMES.....	84
COLUMBIDAE	84
PSITTACIFORMES	89
LORIIDAE	89
CACATUIDAE.....	94
PSITTACIDAE	96
CUCULIFORMES	124
MUSOPHAGIDAE	124
STRIGIFORMES	126
TYTONIDAE.....	126
STRIGIDAE	128
APODIFORMES	150
TROCHILIDAE.....	150
TROGONIFORMES	179
TROGONIDAE	179
CORACIFORMES	179
BUCEROTIDAE.....	179
PICIFORMES	182
CAPITONIDAE	182
RAMPHASTIDAE.....	182
PICIDAE	183
PASSERIFORMES	183
COTINGIDAE.....	183
PITTIDAE	184
ATRICHORNITHIDAE	185
HIRUNDINIDAE	185
PYCNONOTIDAE.....	185
BOMBYCILLIDAE	185
MUSCICAPIDAE	185
SITTIDAE	187
NECTARINIIDAE	187
ZOSTEROPIDAE	187
MELIPHAGIDAE	187
EMBERIZIDAE	188
ICTERIDAE.....	188
FRINGILLIDAE	189

ESTRILDIDAE	190
PLOCEIDAE	196
STURNIDAE.....	201
PARADISAEIDAE	202
CORVIDAE	206
References	207
Index.....	264

Acknowledgements

This checklist was compiled by UNEP-WCMC under contract with the Joint Nature Conservation Committee.

The volume builds on earlier editions produced by the International Council for Bird Preservation (now BirdLife International), and the Nature Conservation Bureau. The numerous contributors to those editions are acknowledged. UNEP-WCMC staff involved in the production of this volume include Tim Inskipp, Sarah Ferriss, James O'Carroll and Tobias Garstecki. The project was supervised by Gerardo Fragoso.

Vin Fleming, Alison Littlewood and Nichola Burnett of the JNCC CITES Unit are thanked for providing advice and guidance throughout.

Introduction

In April 1991, the Nature Conservancy Council for England (English Nature), Countryside Council for Wales and Scottish Natural Heritage acting together through the Joint Nature Conservation Committee were appointed by the Secretary of State for the Environment as the United Kingdom's Scientific Authority for Animals under the Convention on International Trade in Endangered Species of Wild Fauna and Flora (CITES). CITES regulates international trade in wild animals, plants and products derived from them, helping to ensure their conservation on a global scale.

The intention of this publication is to provide a list of the species and subspecies of bird included in the CITES Appendices, together with their conservation status category in the 2004 *IUCN Red List of threatened species* (IUCN, 2004) and the appropriate Annex in EC Regulation 338/97 (and subsequent updates).

This revised edition incorporates additions and amendments to the CITES appendices up to and including those made at the 13th Conference of the Parties in Thailand in October 2004 (effective from 12 January 2005) and those outlined in CITES Notification 2004/074 and Notification 2005/029. The most recent EC Regulation to amend the Annexes is 1332/2005, effective from 12 August 2005.

For background material on the rationale of the IUCN threat categories, readers are referred to IUCN (2004); for background on the workings of CITES, recommended works are Favre (1989) and Wijnstekers (2003). For information on the implementation of CITES in the EU, see European Commission (2005). For information by country on the diversity and status of birds and other taxonomic groups, and for a general review of biodiversity, readers are referred to Groombridge and Jenkins (2002).

In a publication of this nature, it is inevitable that users will discover entries that need correcting or updating. The publishers and UNEP-WCMC would be grateful to receive details of those entries so that the necessary changes can be made in the database from which this document is produced.

The database is continually updated and the downloaded version of this document may contain more recent information than the original printed publication.

Explanatory Notes

Each species is typically represented by a block of text including scientific name (with alternatives), common names in the three official CITES languages (where available), geographic range, CITES Appendix, EC Regulation 338/97 Annex, and Red List category. Where a species has component populations or formal subspecies which are treated differently by CITES, the species entry is subdivided appropriately.

Scientific names

For each taxon, the scientific name is given first (as listed in the CITES appendices), with the most frequently used synonyms listed beneath the scientific name.

Following CITES practice, nomenclature of genera and species follows Sibley and Monroe (1990 and 1993) except for Psittaciformes & Trochilidae. Nomenclature for Loriidae & Psittacidae follows Collar (1997), Cacatuidae follows Rowley (1997) and Trochilidae follows Schuchmann (1999).

The following species, mainly ones described since those publications, have been adopted for inclusion in the Appendices by the CITES Parties:

- Glaucidium mooreorum* da Silva, Coelho & Gonzaga, 2002
Glaucidium parkeri Howell & Robbins, 1995
Glaucidium nubicola Robbins & Stiles, 1999
Micrastur mintoni Whittaker, 2002
Ninox ios Rasmussen, 1999
Ninox sumbaensis Olsen, Wink, Sauer-Gürth & Trost, 2002
Otus alias Rasmussen, 1998
Otus collaris Lambert & Rasmussen, 1998
Otus moheliensis Lafontaine & Moulraert, 1998
Pionopsitta aurantiocephala Gaban-Lima, Raposo & Hofling, 2002

Genera and species are arranged alphabetically within families. The nomenclature and sequence of families and higher taxa follows Morony, Bock

and Farrand (1975). Scientific names of species in Morony *et al.* (1975) which differ from those in Sibley and Monroe (1990 and 1993) have been inserted as synonyms.

Common names

Common names (in English, French and Spanish where available) appear on the line immediately following the scientific name and synonyms.

These are primarily taken from Sibley and Monroe (1990 and 1993), but some other commonly used names are given as synonyms. Well-defined subspecies treated by some authors as separate species, are given in parentheses following the species name in this list. Corresponding English names are also given in parentheses to denote that the name refers only to a particular form of the species.

Spanish names are taken from del Hoyo *et al.* (1992-2002). French names are primarily taken from Commission internationale des noms français des oiseaux (1993).

Other information

The three columns headed CITES, EC Reg. and RL list the following information for each taxon.

CITES

I, II or III in this column refers to the appendix in which the taxon is listed under the Convention on International Trade in Endangered Species of Wild Fauna and Flora. NC = non-CITES

The two-letter abbreviations following Appendix III entries denote the countries whose governments have placed the taxon in this appendix, as follows:

AR	Argentina
CO	Colombia
CR	Costa Rica
GH	Ghana
GT	Guatemala
HN	Honduras
MU	Mauritius

MY Malaysia
NP Nepal

The CITES appendices include many species which are not threatened but which are considered 'look-alikes' for the purposes of international trade. Thus all Falconiformes and Strigiformes and virtually all Psittaciformes are included, together with the Otididae and Trochilidae. Additionally, Ghana has included in Appendix III several widespread and common species, such as *Bubulcus ibis*, *Streptopelia turtur* and *Ploceus cucullatus*.

EC Reg.

The letters in this column refer to the Annex of EC Regulation 338/97 in which the taxon is listed. NR = non Regulation.

RL

Threat categories follow those given in the 2004 IUCN Red List (IUCN, 2004) and are as follows:

EX	Extinct
EW	Extinct in the Wild
CR	Critically Endangered
EN	Endangered
VU	Vulnerable
LR	Lower Risk
LR/cd	Lower Risk/Conservation dependent
LR/nt	Lower Risk/Near threatened
LR/lc	Lower Risk/Least concern
DD	Data Deficient
NE	Not Evaluated

Note that the current Red List includes assessments using both the 1994 and the 2001 Categories and Criteria.

Additional information can be found in BirdLife International (2000 and updates).

Geographical range

The geographical range of each taxon is generally given in terms of political units arranged alphabetically. Small island dependencies are also listed alphabetically.

Place-names and names of countries follow the Times Atlas (2003) and United Nations Cartographic Section (2004).

It should be noted that, when a species is listed as occurring within a given area or range state, it may not occur throughout that country or area, and may be confined to only one or a few localities. This is particularly true for migratory species.

Distribution notes

A question mark '?' preceding a geographical range has been used to indicate that there is some uncertainty in the occurrence of the species in that range.

A country where the species is known to be extinct is denoted by '(ex)', or by '(ex?)' where there is still a small possibility that the species survives, or where recent searches have been unsuccessful.

Range states where the species has been introduced are denoted by '[int]'. Range states where the species has been re-introduced are denoted by '[re-int]'.

Each country may be followed by a status category in parentheses:

Br = Breeding

Countries in which a species is known or presumed to breed. Much of the information on tropical species is based on sight evidence only, but such species are presumed to be breeding by virtue of their sedentary nature.

V = Vagrant

Countries in which a species has been recorded, but only as a rare or irregular visitor.

Where no status category is included this indicates a non-breeding species in the country concerned.

References

The numbers in the right-hand column refer to entries in the reference list at

the end of this document. Many of these are general works relevant to more than one geographical range or concerned with particular groups of species. Single country faunas and more specific references have generally been inserted in brackets after the appropriate country in the listings for geographical range.

Dependent territories

In the text, parent countries of island groups or dependent territories are omitted. These are listed below:

American Samoa, USA	Guam, USA
Anguilla, United Kingdom	Heard and Macdonald Islands, Australia
Aruba, Netherlands	Marshall Islands, USA
Azores, Portugal	Martinique, France
Bermuda, United Kingdom	Mayotte, France
Bouvet Island, Norway	Montserrat, United Kingdom
British Indian Ocean Territory, United Kingdom	Netherlands Antilles, Netherlands
British Virgin Islands, United Kingdom	New Caledonia, France
Cayman Islands, United Kingdom	Niue, New Zealand
Christmas Island, Australia	Norfolk Island, Australia
Cocos (Keeling) Islands, Australia	Northern Marianas, USA
Cook Islands, New Zealand	Pitcairn Islands, United Kingdom
Falkland Islands, United Kingdom	Puerto Rico, USA
Faeroe Islands, Denmark	Réunion, France
Federated States of Micronesia, USA	Saint Helena, United Kingdom (including its dependencies of Ascension and Tristan da Cunha)
French Guiana, France	Saint Pierre and Miquelon, France
French Polynesia, France	Svalbard and Jan Mayen Islands, Norway
French Southern and Antarctic Territories, France	Tokelau, New Zealand
Gibraltar, United Kingdom	Turks and Caicos Islands, United Kingdom
Greenland, Denmark	Virgin Islands of the United States, USA
Guadeloupe, France	Wallis and Futuna, France

Introductory References

- BirdLife International 2000 and updates. *Threatened birds of the world*. BirdLife International, Cambridge, U.K.
- Collar, N. J. 1997. Family Psittacidae (parrots). Pp. 280-477 in del Hoyo, J., Elliot, A. and Sargatal, J. eds. *Handbook of the Birds of the World*. Vol. 4. Sandgrouse to Cuckoos. Lynx Edicions, Barcelona.
- Commission internationale des noms français des oiseaux. 1993. *Noms français des oiseaux du monde*. Éditions MultiMondes inc. Quebec, Canada.
- European Commission, 2005. The European Community and trade in wild fauna and flora.
http://europa.eu.int/comm/environment/cites/home_en.htm
- Favre, D. S. 1989. *International trade in endangered species: a guide to CITES*. Martinus Nijhoff, Dordrecht.
- Gaban-Lima, R., Raposo, M. A. and Hofling, E. 2002. Description of a new species of *Pionopsitta* (Aves: Psittacidae) endemic to Brazil. *Auk* 119: 815-819.
- Groombridge, B. and Jenkins, M.D. 2002. *World atlas of biodiversity*. Prepared by the UNEP World Conservation Monitoring Centre. University of California Press, Berkeley, USA.
- Howell, S. N. G. and Robbins, M. B. 1995. Species limits of the Least Pygmy-Owl (*Glaucidium minutissimum*) complex. *Wilson Bulletin* 107: 7-25.
- del Hoyo, J., Elliot, A. and Sargatal, J. (eds). 1992-2001. *Handbook of the birds of the world*. Volumes 1-6. Lynx Edicions, Barcelona.
- IUCN. 2004. 2004 IUCN Red List of threatened species. IUCN, Gland, Switzerland. www.redlist.org
- Lafontaine, R. M. and Moulaert, N. 1998. A new species of scops owl (*Otus*: Aves): taxonomy and conservation status. *Journal of African Zoology* 112: 163-169.
- Lambert, F. R. and Rasmussen, P. C. 1998. A new scops owl from Sangihe Island, Indonesia. *Bulletin of the British Ornithologists' Club* 204:217.
- Morony, J. J., Bock, W. J. and Farrand, J. 1975. *Reference list of the birds of the world*. American Museum of Natural History (Department of Ornithology).
- Olsen, J., Wink, M. Sauer-Gürth, H. and Trost, S. 2002. A new *Ninox* owl from Sumba, Indonesia. *Emu* 102: 223-231.
- Rasmussen, P. C. 1998. A new scops-owl from Great Nicobar Island. *Bulletin of the British Ornithologists' Club* 118: 141-153.
- Rasmussen, P. C. 1999. A new species of hawk-owl *Ninox* from North Sulawesi, Indonesia. *Wilson Bulletin* 111: 457-464.
- Robbins, M. B. and Stiles, F. G. 1999. A new species of pygmy-owl (Strigidae: *Glaucidium*) from the Pacific slope of the northern Andes. *Auk* 116: 305-315.
- Rowley, I. 1997. Family Cacatuidae (cockatoos). Pp. 246-279 in del Hoyo, J., Elliot, A. and Sargatal, J. eds. *Handbook of the Birds of the World*. Vol. 4. Sandgrouse to Cuckoos. Lynx Edicions, Barcelona.
- Schuchmann, K. L. 1999. Family Trochilidae (hummingbirds). Pp. 468-680 in del Hoyo, J., Elliot, A. and Sargatal, J. eds. *Handbook of the Birds of the World*. Vol. 5. Barn-owls to Hummingbirds. Lynx Edicions, Barcelona.
- Sibley, C. G. and Monroe, B. L. Jr. 1990. *Distribution and taxonomy of birds of the world*. Yale University Press, New Haven.
- Sibley, C. G. and Monroe, B. L. Jr. 1993. *A supplement to distribution and taxonomy of birds of the world*. Yale University Press, New Haven.
- da Silva, J. M. C., Coelho, G. and Gonzaga, P. 2002. Discovered on the brink of extinction: a new species of pygmy-owl (Strigidae: *Glaucidium*) from Atlantic forest of northeastern Brazil. *Ararajuba* 10 (2): 123-130.
- The Times Atlas of the World* 2003. Comprehensive (eleventh) edition. Times Books, London UK.
- United Nations Cartographic Section, 2004. List of Territories. Technical Paper 2004. <http://www.un.org/Depts/Cartographic/english/geoname.pdf>

Whittaker, A. 2002. A new species of forest-falcon (Falconidae: *Micrastur*) from southeastern Amazonia and the Atlantic rainforests of Brazil. *Wilson Bulletin* 114: 421-445.

Wijnstekers, W. 2003. *The evolution of CITES*. Seventh edition. CITES Secretariat, Lausanne, Switzerland.

Phylum: CHORDATA
Class: AVES
Order: STRUTHIONIFORMES
Family: STRUTHIONIDAE

Struthio camelus Linnaeus, 1758 I/NC A/NR LC 511, 524, 573, 613, 636, 841, 1256, 1292

Synonym: *Struthio molybdophanes* Reichenow, 1883

E: Ostrich, F: Autruche d'Afrique, S: Avestruz

Algeria (ex, br) [971]; Angola [5267]; Australia (int, br) [477]; Bahrain (ex) [1105]; Botswana [659, 1102]; Burkina Faso (ex, br) [659]; Cameroon (br) [987, 6276]; Central African Republic (br) [659]; Chad (br) [659]; Djibouti [427]; Egypt [756]; Eritrea [659]; Ethiopia [659]; Iraq (ex, br); Israel (ex, br) [12228]; Jordan (ex, br) [395]; Kenya [5253]; Kuwait (ex, br); Libyan Arab Jamahiriya (ex) [536]; Mali (br) [659]; Mauritania (br) [659]; Morocco (ex, br) [461]; Mozambique [659]; Namibia [659]; Niger (br) [659, 10145]; Nigeria (br) [6276]; Oman (ex, br) [13112]; Saudi Arabia (ex) [881]; Senegal (br) [659]; Somalia [5252]; South Africa [659]; Sudan (br) [659, 1432]; Swaziland (int) [1139]; Tunisia (ex); Uganda [659]; United Republic of Tanzania [659]; Western Sahara (ex?); Zambia [659]; Zimbabwe [659]

CITES Identification Manual Reference:

A-201.001.001.001

CITES Appendix I populations

I A LC

Algeria (ex, br); Burkina Faso; Cameroon (br); Central African Republic (br); Chad (br); Mali (br); Mauritania (br); Morocco (ex, br); Niger (br); Nigeria (br) [6276]; Senegal (br); Sudan (br)

Non-CITES populations

LC

Angola (br) [659]; Bahrain (ex); Botswana (br) [659]; Djibouti [427]; Egypt [756]; Eritrea (br) [659]; Ethiopia (br) [659]; Israel (ex, br) [12228]; Jordan [395]; Kenya (br) [5253]; Libyan Arab Jamahiriya (ex) [536]; Mozambique (br) [659]; Namibia (br) [659]; Oman (ex); Saudi Arabia (ex) [881]; Somalia (br) [5252]; South Africa (br) [659]; Swaziland (int, br) [1139]; Tunisia (ex); Uganda (br) [659]; United Republic of Tanzania (br) [659]; Western Sahara (br); Zambia [659]; Zimbabwe (br) [659]

Order: RHEIFORMES
Family: RHEIDAE

Rhea americana (Linnaeus, 1758)

II B NT 476, 595, 636, 1045, 1068

Synonym: *Struthio americanus* Linnaeus, 1758

E: Common Rhea, Greater Rhea, F: Nandou américain , Nandou commun, Nandou d'Amérique, Nandou gris, S: Avestruz, Ñandú, Ñandú común

Argentina (br) [465, 531, 5291, 10249, 13072]; Bolivia (br) [1186, 5116]; Brazil (br) [559, 6186]; Paraguay (br) [5295]; Uruguay (br) [5287, 25534]

CITES Identification Manual Reference:

A-202.001.002.001

Rhea pennata d'Orbigny, 1834

I/II A/B NT 476, 595, 636, 931, 1045, 1068

Synonym: *Pterocnemia pennata* (d'Orbigny, 1834)

E: Darwin's Rhea, Lesser Rhea, Puna Rhea, F: Nandou de Darwin, S: Avestruz de Magallanes, Ñandú cordillerano, Ñandú de Darwin, Ñandú petizo

Argentina (br) [465, 551, 5291, 10249]; Bolivia (br) [1186, 5116]; Chile (br) [747, 5292]; Peru (br) [1136]

CITES Identification Manual Reference:

A-202.001.001.001

CITES Appendix I populations
Argentina; Bolivia; Peru

I A NT

CITES Appendix II populations
Argentina; Chile

II B NT

Rhea pennata pennata

d'Orbigny, 1834

Argentina [25653]; Chile

II B

Order: TINAMIFORMES

Family: **TINAMIDAE**

Tinamus solitarius (Vieillot, 1819) I A NT 483, 595, 636, 931, 1045, 1068

Synonym: *Cryptura solitaria* Vieillot, 1819

E: Solitary Tinamou, F: Tinamou solitaire, S: Macuco, Tinamu grande, Tinamu macuco, Tinamú solitario Argentina (br) [465, 5291, 10249]; Brazil (br) [1272, 6186, 25280]; Paraguay (br) [5295]

Order: **SPHENISCIFORMES**
Family: **SPHENISCIDAE**

Spheniscus demersus (Linnaeus, 1758) II B VU 513, 524, 573, 595, 597, 605, 636, 662, 802, 922, 949, 950, 1091, 1180, 1430, 1431

Synonym: *Diomedea demersa* Linnaeus, 1758

E: African Penguin, Black-footed Penguin, Jackass Penguin, F: Manchot du Cap, S: Pingüino del Cabo Angola [5267]; Congo (v) [659]; Gabon (v) [659]; Mozambique [659]; Namibia (br) [659]; South Africa (br) [616, 659]

CITES Identification Manual Reference: A-206.001.006.002

Spheniscus humboldti Meyen, 1834 I A VU 595, 636, 802, 1045, 1068

E: Humboldt Penguin, Peruvian Penguin, F: Manchot de Humboldt, S: Pingüino de Humboldt Chile (br) [416, 747, 5292]; ?Colombia (v) [837, 1179]; Ecuador (v) [5294, 10018]; Peru (br) [817, 818, 1136]

CITES Identification Manual Reference: A-206.001.006.003

Order: **PODICIPEDIFORMES**
Family: **PODICIPIDAE**

Podilymbus gigas Griscom, 1929 I A EX 595, 636, 802, 856, 931, 951, 952, 1378

E: Atitlan Grebe, Giant Grebe, Giant Pied-billed Grebe, F: Grèbe de l'Atitlan, Grèbe du lac Atitlan, Grèbe géant, S: Poc de Atitlán, Somormujo de Atitlán, Somormujo del lago Atitlán, Zambullidor de Atitlán, Zampullín del Atitlán Guatemala (ex, br) [5241]

Order: **PROCELLARIIFORMES**
Family: **DIOMEDEIDAE**

Diomedea albatrus Pallas, 1769 I A 553, 595, 636, 802, 805, 806, 807, 931

Synonym: *Phoebastria albatrus* (Pallas, 1769)
E: Short-tailed Albatross, Steller's Albatross, F: Albatros à queue courte, Albatros de Steller, S: Albatros, Albatros colicorto, Albatros rabón China (ex) [5293]; Japan (br) [503]; Korea, Republic of (v) [1436]; Russian Federation [710, 938]; Taiwan, Province of China (br) [571]; United States (v) [387]

Order: **PELECANIFORMES**
Family: **PELECANIDAE**

Pelecanus crispus Bruch, 1832 I A VU 381, 523, 595, 613, 617, 618, 619, 620, 636, 802, 841, 929, 931, 6193, 6229, 6230

Synonym: *Pelecanus philippensis crispus* Bruch, 1832

E: Dalmatian Pelican, F: Pélican dalmate, Pélican frisé, S: Pelícano Ceñudo, Pelícano ceñudo, Pelícano rizado Afghanistan [694]; Albania (br); Algeria (v); Armenia (br) [5240]; Austria (ex) [1215]; Azerbaijan [710]; Bangladesh [804]; Bosnia and Herzegovina (ex, br) [1038]; Bulgaria (br) [5280]; China (br) [5293]; Croatia (ex, br); Cyprus (v) [709]; ?Czech Republic (v) [5258]; Egypt [756]; Georgia [710, 1253, 5257]; Germany (ex) [374, 5269, 5274]; Greece (br) [710, 938, 5281]; Hong Kong, China [5284]; Hungary (ex, br, v); India [971, 1197]; Iran (Islamic Republic of) (br); Iraq [385, 10170]; Israel (v); Italy (v) [537, 1038, 5289]; Kazakhstan (br) [6347]; Korea, Republic of (v); Kuwait (v); Latvia (v) [5278]; Lebanon; Moldova, Republic of [710]; Mongolia (br) [1306]; Norway (v) [5275]; Pakistan; Poland (v) [1348]; Romania (br) [558]; Russian Federation (br); Serbia and Montenegro (br) [1038]; Slovakia (v) [5279]; Syrian Arab Republic [5283]; Taiwan, Province of China (v);

Tajikistan (v); The former Yugoslav Republic of Macedonia (**ex**, br); Turkey (br) [5282]; Turkmenistan (br) [710]; Ukraine (br) [710]; United Arab Emirates (v) [1192]; Uzbekistan (br) [710, 1241]; Western Sahara (v)
CITES Identification Manual Reference: A-210.002.001.003

Family: SULIDAE

Papasula abbotti Ridgway, 1893

I A CR 494, 595, 636, 802, 931,
1098, 1099, 1315

Synonym: *Sula abbotti* Ridgway, 1893

E: Abbott's Booby, F: Fou d'Abbott, S: Alcatraz de Abbott, Piquero de Abbott
Australia (v) [9327, 13186]; Christmas Island (br) [1188, 1189]; Indonesia [393, 449, 1284]; Irian Jaya, Jawa,
Moluccas, Sumatera; Mauritius (**ex**, br) [659]; Rodrigues (**ex**, br) [7810]; Seychelles (**ex**, br) [659]; Aldabra
[1313]

Family: FREGATIDAE

Fregata andrewsi Mathews, 1914

I A CR 595, 636, 802, 931,
1023, 1046, 1315, 1410

E: Andrews' Frigatebird, Christmas Frigatebird, Christmas Island Frigatebird, F: Frégate d'Andrews, Frégate
de l'île Christmas, S: Fragata de las islas Christmas, Rabihorcado de la Christmas, Rabihorcado ventriblanco
Australia (br, v) [477]; Brunei Darussalam (v); China [5293]; Christmas Island (br); Cocos (Keeling) Islands
(v) [1316]; Hong Kong, China; India (v) [1197]; Andaman Is; Indonesia [393, 686, 1046]; Bali, Jawa,
Kalimantan, Lesser Sunda Is, Sumatera; Japan (v) [503]; Kenya (v) [1017, 5253]; Malaysia [1289]; Peninsular
Malaysia [1049], Sabah [759], Sarawak [393]; Singapore (v) [791]; Sri Lanka (v) [5271]; Thailand [487, 854];
Timor-Leste (v) [13189]; Viet Nam (v) [5264]

Order: CICONIIFORMES

Family: ARDEIDAE

Ardea goliath Cretzschmar, 1827

III GH C LC 511, 524, 573, 636, 795,
841, 1045, 1256, 1292

E: Goliath Heron, F: Héron goliath, S: Garza goliat

Angola (br) [5267]; Bangladesh (v) [804]; Benin (br) [659]; Botswana (br) [1102]; Burkina Faso (br); Burundi
(br?); Cameroon (br?) [659, 25370, 25382]; Central African Republic (br) [659]; Chad (br?) [659]; Congo (br?)
[659]; Côte d'Ivoire (br) [1334, 25470]; Democratic Republic of the Congo (br?) [25489]; Djibouti (br) [427];
Egypt (v) [756]; Eritrea (br) [659]; Ethiopia (br); Gabon (br?) [659]; Gambia (br) [760]; Ghana (br?); Guinea
(br) [659, 1078, 1191, 10590, 11437]; Guinea-Bissau (br) [659, 715, 1293]; India (v); Iran (Islamic Republic of) (br)
[1253]; Iraq (br); Jordan (v) [64541]; Kenya (br) [5253]; Lesotho (v) [486, 659, 894, 1345]; Liberia (v) [659, 5246];
Malawi (br) [659, 894, 1103]; Mali [659, 782]; Mauritania [385, 659]; Mozambique (br?) [659, 881]; Namibia (br)
[659]; Niger (br?) [659, 5297]; Nigeria (br?) [6276]; Oman (v) [13112]; Pakistan (v) [5245]; Rwanda (br) [659];
Saudi Arabia (br?); Senegal (br) [659, 1293]; Sierra Leone (br?); Somalia (br) [5252]; South Africa (br) [659];
Sri Lanka (v) [5271]; Sudan (br) [659]; Swaziland (br) [1139]; Syrian Arab Republic (v) [5283]; Togo (br?)
[570, 5254]; Uganda (br) [659]; United Republic of Tanzania (br) [659]; Yemen (br?); Zambia (br) [659];
Zimbabwe (br) [659]

Bubulcus ibis (Linnaeus, 1758)

III GH A LC 381, 387, 485, 511, 524,
573, 613, 636, 795, 841,
929, 1171, 1256, 1292

Synonyms: *Ardea ibis* Linnaeus, 1758, *Ardeola ibis* (Linnaeus, 1758)

E: Buff-backed Heron, Cattle Egret, F: Héron garde-bœufs, Héron garde-boeufs, S: Espulgabueyes, Garcilla
bueyera, Garcilla Bueyera, Garcita resnera, Garza ganadera
Albania (v); Algeria (br) [971]; Angola (br) [5267]; Anguilla (br?) [5242]; Antigua and Barbuda (br) [5242];
Argentina (br) [5291, 10249]; Armenia (br) [5240]; Aruba (br) [1380]; Australia (int, br) [477]; Austria (v)
[1215]; Azerbaijan (br) [710]; Bahamas [5242]; Bahrain [1105]; Bangladesh (br) [804]; Barbados (br) [5242];
Belarus (v); Belgium (v) [5272]; Belize (br) [5241]; Benin [659, 845]; Bermuda [389]; Bhutan (br) [5261];
Bolivia (br) [1186, 6385, 7072]; Bosnia and Herzegovina (v) [1038]; Botswana (br) [1102]; Brazil (br) [6186,
6413]; British Indian Ocean Territory (int, br) [12642]; British Virgin Islands (br); Brunei Darussalam;
Bulgaria (**ex**, br, v) [5280]; Burkina Faso (br?) [659]; Burundi (br?) [659]; Cambodia (br) [5243]; Cameroon
(br) [659, 25376, 25382]; Canada (br) [748]; Cape Verde [820]; Cayman Islands (br); Central African Republic
(br) [659]; Chad (br) [659]; Chile (br) [5292]; China (br) [5293]; Christmas Island (v); Cocos (Keeling) Islands
[1316]; Colombia (br) [837]; Comoros (br) [659]; Congo (br) [659]; Costa Rica (br) [1311]; Côte d'Ivoire
[1334]; Croatia (v) [5290]; Cuba (br) [5259]; Cyprus [709]; Czech Republic (v) [5258]; Democratic People's
Republic of Korea (br) [7680]; Democratic Republic of the Congo (br) [25489]; Denmark (v) [666]; Djibouti
(br) [427]; Dominica (br) [5242]; Dominican Republic (br) [1312]; Ecuador (br) [5294]; Ecuador, Galapagos;
Egypt (br) [756]; El Salvador (br) [5241]; Equatorial Guinea [659, 1183]; Equatorial Guinea, Bioko; Eritrea (br)
[659]; Ethiopia (br) [659]; Falkland Islands (Malvinas) [1439]; France (br) [7041]; French Guiana (br) [1349];
French Southern and Antarctic Territories (v); Crozet Is (v) [25464]; Gabon [659]; Gambia (br) [760];
Germany (v) [5274]; Ghana (br) [782, 7856]; Gibraltar; Greece (br) [5281]; Grenada (br) [5242]; Guadeloupe

(br) [5242]; Guam (v) [503]; Guatemala (br) [5241]; Guinea [659, 1078, 1191, 1389, 10590, 11437, 11442, 11455, 11457]; Guinea-Bissau (br) [659, 715]; Guyana (br) [1295, 25537]; Haiti (br) [1408]; Honduras (br) [1076]; Hong Kong, China (br); Hungary (v) [5257]; Iceland (v) [507]; India (br) [1197]; Indonesia (br) [393]; Bali, Irian Jaya, Java, Kalimantan, Lesser Sunda Is, Moluccas, Sulawesi, Sumatera; Iran (Islamic Republic of) (br) [1253]; Iraq [385]; Ireland (v) [858]; Israel (br) [5245]; Italy (br) [5289]; Jamaica (br) [657]; Japan (br) [503]; Jordan [395, 1386, 6454]; Kazakhstan (br) [5269]; Kenya (br) [5253]; Korea, Republic of (br) [1436]; Kuwait [537]; Lao People's Democratic Republic (br) [6187]; Latvia (v) [5278]; Lebanon [5284]; Lesotho (br) [486]; Liberia [5246]; Libyan Arab Jamahiriya [536]; Liechtenstein (v); Lithuania (v) [5247]; Luxembourg (v) [5248]; Madagascar (br) [633, 961, 5249]; Malawi (br) [1103]; Malaysia [1289]; Peninsular Malaysia, Sabah, Sarawak; ?Maldives (br) [431]; Mali (br) [659, 1281]; Malta (v); Marshall Islands (v) [1171]; Martinique (br) [5242]; Mauritania (br) [659]; Mauritius (br?) [659]; Mayotte (br); Mexico (br) [5241]; Micronesia (Federated States of) [1171];Montserrat (br) [5242]; Morocco (br) [461]; Mozambique (br) [659]; Myanmar (br) [1290]; Namibia (br) [659]; Nepal (br) [865]; Netherlands (v) [5273]; Netherlands Antilles (br): Bonaire, Curaçao, Netherlands Leeward Is; New Caledonia (v) [10250]; New Zealand [821, 1351]; Nicaragua (br) [1195]; Niger (br) [659]; Nigeria (br); Norfolk Island (v); Northern Mariana Islands; Norway (v) [5275]; Oman [13112]; Pakistan (br); Palau [1171]; Panama (br) [1195]; Papua New Guinea [6951]; Paraguay (br) [1317, 5295]; Peru (br) [1136]; Philippines (br) [5270]; Poland (v) [7862]; Portugal (br) [1332]; Portugal (br), Azores (v), Madeira; Puerto Rico (br) [1176]; Qatar (v) [1393]; ?Réunion (br) [1303]; Romania (v) [558]; Russian Federation (br) [710, 938]; Rwanda (br?) [659]; Saint Helena [5250]: St Helena, Tristan da Cunha; Saint Kitts and Nevis (br) [5242]; Saint Lucia (br) [5251]; Saint Pierre and Miquelon (v) [683]; Saint Vincent and the Grenadines (br) [5242]; São Tomé and Príncipe (br) [659]; Saudi Arabia (br) [881]; Senegal (br) [659]; Serbia and Montenegro (br) [1038]; Seychelles (br) [659]; Seychelles (br) [7815], Aldabra (br) [7814]; Sierra Leone (br?) [659]; Singapore [791]; Slovenia (v) [1038]; Somalia (br) [5252]; South Africa (br) [659]; South Georgia and the South Sandwich Islands [6875]; Spain (br) [702]; Sri Lanka (br) [5271]; Sudan (br) [659]; Suriname (br) [5296]; Swaziland (br) [1139]; Sweden (v) [400, 1199]; Switzerland (v) [5288]; Syrian Arab Republic [5283]; Taiwan, Province of China (br); Tajikistan (v) [374]; Thailand (br) [487]; The former Yugoslav Republic of Macedonia (v) [1038]; Togo [5254]; Trinidad and Tobago (br) [703]; Tunisia (br?) [1344]; Turkey (br) [5282]; Turkmenistan (br) [710, 8159]; Turks and Caicos Islands (br?); Uganda (br) [659]; United Arab Emirates [1192]; United Kingdom (v) [6188]; United Republic of Tanzania (br?) [659]; United States (br) [387]; New Hampshire [1049], New Jersey [759], New Mexico [393]; United States Minor Outlying Islands (v); United States Virgin Islands (br); Uruguay (br) [5287, 25534]; Uzbekistan (v) [710]; Venezuela (br) [1070]; Viet Nam (br) [5264]; Western Sahara; Yemen (br) [5297]; Zambia [659]; Zimbabwe (br) [659]

***Casmerodius albus* (Linnaeus, 1758)**

III GH	A	LC	381, 387, 485, 511, 524, 573, 613, 636, 795, 841, 929, 1023, 1068, 1256, 1292
--------	---	----	--

Synonyms: *Egretta alba* (Linnaeus, 1758), *Ardea alba* Linnaeus, 1758

E: Great Egret, Great White Egret, F: Grande aigrette, S: Garceta grande, Garcilla grande, Garza blanca real, Garzetta grande

Afghanistan; Albania (br?); Algeria; Angola (br); Anguilla; Antigua and Barbuda (br); Argentina (br) [10249]; Armenia; Aruba; Australia (br); Austria (br); Azerbaijan (br); Bahamas (br); Bahrain; Bangladesh (br); Barbados; Belarus (br); Belgium (v); Belize (br); Benin; Bermuda; Bhutan (br?); Bolivia (br) [1186, 6346, 7072]; Bosnia and Herzegovina (br?); Botswana (br?); Brazil (br); British Indian Ocean Territory (v); British Virgin Islands; Brunei Darussalam; Bulgaria (br); Burkina Faso (br?); Burundi (br?); Cambodia (br); Cameroon (br?) [659, 987, 25382]; Canada (br); Cayman Islands; Central African Republic (br?); Chad (br); Chile (br); China (br); Christmas Island; Colombia (br); Comoros (br); Congo (br?); Costa Rica (br); Côte d'Ivoire (br) [1334]; Croatia (br); Cuba (br); Cyprus; Czech Republic (br) [5258]; Democratic People's Republic of Korea (br) [7680]; Democratic Republic of the Congo (br?) [25489]; Denmark (v); Dominica; Dominican Republic (br); Ecuador (br): Ecuador, Galapagos; Egypt; El Salvador (br); ?Equatorial Guinea (v); Eritrea (br?); Ethiopia (br?); Falkland Islands (Malvinas) (v) [1439]; Fiji (v) [6197]; Finland (v); France (br); French Guiana (br) [1349]; Gabon (br?); Gambia (br); Georgia (br); Germany; Ghana (br); Greece (br); Grenada; Guadeloupe (br); Guatemala (br) [6397]; Guinea (br) [659, 1078, 1191, 1389, 10590, 11437, 11455]; Guinea-Bissau (br) [659, 715]; Guyana (br) [25537]; Haiti (br); Honduras (br); Hong Kong, China (br); Hungary (br); Iceland (v); India (br); Indonesia (br?): Bali, Irian Jaya, Java, Kalimantan, Lesser Sunda Is, Moluccas, Sulawesi, Sumatera; Iran (Islamic Republic of); Iraq; Ireland (v); Israel; Italy (br); Jamaica (br); Japan (br); Jordan [395, 6454]; Kazakhstan (br); Kenya (br); Korea, Republic of (br); Kuwait; Lao People's Democratic Republic (br); Latvia (br?); Lebanon; Lesotho; Liberia; Libyan Arab Jamahiriya (v); Liechtenstein (v); Luxembourg (v); Madagascar (br); Malawi (br); Malaysia (br): Peninsular Malaysia, Sabah, Sarawak; Maldives [7264]; Mali (br); Malta (v); Martinique; Mauritania (br); Mayotte; Mexico (br); Micronesia (Federated States of) (v) [25484]; Mongolia (br); Montserrat [5242]; Morocco (v); Mozambique (br?); Myanmar (ex?, br); Namibia (br?); Nepal (br); Netherlands (br); Netherlands Antilles: Netherlands Leeward Is; New Caledonia (v) [10250]; New Zealand (br); Nicaragua (br): Nicaragua [393]; Niger (br?): Niger [759]; Nigeria (br) [6276]; Nigeria [1049]; Norway (v); Oman [13112]; Pakistan (br); Palau (v) [25484]; Panama (br); Papua New Guinea (br) [6951]; Paraguay (br); Peru (br); Philippines [6639]; Poland (br); Portugal (v); Portugal, Azores (v); Puerto Rico (br); Qatar; Romania (br); Russian Federation (br); Rwanda (br); Saint Helena (v): Tristan da Cunha; Saint Kitts and Nevis; Saint Lucia; Saint Pierre and Miquelon (v) [683]; Saint Vincent and the Grenadines; São Tomé and Príncipe (v) [659]; Saudi Arabia; Senegal (br); Serbia and Montenegro (br); Seychelles (v) [6253]; Seychelles (v) [7815], Aldabra (v) [7814]; Sierra Leone; Singapore; Slovakia (br) [5279]; Slovenia; Solomon Islands (br); Somalia (br); South Africa (br); South Georgia and the South Sandwich Islands (v) [6875]; Spain (v); Sri Lanka (br); Sudan; Suriname (br); Swaziland (br); Sweden (v); Switzerland; Syrian Arab Republic; Taiwan, Province of China; Tajikistan (br); Thailand (br);

The former Yugoslav Republic of Macedonia (br); Togo (br?); Trinidad and Tobago (br); Tunisia; Turkey (br); Turkmenistan (br) [8159]; Turks and Caicos Islands; Uganda (br?); Ukraine (br); United Arab Emirates; United Kingdom (v); United Republic of Tanzania (br); United States (br); United States Virgin Islands (br); Uruguay (br) [25534]; Uzbekistan (br); Venezuela (br) [1070, 6810]; Viet Nam (br); Yemen; Zambia (br); Zimbabwe (br)

Egretta garzetta (Linnaeus, 1766)

III GH A LC 381, 387, 511, 524, 573, 613, 636, 795, 841, 929, 1023, 1068, 1256, 1292

Synonym: *Ardea garzetta* Linnaeus, 1766

E: Little Egret, F: Aigrette garzette, Aigrette garzette, S: Garceta común, Garceta Común
 Afghanistan [694]; Albania; Algeria (br) [971]; Angola (br) [5267]; Armenia (br) [5240]; Aruba (v); Australia (br) [477]; New South Wales [1049]; Northern Territory [759]; Austria (br) [1215]; Azerbaijan (br) [710]; Bahrain [1105]; Bangladesh (br) [804]; Barbados (br) [485, 5242]; Belgium (v) [5272]; Benin [659, 845]; Bhutan (br?) [5261]; Bosnia and Herzegovina (br) [1038]; Botswana (br) [1102]; Brunei Darussalam (br); Bulgaria (br) [5280]; Burkina Faso (br?) [659]; Burundi [659]; Cambodia (br) [5243]; Cameroon (br) [659, 25370, 25374, 25376, 25382]; Canada (v) [748]; Cape Verde (br) [820]; Central African Republic (br?) [659]; Chad (br) [659]; China (br) [5293]; Christmas Island; Cocos (Keeling) Islands (v) [1316]; Congo (br?) [659]; Côte d'Ivoire (br?) [1334]; Croatia (br) [5290]; Cyprus (br) [709]; Czech Republic (br) [5258]; Democratic People's Republic of Korea (br) [7680]; Democratic Republic of the Congo (br?); Denmark (v) [666]; Djibouti [427]; Egypt (br) [756]; Equatorial Guinea (br?) [659]; Equatorial Guinea, Bioko; Eritrea [659]; Ethiopia (br?) [659]; Finland (v) [1300]; France (br) [7041]; French Guiana (v); Gabon (br) [659]; Gambia (br) [760]; Georgia (br) [710]; Germany [5274]; Ghana (br) [782]; Gibraltar; Greece (br) [5281]; Guadeloupe (v) [5242]; Guinea [659, 1078, 1191, 1389, 10590, 11437, 11455]; Guinea-Bissau [659, 715]; Guyana (v) [6828]; Hong Kong, China (br); Hungary (br) [5257]; India (br) [1197]; Indonesia (br) [393]; Bali, Irian Jaya, Jawa, Kalimantan, Lesser Sunda Is, Moluccas, Sulawesi, Sumatera; Iran (Islamic Republic of) (br) [1253]; Iraq [385]; Ireland (v) [858]; Israel (br) [5245]; Italy (br) [5289]; Japan (br) [503]; Jordan (br) [395, 6454]; Kazakhstan (br) [5269]; Kenya (br) [5253]; Korea, Republic of (br) [1436]; Kuwait [537]; Lao People's Democratic Republic (br) [6187]; Latvia (v) [5278]; Lebanon [5284, 12656]; Lesotho [486]; Liberia [5246]; Libyan Arab Jamahiriya [536]; Liechtenstein (v); Luxembourg (v) [5248]; Malawi (br?) [1103]; Malaysia [1289]; Peninsular Malaysia, Sabah, Sarawak [393]; Maldives (v) [431, 7264]; Mali (br) [659]; Malta; Martinique (v) [5242]; Mauritania (br) [659]; Micronesia (Federated States of) (v) [1171, 25484]; Mongolia (v) [1306]; Morocco (br) [461]; Mozambique (br?) [659]; Myanmar (br) [1290]; Namibia (br) [659]; Nepal (br) [865]; Netherlands (br) [5273]; New Zealand; Niger (br?) [659]; Nigeria (br) [6276]; Northern Mariana Islands; Norway (v) [5275]; Oman [13112]; Pakistan (br); Palau [1171]; Papua New Guinea (br?) [6951]; Philippines [5270]; Poland (br) [1348, 25657]; Portugal (br) [1332]; Portugal (br), Azores (br), Madeira (br); Puerto Rico (v) [1176]; Qatar [1393]; Romania (br) [558]; Russian Federation (br) [710]; Rwanda (br) [659]; Saint Lucia [485, 5251]; ?São Tomé and Príncipe (v) [659]; Saudi Arabia [881]; Senegal (br) [659]; Serbia and Montenegro (br) [1038]; Seychelles [659, 699, 6253]; Sierra Leone (br?) [659]; Singapore [791]; Slovakia (br) [5279]; Slovenia [1038]; Somalia [5252]; South Africa (br) [659]; Spain (br) [702]; Sri Lanka (br) [5271]; Sudan (br) [659]; Suriname (v) [812, 5296]; Swaziland (br) [1139]; Sweden (v) [1199]; Switzerland [5288]; Syrian Arab Republic (br) [5283]; Taiwan, Province of China (br); Thailand (br) [487]; The former Yugoslav Republic of Macedonia (br) [1038]; Togo (br?) [5254]; Trinidad and Tobago (v) [485, 703]; Tunisia (br) [1344]; Turkey (br) [5282]; Turkmenistan (br) [710]; Uganda (br) [659]; Ukraine (br) [710]; United Arab Emirates [1192]; United Kingdom (br) [6188]; United Republic of Tanzania (br) [659]; Uzbekistan (br?) [710]; Viet Nam (br) [5264]; Western Sahara; Yemen [5297]; Zambia (br) [659]; Zimbabwe (br) [659]

Family: BALAENICIPITIDAE***Balaeniceps rex*** Gould, 1850

II B VU 420, 511, 524, 573, 595, 597, 636, 796, 1292

E: Shoebill, Whale-headed Stork, F: Baléniceps roi, Bec-en-sabot, Bec-en-sabot du Nil, S: Picozapato
 Burundi [659, 25466]; Central African Republic [659]; Democratic Republic of the Congo (br) [6294, 25466, 25489]; Ethiopia (br?) [659, 661]; Kenya (v) [5253]; ?Malawi [798, 1103, 1218, 6910]; Rwanda (br) [659, 25466]; Sudan (br) [659]; Uganda (br) [659]; United Republic of Tanzania (br?) [659]; Zambia (br) [659]

CITES Identification Manual Reference: A-211.002.001.001

Family: CICONIIDAE***Ciconia boyciana*** Swinhoe, 1873

I A EN 595, 608, 609, 636, 796, 931, 1001

Synonym: *Ciconia ciconia boyciana* Swinhoe, 1873

E: Japanese White Stork, Oriental Stork, Oriental White Stork, F: Cigogne à bec noir, Cigogne blanche de Corée, Cigogne blanche du Japon, Cigogne blanche orientale, Cigogne orientale, S: Cigüeña blanca coreana, Cigüeña del Japón, Cigüeña oriental
 Bangladesh (v) [804]; China (br) [701, 1427, 5293]; Democratic People's Republic of Korea [1301, 7680, 7684, 12972]; Hong Kong, China (v); India (v) [1197]; Japan (ex, br) [503]; Korea, Republic of (ex, br) [1436]; Mongolia (v) [1306]; Russian Federation (br) [710, 938]; Taiwan, Province of China (v)

Ciconia nigra (Linnaeus, 1758)	II	A	LC	381, 511, 524, 573, 608, 613, 636, 796, 841, 1011, 1292
---------------------------------------	----	---	----	---

Synonym: *Ardea nigra* Linnaeus, 1758

E: Black Stork, F: Cigogne noire, Cigogne noire, S: Cigüeña negra
 Afghanistan (br?) [694]; Albania (br); Algeria [971]; Angola (br?) [5267]; Armenia (br) [5240]; Austria (br) [1215]; Azerbaijan (br) [710]; Belarus (br); Belgium (br) [5272, 6201]; Benin (v) [659, 6371, 25478]; Bhutan [5261]; Bosnia and Herzegovina (br) [1038]; Botswana (br?) [1102]; Bulgaria (br) [5280]; Burkina Faso (v) [659, 6371, 25478]; Cameroon (v) [659, 25314]; Central African Republic [659]; Chad (v) [659]; China (br) [5293]; Côte d'Ivoire [1334, 6371, 6909]; Croatia (br) [5290]; Cyprus [709]; Czech Republic (br) [5258]; Democratic People's Republic of Korea [7681]; Democratic Republic of the Congo (v) [25489]; Denmark [666]; Djibouti [427]; Egypt [756]; Eritrea [659]; Estonia (br) [5277]; Ethiopia [659]; Finland (v) [1300]; France (br) [7041]; Gambia (v) [760]; Georgia (br) [710]; Germany (br) [5274]; Ghana (v) [782, 6371, 25478]; Gibraltar; Greece (br) [5281]; Guinea [10590]; Guinea-Bissau [659]; Hong Kong, China; Hungary (br) [5257]; India [1197]; Iran (Islamic Republic of) (br) [1253]; Iraq [385]; Ireland (v) [858, 895]; Israel [5245]; Italy [5289]; Japan (v) [503]; Jordan [395, 1386]; Kazakhstan (br) [5269]; Kenya [5253]; Korea, Republic of [1436]; Kuwait (v) [537]; Kyrgyzstan (br) [710]; Lao People's Democratic Republic (v) [6187]; Latvia (br) [5278]; Lebanon [5284]; Lesotho (br) [486]; Libyan Arab Jamahiriya (v) [536]; Liechtenstein (v); Lithuania (br) [5247]; Luxembourg (br) [5248]; Malawi (br) [1103]; Mali (v) [659, 25478]; Malta; Mauritania [659, 25478]; Moldova, Republic of (br) [710]; Mongolia (br) [1306]; Morocco [461]; Mozambique (br) [659]; Myanmar [1290]; Namibia (br) [659, 1347]; Nepal [443, 865]; Netherlands [5273]; Niger (v) [659, 6371, 25478]; Nigeria [25478, 25479]; Norway (v) [5275]; Oman (v) [13112]; Pakistan; Poland (br) [974, 1348]; Portugal (br) [1332]; Portugal (br), Madeira (v); Romania (br) [558]; Russian Federation (br) [710, 938]; Rwanda (v) [659]; Saudi Arabia [881]; Senegal [659, 25478]; Serbia and Montenegro (br) [1038]; Slovenia (br) [1038]; Somalia (v) [5252]; South Africa (br) [659]; Spain (br) [702]; Sri Lanka (v) [5271]; Sudan [659]; Swaziland (br) [1139]; Sweden [1199]; Switzerland [5288]; Syrian Arab Republic [5283]; Taiwan, Province of China (v); Tajikistan (br) [374]; Thailand (v) [487, 854]; The former Yugoslav Republic of Macedonia (br) [1038]; Togo [5254, 6371, 25478]; Tunisia [1344]; Turkey (br) [5282]; Turkmenistan [710]; Uganda [659]; Ukraine (br) [710]; United Arab Emirates (v) [1192]; United Kingdom (v) [6188, 6201]; United Republic of Tanzania [659]; Uzbekistan (br) [710]; Viet Nam [5264]; Yemen [5297]; Zambia (br) [659]; Zimbabwe (br) [659, 687, 25478]

Ciconia stormi (Blasius, 1896)

A EN

Synonyms: *Ciconia episcopus stormi* (Blasius, 1896), *Melanopelargus episcopus stormi* W. Blasius, 1896

E: Storm's Stork, F: Cigogne de Storm, S: Cigüeña de Storm
 Brunei Darussalam; Indonesia (br) [393]; Kalimantan, Sumatera; Malaysia: Peninsular Malaysia [1049], Sabah [759], Sarawak [393]; Thailand (br) [487]

Ephippiorhynchus senegalensis (Shaw, 1800)

III GH C LC 511, 524, 573, 608, 636, 796, 1256, 1292

Synonym: *Mycteria senegalensis* Shaw, 1800

E: Saddlebill Stork, Saddle-billed Stork, F: Jabiru, Jabiru africain, Jabiru d'Afrique, Jabiru du Sénégal, S: Cigüeña ensillada, Jabirú, Jabirú africano
 Angola (br) [5267]; Benin (br) [659]; Botswana (br) [418, 1102]; Burkina Faso (br) [659]; Burundi (br?) [659]; Cameroon (br?) [659]; Central African Republic (br) [659]; Chad (br) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334, 1388, 25470]; Democratic Republic of the Congo (br) [25489]; Eritrea [659]; Ethiopia (br) [659]; Gabon (br?) [659]; Gambia (br?) [760]; Ghana (br) [782]; Guinea-Bissau (br?) [659]; Kenya (br) [5253]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (v) [659]; Mozambique (br?) [659]; Namibia (br) [659]; Niger (br?) [659]; Nigeria (br?); Rwanda (br) [659]; Senegal (br) [659]; Somalia [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Togo (br) [5254]; Uganda (br) [659]; United Republic of Tanzania (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659, 687]

Jabiru mycteria (Lichtenstein, 1819)

I A LC 387, 608, 636, 796, 1068, 1195, 1311

Synonym: *Ciconia mycteria* Lichtenstein, 1819

E: Jabiru, F: Jabiru américain, Jabiru d'Amérique, S: Garzón soldado, Jabirú, Jabirú Americano
 Argentina (br) [5291, 10249]; Belize (br) [5241]; Bolivia (br) [1186]; Brazil (br) [1268, 6186, 7118]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294]; El Salvador (br) [5241]; French Guiana [1349]; Grenada (v) [5242]; Guatemala (br) [448, 968, 5241]; Guyana (br) [1295, 25537]; Honduras (br) [1076, 25651]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (v) [1195]; Paraguay (br) [5295]; Peru (br) [1136]; Suriname (br) [5296]; Trinidad and Tobago (v) [703, 1217, 10294]; Uruguay (br) [5287, 25534]; Venezuela (br) [1070]

Leptoptilos crumeniferus (Lesson, 1831)

III GH C LC 511, 524, 573, 608, 636, 679, 796, 1256, 1292

Synonym: *Ciconia crumenifera* Lesson, 1831

E: Marabou Stork, F: Marabout, Marabout africain, Marabout d'Afrique, S: Marabú, Marabú africano

Angola (br) [5267]; Benin (br?) [659]; Botswana (br) [1102]; Burkina Faso (br?) [659]; Burundi (br) [659, 25466]; Cameroon (br) [659]; Central African Republic (br) [659]; Chad (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br) [25489]; Eritrea [659]; Ethiopia (br) [659]; Gabon (br?) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br) [659, 1078, 11442]; Guinea-Bissau (br) [659]; Israel (v) [5245]; Kenya (br) [5253]; Liberia (v) [5246]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (br) [659]; Mozambique (br?) [659]; Namibia (br) [659]; Niger (br) [659]; Nigeria (br); Rwanda (br) [659]; Senegal (br) [659]; Sierra Leone (br?) [659]; Somalia (br) [5252]; South Africa (br) [516, 659, 916]; ?Spain (v) [702]; Sudan (br) [659]; Swaziland (br) [1138, 1139]; Togo (br?) [5254]; Uganda (br) [659]; United Republic of Tanzania (br) [659, 1075]; Zambia (br) [659]; Zimbabwe (br) [659, 687]

Leptoptilos dubius (Gmelin, 1789)

A EN

Synonym: *Ardea dubia* Gmelin, 1789

E: Greater Adjutant, Greater adjutant stork, F: Marabout argala, S: Marabú argala

Bangladesh (**ex**, br) [804]; Cambodia (ex?, br) [5243]; India (br) [1197, 11410]; Lao People's Democratic Republic (ex?, br) [6187]; Myanmar (ex?, br) [1290]; Nepal [865]; Pakistan (**ex**, br); Thailand (**ex**, br) [487]; Viet Nam (ex?, br) [5264]

Mycteria cinerea (Raffles, 1822)

I A VU 595, 608, 636, 796, 929, 931, 1368

Synonym: *Tantalus cinereus* Raffles, 1822

E: Milky Stork, F: Tantale blanc, S: Tántalo malayo

Cambodia (br) [5243]; Indonesia (br) [393, 1278, 1279, 1280, 1369, 1449]; Bali, Jawa, Lesser Sunda Is, Sulawesi, Sumatera; Malaysia (br): Peninsular Malaysia; Thailand (**ex**) [487]; Viet Nam (br) [5264]

CITES Identification Manual Reference:

A-211.004.006.003

Family: THRESKIORNITHIDAE

Bostrychia hagedash (Latham, 1790)

III GH C LC 511, 524, 573, 636, 796, 1256, 1292

Synonyms: *Tantalus hagedash* Latham, 1790, *Hagedashia hagedash* (Latham, 1790)

E: Hadada Ibis, F: Ibis hagedash, S: Ibis hadada, Ibis hagedash

Angola (br?) [5267]; Benin (br?) [659]; Botswana (br) [1102]; Burkina Faso (br) [659]; Burundi (br?) [659, 2523]; Cameroon (br?) [659, 25370, 25374, 25376, 25382]; Central African Republic (br) [659]; Chad (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br?) [25489]; Equatorial Guinea (br?) [659, 1183]; Equatorial Guinea, Bioko; Eritrea (br?) [659]; Ethiopia (br?) [659]; Gabon (br) [659]; Gambia (br?) [760]; Ghana (br?) [782]; Guinea (br) [659, 1389, 10590, 11442, 11456]; Guinea-Bissau (br) [659, 715]; Kenya (br) [5253]; Lesotho (br?) [486, 1183]; Liberia (br?) [5246]; Malawi (br) [1103]; Mali [659]; Mauritania [659]; Mozambique (br) [659]; Namibia (br?) [659]; Niger (br) [659]; Nigeria (br); Rwanda (br) [659]; Senegal (br) [659, 7816]; Sierra Leone (br?) [659]; Somalia (br?) [5252]; South Africa (br) [659]; Sudan (br?) [659]; Swaziland (br) [1139]; Togo (br?) [5254]; Uganda (br) [659]; United Republic of Tanzania (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659, 687]

Bostrychia rara

(Rothschild, Hartert & Kleinschmidt, 1897)

III GH C LC

Synonym: *Lamprabis rara* Rothschild, Hartert & Kleinschmidt, 1897

E: Spot-breasted Ibis, F: Ibis vermiculé, S: Ibis moteado, Ibis rara

Angola (br?) [5267]; Cameroon (br?) [659, 25382]; Central African Republic (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br) [6294, 25489]; Equatorial Guinea (br?) [659, 1183]; Gabon (br) [659]; Ghana (br?) [782]; Liberia (br?) [5246]; Nigeria (br?) [25533]; Sierra Leone (br?) [659]; Uganda (br?) [659]

Eudocimus ruber (Linnaeus, 1758)

II B LC 636, 717, 796, 999, 1002

Synonym: *Scolopax rubra* Linnaeus, 1758

E: Scarlet Ibis, F: Ibis rouge, S: Corocoro colorado, Corocoro rojo, Ibis escarlata

?Argentina [10249]; Belize [8632]; Brazil (br) [1024, 6186, 7122]; Colombia (br?) [837]; Cuba (v) [5259]; Dominica (v) [5242]; Ecuador (v) [5294]; French Guiana (br) [663, 1349]; Grenada (v) [5242]; Guyana [1295, 25537]; Jamaica (v) [657]; Suriname (br) [5296]; Trinidad and Tobago [396, 471, 703]; United States (v) [387]; Venezuela (br) [1070, 8231]

Geronticus calvus (Boddaert, 1783)

II A VU 516, 524, 573, 595, 597, 636, 796, 1020, 1021

Synonym: *Tantalus calvus* Boddaert, 1783

E: Bald Ibis, Southern Bald Ibis, F: Ibis chauve de l'Afrique du Sud, Ibis du Cap, Ibis noir, S: Ibis calvo, Ibis calvo de África del Sur

Lesotho (br) [486]; South Africa (br) [383, 659]; Swaziland (br) [1139]

CITES Identification Manual Reference:

A-211.005.005.002

<i>Geronticus eremita</i> (Linnaeus, 1758)	I	A	CR	524, 595, 597, 613, 636, 796, 947, 1228
---	---	---	----	---

Synonym: *Upupa eremita* Linnaeus, 1758
E: Bald Ibis, Hermit Ibis, Northern Bald Ibis, Waldrapp, F: Ibis chauve, S: Ibis eremita
Algeria (**ex**, br) [971]; Austria (v) [1215]; Cape Verde (v) [820]; Egypt (**ex**, v) [756, 948]; Eritrea [659]; Ethiopia [659]; Germany (v) [5274]; Greece (**ex**, br) [643, 5281]; Iraq (v) [385]; Israel (v) [5245]; ?Jordan (v) [395]; Mali (v) [659]; Mauritania [659]; Morocco (br) [411, 461, 1147]; Portugal (v) [1332]; Azores (v); Saudi Arabia (v) [881]; Senegal (**ex**, v) [659]; Serbia and Montenegro (v) [1038]; Somalia (v) [5252]; Spain (v) [702]; Sudan [659]; Syrian Arab Republic (br) [5283, 12072]; Turkey (**ex**, br) [378, 379, 5282]; Western Sahara (v); Yemen [468, 517, 5297]

CITES Identification Manual Reference: A-211.005.005.003

<i>Nipponia nippon</i> (Temminck, 1835)	I	A	EN	595, 636, 691, 692, 796, 931, 1000, 1001, 1264, 1457
--	---	---	----	--

Synonym: *Ibis nippon* Temminck, 1835
E: Crested Ibis, Japanese Crested Ibis, F: Ibis à crête du Japon, Ibis blanc, Ibis blanc du Japon, Ibis nippon, S: Ibis blanco japonés, Ibis moñudo japonés, Ibis nipón
China (br) [5293]; Democratic People's Republic of Korea (**ex**, br) [7684]; Japan (**ex**, br) [503]; Korea, Republic of [1436]; Russian Federation (**ex**, br) [710, 938]; Taiwan, Province of China (v)

CITES Identification Manual Reference: A-211.005.011.001

<i>Platalea leucorodia</i> Linnaeus, 1758	II	A	LC	381, 524, 613, 636, 796, 841
--	----	---	----	------------------------------

E: Eurasian Spoonbill, Spoonbill, White Spoonbill, F: Spatule blanche, Spatule blanche, S: Espátula, Espátula, Espátula blanca, Espátula común
Afghanistan [694]; Albania (br); Algeria [971]; Armenia [5240]; Austria (ex?, br) [1215]; Azerbaijan (br) [710]; Bahrain (v) [1105]; Bangladesh (br) [804]; Belgium [5272]; Bosnia and Herzegovina (br) [1038]; Brazil (v); Bulgaria (br) [5280]; Burkina Faso (v) [659]; Cameroon (v) [6295, 25315]; Cape Verde [820]; Chad [659]; China (br) [5293]; Croatia (br) [5290]; Cyprus [709]; Czech Republic (br) [5258]; Democratic Republic of the Congo (v) [6403, 25489]; Denmark [666]; Djibouti (br) [427]; Egypt (br) [756]; Eritrea (br) [659]; Ethiopia [659]; Faroe Islands (v) [480]; Finland (v) [1300]; France (br) [1026, 7041]; Gambia [760]; Germany [5274]; Greece (br) [5281]; Hong Kong, China; Hungary (br) [5257]; Iceland (v) [507]; India (br) [872, 1197]; Iran (Islamic Republic of) (br) [1253]; Iraq (br) [385, 10169]; Ireland [858]; Israel [5245]; Italy (br) [5289]; Japan [503]; Jordan (v) [395, 6454]; Kazakhstan (br) [5269]; Kenya [5253]; Korea, Republic of [1436]; Kuwait (br) [537, 12655]; Latvia (v) [5278]; Lebanon [5284]; Libyan Arab Jamahiriya [536]; Luxembourg (v) [5248]; Maldives (v) [431]; Mali [659]; Malta; Mauritania (br) [659]; Moldova, Republic of (br) [710]; Mongolia (br) [1306]; Morocco [461]; Myanmar [1290]; Nepal [443, 865]; Netherlands (br) [5273]; Niger (v) [659]; Nigeria (v); Norway (v) [5275]; Oman [13112]; Pakistan (br); Poland (v) [1348]; Portugal (br) [1332]; Portugal (br), Azores, Madeira (v); Romania (br) [558]; Russian Federation (br) [710, 938]; Saudi Arabia (br) [881]; Senegal [659]; Serbia and Montenegro (br) [1038]; Slovenia [1038]; Somalia (br) [5252]; Spain (br) [702]; Sri Lanka (br) [5271]; Sudan (br) [659]; Sweden (v) [1199]; Switzerland [5288]; Syrian Arab Republic [5283]; Taiwan, Province of China; Tajikistan [374]; Thailand (v) [487]; The former Yugoslav Republic of Macedonia (br) [1038]; Trinidad and Tobago (v) [6735]; Tunisia [1344]; Turkey (br) [5282]; Turkmenistan (br) [710]; Uganda (v) [659]; Ukraine (br) [710]; United Arab Emirates [1192]; United Kingdom [6188]; Uzbekistan (br) [710]; Western Sahara; Yemen (br) [5297]

CITES Identification Manual Reference: A-211.005.019.003

<i>Pseudibis gigantea</i> (Oustalet, 1877)	A
---	---

Synonyms: *Ibis gigantea* Oustalet, 1877, *Thaumatibis gigantea* (Oustalet, 1877)
E: Giant Ibis, F: Ibis géant, S: Ibis gigante
Cambodia (ex?, br) [5243]; ?Lao People's Democratic Republic (br) [6187]; Thailand (**ex**, br) [487]; Viet Nam (**ex**, br) [5264]

<i>Threskiornis aethiopicus</i> (Latham, 1790)	III GH	C	LC	511, 524, 573, 613, 636, 796, 841, 931, 1256, 1292
---	--------	---	----	--

Synonym: *Tantalus aethiopicus* Latham, 1790
E: Sacred Ibis, F: Ibis sacré, S: Ibis sagrado
Angola (br) [5267]; Azerbaijan (v) [710]; Bahrain (v) [1105]; Benin [659]; Botswana (br) [1102]; Burkina Faso (br?) [659]; Burundi (br) [659]; Cameroon (br) [659]; Central African Republic (br?) [659]; Chad (br) [659]; Comoros (br) [6276]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo [25489]; Djibouti (br) [427]; Egypt (**ex**, br) [756]; Equatorial Guinea [659]; Eritrea (br?) [659]; Ethiopia (br) [659]; France (int, br) [6198]; Gabon [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br) [659, 1078, 1191]; Guinea-Bissau (br) [659, 715]; Iran (Islamic Republic of) (br) [1253]; Iraq (br) [385, 10170]; Kazakhstan (v) [5269]; Kenya (br) [5253]; Kuwait (v) [537]; Lesotho (br?) [486]; Madagascar (br) [5249]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (br) [659]; Mozambique (br?) [659]; Namibia (br) [659]; Niger (br?) [659]; Nigeria (br); Oman (v) [13112]; Rwanda (br) [659]; Saudi Arabia (v) [881]; Senegal (br) [659]; Seychelles (br) [659]:

Aldabra (br) [7814]; Sierra Leone (br?) [659]; Somalia (br) [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Togo [5254]; Uganda (br) [659]; United Republic of Tanzania (br) [659]; Yemen (v) [5297]; Zambia (br) [659]; Zimbabwe (br) [659, 687]

CITES Identification Manual Reference:

A-211.005.000.001

Family: PHOENICOPTERIDAE

Phoenicopterus andinus Philippi, 1854

II B 476, 595, 636, 1045,
1068, 1110, 12474,
12757, 12758

Synonym: *Phoenicoparrus andinus* (Philippi, 1854)

E: Andean Flamingo, F: Flamant des Andes, S: Flamenco andino, Parina grande Argentina (br) [465, 5291, 7726, 10249]; Bolivia (br) [1186, 5116, 6415, 7726]; Brazil (v) [453, 6186]; Chile (br) [5292, 7726, 12521]; Peru (br) [1136, 7726]

CITES Identification Manual Reference:

A-211.006.002.002

Phoenicopterus chilensis Molina, 1782

II B NT 636, 1045, 1068, 1110

E: Chilean Flamingo, F: Flamant du Chili, S: Flamenco chileno, Flamenco común de Chile, Parihuana, Pariona Argentina (br) [5291, 7726, 10249]; Bolivia (br) [1186, 7726]; Brazil (br) [6186]; Chile (br) [5292, 7726]; Ecuador (v) [5294]; Falkland Islands (Malvinas) (v) [1439]; Paraguay (br) [5295]; Peru (br) [1136, 7726]; Uruguay (br) [5287, 25534]

CITES Identification Manual Reference:

A-211.006.003.002

Phoenicopterus jamesi Sclater, 1886

II B 476, 595, 604, 636, 1045,
1068, 1110

Synonym: *Phoenicoparrus jamesi* (Sclater, 1886)

E: James's Flamingo, Puna Flamingo, F: Flamant de James, S: Flamenco andino chico, Flamenco de James, Parina chica Argentina (br) [465, 5291, 7726, 10249]; Bolivia (br) [1186, 5116, 7726]; Chile (br) [5292, 7726]; Peru (br) [1136, 7726]

CITES Identification Manual Reference:

A-211.006.002.003

Phoenicopterus minor Geoffroy, 1798

II B NT 381, 511, 524, 573, 595,
636, 841, 7721, 7723

Synonym: *Phoeniconaias minor* Geoffroy, 1798

E: Lesser Flamingo, F: Flamant nain, Petit flamant, S: Flamenco enano Afghanistan (v) [694]; Angola [5267]; Botswana (br) [1102]; Burundi [659]; Cameroon [659]; Chad (v) [659]; Comoros (v) [659, 1356]; Democratic Republic of the Congo (br) [6294, 25489]; ?Djibouti (br) [427]; ?Egypt (v) [756, 969]; Eritrea [659]; Ethiopia [659]; Gabon [659]; Gambia [760]; Guinea [659, 11443]; Guinea-Bissau [659, 715]; India (br) [1197]; Iran (Islamic Republic of) (v) [1253]; Kenya (br) [5253, 7722]; Lesotho (v?) [486]; Madagascar [5249, 6516]; Malawi [1103]; Mauritania (br) [659]; Mauritius (v) [659]; Mauritius (v), Rodrigues (v) [7810]; Morocco (v) [461]; Mozambique [659]; Namibia (br) [659]; Niger (v) [659]; Nigeria (v); Oman (v) [13112]; Pakistan; Réunion (v) [1303]; Rwanda (v) [659]; São Tomé and Príncipe (v) [659]; Senegal [659]; Sierra Leone [659]; Somalia (v) [5252]; South Africa (br) [659]; Spain (v) [702]; Sudan [659]; Swaziland (v) [1139]; Uganda [659]; United Republic of Tanzania (br) [659]; Yemen [5297]; Zambia (br) [659]; Zimbabwe [659]

CITES Identification Manual Reference:

A-211.006.001.001

Phoenicopterus ruber Linnaeus, 1758

II A LC 381, 387, 485, 511, 524,
573, 613, 636, 841,
1045, 1068, 1110

Synonym: *Phoenicopterus roseus* Pallas, 1811

E: American Flamingo, Caribbean Flamingo, Greater Flamingo, F: Flamant de Cuba, Flamant rose, Flamant rose, Flamant rouge, S: Flamenco, Flamenco, Flamenco común, Flamenco de Cuba, Flamenco rojo, Tococo Afghanistan (br) [694]; Algeria [971]; Angola [5267]; Antigua and Barbuda (ex, v) [5242]; Armenia [5240]; Aruba [1380]; Austria (v) [1215]; Azerbaijan (br); Bahamas (br) [5242]; Bahrain [1105]; Bangladesh (v) [804]; ?Belgium (v) [5272]; Belize (v) [5241, 12383]; Bermuda (v) [389]; Botswana (br) [1102]; Brazil [6186, 7122]; British Virgin Islands (reint, br) [25480]; Bulgaria (v) [1365, 5280]; Burundi [659]; Cambodia (v) [5243]; Cameroon (v) [6295, 25315]; Canada (v) [748]; Cape Verde [820]; Cayman Islands (v); China (v) [6483]; Cocos (Keeling) Islands (v) [1316]; Colombia [837]; Comoros [659, 1356]; Congo (v) [659]; Croatia (v) [5290]; Cuba (br) [5259]; Cyprus [709]; Czech Republic (v) [5258]; Democratic Republic of the Congo (v) [25489]; Denmark (v) [666]; Djibouti (br?) [427]; Dominican Republic (br) [1312]; Ecuador (br) [5294]; Galapagos; Egypt (br?) [756]; Equatorial Guinea (v) [659]; Eritrea [659]; Ethiopia (br?) [659, 913]; ?Finland (v) [1300]; France (br) [892, 7041]; French Guiana (v) [1349]; Gambia [760]; ?Germany (v) [5274]; Gibraltar; Greece [5281]; Guadeloupe (v) [5242]; Guinea [659, 1078, 1191]; Guinea-Bissau [659, 7834, 7850, 7851, 7852, 7857]; Guyana [1295, 25537]; Haiti (br) [1127, 1128, 1408]; Hungary (v) [5257]; India (br) [1197]; Iran (Islamic Republic of) (br) [1253]; Iraq [385]; Israel [5245]; Italy (br) [5289]; Jamaica [657]; Jordan [395, 6454]; Kazakhstan (br)

[5269]; Kenya (br) [5253, 7722]; Kuwait [537]; ?Latvia (v) [5278]; Lebanon [5284, 12656]; Lesotho (v) [486]; Libyan Arab Jamahiriya [536]; Madagascar (br) [5249]; Malawi [1103]; Maldives [431]; Malta (v); Mauritania (br) [659]; Mauritius (v) [659]; Mexico (br) [682, 5241, 7724]; Mongolia (v) [1306]; Morocco (br) [461]; Mozambique (br?) [659]; Namibia (br) [659]; Nepal (v) [865]; Netherlands Antilles (br): Bonaire, Curaçao, Netherlands Leeward Is (v); Niger (v) [659]; Norway (v) [5275]; Oman [13112]; Pakistan (br); Poland (v) [1348]; Portugal (br) [1332]; Portugal (br), Azores (v); Puerto Rico (v) [1176]; Qatar [1393]; Réunion (v) [1303]; Romania (v) [558]; Saint Kitts and Nevis (v) [5242]; Saint Lucia (v) [5251]; São Tomé and Príncipe [659]; Saudi Arabia [881]; Senegal (br) [659]; Serbia and Montenegro (v) [1038]; Seychelles (br) [659, 699]; Seychelles (v) [7815]; Aldabra (br) [7814]; Sierra Leone [659]; Slovakia (v) [5279]; Slovenia (v) [1038]; Somalia (br?) [5252]; South Africa (br) [659]; Spain (br) [702]; Sri Lanka [5271]; Sudan [659]; Suriname [5296]; Swaziland (v) [1139]; ?Sweden (v) [1199]; ?Switzerland (v) [5288]; Syrian Arab Republic [5283]; Tajikistan (v) [374]; Trinidad and Tobago [6735]; Tunisia (br) [1344]; Turkey (br) [5282]; Turkmenistan (ex, br) [710, 8159]; Turks and Caicos Islands [25480]; Uganda [659]; United Arab Emirates (br) [1192]; United Republic of Tanzania (br) [659]; United States [387]; United States Virgin Islands (v); Uzbekistan [710]; Venezuela [1070, 7725]; Western Sahara; Yemen [5297]; Zambia [659]; Zimbabwe [659]

CITES Identification Manual Reference:

A-211.006.003.004

Order: ANSERIFORMES
Family: ANATIDAE

Alopochen aegyptiacus (Linnaeus, 1766)III GH C LC 509, 511, 524, 573, 613,
636, 841, 1010, 1256,
1292Synonym: *Anas aegyptiaca* Linnaeus, 1766

E: Egyptian Goose, F: Oie d'Égypte, Ovette d'Égypte, Ovette d'Égypte, S: Ganso del Nilo, Ganso del Nilo, Oca del Nilo

Algeria [971]; Angola (br) [5267]; Belgium (int, br) [5272]; Benin (v) [659]; Botswana (br) [1102]; Burkina Faso (br?) [659]; Burundi (br) [659]; Cameroon (br?) [659]; Central African Republic (br) [659]; Chad (br) [659]; China (v) [6425]; Congo (br?) [659]; Côte d'Ivoire (v) [1334]; ?Cyprus [709]; Democratic Republic of the Congo (br) [25489]; Djibouti (br) [427]; Egypt (br) [756]; Equatorial Guinea (br?) [659]; Ethiopia (br) [659]; France (v) [7041]; Gabon (br?) [659]; Gambia [760]; Ghana (v) [782]; Guinea (br) [659, 1078, 11442]; Guinea-Bissau (br) [659, 715, 7849]; Hungary (v) [5257]; Israel (ex, br) [5245]; Kenya (br) [5253]; Lesotho (br) [486]; Malawi (br) [1103]; Mali (br) [659]; Malta (v); Mauritania (br) [659]; Mozambique (br) [659]; Namibia (br) [659]; Netherlands (int, br) [5273]; Niger (br?) [659]; Nigeria (br); Oman (v) [13112]; Rwanda (br) [659]; Senegal (br) [659]; Somalia (br) [5252]; South Africa (br) [659]; Spain (v) [702]; Sudan (br) [659]; Swaziland (br) [1139]; Syrian Arab Republic (v) [5283]; Togo (v) [5254]; Tunisia [1344]; Uganda (br) [659]; United Arab Emirates (int, br) [1192]; United Kingdom (int, br) [1320, 6188]; United Republic of Tanzania (br) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

CITES Identification Manual Reference:

A-212.002.010.001

Anas acuta Linnaeus, 1758III GH C LC 381, 387, 485, 509, 511,
524, 613, 636, 841, 929,
1010, 1023, 1045, 1256

E: Common Pintail, Northern Pintail, Pintail, F: Canard pilet, Canard pilet, Pilet, S: Ánade rabudo, Pato golondrino norteño, Pato rabudo

Afghanistan (br) [694]; Albania; Algeria [971]; ?Anguilla (v) [5242]; Antigua and Barbuda (v) [5242]; Armenia [5240]; Australia (v) [13187]; Austria (br) [1215]; Azerbaijan; Bahamas [5242]; Bahrain [1105]; Bangladesh [804]; Barbados [5242]; Belgium (br) [5272]; Belize [680, 5241]; Bermuda [389]; Bhutan [5261]; Bosnia and Herzegovina [1038]; Botswana (v) [1102]; Brunei Darussalam (v) [1019]; Bulgaria (br) [5280]; Burkina Faso [659]; Burundi [659]; Cambodia [5243]; Cameroon [659]; Canada (br) [748]; Cayman Islands (v); Central African Republic [659]; Chad [659]; China (br) [5293]; Colombia (v) [837]; Cook Islands (v) [1171]; Costa Rica [1311]; Côte d'Ivoire (v) [433, 1334]; Croatia [5290]; Cuba [5259]; Cyprus [709]; Czech Republic [5258]; Democratic People's Republic of Korea [7680]; Democratic Republic of the Congo [25489]; Denmark (br) [666]; Djibouti [427]; Dominican Republic [1312]; Egypt [756]; Eritrea [659]; Estonia (br) [5277]; Ethiopia [659]; Faroe Islands (br) [480]; Finland (br) [1300]; France (br) [7041]; French Polynesia (v) [1171]; Marquesas (v) [1171]; Society Is (v) [1171]; French Southern and Antarctic Territories (br); Gabon (v) [659]; Gambia [760]; Germany (br) [5274]; Ghana [782]; Greece [5281]; Greenland (br); Guadeloupe (v) [5242]; Guam [25484]; Guatemala [5241]; Guinea [659, 1389, 11456]; Guinea-Bissau [7849, 7850, 7851]; Guyana (v) [1295, 25537]; Haiti [1408]; Honduras [1076]; Hong Kong, China; Hungary (br) [5257]; Iceland (br) [507]; India [1197]; Indonesia (v) [393, 1050, 1289]; Jawa, Sumatera [7727]; Iran (Islamic Republic of) [1253]; Iraq [385]; ?Ireland (br) [858]; Israel [5245]; Italy [5289]; Jamaica [657]; Japan [503]; Jordan [395, 1386]; Kazakhstan (br) [5269]; Kenya [5253]; Kiribati [503]; Korea, Republic of [1436]; Kuwait [537]; Lao People's Democratic Republic [6187]; Latvia (br) [5278]; Lebanon [5284]; Liberia (v) [5246]; Libyan Arab Jamahiriya [536]; Liechtenstein; Lithuania (br) [5247]; Luxembourg [5248]; Malawi [1103]; Malaysia (v): Peninsular Malaysia, Sabah, Sarawak; Maldives (v) [431]; Mali [659]; Malta; Marshall Islands [1171]; Martinique (v) [5242]; Mauritania [659]; Mexico [5241]; Mongolia (br) [1306]; ?Montserrat (v) [5242]; Morocco (br) [461]; Myanmar [1290]; Nepal [865]; Netherlands (br) [5273]; Netherlands Antilles (v): Bonaire (v), Netherlands Leeward Is (v); Nicaragua [1195]; Niger [659]; Nigeria; Northern Mariana Islands [25484]; Norway (br) [5275]; Oman [13112]; Pakistan; Palau [1171]; Panama [1195]; Papua New Guinea (v) [6951]; Philippines [5270]; Poland (br)

[1348]; Portugal [1332]: Portugal, Azores (v), Madeira (v), Selvagens [1049]; Puerto Rico (v) [1176]; Qatar [1393]; Romania (br) [558]; Russian Federation (br) [710]; Rwanda [659]; Saint Kitts and Nevis (v) [5242]; Saint Lucia (v) [5251]; Saint Pierre and Miquelon [683]; Saint Vincent and the Grenadines (v) [5242]; Saudi Arabia [881]; Senegal [659]; Senegal [759]; Serbia and Montenegro [1038]; Seychelles (v) [659, 667, 6253]; Seychelles [393]; Sierra Leone [659]; Singapore [791]; Slovakia (br) [5279]; Slovenia [1038]; Somalia [5252]; South Africa [575, 659]; Spain (br) [702]; Sri Lanka [5271]; Sudan [659]; Suriname (v) [5296]; Svalbard and Jan Mayen Islands (v); Sweden (br) [1199]; Switzerland [5288]; Syrian Arab Republic [5283]; Taiwan, Province of China; Tajikistan [374]; Thailand [487]; The former Yugoslav Republic of Macedonia [1038]; Togo [5254]; Tonga (v) [1171]; Trinidad and Tobago (v) [10294]; Tunisia (br) [1344]; Turkey (br) [5282]; Turks and Caicos Islands (v); Uganda [659]; United Arab Emirates [1192]; United Kingdom (br) [6188]; United Republic of Tanzania [659]; United States (br) [387, 834]; United States Virgin Islands (v); Uzbekistan [710]; Venezuela (v) [1070]; Viet Nam [5264]; Western Sahara; Yemen [5297]; Zambia [575, 659]; Zimbabwe [575, 659]

Anas aucklandica (Gray, 1844)

I A VU 595, 815, 931, 1010, 1073, 1429, 9306

Synonym: *Nesonetta aucklandica* G. R. Gray, 1844E: Brown Teal, Flightless Teal, F: Sarcelle aptère, Sarcelle brune, Sarcelle de Nouvelle-Zélande, Sarcelle terrestre des îles Auckland, S: Cerceta alicorta de Auckland, Cerceta maorí
New Caledonia (v) [5260]; New Zealand (br) [1351]***Anas bernieri*** (Hartlaub, 1860)

II B EN 509, 595, 597, 633, 636, 961, 1010, 1446

Synonym: *Querquedula bernieri* Hartlaub, 1860E: Bernier's Teal, Madagascar Teal, F: Canard de Bernier, Sarcelle de Bernier, Sarcelle de Madagascar, Sarcelle malgache de Bernier, S: Cerceta de Madagascar, Cerceta malgache, Cerceta malgache de Bernier, Pato de Bernier
Israel (v); Madagascar (br) [5249]

CITES Identification Manual Reference:

A-212.002.012.006

Anas capensis Gmelin, 1789

III GH C LC 509, 511, 524, 573, 636, 1010, 1256

E: Cape Teal, Cape Wigeon, F: Canard du Cap, Sarcelle du Cap, S: Cerceta del Cabo
Angola (br) [5267]; Botswana (br) [1102]; Cameroon (v); Chad (br) [659]; Democratic Republic of the Congo (br) [25489]; Ethiopia (br) [659]; Ghana (v) [782]; Israel (v) [5245]; Kenya (br) [5253]; Lesotho (v) [486]; Libyan Arab Jamahiriya (br?) [536, 841]; Malawi (v) [1103]; Mozambique (br) [659]; Namibia (br) [659]; Niger (br) [659]; Nigeria (br?); South Africa (br) [659]; Sudan (br) [659]; Swaziland (v) [1139]; United Republic of Tanzania (br) [659]; Zambia (br) [659]; Zimbabwe (br) [659]***Anas clypeata*** Linnaeus, 1758

III GH C LC 381, 387, 485, 509, 511, 524, 613, 636, 841, 929, 1010, 1023, 1045, 1068, 1152, 1256

Synonym: *Spatula clypeata* (Linnaeus, 1758)E: Northern Shoveler, Shoveler, F: Canard souchet, Canard souchet, Souchet, S: Cuchara común, Pato chucara, Pato cuchara, Pato cucharón norteño
Afghanistan (br) [694]; Albania (br?); Algeria [971]; Antigua and Barbuda [5242]; Armenia [5240]; Aruba (v) [1380]; Australia (v) [477, 498, 13187]; Austria (br) [1215]; Azerbaijan (br) [710]; Bahamas [5242]; Bahrain [1105]; Bangladesh [804]; Barbados (v) [5242]; Belarus (br); Belgium (br) [5272]; Belize [5241, 6709]; Bermuda (v) [389]; Bhutan [5261]; Bolivia (v) [6986]; Bosnia and Herzegovina (br) [1038]; ?Botswana (v) [1102]; Brunei Darussalam (v) [1019]; Bulgaria (br) [5280]; Burkina Faso [659]; Burundi [659]; Cambodia [5243]; Cameroon (v) [659, 25314, 25315]; Canada (br) [748]; Cayman Islands; ?Central African Republic [659]; Chad [659]; China (br) [5293]; Colombia [837]; Costa Rica [1311]; Côte d'Ivoire [1334]; Croatia (ex, br) [5290]; Cuba [5259]; Cyprus [709]; Czech Republic [5258]; Democratic People's Republic of Korea [7680]; Democratic Republic of the Congo [25489]; Denmark (br) [666]; Djibouti [427]; Dominica [5242]; Dominican Republic [1312]; Egypt [756]; El Salvador [5241]; Eritrea [659]; Estonia (br) [5277]; Ethiopia [659]; Faroe Islands (v) [480]; Finland (br) [1300]; France (br) [7041]; French Polynesia (v) [1171]; Tuamotu Is (v) [1171]; Gambia [760]; Georgia (br) [710]; Germany (br) [5274]; Ghana [782]; Greece (br) [5281]; Guadeloupe [5242]; Guam [503]; Guatemala [5241]; Guinea (v) [659, 1389]; Guinea-Bissau [659, 7852]; Haiti [1408]; Honduras [1076]; Hong Kong, China; Hungary (br) [5257]; Iceland (br) [507]; India [1197]; Iran (Islamic Republic of) [1253]; Iraq [385]; Ireland (br) [858]; Israel [5245]; Italy (br) [5289]; Sicilia [393]; Jamaica [657]; Japan (br) [503]; Jordan [395, 1386]; Kazakhstan (br) [5269]; Kenya [5253]; Kiribati [503]; Korea, Republic of [1436]; Kuwait [537]; Kyrgyzstan (br) [710]; Latvia (br) [5278]; Lebanon [5284]; Liberia (v) [5246]; Libyan Arab Jamahiriya [536]; Liechtenstein; Lithuania (br) [5247]; Luxembourg [5248]; Malawi [575, 1103]; Malaysia (v) [1289]; Peninsular Malaysia [1049], Sabah, Sarawak; Maldives [431]; Mali [659]; Malta: Malta [759]; Marshall Islands [1171]; Martinique [5242]; Mauritania [659]; Mexico [5241]; Micronesia (Federated States of) [1171]; Moldova, Republic of (br) [710]; Mongolia (br) [1306]; Morocco [461]; ?Mozambique (v) [659]; Myanmar [1290]; Namibia (v) [659]; Nepal [865]; Netherlands (br) [5273]; Netherlands Antilles (v): Bonaire (v); New Zealand (v) [1351]; Nicaragua [1195]; Niger [659]; Nigeria; Northern Mariana Islands; Norway (br) [5275]; Oman [13112]; Pakistan; Panama [1195]; Philippines [5270]; Poland (br) [1348]; Portugal (br) [1332]; Portugal (br), Azores (v), Madeira (v); Puerto Rico [1176]; Qatar [1393]; Romania (br) [558]; Russian Federation (br)

[710]; Rwanda (v) [659]; Saint Kitts and Nevis (v); Saint Lucia (v) [5251]; Saint Pierre and Miquelon [683]; Saint Vincent and the Grenadines [5242]; Saudi Arabia [881]; Senegal [659]; Serbia and Montenegro (br) [1038]; Seychelles (v) [659, 6253]; Singapore [791]; Slovakia (br) [5279]; Slovenia (br) [1038]; Somalia [5252]; ?South Africa (v) [659]; Spain (br) [702]; Sri Lanka [5271]; Sudan [659]; Svalbard and Jan Mayen Islands (v); Sweden (br) [1199]; Switzerland (br) [5288]; Syrian Arab Republic [5283]; Taiwan, Province of China; Tajikistan [374]; Thailand [487]; The former Yugoslav Republic of Macedonia (br?) [1038]; Trinidad and Tobago (v) [703]; Tunisia [1344]; Turkey (br) [5282]; Turkmenistan (br) [710]; Turks and Caicos Islands (v); Uganda [659]; Ukraine (br) [710]; United Arab Emirates [1192]; United Kingdom (br) [932, 6188]; United Republic of Tanzania [659]; United States (br) [387]; United States Minor Outlying Islands; United States Virgin Islands; Uzbekistan (br) [710]; Venezuela (v) [1070]; Viet Nam [5264]; Western Sahara; Yemen [5297]; Zambia [575, 659]; Zimbabwe (v) [575, 659]

Anas crecca Linnaeus, 1758

III GH C LC 381, 387, 509, 511, 524, 613, 636, 841, 929, 1010, 1045, 1152, 1256

Synonym: *Anas carolinensis* Gmelin, 1789

E: Common Teal, Green-winged Teal, Teal, F: Sarcelle d'hiver, Sarcelle d'hiver, S: Cerceta aliverde, Cerceta común

Afghanistan (br) [694]; Albania; Algeria [971]; ?Anguilla (v) [5242]; Antigua and Barbuda [5242]; Armenia (br) [5240]; Aruba (v); Austria (br) [1215]; Azerbaijan (br) [710]; Bahamas [5242]; Bahrain [1105]; Bangladesh [804]; Barbados (v) [5242]; Belarus (br); Belgium (br) [5272]; Belize [5241]; Benin [659]; Bermuda [389]; Bhutan [5261]; Bosnia and Herzegovina [1038]; Brunei Darussalam (v) [1019]; Bulgaria (br) [5280]; Burundi (v) [659]; Cambodia [5243]; Cameroon [659]; Canada (br) [748]; Cape Verde (v) [820]; Cayman Islands; Central African Republic [659]; Chad [659]; China (br) [5293]; Colombia (v) [837]; Costa Rica (v) [1311]; Côte d'Ivoire (v) [1334]; Croatia (br) [5290]; Cuba [485, 5259]; Cyprus [709]; Czech Republic (br) [5258]; Democratic People's Republic of Korea [7680]; Democratic Republic of the Congo (v) [6294, 25489]; Denmark (br) [666]; Dominica (v) [5242]; Dominican Republic [1312]; Egypt [756]; Sinai [759]; Eritrea [659]; Estonia (br) [5277]; Ethiopia [659]; Faroe Islands (br) [480]; Finland (br) [1300]; France (br) [7041]; Gambia [760]; Georgia (br) [710]; Germany (br) [5274]; Ghana [782]; Greece (br) [5281]; Greenland (br); Grenada (v) [5242]; ?Guadeloupe (v) [5242]; Guatemala [5241]; Guinea-Bissau [7850]; Haiti [1408]; Honduras [1076]; Hong Kong, China; Hungary (br) [5257]; Iceland (br) [507]; India [1197]; Iran (Islamic Republic of) [1253]; Iraq [385]; Ireland (br) [858]; Israel [5245]; Italy (br) [5289]; Jamaica [657]; Japan (br) [503]; Jordan [395, 1386]; Kazakhstan (br) [5269]; Kenya [5253]; Korea, Republic of [1436]; Kuwait [537]; Kyrgyzstan [710]; Lao People's Democratic Republic [6187]; Latvia (br) [5278]; Lebanon [5284]; Libyan Arab Jamahiriya [536]; Liechtenstein; Lithuania (br) [5247]; Luxembourg (br) [5248]; Malaysia (v): Peninsular Malaysia [1049], Sabah; Maldives [431]; Mali [659]; Malta; Marshall Islands (v) [1171]; ?Martinique (v) [5242]; Mauritania [659]; Mexico [5241]; Micronesia (Federated States of) (v) [25484]; Moldova, Republic of (br) [710]; Mongolia (br) [1306];Montserrat (v) [5242]; Morocco [461]; Myanmar [1290]; Nepal [865]; Netherlands (br) [5273]; Niger [659]; Nigeria; Northern Mariana Islands [25484]; Norway (br) [5275]; Oman [13112]; Pakistan; Palau (v) [1171, 25484]; Philippines [5270]; Poland (br) [1348]; Portugal [1332]: Portugal, Azores (br?), Madeira; Puerto Rico [1176]; Qatar [1393]; Romania (br) [558]; Russian Federation (br) [710]; Rwanda (v) [659]; Saint Kitts and Nevis (v) [5242]; Saint Lucia (v) [5251]; Saint Pierre and Miquelon [683]; Saint Vincent and the Grenadines (v) [5242]; Saudi Arabia [881]; Senegal [659]; Serbia and Montenegro (br?) [1038]; Seychelles (v?) [659]; Singapore [791]; Slovakia (br) [5279]; Slovenia (br) [1038]; Somalia [5252]; Spain (br) [702]; Sri Lanka [5271]; Sudan [659]; Svalbard and Jan Mayen Islands (br); Sweden (br) [1199]; Switzerland (br) [5288]; Syrian Arab Republic [5283]; Taiwan, Province of China; Tajikistan [374]; Thailand [487]; The former Yugoslav Republic of Macedonia [1038]; Trinidad and Tobago (v) [703, 10294]; Tunisia [1344]; Turkey (br) [5282]; Turkmenistan [710]; Uganda [659]; Ukraine (br) [710]; United Arab Emirates [1192]; United Kingdom (br) [6188]; United Republic of Tanzania [659]; United States (br) [387]; United States Virgin Islands (v); Uzbekistan (br) [710]; Viet Nam [5264]; Western Sahara; Yemen [5297]

Anas formosa Georgi, 1775

II B VU 502, 595, 613, 636, 1010, 1152

E: Baikal Teal, F: Sarcelle élégante, Sarcelle formose, S: Cerceta del Baikal

Afghanistan (v) [694]; Bangladesh (v) [804]; China [5293]; Democratic People's Republic of Korea [7680]; ?France (v) [7041]; Hong Kong, China (v); India (v) [1197]; ?Italy (v) [5289]; Japan [503]; Kazakhstan (v) [5269]; Korea, Republic of [1436]; ?Malta (v); Mongolia [1306]; Myanmar (v); Nepal (v) [865]; ?Netherlands (v) [5273]; Russian Federation (br) [710, 8152]; ?Spain (v) [397, 702]; ?Svalbard and Jan Mayen Islands (v); Taiwan, Province of China; Thailand; Uzbekistan (v) [710]

Anas laysanensis Rothschild, 1892

I A CR 387, 595, 636, 931, 1010

Synonym: *Anas platyrhynchos laysanensis* Rothschild, 1892

E: Laysan Duck, Laysan Teal, F: Canard de Laysan, Sarcelle de Laysan, S: Pato de Laysan, Pato real de Laysan

United States (br) [387]: Hawaiian Is

CITES Identification Manual Reference:

A-212.002.012.023d

Anas melleri P. L. Sclater, 1865

D EN

E: Meller's Duck, F: Canard de Meller, S: Anade malgache
Madagascar (br) [5249]; Mauritius (int) [659]; Réunion (int) [1303]

Anas oustaleti Salvadori, 1894

I A

Synonym: *Anas platyrhynchos "oustaleti"*

E: Marianas Island Duck, Marianas Mallard, Oustalet's Grey Duck, F: Canard aberrant, Canard des Marianne, Canard d'Oustalet, S: Pato de Oustalet, Pato real marismeno
 Guam (ex, br) [503]; ?Northern Mariana Islands (br)

CITES Identification Manual Reference:

A-212.002.012.023f

Anas penelope Linnaeus, 1758

III GH	C	LC	381, 387, 509, 511, 524, 613, 636, 841, 871, 929, 942, 1010, 1152, 1256
--------	---	----	---

E: Eurasian Wigeon, Wigeon, F: Canard siffleur, Canard siffleur, S: Ánade silbón, Pato silbón, Silbón europeo
 Afghanistan [694]; Albania; Algeria [971]; Antigua and Barbuda (v) [485, 5242]; Armenia [5240]; Austria [1215]; Azerbaijan (br) [710]; Bahamas (v); Bahrain [1105]; Bangladesh [804]; Barbados (v) [485, 5242]; Belgium (br) [5272]; Bermuda (v) [389]; Bhutan [5261]; Bosnia and Herzegovina [1038]; Brunei Darussalam; Bulgaria [5280]; Burundi (v) [659]; Cambodia [5243]; Cameroon (v) [659]; Canada [748]; Chad [659]; China (br) [5293]; Croatia [5290]; Cyprus [709]; Czech Republic (br) [5258]; Democratic People's Republic of Korea [7680]; Democratic Republic of the Congo (v) [25489]; Denmark (br) [666]; Djibouti (v) [427]; Dominican Republic (v) [485, 1312]; Egypt [756]; Eritrea [659]; Estonia (br) [5277]; Ethiopia [659]; Faroe Islands [480]; Finland (br) [1300]; France [7041]; Georgia (br) [710]; Germany (br) [5274]; Ghana (v) [782]; Greece [5281]; Greenland; Guam [503]; Haiti (v) [485, 1408]; Hong Kong, China; Hungary [5257]; Iceland (br) [507]; India [1197]; Indonesia (v) [393]; Irian Jaya, Sulawesi [1410]; Iran (Islamic Republic of) [1253]; Iraq [385]; Ireland [858]; Israel [5245]; Italy [5289]; Japan [503]; Jordan [395, 1386]; Kazakhstan (br) [5269]; Kenya [5253]; Korea, Republic of [1436]; Kuwait [537]; Lao People's Democratic Republic [6187]; Latvia (br) [5278]; Lebanon [5284]; Libyan Arab Jamahiriya [536]; Liechtenstein; Luxembourg [5248]; Malaysia (v) [1289]; Peninsular Malaysia, Sabah, Sarawak; Mali [659]; Malta; Marshall Islands [1171]; Mauritania [659]; Mexico (v) [5241]; Campeche [759]; Chiapas [393]; Micronesia (Federated States of) (v) [1171, 25484]; Mongolia (br) [1306]; Morocco [461]; Myanmar [1290]; Nepal [865]; Netherlands (br) [5273]; Niger [659]; Nigeria; Northern Mariana Islands (v); Norway (br) [5275]; Oman [13112]; Pakistan; Palau [1171]; Papua New Guinea (v) [6951]; Philippines [5270]; Poland (br) [1348]; Portugal [1332]; Portugal, Azores (v), Madeira (v); Puerto Rico (v) [485, 1176]; Qatar [1393]; Romania [558]; Russian Federation (br) [710]; Saint Pierre and Miquelon (v) [683]; Saudi Arabia [881]; Senegal [659]; Serbia and Montenegro [1038]; Singapore (v) [791]; Slovakia (br) [5279]; Slovenia [1038]; Slovenia [1049]; Somalia (v) [5252]; Spain (br) [702]; Sri Lanka [5271]; Sudan [659]; Svalbard and Jan Mayen Islands (v); Sweden (br) [1199]; Switzerland [5288]; Syrian Arab Republic [5283]; Taiwan, Province of China; Tajikistan [374]; Thailand [487]; The former Yugoslav Republic of Macedonia [1038]; Tunisia [1344]; Turkey (br) [5282]; Uganda (v) [659]; United Arab Emirates [1192]; United Kingdom (br) [6188]; United Republic of Tanzania [659]; United States [387]; Uzbekistan [710]; Venezuela (v) [10293]; Viet Nam [5264]; Western Sahara; Yemen [5297]

Anas querquedula Linnaeus, 1758

III GH	A	LC	381, 387, 509, 511, 524, 613, 636, 841, 929, 1010, 1023, 1045, 1152, 1256
--------	---	----	--

E: Garganey, Garganey Teal, F: Sarcelle d'été, Sarcelle d'été, S: Cerceta Carretona, Cerceta carretona, Cerceta cejiblanca
 Afghanistan [694]; Albania (br); Algeria [971]; Armenia (br) [5240]; Australia (v) [477]; South Australia [759]; Austria (br) [1215]; Azerbaijan (br) [710]; Bahrain [1105]; Bangladesh [804]; Barbados (v) [485, 5242]; Belarus (br); Belgium (br) [5272]; Benin [659]; Bhutan [5261]; Bosnia and Herzegovina (br) [1038]; Botswana (v) [575, 1102]; Brunei Darussalam (v); Bulgaria (br) [5280]; Burkina Faso [659]; Burundi [659]; Cambodia [5243]; Cameroon [659]; Canada (v) [748]; Cape Verde (v); Central African Republic [659]; Chad [659]; China (br) [5293]; Christmas Island (v); Côte d'Ivoire [1334, 25470]; Croatia (br) [5290]; Cyprus [709]; Czech Republic [5258]; Democratic People's Republic of Korea [7680]; Democratic Republic of the Congo [25489]; Denmark (br) [666]; Djibouti [427]; Egypt [756]; Eritrea [659]; Estonia (br) [5277]; Ethiopia [659]; Faroe Islands (v) [480]; Finland (br) [1300]; France (br) [7041]; Gabon [659]; Gambia [760]; Georgia (br) [710]; Germany (br) [5274]; Ghana [782]; Greece (br) [5281]; Guam (v) [503]; Guinea [659, 11443]; Guinea-Bissau [659, 715]; Hong Kong, China; Hungary (br) [5257]; Iceland (v) [507]; India [1197]; Indonesia (v) [393]; Irian Jaya, Jawa, Kalimantan, Lesser Sunda Is, Moluccas, Sulawesi, Sumatera; Iran (Islamic Republic of) (br) [1253]; Iraq [385]; Ireland (br?) [858]; Israel (br) [5245]; Italy (br) [5289]; Japan (br) [503]; Jordan [395, 1386]; Kazakhstan (br) [5269]; Kenya [5253]; Korea, Republic of [1436]; Kuwait [537]; Kyrgyzstan [710]; Lao People's Democratic Republic [6187]; Latvia (br) [5278]; Lebanon [5284]; Liberia [5246]; Libyan Arab Jamahiriya [536]; Liechtenstein; Lithuania (br) [5247]; Luxembourg (br) [5248]; Malawi [575, 1103]; Malaysia [1289]; Peninsular Malaysia [1049], Sabah, Sarawak; Maldives [431, 7264]; Mali [659]; Malta; Mauritania [659]; Mauritius (v) [659]; Rodrigues (v) [7810]; Moldova, Republic of (br) [710]; Mongolia (br) [1306]; Morocco [461]; Myanmar [1290]; Nepal [865]; Netherlands (br) [5273]; Niger [659]; Nigeria; Northern Mariana Islands (v); Norway (br) [5275]; Oman [13112]; Pakistan; Palau (v) [1171]; Papua New Guinea [6951]; Philippines [5270]; Poland (br) [1348]; Portugal (br) [1332]; Portugal (br), Azores (v); Puerto Rico (v) [1176]; Qatar [1393]; Réunion (v) [1303]; Romania (br) [558]; Russian Federation (br) [710]; Rwanda [659]; Saudi Arabia [881]; Senegal [659]; Serbia and Montenegro (br) [1038]; Seychelles [659]; Sierra Leone [659]; Singapore [791]; Slovakia (br) [5279]; Slovenia (br) [1038]; Somalia [5252]; South Africa [575, 659]; Spain (br) [702]; Sri Lanka [5271]; Sudan [659]; Svalbard and Jan Mayen Islands (v); Sweden (br) [1199]; Switzerland (br) [5288]; Syrian Arab Republic [5283]; Taiwan, Province of China; Tajikistan [374]; Thailand [487]; The former Yugoslav Republic of

Macedonia (br) [1038]; Togo [5254]; Tunisia [1344]; Turkey (br) [5282]; Uganda [659]; Ukraine (br) [710]; United Arab Emirates [1192]; United Kingdom (br) [6188]; United Republic of Tanzania [659]; United States (v) [387]; Uzbekistan (br) [710]; Viet Nam [5264]; Western Sahara; Yemen [5297]; Socotra [393]; Zambia [575, 659]; Zimbabwe [575, 659]

Aythya innotata (Salvadori, 1894)

A CR

Synonym: *Nyroca innotata* Salvadori, 1894

E: Madagascar Pochard, F: Fuligule de Madagascar, S: Porrón Malgache
Madagascar (br) [5249, 7113]

Aythya nyroca (Güldenstädt, 1770)

III GH A NT 381, 524, 613, 841,
1010, 1256

Synonyms: *Anas nyroca* Güldenstädt, 1770, *Nyroca nyroca* (Güldenstädt, 1770)

E: Ferruginous Duck, Ferruginous Pochard, White-eyed Pochard, F: Fuligule nyroca, Fuligule nyroca,
S: Porrón pardo, Porrón Pardo

Afghanistan (br) [694]; Albania (br); Algeria (br) [971]; Armenia (br) [5240]; Austria (br) [1215]; Azerbaijan (br) [710, 10114]; Bahrain (v) [1105]; Bangladesh [804]; Belarus; Belgium [5272]; Bhutan [5261]; Bosnia and Herzegovina (br) [1038]; Bulgaria (br) [5280, 8155, 8165]; Burkina Faso (v) [659]; Cameroon [659, 25339]; Cape Verde (v) [820]; Central African Republic [659]; Chad [659, 8156]; China (br) [5293]; Croatia (br) [5290]; Cyprus [709]; Czech Republic [5258]; Denmark (v) [666]; Egypt [756]; Eritrea [659]; Ethiopia [659]; Finland (v) [1300]; France (br) [7041]; Gambia (v) [760]; Georgia (br) [710]; Germany (br) [5274]; Ghana (v) [782]; Greece (br) [5281]; Hong Kong, China (v); Hungary (br) [5257]; India (br) [1197, 8163]; Iran (Islamic Republic of) (br) [1253]; Iraq [385, 10169]; Ireland (v) [858]; Israel (br) [5245]; Italy (br) [5289, 8164]; Japan (v) [503]; Jordan [395, 1386]; Kazakhstan (br) [5269]; Kenya [5253]; Kuwait (v); Latvia (br) [5278]; Lebanon [5284]; Libyan Arab Jamahiriya [536]; Liechtenstein (v); Lithuania (br) [5247]; Luxembourg (v) [5248]; Maldives (v) [431]; Mali [659, 8156]; Malta; Mauritania [659]; Moldova, Republic of (br) [710]; Mongolia (br) [1159, 1306]; Morocco (br) [461]; Myanmar [1290]; Nepal [865]; Netherlands [5273]; Niger [659]; Nigeria; Norway (v) [5275]; Oman [13112]; Pakistan; Poland (br) [1348]; Portugal [1332]; Qatar (v) [1393]; Romania (br) [558]; Russian Federation (br) [710]; Saudi Arabia (br) [881]; Senegal [659]; Serbia and Montenegro (br) [1038]; Seychelles (v) [6253]; Sierra Leone (v) [659]; Slovakia (br) [5279]; Slovenia (br) [1038]; Spain (br) [702]; Sudan [659]; Sweden (v) [1199]; Switzerland (br) [5288]; Syrian Arab Republic (v) [5283]; Tajikistan (br) [374]; Thailand [487]; The former Yugoslav Republic of Macedonia (br) [1038]; ?Togo (v) [5254]; Tunisia [1344]; Turkey (br) [5282, 8142]; Turkmenistan (br) [710, 8158, 8159]; Uganda (v) [659]; Ukraine (br) [710]; United Arab Emirates [1192]; United Kingdom (v) [6188]; Uzbekistan (br) [710, 8168]; Viet Nam [5264]; ?Western Sahara; Yemen [5297]; Socotra

Branta canadensis (Linnaeus, 1758)

I/NC A/NR LC

Synonym: *Anas canadensis* Linnaeus, 1758

E: Canada Goose, F: Bernache du Canada, Bernache du Canada, S: Barnacla Canadiense, Barnacla Canadiense

Australia (int, v): Lord Howe I (int, v); Bahamas (v) [5242]; Belgium (int, br) [5272]; Bermuda [389]; ?Bulgaria (v) [5280]; Canada (br) [748]; Cayman Islands (v); Cuba (v) [5259]; Czech Republic (int) [5258]; Democratic People's Republic of Korea (v) [7680]; Denmark (int, br) [666]; Faroe Islands (int, br) [480]; Finland (int, br) [1300]; France (int, v) [7041]; Germany (int, br) [5274]; Greenland (br); Haiti [1408]; Iceland (int, v) [507]; Jamaica (v) [657]; Japan (v) [503]; Kiribati (v) [503]; Korea, Republic of (v) [1436]; Latvia (int, br) [5278]; Liechtenstein (int, v); Lithuania (v) [5247]; Luxembourg (int, v) [5248]; Marshall Islands (v) [1171]; Mexico [5241]; Netherlands (int, br) [5273]; New Zealand (int, br); Norway (int, br) [5275]; Poland (int, v) [1348]; ?Portugal (v): ?Azores (v); Puerto Rico (v) [1176]; Russian Federation (br) [710]; Saint Pierre and Miquelon (br) [683]; Slovakia (int, v) [5279]; Slovenia (int, v) [1038]; Spain (int?, v) [702]; Sweden (int, br) [1199]; Turks and Caicos Islands (v); Ukraine (v) [710]; United Kingdom (int, br, v) [6188]; United States (br) [387]

Non-CITES populations

LC

Liechtenstein (int, v); Lithuania (v); Luxembourg (int, v); Marshall Islands (v); Mexico; Netherlands (int, br); New Zealand (int, br); Norway (int, br); Poland (int, v); ?Portugal (v): ?Azores (v); Puerto Rico (v); Russian Federation (br); Saint Pierre and Miquelon (br); Slovakia (int, v); Slovenia (int, v); Spain (int?, v); Sweden (int, br); Turks and Caicos Islands (v); Ukraine (v); United Kingdom (int, br, v); United States (br)

Branta canadensis leucopareia

I A 387, 636, 931, 1010,
1023

(Brandt, 1836)
E: Aleutian Canada Goose, Aleutian Goose, F: Bernache des Aléoutiennes, Bernache du Canada aléoute,
S: Barnacla de las Aleutianas, Ganso canadiense aleutiana

Canada (v) [748]; Japan [503]; Mexico [5241]; Russian Federation (br) [710]; United States (br) [387]

CITES Identification Manual Reference:

A-212.002.003.003

Branta ruficollis (Pallas, 1769)

II A VU 595, 613, 636, 841, 1010,
1377

Synonyms: *Rufibrenta ruficollis* (Pallas, 1769), *Anser ruficollis* Pallas, 1769

E: Red-breasted Goose, F: Bernache à cou roux, Bernache à cou roux, S: Barnacla cuellirroja

Albania [25261]; Armenia (v) [5240]; Austria (v) [1215]; Azerbaijan; Belgium (v) [5272]; Bosnia and Herzegovina (v) [1038]; Bulgaria [1282, 5280]; China (v) [5293]; Croatia (v) [5290]; Czech Republic [5258]; Denmark (v) [666]; ?Egypt (v) [756]; Finland (v) [1300]; France (v) [7041]; Germany (v) [5274]; Greece [5281]; Hungary [1307, 5257]; India (v) [1197]; Iran (Islamic Republic of) [1253]; Iraq [385]; Ireland (v) [858]; Israel (v) [5245]; Italy (v) [5289]; Kazakhstan [5269]; Latvia (v) [5278]; Netherlands (v) [5273]; Norway (v) [5275]; Poland (v) [1348]; Romania [558]; Russian Federation (br) [489, 710, 938]; Serbia and Montenegro (v) [1038]; Slovakia (v) [5279]; Spain (v) [702]; Svalbard and Jan Mayen Islands (v); Sweden (v) [1199]; Turkey [446, 912, 5282]; Turkmenistan [710, 8159]; Ukraine [710]; United Kingdom (v) [6188]; Uzbekistan [710, 8168]

CITES Identification Manual Reference:

A-212.002.003.005

Branta sandvicensis (Vigors, 1833)I A VU 387, 475, 595, 636, 839,
847, 931, 1010Synonyms: *Nesochen sandvicensis* (Vigors, 1833), *Anser sandvicensis* Vigors, 1833E: Hawaiian Goose, Nene, F: Bernache des Iles Sandwich, Bernache d'Hawaï, Bernache néné, Oie néné,
S: Barnacla hawaiana, Barnacla nene, Ganso nene
United States (br) [387]

CITES Identification Manual Reference:

A-212.002.003.006

Cairina moschata (Linnaeus, 1758)

III HN C LC 636, 1010, 1068

Synonym: *Anas moschata* Linnaeus, 1758E: Muscovy Duck, F: Canard de Barbarie, Canard musqué, S: Pato criollo, Pato real
Argentina (br) [5291, 10249]; Belize (br) [610, 5241]; Bolivia (br) [1186, 5116]; Brazil (br) [6186]; Chile (br) [5292]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294, 6712]; El Salvador (br) [5241]; French Guiana (br) [1349]; Guatemala (br) [5241]; Guyana (br) [1295, 25537]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [5295]; Peru (br) [1136]; Suriname (br) [5296]; Trinidad and Tobago (v) [703]; ?United States (v) [387]; Uruguay (br) [5287, 25534]; Venezuela (br) [1070]***Cairina scutulata*** (S. Müller, 1842)I A EN 381, 595, 636, 775, 854,
929, 931, 1010Synonyms: *Anas scutulata* S. Müller, 1842, *Asarcornis scutulata* (S. Müller, 1842)E: White-winged Duck, White-winged Wood Duck, F: Canard à ailes blanches, Canard musqué à ailes blanches, S: Pato aliblanco, Pato almizclero aliblanco, Pato de jungla
Bangladesh (br) [804, 923]; Cambodia (br?) [5243, 6476]; India (br) [1197, 6377]; Indonesia (br) [393]: Jawa, Sumatera [842, 843, 1094, 8151]; Lao People's Democratic Republic (br) [6187]; Malaysia (v): Peninsular Malaysia; Myanmar (br) [1290]; Thailand (br) [487, 783, 1141, 1220]; Viet Nam (br) [5264]

CITES Identification Manual Reference:

A-212.002.016.003

Coscoroba coscoroba (Molina, 1782)

II B LC 636, 1010, 1045, 1068

Synonym: *Anas coscoroba* Molina, 1782E: Coscoroba Swan, F: Coscoroba blanc, Cygne coscoroba, S: Cisne coscoroba, Ganso blanco
Argentina (br) [5291, 10249]; Brazil (br) [6186]; Chile (br) [5292]; Falkland Islands (Malvinas) (ex, br, v) [1439]; Paraguay (br) [814, 5295]; Uruguay (br) [5287, 25534]

CITES Identification Manual Reference:

A-212.002.005.001

Cygnus melanocorypha (Molina, 1782)II B 636, 1010, 1045, 1068,
7806Synonym: *Anas melanocorypha* Molina, 1782E: Black-necked Swan, F: Cygne à cou noir, Cygne chanteur, S: Cisne cuellinegro
Antarctica (v); Argentina (br) [5291, 10249]; Brazil (br) [6186]; Chile (br) [5292]; Falkland Islands (Malvinas) (br) [1439]; ?Paraguay [5295]; Uruguay (br) [5287, 25534]

CITES Identification Manual Reference:

A-212.002.006.005

Dendrocygna arborea (Linnaeus, 1758)II B VU 485, 595, 598, 636, 678,
1010, 1045, 1068Synonym: *Anas arborea* Linnaeus, 1758E: Black-billed Wood-Duck, Cuban Tree-Duck, West Indian Tree-Duck, West Indian Whistling-Duck,
F: Dendrocygne à bec noir, Dendrocygne des Antilles, S: Chiriría caribeña, Pato silbón de Cuba, Suirirí yaguazaAntigua and Barbuda (br) [976, 5242]; Bahamas (br) [533, 5242, 7877]; Barbados [5242]; Bermuda (v) [389];
British Virgin Islands (br?) [25480]; Cayman Islands (br) [978, 25480]; Cuba (br) [731, 732, 5259]; Dominica (v) [5242]; Dominican Republic (br) [1312, 7873]; Grenada [5242]; Haiti (br) [1408]; Jamaica (br) [657]; Martinique [5242]; Netherlands Antilles (v); Puerto Rico (br) [1176]; Saint Kitts and Nevis (ex, v) [5242, 10300]; Turks and Caicos Islands (br) [7878, 25480]; United States Virgin Islands (br?)

CITES Identification Manual Reference:

A-212.002.007.002

Dendrocygna autumnalis (Linnaeus, 1758)	III HN	C	LC	485, 622, 636, 1010, 1068
Synonym: <i>Anas autumnalis</i> Linnaeus, 1758				
E: Black-bellied Whistling-Duck, Red-billed Whistling-Duck, F: Dendrocygne à bec rouge, Dendrocygne à ventre noir, S: Guirirí, Pato silbón ventrinegro, Pijiji aliblanco, Suirirí píquirrojo				
Argentina (br) [5291, 10249]; Aruba (v) [1380]; Bahamas (v) [5242]; Barbados (v) [5242]; Belize (br) [5241]; Bolivia (br) [1186]; Brazil (br) [6186]; Cayman Islands (v); Chile (v) [5292]; Colombia (br) [837]; Costa Rica (br) [1311]; Cuba (v) [5259]; Dominica (v) [5242]; Ecuador (br) [5294]; Ecuador, Galapagos; El Salvador (br) [5241]; French Guiana (br) [1349]; Gambia (v) [760]; Grenada (v) [5242]; Guadeloupe (v) [5242]; Guatemala (br) [5241]; Guyana (br) [1295, 25537]; Honduras (br) [1076]; Jamaica (v) [657]; Martinique (v) [5242]; Mexico (br) [5241, 6648]; Netherlands Antilles (v): Bonaire (v), Curaçao (v); Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [5295]; Peru (br) [1136]; Puerto Rico (v) [1176]; Saint Lucia (v) [5251]; Saint Vincent and the Grenadines (v) [5242]; Suriname (br) [5296]; Trinidad and Tobago (br) [703]; United States (br) [387]; United States Virgin Islands (v); Venezuela (br) [1070]				
CITES Identification Manual Reference:	A-212.002.007.004			
Dendrocygna bicolor (Vieillot, 1816)	III HN	C/C	LC	381, 387, 485, 511, 524, 573, 622, 636, 1010, 1068, 1256, 1292
Synonyms: <i>Anas bicolor</i> Vieillot, 1816, <i>Dendrocygna fulva</i> Hartlaub, 1844				
E: Fulvous Tree-Duck, Fulvous Whistling-Duck, F: Dendrocygne fauve, S: Pato silbón comú, Pijiji canelo, Suirirí bicolor, Suirirí leonado, Yaguaso colorado				
Angola (br?) [5267]; Antigua and Barbuda (br) [5242]; Argentina (br) [5291, 10249]; Aruba (v) [1380]; Bahamas (v) [5242]; Bangladesh (br) [804]; Barbados (v) [5242]; Belize (v) [5241]; Benin [659]; Bermuda (v) [389]; Bhutan (v) [5261]; Bolivia (br) [1186, 6346, 7166]; Botswana (br) [1102]; Brazil (br) [6186]; ?British Virgin Islands (v); Burkina Faso (br?) [659]; Burundi (br?) [659]; Cameroon (br?) [659]; Canada (v) [748]; Cayman Islands; Central African Republic (br?) [659]; Chad (br?) [659]; Chile (v) [5292]; Colombia (br) [837]; Congo (br) [659]; Costa Rica (br) [1311]; Côte d'Ivoire (br?) [1334]; Cuba (br) [5259]; Democratic Republic of the Congo (br) [25489]; Dominica (v) [5242]; Dominican Republic (br) [1312]; Ecuador (br) [5294]; El Salvador (br) [5241]; Eritrea [659]; Ethiopia [659]; France (v) [7041]; French Guiana (v) [1349]; Gabon [659]; Gambia [760]; Ghana (br) [782]; Grenada (v) [5242]; Guadeloupe [5242]; Guatemala [5241]; Guinea (br) [659, 11443]; Guinea-Bissau [7850, 7851]; Guyana (br) [1295, 25534]; Haiti (br) [1408]; Honduras (br) [1076, 6231]; India (br) [1197]; ?Israel (v) [5245]; Jamaica (v) [657]; Kenya (br) [5253]; Lesotho [486]; Madagascar (br) [5249]; Malawi (br) [1103]; Mali (br) [659]; Martinique [5242]; Mauritania (br) [659]; Mexico (br) [5241, 6675]; ?Montserrat (v) [5242]; Morocco (v) [461]; Mozambique (br) [659]; Myanmar (br) [1290]; Namibia [659]; Nepal (v) [865]; Netherlands Antilles (v): Bonaire (v); Niger [659]; Nigeria (br); Oman [13112]; Pakistan (br); Panama (v) [1195, 6741]; Paraguay (br) [5295]; Peru (br) [1136]; ?Portugal (v): Portugal (v?), ?Azores (v); Puerto Rico (v) [1176]; Rwanda (br?) [659]; Saint Kitts and Nevis (v) [5242]; Saint Lucia (v) [5251]; Saint Vincent and the Grenadines (v) [5242]; Senegal (br) [659]; Sierra Leone (v) [659]; Somalia [5252]; South Africa (br) [659]; Spain (v) [702]; Sri Lanka (v) [5271]; Sudan [659]; Suriname (br) [5296]; Swaziland [1139]; Togo (v) [5254]; Trinidad and Tobago (v) [703, 10294]; Turks and Caicos Islands (v); Uganda (br?) [659]; United Republic of Tanzania (br) [659]; United States (br) [387, 1352]; United States Virgin Islands (v); Uruguay (br) [5287, 25534]; Venezuela (br) [1070]; Yemen (v) [6432]; Zambia (br) [659]; Zimbabwe (br) [659]				
CITES Identification Manual Reference:	A-212.002.007.005			
Dendrocygna viduata (Linnaeus, 1766)	III GH	C	LC	387, 509, 511, 524, 573, 622, 636, 1010, 1068, 1256, 1292
Synonym: <i>Anas viduata</i> Linnaeus, 1766				
E: White-faced Tree-Duck, White-faced Whistling-Duck, F: Dendrocygne veuf, S: Pato silbón cariblanco, Suirirí cariblanco, Yagouaso cariblanco				
Angola [5267]; Argentina (br) [5291, 10249]; Aruba (v) [1380]; Barbados (v) [5242]; Benin (br?) [659]; Bolivia (br) [1186]; Botswana (br) [1102]; Brazil (br) [6186]; Burkina Faso (br) [659]; Burundi (br?) [659]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Chad (br) [659]; Colombia (br) [837]; Comoros (br?) [659]; Congo (br?) [659]; Costa Rica (br) [1311]; Côte d'Ivoire (br) [1334]; Cuba (v) [5259]; Democratic Republic of the Congo (br) [25489]; Dominican Republic (v) [1312]; Equatorial Guinea [659]; Eritrea [659]; Ethiopia (br?) [659]; French Guiana (v) [1349]; Gabon (br?) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br) [659, 1078, 1389, 10590, 11456]; Guinea-Bissau (br) [659, 715, 7849]; Guyana (br) [1295, 25537]; Haiti [1408]; Kenya (br) [5253]; Lesotho (br) [486]; Liberia (br) [5246]; Madagascar (br) [5249]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (br) [659]; Mayotte; Mozambique (br) [659]; Namibia (br?) [659]; Netherlands Antilles (v): Curaçao (v); Niger (br) [659]; Nigeria (br); Panama (ex?, br) [1195]; Paraguay (br) [5295, 6238]; Peru (br) [1136]; Puerto Rico (ex, br) [1176]; Rwanda (br) [659]; Senegal (br) [659]; Seychelles (v) [659, 6253]; Seychelles (v) [6253], Aldabra (v) [7814]; Sierra Leone (br) [659]; Somalia (br) [5252]; South Africa (br) [659]; Spain (v) [702]; Sudan (br) [659]; Suriname (br) [5296]; Swaziland (br) [1139]; Togo (br) [5254]; Trinidad and Tobago (v) [703]; Uganda (br) [659]; United Republic of Tanzania (br) [659]; Uruguay (br) [5287, 25534]; Venezuela (br) [1070]; Zambia (br) [659]; Zimbabwe (br) [659]				
CITES Identification Manual Reference:	A-212.002.007.009			
Mergus octosetaceus Vieillot, 1817	A	CR		
E: Brazilian Merganser, F: Harle huppard, S: Serreta Brasileña				

Argentina (v) [5291, 10249]; Brazil (br) [6186, 12355, 25282]; Paraguay (**ex**, br) [5295]

Nettapus auritus (Boddaert, 1783)

III GH C LC 509, 511, 524, 573, 636,
1010, 1256, 1292

Synonym: *Anas aurita* Boddaert, 1783

E: African Pygmy-goose, F: Anserelle naine, Sarcelle à oreillons, S: Gansito africano, Patito africano
Angola (br?) [5267]; Benin (br?) [659]; Botswana (br) [1102]; Burkina Faso (br?) [659]; Burundi (br) [659];
Cameroon (br?) [659, 25374, 25382]; Central African Republic (br?) [659, 11929]; Chad (br) [659]; Congo (br?)
[659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br) [25489]; Ethiopia (br?) [659, 894];
Gabon (br) [659]; Gambia (br) [760]; Ghana (br) [782, 7856]; Guinea (br) [659, 1078, 11437]; Guinea-Bissau (br)
[659, 715, 7849]; Kenya (br) [5253]; ?Lesotho (v) [486]; Liberia (br?) [5246]; Madagascar (br) [5249]; Malawi
(br) [1103]; Mali (br) [659]; Mauritania (br?) [659]; Mozambique (br) [659]; Namibia (br) [659]; Niger (br)
[659]; Nigeria (br) [6276, 7101]; Rwanda (br) [659]; São Tomé and Príncipe (v) [659]; Senegal (br?) [659];
Sierra Leone (br) [659]; Somalia (br?) [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland [1139];
Togo (br?) [5254]; Uganda (br) [659]; United Republic of Tanzania (br) [659]; Zambia (br) [659]; Zimbabwe
(br) [659]

CITES Identification Manual Reference:

A-212.002.032.002

Oxyura jamaicensis (Gmelin, 1789)

B LC

Synonym: *Anas jamaicensis* Gmelin, 1789

E: Ruddy Duck, F: Érismature rousse, Érismature rousse, Érismature roux, S: Malvasía Canela, Malvasía
canela
Antigua and Barbuda (v) [5242]; Bahamas (br) [5242]; Barbados (br) [5242]; Bermuda [389]; British Virgin
Islands [25480]; Canada (br) [748]; Cayman Islands (v); Colombia (br) [837]; Cuba (br) [5259]; Denmark
(int) [666]; Dominican Republic (br) [1312]; El Salvador (br) [5241]; France (int) [7041]; Grenada (v) [5242];
Guadeloupe (v) [5242]; Guatemala [5241]; Haiti (br) [1408]; Honduras [1076]; Ireland (int) [858]; Jamaica (br)
[657]; Mexico [5241, 6675]; Netherlands (int) [5273]; Portugal (int, br): Portugal (int, br); Puerto Rico (br)
[1176]; Saint Kitts and Nevis (v) [5242]; Saint Lucia (v) [5251]; Saint Pierre and Miquelon (v) [683]; Saint
Vincent and the Grenadines (v) [5242]; Sweden (int) [1199]; Switzerland (int) [5288]; Turks and Caicos
Islands (br); United Kingdom (int) [6188]; United States (br) [387]; United States Virgin Islands (br)

Oxyura leucocephala (Scopoli, 1769)

II A EN 381, 489, 509, 524, 595,
613, 636, 772, 841,
1010, 1029, 1035, 1152

Synonym: *Anas leucocephala* Scopoli, 1769

E: White-headed Duck, F: Érismature à tête blanche, Érismature à tête blanche, S: Malvasía, Malvasía
Cabeciblanca, Malvasía cabeciblanca
Afghanistan (br) [694]; Albania; Algeria (br) [971, 7865]; Armenia (br) [5240]; Austria (v) [1215]; Azerbaijan
[710, 8149]; Belgium (v) [5272]; Bosnia and Herzegovina (v) [1038]; Bulgaria [5280, 8161]; China [5293]; Croatia
(v) [5290]; Cyprus [709]; Czech Republic (v) [5258]; ?Denmark (v) [666]; Egypt [756]; France (v) [7041];
Germany (v) [5274]; Greece [5281, 7870]; Hungary (**ex**, br) [5257]; India [1197]; Iran (Islamic Republic of) (br)
[1253]; Iraq [385]; Israel (v) [5245]; Italy (**ex**, br) [5289, 8162]; Jordan (v) [6454]; Kazakhstan (br) [5269],
Libyan Arab Jamahiriya (v) [536]; Malta (v); Mongolia (v) [1306]; Morocco [461, 8154]; Netherlands (v) [5273];
Pakistan; Poland (v) [1348]; Portugal (v) [1332]; Portugal (v); Romania (br) [558]; Russian Federation (br)
[710, 938]; Saudi Arabia (v) [881]; Serbia and Montenegro (**ex**, br) [1038]; Slovakia (v) [5279]; Slovenia (v)
[1038]; Spain (br) [653, 702]; Switzerland (v) [5288]; Syrian Arab Republic [5283]; Tajikistan [374]; The former
Yugoslav Republic of Macedonia (v) [1038]; Tunisia (br) [1344, 8153]; Turkey (br) [446, 5282]; Turkmenistan
(br) [710, 8158, 8159]; Ukraine (v); Uzbekistan (br) [710, 8150, 8168]

CITES Identification Manual Reference:

A-212.002.033.005

Plectropterus gambensis (Linnaeus, 1766)

III GH C LC 509, 511, 524, 573, 636,
1010, 1256, 1292

Synonym: *Anas gambensis* Linnaeus, 1766

E: Spur-winged Goose, F: Canard armé, Oie-armée de Gambie, S: Ganso de Gambia, Ganso espolonado
Angola (br) [5267]; Benin (br) [659]; Botswana (br) [1102]; Burkina Faso (br) [659]; Burundi (br) [659];
Cameroon (br?) [659]; Central African Republic (br) [659]; Chad (br) [659]; Congo (br?) [659]; Côte d'Ivoire
[1334]; Democratic Republic of the Congo (br) [25489]; Egypt (v) [756]; Ethiopia (br?) [659]; Gabon (br?)
[659]; Gambia (br) [760]; Ghana (br?) [782]; Guinea (br) [659, 1078, 1389, 10590]; Guinea-Bissau (br) [659,
7834, 7849]; Kenya (br) [5253]; Lesotho [486]; Liberia (br) [5246]; Malawi (br) [1103]; Mali (br) [659];
Mauritania (br) [659]; Morocco (v) [461]; Mozambique (br) [659]; Namibia (br) [659]; Niger (br) [659];
Nigeria (br); Rwanda (br) [659]; Senegal (br) [659]; Sierra Leone (br) [659]; South Africa (br) [659]; Sudan
(br) [659]; Swaziland (br) [1139]; Togo (br) [5254]; Uganda (br) [659]; United Republic of Tanzania (br) [659];
Zambia (br) [659]; Zimbabwe (br) [659]

CITES Identification Manual Reference:

A-212.002.034.001

Pteronetta hartlaubii (Cassin, 1859)

III GH C NT

509, 524, 636, 1010,
1256, 1292

Synonyms: *Cairina hartlaubii* (Cassin, 1859), *Querquedula hartlaubii* Cassin, 1859

E: Hartlaub's Duck, F: Canard de Hartlaub, S: Pato de Hartlaub

Angola (br) [5267]; Cameroon (br?) [659, 25370, 25374, 25376, 25382]; Central African Republic (br) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334, 25470]; Democratic Republic of the Congo (br) [25476, 25489]; Equatorial Guinea (br?) [659, 1183]; Gabon (br) [659]; Ghana (br) [782]; Guinea (br) [659, 1389, 10590, 11455]; Liberia (br) [5246]; Mali (br?) [659]; Nigeria (br?); Sierra Leone (br?) [659]; Sudan (br) [659]; Uganda (v) [659]

CITES Identification Manual Reference:

A-212.002.036.001

Rhodonessa caryophyllacea (Latham, 1790)

I A CR 381, 595, 776, 777, 931, 1010

Synonym: *Anas caryophyllacea* Latham, 1790

E: Pink-headed Duck, F: Canard à tête rose, Nette à cou rose, S: Pato cabecirroso, Pato de cabeza rosa
India (ex, br) [1197]; Myanmar (ex, br) [1290]; Nepal (ex, br) [865]

CITES Identification Manual Reference:

A-212.002.037.001

Sarkidiornis melanotos (Pennant, 1769)

II B LC 381, 509, 511, 524, 573, 636, 929, 1010, 1045, 1068, 1256, 1292

Synonym: *Anser melanotos* Pennant, 1769

E: Comb Duck, Knob-billed Goose, F: Canard à bosse, Canard à bosse bronzé, Canard coronculé, Sarcidiorne à crête, S: Pato crestado, Pato crestón, Pato crestudo, Pato de moco, Pato de monte
Angola (br) [5267]; Argentina (br) [465, 5291, 10249]; Bangladesh (br) [804]; Benin (br) [659]; Bolivia (br) [1186, 5116]; Botswana (br) [1102]; Brazil (br) [6186, 6291]; Burkina Faso (br) [659]; Burundi (br?) [659]; Cambodia (br) [5243]; Cameroon [659, 25382]; Central African Republic (br) [659]; Chad (br) [659]; China (br?) [5293]; Colombia (br) [837]; Congo [659]; Côte d'Ivoire [1334]; Democratic Republic of the Congo (br) [25489]; Ecuador (br) [5294]; Eritrea (br) [659]; Ethiopia [659]; Gabon [659]; Gambia [760]; Ghana (br?) [782]; Guinea [659, 1078]; Guinea-Bissau [659, 715]; Guyana (br) [1295, 25537]; India (br) [1197]; ?Japan (v) [503]; Kenya (br) [5253]; Lao People's Democratic Republic (br) [6187]; Lesotho (v) [486]; Liberia [5246]; Madagascar (br) [5249]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (br) [659]; Mexico (br) [603, 5241]; Mozambique (br) [659]; Myanmar (br) [1290]; Namibia (br) [659]; Nepal (br) [865]; Netherlands Antilles (v): Bonaire (v), Curacao (v), Niger [659]; Nigeria (br); Oman (v) [13112]; Pakistan (br); Panama (br) [1195]; Paraguay (br) [5295]; Peru (br) [1136]; Rwanda (br) [659]; São Tomé and Príncipe (v) [659]; Senegal [659]; Sierra Leone [659]; Somalia [5252]; South Africa (br) [659]; Sri Lanka (ex?, br) [5271]; Sudan (br) [659]; Swaziland [1139]; Thailand (br) [487, 854]; Togo [5254]; Trinidad and Tobago [703, 10294]; Uganda (br) [659]; United Republic of Tanzania (br) [659]; ?Uruguay (br) [376, 5287, 25534]; Venezuela (br) [1070]; Viet Nam (br) [5264]; Zambia (br) [659]; Zimbabwe (br) [659]

CITES Identification Manual Reference:

A-212.002.038.001

Tadorna cristata (Kuroda, 1917)

A CR

Synonym: *Pseudotadorna cristata* Kuroda, 1917

E: Crested Shelduck, F: Tadorne de Corée, S: Tarro crestado

China (br?) [5293]; ?Democratic People's Republic of Korea [7682]; Japan (v) [503]; Korea, Republic of [1436]; Russian Federation (br?) [710]

Order: FALCONIFORMES

Family: CATHARTIDAE

Gymnogyps californianus (Shaw, 1898)

I A CR 386, 387, 523, 595, 598, 671, 908, 925, 931, 1059

Synonym: *Vultur californianus* Shaw, 1798

E: California Condor, F: Condor de Californie, S: Cóndor californiano, Cóndor de California
Mexico (ex, br) [1413, 5241]; United States (reint, br) [387]; Arizona, California (reint, br?) [6491]

CITES Identification Manual Reference:

A-213.001.003.001

Sarcoramphus papa (Linnaeus, 1758)

III HN C LC 386, 523, 1068

Synonym: *Vultur papa* Linnaeus, 1758

E: King Vulture, F: Carcorampe roi, Roi des vautours, Sarcoramphe roi, Vautour page, Vautour royal,

S: Gallinazo rey, Jote real, Rey zamuro, Zopilote rey

Argentina (br) [5291, 10249]; Belize (br) [5241]; Bolivia (br) [1186]; Brazil (br) [6186, 25280]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294]; El Salvador (br) [5241, 13164]; French Guiana (br) [1349]; Guatemala (br) [5241]; Guyana (br) [1295, 25537]; Honduras (br) [1076]; Mexico (br) [462, 5241, 7068]; Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [5295]; Suriname (br) [5296]; Trinidad and Tobago [703, 6735]; ?Uruguay (br) [5287]; Venezuela (br) [1070]

Vultur gryphus Linnaeus, 1758

I A NT 386, 523, 708, 1068, 1329

E: Andean Condor, F: Condor des Andes, S: Cóndor, Cóndor andino, Cóndor de los Andes

Argentina (br) [5291, 10249]; Bolivia (br) [1186]; Brazil (br) [1268, 6186]; Chile (br) [873, 5292]; Colombia (br) [837]; Ecuador (br) [5294, 6389]; Paraguay [5295]; Peru (br) [1136]; Venezuela (br) [1070, 1453]

CITES Identification Manual Reference:

A-213.001.005.001

Family: PANDIONIDAE

Pandion haliaetus (Linnaeus, 1758)

II	A	LC	381, 386, 387, 485, 511, 523, 524, 573, 841, 929, 1068, 1167, 1256, 1292
----	---	----	--

Synonym: *Falco haliaetus* Linnaeus, 1758

E: Osprey, F: Aigle pêcheur, Balbugard fluviaatile, Balbuzard pêcheur, Balbuzard pêcheur, S: Águila pescadora, Águila sanguínea, Gavilán pescador, Guincho
 Afghanistan [694]; Albania; Algeria (br) [971]; Angola [5267]; ?Anguilla [5242]; Antigua and Barbuda [5242]; Argentina [5291, 10249, 25650]; Armenia (br) [5240]; Aruba [1380]; Australia (br) [477]; Austria [1215]; Azerbaijan (br) [710]; Bahamas (br) [5242]; Bahrain (br) [1105]; Bangladesh [804]; Barbados [5242]; Belarus (br); Belgium [5272]; Belize (br) [5241]; Benin [659]; Bermuda [389]; Bhutan [5261]; Bolivia [1186]; Bosnia and Herzegovina [1038]; Bosnia & Herzegovina [759]; Botswana [1102]; Brazil [6186, 6291]; British Virgin Islands; Brunei Darussalam; Bulgaria (br) [5280]; Burkina Faso [659]; Burundi [659]; Cambodia [5243]; Cameroon [659, 25374, 25375, 25376, 25382]; Canada (br) [748]; Cape Verde (br) [820]; Cayman Islands; Central African Republic [659, 11929]; Chad [659]; Chile (br?) [873, 5292]; China (br) [5293]; Colombia [837]; Congo [659]; Costa Rica [1311]; Côte d'Ivoire [1334]; Croatia [5290]; Croatia [393]; Cuba (br) [5259]; Cyprus [709]; Czech Republic (ex) [5258]; Democratic People's Republic of Korea [7680]; Democratic Republic of the Congo (br) [25489]; Denmark (br) [666]; Djibouti (br) [427]; Dominica [5242]; Dominican Republic [1312]; Ecuador [5294]; Ecuador, Galapagos; Egypt (br) [756]; El Salvador [5241]; Eritrea (br) [659]; Estonia (br) [5277]; Ethiopia [659]; Faroe Islands (v) [480]; Finland (br) [1300]; France [7041]; French Guiana [1349]; Gabon [659]; Gambia [760]; Georgia (br) [710]; Germany (br) [5274]; Ghana [782]; Gibraltar; Greece [5281]; Grenada [5242]; Guadeloupe [5242]; Guam (v) [503, 25484]; Guatemala (br) [448, 5241]; Guinea [659, 1078, 1191, 1389, 10590]; Guinea-Bissau [7849, 7850, 7851, 7852, 7853, 7857]; Guyana [1295, 25537]; Haiti [1408]; Honduras [1076]; Hong Kong, China; Hungary [5257]; Iceland (v) [507]; India (br) [1197]; Indonesia (br) [393]; Bali, Irian Jaya, Jawa, Kalimantan, Lesser Sunda Is, Moluccas, Sulawesi, Sumatera; Iran (Islamic Republic of) (br) [1253]; Iraq [385]; Ireland [858]; Israel [5245]; Italy (ex, br) [5289]; Jamaica [657]; Japan (br) [503]; Jordan [395, 1386]; Kazakhstan (br) [5269]; Kenya [5253]; Korea, Republic of [1436]; Kuwait [537]; Kyrgyzstan [710]; Lao People's Democratic Republic [6187]; Latvia (br) [5278]; Lebanon (v) [5284]; Lesotho [486]; Liberia [5246]; Libyan Arab Jamahiriya [536]; Liechtenstein; Lithuania (br) [5247]; Luxembourg [5248]; Malawi [1103]; Malaysia [1289]; Peninsular Malaysia, Sabah, Sarawak; Maldives (v) [431]; Mali [659]; Malta; Martinique [5242]; Mauritania (br?) [659]; Mexico (br) [5241, 6648]; Micronesia (Federated States of) (v) [25484]; Moldova, Republic of (br) [710]; ?Monaco; Mongolia (br) [1306]; ?Montserrat [5242]; Morocco (br) [461]; Mozambique [659]; Myanmar [1290]; Namibia [659]; Nepal (br?) [865]; Netherlands [5273]; Netherlands Antilles [12247]; Bonaire, Curaçao, Netherlands Leeward Is [12247]; New Caledonia (br) [5260]; Nicaragua [1195, 6604]; Niger [659]; Nigeria; Northern Mariana Islands (v) [25484]; Norway (br) [5275]; Oman (br) [13112]; Pakistan; Palau (v) [1171, 25484]; Panama [1195]; Papua New Guinea (br) [6951]; Paraguay [5295]; Peru [1136, 6410]; Philippines [5270]; Poland (br) [1348]; Portugal (br) [1332]; Portugal (br), Azores (v), Madeira (v); Puerto Rico [1176]; Qatar (br) [1393]; Romania (br) [558]; Russian Federation (br) [710, 938]; Rwanda [659]; Saint Kitts and Nevis [5242]; Saint Lucia (br) [5251]; Saint Pierre and Miquelon [683]; Saint Vincent and the Grenadines [5242]; São Tomé and Príncipe [659]; Saudi Arabia (br) [881]; Senegal [659]; Serbia and Montenegro [1038]; Seychelles (v) [6253]; Sierra Leone [659]; Singapore [791]; Slovakia [5279]; Slovenia [1038]; Solomon Islands (br) [5260, 13119]; Somalia (br) [5252]; South Africa (br) [574, 630, 659]; Spain (br) [702]; Sri Lanka [5271]; Sudan [659]; Suriname [5296]; Swaziland [1139]; Sweden (br) [1199]; Switzerland [5288]; Syrian Arab Republic (v) [5283]; Taiwan, Province of China; Tajikistan (br?) [374]; Thailand [487]; The former Yugoslav Republic of Macedonia (ex, br) [1038]; Timor-Leste; Togo [5254]; Trinidad and Tobago [703]; Tunisia (br?) [1344]; Turkey (br) [5282]; Turkmenistan [710]; Turks and Caicos Islands (br?); Uganda [659]; Ukraine (br) [710]; United Arab Emirates (br) [1192]; United Kingdom (br) [6188]; United Republic of Tanzania [659]; United States (br) [387, 671, 1296]; United States Virgin Islands (br); Uruguay [5287, 25534, 25650]; Uzbekistan [710]; Venezuela [1070]; Viet Nam [5264]; Western Sahara; Yemen (br) [5297]; South Yemen [1049]; Zambia [659]; Zimbabwe [659]

CITES Identification Manual Reference:

A-213.002.001.001

Family: ACCIPITRIDAE

Accipiter albogularis Gray, 1870

II	B	LC	386, 523, 1045, 1242
----	---	----	----------------------

E: Pied Goshawk, Pied Sparrowhawk, F: Autour pie, S: Gavilán pío
 Papua New Guinea (br); Solomon Islands (br) [1398, 5260]

Accipiter badius (Gmelin, 1788)

II	B	LC	381, 386, 511, 523, 524, 573, 614, 841, 929, 1092, 1256, 1292
----	---	----	---

Synonym: *Falco badius* Gmelin, 1788

E: Little Banded Sparrowhawk, Shikra, F: Épervier shikra, S: Gavilán chikra

Afghanistan (br) [694]; Angola (br) [5267]; ?Armenia (v) [5240]; Azerbaijan (ex?, br) [710]; Bangladesh (br) [804]; Benin [659, 845]; Bhutan (br) [5261]; Botswana (br) [1102]; Burkina Faso (br) [659, 1345, 7154]; Burundi (br?) [659]; Cambodia (br) [5243]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Chad (br?) [659]; China (br) [5293]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br) [25489]; Djibouti (br?) [427]; Eritrea (br?) [659]; Ethiopia (br) [659]; Gambia (br) [760, 6255]; Ghana (br) [782]; Guinea (br) [659, 1078, 1191, 1389, 10590, 11442, 11455, 11457]; Guinea-Bissau (br) [659, 715]; India (br) [1197]; Indonesia (v) [393]; Sumatera; Iran (Islamic Republic of) (br) [1253]; Israel (v) [953, 5245]; Kazakhstan (br) [5269]; Kenya (br) [5253]; Kuwait (v) [537]; Kyrgyzstan (br) [710]; Lao People's Democratic Republic (br) [6187]; Lesotho (v) [486]; Liberia [5246]; Malawi (br) [1103]; Malaysia (v); Mali [659]; Mauritania [659]; Mongolia (v) [1306]; Mozambique (br?) [659]; Myanmar (br) [1290]; Namibia (br) [659]; Nepal (br) [865]; Niger (br) [659]; Nigeria (br); Oman (v) [13112]; Pakistan (br); Rwanda (br?) [659]; Saudi Arabia (br) [579, 881]; Senegal (br?) [659]; Sierra Leone (br) [659]; Singapore [791]; Somalia (br) [5252]; South Africa (br) [659]; Sri Lanka (br) [5271]; Sudan (br) [659]; Swaziland (br) [1139]; Tajikistan (br) [374]; Thailand (br) [487]; Togo (br) [5254]; Turkmenistan (br) [710]; Uganda (br) [659]; United Arab Emirates (v) [12351]; United Republic of Tanzania (br?) [659]; Uzbekistan (br) [710]; Viet Nam (br) [5264]; Yemen (br?) [5297]; Zambia (br) [659]; Zimbabwe (br) [659]

Accipiter bicolor (Vieillot, 1817)	II	B	LC	386, 387, 523, 1068
Synonyms: <i>Sparvius bicolor</i> Vieillot, 1817, <i>Accipiter chilensis</i> Philippi & Landbeck, 1864				
E: Bicolored Hawk, Bicolored Sparrowhawk, F: Épervier bicolore, S: Azor bicolor, Esparvero bicolor, Gavilán bicolor, Gavilán pantalón				
Argentina (br) [5291, 10249, 10289]; Belize (br) [5241, 6320]; Bolivia (br) [1186]; Brazil (br) [6186]; Chile (br) [873, 5292]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294]; El Salvador (br) [5241]; French Guiana (br) [1349]; Guatemala (br) [5241]; Guyana (br) [1295, 25537]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [5295]; Peru (br) [1136]; Suriname (br) [5296]; Uruguay (v) [5287, 25534]; Venezuela (br) [1070]				

Accipiter brachyurus (Ramsay, 1879)	II	B	VU	386, 523, 595, 1045, 1242
Synonym: <i>Astur brachyurus</i> Ramsay, 1879				
E: New Britain Sparrowhawk, Red-collared Sparrowhawk, F: Épervier de Nouvelle-Bretagne, S: Gavilancito de Nueva Bretaña				
Papua New Guinea (br) [6951]: Bismarck Archipelago				

Accipiter brevipes (Severtsov, 1850)	II	A	LC	386, 523, 524, 614, 841
Synonym: <i>Astur brevipes</i> Severtsov, 1850				
E: Levant Sparrowhawk, F: Épervier à pieds courts, Épervier à pieds courts, S: Gavilán Griego, Gavilán griego				
Albania (br); Armenia (br) [5240]; Azerbaijan (br) [710]; Bahrain (v) [1105]; Bosnia and Herzegovina (br) [1038]; Bulgaria (br) [5280]; ?Cameroon (v); Croatia (br) [5290]; Cyprus [709]; Czech Republic (v) [5258]; Democratic Republic of the Congo (v) [6412, 25489]; Djibouti [427]; Egypt [756]; Ethiopia [659]; Georgia (ex, br) [710]; Greece (br) [5281]; Hungary (br) [5257, 13163]; Iran (Islamic Republic of) (br) [1253]; Iraq (v) [10173]; Israel [5245]; Italy (v) [5289]; Jordan [395, 1386]; Kazakhstan (br) [5269]; Kenya (v) [5253]; Kuwait (v) [537, 1161]; Lebanon (ex, br) [5284]; Moldova, Republic of (br) [710]; Niger (v) [659]; Poland (v) [1348]; Romania (br) [558]; Russian Federation (br) [710, 938]; Saudi Arabia (v) [881]; Serbia and Montenegro (br) [1038]; Slovenia (v); Sudan [659]; Syrian Arab Republic [5283]; The former Yugoslav Republic of Macedonia (br) [1038]; Tunisia (v) [1344]; Turkey (br) [5282]; Ukraine (br) [710]; United Arab Emirates (v) [1192]; United Republic of Tanzania (v) [659]; Uzbekistan (v) [710]; Yemen [5297]				

Accipiter butleri (Gurney, 1898)	II	B	VU	381, 386, 523, 595
Synonym: <i>Astur butleri</i> Gurney, 1898				
E: Nicobar Shikra, Nicobar Sparrowhawk, F: Épervier des Nicobar, S: Gavilán de Nicobar				
India (br) [1197]: Nicobar Is				

Accipiter castanilius Bonaparte, 1853	II	B	LC	386, 511, 523, 988, 1256, 1292
E: Chestnut-bellied Sparrowhawk, Chestnut-flanked Sparrowhawk, F: Autour à flancs roux, S: Gavilán flanquirrojo, Gavilán pechirrojo				
Angola (br?) [5267]; Cameroon (br?) [659, 25370, 25374, 25376, 25382]; Central African Republic (br?) [659]; Congo (br?) [659]; Democratic Republic of the Congo (br?) [25489]; Equatorial Guinea (br?) [659, 1183]; Gabon (br?) [659]; Nigeria (br?) [25533]; Uganda (br?) [659]				

Accipiter chionogaster (Kaup, 1852)	II	B	LC	
Synonyms: <i>Nisus chionogaster</i> Kaup, 1852, <i>Accipiter striatus chionogaster</i> (Kaup, 1852)				
E: White-breasted Hawk, F: Épervier à poitrine blanche, S: Gavilán pechiblanco, Gavilán ventriblanco				
El Salvador (br) [5241]; Guatemala (br) [448, 5241]; Honduras (br) [1076, 1195]; Mexico (br) [5241]; Nicaragua (br) [1195]				

Accipiter cirrocephalus (Vieillot, 1817)	II	B	LC	386, 523, 1045
---	----	---	----	----------------

Synonyms: *Sparvius cirrhocephalus* Vieillot, 1817, *Accipiter cirrhocephalus* (Vieillot, 1817)

E: Collared Sparrowhawk, F: Épervier à collier roux, S: Gavilán acollarado

Australia (br) [477]; Indonesia (br) [393]; Irian Jaya; Papua New Guinea (br) [6951]

Accipiter collaris Sclater, 1860

II B NT 386, 476, 523, 595, 1068

E: Semi-collared Hawk, Semi-collared Sparrowhawk, F: Épervier à collier interrompu, S: Azer semicollarejo, Gavilán acollarado, Gavilancito torcáz

Colombia (br) [837, 11374]; Ecuador (br) [5294, 12077]; Peru (v) [1136]; ?Venezuela (v) [1070]

Accipiter cooperii (Bonaparte, 1828)

II B LC 386, 387, 523

Synonym: *Falco cooperii* Bonaparte, 1828

E: Cooper's Hawk, F: Épervier de Cooper, S: Gavilán de Cooper

Belize [5241]; Bermuda (v) [389]; Canada (br) [748]; Colombia (v) [837]; Costa Rica [1311]; Guatemala [448, 5241]; Honduras (v) [1076]; Mexico (br) [5241, 8663]; United States (br) [387]

Accipiter erythrauchen Gray, 1861

II B LC 386, 393, 523, 1410

E: Moluccan Sparrowhawk, Rufous-necked Sparrowhawk, F: Épervier à gorge grise, S: Gavilancito moluqueño

Indonesia (br) [393]: Moluccas

Accipiter erythronemius (Kaup, 1850)

II B LC 476

Synonym: *Accipiter striatus erythronemius* (Kaup, 1850)

E: Red-thighed Hawk, Rufous-thighed Hawk, F: Épervier à cuisses rouges, Épervier à cuisses rousses

Argentina (br) [1150, 5291, 10249]; Bolivia (br) [1186]; Brazil (br) [6186, 7079]; Falkland Islands (Malvinas) (v) [1439]; Guyana [25537]; Paraguay (br) [5295, 6927]; Uruguay (br) [5287]

Accipiter erythropus (Hartlaub, 1855)

II B LC 386, 511, 523, 524, 1080, 1256, 1292

Synonym: *Nisus erythropus* Hartlaub, 1855

E: Red-thighed Sparrowhawk, F: Autour minulle, Épervier de Hartlaub, S: Gavilancito de Hartlaub, Gavilancito musirrojo

Angola (br?) [5267]; Benin (br) [659, 10078]; Burkina Faso (br?) [659]; Cameroon (br?) [659, 25374]; Central African Republic (br?) [555, 659, 11929]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br?) [25489]; Gabon (br?) [659]; Gambia (br) [760]; Ghana (br?) [782]; Guinea (br) [11455, 11456, 11457]; Guinea-Bissau (br) [659, 715]; Liberia (br) [5246]; Nigeria (br?); Senegal (br) [659]; Sierra Leone (br) [659]; Togo (br?) [570, 5254]; Uganda (br?) [659]

Accipiter fasciatus (Vigors & Horsfield)

II B LC 386, 523, 931, 1045

Synonym: *Astur fasciatus* Vigors & Horsfield, 1827

E: Australasian Goshawk, Brown Goshawk, F: Autour australien, S: Azor australiano

Australia (br) [477, 1117]; Christmas Island (br); Indonesia (br) [393]; Irian Jaya, Lesser Sunda Is, Moluccas, Sulawesi; New Caledonia (br) [1338, 5260]; Norfolk Island (br); Papua New Guinea (br) [6951]; Solomon Islands (br) [5260]; Timor-Leste; Vanuatu (br) [5260]

Accipiter francesii Smith, 1834

II B 386, 523, 931, 1292

E: Frances's Goshawk, Frances's Sparrowhawk, F: Épervier de Frances, S: Gavilán de Frances

Comoros (br) [659]; Madagascar (br) [633, 962, 5249]; Mayotte (br)

Accipiter gentilis (Linnaeus, 1758)

II A LC 381, 386, 387, 523, 524, 614, 841, 929

Synonym: *Falco gentilis* Linnaeus, 1758

E: Goshawk, Northern Goshawk, F: Autour des palombes, Autour des palombes, S: Azor, Azor común, Gavilán azor

Afghanistan [694]; Albania (br); Algeria (v) [971]; Andorra (br) [5239]; Armenia (br) [5240]; Austria (br) [1215]; Azerbaijan (br) [710]; Bangladesh (v) [804]; Belarus (br); Belgium (br) [5272]; Bermuda (v) [389]; Bhutan [5261]; Bosnia and Herzegovina (br) [1038]; Bulgaria (br) [1204, 5280]; Canada (br) [748]; China (br) [5293]; Croatia (br) [5290]; Cyprus (br) [709]; Czech Republic (br) [5258]; Democratic People's Republic of Korea [7680, 12972]; Denmark (br) [666]; Egypt (v) [756]; Estonia (br) [5277]; Finland (br) [1300]; France (br) [7041]; Georgia (br) [710]; Germany (br) [5274]; Gibraltar; Greece (br) [5281]; Hong Kong, China; Hungary (br) [5257, 13163]; India (br) [1197]; Iran (Islamic Republic of) (br) [1253]; Ireland (v) [858]; Israel [5245]; Italy (br) [5289]; Japan (br) [503, 11408]; Jordan [395, 6454]; Kazakhstan (br) [5269]; Korea, Republic of [1436]; Latvia (br) [5278]; Lebanon [5284]; Libyan Arab Jamahiriya (v) [536]; Liechtenstein (br); Lithuania (br) [5247]; Luxembourg (br) [1399, 5248]; Mexico (v) [5241]; Moldova, Republic of (br) [710]; Mongolia (br) [1306]; Morocco (br) [461]; Myanmar [1290]; Nepal (br) [865]; Netherlands (br) [5273]; Norway (br) [5275]; Oman (v) [13112]; Pakistan (v); Poland (br) [1348]; Portugal (br) [1332]; Portugal (br); Romania (br) [558]; Russian Federation (br) [710]; Saint Pierre and Miquelon (br) [683]; Saudi Arabia [881]; Serbia and Montenegro (br) [1038]; Slovakia (br) [5279]; Slovenia (br) [1038]; Spain (br) [702]; Sweden (br) [1199]; Switzerland (br) [5288]; Syrian Arab Republic (br?) [5283]; Taiwan, Province of China (v); Tajikistan [374];

Thailand [487]; The former Yugoslav Republic of Macedonia (br) [1038]; Tunisia (v) [1344]; Turkey (br) [5282]; Ukraine (br) [710]; United Arab Emirates (v) [1192]; United Kingdom (br) [1028, 6188]; Great Britain, Channel Is, Isle of Man, Northern Ireland; United States (br) [387]; Uzbekistan [710]; Viet Nam [5264]

<i>Accipiter griseiceps</i> (Schlegel, 1862)	II	B	LC	386, 393, 523, 1410
Synonym: <i>Astur griseiceps</i> Schlegel, 1862				
E: Celebes Crested Goshawk, Sulawesi Goshawk, F: Autour des Célèbes, S: Gavilán de Célebes				
Indonesia (br) [393, 7262]: Sulawesi				
<i>Accipiter gularis</i>	II	B	LC	386, 523, 929, 1045
(Temminck & Schlegel, 1844)				
Synonyms: <i>Astur gularis</i> Temminck & Schlegel, 1844, <i>Accipiter virgatus gularis</i> (Temminck & Schlegel, 1844)				
E: Japanese Lesser Sparrowhawk, Japanese Sparrowhawk, F: Épervier du Japon, S: Gavilancito japonés				
Brunei Darussalam; Cambodia [5243]; China (br) [5293]; Democratic People's Republic of Korea (br) [7684]; Guam (v) [503, 1171]; Hong Kong, China; India [1053, 1197]; Indonesia [393]: Bali, Jawa, Kalimantan, Lesser Sunda Is, Sulawesi, Sumatera; Japan (br) [503]; Korea, Republic of (br) [1436]; Lao People's Democratic Republic [6187]; Macao, China; Malaysia [1289]; Peninsular Malaysia [1049], Sabah [759], Sarawak [393]; Mongolia (br) [1306]; Myanmar [1290]; Northern Mariana Islands (v); Philippines [5270]; Russian Federation (br) [710]; Singapore [791]; Taiwan, Province of China (br); Thailand [487, 1220]; Viet Nam [5264]				
<i>Accipiter gundlachi</i> Lawrence, 1860	II	B	EN	386, 387, 485, 523, 595, 598, 731, 1440, 1441, 1442
E: Gundlach's Hawk, Gundlach's Sparrowhawk, F: Épervier de Cuba, S: Gavilán cubano				
Cuba (br) [5259, 6714]				
<i>Accipiter haplochrous</i> Sclater, 1859	II	B	NT	386, 523, 1045, 1338
E: New Caledonia Goshawk, White-bellied Goshawk, F: Autour à ventre blanc, S: Gavilán de Nueva Caledonia				
New Caledonia (br) [5260]				
<i>Accipiter henicogrammus</i> (Gray, 1860)	II	B	LC	386, 393, 523, 1410
Synonym: <i>Astur henicogrammus</i> G. R. Gray, 1860				
E: Gray's Goshawk, Moluccan Barred Sparrowhawk, Moluccan Goshawk, F: Autour des Moluques, S: Azor moluqueño				
Indonesia (br) [393]: Moluccas				
<i>Accipiter henstii</i> (Schlegel, 1873)	II	B	NT	386, 523, 595, 633, 962
Synonym: <i>Astur henstii</i> Schlegel, 1873				
E: Henst's Goshawk, F: Autour de Henst, S: Azor malgache				
Madagascar (br) [5249, 6516]				
<i>Accipiter imitator</i> Hartert, 1926	II	B	VU	386, 523, 595, 1045, 1242
Synonym: <i>Accipiter eichhorni imitator</i> Hartert, 1926				
E: Imitator Sparrowhawk, F: Autour imitateur, S: Gavilán imitador				
Papua New Guinea (br); Solomon Islands (br) [789, 5260, 13119]				
<i>Accipiter luteoschistaceus</i>	II	B	VU	386, 523, 595
Rothschild & Hartert, 1926				
E: Blue-and-grey Sparrowhawk, Slaty-backed Goshawk, Slaty-mantled Sparrowhawk, F: Autour bleu et gris, S: Gavilán de Nueva Bretaña				
Papua New Guinea (br): Bismarck Archipelago				
<i>Accipiter madagascariensis</i> Smith, 1834	II	B	NT	386, 523, 595, 633, 962
E: Madagascar Sparrowhawk, F: Épervier de Madagascar, S: Gavilán malgache				
Madagascar (br) [5249, 6516]				
<i>Accipiter melanochlamys</i> (Salvadori, 1875)	II	B	LC	386, 393, 452, 523, 1045
Synonym: <i>Urospizias melanochlamys</i> Salvadori, 1875				
E: Black-mantled Goshawk, Black-mantled Hawk, F: Autour à manteau noir, S: Gavilán rufinegro				
Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br) [6951]				
<i>Accipiter melanoleucus</i> Smith, 1830	II	B	LC	386, 511, 523, 524, 573, 1256, 1292

E: Black Goshawk, Black Sparrowhawk, Great Sparrowhawk, F: Autour noir, Epervier pie, S: Azor blanquinegro
 Angola (br) [5267]; Benin (br?) [10078]; Botswana (br) [1102]; Burundi (br) [659]; Cameroon (br?) [659, 25374, 25376, 25382]; Central African Republic (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br) [25489]; Equatorial Guinea (br?) [659]; Ethiopia (br?) [659]; Gabon (br) [659]; Gambia (v) [760]; Ghana (br?) [782]; Guinea (br) [10590, 11455, 11457, 13096]; ?Guinea-Bissau (v) [7860]; Kenya (br) [5253]; Lesotho (v) [486]; Liberia (br?) [5246]; Malawi (br) [1103]; Mali (v) [659]; Mozambique (br?) [659]; Namibia (br?) [659]; Niger (v) [659]; Nigeria (br); Rwanda (br) [659]; Senegal (br?) [659]; Sierra Leone (br) [659]; Somalia (v) [5252]; South Africa (br) [659, 1008]; Sudan (br?) [659]; Swaziland (br) [1139]; Togo (br?) [568, 5254]; Uganda (br?) [659]; United Republic of Tanzania (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

Accipiter meyerianus (Sharpe, 1878) II B LC 386, 523, 1045

Synonym: *Astur meyerianus* Sharpe, 1878

E: Meyer's Goshawk, Meyer's Hawk, Papuan Goshawk, F: Autour de Meyer, S: Azor de Meyer
 Indonesia (br) [393, 1410]: Irian Jaya, Moluccas; Papua New Guinea (br) [6951]; Solomon Islands (br) [5260]

Accipiter minullus (Daudin, 1800) II B LC 386, 511, 523, 524, 573, 1292

Synonym: *Falco minullus* Daudin, 1800

E: African Little Sparrowhawk, Little Sparrowhawk, F: Épervier minule, S: Gavilancito chico
 Angola (br?) [5267]; Botswana (br) [1102]; Burundi (br) [659]; Democratic Republic of the Congo (br?) [25489]; Eritrea (v) [659]; Ethiopia (br) [659, 894]; Kenya (br) [5253]; Lesotho (v) [486]; Malawi (br) [1103]; Mali (br) [659]; Mozambique (br?) [659]; Namibia (br) [659]; Rwanda (br) [659]; Somalia (br?) [5252]; South Africa (br) [659, 1008]; Sudan (br?) [659]; Swaziland (br) [1139]; Uganda (br?) [659]; United Republic of Tanzania (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

Accipiter nanus (Blasius, 1897) II B NT 386, 393, 523, 595, 1410

Synonym: *Erythrospezias trinotatus nanus* W. Blasius, 1897

E: Celebes Sparrowhawk, Small Sparrowhawk, F: Épervier des Célèbes, S: Gavilancito de Célebes
 Indonesia (br) [393]: Sulawesi

Accipiter nisus (Linnaeus, 1758) II A LC 381, 386, 523, 524, 614

Synonym: *Falco nisus* Linnaeus, 1758

E: Eurasian Sparrowhawk, Sparrowhawk, F: Épervier d'Europe, Épervier d'Europe, S: Gavilán común
 Afghanistan (br) [694]; Albania (br); Algeria (br) [971]; Andorra (br) [5239]; Armenia (br) [5240]; Austria (br) [1215]; Azerbaijan (br) [710]; Nagorno-Karabakh [393]; Bahrain [1105]; Bangladesh [804]; Belarus (br); Belgium (br) [5272]; Bhutan (br) [997, 5261]; Bosnia and Herzegovina (br) [1038]; ?Brunei Darussalam (v); Bulgaria (br) [1204, 5280]; Chad (v) [659]; China (br) [5293]; Croatia (br) [5290]; Cyprus (br) [709]; Czech Republic (br) [5258]; Democratic People's Republic of Korea (br) [7681, 12972]; Denmark (br) [666]; Djibouti [427]; Egypt [756]; Estonia (br) [5277]; Ethiopia [659]; Faroe Islands (v) [480]; Finland (br) [1300]; France (br) [7041]; Gambia (v) [760]; Georgia (br) [710]; Germany (br) [5274]; Gibraltar; Greece (br) [5281]; Hong Kong, China; Hungary (br) [5257, 13163]; Iceland (v) [507]; India (br) [1053, 1197]; Iran (Islamic Republic of) (br) [1253]; Iraq (br?) [385]; Ireland (br) [858]; Israel (br) [722, 5245]; Italy (br) [5289]; Japan (br) [503]; Jordan (br?) [395, 1386]; Kazakhstan (br) [5269]; Kenya (v) [5253]; Korea, Republic of (br) [1436]; Kuwait [537]; Kyrgyzstan (br) [710]; Lao People's Democratic Republic [6187]; Latvia (br) [5278]; Lebanon [5284]; Libyan Arab Jamahiriya [536]; Liechtenstein (br); Lithuania (br) [5247]; Luxembourg (br) [5248]; Malaysia (v) [1289]; Sarawak; Mali (v) [659]; Malta; Mauritania [659]; Moldova, Republic of (br) [710]; Monaco (br); Mongolia (br) [1306]; Morocco (br) [461]; Myanmar [1290]; Nepal (br) [865]; Netherlands (br) [5273]; ?Niger [659]; Norway (br) [5275]; Oman [13112]; Pakistan (br); Poland (br) [1348]; Portugal (br) [1332]; Portugal (br), Madeira (br); Romania (br) [558]; Russian Federation (br) [710]; San Marino; Saudi Arabia [881]; Serbia and Montenegro (br) [1038]; Slovakia (br) [5279]; Slovenia (br) [1038]; Somalia (v) [5252]; South Africa (v) [7863]; Spain (br) [702]; Sudan [659]; Svalbard and Jan Mayen Islands (v); Sweden (br) [1199]; Switzerland (br) [5288]; Syrian Arab Republic (br?) [5283]; Taiwan, Province of China; Tajikistan (br) [374]; Thailand [487, 1220]; The former Yugoslav Republic of Macedonia (br) [1038]; Tunisia (br) [1344]; Turkey (br) [5282]; Ukraine (br) [710]; United Arab Emirates [1192]; United Kingdom (br) [6188]; Great Britain, Channel Is, Isle of Man, Northern Ireland; United Republic of Tanzania [659]; Uzbekistan [710]; Viet Nam [5264]; Western Sahara (v); Yemen [5297]

Accipiter novaehollandiae (Gmelin, 1788) II B LC 386, 523, 1045

Synonyms: *Accipiter hiogaster* (Müller, 1841), *Accipiter griseogularis* (G. R. Gray, 1860), *Falco novaehollandiae* Gmelin, 1788

E: Grey Goshawk, Grey-throated Goshawk, Variable Goshawk, White Goshawk, F: Autour blanc, S: Azor variable

Australia (br) [477]; Indonesia (br) [393, 1410]: Irian Jaya, Lesser Sunda Is, Moluccas; Papua New Guinea (br) [6951]; Solomon Islands (br) [5260, 13119]

Accipiter ovampensis Gurney, 1875 II B LC 386, 511, 523, 524, 573, 919, 1256, 1292

E: Ovambo Sparrowhawk, Ovampo Sparrowhawk, F: Epervier de l'Ovampo, S: Gavilán de Ovampo
 Angola (br) [5267]; Benin (br?) [659]; Botswana (br) [1102]; Burundi [659]; Cameroon (br) [659, 7161, 25178];
 Central African Republic (v) [659]; Chad (br?) [659]; Côte d'Ivoire (br?) [1334, 12931]; Democratic Republic of
 the Congo (br?) [25489]; Ethiopia [659]; Ghana [782]; Guinea (br) [10590]; Kenya (br) [5253]; Malawi (br)
 [1103]; Mali [659]; Mozambique (br?) [659]; Namibia (br?) [659]; Nigeria; Rwanda [659]; Senegal (v) [659];
 South Africa (br) [659]; Swaziland (v) [1139]; Togo [5254]; Uganda (br?) [659]; United Republic of Tanzania
 (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

Accipiter poliocephalus Gray, 1858 II B LC 386, 523, 1045
 E: Grey-headed Goshawk, Grey-headed Sparrowhawk, New Guinea Grey-headed Goshawk, F: Autour à tête
 grise, S: Gavilán cabecigrís
 Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)

Accipiter poliogaster (Temminck, 1824) II B LC 386, 523, 595, 1068
 Synonym: *Falco poliogaster* Temminck, 1824
 E: Grey-bellied Goshawk, Grey-bellied Hawk, F: Autour à ventre gris, S: Azor pechigrís, Azor ventrigrís,
 Esparvero pechigrís, Gavilán vientrigris
 Argentina (br) [1150, 5291, 10249]; Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br?) [837]; Ecuador (br)
 [5294, 8617]; French Guiana (br) [1336, 1349]; Guyana (br) [1295, 8615, 25537]; Paraguay (br) [5295, 6238, 6321];
 Peru (br) [1136]; Suriname (br) [809, 5296]; Venezuela (br) [1070]

Accipiter princeps Mayr, 1934 II B NT 386, 523, 595, 1045,
 1242
 E: Grey-headed Goshawk, New Britain Goshawk, F: Autour de Mayr, S: Azor de Nueva Bretaña
 Papua New Guinea (br): Bismarck Archipelago

Accipiter rhodogaster (Schlegel, 1862) II B LC 386, 393, 523, 1410
 Synonym: *Nisus virgatus rhodogaster* Schlegel, 1862
 E: Vinous-breasted Sparrowhawk, F: Épervier à poitrine rousse, S: Gavilán pechirrojo
 Indonesia (br) [393]: Sulawesi

Accipiter rufitorques (Peale, 1848) II B LC 386, 523, 1045
 Synonym: *Astur rufitorques* Peale, 1848
 E: Fiji Goshawk, Fiji Sparrowhawk, F: Autour des Fidji, S: Gavilán de las Fiji
 Fiji (br) [1171]

Accipiter rufiventris Smith, 1830 II B LC 386, 511, 523, 524, 573,
 1292
 E: Rufous-chested Sparrowhawk, F: Épervier menu, S: Gavilán papirrufo
 Angola (br?) [5267]; Democratic Republic of the Congo (br?) [25489]; Eritrea (br) [659]; Ethiopia (br?) [659];
 Kenya (br) [5253]; Lesotho (br?) [486]; Malawi (br) [1103]; Mozambique (br?) [659]; Rwanda (br) [659];
 South Africa (br) [659]; Sudan (br?) [659]; Swaziland (br) [1139]; Uganda (br?) [659]; United Republic of
 Tanzania (br?) [659]; Zambia (br?) [659]; Zimbabwe (br) [659]

Accipiter soloensis (Horsfield, 1821) II B LC 381, 386, 523, 929
 Synonym: *Falco soloensis* Horsfield, 1821
 E: Chinese Goshawk, Chinese Sparrowhawk, Grey Frog Hawk, F: Épervier de Horsfield, S: Gavilán ranero
 Brunei Darussalam (v); Cambodia [5243]; China (br) [5293]; Democratic People's Republic of Korea (br)
 [7680, 7684]; Guam (v) [503]; Hong Kong, China; India [1197]; Indonesia [393]; Bali, Irian Jaya, Jawa,
 Kalimantan, Lesser Sunda Is, Moluccas, Sulawesi, Sumatera; Japan [503]; Korea, Republic of (br) [1436];
 Lao People's Democratic Republic [6187]; Malaysia [1289]; Peninsular Malaysia, Sabah [759], Sarawak [393];
 Micronesia (Federated States of) (v) [1171]; Myanmar [1290]; Northern Mariana Islands (v); Palau (v) [1171];
 Papua New Guinea (br); Philippines [5270, 6639]; Russian Federation (br) [710, 938]; Singapore [791]; Taiwan,
 Province of China; Thailand [487]; Thailand [1049]; Viet Nam (br) [5264]

Accipiter striatus Vieillot, 1807 II B LC 386, 387, 523, 931, 1068
 E: Sharp-shinned Hawk, F: Épervier brun, S: Azor chico, Esparvero chico, Gavilán americano, Gavilán
 arrastrador, Gavilán pajarero
 Bahamas [5242]; Belize [5241]; Bermuda (v) [389]; British Virgin Islands (v) [6716]; Canada (br) [748]; Costa
 Rica [1311]; Cuba (br) [5259]; Dominican Republic (br) [1312]; El Salvador [5241]; Guatemala [448, 5241, 6397];
 Haiti (br) [1408]; Honduras [1076]; Jamaica (v) [657]; Mexico (br) [5241]; Nicaragua [1195]; Panama [1195];
 Puerto Rico (br) [1176]; Saint Pierre and Miquelon [683]; Turks and Caicos Islands (v); United States (br)
 [387]; United States Virgin Islands (v); Uruguay [25534]

Accipiter superciliosus (Linnaeus, 1766) II B LC 386, 387, 523, 1068
 Synonym: *Falco superciliosus* Linnaeus, 1766

E: Tiny Hawk, Tiny Sparrowhawk, F: Epervier nain, S: Azor gris, Esparvero gris, Gavilán enano, Gavilancito americano
 Argentina (br?) [465, 1150, 5291, 10249]; Bolivia (br) [1186, 6372]; Brazil (br) [6186]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294, 13140]; French Guiana (br) [1349]; Guyana (br) [1295, 25537]; Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [5295, 6321]; Peru (br) [1136]; Suriname (br) [5296]; Venezuela (br) [1070]

Accipiter tachiro (Daudin, 1800) II B LC 386, 511, 523, 524, 573, 1256, 1292

Synonym: *Falco tachiro* Daudin, 1800

E: African Goshawk, F: Autour tachiro, S: Azor tachiro

Angola (br) [5267]; Botswana (br?) [1102]; Burundi (br) [659]; Cameroon [25374, 25376, 25382]; Democratic Republic of the Congo (br) [25489]; Kenya (br) [5253]; Lesotho (v) [486]; Malawi (br) [1103]; Mozambique (br?) [659]; Namibia (br?) [659]; Rwanda (br) [659]; Somalia (br) [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Uganda (br) [659]; United Republic of Tanzania (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

Accipiter toussenelii (J. Verreaux & E. Verreaux, 1855) II B 988

Synonyms: *Nisus toussenelii* J. Verreaux & E. Verreaux, 1855, *Accipiter tachiro toussenelii* (J. Verreaux & E. Verreaux, 1855)

E: Red-chested Goshawk, Red-chested Hawk, F: Autour de Toussenel, S: Azor de Toussenel, Gavilán pechirrosoe

Benin (br?) [659]; Cameroon (br?) [659]; Central African Republic (br?) [659, 11929]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br) [25489]; Equatorial Guinea (br?) [6276, 6426]; Equatorial Guinea, Bioko; ?Eritrea (br) [659]; Ethiopia (br?) [659]; Gabon (br) [659]; Gambia (br?) [760]; Ghana (br) [782]; Guinea (br) [659, 1078, 1191, 10590, 11436, 11455, 11457, 13096]; Guinea-Bissau (br) [659]; Liberia (br) [5246]; Mali (v) [659]; Niger (br?) [659]; Nigeria (br); Senegal (v) [659]; Sierra Leone (br) [659]; Sudan (br?) [659]; Togo (br?) [570, 5254]

Accipiter trinotatus Bonaparte, 1850 II B LC 386, 393, 523, 1410

E: Spot-tailed Goshawk, Spot-tailed Sparrowhawk, F: Épervier à queue tachetée, S: Gavilán colipinto Indonesia (br) [393, 7262]: Sulawesi

Accipiter trivirgatus (Temminck, 1824) II B LC 381, 386, 523, 929

Synonym: *Falco trivirgatus* Temminck, 1824

E: Asian Crested Goshawk, Crested Goshawk, F: Autoour huppé, S: Azor moñudo

Bangladesh (v) [804]; Bhutan (br) [998, 5261]; Brunei Darussalam (br); Cambodia (br?) [5243]; China (br) [5293]; India (br) [1197]; Indonesia (br) [393]: Jawa, Kalimantan, Sumatera; Lao People's Democratic Republic (br) [6187]; Malaysia (br): Peninsular Malaysia [1049], Sabah [759], Sarawak [393]; Myanmar (br) [1290]; Nepal (br) [865]; Philippines (br) [5270]; Sri Lanka (br) [5271]; Taiwan, Province of China (br); Thailand (br) [487, 1220]; Viet Nam (br) [615, 5264]

Accipiter ventralis Sclater, 1866 II B LC 476

Synonym: *Accipiter striatus ventralis* P. L. Sclater, 1866

E: Plain-breasted Hawk, F: Épervier à gorge rayée, S: Azor pechillano, Gavilán andino

Bolivia (br) [1186]; Colombia (br) [837]; Ecuador (br) [5294]; French Guiana (v) [1349, 10252]; Guyana; Peru (br) [1136, 12669]; Venezuela (br) [1070]

Accipiter virgatus (Temminck, 1822) II B LC 381, 386, 523, 929

Synonym: *Falco virgatus* Temminck, 1822

E: Besra, Besra Sparrowhawk, F: Épervier besra, S: Gavilán besra

Bangladesh [804]; Bhutan (br) [5261]; Cambodia [5243]; China (br) [5293]; India (br) [1053, 1197]: Andaman Is [1053], Nicobar Is [1053]; Indonesia (br) [393, 1086, 1289]: Bali, Jawa, Kalimantan [7727], Lesser Sunda Is, Sumatera; Lao People's Democratic Republic [6187]; Malaysia (br): Peninsular Malaysia [1049], Sabah [759], Sarawak [393]; Myanmar (br) [1290]; Nepal (br) [865]; Pakistan (br); Philippines (br) [5270, 6639]; Singapore (v) [791]; Sri Lanka (br) [5271]; Taiwan, Province of China (br); Thailand (br) [487]; Viet Nam (br) [5264]

Aegypius monachus (Linnaeus, 1766) II A NT 381, 386, 523, 595, 614, 841, 1065

Synonym: *Vultur monachus* Linnaeus, 1766

E: Black Vulture, Cinereous Vulture, F: Vautour moine, Vautour moine, S: Buitre negro

Afghanistan (br) [694]; Albania (**ex**, br); Armenia (br) [5240, 13166]; Austria (**ex**, br, v) [1215]; Azerbaijan (br) [710, 13166]; Bangladesh (v) [804]; Belarus (v); Bhutan [5261]; Bosnia and Herzegovina (v) [1038]; Bulgaria (br) [5280, 13166]; Cambodia (v) [5243, 6269]; China (br) [5293]; Croatia (**ex**, br, v) [5290]; Cyprus (**ex**, br) [709]; Czech Republic (**ex**, br, v) [5258]; Democratic People's Republic of Korea [7680, 12972]; Egypt (v) [756]; France (**ex**, reint, br, v) [7041, 13165, 13166]; Georgia (br) [710, 13166]; Germany (v) [5274]; Gibraltar (v); Greece (br) [5281, 13166]; Hong Kong, China; Hungary (v) [5257]; India [1197]; Iran (Islamic Republic of) (br) [1253]; Iraq (v) [385, 10169]; Israel (**ex**, br) [5245]; Italy (**ex**, br) [5289]; Japan (v) [503]; Jordan (v) [395, 1387]; Kazakhstan (br) [5269]; Korea, Republic of [1436]; Kuwait (v) [537]; Kyrgyzstan (br) [710]; ?Lao People's Democratic Republic; Latvia (v) [5278]; Lebanon [5284]; Malaysia (v): Peninsular Malaysia; Moldova, Republic of (**ex**, br); Mongolia (br) [1306]; Morocco (v) [461]; Myanmar [1290]; Nepal [865]; Netherlands (v) [5273]; Oman (v) [13112]; Pakistan (br); Poland (v) [1348]; Portugal (**ex**, br) [1332, 13166]; Portugal (**ex**, br); Romania (**ex**, br) [558]; Russian Federation (br) [710, 938, 13166]; Saudi Arabia [881]; Serbia and Montenegro (**ex**, br) [1038]; Slovakia (v) [5279]; Slovenia (**ex**, br) [1038]; Spain (br) [702, 1330, 13166]; Switzerland (v) [5288]; Syrian Arab Republic [5283]; Taiwan, Province of China (v); Tajikistan (br) [374]; Thailand [487]; The former Yugoslav Republic of Macedonia (**ex**, br) [1038, 13166]; Tunisia (v); Turkey (br) [5282]; Turkmenistan (br) [710]; Ukraine (br) [13166]; Uzbekistan (br) [710]; Viet Nam (v) [5264]; ?Yemen (v) [5297]

Aquila adalberti Brehm, 1861

I A EN 386, 523, 595, 640, 752, 841, 1062, 1063, 1064

Synonym: *Aquila heliaca adalberti* Brehm, 1861

E: Adalbert's Eagle, Spanish Imperial Eagle, White-shouldered Eagle, F: Aigle à épaules blanches, Aigle ibérique, Aigle ibérique, Aigle impérial espagnol, Aquila imperiale iberica, S: Águila imperial ibérica
Algeria (**ex**, br) [971]; France (v) [7041]; Gibraltar (v); Morocco (**ex**, br) [461]; Portugal (**ex**, br) [1332];
Portugal (**ex**, br); Spain (br) [702, 755, 830]

CITES Identification Manual Reference:

A-213.003.003.001

Aquila audax (Latham, 1801)

II B LC 386, 523, 1045

Synonym: *Vultur audax* Latham, 1801

E: Wedge-tailed Eagle, F: Aigle d'Australie, S: Águila audaz
Australia (br) [477, 1117]; Indonesia (br) [393, 452]; Irian Jaya; Papua New Guinea (br)

Aquila chrysaetos (Linnaeus, 1758)

II A LC 381, 386, 387, 523, 524, 614, 841

Synonym: *Falco chrysaetos* Linnaeus, 1758

E: Golden Eagle, F: Aigle doré, Aigle royal, Aigle royal, S: Águila real
Afghanistan (br?) [694]; Albania (br); Algeria (br) [971]; Andorra (br) [5239]; Armenia (br) [5240]; Austria (br) [1215]; Azerbaijan (br) [710]; Belarus (br); Belgium (v) [5272]; Bhutan (br) [5261]; Bosnia and Herzegovina (br) [1038]; Bulgaria (br) [5280]; Canada (br) [748]; China (br) [5293]; Croatia (br) [5290]; Cyprus (v) [709]; Czech Republic (**ex**, br); Democratic People's Republic of Korea (br) [7680, 12972]; Denmark [666]; Egypt (br?) [756]; Estonia (br) [5277]; Ethiopia (br?) [659, 9308]; Finland (br) [1300]; France (br) [6050, 7041]; Georgia (br) [710]; Germany (br) [5274]; Gibraltar (v); Greece (br) [5281]; Hungary (br) [5257, 13163]; India (br) [1197]; Iran (Islamic Republic of) (br) [1253]; ?Iraq [385, 10173]; Ireland (**ex**, br, v) [858]; Israel (br) [5245]; Italy (br) [5289]; Japan (br) [503]; Jordan (br) [395]; Kazakhstan (br) [5269]; Korea, Republic of (br) [1436]; Kuwait (v) [537, 1161]; Kyrgyzstan (br) [710]; Latvia (br) [5278]; Lebanon (**ex**, br) [5284, 12656]; Libyan Arab Jamahiriya (br?) [536]; Liechtenstein (br); Lithuania (**ex**, br) [5247]; Mali (br) [7825]; Malta (v); Mauritania (br) [659]; Mexico (br) [5241]; Moldova, Republic of (br); Mongolia (br) [1306]; Morocco (br) [461]; Nepal (br) [865]; Netherlands (v) [5273]; Niger (br) [12878]; Norway (br) [5275]; Oman (br) [727, 13112]; Pakistan (br); Poland (br) [1348]; Portugal (br) [1332]; Portugal (br); Romania (br) [558]; Russian Federation (br) [710, 938]; Saint Pierre and Miquelon (v) [683]; Saudi Arabia (br) [881]; Serbia and Montenegro (br) [1038]; Slovakia (br) [5279]; Slovenia (br) [1038]; Spain (br) [702]; Sweden (br) [1199]; Switzerland (br) [5288]; Syrian Arab Republic (br) [5283]; Tajikistan (br) [374]; The former Yugoslav Republic of Macedonia (br) [1038]; Tunisia (br) [1344]; Turkey (br) [5282]; Turkmenistan (br) [710]; Ukraine (br) [710]; United Arab Emirates (br) [1192]; United Kingdom (br) [6188]; Great Britain, Isle of Man (v), Northern Ireland; United States (br) [387]; Uzbekistan (br) [710]; Western Sahara (br); Yemen (br?) [5297]

Aquila clanga Pallas, 1811

II A VU 381, 386, 511, 523, 524, 595, 614, 841, 929

E: Greater Spotted Eagle, Spotted Eagle, F: Aigle criard, Aigle criard, S: Águila moteada

Afghanistan [694]; Albania; Armenia [5240]; Austria [1215]; Azerbaijan; Bahrain (v) [838, 1105]; Bangladesh [804]; Belarus (br); Belgium (v) [5272]; Bhutan [5261, 6478]; Bosnia and Herzegovina [1038]; Bulgaria (**ex**, br) [5280]; Cambodia [5243]; Cameroon [659, 25375]; Chad (v) [659]; China (br) [5293]; Croatia (v) [5290]; Cyprus (v) [709]; Czech Republic (br) [5258]; Democratic People's Republic of Korea (v); Denmark (v) [666]; Djibouti [427]; Egypt [756]; Eritrea [659, 7046]; Estonia (br, v) [5277]; Ethiopia [659]; Finland (**ex**, br) [1300]; France [7041]; Georgia; Germany [5274]; Gibraltar (v); Greece [5281]; Hong Kong, China; Hungary (**ex**, br) [5257]; India (br) [1197]; Indonesia: Sumatera [7728]; Iran (Islamic Republic of) (br) [1253]; Iraq [385]; Ireland (v) [858]; Israel (**ex**, br) [5245]; Italy [5289]; Japan (v) [503]; Jordan (v) [395, 6454]; Kazakhstan (br) [5269]; Kenya [5253]; Korea, Republic of (v) [1436]; Kuwait [537]; Lao People's Democratic Republic [6187]; Latvia (br) [5278]; Lebanon [5284]; Libyan Arab Jamahiriya (v) [536]; Lithuania (**ex**, br) [5247]; Luxembourg (v) [5248]; Malaysia: Peninsular Malaysia; Moldova, Republic of (br) [710]; Mongolia (br) [1306]; Morocco (v)

[461]; Myanmar [1290]; Nepal [865]; Netherlands (v) [5273]; Oman [13112]; Pakistan (br); Poland [1348]; Portugal (v) [1332]; Portugal (v); Romania (br) [558]; Russian Federation (br) [710]; Saudi Arabia [881]; Serbia and Montenegro (br) [1038]; Singapore [791]; Slovakia (ex, br) [5279]; Slovenia (v) [1038]; Spain (v) [702]; Sudan [659]; Sweden [1199]; Switzerland (v) [5288]; Syrian Arab Republic [5283]; Taiwan, Province of China; Tajikistan [374]; Thailand [487]; The former Yugoslav Republic of Macedonia (ex, br) [1038]; Tunisia (v) [1344]; Turkey [5282, 8142]; Ukraine (br) [710]; United Arab Emirates [1192]; United Kingdom (v) [6188]; United Republic of Tanzania (v) [659]; Viet Nam [5264]; Yemen [5297]; Zambia [6301]

Aquila gurneyi Gray, 1860

II B NT 386, 523, 595, 1045, 1242

E: Gurney's Eagle, F: Aigle de Gurney, S: Águila moluqueña
Australia (v) [730, 13187]; Indonesia (br) [393]: Irian Jaya, Moluccas; Papua New Guinea (br)

Aquila heliaca Savigny, 1809

I A VU 381, 386, 489, 523, 524, 595, 614, 741, 841, 931

E: Eastern Imperial Eagle, Imperial Eagle, F: Aigle impérial, S: Águila imperial, Águila imperial oriental
Afghanistan [694]; Albania; Armenia (br) [5240]; Austria (ex, br, v) [1215]; Azerbaijan (br) [710]; Bangladesh [804]; Belarus (v); Bhutan (v) [5261]; Bosnia and Herzegovina (br) [1038]; Bulgaria (br) [1155, 5280]; Cameroon (v) [6295, 25311]; China (br) [5293]; Croatia (br) [5290]; Cyprus (br) [709]; Czech Republic (br) [5258]; Democratic People's Republic of Korea (v) [7680]; Denmark (v) [666]; Djibouti [427]; Egypt [756]; Eritrea (v) [659]; Ethiopia [659]; Finland (v) [1300]; France (v) [7041]; Georgia (br) [710]; Germany (v) [5274]; Greece (br) [793, 5281]; Hong Kong, China; Hungary (br) [5257, 10327, 13163]; India [1197]; Iran (Islamic Republic of) (br) [1253]; Iraq [385, 10169]; Israel [5245]; Italy (v) [5289]; Japan (v) [503]; Jordan [395, 1386, 6454]; Kazakhstan (br) [5269]; Kenya [5253]; Korea, Republic of (v) [1436]; Kuwait [537]; Lao People's Democratic Republic [6187]; Lebanon [5284]; Libyan Arab Jamahiriya (v) [536]; Lithuania (v); Malaysia: Peninsular Malaysia; Moldova, Republic of (br) [710]; Mongolia (v) [1306]; Morocco (v) [461]; Myanmar; Nepal [865]; Nigeria (v) [10580]; Oman [13112]; Pakistan; Poland (v) [1348]; Romania (br) [558]; Russian Federation (br) [710, 750, 938]; Saudi Arabia [881]; Serbia and Montenegro (br) [1038]; Singapore (v) [791]; Slovakia (br) [5279]; Slovenia (v) [1038]; Sudan (v) [659]; Sweden (v) [1199]; Syrian Arab Republic [5283]; Taiwan, Province of China (v); Tajikistan [374]; Thailand; The former Yugoslav Republic of Macedonia (br) [1038]; Turkey (br) [447, 5282]; Turkmenistan (br) [710]; Ukraine (br) [710]; United Arab Emirates [1192]; United Republic of Tanzania (v) [659]; Uzbekistan (br) [710]; Viet Nam [5264]; Yemen [5297]

CITES Identification Manual Reference:

A-213.003.003.006

Aquila nipalensis Hodgson, 1833

II B LC 6366

Synonyms: *Aquila rapax orientalis* Cabanis, 1854, *Aquila rapax nipalensis* Hodgson, 1833, *Aquila orientalis* Cabanis, 1854

E: Steppe Eagle, F: Aigle des steppes, S: Águila esteparia
Afghanistan [694]; Albania; Angola (v) [5267]; Armenia (br) [5240]; Azerbaijan; Bhutan [5261]; Botswana [1102]; Bulgaria (ex, br); Burundi (v) [659]; Cameroon (v) [659, 25375]; Chad (v) [659]; China (br) [5293]; Croatia (v) [5290]; Czech Republic (v) [5258]; Democratic People's Republic of Korea (v); Democratic Republic of the Congo [25466, 25489]; Denmark (v) [666]; Djibouti [427]; Egypt [756]; Eritrea [659]; Estonia (v); Ethiopia [659]; Finland (v) [1300]; France (v) [7041]; Georgia; Germany (v) [5274]; Greece [5281]; Hungary (v) [5257]; India [1197]; Iran (Islamic Republic of) [1253, 25292]; Iraq [385]; Israel [5245]; Italy (v) [5289]; Jordan [395]; Kazakhstan (br) [5269]; Kenya [5253]; Kuwait [537]; Lebanon [5284]; Malawi [1103]; Malaysia: Peninsular Malaysia [825]; Mali (v) [659]; Moldova, Republic of (ex, br) [710]; Mongolia (br) [1306]; Myanmar [7214]; Namibia [659]; Nepal [865]; Netherlands (v) [5273]; Niger (v) [659]; Nigeria [7047, 7813, 10580]; Norway (v) [5275]; Oman [13112]; Pakistan; Poland (v) [1348]; Romania (ex, br) [558]; Russian Federation (br) [710, 936, 938]; Rwanda [659]; Saudi Arabia [881]; Singapore (v) [791]; Slovakia (v) [5279]; Somalia (v) [5252]; South Africa [659]; Spain (v); Sudan [659]; Sweden (v) [1199]; Syrian Arab Republic [5283]; Tajikistan (br) [374]; Thailand; Tunisia (v); Turkey (br) [5282]; Turkmenistan (br) [710]; Uganda [659]; Ukraine (ex, br) [710]; United Arab Emirates [1192]; United Republic of Tanzania [659]; Uzbekistan (br); Yemen [5297]; Zambia [659]; Zimbabwe [659]

CITES Identification Manual Reference:

A-213.003.003.008a

Aquila pomarina Brehm, 1831

II A LC 381, 386, 511, 523, 524, 572, 573, 614, 841, 929, 1069

Synonyms: *Morphnus hastatus* Lesson, 1834, *Aquila hastata* (Lesson, 1834)

E: Lesser Spotted Eagle, F: Aigle pomarin, Aigle pomarin, S: Águila pomerana
Albania (br); Algeria (br?) [971]; Armenia (br) [5240]; Austria (ex, br) [1215]; Azerbaijan (br) [710]; Bangladesh (br) [804]; Belarus (br) [7872]; Belgium (v) [5272]; Bosnia and Herzegovina (br) [1038]; Botswana [1102]; Bulgaria (br) [5280]; Burundi [659]; ?Cameroon [659, 25375, 25382]; ?Chad [659]; Congo (v) [659]; Croatia (br) [5290]; Cyprus [709]; Czech Republic (br) [5258]; Democratic Republic of the Congo (v) [25489]; Denmark (v) [666]; Djibouti [427, 1401]; Egypt [756]; Estonia (br) [5277]; Ethiopia [659]; Finland (v) [1300]; France (v) [7041]; Georgia (br) [710]; Germany (br) [5274]; Greece (br) [5281]; Hungary (br) [5257, 13163]; India (br) [1197]; Iran (Islamic Republic of) (br) [1253]; Iraq [385]; Israel [5245]; Italy [5289]; Jordan [395]; Kazakhstan (v) [5269]; Kenya [5253]; Kuwait (v); Latvia (br) [5278]; Lebanon [5284]; Libyan Arab Jamahiriya (v) [536]; Lithuania (br) [5247]; Luxembourg (v) [5248]; Malawi [1103]; Malta (v); Moldova, Republic of (br) [710]; Morocco (v) [461]; Mozambique [659]; Myanmar [1290]; Namibia [659]; Nepal (br) [865]; Netherlands

(v) [5273]; Nigeria (v) [7047, 7813]; Norway (v) [5275]; Oman (v) [13112]; Pakistan (v); Poland (br) [1213, 1348]; Portugal (v) [1332]; Portugal (v); Romania (br) [558]; Russian Federation (br) [710, 936]; Rwanda [659]; Serbia and Montenegro (br) [1038]; Slovakia (br) [5279]; Slovenia (br?) [1038]; South Africa [659]; Spain (v) [702]; Sudan [659]; Swaziland (v) [1139]; Sweden [1199]; Switzerland (v) [5288]; Syrian Arab Republic [5283]; The former Yugoslav Republic of Macedonia (br) [1038]; Tunisia [1344]; Turkey (br) [5282]; Uganda [659]; Ukraine (br) [710]; United Arab Emirates (v) [1192]; United Republic of Tanzania [659]; ?Yemen (v) [5297]; Zambia [659]; Zimbabwe [659]

Aquila rapax (Temminck, 1828)

II B LC 381, 386, 511, 523, 524, 573, 614, 841, 929

Synonyms: *Aquila vindhiana* Franklin, 1831, *Falco rapax* Temminck, 1828

E: Tawny Eagle, F: Aigle ravisieur, S: Aguila Esteparia, Águila rapáz

Algeria (br) [971]; Angola (br) [5267]; Bangladesh (v) [804]; Benin (br) [659]; Botswana (br) [1102]; Burkina Faso (br) [659, 1345]; Burundi (br) [659, 25466]; Cameroon (br?) [659, 25375, 25376]; Central African Republic (br?) [659]; Chad (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br?) [25466, 25488, 25489]; Egypt (v) [756]; Eritrea (br) [659]; Ethiopia (br) [659]; Gabon (br?) [659]; Gambia (br) [760]; Ghana (br) [782]; Gibraltar (v); Guinea (br?, v) [659, 10590, 11443]; Guinea-Bissau [7860]; India (br) [1197]; Israel (v) [5245]; Italy (v) [5289]; Sardegna; Kenya (br) [5253]; Lesotho (v) [486]; Liberia (v) [5246]; Malawi [1103, 1293]; Mali (br) [659]; Mauritania (br) [659]; Morocco (br) [461]; Mozambique (br?) [659]; ?Myanmar (br) [1290]; Namibia (br) [659]; Nepal (br) [865]; Niger (br?) [659]; Nigeria (br); Oman (v) [13112]; Pakistan (br); Rwanda (br) [659, 25466]; Saudi Arabia (br) [881]; Senegal (br) [659]; Sierra Leone (v) [659]; Somalia (br) [5252]; South Africa (br) [659, 1008]; Sri Lanka (br) [5271]; Sudan (br) [659]; Swaziland (br) [1139]; Thailand (v) [487]; Togo (br) [5254]; Tunisia (ex, br) [1344]; Uganda (br?) [659]; United Republic of Tanzania (br?) [659]; Viet Nam [5264]; Yemen (br) [5297]; Zambia (br) [659]; Zimbabwe (br) [659]

CITES Identification Manual Reference:

A-213.003.003.008

Aquila verreauxii Lesson, 1830

II B LC 386, 511, 523, 524, 573, 614, 729, 841, 1256, 1292

E: African Black Eagle, Black Eagle, Verreaux's Eagle, F: Aigle de Verreaux, S: Águila cafre

Angola (br) [5267]; Botswana (br) [1102]; Chad (br?) [659]; Democratic Republic of the Congo (v) [25489]; Djibouti (br?) [427]; Egypt (br) [756]; Eritrea (br?) [659]; Ethiopia (br) [659, 894]; Israel (br?) [5245]; Jordan (br) [395, 6454]; Kenya (br) [5253]; Lebanon (v) [5284]; Lesotho (br) [486]; Malawi (br) [1103]; Mali (v) [659]; Mozambique (br) [659]; Namibia (br) [659]; Niger (br) [659, 1101]; Oman (br) [13112]; Rwanda (v) [659, 25466]; Saudi Arabia (br) [672, 881]; Somalia (br) [5252]; South Africa (br) [659, 1008]; Sudan (br) [659]; Swaziland (br) [1139]; Uganda (br?) [659]; United Republic of Tanzania (br?) [659]; Yemen (br) [5297]; Zambia (br) [585, 659]; Zimbabwe (br) [659]

Aquila wahlbergi Sundevall, 1850

II B LC 386, 511, 523, 524, 573, 1256, 1292

Synonym: *Hieraetus wahlbergi* (Sundevall, 1850)

E: Wahlberg's Eagle, F: Aigle de Wahlberg, S: Águila de Wahlberg

Angola (br) [5267]; Benin [659]; Botswana (br) [1102]; Burkina Faso (br?) [659, 1345]; Burundi (br) [659]; Cameroon (br?) [659, 25371, 25375]; Central African Republic (br?) [659, 25466]; Chad (br?) [659]; Côte d'Ivoire [1334]; Democratic Republic of the Congo (br) [25489]; Ethiopia (br?) [659, 894]; Gabon (v) [659]; Gambia (br) [760]; Ghana (br?) [782]; Guinea [659, 1078, 10590]; Guinea-Bissau (br) [659, 715]; Kenya (br) [5253]; Liberia (v) [5246]; Malawi (br) [1103]; Mali (br) [659]; Mauritania [659]; Mozambique (br) [659]; Namibia (br) [659]; Niger (br?) [659]; Nigeria (br); Rwanda (br) [659]; Senegal [659]; Sierra Leone [659]; Somalia [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Togo (br?) [5254]; Uganda (br) [659]; United Republic of Tanzania (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

Asturina nitida (Latham, 1790)

II B LC 386, 387, 523, 1068

Synonyms: *Buteo nitidus* (Latham, 1790), *Falco nitidus* Latham, 1790

E: Grey-lined Hawk, F: Buse cendrée, S: Aguilucho gris, Busardo gris, Gavilán gris

Argentina (br) [5291, 10249]; Bolivia (br) [1186]; Brazil (br) [6186, 6292, 7118]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294]; French Guiana (br) [1349]; Guyana (br) [1295, 25537]; Panama (br) [1195]; Paraguay (br) [5295]; Peru (br) [1136]; Suriname (br) [5296]; Trinidad and Tobago (br) [703]; Venezuela (br) [1070]

CITES Identification Manual Reference:

A-213.003.007.015

Asturina plagiata Schlegel, 1862

II B LC

Synonyms: *Asturina nitida plagiata* Schlegel, 1862, *Buteo nitidus plagiatus* (Schlegel, 1862)

E: Grey Hawk, F: Buse grise, S: Aguililla gris

Belize (br) [5241]; Costa Rica (br) [1311]; El Salvador (br) [5241]; Guatemala (br) [5241]; Honduras (br) [1076, 6231]; Mexico (br) [5241]; Nicaragua (br) [1195]; United States (br) [387]

CITES Identification Manual Reference:

A-213.003.007.015a

Aviceda cuculoides Swainson, 1837

II B LC 386, 511, 523, 524, 573, 1256, 1292

E: African Baza, African Cuckoo-Falcon, African Cuckoo-Hawk, F: Baza coucou, Faucon-coucou, S: Baza africano
 Angola (br) [5267]; Benin (br?) [659]; Botswana (v) [1102]; Burkina Faso (br) [659]; Cameroon (br?) [659, 25376]; Central African Republic (br?) [659]; Chad (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br) [25489]; Ethiopia (br?) [659]; Gabon (br?) [659]; Gambia [760]; Ghana (br) [782]; Guinea (br) [11455]; Guinea-Bissau (br) [659, 715]; Kenya (br) [5253]; Liberia (br?) [5246]; Malawi (br) [1103]; Mali [659]; Mozambique (br) [659]; Namibia (br?) [659]; Nigeria (br); Rwanda [659]; Senegal (v) [659]; Sierra Leone (br) [659]; Somalia (br?) [5252]; South Africa (br) [659]; Swaziland (br) [1139]; Togo (br?) [5254]; Uganda [659]; United Republic of Tanzania [659]; Zambia (br) [659]; Zimbabwe (br) [659]

Aviceda jerdoni (Blyth, 1842)	II	B	LC	381, 386, 523, 595, 929, 1068
--------------------------------------	----	---	----	-------------------------------

Synonym: *Pernis jerdoni* Blyth, 1842

E: Asian Baza, Jerdon's Baza, F: Baza de Jerdon, S: Baza oriental

Bangladesh (br?) [804]; Brunei Darussalam (br); Cambodia (br) [5243]; China (br) [5293]; India (br) [1197]; Indonesia (br) [393]; Kalimantan, Sulawesi, Sumatera; Lao People's Democratic Republic (br) [6187]; Malaysia (br) [1289]; Peninsular Malaysia [1049], Sabah [759], Sarawak [393]; Myanmar (br) [1290]; Nepal [9329]; Philippines (br) [5270]; Sri Lanka (br) [5271]; Thailand (br) [487, 1220]; Viet Nam (br) [1305, 5264]

Aviceda leuphotes (Dumont, 1820)	II	B	LC	381, 386, 523, 929, 1068
---	----	---	----	--------------------------

Synonym: *Falco leuphotes* Dumont, 1820

E: Black Baza, F: Baza huppard, S: Baza negro

Bangladesh (br) [804]; Bhutan [5261]; Cambodia (br) [5243]; China (br) [5293]; India (br) [1197]; Indonesia (v) [393, 435]; Jawa, Sumatera; Lao People's Democratic Republic (br) [6187]; Malaysia; Myanmar (br) [1290]; Nepal (br) [865]; Singapore [791]; Sri Lanka [5271]; Thailand (br) [487, 1220]; Viet Nam (br) [5264]

Aviceda madagascariensis (Smith, 1834)	II	B	LC	386, 523, 962
---	----	---	----	---------------

Synonym: *Pernis madagascariensis* A. Smith, 1834

E: Madagascar Baza, Madagascar Cuckoo-Falcon, Madagascar Cuckoo-Hawk, F: Baza malgache, S: Baza malgache

Madagascar (br) [5249]

Aviceda subcristata (Gould, 1838)	II	B	LC	386, 523, 1045, 1242
--	----	---	----	----------------------

Synonym: *Lepidogenys subcristatus* Gould, 1838

E: Crested Baza, Pacific Baza, F: Baza huppé, S: Baza australiano

Australia (br) [477]; Indonesia (br) [393]; Irian Jaya, Lesser Sunda Is, Moluccas, Sulawesi; Papua New Guinea (br); Solomon Islands (br) [5260, 13119]; Timor-Leste

Busarellus nigricollis (Latham, 1790)	II	B	LC	386, 387, 523, 1068
--	----	---	----	---------------------

Synonym: *Falco nigricollis* Latham, 1790

E: Black-collared Hawk, Collared Fishing Hawk, F: Buse à tête blanche, S: Águila colorada, Busardo colorado, Gavilán colorado

Argentina (br) [5291, 10249]; Belize (br) [5241]; Bolivia (br) [1186]; Brazil (br) [6186, 7077, 7118]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294]; El Salvador (ex?, br) [5241]; French Guiana (br) [1349]; Guatemala (br) [5241]; Guyana (br) [1295, 25537]; Honduras (br) [1076]; Mexico (br) [5241, 6648]; Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [5295]; Peru (br) [1136]; Suriname (br) [5296]; Trinidad and Tobago (br) [703, 10294]; ?Uruguay (br) [376, 5287, 25534]; Venezuela (br) [1070]

Butastur indicus (Gmelin, 1788)	II	B	LC	386, 523, 929
--	----	---	----	---------------

Synonym: *Falco indicus* Gmelin, 1788

E: Grey-faced Buzzard, Grey-faced Buzzard-Eagle, F: Busautour à joues grises, S: Busardo carigrís
 Brunei Darussalam; Cambodia [5243]; China (br) [5293]; Democratic People's Republic of Korea (br) [7680]; Hong Kong, China; Indonesia [393]; Irian Jaya, Jawa, Moluccas, Sulawesi [7262], Sumatera; Japan (br) [503, 11408]; Korea, Republic of (br) [1436]; Lao People's Democratic Republic [6187]; Malaysia [1289]; Peninsular Malaysia [1049], Sabah [759], Sarawak [393]; Mongolia (v) [1306]; Myanmar [1290, 7214]; Palau (v) [25484]; Philippines [5270]; Russian Federation (br) [710, 938]; Singapore [791]; Taiwan, Province of China; Thailand [487]; Viet Nam [5264]

Butastur liventer (Temminck, 1827)	II	B	LC	386, 523, 595, 929
---	----	---	----	--------------------

Synonym: *Falco liventer* Temminck, 1827

E: Rufous-winged Buzzard, Rufous-winged Buzzard-Eagle, F: Busautour pâle, S: Busardo alirrufo
 Cambodia [5243, 6475]; China (br) [5293]; Indonesia (br) [393, 1410]; Jawa, Sulawesi; Lao People's Democratic Republic (br) [6187]; Myanmar (br) [1290]; Thailand (br) [487, 1220]; Viet Nam (br) [5264]

Butastur rufipennis (Sundevall, 1851)	II	B	LC	386, 511, 523, 524, 1256, 1292
--	----	---	----	--------------------------------

Synonym: *Poliornis rufipennis* Sundevall, 1851

E: Grasshopper Buzzard, Grasshopper Buzzard-Eagle, F: Busautour des sauterelles, S: Aguililla langostera, Busardo langostero
 Benin [659]; Burkina Faso [659, 7154]; Burundi (v) [659]; Cameroon [659]; Central African Republic [659]; Chad [659]; Côte d'Ivoire [1334]; Democratic Republic of the Congo [25489]; Eritrea [659]; Ethiopia [659]; Gambia (br) [760]; Ghana [782]; Guinea [659, 1078, 1389, 10590]; Guinea-Bissau [7849]; Kenya [5253]; Liberia (v) [5246]; Mali (br) [659, 11469]; Mauritania [659]; Niger [659]; Nigeria (br); Rwanda (v) [659]; Senegal (br) [659]; Sierra Leone [659]; Somalia [5252]; Sudan (br) [659]; Togo (br?) [5254]; Uganda [659]; United Republic of Tanzania [659]

Butastur teesa (Franklin, 1831) II B LC 381, 386, 523, 841, 929

Synonym: *Circus teesa* Franklin, 1831

E: White-eyed Buzzard, F: Busautour aux yeux blancs, S: Busardo tisa
 Afghanistan (v) [694]; Australia [477]; Bangladesh (br) [804]; China (br) [5293]; India (br) [1197]; Iran (Islamic Republic of) (br) [1253]; Myanmar (br) [1290]; Nepal (br) [865]; Pakistan (br)

Buteo albicaudatus Vieillot, 1816 II B LC 386, 387, 523, 1068

E: White-tailed Hawk, F: Buse à queue blanche, S: Aguililla coliblanca, Aguilucho cabecinegro, Busardo coliblanco, Gavilán tejé
 Argentina (br) [5291, 10249]; Aruba (br) [1380]; Belize (br) [610, 5241]; Bolivia (br) [1186]; Brazil (br) [6186, 7079, 25280]; Colombia (br) [837]; Costa Rica (br) [1311]; ?Ecuador (br) [5294]; El Salvador (br) [5241]; French Guiana (br) [1349]; Guatemala (br) [5241]; Guyana (br) [1295, 25537]; Honduras (br) [1076]; Mexico (br) [5241]; Netherlands Antilles (ex, br): Bonaire (ex, br), Curaçao (br); Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [5295]; Peru (br) [1136]; Saint Vincent and the Grenadines (v) [5242]; Suriname (br) [5296]; Trinidad and Tobago (br) [703, 10294]; United States (br) [387]; Uruguay (br) [5287, 6746, 25534]; Venezuela (br) [1070]

Buteo albogularis Philippi, 1899 II B LC

Synonym: *Buteo brachyurus albogularis* Philippi, 1899
 E: White-throated Hawk, F: Buse à gorge blanche, S: Aguilucho chico, Busardo gorgiblanco, Gavilán gargantiblanco
 Argentina (br) [5291, 10249]; Bolivia (br) [6986]; Chile (br) [5292]; Colombia (br) [837, 6297]; Ecuador (br) [5294]; Peru (br) [1136, 8639, 12669]; Venezuela (br) [1070]

Buteo albonotatus Kaup, 1847 II B LC 386, 387, 523, 1068

E: Zone-tailed Hawk, F: Buse à queue barrée, S: Aguililla aura, Busardo aura, Gavilán albonotatus, Gavilán colifajeado
 Argentina (v) [6734, 10249]; Belize [5241]; Bolivia (br) [1186, 6346]; Brazil (br) [6186, 6413, 25271, 25280]; Colombia (br) [837, 6358]; Costa Rica (br) [1311]; Ecuador (br) [5294]; El Salvador [5241]; French Guiana (br) [1349]; Guatemala (br?) [448, 5241, 6397]; Guyana (br) [1295, 25537]; Honduras [1076]; Mexico (br) [5241, 6648]; Nicaragua (br) [1195]; Panama (br?) [1195]; Paraguay (br) [5295]; Peru (br) [1136, 12669]; Suriname (br) [5296]; Trinidad and Tobago (br) [703]; United States (br) [387]; Venezuela (br) [1070]

Buteo archeri W. L. Sclater, 1918 II B LC

Synonyms: *Buteo jakal archeri* W. L. Sclater, 1918, *Buteo rufofuscus archeri* W. L. Sclater, 1918, *Buteo augur archeri* W. L. Sclater, 1918
 E: Archer's Buzzard, F: Buse d'Archer, S: Busardo augur somali
 Somalia (br) [5252]

Buteo augur (Rüppell, 1836) II B LC

Synonyms: *Buteo rufofuscus augur* Rüppell, 1836, *Falco augur* Rüppell, 1836
 E: Augur Buzzard, F: Buse augure, S: Busardo augur oriental
 Angola (br?) [5267]; Burundi (br) [659]; ?Cameroon (v) [6295, 25311]; Democratic Republic of the Congo (br) [25489]; Djibouti (br?) [427]; Eritrea (br?) [659]; Ethiopia (br) [659]; Kenya (br) [5253]; Malawi (br) [1103]; Mozambique (br) [659]; Namibia (br) [659]; Rwanda (br) [659]; South Africa (br?) [659]; Sudan (br) [659]; Uganda (br?) [659]; United Republic of Tanzania (br) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

Buteo auguralis Salvadori, 1865 II B LC 386, 387, 511, 523, 524, 1256, 1292

E: African Red-tailed Buzzard, Red-necked Buzzard, Red-tailed Buzzard, F: Buse à queue rousse, Buse d'Afrique, S: Busardo cuellirrojo, Ratonero cuellirrojo
 Angola (br) [5267]; Benin (br?) [659, 845]; Burkina Faso (br) [659, 7154]; Cameroon (br?) [659, 25371, 25374, 25376]; Central African Republic (br?) [659]; Chad (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br) [7142, 25489]; Equatorial Guinea [6426]; Ethiopia (br?) [659]; Gabon [659]; Gambia (v) [760]; Ghana (br) [782, 7856]; Guinea (br) [659, 1389, 10590, 11455, 11456, 11457, 13096]; Liberia (br) [5246]; Mali [659]; Mauritania [659]; Niger (br?) [659]; Nigeria (br); Senegal (br?) [659]; Sierra Leone (br) [659]; Sudan (br) [659]; Togo (br) [5254]; Uganda [659]

Buteo brachypterus Hartlaub, 1860 II B LC 386, 523, 633

E: Madagascar Buzzard, F: Buse de Madagascar, S: Busardo malgache
Madagascar (br) [5249]

Buteo brachyurus Vieillot, 1816	II	B	LC	386, 387, 523, 1068
E: Short-tailed Hawk, F: Buse à queue courte, S: Aguililla colicorta, Aguilicho cola corta, Busardo colicorta, Gavilán cola corta				
Argentina (br) [5291, 10249]; Belize (br) [5241]; Bolivia (br) [1186, 7092]; Brazil (br) [6186, 6892, 25280]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294]; El Salvador (br) [5241]; French Guiana (br) [1349]; Guatemala (br) [448, 5241, 6231]; Guyana (br) [1295, 25537]; Honduras (br) [1076]; Mexico (br) [5241, 7068]; Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [5295]; Peru (br) [1136, 12669]; Suriname (br) [5296]; United States (br) [387]; Venezuela (br) [1070, 6290]				

Buteo buteo (Linnaeus, 1758)	II	A	LC	381, 386, 511, 523, 524, 573, 614, 841, 929
Synonyms: <i>Buteo bannermani</i> Swann, 1919, <i>Falco buteo</i> Linnaeus, 1758				

E: Buzzard, Common Buzzard, Eurasian Buzzard, F: Buse variable, Buse variable, S: Busardo Ratonero, Busardo ratonero, Ratonero común

Afghanistan [694]; Albania (br); Algeria (v) [971]; Andorra (br) [5239]; Angola [5267]; Armenia (br) [5240]; Austria (br) [1215]; Azerbaijan (br) [710]; Bahrain [1105]; Bangladesh [804]; Belarus (br); Belgium (br) [5272]; Bhutan [5261]; Bosnia and Herzegovina (br) [1038]; Botswana [1102]; Brunei Darussalam (v); Bulgaria (br) [5280]; Burundi [659]; Cambodia [5243]; Cameroon (v) [6295, 25316]; Cape Verde (br) [820]; Central African Republic [659]; Chad (v) [659]; China (br) [5293]; Congo (v) [659]; Côte d'Ivoire [1334]; Croatia (br) [5290]; Cyprus [709]; Czech Republic (br) [5258]; Democratic People's Republic of Korea [7680, 12972]; Democratic Republic of the Congo [6294, 25489]; Denmark (br) [666]; Djibouti [427]; Egypt [756]; Eritrea [659]; Estonia (br) [5277]; Ethiopia [659]; Faroe Islands (v) [480]; Finland (br) [1300]; France (br) [7041]; Gabon [659]; Gambia (v) [760]; Georgia (br) [710]; Germany (br) [5274]; Ghana (v) [782]; Gibraltar; Greece (br) [5281]; Hong Kong, China; Hungary (br) [5257, 13163]; Iceland (v) [507]; India (br) [1197]; Indonesia (v) [393, 1050]; Bali, Jawa; Iran (Islamic Republic of) (br) [1253]; Iraq [385]; Ireland (br) [858]; Israel [5245]; Italy (br) [5289]; Japan (br) [503]; Jordan [395, 1386, 6454]; Kazakhstan (br) [5269]; Kenya [5253]; Korea, Republic of [1436]; Kuwait [537]; Kyrgyzstan (br) [710]; Lao People's Democratic Republic [6187]; Latvia (br) [5278]; Lebanon [5284]; Lesotho [486]; Liberia [5246]; Libyan Arab Jamahiriya [536]; Liechtenstein (br); Lithuania (br) [5247]; Luxembourg (br) [5248]; Malawi [1103]; Malaysia (v): Peninsular Malaysia; Maldives (v) [431]; Mali (v) [659]; Malta; Mauritania [659]; Moldova, Republic of (br) [710]; Monaco (br); Mongolia (br) [1306]; Morocco [461]; Mozambique [659]; Myanmar [1290]; Namibia [659]; Nepal (br?) [865]; Netherlands (br) [5273]; Nigeria (v); Northern Mariana Islands (v); Norway (br) [5275]; Oman [13112]; Pakistan (br?); Philippines (v) [5270]; Poland (br) [1348]; Portugal (br) [1332]: Portugal (br), Azores (br) [985], Madeira (br); Qatar [1393]; Romania (br) [558]; Russian Federation (br) [710]; Rwanda [659]; San Marino (br); Saudi Arabia [881]; Senegal [659]; Serbia and Montenegro (br) [1038]; Sierra Leone (v) [659]; Singapore (v) [791]; Slovakia (br) [5279]; Slovenia (br) [1038]; Somalia (v) [5252]; South Africa [659]; Spain (br) [702]; Sri Lanka [5271]; Sudan [659]; Swaziland [1139]; Sweden (br) [1199]; Switzerland (br) [5288]; Syrian Arab Republic [5283]; Taiwan, Province of China; Tajikistan [374]; Thailand [487]; The former Yugoslav Republic of Macedonia (br) [1038]; Togo (v) [5254]; Tunisia [1344]; Turkey (br) [5282]; Uganda [659]; Ukraine (br) [710]; United Arab Emirates [1192]; United Kingdom (br) [6188]: Great Britain, Channel Is, Isle of Man, Northern Ireland; United Republic of Tanzania [659]; Uzbekistan [710]; Viet Nam [5264]; ?Western Sahara; Yemen (br) [5297]; Zambia [659]; Zimbabwe [659]

Buteo galapagoensis (Gould, 1837)	II	B	VU	386, 523, 595, 598, 688, 689, 931, 1381, 1382
--	----	---	----	---

Synonym: *Polyborus galapagoensis* Gould, 1837
E: Galapagos Hawk, F: Buse des Galapagos, Buse des îles Galapagos, S: Busardo de Galápagos, Gavilán de Galapagos
Ecuador (br) [5294]: Galapagos

Buteo hemilasius Temminck & Schlegel, 1844	II	B	LC	381, 386, 523
E: Upland Buzzard, F: Buse de Chine, S: Busardo mongol				

Bhutan [5261]; China (br) [5293]; Democratic People's Republic of Korea [7680]; Hong Kong, China (v); India (br) [1197, 7266]; Iran (Islamic Republic of) (v) [1253]; Japan (v) [503]; Kazakhstan [5269]; Korea, Republic of [1436]; Mongolia (br) [1306]; Nepal (br?) [865]; Russian Federation (br) [710]; Tajikistan [374]; Uzbekistan (v) [710]

Buteo jamaicensis (Gmelin, 1788)	II	B	LC	386, 387, 485, 523
Synonym: <i>Falco jamaicensis</i> Gmelin, 1788				

E: Red-tailed Hawk, F: Buse à queue rousse, S: Aguililla colirroja, Busardo colirrojo, Guaraguao
Bahamas (br) [5242]; Barbados (ex, br) [5242]; Belize (br) [5241]; Bermuda [389]; British Virgin Islands (br); Canada (br) [748]; Colombia (v) [8623]; Costa Rica (br) [1311]; Cuba (br) [5259]; Dominican Republic (br) [1312]; El Salvador (br) [5241]; Guadeloupe (v) [5242]; Guatemala (br) [5241]; Haiti (br) [1408]; Honduras (br) [1076]; Jamaica (br) [657]; Mexico (br) [5241]; Montserrat [5242]; Netherlands Antilles (br) [12247]; Netherlands Leeward Is [12247]; Nicaragua (br) [1195]; Panama (br) [1195]; Puerto Rico (br) [1176]; Saint Kitts and Nevis (br) [5242]; Saint Lucia (v) [5251]; Turks and Caicos Islands; United States (br) [387]; United States Virgin Islands (br); Venezuela (v) [6290]

Buteo lagopus (Pontoppidan, 1763)	II	A	LC	386, 387, 523, 614, 841
Synonym: <i>Falco lagopus</i> Pontoppidan, 1763				
E: Rough-legged Buzzard, Rough-legged Hawk, F: Buse pattue, Buse pattue, S: Aguililla ártica, Busardo calzado, Ratonero calzado				
Afghanistan (v) [694]; Albania; Armenia [5240]; Austria [1215]; Azerbaijan; Belarus; Belgium [5272]; Bermuda (v) [389]; ?Bhutan [5261]; Bosnia and Herzegovina [1038]; Bulgaria [5280]; Canada (br) [748]; China [5293]; Croatia [5290]; Cyprus (v) [709]; Czech Republic [5258]; Democratic People's Republic of Korea [7680, 12972]; Denmark [666]; Estonia [5277]; Faroe Islands (v) [480]; Finland (br) [1300]; France [7041]; Georgia; Germany [5274]; Greece (v) [5281]; Hungary [5257]; Iceland (v) [507]; Iran (Islamic Republic of) [1253]; Ireland (v) [858]; Israel (v) [5245]; Italy [5289]; Japan [503]; Jordan (v) [395, 1386]; Kazakhstan [5269]; Korea, Republic of [1436]; Latvia (ex) [5278]; Lebanon (v) [5284]; Libyan Arab Jamahiriya (v) [536]; Liechtenstein (v); Lithuania; Luxembourg [5248]; Malta (v); Mexico [5241]; Moldova, Republic of; Mongolia [1306]; Netherlands [5273]; Norway (br) [5275]; Poland [1348]; Romania [558]; Russian Federation (br) [710]; Saint Pierre and Miquelon (br) [683]; Serbia and Montenegro [1038]; Slovakia [5279]; Slovenia [1038]; Spain (v) [702]; Svalbard and Jan Mayen Islands (v); Sweden (br) [1199]; Switzerland [5288]; Taiwan, Province of China; Tajikistan [374]; The former Yugoslav Republic of Macedonia [1038]; Tunisia (v) [1344]; Turkey [5282]; Ukraine [710]; United Kingdom [6188]; Great Britain, Channel Is, Isle of Man, Northern Ireland; United States (br) [387]; Uzbekistan [710]				
Buteo leucorrhous (Quoy & Gaimard, 1824)	II	B	LC	386, 523, 1068
Synonym: <i>Falco leucorrhous</i> Quoy & Gaimard, 1824				
E: Rufous-thighed Hawk, White-rumped Hawk, F: Buse cul-blanc, S: Busardo culiblanco, Gavilán negro, Gavilán rabadilla blanca				
Argentina (br) [5291, 10249]; Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837]; Ecuador (br) [5294]; Paraguay (br) [5295]; Peru (br) [1136, 12669]; Venezuela (br) [1070]				
Buteo lineatus (Gmelin, 1788)	II	B	LC	386, 387, 523
Synonym: <i>Falco lineatus</i> Gmelin, 1788				
E: Red-shouldered Hawk, F: Buse à épaulettes, S: Aguililla pechirroja, Busardo hombrorrojo				
Canada (br) [748]; Mexico (br) [5241, 6648]; United States (br) [387]				
Buteo magnirostris (Gmelin, 1788)	II	B	LC	386, 387, 523, 1068
Synonym: <i>Falco magnirostris</i> Gmelin, 1788				
E: Roadside Hawk, F: Buse à gros bec, S: Aguililla caminera, Busardo caminero, Gavilán alirrojizo, Gavilán común, Gavilán habado				
Argentina (br) [5291, 10249]; Belize (br) [5241]; Bolivia (br) [1186]; Brazil (br) [6186, 25271, 25280]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294, 6317]; El Salvador (br) [5241]; French Guiana (br) [1349]; Guatemala (br) [5241]; Guyana (br) [1295, 25537]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [5295]; Peru (br) [1136, 12669]; Suriname (br) [5296]; United States (v) [387]; Uruguay (br) [5287, 25534]; Venezuela (br) [1070]				
Buteo oreophilus Hartert & Neumann, 1914	II	B	LC	386, 511, 523, 524, 573, 574, 1030, 1292
Synonym: <i>Buteo tachardus</i> Daudin, 1800				
E: Forest Buzzard, Mountain Buzzard, F: Buse montagnarde, S: Busardo montañés				
Burundi (br) [659]; Democratic Republic of the Congo (br) [25489]; Ethiopia (br?) [659]; Kenya (br) [5253]; Malawi (br?) [1103]; Rwanda (br) [659]; South Africa (br) [659]; Sudan (br?) [659]; Uganda (br?) [659]; United Republic of Tanzania (br?) [659]; ?Zambia [6301]				
Buteo platypterus (Vieillot, 1823)	II	B	LC	386, 387, 485, 523, 931, 1068
Synonym: <i>Sparvius platypterus</i> Vieillot, 1823				
E: Broad-winged Hawk, F: Petite buse, S: Aguililla aluda, Busardo aliencho, Gavilán bebehumo				
Antigua and Barbuda (br) [5242]; Argentina (v); Barbados (v) [5242]; Belize (v) [5241]; Bolivia [1186, 6346, 7166]; Brazil [6186]; Canada (br) [748]; Colombia [837]; Costa Rica [1311]; Cuba (br) [5259]; Dominica (br) [5242]; Ecuador [5294]; El Salvador [5241]; French Guiana [1349]; Grenada (br) [5242]; Guatemala [5241]; Guyana [25290, 25537]; Honduras [1076]; Jamaica (v) [657]; Martinique (br) [5242]; Mexico [5241, 6648]; Nicaragua [1195]; Panama [1195]; Peru (v) [1136, 6410]; Puerto Rico (br) [1176]; Saint Kitts and Nevis [5242]; Saint Lucia (br) [5251]; Saint Vincent and the Grenadines (br) [5242]; Suriname (v) [5296]; Trinidad and Tobago (br) [703]; United States (br) [387]; Venezuela [1070]				
Buteo poecilochrous Gurney, 1879	II	B	LC	386, 523, 1068
E: Gurney's Hawk, Puna Hawk, Variable Hawk, F: Buse du puna, S: Aguilicho puna, Busardo puneño, Gavilán puneño				
Argentina (br) [6370]; Bolivia (br) [1186, 6370, 7166]; Chile (br?) [873, 5292]; Colombia (br?) [837]; Ecuador (br) [5294]; Peru (br) [1136, 6370]				

Buteo polyosoma (Quoy & Gaimard, 1824)	II	B	LC	386, 523, 1068
Synonym: <i>Falco polyosoma</i> Quoy & Gaimard, 1824				
E: Red-backed Hawk, F: Buse tricolore, S: Aguilucho común, Aguilucho variado, Busardo dorsirrojo				
Argentina (br) [5291, 6370, 10249]; Bolivia (br) [1186, 6370, 7166]; ?Brazil (v) [6186]; Chile (br) [873, 5292]; Colombia (br?) [837]; Ecuador (br) [5294]; Falkland Islands (Malvinas) (br) [1439]; Peru (br) [1136, 6370, 12669]; Uruguay (v) [5287, 25534]				
Buteo regalis (Gray, 1844)	II	B	NT	386, 387, 523
Synonym: <i>Archibuteo regalis</i> G. R. Gray, 1844				
E: Ferruginous Hawk, F: Buse rouilleuse, S: Aguililla real, Busardo herrumbroso				
Canada (br) [748]; Mexico [5241]; United States (br) [387]				
Buteo ridgwayi (Cory, 1883)	II	B	CR	386, 387, 485, 523, 595, 598, 1419, 1420
Synonym: <i>Rupornis ridgwayi</i> Cory, 1883				
E: Hispaniolan Hawk, Ridgway's Hawk, F: Buse de Ridgway, S: Busardo de la Española				
Dominican Republic (br) [1312]; Haiti (br) [1408]; Puerto Rico (v) [1176]				
Buteo rufinus (Cretzschmar, 1827)	II	A	LC	381, 386, 511, 523, 524, 614, 841, 1256
Synonym: <i>Falco rufinus</i> Cretzschmar, 1827				
E: Long-legged Buzzard, F: Buse féroce, Buse féroce, S: Busardo Moro, Busardo moro, Ratonero moro, Ratonero moro				
Afghanistan (br) [694]; Albania (br); Algeria (br) [971]; Armenia (br) [5240]; Austria (v) [1215]; Azerbaijan (br) [710]; Bahrain [1105]; Bangladesh [804]; Belarus (v); Belgium (v?) [5272]; Bhutan [5261]; Bosnia and Herzegovina (br) [1038]; Botswana (v) [1102]; Bulgaria (br) [5280]; Burkina Faso [659]; Cameroon (v) [659, 25375]; Cape Verde (v) [820]; Chad [659]; China (br) [5293]; Croatia (v) [5290]; Cyprus (br) [709]; Czech Republic [5258]; Denmark (v) [666]; Djibouti [427]; Egypt (br) [756]; Eritrea [659]; Ethiopia [659]; Finland (v); France (v) [7041]; Gambia (v) [760]; Georgia (br) [710]; Germany (v) [5274]; Ghana (v) [782]; Greece (br) [5281]; Hungary (br) [5257, 13163]; India (br) [1197]; Iran (Islamic Republic of) (br) [1253]; Iraq (br) [385]; Israel (br) [5245]; Italy [5289]; Jordan (br) [395]; Kazakhstan (br) [5269]; Kenya [5253]; Kuwait [537]; Kyrgyzstan (br) [710]; Lebanon (br) [5284, 12656]; Libyan Arab Jamahiriya (br?) [536, 6303]; ?Malawi [1103]; Mali [659]; Malta (v); Mauritania (br) [659]; Mongolia (br) [1306]; Morocco (br) [461]; Myanmar (v) [1290]; Nepal [865]; Netherlands (v) [5273]; Niger [659]; Nigeria; Norway (v); Oman (br) [13112]; Pakistan (br); Poland (v) [1348]; Portugal (v) [1332]; Portugal (v), Madeira (v); Romania [558]; Russian Federation (br) [710, 938]; Saudi Arabia (br) [881]; Senegal [659]; Serbia and Montenegro (v) [1038]; Slovakia [5279]; Slovenia (v) [1038]; Somalia (v) [5252]; Spain (v) [702]; Sri Lanka (v) [5271]; Sudan (br?) [659]; Sweden (v) [1199]; Switzerland (v) [5288]; Syrian Arab Republic (br) [5283]; Tajikistan (br) [374]; The former Yugoslav Republic of Macedonia (br) [1038]; Togo (v) [5254]; Tunisia (br) [1344]; Turkey (br) [5282]; Turkmenistan (br) [710]; Uganda [659]; Ukraine (br); United Arab Emirates [1192]; United Republic of Tanzania (v) [659]; Uzbekistan (br) [710]; Western Sahara (br); Yemen (br?) [5297]				
Buteo rufofuscus (Forster, 1798)	II	B	LC	386, 511, 523, 524, 573, 1292
Synonym: <i>Falco rufofuscus</i> J. R. Forster, 1798				
E: Jackal Buzzard, F: Buse rounoir, S: Busardo augur meridional				
Botswana (br?) [1102]; Lesotho (br) [486]; Namibia (br) [659]; South Africa (br) [659]; Swaziland (br) [1139]; Zimbabwe (v) [659]				
Buteo solitarius Peale, 1848	II	B	NT	386, 387, 523, 595, 931
E: Hawaiian Hawk, F: Buse d'Hawaï, S: Busardo hawaiano				
United States (br) [387]				
Buteo swainsoni Bonaparte, 1838	II	B	LC	386, 387, 523, 1068
E: Swainson's Hawk, F: Buse de Swainson, S: Aguililla de Swainson, Aguilucho langostero, Busardo chapulinero, Gavilán langostero				
Argentina [5291, 10249]; ?Belize [1437, 6769, 8757]; Bolivia [1186]; Brazil [1268, 6186, 6291, 7118]; Canada (br) [748]; Chile (v) [10073]; Colombia [837]; Costa Rica [1311]; Dominican Republic (v) [6324]; Ecuador [5294]; El Salvador [5241]; Guatemala [5241]; Honduras [1076]; Mexico (br) [5241]; Nicaragua [1195]; Norway (v?) [5275]; Panama [1195]; Paraguay (v) [5295, 6321]; Peru [1136]; Trinidad and Tobago (v) [391, 703, 8674, 10294]; United States (br) [387]; Uruguay [5287, 25534]; Venezuela [1070]				
Buteo ventralis Gould, 1837	II	B	NT	386, 523, 578, 595, 1068
E: Red-tailed Hawk, Rufous-tailed Hawk, F: Buse de Patagonie, S: Aguilucho cola colorada, Busardo patagón				
Argentina (br) [465, 5291, 10249, 10289]; Chile (br) [873, 1459, 5292]				
Buteogallus aequinoctialis (Gmelin, 1788)	II	B	LC	386, 523, 1068
Synonym: <i>Falco aequinoctialis</i> Gmelin, 1788				

E: Rufous Crab-Hawk, F: Buse buson, S: Busardo-negro del atlántico, Gavilán de Manglares
 Brazil (br) [6186]; French Guiana (br) [1349]; Guyana (br) [1295, 25537]; Suriname (br) [5296]; Trinidad and Tobago (br) [703, 10294]; Venezuela (br) [1070]

Buteogallus anthracinus (Deppe, 1830) II B LC 386, 387, 485, 523, 1068

Synonym: *Falco anthracinus* Deppe, 1830

E: Common Black-Hawk, Cuban Black Hawk, Lesser Black-Hawk, F: Buse noire, S: Aguililla negra menor, Busardo-negro norteño, Gavilán cangrejero
 Antigua and Barbuda (v); Belize (br) [5241]; Colombia (br) [837]; Costa Rica (br) [1311]; Cuba (br) [5259]; El Salvador (br) [5241]; French Guiana (v) [1349]; Grenada (v) [5242]; Guatemala (br) [5241]; Guyana (br) [1295, 25537]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]; Puerto Rico (v) [1176]; Saint Lucia (v) [5251]; Saint Vincent and the Grenadines (br) [5242]; Trinidad and Tobago (br) [703]; United States (br) [387]; Venezuela (br) [1070]

CITES Identification Manual Reference:

A-213.003.008.002

Buteogallus meridionalis (Latham, 1790) II B LC 386, 387, 523, 1068

Synonyms: *Heterospizias meridionalis* (Latham, 1790), *Falco meridionalis* Latham, 1790

E: Savanna Hawk, F: Buse roussâtre, S: Aguilucho colorada, Aguilucho sabanero, Busardo sabanero, Gavilán pita venado, Gavilán sabanero
 Argentina (br) [5291, 10249]; Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837]; Ecuador (br) [5294]; French Guiana (br) [1349]; Guyana (br) [1295, 25537]; Panama (br) [1195]; Paraguay (br) [5295]; Peru (br) [1136, 12669]; Suriname (br) [5296]; Trinidad and Tobago (br) [703]; Uruguay (br) [5287, 25534]; Venezuela (br) [1070]

CITES Identification Manual Reference:

A-213.003.032.001

Buteogallus subtilis

(Thayer & Bangs, 1905)

Synonyms: *Buteogallus aequinoctialis subtilis* (Thayer & Bangs, 1905), *Urubitinga subtilis* Thayer & Bangs, 1905

E: Mangrove Black-Hawk, Pacific Black Hawk, F: Buse des mangroves, S: Busardo-negro del pacífico, Gavilán negro común
 Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294]; El Salvador (br) [5241]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [5241]; Panama (br) [1195]; Peru (br) [1136]

CITES Identification Manual Reference:

A-213.003.008.003

Buteogallus urubitinga (Gmelin, 1788)

II B LC 386, 387, 523, 1068

Synonym: *Falco urubitinga* Gmelin, 1788

E: Great Black-Hawk, F: Buse urubu, S: Águila negra, Aguililla negra mayor, Busardo-negro urubitinga, Gavilán negro grande
 Argentina (br) [5291, 6734, 10249]; Belize (br) [5241]; Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837, 9220]; Costa Rica (br) [1311]; Ecuador (br) [5294]; El Salvador (br) [5241]; French Guiana (br) [1349]; Guatemala (br) [5241]; Guyana (br) [1295, 25537]; Honduras (br) [1076]; Mexico (br) [5241, 6648]; Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [5295]; Peru (br) [1136]; Suriname (br) [5296]; Trinidad and Tobago (br) [703]; Uruguay (br) [5287, 25534]; Venezuela (br) [1070]

Cheilictinia riocourii (Vieillot, 1822)

II B LC 386, 511, 523, 524, 1256, 1292

Synonyms: *Elanoides riocourii* Vieillot, 1822, *Elanus riocourii* (Vieillot, 1822)

E: African Swallow-tailed Kite, Scissor-tailed Kite, F: Élanion naucler, S: Elanio golondrina
 Benin [659]; Burkina Faso [659]; Cameroon (br?) [659, 25339, 25375]; Central African Republic (br?) [659]; Chad (br?) [659]; Côte d'Ivoire [1334]; Djibouti [427]; Eritrea (br) [659]; Ethiopia [659]; Gambia (br) [760]; Ghana [782]; Kenya (br) [5253]; Liberia (v) [5246]; Mali (br) [659]; Mauritania (br) [659]; Niger (br) [659]; Nigeria; Senegal (br) [659, 7219]; Somalia (br?) [5252]; Sudan (br) [659]; Togo (v) [5254]; Uganda [659]; Yemen (v) [841, 5297]

Chondrohierax uncinatus (Temminck, 1822)

I/II A/B LC 386, 387, 523, 931

Synonym: *Falco uncinatus* Temminck, 1822

E: Hook-billed Kite, F: Milan bec-en-croc, S: Gavilán pico ganchudo, Milano picogarfio
 Argentina (br) [5291, 10249]; Belize (br) [5241]; Bolivia (br) [1186, 6667]; Colombia (br) [837]; Costa Rica (br) [1311]; Cuba (br) [5259]; Ecuador (br) [5294]; El Salvador (br) [5241]; French Guiana (br) [1349]; Grenada (br) [5242]; Guatemala (br) [5241]; Guyana (br) [1295, 25537]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [5295, 6927, 6932]; Peru (br) [1136, 8616]; Suriname (br) [5296]; Trinidad and Tobago (br) [703, 10294]; United States (br) [387]; Venezuela (br) [1070, 6290]

CITES Appendix II populations

II B LC

Argentina (br) [5291]; Belize (br) [5241]; Bolivia (br) [1186]; Colombia (br) [837]; Costa Rica (br) [1311];

Argentina (br) [5291]; Belize (br) [5241]; Bolivia (br) [1186]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294]; El Salvador (br) [5241]; French Guiana (br) [1349]; Grenada (br) [5242]; Guatemala (br) [5241]; Guyana (br) [1295]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [5295]; Peru (br) [1136]; Suriname (br) [5296]; Trinidad and Tobago (br) [703]; United States (br) [387]; Venezuela (br) [1070, 6290]

Chondrohierax uncinatus wilsonii

(Cassin, 1847)

Synonyms: *Chondrohierax wilsonii* (Cassin, 1847), *Cymindis wilsonii* Cassin, 1847

E: Cuban Hook-billed Kite, F: Busard de Wilson, Milan de Cuba, Milan de Wilson, S: Busardo de Wilson Cuba (br) [5259]

Circaetus cinerascens

J. W. von Müller, 1851

E: Banded Snake-Eagle, Smaller Banded Snake-Eagle, F: Circaète cendré, S: Águila culebrera coliblanca, Culebrera coliblanca

Angola (br?) [5267]; Benin (br?) [659]; Botswana (br?) [1102]; Burkina Faso (br?) [659]; Burundi (br) [659]; Cameroon (br?) [659, 25374, 25375]; Central African Republic (br?) [659]; Chad (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br?); Ethiopia (br?) [659]; Gambia (br?) [760]; Ghana (br?) [782]; Guinea (br) [659, 1389, 10590, 11456]; Guinea-Bissau (br) [659, 715]; Kenya (br?) [5253]; Malawi (br) [1103]; Mali [659]; Namibia (br) [521, 659]; Niger (br?) [659]; Nigeria (br?); Rwanda (br) [659]; Senegal (br?) [659]; Sierra Leone (br?) [659]; Sudan (br) [659]; Togo (br?) [5254]; Uganda (br) [659]; United Republic of Tanzania (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

Circaetus cinereus Vieillot, 1818

II B LC 386, 511, 523, 524, 573, 1256, 1292

E: Brown Harrier-Eagle, Brown Snake-Eagle, F: Circaète brun, S: Águila culebrera de Brown, Culebrera sombría

Angola (br?) [5267]; Benin (br?) [659]; Botswana (br) [1102]; Burkina Faso (br?) [659]; Burundi (br?) [659]; Cameroon (br?) [659, 25375]; Central African Republic (br?) [659, 11929]; Chad (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br) [25489]; Eritrea (br?) [659]; Ethiopia (br?) [659]; Gambia (br?) [760]; Ghana (br?) [782]; Guinea (br) [659, 1078, 10590, 11455, 11457]; Guinea-Bissau (br) [659, 715]; Kenya (br) [5253]; Liberia (br) [5246]; Malawi (br) [1103]; Mali [659]; Mauritania [659]; Mozambique (br?) [659]; Namibia (br) [659]; Niger (br?) [659]; Nigeria (br?); Rwanda (br) [659]; Senegal (br) [659]; Sierra Leone (br?) [659]; Somalia (br?) [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Togo (br?) [568, 5254]; Uganda (br?) [659]; United Republic of Tanzania (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

Circaetus fasciolatus Kaup, 1847

II B NT 386, 511, 523, 524, 573, 595, 1292

E: Fasciated Snake-Eagle, Southern Banded Snake-Eagle, F: Circaète barré, S: Culebrera barreada Kenya (br) [5253]; Mozambique (br) [659]; Somalia (br?) [5252]; South Africa (br) [659]; United Republic of Tanzania (br?) [659]; Zimbabwe (br?) [659]

Circaetus gallicus (Gmelin, 1788)

II A LC 381, 386, 511, 523, 524, 573, 614, 841, 1256, 1292, 6677

Synonyms: *Circaetus gallicus heptneri* Dementiev, 1932, *Circaetus beaudouini* Verreaux & Des Murs, 1862, *Falco gallicus* Gmelin, 1788
E: Beaudouin's Snake-Eagle, Short-toed Eagle, Short-toed Snake-Eagle, F: Circaète Jean-le-Blanc, Circaète Jean-le-Blanc, S: Águila culebrera, Culebrera barreada, Culebrera europea
Afghanistan [694]; Albania (br); Algeria (br) [971]; Andorra (br) [5239]; Angola (br) [5267]; Armenia (br) [5240]; Austria (ex, br, v) [1215]; Azerbaijan (br) [710]; Bahrain [1105]; Bangladesh (v) [804]; Belarus (br); Belgium (v) [5272]; Benin [659]; Bhutan (v) [5261]; Bosnia and Herzegovina (br) [1038]; Bulgaria (br) [5280]; Burkina Faso [659, 7154]; Cambodia (v) [5243]; Cameroon [659, 25339, 25375]; Central African Republic [659]; Chad [659]; China (br) [5293]; ?Congo (v) [659]; Côte d'Ivoire (br) [1334]; Croatia (br) [5290]; Cyprus (v) [709]; Czech Republic; Democratic Republic of the Congo [25489]; Denmark (v) [666]; Djibouti [427]; Egypt (br?) [756]; Eritrea [659]; Estonia (br, v) [5277]; Ethiopia [659]; Finland (v) [1300]; France (br) [7041]; Gambia (br?) [760]; Georgia (br) [710]; Germany (ex, br, v) [5274]; Ghana [782]; Gibraltar; Greece (br) [5281]; Guinea (br) [659, 1078, 10590]; Guinea-Bissau (br) [659, 715]; Hungary (br) [5257, 13163]; India (br) [1197]; Indonesia (br) [393, 434]; Bali, Jawa, Lesser Sunda Is; Iran (Islamic Republic of) (br) [1253]; Iraq (br?) [385, 10169]; Israel (br) [5245]; Italy (br) [5289]; Jordan (br) [395, 6454]; Kazakhstan (br) [5269]; ?Kenya [5253, 8181]; Kuwait [537]; Kyrgyzstan (br) [710]; Lao People's Democratic Republic (v) [6187]; Latvia (br) [5278]; Lebanon (br) [5284, 12656]; ?Lesotho (v) [486]; Liberia (v) [5246]; Libyan Arab Jamahiriya (ex, br) [536, 9127]; Lithuania (br) [5247]; Luxembourg (v) [5248]; Malaysia (v): Peninsular Malaysia; Mali (br?) [659]; Malta (v); Mauritania (br) [659]; Moldova, Republic of (br) [710]; Mongolia (v) [1306]; Morocco (br) [461]; Myanmar [1290]; Nepal (br?) [865]; Netherlands (v) [5273]; Niger (br?) [659]; Nigeria (br); Norway (v) [5275]; Oman (br) [13112]; Pakistan (br); Poland (br) [1348]; Portugal (br) [1332]; Portugal (br); Romania (br) [558]; Russian Federation (br) [710, 938]; Rwanda (br) [659]; Saudi Arabia (br) [881]; Senegal (br?) [659]; Serbia and Montenegro (br) [1038]; Sierra Leone (v) [659]; Singapore [791]; Slovakia (br) [5279]; Slovenia (br) [1038]; Spain (br) [702]; Sudan [659]; Sweden (v) [1199]; Switzerland (br?) [5288]; Syrian Arab Republic (br) [5283]; Tajikistan (br) [374]; Thailand [487]; The former Yugoslav Republic of Macedonia (br) [1038]; Togo

(br?) [5254]; Tunisia (br) [1344]; Turkey (br) [5282]; Turkmenistan (br) [710]; Uganda (br?) [659]; Ukraine (br) [710]; United Arab Emirates [1192]; United Kingdom (v) [6188]; Uzbekistan (br) [710]; Viet Nam [5264]; Western Sahara (br?); Yemen [5297]

CITES Identification Manual Reference:

A-213.003.011.005

Circaetus pectoralis A. Smith, 1829

II B 6677

Synonym: *Circaetus gallicus pectoralis* A. Smith, 1829

E: Black-breasted Harrier-Eagle, Black-breasted Snake-Eagle, Black-chested Snake-Eagle, F: Circaète à poitrine noire, S: Culebrera pechinegra

Angola (br?) [5267]; Botswana (br) [1102]; Burundi (br?) [659]; Congo (br?) [659]; Democratic Republic of the Congo (br?) [25489]; Djibouti (br?) [427]; Ethiopia (br?) [659]; Kenya (br) [5253]; Lesotho (v) [486]; Malawi (br) [1103]; Mozambique (br?) [659]; Namibia (br) [659]; Rwanda (br) [659]; Somalia (br) [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Uganda (br?) [659]; United Republic of Tanzania (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

CITES Identification Manual Reference:

A-213.003.011.006

Circus aeruginosus (Linnaeus, 1758)

II A LC 381, 386, 511, 523, 524, 573, 614, 841, 929, 1045, 1256

Synonym: *Falco aeruginosus* Linnaeus, 1758

E: Eurasian Marsh-Harrier, Marsh Harrier, Western Marsh-Harrier, F: Busard des roseaux, Busard des roseaux, S: Aguilucho lagunero, Aguilucho lagunero, Aguilucho Lagunero Occidental, Aguilucho lagunero occidental

Afghanistan (br) [694]; Albania (br); Algeria (br) [971]; Andorra (v); Angola [5267]; Armenia (br) [5240]; Austria (br) [1215]; Azerbaijan (br) [710]; Bahrain [1105]; Bangladesh [804]; Belarus (br); Belgium (br) [5272]; Benin [659]; Bhutan (v) [5261]; Bosnia and Herzegovina (br) [1038]; Bulgaria (br) [5280]; Burkina Faso [659, 7154]; Burundi [659]; Cameroon [659, 25374, 25375, 25376]; Cape Verde [820]; Central African Republic [659]; Chad [659]; China (br) [5293]; Congo (v) [659]; Côte d'Ivoire [1334]; Croatia (br) [5290]; Cyprus [709]; Czech Republic (br) [5258]; Democratic Republic of the Congo [25489]; Denmark (br) [666]; Djibouti [427]; Egypt [756]; Eritrea [659]; Estonia (br) [5277]; Ethiopia [659]; Faroe Islands (v) [480]; Finland (br) [1300]; France (br) [7041]; Gabon [659]; Gambia [760]; Georgia (br) [710]; Germany (br) [5274]; Ghana [782, 7856]; Gibraltar; Greece (br) [5281]; Guinea [659, 1078, 1191, 1389, 10590, 11455, 11457, 13096]; Guinea-Bissau [659]; Hungary (br) [5257, 13163]; Iceland (v) [507]; India [1197]; Indonesia (v) [393]: Sumatera; Iran (Islamic Republic of) (br) [1253]; Iraq (br) [385]; Ireland (**ex**, br) [858]; Israel (**ex**, br) [5245]; Italy (br) [5289]; Jordan [395, 1386]; Kazakhstan (br) [5269]; Kenya [5253]; Kuwait [537]; Kyrgyzstan (br) [710]; Latvia (br) [5278]; Lebanon (**ex**, br?) [5284]; Liberia [5246]; Libyan Arab Jamahiriya [536, 6303]; Liechtenstein (br?); Lithuania (br) [5247]; Luxembourg (**ex**, br) [5248]; Malawi [1103]; Malaysia (v) [6228]: Peninsular Malaysia; Maldives [431]; Mali [659]; Malta; Mauritania [659]; Mauritius (v) [659]; Moldova, Republic of (br) [710]; Morocco (br) [461]; Mozambique [659]; Myanmar [1290]; Nepal [865]; Netherlands (br) [5273]; Niger [659]; Nigeria; Norway (br, v) [5275]; Oman [13112]; Pakistan; Poland (br) [1348]; Portugal (br) [1332]; Portugal (br), ?Azores (v), Madeira (v); Qatar [1393]; Romania (br) [558]; Russian Federation (br) [710]; Rwanda [659]; Saudi Arabia [881]; Senegal [659]; Serbia and Montenegro (br) [1038]; Seychelles (v) [659, 6253]; Sierra Leone [659]; Singapore [791]; Slovakia (br) [5279]; Slovenia (br) [1038]; Somalia [5252]; South Africa [659]; Spain (br) [702]; Sri Lanka [5271]; Sudan [659]; Sweden (br) [1199]; Switzerland [5288]; Syrian Arab Republic (br?) [5283]; Tajikistan (br) [374]; ?Thailand (v) [487]; The former Yugoslav Republic of Macedonia (br) [1038]; Togo [570, 5254]; Tunisia (br) [1344]; Turkey (br) [5282]; Turkmenistan (br) [710]; Uganda [659]; Ukraine (br) [710]; United Arab Emirates [1192]; United Kingdom (br) [6188]: Great Britain, Channel Is, Isle of Man, Northern Ireland; United Republic of Tanzania [659]; Uzbekistan (br) [710]; Western Sahara; Yemen [5297]; Zambia [659]; Zimbabwe [659]

CITES Identification Manual Reference:

A-213.003.012.002

Circus approximans Peale, 1848

II B LC

Synonym: *Circus aeruginosus approximans* Peale, 1848

E: Australasian Harrier, Pacific Marsh-Harrier, Swamp Harrier, F: Busard de Gould, S: Aguilucho lagunero del pacifico

Australia (br) [477]; Fiji (br) [1171]; French Polynesia (br) [1171]: Society Is (br) [1171]; Indonesia (br?) [393]: Irian Jaya; New Caledonia (br) [5260]; New Zealand (br) [1351]; ?Papua New Guinea (br); Tonga (br) [1171]; Vanuatu (br) [5260]; Wallis and Futuna (br)

CITES Identification Manual Reference:

A-213.003.012.002a

Circus assimilis Jardine & Selby, 1828

II B LC 386, 523, 1045

E: Spotted Harrier, F: Busard tacheté, S: Aguilucho moteado

Australia (br) [477]; Indonesia (br) [393]: Lesser Sunda Is, Sulawesi; Timor-Leste [13131]

Circus buffoni (Gmelin, 1788)

II B LC 386, 523, 1068

Synonym: *Falco buffoni* Gmelin, 1788

E: Long-winged Harrier, F: Busard de Buffon, S: Aguilucho de azara, Aguilucho de ciénaga, Gavilán grande

Argentina (br) [5291, 10249]; Bolivia (br) [1186, 7092]; Brazil (br) [6186, 25271]; Chile (br) [873, 5292]; Colombia (br) [837]; Falkland Islands (Malvinas) (v); French Guiana (br) [1349]; Guyana (br) [1295, 25537]; Paraguay (br) [5295]; Suriname (br) [5296]; Trinidad and Tobago (br) [703]; Uruguay (br) [5287, 25534]; Venezuela (br) [1070]

Circus cinereus Vieillot, 1816 II B LC 386, 523, 1068
 E: Cinereous Harrier, F: Busard bariolé, S: Aguilucho vari, Gavilán ceniciente
 Argentina (br) [5291, 10249]; Bolivia (br) [1186]; Brazil (br) [6186, 12355]; Chile (br?) [5292, 6393]; Colombia (br) [837]; Ecuador (br) [5294]; Falkland Islands (Malvinas) (**ex**, br, v) [1439]; Paraguay (br?) [5295, 6321]; Peru (br) [1136]; Uruguay (br) [5287, 25534]

Circus cyaneus (Linnaeus, 1766) II A LC 381, 387, 485, 524, 614, 841, 929, 1045

Synonym: *Falco cyaneus* Linnaeus, 1766
 E: Hen Harrier, Marsh Hawk, Northern Harrier, F: Busard Saint-Martin, Busard Saint-Martin, S: Aguilucho pálido, Gavilán rastreiro
 Afghanistan (v) [694]; Albania; Algeria [971]; Andorra (v); ?Anguilla [5242]; Antigua and Barbuda (v) [5242]; Armenia [5240]; Austria [1215]; Azerbaijan (br) [710]; Bahamas [5242]; Bahrain [1105]; Bangladesh [804]; Barbados [5242]; Belarus (br); Belgium (br) [5272]; Belize [5241]; Bermuda (v) [389]; Bhutan [5261]; Bosnia and Herzegovina [1038]; ?British Virgin Islands; Bulgaria [5280]; Cambodia [5243]; Canada (br) [748]; Cayman Islands; China (br) [5293]; Colombia (v) [837]; Costa Rica [1311]; Croatia [5290]; Cuba [5259]; Cyprus [709]; Czech Republic (br) [5258]; Democratic People's Republic of Korea [7680, 12972]; Denmark (br) [666]; Dominica [5242]; Dominican Republic [1312]; Egypt [756]; El Salvador [5241]; Estonia (br) [5277]; Faroe Islands (v) [480]; Finland (br) [1300]; France (br) [7041]; Georgia (br) [710]; Germany (br) [5274]; Gibraltar; Greece [5281]; ?Grenada [5242]; Guadeloupe (v) [5242]; Guatemala [5241]; Haiti [1408]; Honduras [1076]; Hong Kong, China; Hungary [5257]; Iceland (v) [507]; India [1197]; Iran (Islamic Republic of) (br?) [1253]; Iraq [385]; Ireland (br) [858]; Israel [5245]; Italy [5289]; Jamaica (v) [657]; Japan [503]; Jordan [395, 1386]; Kazakhstan [5269]; Korea, Republic of [1436]; Kuwait [537]; Kyrgyzstan [710]; ?Lao People's Democratic Republic [6187]; Latvia (br) [5278]; Lebanon [5284]; Libyan Arab Jamahiriya [536, 6303]; Liechtenstein; Lithuania (br) [5247]; Luxembourg (br) [5248]; Malaysia (v) [1289]; Peninsular Malaysia, Sabah, Sarawak [393]; Malta; Martinique (v) [5242]; Mexico (br) [5241]; Moldova, Republic of (br) [710]; Mongolia (br) [1306]; ?Montserrat [5242]; Morocco [461]; Myanmar [1290]; Nepal [865]; Netherlands (br) [5273]; Netherlands Antilles: Netherlands Leeward Is; Nicaragua [1195, 6604]; Norway (br) [5275]; Oman [13112]; Pakistan; Panama [1195]; Poland (br) [1348]; Portugal (br) [1332]; Portugal (br); Puerto Rico [1176]; Qatar (v) [1393]; Romania [558]; Russian Federation (br) [710]; Saint Kitts and Nevis [5242]; Saint Lucia (v) [5251]; Saint Pierre and Miquelon [683]; Saint Vincent and the Grenadines [5242]; St Vincent [1049]; Saudi Arabia [881]; Senegal (v) [659]; Serbia and Montenegro [1038]; Singapore (v) [791]; Slovakia [5279]; Slovenia [1038]; Spain (br) [702]; ?Sudan (v) [659]; Sweden (br) [1199]; Switzerland [5288]; Syrian Arab Republic (v) [5283]; Taiwan, Province of China; Tajikistan [374]; Thailand [487]; The former Yugoslav Republic of Macedonia [1038]; Tunisia [1344]; Turkey (br?) [5282]; Turkmenistan [710]; Turks and Caicos Islands (v); Ukraine (br) [710]; United Arab Emirates [1192]; United Kingdom (br) [6188]; Great Britain, Channel Is, Isle of Man, Northern Ireland; United States (br) [387]; Wisconsin [759]; United States Virgin Islands; Uzbekistan [710]; Venezuela (v) [1070]; ?Viet Nam [5264]; Yemen (v) [5297]

Circus macrourus (S. G. Gmelin, 1770) II A NT 381, 386, 511, 523, 524, 573, 595, 614, 841, 929

Synonym: *Falco macrourus* S. G. Gmelin, 1770
 E: Pale Harrier, Pallid Harrier, F: Busard pâle, Busard pâle, S: Aguilucho papialbo
 Afghanistan [694]; Albania; Algeria [971]; Angola [5267]; Armenia (br) [5240]; Austria (v) [1215]; Azerbaijan (br) [710]; Bahrain [1105]; Bangladesh [804]; Belarus (br); Belgium (v) [5272]; Benin [659]; Bosnia and Herzegovina [1038]; Botswana [1102]; Bulgaria [5280]; Burkina Faso [659]; Burundi [659]; Cameroon [659, 25375, 25376]; Central African Republic [659]; Chad [659]; China (br) [5293]; Jiangsu [1049]; Côte d'Ivoire [1334]; Croatia [5290]; Cyprus [709]; Czech Republic [5258]; Democratic Republic of the Congo [25489]; Denmark (v) [666]; Djibouti [427]; Egypt [756]; Eritrea [659]; Estonia (v) [5277]; Ethiopia [659]; Finland (v) [1300]; France [7041]; Gambia [760]; Georgia (br) [710]; Germany (v) [5274]; Ghana [782]; Gibraltar (v); Greece [5281]; Guinea (v) [659, 1389]; Guinea-Bissau [659, 715]; Hungary (v) [5257]; Iceland (v) [507]; India [1197]; Iran (Islamic Republic of) (br?) [1253]; Iraq [385]; Israel [5245]; Italy [5289]; Japan (v) [503]; Jordan [395, 1386]; Kazakhstan (br) [5269]; Kenya [5253]; Kuwait [537]; Latvia (**ex**, br) [5278]; Lebanon [5284]; Lesotho (v) [486]; Liberia (v) [5246]; Libyan Arab Jamahiriya [536, 6303]; Liechtenstein (v); Luxembourg (v) [5248]; Malawi [1103]; Malaysia (v) [6420]; Peninsular Malaysia; Maldives [431]; Mali [659]; Malta; Mauritania [659]; Moldova, Republic of (br) [710]; ?Mongolia [1306]; Morocco [461]; Mozambique [659]; Myanmar [1290]; Namibia [659]; Nepal [865]; Netherlands (v) [5273]; Niger [659, 7218, 10581]; Nigeria; Norway (v) [5275]; Oman [13112]; Pakistan; Poland; Qatar [1393]; Romania (br) [558]; Russian Federation (br) [710]; Rwanda [659]; Saudi Arabia [881]; Senegal [659]; Serbia and Montenegro [1038]; Seychelles (v) [10522]; Sierra Leone [659]; Slovakia [5279]; Slovenia [1038]; Somalia [5252]; South Africa [659]; Spain (v) [702]; Sri Lanka [5271]; Sudan [659]; ?Swaziland [1139]; Sweden (v) [1199]; Switzerland (v) [5288]; Syrian Arab Republic [5283]; Tajikistan [374]; The former Yugoslav Republic of Macedonia [1038]; Togo [5254]; Tunisia [1344]; Turkey [5282]; Uganda [659]; Ukraine (br) [710]; United Arab Emirates [1192]; United Kingdom (v) [6188]; United Republic of Tanzania [659]; Uzbekistan; Western Sahara; Yemen [5297]; Zambia [659]; Zimbabwe [659]

Circus maillardi Verreaux, 1862 II B EN 595, 1293, 9309

Synonyms: *Circus macrosceles* Newton, 1863, *Circus aeruginosus maillardi* Verreaux, 1862
 E: Madagascar Harrier, Madagascar Marsh-Harrier, Malagasy Marsh-Harrier, Réunion Harrier, Réunion Marsh-Harrier, F: Busard de Maillard, S: Aguilucho lagunero malgache
 Comoros (br) [659]; Madagascar (br) [5249]; Mayotte (br); Réunion (br) [1303]
 CITES Identification Manual Reference: A-213.003.012.002b

Circus maurus (Temminck, 1828) II B VU 386, 523, 524, 573, 595, 1061, 1292

Synonym: *Falco maurus* Temminck, 1828
 E: Black Harrier, F: Busard maure, S: Aguilucho negro
 Botswana [1102]; Lesotho [486]; ?Namibia (br) [659]; South Africa (br) [659]

Circus melanoleucus (Pennant, 1769) II B LC 381, 386, 523, 929

Synonym: *Falco melanoleucus* Pennant, 1769
 E: Pied Harrier, F: Busard tchoug, S: Aguilucho pío
 Bangladesh [804]; Bhutan (v) [5261]; Brunei Darussalam (v) [1019]; Cambodia [5243]; China (br) [5293]; Democratic People's Republic of Korea [7680]; Hong Kong, China; India (br) [1197]; Indonesia [393, 1289]; Kalimantan; Japan (v) [503]; Korea, Republic of [1436]; Lao People's Democratic Republic [6187]; Malaysia [1289]; Peninsular Malaysia, Sabah [759], Sarawak [393]; Mongolia (br) [1306]; Myanmar (br) [1290]; Nepal [865]; Pakistan; Philippines [5270]; Russian Federation (br) [710]; West Siberia [1049]; Singapore (v) [791]; Sri Lanka [5271]; Taiwan, Province of China; Thailand [487]; Viet Nam [5264]

Circus pygargus (Linnaeus, 1758) II A LC 381, 386, 511, 523, 524, 573, 614, 841

Synonym: *Falco pygargus* Linnaeus, 1758
 E: Montagu's Harrier, F: Busard cendré, Busard cendré, Busard de montagne, S: Aguilucho cenizo
 Afghanistan [694]; Albania; Algeria (br) [971]; Armenia (br) [5240]; Austria (br) [1215]; Azerbaijan (br) [710]; Bahrain [1105]; Bangladesh (v) [804]; Belarus (br); Belgium (br) [5272]; Benin [659]; Bosnia and Herzegovina (br) [1038]; Botswana [1102]; Bulgaria (br) [5280]; Burkina Faso [659]; Burundi [659]; Cameroon [659, 25374, 25375]; ?Cape Verde (v) [820]; Central African Republic [659]; Chad [659]; China (br) [5293]; Congo (v) [659]; Côte d'Ivoire [1334]; Croatia (br) [5290]; Cyprus [709]; Czech Republic (br) [5258]; Democratic Republic of the Congo [25489]; Denmark (br) [666]; Djibouti [427]; Egypt [756]; Eritrea [659]; Estonia (br) [5277]; Ethiopia [659]; Finland (br) [1300]; France (br) [7041]; Gambia [760]; Georgia (br) [710]; Germany (br) [5274]; Ghana [782]; Gibraltar; Greece (br) [5281]; Guinea [659, 1078, 11456]; Guinea-Bissau [7849, 7850, 7851, 7852, 7853]; Hungary (br) [5257, 13163]; Iceland (v) [507]; India [1197]; Iran (Islamic Republic of) (br) [1253]; Iraq [385]; Ireland (v) [858]; Israel [5245]; Italy (br) [5289]; Jordan [395, 1386, 6454]; Kazakhstan (br) [5269]; Kenya [5253]; Kuwait [537]; Kyrgyzstan (br) [710]; Latvia (br) [5278]; Lebanon [5284]; ?Lesotho [486]; Liberia [5246]; Libyan Arab Jamahiriya [536, 6303]; Liechtenstein; Lithuania (br) [5247]; Luxembourg (br) [5248]; Malawi [1103]; Maldives [431]; Mali [659]; Malta; Mauritania [659]; Moldova, Republic of (br) [710]; Morocco (br) [461]; Mozambique [659]; Namibia [659]; Nepal [865]; Netherlands (br) [5273]; Niger [659]; Nigeria; Norway (v) [5275]; Oman [13112]; Pakistan; Poland (br) [1348]; Portugal (br) [1332]; Portugal (br), Madeira (v); Romania (br) [558]; Russian Federation (br) [710]; Rwanda [659]; Saudi Arabia [881]; Senegal [659]; Serbia and Montenegro (br) [1038]; ?Sierra Leone [659]; Slovakia [5279]; Slovenia (ex, br) [1038]; Somalia [5252]; South Africa [659]; Spain (br) [702]; Sri Lanka [5271]; Sudan [659]; Swaziland [1139]; Sweden (br) [1199]; Switzerland (br) [5288]; Syrian Arab Republic [5283]; Tajikistan [374]; The former Yugoslav Republic of Macedonia [1038]; Togo [5254]; Tunisia (br) [1344]; Turkey (br) [5282]; Turkmenistan [710]; Uganda [659]; Ukraine (br) [710]; United Arab Emirates [1192]; United Kingdom (br) [6188]; United Republic of Tanzania [659]; Uzbekistan (br) [710]; Western Sahara; Yemen [5297]; Zambia [659]; Zimbabwe [659]

Circus ranivorus (Daudin, 1800) II B LC 386, 511, 523, 524, 573, 1292

Synonym: *Falco ranivorus* Daudin, 1800
 E: African Marsh-Harrier, F: Busard grenouillard, S: Aguilucho lagunero etípico
 Angola (br?) [5267]; Botswana (br) [1102]; Burundi (br) [659]; Central African Republic (br?) [555, 659]; Congo (br?) [659]; Democratic Republic of the Congo (br?) [25489]; Ethiopia (v) [659]; Kenya (br) [5253]; Lesotho (br) [486]; Malawi (br) [1103]; Mozambique (br) [659]; Namibia (br?) [659]; Rwanda (br) [659]; Somalia (v) [5252]; South Africa (br) [659]; Sudan (br?) [659]; Swaziland (br) [1139]; Uganda (br?) [659]; United Republic of Tanzania (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

Circus spilonotus Kaup, 1847 II B LC 386, 523, 929, 1045

Synonym: *Circus aeruginosus spilonotus* Kaup, 1847
 E: Eastern Marsh-Harrier, Papuan Harrier, Spotted Marsh-Harrier, Spotted-backed Harrier, F: Busard d'Orient, S: Aguilucho lagunero oriental
 ?Australia (v?); Bangladesh [804]; Brunei Darussalam; Cambodia; China (br) [5293]; Cocos (Keeling) Islands; Democratic People's Republic of Korea; Hong Kong, China; Indonesia (br) [393]; Irian Jaya, Kalimantan [7727], Sulawesi [7727], Sumatera; Japan [503]; Lao People's Democratic Republic; Malaysia [1289]; Peninsular Malaysia [1049], Sabah, Sarawak [393]; Mongolia (br) [1306]; Myanmar [1290]; Papua New Guinea (br); Philippines [5270]; Russian Federation (br) [710]; Yakutiya [759]; Singapore; Taiwan, Province of China; Thailand [487]; Viet Nam [5264]

CITES Identification Manual Reference:

A-213.003.012.002c

Dryotriorchis spectabilis (Schlegel, 1863)	II	B	LC	386, 523, 524, 1256, 1292
Synonym: <i>Astur spectabilis</i> Schlegel, 1863				
E: African Serpent-Eagle, Congo Serpent-Eagle, F: Aigle serpentaire, Serpentaire du Congo, S: Águila culebrera colilarga, Culebrera congoleña				
Angola (br?) [5267]; Cameroon (br?) [659, 25374, 25376, 25382]; Central African Republic (br?) [659]; Congo (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br) [25489]; Equatorial Guinea (br?) [659, 1183]; Gabon (br) [659]; Ghana (br?) [782]; Guinea (br) [11455]; Liberia (br) [5246]; Nigeria (br?) [25533]; Sierra Leone (br?) [659]				
Elanoides forficatus (Linnaeus, 1758)	II	B	LC	386, 387, 523, 1068
Synonym: <i>Falco forficatus</i> Linnaeus, 1758				
E: American Swallow-tailed Kite, Swallow-tailed Kite, F: Milan à queue fourchue, S: Elanio tijereta, Gavilán tijereta, Milano tijereta				
Antigua and Barbuda (v); Argentina [5291, 10249]; Aruba (v); Bahamas (v) [5242]; Belize (br) [5241]; Bermuda (v) [389]; Bolivia (br) [1186]; Brazil (br) [6186]; Canada (v) [748]; Cayman Islands (v); Colombia (br) [837, 12080]; Costa Rica (br) [1311]; Cuba [5259]; Ecuador (br) [5294]; French Guiana (br) [1349]; Guatemala (br) [5241]; Guyana (br) [1295, 25537]; Honduras (br) [1076]; Jamaica (v) [657]; Mexico (br) [5241]; Netherlands Antilles (v); Bonaire (v); Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [5295, 6238]; Peru (br) [1136]; ?Saint Pierre and Miquelon (v) [683]; Spain (v) [702]; Canary Is [1130]; Suriname (br) [5296]; Trinidad and Tobago (br) [703]; United States (br) [387]; ?Uruguay (br) [5287, 25534]; Venezuela (br) [1070, 8231]				
Elanus axillaris (Latham, 1801)	II	B	LC	386, 523
Synonym: <i>Elanus notatus</i> Gould, 1838				
E: Australian Black-shouldered Kite, Black-shouldered Kite, F: Élanion d'Australie, S: Elanio australiano				
Australia (br) [477]				
Elanus caeruleus (Desfontaines, 1789)	II	A	LC	381, 386, 511, 523, 524, 573, 614, 841, 929, 1256, 1292
Synonym: <i>Falco caeruleus</i> Desfontaines, 1789				
E: Black-shouldered Kite, Black-winged Kite, F: Élançon blanc, Élanion blanc, S: Elanio azul, Elanio común				
Algeria (br) [971]; Angola (br?) [5267]; Austria (v) [1215]; Bangladesh (br) [804]; Belgium (v) [5272]; Benin [659, 845]; Botswana (br) [1102]; Brunei Darussalam (v); Bulgaria (v) [5280]; Burkina Faso (br) [659, 1345, 7154]; Burundi (br) [659, 25466]; Cambodia (br) [5243]; Cameroon (br?) [659, 25371, 25374, 25375]; Central African Republic (br?) [659]; Chad (br?) [659]; China (br) [5293]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Czech Republic (v) [5258]; Democratic Republic of the Congo (br) [25466, 25489]; Denmark (v) [666]; Djibouti (v) [427]; Egypt (br) [756]; Equatorial Guinea [659]; Eritrea (br?) [659]; Ethiopia (br) [659]; France (br) [7041]; Gabon (br) [659]; Gambia (br) [760]; Germany (v) [5274]; Ghana (br) [782]; Gibraltar (v); Greece (v) [5281]; Guinea (br) [659, 1078, 1191, 1389, 10590, 11437, 11455, 11456]; Guinea-Bissau (br) [659, 715]; Hong Kong, China (v); India (br) [1197]; Indonesia (br) [393]; Bali, Irian Jaya, Jawa, Kalimantan, Lesser Sunda Is, Sulawesi, Sumatera; Iran (Islamic Republic of) (v) [25292]; Israel (v) [5245]; Italy (v) [5289]; Kenya (br) [5253]; Kuwait (v); Lao People's Democratic Republic (br) [6187]; Lebanon (v) [5284]; Lesotho (br) [486]; Liberia [5246]; Libyan Arab Jamahiriya (v) [6303]; Madagascar (v) [5249]; Malawi (br) [1103]; Malaysia (br) [1289]; Peninsular Malaysia, Sabah [759], Sarawak [393]; Mali (br) [659]; Mauritania (br) [659]; Morocco (br) [461]; Mozambique (br?) [659]; Myanmar (br) [1290]; Namibia (br) [659]; Nepal (br) [865]; Netherlands (v) [5273]; Niger (br?) [659]; Nigeria (br); Oman (v) [13112]; Pakistan (br); Papua New Guinea (br); Philippines (br) [5270]; Poland (v) [1348]; Portugal (br) [1332]; Portugal (br); Romania (v) [558]; Rwanda (br) [659, 25466]; Saudi Arabia (v) [881]; Senegal (br) [659]; Sierra Leone (br) [659]; Singapore (br) [791]; Somalia [5252]; South Africa (br) [659]; Spain (br) [702]; Sri Lanka (br) [5271]; Sri Lanka [1049]; Sudan (br) [659]; Swaziland (br) [1139]; Switzerland (v) [5288]; Thailand (br) [487, 1220]; Togo (br?) [5254]; Tunisia (br) [1344]; Turkey (v) [5282]; Uganda (br) [659]; United Arab Emirates (v) [1192]; United Republic of Tanzania (br) [659]; Uzbekistan (v) [710]; Viet Nam (br) [5264]; Yemen (br) [5297]; Zambia (br) [659]; Zimbabwe (br) [659]				
Elanus leucurus (Vieillot, 1818)	II	B	LC	386, 387, 523, 1068, 1173
Synonyms: <i>Elanus caeruleus leucurus</i> (Vieillot, 1818), <i>Milvus leucurus</i> Vieillot, 1818				
E: White-tailed Kite, F: Élanion à queue blanche, S: Elanio blanco, Elanio maromero, Gavilán maromero, Milano coliblanco				
Argentina (br) [5291, 10249]; Aruba (v) [1380]; Belize (br) [5241]; Bolivia (br) [1186]; Brazil (br) [6186]; Canada (v) [748, 1286]; Chile (br) [873, 1459, 5292]; Colombia (br) [837, 9220]; Costa Rica (br) [1311]; El Salvador (br) [5241]; French Guiana (v) [1349]; Guatemala (br) [5241, 6397]; Guyana (br) [1295, 25537]; Honduras (br) [1076, 6231]; Mexico (br) [5241, 6648, 7068]; Netherlands Antilles (v); Bonaire (v); Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [5295]; Suriname (br) [5296]; Trinidad and Tobago (br) [703]; United States (br) [387]; Uruguay (br) [5287, 25534]; Venezuela (br) [1070]				

<i>Elanus scriptus</i> Gould, 1842 E: Letter-winged Kite, F: Élanion lettré, S: Elanio escrito Australia (br) [477]	II	B	NT	386, 523
<i>Erythrotriorchis buergersi</i> (Reichenow, 1914) Synonyms: <i>Astur buergersi</i> Reichenow, 1914, <i>Accipiter buergersi</i> (Reichenow, 1914) E: Bürger's Sparrowhawk, Chestnut-mantled Goshawk, Chestnut-shouldered Goshawk, Chestnut-shouldered Hawk, F: Autour de Bürger, S: Azor de Bürgers Indonesia (br) [393, 645]: Irian Jaya; Papua New Guinea (br)	II	B	DD	386, 523, 1045, 1242
CITES Identification Manual Reference:	A-213.003.016.002			
<i>Erythrotriorchis radiatus</i> (Latham, 1801) Synonyms: <i>Accipiter radiatus</i> (Latham, 1801), <i>Falco radiatus</i> Latham, 1801 E: Red Goshawk, F: Autour rouge, S: Azor rojo Australia (br) [477]	II	B	VU	386, 523, 595
<i>Eutriorchis astur</i> (Sharpe, 1875) E: Madagascar Serpent-Eagle, F: Aigle serpentaire, Serpentaire de Madagascar, S: Culebrera azor Madagascar (br) [5249]	II	A	EN	386, 403, 523, 595, 597, 633, 669, 1263, 1346
<i>Gampsonyx swainsonii</i> Vigors, 1825 E: Pearl Kite, F: Élanion perle, S: Cernícalo, Elanio chico, Elanio enano Argentina (br) [5291, 10249]; Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837, 6297, 6358]; Ecuador (br) [5294, 8617]; Guyana (br) [1295, 25537]; Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [5295]; Peru (br) [1136]; Suriname (br) [5296]; Trinidad and Tobago (br) [703]; Venezuela (br) [1070]	II	B	LC	386, 523, 1068
<i>Geranoaetus melanoleucus</i> (Vieillot, 1819) Synonym: <i>Spizaetus melanoleucus</i> Vieillot, 1819 E: Black-chested Buzzard-Eagle, Black-chested Eagle, Grey Buzzard-Eagle, F: Buse aguia, S: Águila escudada, Águila mora Argentina (br) [5291, 10249]; Bolivia (br) [1186, 6385]; Brazil (br) [1268, 6186, 7170]; Chile (br) [873, 5292]; Colombia (br) [837]; Ecuador (br) [5294]; Paraguay (br) [5295]; Peru (br) [1136, 12669]; Uruguay (br) [5287, 25534]; Venezuela (br) [1070, 8231]	II	B	LC	386, 523, 1068
<i>Geranospiza caerulescens</i> (Vieillot, 1817) Synonym: <i>Sparvius caerulescens</i> Vieillot, 1817 E: Crane Hawk, F: Buse échasse, S: Azor zancón, Gavilán patilargo, Gavilán zancón, Gavilán zancudo Argentina (br) [5291, 10249]; Belize (br) [5241]; Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294]; El Salvador (ex?, br) [5241]; French Guiana (br) [1349]; Guatemala (br) [5241]; Guyana (br) [1295, 25537]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [5295]; Peru (br) [1136]; Suriname (br) [5296]; Uruguay (br) [5287, 25534]; Venezuela (br) [1070]	II	B	LC	386, 387, 523, 1068
<i>Gypaetus barbatus</i> (Linnaeus, 1758) Synonym: <i>Vultur barbatus</i> Linnaeus, 1758 E: Bearded Vulture, Lammergeier, F: Gypaète barbu, S: Quebrantahuesos Afghanistan (br) [694]; Albania (br); Algeria (br) [971]; Andorra [5239]; Armenia (br) [5240]; Austria (v) [1215]; Azerbaijan (br) [710]; Bhutan (br) [5261]; Bosnia and Herzegovina (ex, br) [1038]; Bulgaria (v) [5280]; China (br) [5293]; Croatia (v) [5290]; Cyprus (v) [709]; Czech Republic (v) [5258]; Democratic People's Republic of Korea (v); ?Djibouti (v) [427]; Egypt (br) [756]; Eritrea (br?) [659]; Ethiopia (br) [659, 894]; France (br) [7041]; Georgia (br) [710]; Germany (v) [5274]; Greece (br) [5281]; India (br) [1197]; Iran (Islamic Republic of) (br) [1253]; Iraq (br?) [385]; Israel (br) [5245]; Italy (ex, br) [5289]; Jordan (ex, br, v) [395, 6454]; Kazakhstan (br) [5269]; Kenya (br) [5253]; Kyrgyzstan (br) [710]; Lebanon (v) [5284]; Lesotho (br) [486]; Liechtenstein (ex, br); Mauritania (v) [659]; Mongolia (br) [1306]; Morocco (br) [461]; Mozambique (v) [659]; ?Namibia (v) [659]; Nepal (br) [865]; Pakistan (br); Portugal (v) [1332]; Portugal (v); Romania (v) [558]; Russian Federation (br) [710, 938]; Saudi Arabia (br) [881]; Serbia and Montenegro (ex, br) [1038]; South Africa (br) [659]; Spain (br) [702]; Sudan (v) [659]; Switzerland (v) [5288]; Syrian Arab Republic (v) [5283]; Tajikistan (br) [374]; The former Yugoslav Republic of Macedonia (br) [1038]; Tunisia (ex?, br) [1344]; Turkey (br) [5282]; Turkmenistan (br) [710]; Uganda (br?) [659]; United Republic of Tanzania (br?) [659]; Uzbekistan (br) [710]; Yemen (br?) [5297]; Zimbabwe (v) [659]	II	A	LC	381, 386, 511, 523, 524, 573, 614, 841, 1292
<i>Gypohierax angolensis</i> (Gmelin, 1788)	II	B	LC	386, 511, 523, 524, 573, 1256, 1292

Synonym: *Falco angolensis* Gmelin, 1788

E: Palm-nut Vulture, Vulturine Fish-Eagle, F: Palmiste africain, S: Buitre palmero

Angola (br) [5267]; Benin (br?) [659]; Botswana (v) [1102]; Burkina Faso (br) [659, 1345]; Burundi (br) [659]; Cameroon (br?) [659, 25370, 25371, 25374, 25376, 25382]; Central African Republic (br?) [659]; Chad (br?) [659]; Congo (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br) [25476, 25489]; Equatorial Guinea (br) [659, 1183, 25443]; Equatorial Guinea, Bioko; Gabon (br) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br) [659, 1078, 1191, 1389, 10590, 11442, 11455, 11456, 11457, 13096]; Guinea-Bissau (br) [659, 715]; Kenya (br) [5253]; Lesotho (v) [486]; Liberia (br) [5246]; Malawi (br) [1103]; Mali (br?) [659]; Mozambique (br) [659]; Namibia (v) [659]; Niger (v) [659]; Nigeria (br); Rwanda (v) [659]; Senegal (br) [659]; Sierra Leone (br) [659]; South Africa (br) [659]; Sudan [659]; Swaziland (br?) [1139]; Togo (br) [5254]; Uganda (br) [659]; United Republic of Tanzania (br?) [659]; Zambia (br) [659]; Zimbabwe (v) [659]

Gyps africanus Salvadori, 1865

II B LC 386, 511, 523, 524, 573, 1256, 1292

E: African White-backed Vulture, White-backed Vulture, F: Vautour africain, S: Buitre dorsiblanco africano
Angola (br?) [5267]; Benin (br) [659]; Botswana (br) [1102]; Burkina Faso (br) [659, 1345]; Burundi [659, 25523]; Cameroon (br?) [659, 25371, 25375, 25376]; Central African Republic (br) [659]; Chad (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br) [25489]; Djibouti (br?) [427]; Equatorial Guinea (br?) [659]; Equatorial Guinea, Bioko; Eritrea (br?) [659]; Ethiopia (br) [659]; Gabon (br?) [659]; Gambia (br) [760]; Ghana (br?) [782]; Guinea (br) [659, 1078, 1389, 10590, 11456, 13096]; Guinea-Bissau (br) [659, 715]; Kenya (br) [5253]; Liberia (v) [5246]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (br) [659]; Mozambique (br) [659]; Namibia (br) [659]; Niger (br) [659]; Nigeria (br); Rwanda (br) [659]; Senegal (br) [659]; Sierra Leone (v) [659]; Somalia (br) [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Togo (br) [5254]; Uganda (br?) [659]; United Republic of Tanzania (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

Gyps bengalensis (Gmelin, 1788)

II B CR 381, 386, 523, 595, 929, 11905, 13167

Synonym: *Vultur bengalensis* Gmelin, 1788

E: Asian White-backed Vulture, Oriental White-backed Vulture, White-backed Vulture, White-rumped Vulture, F: Gyps africain, Vautour chaugoun, S: Buitre dorsiblanco bengalí, Buitre leonado bengalés
Afghanistan (br) [694]; Bangladesh (br) [804]; Bhutan (br) [5261, 6478]; Brunei Darussalam (v); Cambodia (br) [5243, 6475]; China (br) [5293]; India (br) [1197]; Iran (Islamic Republic of) (br) [1253]; Lao People's Democratic Republic (br) [6187]; Malaysia (br); Peninsular Malaysia; Myanmar (br) [1290]; Nepal (br) [865, 13169]; Pakistan (br) [10037, 13170]; Russian Federation (v) [710]; Thailand (br) [487, 1220]; Viet Nam (br) [5264]

Gyps coprotheres (Forster, 1798)

II B VU 386, 516, 523, 524, 573, 595, 597, 1206, 1207, 1292

Synonyms: *Vultur coprotheres* J. R. Forster, 1798, *Gyps fulvus coprotheres* (Forster, 1798)

E: Cape Griffon, Cape Vulture, F: Vautour chassefiente, S: Buitre el cabo
Botswana (br) [1102]; Lesotho (br) [486]; Mozambique [659]; Namibia (br) [520, 659]; South Africa (br) [491, 492, 659, 1165, 1205, 1370]; Swaziland [1139]; Zambia [658, 659]; Zimbabwe (ex, br) [659]

Gyps fulvus (Hablizl, 1783)

II A LC 381, 386, 523, 524, 614, 841, 1045

Synonym: *Vultur fulvus* Hablizl, 1783

E: Eurasian Griffon, Eurasian Griffon Vulture, Griffon Vulture, F: Vautour fauve, Vautour fauve, S: Buitre común, Buitre Leonado, Buitre leonado, Buitre leonado común
Afghanistan (br) [694]; Albania (br?); Algeria (br) [971]; Armenia (br) [5240, 13171]; Austria (br) [1215]; Azerbaijan (br) [710, 13171]; Bahrain (v) [1105]; Bangladesh (v) [804]; Belarus (v) [25536]; Belgium (v) [5272]; Bosnia and Herzegovina (br) [1038]; Bulgaria (br) [5280]; Croatia (ex?, br) [5290]; Cyprus (br) [709, 13162]; Czech Republic [5258]; Denmark (v) [666]; Djibouti (v) [427, 1401]; Egypt (br) [756]; Eritrea [659]; Estonia (v) [5277]; Ethiopia [659]; Finland (v) [1300]; France (reint, br) [7041, 13165]; Georgia (br) [710, 13171]; Germany (v) [5274]; Gibraltar; Greece (br) [5281]; Hungary (v) [5257]; India (br) [1197]; Iran (Islamic Republic of) (br) [1253]; Iraq (br?) [385]; Ireland (v) [858]; Israel (br) [5245]; Italy (br) [5289]; Jordan (br) [395, 6454]; Kazakhstan (br) [5269, 13171]; Kenya (v) [6250]; Kuwait (v) [537]; Kyrgyzstan (br) [710, 13171]; Latvia (v) [5278]; Lebanon [5284]; Libyan Arab Jamahiriya (v); Mali [659]; Malta (v); Mauritania [659]; Moldova, Republic of (ex, br) [13171]; Mongolia (br?) [1306]; Morocco (br) [461]; Nepal (br) [865]; Netherlands (v) [5273]; ?Niger (v) [659]; Oman [13112]; Pakistan (br) [13170]; Poland (v) [1348]; Portugal (br) [1299, 1332]; Portugal (br); Romania (ex, br) [558]; Russian Federation (br) [710, 938, 13171]; Saudi Arabia (br) [881]; Senegal [659, 665]; Serbia and Montenegro (br) [1038]; Slovakia (v) [5279]; Slovenia [1038]; Spain (br) [702, 1299]; Sudan [659]; Switzerland (v) [5288]; Syrian Arab Republic (br) [5283]; Tajikistan (br) [374, 13171]; The former Yugoslav Republic of Macedonia (br) [1038]; Togo (v) [5254]; Tunisia (br?) [1344]; Turkey (br) [5282]; Turkmenistan (br) [710, 13171]; Ukraine (br) [13171]; United Arab Emirates [1192]; United Kingdom (v) [6188]; Uzbekistan (br) [710, 13171]; Western Sahara (v); Yemen (br) [5297]

Gyps himalayensis Hume, 1869

II B LC 381, 386, 523

E: Himalayan Griffon, Himalayan Griffon Vulture, F: Vautour de l'Himalaya, S: Buitre del Himalaya

Afghanistan (br) [694]; Bhutan (br) [5261]; China (br) [5293]; India (br) [1197]; Kazakhstan (br) [5269, 13171]; Kyrgyzstan (br) [710, 13171]; Malaysia (v): Peninsular Malaysia [1049]; Mongolia (br) [1306]; Nepal (br) [865]; Pakistan (br); Tajikistan (br) [374, 13171]; Thailand; Uzbekistan (br?) [710, 13171]

Gyps indicus (Scopoli, 1786) II B CR 381, 386, 523, 595, 929, 13167

Synonyms: *Vultur indicus* Scopoli, 1786, *Gyps tenuirostris* G. R. Gray, 1844

E: Long-billed Griffon, Long-billed Vulture, F: Vautour indien, S: Buitre picofino

Afghanistan (v) [694]; Bangladesh (br) [804]; Cambodia (br) [5243, 6475]; India (br) [1197]; Lao People's Democratic Republic (br) [6187]; Malaysia (v): Peninsular Malaysia; Myanmar (br) [1290]; Nepal (br) [865]; Pakistan (br) [13170]; Thailand (ex?, br) [487, 1220]; Viet Nam (br) [5264]

Gyps rueppellii (Brehm, 1852) II B LC 386, 511, 523, 524, 841, 1256, 1292

Synonym: *Vultur rueppellii* A. E. Brehm, 1852

E: Rüppell's Griffon, Rüppell's Griffon Vulture, Rüppell's Vulture, F: Vautour de Rüppell, S: Buitre moteado Benin (br?) [659]; Burkina Faso (br) [659, 1345]; Cameroon [659, 25371, 25375]; Central African Republic [659]; Chad (br) [659]; Côte d'Ivoire [1334]; Democratic Republic of the Congo (v) [6294, 25489]; Djibouti (br) [427]; Egypt (v) [756]; Eritrea (br?) [659]; Ethiopia (br) [659]; Gambia (br) [760]; Ghana (v) [782]; Guinea (br) [659, 1078, 12904]; Guinea-Bissau (br) [659, 715]; Kenya (br) [5253]; Mali (br) [659]; Mauritania (br) [659]; Niger (br?) [659]; Nigeria (br); Portugal (v): Portugal (v); Rwanda (br?) [659]; Saudi Arabia (v) [881]; Senegal (br) [659]; Sierra Leone (v) [659]; Somalia (br) [5252]; Sudan (br) [659]; Togo [5254]; Uganda (br?) [659]; United Republic of Tanzania (br?) [659]; Zambia (v) [6911]; Zimbabwe [659]

Haliaeetus albicilla (Linnaeus, 1758) I A NT 386, 489, 523, 595, 614, 741, 841, 931, 1045, 10592

Synonym: *Falco albicilla* Linnaeus, 1758

E: Grey Sea Eagle, White-tailed Eagle, F: Pygargue à queue blanche, Pygargue à queue blanche, Pygargue commun, S: Pigargo, Pigargo, Pigargo coliblanco, Pigargo común, Pigargo Europeo, Pigargo europeo Afghanistan [694]; Albania (ex?, br); Algeria (ex, br) [971]; Armenia (br) [5240]; Austria (br) [1215]; Azerbaijan (br) [710]; Belarus (br); Belgium (v) [5272]; Bhutan (v) [5261]; Bosnia and Herzegovina (br) [1038]; Bulgaria (br) [5280]; China (br) [5293]; Croatia (br) [5290]; Cyprus (v) [709]; Czech Republic (br) [5258]; Democratic People's Republic of Korea [7680]; Denmark (br) [666]; Egypt (v) [756]; Estonia (br) [5277]; Faroe Islands [480]; Finland (br) [1300]; France [7041]; Georgia [710]; Germany (br) [5274]; Greece (br) [5281]; Greenland (br); Hungary (br) [5257, 13163]; Iceland (br) [507]; India [1197]; Iran (Islamic Republic of) (br) [1253]; Iraq (v) [385]; Ireland (v) [858]; Israel (ex, br) [5245]; Italy (v) [5289]; Japan (br) [503]; Kazakhstan (br) [5269]; Korea, Republic of [1436]; Latvia (br) [5278]; Lebanon (v) [5284]; Lithuania (br) [5247]; Luxembourg (v) [5248]; Malta (v); Moldova, Republic of (br) [710]; Mongolia (br) [1160, 1306]; Myanmar (v); Nepal (br) [865]; Netherlands (v) [5273]; Norway (br) [711, 1422, 5275]; Pakistan; Poland (br) [1348]; Portugal (ex, br, v) [1332]; Portugal (ex, br, v); Romania (br) [558]; Russian Federation (br) [710, 938]; Saudi Arabia (v) [881]; Serbia and Montenegro (br) [1038]; Slovakia (ex, br) [5279]; Slovenia (br) [1038]; Spain (v) [702]; Svalbard and Jan Mayen Islands (v); Sweden (br) [823, 824, 1199]; Switzerland (v) [5288]; Syrian Arab Republic (v) [5283]; Taiwan, Province of China; Tajikistan [374]; Thailand (v); The former Yugoslav Republic of Macedonia (br) [1038]; Tunisia (v) [1344]; Turkey (br) [5282]; Turkmenistan (br) [710, 8159]; Ukraine (br) [710]; United Kingdom (int, reint, br) [990, 6188]; United States [387]; Uzbekistan [710]

CITES Identification Manual Reference:

A-213.003.024.002

Haliaeetus leucocephalus (Linnaeus, 1766) II A LC 386, 387, 523, 931

Synonym: *Falco leucocephalus* Linnaeus, 1766

E: Bald Eagle, White-headed Eagle, F: Aigle à tête blanche, Pygargue à tête blanche, S: Águila cabeciblanca, Águila cabeza blanca, Pigargo americano, Pigargo cabeciblanco, Pigargo cabeciblanco meridional Bahamas (v); Belize (v) [610, 6769, 8757]; Bermuda (v) [389]; Canada (br) [748]; Ireland (v) [858]; Mexico (br) [5241]; Puerto Rico (v) [1176]; Saint Pierre and Miquelon (br) [683]; United States (br) [387]; United States Virgin Islands (v)

CITES Identification Manual Reference:

A-213.003.024.003

Haliaeetus leucogaster (Gmelin, 1788) II A LC 381, 386, 523, 929, 1045

Synonym: *Falco leucogaster* Gmelin, 1788

E: White-bellied Fish-Eagle, White-bellied Sea-Eagle, F: Pygargue à ventre blanc, Pygargue blagre, S: Pigargo de vientre blanco, Pigargo oriental Australia (br) [477]; Bangladesh (br) [804]; Brunei Darussalam (br); Cambodia (br) [5243]; China (br) [5293]; Christmas Island (v); Hong Kong, China (br); India (br) [1197]; Indonesia (br) [393, 7262]; Bali, Irian Jaya, Jawa, Kalimantan, Lesser Sunda Is, Moluccas, Sulawesi, Sumatera; Lao People's Democratic Republic (br) [6187]; Malaysia (br) [1289]; Peninsular Malaysia [1049], Sabah, Sarawak [393]; Myanmar (br) [1290]; Papua New Guinea (br); Philippines (br) [5270]; Singapore (br) [791]; Sri Lanka (br) [5271]; Taiwan, Province of China (v); Thailand (br) [487]; Timor-Leste; Viet Nam (br) [5264]; Vietnam [759]

CITES Identification Manual Reference:

A-213.003.024.004

Haliaeetus leucoryphus (Pallas, 1771) II A VU 381, 386, 489, 523, 595, 841, 929, 1045

Synonym: *Aquila leucorypha* Pallas, 1771

E: Band-tailed Fish-Eagle, Pallas's Fish-Eagle, Pallas's Sea-Eagle, F: Pygargue de Pallas, S: Pigargo de Pallas
 Afghanistan [694]; Azerbaijan (v); Bangladesh (br) [804, 1237]; Bhutan (br) [5261, 6478]; Cambodia (v) [5243];
 China (br) [5293]; Finland (v) [1300]; India (br) [1197]; Iran (Islamic Republic of) (v) [1253]; Iraq (v) [385];
 ?Israel (v) [5245]; Kazakhstan (br) [5269]; Mongolia (br) [1040, 1160, 1306]; Myanmar (br) [1290]; Nepal (br)
 [865]; Netherlands (v) [5273]; Norway (v) [5275]; Oman (v) [13112]; Pakistan (br); Russian Federation (br?)
 [710, 938]; Saudi Arabia (v) [881]; Tajikistan (br) [374]; Thailand (v) [487]; Turkmenistan [8159]; Ukraine (v)
 [710]; United Arab Emirates (v) [1192]; Uzbekistan (br) [710]; Viet Nam (v) [5264]

CITES Identification Manual Reference:

A-213.003.024.005

Haliaeetus pelagicus (Pallas, 1811) II A VU 386, 523, 595, 724, 1045, 1458

Synonym: *Aquila pelagica* Pallas, 1811

E: Steller's Sea-Eagle, Steller's Sea-eagle, F: Pygargue de Steller, Pygargue empereur, S: Pigargo de
 Steller, Pigargo gigante
 China [5293]; Democratic People's Republic of Korea [7680]; Japan [501, 503]; Korea, Republic of [1436];
 Russian Federation (br) [710, 938, 984]; Taiwan, Province of China (v); United States (v) [387]

CITES Identification Manual Reference:

A-213.003.024.006

Haliaeetus sanfordi Mayr, 1935 II A VU 386, 523, 595, 1045, 1242

E: Sanford's Fish-Eagle, Sanford's Sea-Eagle, Solomon Fish-Eagle, Solomon Sea-Eagle, F: Pygargue de
 Sanford, S: Pigargo de las Salomón, Pigargo de Sanford
 Papua New Guinea (br); Solomon Islands (br) [5260, 7087, 13119]

CITES Identification Manual Reference:

A-213.003.024.007

Haliaeetus vocifer (Daudin, 1800) II A LC 386, 511, 523, 524, 573, 1256, 1292

Synonym: *Falco vocifer* Daudin, 1800

E: African Fish-Eagle, River Eagle, F: Aigle pêcheur africain, Pygargue vocifer, S: Pigargo vocinglero
 Angola (br) [5267]; Benin (br) [659]; Botswana (br) [1102]; Burkina Faso (br) [659, 1345]; Burundi (br) [659,
 25466]; Cameroon (br?) [659, 25370, 25374, 25375, 25382]; Central African Republic (br) [659]; Chad (br) [659];
 Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br) [25466, 25476, 25489];
 Egypt (v) [756, 841]; Equatorial Guinea [6426, 25443]; Eritrea (br) [659]; Ethiopia (br) [659, 894]; Gabon (br?)
 [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br) [659, 1078, 1191, 1389, 10590, 11437, 11442];
 Guinea-Bissau (br) [659, 715]; Kenya (br) [5253]; Lesotho (br) [486]; Liberia (br) [5246]; Malawi (br) [1103];
 Mali (br) [659]; Mauritania (br) [659]; Mozambique (br) [659]; Namibia (br) [659]; Niger (br) [659]; Nigeria
 (br); Rwanda (br) [659, 25466]; Senegal (br) [659]; Sierra Leone (br?) [659]; Somalia (br) [5252]; South Africa
 (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Togo (br) [5254]; Uganda (br) [659]; United Republic of
 Tanzania (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

CITES Identification Manual Reference:

A-213.003.024.008

Haliaeetus vociferoides Des Murs, 1845 II A CR 386, 523, 595, 597, 963, 9315

E: Madagascar Fish-Eagle, Madagascar Fish-eagle, F: Pygargue de Madagascar, S: Pigargo de Madagascar,
 Pigargo malgache
 Madagascar (br) [633, 960, 5249, 11405]; Mauritius (v) [659]

CITES Identification Manual Reference:

A-213.003.024.009

Haliastur indus (Boddaert, 1783) II B LC 381, 386, 523, 1045

Synonym: *Falco indus* Boddaert, 1783

E: Brahminy Kite, Red-backed Kite, Red-backed Sea Eagle, White-headed Sea Eagle, F: Milan sacré,
 S: Milano brahmán
 Australia (br) [477]; Tasmania [759]; Bangladesh (br) [804]; Bhutan (v) [5261]; Brunei Darussalam (br);
 Cambodia (br) [5243, 6485]; China (br) [5293]; Hong Kong, China (v); India (br) [1197]; Indonesia (br) [393]:
 Bali, Irian Jaya, Jawa, Kalimantan, Lesser Sunda Is, Moluccas, Sulawesi, Sumatera; Lao People's Democratic
 Republic (br) [6187]; Malaysia (br) [1289]; Peninsular Malaysia [1049], Sabah, Sarawak [393]; Maldives (v)
 [7264]; Myanmar (br) [1290]; Nepal (br) [865]; Pakistan (br); Palau (v) [1171]; Papua New Guinea (br);
 Philippines (br) [5270]; Singapore (br) [791]; Solomon Islands (br) [5260, 13119]; Sri Lanka (br) [5271];
 Thailand (br) [487]; Timor-Leste [13131]; United Arab Emirates (v) [1192]; Vanuatu (v) [5260]; Viet Nam (br)
 [5264]

CITES Identification Manual Reference:

A-213.003.025.002

<i>Haliastur sphenurus</i> (Vieillot, 1818)	II	B	LC	386, 523, 1045
Synonym: <i>Milvus sphenurus</i> Vieillot, 1818				
E: Whistling Eagle, Whistling Hawk, Whistling Kite, F: Milan siffleur, S: Milano silbador				
Australia (br) [477]; Indonesia (br) [393]; Irian Jaya; New Caledonia (br) [5260]; Papua New Guinea (br)				
CITES Identification Manual Reference:			A-213.003.025.003	
<i>Hamirostra melanosternon</i> (Gould, 1841)	II	B	LC	386, 523
Synonym: <i>Buteo melanosternon</i> Gould, 1841				
E: Black-breasted Buzzard, Black-breasted Buzzard-Kite, Black-breasted Kite, F: Milan à plastron, S: Milano pechinegro				
Australia (br) [477]				
CITES Identification Manual Reference:			A-213.003.026.001	
<i>Harpagus bidentatus</i> (Latham, 1790)	II	B	LC	386, 387, 523, 1068
Synonym: <i>Falco bidentatus</i> Latham, 1790				
E: Double-toothed Kite, F: Milan bidenté, S: Elanio bidentado, Gavilán bidente, Milano bidentado				
Belize (br) [5241]; Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294]; El Salvador (v) [5241]; French Guiana (br) [1349]; Guatemala (br) [5241, 6231]; Guyana (br) [1295, 25537]; Honduras (br) [1076, 6231]; Mexico (br) [5241, 7068]; Nicaragua (br) [1195]; Panama (br) [1195]; Peru (br) [1136]; Suriname (br) [5296]; Venezuela (br) [1070]				
CITES Identification Manual Reference:			A-213.003.027.002	
<i>Harpagus diodon</i> (Temminck, 1823)	II	B	LC	386, 523, 1068
Synonym: <i>Falco diodon</i> Temminck, 1823				
E: Rufous-thighed Kite, F: Milan diodon, S: Elanio muslirrufo, Milano dentado, Milano muslirrufo				
Argentina (br) [5291, 10249]; Bolivia (br) [1186]; Brazil (br) [6186, 5294]; French Guiana (br) [1349]; Guyana (br) [1295, 25537]; Paraguay (br) [5295]; Suriname (v) [5296]; Venezuela [11378]				
CITES Identification Manual Reference:			A-213.003.027.003	
<i>Harpia harpyja</i> (Linnaeus, 1758)	I	A	NT	386, 387, 523, 595, 931, 1068
Synonym: <i>Vultur harpyja</i> Linnaeus, 1758				
E: American Harpy Eagle, Harpy Eagle, F: Aigle harpie, Harpie, Harpie féroce, S: Águila arpía, Águila harpía, Arpía, Arpía mayor, Harpía				
Argentina (br) [465, 5291, 10249, 25652]; Belize (br) [5241, 6709]; Bolivia (br) [1186, 5116, 7072]; Brazil (br) [6186, 7869, 25280]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294]; French Guiana (br) [1349]; Guatemala (br) [5241]; Guyana (br) [1295, 8615, 25537]; Honduras (br?) [1076, 6308]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [5295]; Peru (br) [1136]; Suriname (br) [5296]; Venezuela (br) [1070]				
<i>Harpyhaliaetus coronatus</i> (Vieillot, 1817)	II	B	EN	386, 523, 595, 598, 1068
Synonym: <i>Harpyia coronata</i> Vieillot, 1817				
E: Crowned Eagle, Crowned Solitary Eagle, F: Buse couronnée, S: Águila coronada, Águila de Azara				
Argentina (br) [465, 996, 1113, 5291, 10249]; Bolivia (br) [1186, 5116]; Brazil (br) [380, 6186, 7118, 12355]; Paraguay (br) [5295, 6745]; Uruguay (ex, br) [5287, 25534]				
<i>Harpyhaliaetus solitarius</i> (Tschudi, 1844)	II	B	NT	386, 387, 476, 523, 595, 1068
Synonym: <i>Circaetus solitarius</i> Tschudi, 1844				
E: Black Solitary Eagle, Solitary Eagle, F: Buse solitaire, S: Águila solitaria				
Argentina (br) [465, 5291, 6734, 10249]; Belize (br?) [5241, 6709]; Bolivia (br) [1186, 6372]; Brazil [6186]; Colombia (br) [837, 11374]; Costa Rica (br) [1311]; Ecuador (br) [5294, 6360]; French Guiana (v) [1335, 1349, 10252]; Guatemala (br) [448, 5241, 25266]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br?) [1195]; Panama (br?) [1195]; Peru (br) [1136, 12669]; Venezuela (br) [1070, 8231]				
<i>Harpyopsis novaeguineae</i> Salvadori, 1875	II	B	VU	386, 451, 523, 595, 1045
E: New Guinea Eagle, New Guinea Harpy Eagle, F: Aigle de Nouvelle-Guinée, S: Arpía papúa				
Indonesia (br) [393]; Irian Jaya; Papua New Guinea (br)				
<i>Henicopernis infuscatus</i> Gurney, 1882	II	B	VU	386, 473, 523, 595, 1045, 1242
E: Black Honey-buzzard, New Britain Honey-buzzard, F: Bondrée noire, S: Abejero negro				
Papua New Guinea (br): Bismarck Archipelago				

<i>Henicopernis longicauda</i> (Garnot, 1828)	II	B	LC	386, 523, 1045
Synonym: <i>Falco longicauda</i> Garnot, 1828 E: Long-tailed Honey-buzzard, Papuan Honey-buzzard, F: Bondrée à longue queue, S: Abejero colilargo Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)				

<i>Hieraetus ayresii</i> Gurney, 1862	II	B	LC	386, 511, 523, 524, 573, 1256, 1292
--	----	---	----	-------------------------------------

Synonym: *Hieraetus dubius* Smith, 1830 misapplied
E: Ayres's Eagle, Ayres's Hawk-Eagle, F: Aigle d'Ayres, S: Águila-azor de Ayres
Angola (br?) [5267]; Botswana (br?) [1102]; Burkina Faso (br?) [659]; Cameroon (br) [6295, 25382]; Chad (br?) [659]; Congo [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br?) [25466, 25489]; Equatorial Guinea (br?) [659]; Ethiopia (br?) [425, 659]; Gabon [659]; Ghana (br) [782]; Guinea (br) [1078, 1191, 10590, 11456, 13096]; Kenya (br) [5253]; Liberia (br?) [5246]; Malawi (br?) [1103]; Mozambique (br?) [659]; Namibia (br?) [659]; Nigeria [25533]; Rwanda [659, 25466]; ?Senegal (v) [659]; Sierra Leone (br?) [659]; Somalia (v) [425, 5252]; South Africa [659]; Sudan (v) [659]; Togo (br?) [5254]; Uganda (br?) [659]; United Republic of Tanzania (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

CITES Identification Manual Reference: A-213.003.033.001

<i>Hieraetus fasciatus</i> (Vieillot, 1822)	II	A	LC	381, 386, 511, 523, 524, 574, 614, 841, 929, 1256, 1292
--	----	---	----	---

Synonym: *Aquila fasciata* Vieillot, 1822
E: Bonelli's Eagle, F: Aigle de Bonelli, Aigle de Bonelli, S: Águila de Bonelli, Águila perdicera, Águila-azor perdicera
Afghanistan [694]; Albania (br?); Algeria (br) [971]; Armenia (br) [5240]; Austria (v) [1215]; Bangladesh (v) [804]; Belgium (v) [5272]; Bhutan (br) [5261]; Bosnia and Herzegovina (v) [1038]; Bulgaria (v) [5280]; China (br) [5293]; Croatia (br) [5290]; Cyprus (br) [709]; Czech Republic (v) [5258]; Denmark (v) [666]; Djibouti (br) [427]; Egypt (br) [756]; France (br) [7041]; Georgia (br) [710]; Germany (v) [5274]; Gibraltar; Greece (br) [5281]; Hong Kong, China (br); Hungary (v) [5257]; India (br) [1197]; Indonesia (br) [393]: Lesser Sunda Is; Iran (Islamic Republic of) (br) [1253]; Iraq (br) [385]; Israel (br) [5245]; Italy (br) [5289]; Jordan (br) [395, 6454]; Kazakhstan (v) [5269]; Kuwait (v) [537]; Lao People's Democratic Republic (br?) [6187]; Lebanon (br?) [5284]; Libyan Arab Jamahiriya (br) [536, 6303]; Luxembourg (v) [5248]; Mauritania [659]; Mongolia (v) [1306]; Morocco (br) [461]; Myanmar (br) [1290]; Nepal (br) [865]; Netherlands (v) [5273]; Oman (br) [13112]; Pakistan (br); Portugal (br) [1332]; Portugal (br); Romania (v) [558]; Saudi Arabia (br) [881]; Serbia and Montenegro (v) [1038]; ?Slovakia [5279]; Spain (br) [702]; Sri Lanka (v) [5271]; Sweden (v) [1199]; Syrian Arab Republic (br) [5283]; Tajikistan (br) [374]; Thailand (br?) [487, 1220, 6264]; ?The former Yugoslav Republic of Macedonia (v) [1038]; Timor-Leste; Tunisia (br) [1344]; Turkey (br) [5282]; Turkmenistan (br) [710]; United Arab Emirates (br) [1192]; Uzbekistan (br?) [710]; Viet Nam (br?) [5264]; Yemen (br?) [5297]

CITES Identification Manual Reference: A-213.003.033.003

<i>Hieraetus kienerii</i> (Geoffroy Saint-Hilaire, 1835)	II	B	LC	381, 386, 523, 929
--	----	---	----	--------------------

Synonym: *Astur kienerii* Geoffroy Saint-Hilaire, 1835
E: Chestnut-bellied Hawk-Eagle, Rufous-bellied Eagle, F: Aigle à ventre roux, S: Águila-azor ventrirroja
?Bangladesh (br) [804]; Bhutan (br) [5261]; Brunei Darussalam (br); Cambodia (br) [5243]; ?China (br) [1069, 5293]: Hainan [1069]; India (br) [1197]; Indonesia (br) [393, 529, 1220, 1289]: Bali, Jawa, Kalimantan, Lesser Sunda Is, Moluccas, Sulawesi, Sumatera; Lao People's Democratic Republic (br) [6187]; ?Malaysia (br); Myanmar (br) [1290, 7214]; Nepal (br) [865]; Philippines (br) [5270]; Singapore (v) [791]; Sri Lanka (br) [5271]; Thailand (br) [487]; Viet Nam (br) [5264]

<i>Hieraetus morphnoides</i> (Gould, 1841)	II	B	LC	386, 523, 1045
---	----	---	----	----------------

Synonym: *Aquila morphnoides* Gould, 1841
E: Little Eagle, F: Aigle nain, S: Aguililla australiana
Australia (br) [477]; Indonesia (v) [393, 928]: Irian Jaya, Moluccas; Papua New Guinea (br)

<i>Hieraetus pennatus</i> (Gmelin, 1788)	II	A	LC	381, 386, 511, 523, 524, 573, 614, 841, 929, 1256, 1292
---	----	---	----	---

Synonym: *Falco pennatus* Gmelin, 1788
E: Booted Eagle, F: Aigle botté, Aigle botté, S: Águila calzada, Aguililla calzada
Albania (br?); Algeria (br) [971]; Angola (v) [5267]; Armenia (br) [5240]; Austria [1215]; Azerbaijan (br) [710]; Bahrain [1105]; Bangladesh [804]; Belarus (br); Belgium (v) [5272]; Bhutan (br) [5261]; Bosnia and Herzegovina (br) [1038]; Botswana (br?) [1102]; Bulgaria (br) [5280]; Burkina Faso [659]; Burundi [659]; Cameroon [659, 25375, 25376, 25382]; Central African Republic [659]; Chad [659]; China (br) [5293]; Congo (v) [659]; Côte d'Ivoire [1334]; Croatia (br) [5290]; Cyprus [709]; Democratic Republic of the Congo [25466, 25489]; Djibouti [427]; Egypt [756]; Ethiopia [659]; Finland (v) [1300]; France (br) [7041]; Gambia [760]; Georgia (br) [710]; Germany (v) [5274]; Ghana [782]; Gibraltar; Greece (br) [5281]; Hungary (br) [5257, 13163]; India (br) [1197]; Indonesia (v) [393, 426]: Bali, Jawa, Sumatera [7727]; Iran (Islamic Republic of) (br) [1253]; Iraq (v) [385, 10170]; Israel [5245]; Italy (v) [5289]; Jordan [395, 1386]; Kazakhstan (br) [5269]; Kenya [5253]; Kuwait [537]; Kyrgyzstan (br) [710]; Lao People's Democratic Republic (v) [6187]; Lebanon [5284];

?Lesotho [486]; Liberia (v) [5246]; Libyan Arab Jamahiriya [536]; Malawi [1103]; Malaysia: Peninsular Malaysia; Mali [659]; Malta (v); Mauritania [659]; Moldova, Republic of (br) [710]; Mongolia (br) [1306]; Morocco (br) [461]; Mozambique [659]; Myanmar [1290]; Namibia (br) [659]; Nepal (br) [865]; Netherlands (v) [5273]; Niger [659]; Nigeria [10580]; Oman [13112]; Pakistan (br); Poland (br) [1348]; Portugal (br) [1332]; Portugal (br), Madeira (v); Romania (br) [558]; Russian Federation (br) [710]; Rwanda [659]; Saudi Arabia [881]; Senegal [659]; Serbia and Montenegro (br) [1038]; Seychelles (v) [659, 6253]; Sierra Leone [659]; Singapore (v) [791]; Slovakia (br) [5279]; Slovenia [1038]; Somalia [5252]; South Africa [659]; Spain (br) [702]; Sri Lanka [5271]; Sudan [659]; Swaziland [1139]; Sweden (v) [1199]; Switzerland (v) [5288]; Syrian Arab Republic [5283]; Tajikistan (br) [374]; Thailand; The former Yugoslav Republic of Macedonia (br) [1038]; Togo (v) [570, 5254]; Tunisia (br) [1344]; Turkey (br) [5282]; Turkmenistan (br) [710]; Uganda [659]; Ukraine (br) [710]; United Arab Emirates [1192]; United Republic of Tanzania [659]; Uzbekistan (br) [710]; Western Sahara; Yemen [5297]; Zambia [658, 659]; Zimbabwe [659]

Hieraetus spilogaster (Bonaparte, 1850)

II B LC

Synonyms: *Spizaetus spilogaster* Bonaparte, 1850, *Hieraetus fasciatus spilogaster* (Bonaparte, 1850)

E: African Eagle, African Hawk-Eagle, F: Aigle fascié, Aigle-autour fascié, S: Aguila perdicera africana,

Águila-azor africana

Angola (br) [5267]; Benin (br?) [659]; Botswana (br) [1102]; Burkina Faso (br?) [659]; Burundi (br) [659, 25466]; Cameroon (br?) [659, 25375]; Central African Republic (br?) [659]; Chad (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br?) [25466, 25489]; Eritrea (br?) [659]; Ethiopia (br) [659, 894]; Gambia (br) [760]; Ghana (br?) [782]; Guinea (br) [659, 1078, 1389, 10590, 11456]; Guinea-Bissau (br) [659, 715]; Kenya (br) [5253]; Malawi (br) [1103]; Mali [659]; Mauritania (br) [659]; Mozambique (br?) [659]; Namibia (br) [659]; Niger (br?) [659]; Nigeria (br); Rwanda (br) [659, 25466]; Senegal (br) [659]; Sierra Leone (br?) [659]; Somalia (br) [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Togo (br?) [5254]; Uganda (br?) [659]; United Republic of Tanzania (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

CITES Identification Manual Reference:

A-213.003.033.007

Ichthyophaga humilis

(Müller & Schlegel, 1841)

II B NT 381, 386, 523, 595, 929

Synonyms: *Ichthyophaga nana* (Blyth, 1842), *Ichthyaetus nanus* Blyth, 1842, *Falco humilis* S. Müller & Schlegel, 1841

E: Lesser Fish-Eagle, Lesser Fishing Eagle, F: Pygargue nain, S: Pigarguillo menor

Bangladesh (br?) [804]; Bhutan (br) [5261]; Brunei Darussalam (br); Cambodia [7417]; China (br) [1069, 5293]; India (br) [1197]; Indonesia (br) [393]: Kalimantan, Sulawesi, Sumatera; Lao People's Democratic Republic (br) [6187]; Malaysia (br) [1289]; Peninsular Malaysia [1049], Sabah [759], Sarawak [393]; Myanmar (br) [1290]; Nepal (br) [865]; Thailand (br) [487, 1220]; Viet Nam (br) [5264]

Ichthyophaga ichthyaetus (Horsfield, 1821)

II B NT 381, 386, 523, 595, 929

Synonym: *Falco ichthyaetus* Horsfield, 1821

E: Grey-headed Fish-Eagle, Grey-headed Fishing Eagle, F: Pygargue à tête grise, S: Pigarguillo común
Bangladesh (br) [804]; Brunei Darussalam (br); Cambodia (br) [5243]; India (br) [1197]; Indonesia (br) [393]: Jawa, Kalimantan, Sulawesi, Sumatera; Lao People's Democratic Republic (br) [6187]; Malaysia (br) [1289]; Peninsular Malaysia [1049], Sabah [759], Sarawak [393]; Myanmar (br) [1290]; Nepal (br) [865]; Philippines (br) [5270]; Singapore (v) [791]; Sri Lanka (br) [5271]; Thailand (br) [487, 1220]; Viet Nam (br) [5264]

Ictinaetus malayensis (Temminck, 1822)

II B LC 381, 386, 523, 929

Synonym: *Falco malayensis* Temminck, 1822

E: Asian Black Eagle, Black Eagle, Indian Black Eagle, F: Aigle noir, S: Águila milana

Bangladesh (br) [804]; Bhutan (br) [5261]; Brunei Darussalam (br); Cambodia (br) [5243, 6475]; China (br) [5293]; India (br) [1197]; Indonesia (br) [393]: Bali, Jawa, Kalimantan, Moluccas, Sulawesi [7262], Sumatera; Lao People's Democratic Republic (br) [6187]; Malaysia (br) [1220, 1289]; Peninsular Malaysia [1049], Sabah [759], Sarawak [393]; Myanmar (br) [1290]; Nepal (br) [865]; Pakistan (br); Sri Lanka (br) [5271]; Taiwan, Province of China (br); Thailand (br) [487]; Viet Nam (br) [5264]

Ictinia mississippiensis (Wilson, 1811)

II B LC 386, 387, 523, 1068

Synonym: *Falco mississippiensis* Wilson, 1811

E: Mississippi Kite, F: Milan du Mississippi, S: Elanio del Mississipi, Milano del Misisipí, Milano misisipero Argentina [5291, 10249]; Bahamas (v); Belize (v) [8632]; Bermuda (v) [10297]; Bolivia [1186, 1262]; Brazil [13142]; Colombia [837]; Costa Rica [1311]; Cuba (v) [6687]; El Salvador (v?) [5241]; Guatemala [5241]; Honduras [1076]; Mexico [5241]; Nicaragua [6604]; Panama [1195]; Paraguay [5295]; Peru [1136]; United States (br) [387]

Ictinia plumbea (Gmelin, 1788)

II B LC 386, 387, 523, 1068

Synonym: *Falco plumbeus* Gmelin, 1788

E: Plumbeous Kite, F: Milan bleuâtre, S: Elanio plomizo, Gavilán plomizo, Milano plomizo

Argentina (br) [5291, 10249]; Belize (br) [5241]; Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837, 6674]; Costa Rica (br) [1311]; Ecuador (br) [5294]; El Salvador (br) [5241]; French Guiana (br) [1349]; Guatemala (br) [5241]; Guyana (br) [1295, 25537]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [5295, 6238]; Peru (br) [1136]; Suriname (br) [5296]; Trinidad and Tobago (br) [703]; Venezuela (br) [1070]

Kaupifalco monogrammicus (Temminck, 1824) II B LC 386, 511, 523, 524, 573, 1256, 1292

Synonym: *Falco monogrammicus* Temminck, 1824

E: Lizard Buzzard, F: Autour unibande, S: Busardo gavilán

Angola (br) [5267]; Benin (br?) [659]; Botswana (br?) [1102]; Burkina Faso (br?) [659]; Burundi (br) [659]; Cameroon (br?) [659, 25374, 25376]; Central African Republic (br?) [659]; Chad (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br) [25489]; Equatorial Guinea (br?) [659]; Ethiopia (br?) [659]; Gabon (br) [659]; Gambia (br) [760]; Ghana (br) [782, 7856]; Guinea (br) [659, 1078, 1191, 1389, 10590, 11437, 11439, 11442, 11455, 11457, 13096]; Guinea-Bissau (br) [659, 715]; Kenya (br) [5253]; Liberia (br) [5246]; Malawi (br) [1103]; Mali [659]; Mozambique (br) [659]; Namibia (br) [659]; Niger (br?) [659]; Nigeria (br); Rwanda (br) [659]; Senegal (br) [659]; Sierra Leone (br) [659]; Somalia (br?) [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Togo (br?) [5254]; Uganda (br?) [659]; United Republic of Tanzania (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

Leptodon cayanensis (Latham, 1790) II B LC 386, 387, 523, 1068

Synonym: *Falco cayanensis* Latham, 1790

E: Cayenne Kite, Grey-headed Kite, F: Milan de Cayenne, S: Gavilán palomero, Milano blanquigrís, Milano cabecigris

Argentina (br) [5291, 10249]; Belize (br) [5241]; Bolivia (br) [1186]; Brazil (br) [6186, 25280]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294, 12382, 13140]; El Salvador (br) [5241]; French Guiana (br) [1349]; Guatemala (br) [448, 5241, 6849]; Guyana (br) [1295, 25537]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [814, 5295]; Peru (br) [1136]; Suriname (br) [5296]; Trinidad and Tobago (br?) [703]; Venezuela (br) [1070]

Leptodon forbesi (Swann, 1922) II B CR

Synonym: *Odontriorchis forbesi* Swann, 1922

E: White-collared Kite, F: Milan de Forbes, S: Milano acollarado
Brazil (br) [6186, 6413]

Leucopternis albicollis (Latham, 1790) II B LC 386, 387, 523, 1068

Synonym: *Falco albicollis* Latham, 1790

E: White Hawk, F: Buse blanche, S: Busardo blanco, Gavilán blanco

Belize (br) [5241]; Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837, 6674, 9220]; Costa Rica (br) [1311]; Ecuador (br) [5294]; El Salvador (br) [5241]; French Guiana (br) [1349]; Guatemala (br) [5241]; Guyana (br) [1295, 25537]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]; Peru (br) [1136]; Suriname (br) [5296]; Trinidad and Tobago (br) [703]; Venezuela (br) [1070]

Leucopternis kuhli Bonaparte, 1850 II B LC 386, 523, 1068

E: White-browed Hawk, F: Buse à sourcils blancs, S: Busardo cejiblanco
Bolivia (br) [1135, 1186]; Brazil (br) [6186]; Peru (br) [1136]

Leucopternis lacernulata (Temminck, 1827) II B VU 380, 386, 523, 595, 598, 1031, 1068, 1270

Synonym: *Falco lacernulatus* Temminck, 1827

E: White-necked Hawk, F: Buse lacernulée, S: Busardo cuelliblanco
Brazil (br) [6186, 7079, 11383, 12355, 25280]

Leucopternis melanops (Latham, 1790) II B LC 386, 523, 1068

Synonym: *Falco melanops* Latham, 1790

E: Black-faced Hawk, Masked Hawk, F: Buse à face noire, S: Busardo carinegro, Gavilán carinegro
Brazil (br) [6186]; Colombia (br) [837]; Ecuador (br) [5294]; French Guiana (br) [1349]; Guyana (br) [1295, 25537]; Peru (br) [1136]; Suriname (br) [5296]; Venezuela (br) [1070]

Leucopternis occidentalis Salvin, 1876 II A EN 386, 523, 595, 598, 1068

Synonym: *Leucopternis albicollis occidentalis* Salvin, 1876

E: Grey-backed Hawk, F: Buse à dos gris, S: Busardo dorsi, Busardo dorsigrís, Gavilán dorsigrís
Ecuador (br) [1202, 5294, 6360, 6827, 12381]; Peru (br) [1134, 1136, 1412, 8616]

Leucopternis plumbea Salvin, 1872 II B NT 386, 387, 476, 523, 595, 1068

E: Plumbeous Hawk, F: Buse plombée, S: Busardo plomizo, Gavilán plomizo

Colombia (br) [837, 9220]; Ecuador (br) [5294]; Panama (br) [1195]; Peru (br) [1136]

<i>Leucopternis polionota</i> (Kaup, 1847)	II	B	NT	386, 523, 595, 1068
Synonym: <i>Buteo polionotus</i> Kaup, 1847				
E: Mantled Hawk, F: Buse mantelée, S: Busardo blanquinegro				
?Argentina [465, 10249]; Brazil (br) [6186, 25280]; Paraguay (br) [5295]				

<i>Leucopternis princeps</i> Sclater, 1865	II	B	LC	386, 387, 523, 1068
E: Barred Hawk, Black-chested Hawk, F: Buse barrée, S: Busardo azoreño, Gavilán príncipe				
Colombia (br) [837, 6674]; Costa Rica (br) [1311]; Ecuador (br) [5294]; Panama (br) [1195]; Peru (v) [6854]				

<i>Leucopternis schistacea</i> (Sundevall, 1851)	II	B	LC	386, 523, 1068
Synonym: <i>Asturina schistacea</i> Sundevall, 1851				
E: Slate-colored Hawk, F: Buse ardoisée, S: Busardo pizarroso, Gavilán azul, Gavilán pizarroso				
Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837]; Ecuador (br) [5294]; French Guiana (br) [1349]; Peru (br) [1136]; Venezuela (br) [1070, 6304]				

<i>Leucopternis semiplumbea</i> Lawrence, 1861	II	B	LC	386, 387, 523, 595, 1068
E: Semiplumbeous Hawk, F: Buse semiplombée, S: Busardo semiplomizo, Gavilán semiplomizo				
Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294]; Honduras (br) [1025, 1076, 6308]; Nicaragua (br) [1195]; Panama (br) [1195]				

<i>Lophaetus occipitalis</i> (Daudin, 1800)	II	B	LC	386, 511, 523, 524, 573, 1256, 1292
Synonyms: <i>Spizaetus occipitalis</i> (Daudin, 1800), <i>Falco occipitalis</i> Daudin, 1800				
E: Long-crested Eagle, F: Aigle huppard, S: Águila copetuda africana, Águila crestilarga				
Angola (br?) [5267]; Benin (br?) [659]; Botswana (br?) [1102]; Burkina Faso (br?) [659]; Burundi (br) [659, 25466, 25523]; Cameroon (br?) [659, 25371, 25374, 25375, 25376, 25382]; Central African Republic (br?) [659]; Chad (br) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br?) [25466, 25476, 25489]; Equatorial Guinea (br?) [659, 1183]; Eritrea (br?) [659]; Ethiopia (br) [659]; Gabon (br?) [659]; Gambia (br) [760]; Ghana (br) [782, 7856]; Guinea (br) [659, 1078, 10590, 11442, 11455, 11456, 13096]; Guinea-Bissau (br) [659, 715]; Kenya (br) [5253]; Liberia (br?) [5246]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (br?) [659]; Mozambique (br?) [659]; Namibia (br) [659]; Niger (br?) [659]; Nigeria (br); Rwanda (br) [659, 25466]; Senegal (br?) [659]; Sierra Leone (br) [659]; Somalia (v) [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Togo (br?) [5254]; Uganda (br?) [659]; United Republic of Tanzania (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]				

<i>Lophoictinia isura</i> (Gould, 1838)	II	B	LC	386, 523, 595
Synonym: <i>Milvus isurus</i> Gould, 1838				
E: Square-tailed Kite, F: Milan à queue carrée, S: Milano colicuadrado				
Australia (br) [477]				

<i>Macheiramphus alcinus</i> Westermann, 1851	II	B	LC	386, 511, 523, 524, 573, 929, 1242, 1256, 1292
Synonym: <i>Machaerhamphus alcinus</i> (Westerman, 1851)				
E: Bat Hawk, Bat Kite, F: Milan des chauves-souris, S: Milano murcielaguero				
Angola (br) [5267]; Benin (br?) [659]; Botswana (br?) [1102]; Brunei Darussalam (br); Burkina Faso (br?) [659]; Burundi (br?) [659]; Cameroon (br?) [659, 25315]; Central African Republic (br?) [659, 11929]; Chad (br?) [659]; Comoros; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br?) [25489]; Equatorial Guinea (br?) [6426]; Ethiopia (br?) [659]; Gabon (br?) [659]; Gambia (v) [760]; Ghana (br) [782]; Guinea (br) [659, 1078, 1389, 11455]; Indonesia (br) [393]; Irian Jaya [7727], Kalimantan [478], Sulawesi [759], Sumatera [393]; Kenya (br?) [5253]; Liberia (br) [5246]; Madagascar (br?) [5249]; Malawi (br) [1103]; Malaysia (br) [1289]; Peninsular Malaysia, Sabah, Sarawak; Mali (br?) [659]; Mozambique (br?) [659]; Myanmar (br) [1290]; Namibia (br) [659]; Niger (br?) [659]; Nigeria (br) [25533]; Papua New Guinea (br); Rwanda (br) [659]; São Tomé and Principe (v); Senegal [659]; Sierra Leone (br) [659]; Singapore (v) [791]; Somalia [5252]; South Africa (br) [659]; Sudan (br?) [659]; Sudan [1049]; Thailand (br) [487]; Togo (br?) [5254]; Uganda (br?) [659]; United Republic of Tanzania (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]				

<i>Megatriorchis doriae</i>	II	B	NT	386, 523, 595, 1045, 1242
Salvadori & D'Albertis, 1875				
Synonym: <i>Accipiter doriae</i> (Salvadori & D'Albertis, 1875)				
E: Doria's Goshawk, F: Autour de Doria, S: Azor de Doria				
Indonesia (br) [393]; Irian Jaya; Papua New Guinea (br)				

<i>Melierax canorus</i> (Rislachi, 1799)	II	B	LC	386, 523, 524, 573, 1292
Synonym: <i>Falco canorus</i> Rislachi, 1799				

E: Pale Chanting-Goshawk, F: Autour chanteur, S: Azor-lagartijero claro
 Angola (br?) [5267]; Botswana (br) [1102]; Lesotho (v) [486]; Namibia (br) [659]; South Africa (br) [659];
 Zimbabwe (br) [659]

Melierax gabar (Daudin, 1800)	II	B	LC	386, 511, 523, 524, 573, 841, 1256, 1292, 7174
--------------------------------------	----	---	----	---

Synonyms: *Micronisus gabar* (Daudin, 1800), *Falco gabar* Daudin, 1800

E: Gabar Goshawk, F: Autour gabar, S: Gavilán gabar
 Angola (br?) [5267]; Benin (br?) [659]; Botswana (br) [1102]; Burkina Faso (br) [659, 1345, 7154]; Burundi (br?) [659]; Cameroon (br?) [659, 25375]; Central African Republic (br?) [659]; Chad (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br?) [1334]; Democratic Republic of the Congo (br) [6388, 25489]; Egypt (v); Eritrea (br) [659]; Ethiopia (br) [659]; Gabon (br?) [659]; Gambia (br?) [760]; Ghana (br?) [782]; Guinea (br) [659, 1078, 10590, 11455]; Guinea-Bissau [7849]; Kenya (br) [5253]; Lesotho (v) [486]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (br) [659]; Mozambique (br?) [659]; Namibia (br) [659]; Niger (br?) [659]; Nigeria (br); Rwanda (br) [659]; Saudi Arabia (br) [881, 8140]; Senegal (br?) [659]; Somalia (br) [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Togo (br) [5254]; Uganda (br?) [659]; United Republic of Tanzania (br?) [659]; Yemen (br?) [5297]; Zambia (br) [659]; Zimbabwe (br) [659]

Melierax metabates Heuglin, 1861	II	B	LC	386, 511, 523, 524, 573, 841, 1256, 1292
---	----	---	----	---

E: Dark Chanting-Goshawk, F: Autour sombre, S: Azor lagartijero oscuro
 Angola (br) [5267]; Benin [659]; Botswana (br?) [1102]; Burkina Faso (br) [659, 1345, 7154]; Burundi (br?) [659]; Cameroon (br?) [659, 25375]; Central African Republic (br) [659]; Chad (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br?) [25489]; Djibouti (br?) [427]; Eritrea (br) [659]; Ethiopia (br) [659]; Gabon (v) [659]; Gambia (br) [760]; Guinea (br) [659, 1078, 1389, 10590]; Guinea-Bissau (br) [659, 715]; Israel (v) [5245]; Kenya (br) [5253]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (br) [659]; Morocco (br) [461]; Mozambique (br?) [659]; Namibia (br) [659]; Niger (br) [659]; Nigeria (br); Rwanda (v) [659]; Saudi Arabia (br) [881]; Senegal (br?) [659]; Sierra Leone (v) [659]; Somalia (v) [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (v) [1139]; Togo (br?) [5254]; Uganda (br?) [659]; United Arab Emirates (v) [1192]; United Republic of Tanzania (br?) [659]; Yemen (br?) [5297]; Zambia (br) [659]; Zimbabwe (br) [659]

Melierax poliopterus Cabanis, 1869	II	B	LC	386, 511, 523, 524, 1292
---	----	---	----	--------------------------

Synonym: *Melierax canorus poliopterus* Cabanis, 1869

E: Eastern Chanting-Goshawk, F: Autour à ailes grises, S: Azor-lagartijero somalí
 Djibouti (br?) [427]; Ethiopia (br) [659]; Kenya (br) [5253]; Somalia (br) [5252]; Uganda (br?) [659]; United Republic of Tanzania (br?) [659]

Milvus lineatus (Gray, 1831)	II	B	LC	
-------------------------------------	----	---	----	--

Synonyms: *Haliaeetus lineatus* J. E. Gray, 1831, *Milvus migrans lineatus* (J. E. Gray, 1831)

E: Black-eared Kite, F: Milan brun
 Afghanistan [694]; Bangladesh [804]; Bhutan (br) [5261]; Brunei Darussalam (v); Cambodia [5243]; China (br) [5293]; Democratic People's Republic of Korea (br) [7680]; Hong Kong, China (br); India (br) [1197]; ?Indonesia (v) [393]; Japan (br) [503]; Korea, Republic of (br) [1436]; Lao People's Democratic Republic [6187]; Malaysia (v) [1289]; Myanmar; Nepal (br) [865]; Pakistan (br); Philippines (v) [5270]; Russian Federation (br) [710]; Taiwan, Province of China (br); Thailand [487]; Viet Nam [5264]

Milvus migrans (Boddaert, 1783)	II	A	LC	381, 386, 511, 523, 524, 573, 614, 841, 929, 1292
--	----	---	----	--

Synonym: *Falco migrans* Boddaert, 1783

E: Black Kite, Pariah Kite, Yellow-billed Kite, F: Milan noir, Milan noir, S: Milano negro, Milanus nigro
 Albania (br); Algeria (br) [971]; Angola (br) [5267]; Armenia (br) [5240]; Australia (br) [477]; Austria (br) [1215]; Azerbaijan (br) [710]; Bahrain [1105]; Bangladesh (br) [804]; Belarus (br); Belgium (br) [786, 5272]; Benin [659]; Bhutan [5261]; Bosnia and Herzegovina (br) [1038]; Botswana (br) [1102]; British Virgin Islands (v) [8649]; Brunei Darussalam; Bulgaria (br) [5280]; Burkina Faso (br) [659, 1345]; Burundi (br) [659, 25466]; Cambodia (br) [5243]; Cameroon [659, 25374, 25375, 25376, 25382]; Cape Verde (br) [820, 7821]; Central African Republic [659]; Chad (br) [659]; China (br) [5293]; Comoros (br) [659]; Congo [659]; Côte d'Ivoire (br) [1334]; Croatia (br) [5290]; Cyprus [709]; Czech Republic (br) [5258]; Democratic Republic of the Congo (br) [25466, 25476, 25489]; Denmark (v) [666]; Djibouti (br) [427]; Egypt (br) [756]; Equatorial Guinea (br) [659, 1183]; Equatorial Guinea, Bioko; Eritrea (br) [659]; Estonia (br) [5277]; Ethiopia (br) [659]; Finland (br) [1300]; France (br) [7041]; Gabon [659]; Gambia (br) [760]; Georgia (br) [710]; Germany (br) [5274]; Ghana (br) [782]; Gibraltar [25480]; Greece (br) [5281]; Guam (v) [25484]; Guinea (br) [659, 1078, 1191, 1389, 10590, 11437, 11442, 11445, 11455, 11456, 11457]; Guinea-Bissau (br) [659, 715]; Hungary (br) [5257, 13163]; Iceland (v) [507]; India (br) [1197]; Indonesia (br) [393, 1410]; Kalimantan [7727], Sulawesi; Iran (Islamic Republic of) (br) [1253]; Iraq (br) [385]; Ireland (v) [858]; Israel (br) [5245]; Italy (br) [5289]; Jordan [395, 1386]; Kazakhstan (br) [5269]; Kenya (br) [5253]; Kuwait [537]; Kyrgyzstan (br) [710]; Latvia (br) [5278]; Lebanon [5284]; Lesotho (br) [486]; Liberia (br) [5246]; Libyan Arab Jamahiriya [536]; Liechtenstein (br); Lithuania (br) [5247]; Luxembourg (br) [5248]; Madagascar (br) [633, 5249]; Malawi (br) [1103]; Malaysia: Peninsular Malaysia, Sabah, Sarawak [393]; Mali (br) [659]; Malta; Mauritania (br) [659]; Mayotte (br); Moldova, Republic of (br) [710]; Morocco (br) [461]; Mozambique (br) [659]; Myanmar (br) [1290]; Namibia (br) [659];

Nepal (br) [865]; Netherlands (v) [5273]; Niger (br) [659]; Nigeria (br); Northern Mariana Islands (v) [25484]; Norway (v) [5275]; Oman (br) [13112]; Pakistan (br); Papua New Guinea (br); Poland (br) [1348]; Portugal (br) [1332]; Portugal (br), Madeira; Qatar [1393]; Romania (br) [558]; Russian Federation (br) [710]; Rwanda (br) [659, 25466]; São Tomé and Príncipe (br) [659, 1293]; Saudi Arabia (br) [881]; Senegal (br) [659]; Serbia and Montenegro (br) [1038]; Seychelles (v) [659, 6253]; Aldabra (v) [7814]; Sierra Leone (br) [659]; Singapore [791]; Slovakia (br) [5279]; Slovenia (br) [1038]; Somalia (br) [5252]; South Africa (br) [659]; Spain (br) [702]; Sri Lanka (br) [5271]; Sudan (br) [659]; Swaziland [1139]; Swaziland [759]; Sweden (br) [1199]; Switzerland (br) [5288]; Switzerland [1049]; Syrian Arab Republic (br) [5283]; Tajikistan (br) [374]; Thailand (br) [487]; The former Yugoslav Republic of Macedonia (br) [1038]; Timor-Leste; Togo (br) [5254]; Tunisia (br) [1344]; Turkey (br) [5282]; Turkmenistan (br) [710]; Uganda (br) [659]; Ukraine (br) [710]; United Arab Emirates [1192]; United Kingdom (v) [6188]; United Republic of Tanzania (br) [659]; Uzbekistan (br) [710]; Viet Nam (br) [5264]; Western Sahara (br); Yemen (br) [5297]; Zambia (br) [659]; Zimbabwe (br) [659]

Milvus milvus (Linnaeus, 1758)

II A LC 386, 489, 523, 524, 595, 614, 684, 741, 841

Synonyms: *Milvus fasciicauda* Hartert, 1914, *Falco milvus* Linnaeus, 1758

E: Red Kite, F: Milan royal, Milan royal, S: Milano real

Albania (v); Algeria (ex, br) [971]; Armenia (v) [5240]; Austria (br) [1215]; Azerbaijan (v); Bangladesh (v) [804]; Belarus (br); Belgium (br) [5272]; Bosnia and Herzegovina (br) [1038]; Bulgaria [5280]; Cape Verde (br) [820, 7821]; Croatia (br) [5290]; Cyprus (v) [709]; Czech Republic (br) [5258]; Denmark (br) [666]; Egypt (v) [756]; Estonia (v) [5277]; Finland (v) [1300]; France (br) [7041]; Gambia (v) [739, 760]; Georgia (br) [710]; Germany (br) [5274]; Gibraltar; Greece [5281]; Hungary (br) [5257, 13163]; Iceland (v) [507]; India (v) [1197]; Iran (Islamic Republic of) (br) [1253]; Iraq (v) [10158, 10172]; Ireland (v) [858]; Israel (v) [5245]; Italy (br) [5289]; Jordan (v) [395, 6454]; Latvia (br?) [5278]; Lebanon [5284]; Libyan Arab Jamahiriya (v) [536]; Liechtenstein; Lithuania (br) [5247]; Luxembourg (br) [5248]; Malta (v); Mauritania (v) [659]; Moldova, Republic of (br) [710]; Morocco (br) [461]; Nepal (v) [865]; Netherlands (br) [5273]; Niger (v) [10581]; Norway (v) [5275]; Poland (br) [1348]; Portugal (br) [1332]; Portugal (br), Madeira (v); Romania (br) [558]; Russian Federation (br) [710]; Serbia and Montenegro (br) [1038]; Slovakia (br) [5279]; Slovenia [1038]; Spain (br) [702]; Sudan (v) [6417]; Sweden (br) [1199]; Switzerland (br) [1085, 5288]; Syrian Arab Republic (v) [5283]; The former Yugoslav Republic of Macedonia (br) [1038]; Tunisia (ex, br) [1344]; Turkey [5282]; Turkmenistan [8159]; Ukraine (br) [710]; United Kingdom (br) [6188]

Morphnus guianensis (Daudin, 1800)

II B NT 386, 387, 470, 476, 523, 595, 719, 931, 1068

Synonym: *Falco guianensis* Daudin, 1800

E: Crested Eagle, Guianan Crested Eagle, F: Harpie huppée, S: Águila crestada, Águila monera, Arpía menor Argentina (v) [465, 1113, 5291, 10249]; Belize (br) [5241, 6709]; Bolivia (br) [1186, 5116]; Brazil (br) [6186, 7869]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294, 8617]; French Guiana (br) [1333, 1349]; Guatemala (br) [448, 5241]; Guyana (br) [1295, 25537]; Honduras (br) [1076]; ?Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay [25249]; Peru (br) [1136, 6724]; Suriname (br) [5296]; Venezuela (br) [1070, 1156, 6304]

Necrosyrtes monachus (Temminck, 1823)

II B LC 386, 511, 523, 524, 573, 1256, 1292

Synonym: *Cathartes monachus* Temminck, 1823

E: Hooded Vulture, F: Percnoptère brun, Vautour charognard, S: Alimoche sombrío
Angola (br?) [5267]; Benin (br) [659]; Botswana (br) [1102]; Burkina Faso (br) [659, 1345, 7154]; Burundi (br?) [659]; Cameroon (br?) [659, 25371, 25375]; Central African Republic (br) [659]; Chad (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br) [6412, 25489]; Djibouti [427]; Eritrea (br) [659]; Ethiopia (br) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br) [659, 1078, 1191, 1389, 10590, 11437, 11442, 11455, 11456, 11457]; Guinea-Bissau (br) [659, 715]; Kenya (br) [5253]; Liberia [5246]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (br) [659]; Morocco (v) [461, 841]; Mozambique (br) [659]; Namibia (br?) [659]; Niger (br?) [659]; Nigeria (br); Rwanda (br) [659]; Senegal (br) [659]; Sierra Leone (br) [659]; Somalia (br) [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland [1139]; Togo (br) [5254]; Uganda (br) [659]; United Republic of Tanzania (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

Neophron percnopterus (Linnaeus, 1758)

II A LC 381, 386, 511, 523, 524, 573, 614, 841, 1045, 1256, 1292, 11903

Synonym: *Vultur percnopterus* Linnaeus, 1758

E: Egyptian Vulture, F: Percnoptère d'Egypte, Vautour percnoptère, S: Alimoche, Alimoche común
Afghanistan (br) [694]; Albania (br); Algeria (br) [971]; Angola (br?) [5267]; Armenia (br) [5240]; Austria (v) [1215]; Azerbaijan (br) [710]; Bangladesh (v) [804]; Belgium (v) [5272]; Bosnia and Herzegovina (br) [1038]; Botswana (v) [1102, 10140]; Bulgaria (br) [5280]; Burkina Faso (br?) [659]; Cameroon [659, 25375]; Cape Verde (br) [820]; Chad (br) [659]; Croatia (ex?, br) [5290]; Cyprus (v) [709]; Czech Republic (v) [5258]; Denmark (v) [666]; Djibouti (br) [427]; Egypt (br) [756]; Eritrea (br) [659]; Estonia (v) [5277]; Ethiopia (br) [659]; Finland (v) [1300]; France (br) [7041]; Gambia [760]; Georgia (br) [710]; Ghana (v) [782]; Gibraltar; Greece (br) [5281]; Guinea (br) [659, 1078]; Hungary (v) [5257]; India (br) [1197]; Iran (Islamic Republic of) (br) [1253]; Iraq (br) [385]; Israel (br) [5245]; Italy (br) [5289]; Jordan (br) [395, 6454]; Kazakhstan (br) [5269]; Kenya (br) [5253]; Kuwait (br) [537]; Kyrgyzstan (br) [710]; ?Lebanon (br) [5284]; ?Lesotho (v) [486]; Libyan Arab Jamahiriya (br) [536]; Mali (br) [659]; Malta; Mauritania (br) [659]; Mongolia (v) [1306]; Morocco (br) [461]; Mozambique (v) [659]; Myanmar (v) [1290]; Namibia (br?) [659]; Nepal (br) [865]; Niger (br) [659]; Nigeria (br); ?Norway (v) [5275]; Oman (br) [13112]; Pakistan (br); Poland (v) [1348]; Portugal (br) [1332];

Portugal (br), Azores (v), Madeira (v); Qatar (v) [1393]; Romania (br) [558]; Russian Federation (br) [710, 938]; Saudi Arabia (br) [881]; Senegal (br) [659]; Serbia and Montenegro (br) [1038]; Slovakia (v) [5279]; Slovenia [1038]; Somalia (br) [5252]; South Africa (ex?, br) [659, 972]; Spain (br) [702]; Sri Lanka (v) [5271]; Sudan (br) [659]; Svalbard and Jan Mayen Islands (v); Sweden (v) [1199]; Switzerland (v) [5288]; Syrian Arab Republic (br) [5283]; Tajikistan (br) [374]; The former Yugoslav Republic of Macedonia (br) [1038]; Togo (v) [5254]; Tunisia (br) [1344]; Turkey (br) [5282]; Turkmenistan (br) [710]; ?Uganda (br) [659]; United Arab Emirates (br) [1192]; United Kingdom (v) [6188]; ?United Republic of Tanzania (br) [659]; Uzbekistan (br) [710]; Western Sahara (br); ?Yemen (br) [5297]; Zimbabwe (v) [659]

Oroaetus isidori (Des Murs, 1845) II B NT 386, 523, 595, 1068

Synonyms: *Spizaetus isidori* (Des Murs, 1845), *Falco isidori* Des Murs, 1845

E: Black-and-chestnut Eagle, Isidor's Eagle, F: Aigle d'Isidore, S: Águila castaña, Águila de copete, Águila poma

Argentina (br) [465, 5291, 10249]; Bolivia (br) [1186, 5116]; Colombia (br) [837, 6683, 6730, 11374]; Ecuador (br) [5294, 6334, 12077]; Peru (br) [1136]; Venezuela (br) [1070]

Parabuteo unicinctus (Temminck, 1824) II B LC 386, 387, 523, 1068

Synonym: *Falco unicinctus* Temminck, 1824

E: Bay-winged Hawk, Harris's Hawk, F: Buse de Harris, S: Aguililla de Harris, Busardo mixto, Gavilán andapie, Gavilán mixto

Argentina (br) [5291, 10249]; Bolivia (br) [1186]; Brazil (br) [6186, 7118]; Chile (br) [873, 5292]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294]; El Salvador (br) [5241]; Guatemala (br) [5241]; Honduras (v) [6308]; Mexico (br) [5241, 6648]; Nicaragua (br) [1195]; Panama (v) [1195]; Paraguay (br) [5295]; Peru (br) [1136]; Suriname (br) [5296]; United States (br) [387]; Uruguay (br) [5287, 25534]; Venezuela (br) [1070]

Pernis apivorus (Linnaeus, 1758) II A LC 381, 386, 511, 523, 524, 573, 614, 841, 929, 1256

Synonym: *Falco apivorus* Linnaeus, 1758

E: European Honey-buzzard, Honey Buzzard, F: Bondrée apivore, Bondrée apivore, S: Abejero europeo, Halcón abejero, Halcón abejero

Afghanistan (v) [694]; Albania; Algeria [971]; Angola [5267]; Armenia (br) [5240]; Austria (br) [1215]; Azerbaijan (br) [710]; Bahrain (v) [1105]; Belarus (br); Belgium (br) [5272]; Benin [659]; Bosnia and Herzegovina (br?) [1038]; Bulgaria (br) [5280]; Burkina Faso (v) [659, 7154]; Burundi (v) [659]; Cameroon [659, 25376, 25382]; Central African Republic [659, 11929]; Chad [659]; Congo [659]; Côte d'Ivoire [1334]; Croatia (br) [5290]; Cyprus [709]; Czech Republic (br) [5258]; Democratic Republic of the Congo [25489]; Denmark (br) [666]; Djibouti [427]; Egypt [756]; Equatorial Guinea (v) [659]: Bioko; Estonia (br) [5277]; Ethiopia [659]; Faroe Islands (v) [480]; Finland (br) [1300]; France (br) [7041]; Gabon [659]; Gambia [760]; Georgia (br) [710]; Germany (br) [5274]; Ghana [782]; Gibraltar [25480]; Greece (br) [5281]; Guinea [659, 1078, 11455, 11456, 13096]; Hungary (br) [5257, 13163]; Iceland (v) [507]; Iran (Islamic Republic of) (br) [1253]; Iraq [385]; Ireland (v) [858]; Israel [5245]; Italy (br) [5289]; Jordan [395, 1386]; Kazakhstan (br) [5269]; Kenya [5253]; Kuwait [537]; Latvia (br) [5278]; Lebanon [5284]; Liberia [5246]; Libyan Arab Jamahiriya (v) [536]; Liechtenstein (br); Lithuania (br) [5247]; Luxembourg (br) [5248]; Malawi [1103]; Mali [659]; Malta; Mauritania [659]; Moldova, Republic of (br) [710]; Morocco [461]; Mozambique [659]; Namibia [659]; Netherlands (br) [5273]; Niger [659]; Nigeria; Norway (br) [5275]; Oman [13112]; Poland (br) [1348]; Portugal (br) [1332]; Portugal (br), Madeira (v); Romania (br) [558]; Russian Federation (br) [710]; Rwanda [659]; Saudi Arabia [881]; Senegal (v) [659]; Serbia and Montenegro (br) [1038]; Seychelles (v) [1357, 6253]; Sierra Leone [659]; Slovakia (br) [5279]; Slovenia (br) [1038]; Somalia (v) [5252]; South Africa [659]; Spain (br) [702]; Sudan [659]; ?Swaziland (v) [1139]; Sweden (br) [1199]; Switzerland (br) [5288]; Syrian Arab Republic [5283]; The former Yugoslav Republic of Macedonia (br) [1038]; Togo [5254]; Tunisia [1344]; Turkey (br) [5282]; Uganda [659]; Ukraine (br) [710]; United Arab Emirates (v) [1192]; United Kingdom (br) [6188]; United Republic of Tanzania [659]; Uzbekistan (v) [710]; Western Sahara; Yemen [5297]; Zambia [659]; Zimbabwe [659]

Pernis celebensis Wallace, 1868 II B LC 386, 523, 6888

Synonym: *Pernis cristatus celebensis* Wallace, 1868

E: Barred Honey-buzzard, F: Bondrée des Célestes, S: Abejero de Célebes

Indonesia (br) [393, 1410, 7262]: Sulawesi; Philippines (br) [5270]

Pernis ptilorhyncus (Temminck, 1821) II B LC

Synonyms: *Pernis apivorus ptilorhyncus* (Temminck, 1821), *Falco ptilorhyncus* Temminck, 1821

E: Oriental Honey-buzzard, F: Bondrée orientale, S: Abejero oriental

Bangladesh (br) [804]; Bhutan (br) [5261]; Brunei Darussalam (br?); Cambodia (br) [5243]; China (br) [5293]; Christmas Island (v) [13184]; Democratic People's Republic of Korea [7680]; Egypt (v) [9318]; Hong Kong, China (v); India (br) [1197]; Indonesia [393, 1410]: Bali, Jawa, Kalimantan, Lesser Sunda Is, Sulawesi, Sumatra; Iran (Islamic Republic of) (v) [6434]; Israel (v) [5245]; Japan (br) [503]; Jordan (v) [6454]; Kazakhstan [5269]; Korea, Republic of [1436]; Kuwait (v); Lao People's Democratic Republic (br) [6187]; Lebanon (v) [25293]; Macao, China (v); Malaysia (br) [1289]: Peninsular Malaysia [1049], Sabah [759], Sarawak [393]; Maldives [431]; Mongolia (v) [1306]; Myanmar (br) [1290]; Nepal (br) [865]; Oman (v) [6466, 13112]; Pakistan (br); Philippines (br) [5270, 6639]; Russian Federation (br) [710]; Saudi Arabia (v) [881]; Singapore [791]; Sri Lanka (br) [5271]; Taiwan, Province of China; Tajikistan [374]; Thailand (br) [487];

Timor-Leste; Turkey (v) [5282]; United Arab Emirates (v) [1192]; Uzbekistan (v) [710]; Viet Nam (br) [5264]

Pithecophaga jefferyi Ogilvie-Grant, 1897 I A CR 386, 523, 595, 884, 931, 943, 977, 1405, 10153
E: Great Philippine Eagle, Monkey-eating Eagle, Philippine Eagle, F: Aigle des Philippines, Aigle des singes, Aigle mangeur de singes, Pithécophage des Philippines, S: Aguila comemonos, Águila monera Philippines (br) [5270]

Polemaetus bellicosus (Daudin, 1800) II B LC 386, 511, 523, 573, 1256, 1292
Synonyms: *Hieraetus bellicosus* (Daudin, 1800), *Falco bellicosus* Daudin, 1800

E: Martial Eagle, F: Aigle martial, S: Águila marcial

Angola (br?) [5267]; Benin (br) [659]; Botswana (br) [1102]; Burkina Faso (br?) [659]; Burundi (br) [659]; Cameroon (br?) [659, 25375]; Central African Republic (br) [659]; Chad (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br?) [25489]; Eritrea (br?) [659]; Ethiopia (br) [659]; Gambia (br) [760]; Ghana (br) [782, 7856]; Guinea (br) [659, 1078, 10590, 11457, 13096]; Guinea-Bissau (br) [659, 715]; Kenya (br) [5253]; Liberia (v) [5246]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (br) [659]; Mozambique (br) [659]; Namibia (br) [659]; Niger (br?) [659]; Nigeria (br); Rwanda (br) [659]; Senegal (br) [659]; Sierra Leone (br?) [659]; Somalia (br) [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Togo (br?) [5254]; Uganda (br) [659]; United Republic of Tanzania (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

CITES Identification Manual Reference: A-213.003.053.001

Polyboroides radiatus (Scopoli, 1786) II B LC 386, 523, 633
Synonym: *Vultur radiatus* Scopoli, 1786

E: Madagascar Gymnogene, Madagascar Harrier-Hawk, F: Gymnogène de Madagascar, Petit serpentaire, S: Aguilucho-caricalvo malgache, Azor culebrero Madagascar (br) [5249]

Polyboroides typus Smith, 1829 II B LC 386, 511, 523, 524, 1256, 1292
E: African Gymnogene, African Harrier-Hawk, Gymnogene, F: Gymnogène d'Afrique, S: Aguilucho-caricalvo común

Angola (br) [5267]; Benin (br) [659]; Botswana (br) [1102]; Burkina Faso (br) [659, 1345, 7154]; Burundi (br) [659]; Cameroon (br?) [659, 25374, 25375, 25376, 25382]; Central African Republic (br) [659]; Chad (br?) [659]; Congo (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br) [25489]; Equatorial Guinea (br?) [659, 1183]; Eritrea (br?) [659]; Ethiopia (br) [659]; Gabon (br) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br) [659, 1078, 1389, 10590, 11436, 11440, 11455, 11456, 11457, 13096]; Guinea-Bissau (br) [659, 715]; Kenya (br) [5253]; Lesotho (br?) [486]; Liberia (br) [5246]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (br) [659]; Mozambique (br) [659]; Namibia (br?) [659]; Niger (br) [659]; Nigeria (br); Rwanda (br) [659]; Senegal (br?) [659]; Sierra Leone (br) [659]; Somalia [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Togo (br) [5254]; Uganda (br?) [659]; United Republic of Tanzania (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

Rostrhamus hamatus (Temminck, 1821) II B LC 386, 523, 1068
Synonyms: *Helicolestes hamatus* (Temminck, 1821), *Falco hamatus* Temminck, 1821

E: Slender-billed Kite, F: Milan à long bec, S: Caracolero, Caracolero plomizo, Gavilán pico de Hoz Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837]; Ecuador (br) [5294]; French Guiana (br) [1349]; Guyana (br) [25537]; Panama (v) [1195]; Peru (br) [1136, 6308]; Suriname (br) [5296]; Venezuela (br) [1070, 6239]

CITES Identification Manual Reference: A-213.003.055.002

Rostrhamus sociabilis (Vieillot, 1817) II B LC 386, 387, 523, 931, 1068

Synonym: *Herpetotheres sociabilis* Vieillot, 1817

E: Everglade Kite, Snail Kite, F: Milan des marais, S: Caracolero común, Gavilán caracolero, Milano caracolero

Argentina (br) [5291, 10249]; Belize (br) [5241]; Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837]; Costa Rica (br) [1311]; Cuba (br) [5259]; Ecuador (br) [5294]; French Guiana (br) [1349]; Guatemala (br) [448, 5241, 6397]; Guyana (br) [1295, 25537]; Honduras (br) [1076]; Mexico (br) [5241, 6675, 7068]; Nicaragua (br) [1195]; Panama (br) [1195, 6742]; Paraguay (br) [5295, 6745]; Peru (br) [1136]; Suriname (br) [5296]; Trinidad and Tobago (v) [703, 10294]; United States (br) [387]; Uruguay (br) [5287, 25534]; Venezuela (br) [1070]

CITES Identification Manual Reference: A-213.003.055.003

Sarcogyps calvus (Scopoli, 1786) II B NT 381, 386, 523, 595, 929
Synonyms: *Vultur calvus* Scopoli, 1786, *Torgos calvus* (Scopoli, 1786), *Aegypius calvus* (Scopoli, 1786)

E: Asian Black Vulture, Asian King Vulture, Indian Black Vulture, Indian King Vulture, Pondicherry Vulture, Red-headed Vulture, F: Vautour royal, S: Buitre cabecirrojo

Bangladesh (br) [804]; Bhutan [5261]; Cambodia (br) [5243, 6475]; China (br) [5293]; India (br) [1197]; Lao People's Democratic Republic (br) [6187]; Malaysia (br): Peninsular Malaysia; Myanmar (br) [1290]; Nepal (br) [865]; Pakistan (br); Singapore (v) [791]; Thailand (br) [487, 1220]; Viet Nam (br) [5264]

CITES Identification Manual Reference:

A-213.003.056.001

Spilornis cheela (Latham, 1790)

II B LC 381, 386, 523, 929, 1045

Synonyms: *Spilornis klossi* Richmond, 1902, *Spilornis sipora* Chasen & Kloss, 1926, *Spilornis natunensis* Chasen, 1934, *Spilornis baweanus* Oberholser, 1917, *Spilornis perplexus* Swann, 1922, *Spilornis abbotti* Richmond, 1903, *Spilornis asturinus* A. B. Meyer, 1884, *Falco cheela* Latham, 1790
E: Crested Serpent-Eagle, Mentawai Serpent-Eagle, Natuna Serpent-Eagle, Nias Serpent-Eagle, Ryukyu Serpent-Eagle, Simeulue Serpent-Eagle, F: Serpentaire bacha, S: Culebrera chiíla
Bangladesh (br) [804]; Bhutan (br) [5261]; Brunei Darussalam (br); Cambodia (br) [5243]; China (br) [5293]; Hong Kong, China; India (br) [1197]; Indonesia (br) [393]: Bali, Jawa, Kalimantan, Sumatera; Japan (br) [503]; Korea, Republic of (v) [6883]; Lao People's Democratic Republic (br) [6187]; Malaysia (br) [1289]; Peninsular Malaysia [1049], Sabah [759], Sarawak [393]; Myanmar (br) [1290]; Nepal (br) [865]; Pakistan (br); Philippines (br) [5270]; Singapore (v) [791]; Sri Lanka (br) [5271]; Taiwan, Province of China (br); Thailand (br) [487, 1220]; Viet Nam (br) [5264]

CITES Identification Manual Reference:

A-213.003.057.002

Spilornis elgini (Blyth, 1863)

II B NT 386, 523, 595

E: Andaman Dark Serpent-Eagle, Andaman Serpent-Eagle, Dark Serpent-Eagle, F: Serpentaire des Andaman, S: Culebrera de Andamán
India (br) [1197]: Andaman Is

CITES Identification Manual Reference:

A-213.003.057.003

Spilornis holospilus (Vigors, 1831)

II B LC 523

Synonym: *Spilornis cheela holospilus* (Vigors, 1831)
E: Philippine Serpent-Eagle, F: Serpentaire des Philippines, S: Culebrera filipina
Philippines (br) [5270]

CITES Identification Manual Reference:

A-213.003.057.004

Spilornis kinabaluensis

W. L. Sclater, 1919

II B VU 386, 595

Synonym: *Spilornis cheela kinabaluensis* W. L. Sclater, 1919
E: Kinabalu Serpent-Eagle, Mountain Serpent-Eagle, Mountain Serpent-eagle, F: Serpentaire des Kinabalu, S: Culebrera del Kinabalu
Brunei Darussalam (br); Indonesia (br) [393, 3750, 3751]: Kalimantan [7727]; Malaysia (br) [1289]: Sabah [759], Sarawak [393]

CITES Identification Manual Reference:

A-213.003.057.005

Spilornis minimus Hume, 1873

II B 381, 386, 523, 595

Synonym: *Spilornis cheela minimus* Hume, 1873
E: Nicobar Serpent-Eagle, Nicobar Serpent-eagle, Small Serpent-Eagle, F: Serpentaire des Nicobar, S: Culebrera de Nicobar
India (br) [1197]: Nicobar Is

CITES Identification Manual Reference:

A-213.003.057.006

Spilornis rufipectus Gould, 1858

II B LC 523, 1410

Synonym: *Spilornis cheela rufipectus* Gould, 1858
E: Celebes Serpent-Eagle, Sulawesi Serpent-Eagle, F: Serpentaire des Célèbes, S: Culebrera de Célebes
Indonesia (br) [393]: Sulawesi

CITES Identification Manual Reference:

A-213.003.057.007

Spizaetus africanus (Cassin, 1865)

II B LC 386, 511, 523, 524, 1256, 1292

Synonym: *Limnaetus africanus* Cassin, 1865
E: Cassin's Hawk-Eagle, F: Aigle de Cassin, S: Águila-azor congoleña
Angola (br?) [5267]; Burundi (br?) [659]; Cameroon (br) [659, 25374, 25376, 25382]; Central African Republic (br?) [659, 11929]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br?) [25466, 25488, 25489]; Equatorial Guinea [6426]; Gabon (br) [659]; Ghana (br) [782]; Guinea (br) [659, 1078, 11455, 13096]; Kenya (v) [7051]; Liberia (br) [5246]; Nigeria (br?) [25533]; Rwanda (br?) [659, 25466]; Sierra Leone (br?) [659]; Togo (br?) [5254]; Uganda (br) [659]

CITES Identification Manual Reference:

A-213.003.058.002

<i>Spizaetus alboniger</i> (Blyth, 1845)	II	B	LC	386, 523, 929
Synonym: <i>Nisaetus alboniger</i> Blyth, 1845				
E: Blyth's Hawk-Eagle, F: Aigle de Blyth, S: Águila-azor indonesia				
Brunei Darussalam (br); Indonesia (br) [393, 1421]; Kalimantan, Sumatera; Malaysia (br) [1289]; Peninsular Malaysia [1049], Sabah [759], Sarawak [393]; Singapore (v) [791]; Thailand (br) [487, 1220]				
CITES Identification Manual Reference:	A-213.003.058.003			
<i>Spizaetus bartelsi</i> Stresemann, 1924	II	B	EN	386, 392, 523, 595, 1066, 3749, 13109
Synonym: <i>Spizaetus nipalensis bartelsi</i> Stresemann, 1924				
E: Javan Hawk-Eagle, F: Aigle de Java, S: Águila-azor de Java				
Indonesia (br) [393]: Jawa				
CITES Identification Manual Reference:	A-213.003.058.004			
<i>Spizaetus cirrhatus</i> (Gmelin, 1788)	II	B	LC	381, 386, 523, 929
Synonyms: <i>Spizaetus floris</i> (Hartert, 1898), <i>Falco cirrhatus</i> Gmelin, 1788				
E: Changeable Hawk-Eagle, Crested Hawk-Eagle, Sunda Hawk-Eagle, F: Aigle huppé, S: Águila-azor variable				
Bangladesh (br) [804]; Brunei Darussalam (br); Cambodia (br) [5243]; India (br) [1197]; Indonesia (br) [393, 1086, 1410]; Bali, Jawa, Kalimantan, Lesser Sunda Is, Sumatera; Lao People's Democratic Republic (br?) [6187]; Malaysia (br) [1289]; Peninsular Malaysia [1049], Sabah [759], Sarawak [393]; Myanmar (br) [1290]; Nepal (br) [865]; Philippines (br) [5270]; Singapore (br) [791]; Sri Lanka (br) [5271]; Thailand (br) [487, 1220]; Viet Nam (br) [5264]				
CITES Identification Manual Reference:	A-213.003.058.005			
<i>Spizaetus lanceolatus</i>	II	B	LC	386, 523, 595, 1410
Temminck & Schlegel, 1844				
E: Sulawesi Hawk-Eagle, Sulawesi Hawk-eagle, F: Aigle des Célèbes, S: Águila-azor de Célebes				
Indonesia (br) [393]: Sulawesi				
CITES Identification Manual Reference:	A-213.003.058.006			
<i>Spizaetus nanus</i> Wallace, 1868	II	B	VU	386, 523, 595, 929, 1403
E: Wallace's Hawk-Eagle, Wallace's Hawk-eagle, F: Aigle de Wallace, S: Águila-azor de Wallace				
Brunei Darussalam (br); Indonesia (br) [393, 1289]; Kalimantan, Sumatera; Malaysia (br): Peninsular Malaysia [1049], Sabah [759], Sarawak [393]; Myanmar (br) [1290]; Thailand (br) [487, 1220]				
CITES Identification Manual Reference:	A-213.003.058.007			
<i>Spizaetus nipalensis</i> (Hodgson, 1836)	II	B	LC	381, 386, 523, 929
Synonym: <i>Nisaetus nipalensis</i> Hodgson, 1836				
E: Feather-toed Hawk-Eagle, Hodgson's Hawk-Eagle, Mountain Hawk-Eagle, F: Aigle montagnard,				
S: Águila-azor montañesa				
Bhutan (br) [5261]; Cambodia [7417, 7418]; China (br) [5293]; Hong Kong, China (v); India (br) [1197]; Japan (br) [503]; Korea, Republic of (v) [1436]; Lao People's Democratic Republic (br) [6187]; Mongolia (v) [1306]; Myanmar (br) [1290, 7214]; Nepal (br) [865]; Pakistan (br); Russian Federation (br?) [710, 938]; Sri Lanka (br) [5271]; Taiwan, Province of China (br); Thailand [487, 1220]; Viet Nam (br) [5264]				
CITES Identification Manual Reference:	A-213.003.058.008			
<i>Spizaetus ornatus</i> (Daudin, 1800)	II	B	LC	386, 387, 523, 1068
Synonym: <i>Falco ornatus</i> Daudin, 1800				
E: Ornate Hawk-Eagle, F: Aigle orné, S: Águila de penacho, Águila elegante, Águila-azor blanca, Águila-azor galana				
Argentina (br) [5291, 10249]; Belize (br) [5241]; Bolivia (br) [1186]; Brazil (br) [6186, 7118, 13142]; Colombia (br) [837, 6297]; Costa Rica (br) [1311]; Ecuador (br) [5294]; El Salvador (br) [5241]; French Guiana (br) [1349]; Guatemala (br) [5241]; Guyana (br) [1295, 25537]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [5295, 6927]; Peru (br) [1136]; Suriname (br) [5296]; Trinidad and Tobago (br) [703]; Venezuela (br) [1070, 6290, 6304]				
CITES Identification Manual Reference:	A-213.003.058.009			
<i>Spizaetus philippensis</i> Gould, 1863	II	B	VU	386, 523, 595
E: Philippine Hawk-Eagle, F: Aigle des Philippines, S: Águila-azor filipina				
Philippines (br) [5270]				
CITES Identification Manual Reference:	A-213.003.058.010			

<i>Spizaetus tyrannus</i> (Wied, 1820)	II	B	LC	386, 387, 523, 1068
Synonym: <i>Falco tyrannus</i> Wied, 1820 E: Black Hawk-Eagle, Tyrant Hawk-Eagle, F: Aigle tyran, S: Águila tirana, Águila-azor negra Argentina (br) [5291, 10249]; Belize (br) [680, 5241]; Bolivia (br) [1186]; Brazil (br) [6186, 25280]; Colombia (br) [837, 6674]; Costa Rica (br) [1311]; Ecuador (br) [5294]; French Guiana (br) [1349]; Guatemala (br) [5241, 10292]; Guyana (br) [1295, 25537]; Honduras (br) [1076]; Mexico (br) [5241, 7068]; Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [6927, 25249]; Peru (br) [1136]; Suriname (br) [5296]; Trinidad and Tobago (v) [703, 10294]; Venezuela (br) [1070, 6290, 6304]				
CITES Identification Manual Reference:	A-213.003.058.011			
<i>Spizastur melanoleucus</i> (Vieillot, 1816)	II	B	LC	386, 387, 523, 595, 1068
Synonym: <i>Buteo melanoleucus</i> Vieillot, 1816 E: Black-and-white Hawk-Eagle, F: Aigle noir et blanc, S: Águila blanquinegra, Águila-azor blanquinegra, Águila-azor chica Argentina (br) [5291, 10249]; Belize (br) [5241]; Bolivia (br) [1186]; Brazil (br) [6186, 7118, 25280]; Colombia (br) [837, 9220, 11374, 12080]; Costa Rica (br) [1311]; Ecuador (br) [5294]; French Guiana (br) [1349]; Guatemala (br) [448, 5241, 6231]; Guyana (br) [1295, 25537]; Honduras (br) [1076, 6308]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195, 12081]; Paraguay (br) [5295, 6927]; Peru (br) [1136, 6724]; Suriname (br) [5296]; Venezuela (br) [1070, 6304]				
CITES Identification Manual Reference:	A-213.003.059.001			
<i>Stephanoaetus coronatus</i> (Linnaeus, 1766)	II	B	LC	386, 511, 523, 524, 573, 1256, 1292
Synonyms: <i>Spizaetus coronatus</i> (Linnaeus, 1766), <i>Falco coronatus</i> Linnaeus, 1766 E: African Crowned Eagle, Crowned Eagle, Crowned Hawk-Eagle, F: Aigle blanchard, Aigle couronné, S: Águila coronada, Águila coronada rabuda Angola (br) [5267]; Benin (v) [12883]; Burundi (br) [659, 25466]; Cameroon (br?) [659, 25374, 25376, 25382]; Central African Republic (br) [659, 11929]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br?) [25466, 25476, 25488, 25489, 25532]; Equatorial Guinea (br?) [659, 25443]; Ethiopia (br?) [659]; Gabon (br) [659]; Ghana (br) [782, 7856]; Guinea (br) [659, 1078, 1191, 10590, 11455, 11457, 13096]; Guinea-Bissau (br) [659, 715]; Kenya (br) [5253]; Liberia (br) [5246]; Malawi (br) [1103]; Mozambique (br?) [659]; Nigeria (br); Rwanda (br) [659, 25466]; Senegal (br?) [659]; Sierra Leone (br?) [659]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Togo (br?) [5254]; Uganda (br) [659]; United Republic of Tanzania (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]				
CITES Identification Manual Reference:	A-213.003.060.001			
<i>Terathopius ecaudatus</i> (Daudin, 1800)	II	B	LC	386, 511, 523, 524, 573, 841, 1045, 1256, 1292
Synonym: <i>Falco ecaudatus</i> Daudin, 1800 E: Bateleur, Bateleur Eagle, F: Bateleur, Bateleur des savanes, S: Águila volatinera Angola (br) [5267]; Benin (br) [659]; Botswana (br) [1102]; Burkina Faso (br) [659, 7154]; Burundi (br) [659]; Cameroon (br?) [659, 25371, 25375]; Central African Republic (br) [659]; Chad (br?) [659]; Congo [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br?) [25489]; Djibouti [427]; Egypt (v) [756]; Eritrea (br?) [659]; Ethiopia (br) [659]; Gabon [659]; Gambia (br?) [760]; Ghana (br) [782]; Guinea (br) [659, 1078, 1389, 10590, 11437, 11442]; Guinea-Bissau (br) [659, 715]; Iraq (v) [10158]; Israel (v) [5245]; Kenya (br) [5253]; Lesotho (v) [486]; Liberia (v) [5246]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (br) [659]; Mozambique (br) [659]; Namibia (br) [659]; Niger (br) [659]; Nigeria (br); Rwanda (br) [659]; Saudi Arabia (br) [881]; Senegal (br) [659]; Sierra Leone (v) [659]; Somalia (br) [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Togo (br?) [5254]; Tunisia (v) [6364]; Uganda (br) [659]; United Republic of Tanzania (br?) [659]; Yemen (br?) [5297]; Zambia (br) [659]; Zimbabwe (br) [659]				
CITES Identification Manual Reference:	A-213.003.061.001			
<i>Torgos tracheliotus</i> (Forster, 1791)	II	B	VU	386, 511, 523, 524, 573, 614, 841, 1256, 1292
Synonyms: <i>Vultur tracheliotus</i> J. R. Forster, 1791, <i>Aegypius tracheliotus</i> (Forster, 1791) E: Lappet-faced Vulture, Nubian Vulture, F: Oricou, Vautour oricou, S: Buitre orejudo Algeria (v) [971]; Angola (br?) [5267]; Benin [659]; Botswana (br) [1102]; Burkina Faso (br) [659, 1345]; Burundi (v) [659]; Cameroon (br?) [659, 25375]; Central African Republic (br) [659]; Chad (br) [659]; Côte d'Ivoire (br?) [1334]; Democratic Republic of the Congo (br) [25489]; Djibouti (br?) [427]; Egypt (br) [756]; Equatorial Guinea [659]; ?Eritrea (br) [659]; Ethiopia (br) [659]; ?France (v) [7041]; Gambia (v) [760]; Israel (br) [5245]; Jordan (v) [395, 1386, 6454]; Kenya (br) [5253]; Libyan Arab Jamahiriya (v) [536, 6303]; Malawi (br?) [1103]; Mali (br) [659]; Mauritania (br) [659]; Morocco (v) [461]; Mozambique (br?) [659]; Namibia (br) [659]; Niger (br) [659, 10581]; Nigeria (br); Oman (br) [726, 13112]; Rwanda (br) [659]; Saudi Arabia (br) [881]; Senegal (br) [659]; Somalia (br) [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Togo (v) [5254]; Uganda (br?) [659]; United Arab Emirates (br) [1192]; United Republic of Tanzania (br) [659]; Western Sahara (br?); Yemen (v) [5297]; Zambia (br) [659]; Zimbabwe (br) [659]				

Trigonoceps occipitalis (Burchell, 1824) II B LC 386, 511, 523, 524, 573, 1256, 1292

Synonyms: *Vultur occipitalis* Burchell, 1824, *Aegypius occipitalis* (Burchell, 1824)
 E: White-headed Vulture, F: Vautour à tête blanche, Vautour huppé, S: Buitre cabeciblanco, Buitre piquirrojo
 Angola (br?) [5267]; Benin (br) [659]; Botswana (br) [1102]; Burkina Faso (br) [659, 1345]; ?Burundi (br)
 [659]; Cameroon (br?) [659, 25371, 25375]; Central African Republic (br) [659]; ?Chad (br) [659]; Côte d'Ivoire
 (br) [1334]; Democratic Republic of the Congo (br) [25489]; Djibouti (br?) [427]; Eritrea (br) [659]; Ethiopia
 (br) [659]; Gabon (br?) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br) [659, 1078]; Guinea-Bissau
 (br) [659, 715]; Kenya (br) [5253]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (br) [659]; Mozambique (br)
 [659]; Namibia (br) [659]; Niger (br) [659]; Nigeria (br); Rwanda (br) [659]; Senegal (br) [659]; Somalia (br)
 [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Togo (v) [5254]; Uganda (br) [659];
 United Republic of Tanzania (br) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

CITES Identification Manual Reference:

A-213.003.063.001

Urotriorchis macrourus (Hartlaub, 1855) II B LC 386, 511, 523, 524, 1256, 1292

Synonym: *Astur macrourus* Hartlaub, 1855
 E: African Long-tailed Hawk, Long-tailed Hawk, F: Autour à longue queue, S: Azor rabilargo
 Angola (br?) [5267]; Cameroon (br?) [659, 25374, 25376, 25382]; Central African Republic (br) [659, 11929];
 Congo (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br) [25489]; Equatorial Guinea
 (br?) [659, 1183]; Gabon (br?) [659]; Ghana (br?) [782]; Guinea (br) [11455, 13096]; Liberia (br) [5246]; Nigeria
 (br?) [25533]; Sierra Leone (br) [659]; Sudan (br?) [659]; Togo (br?) [570, 5254]; Uganda (br?) [659]

CITES Identification Manual Reference:

A-213.003.064.001

Family: SAGITTARIIDAE

Sagittarius serpentarius (Miller, 1779) II B LC 386, 511, 523, 524, 1256, 1292

Synonym: *Falco serpentarius* J. F. Miller, 1779
 E: Secretarybird, F: Messager sagitaire, Secrétaire des serpents, Serpentaire, S: Secretario, Serpentario
 Angola (br?) [5267]; Benin (br?) [659]; Botswana (br) [1102]; Burundi (br?) [659]; Cameroon (br?) [659];
 Central African Republic (br?) [659]; Chad (br?) [659]; Côte d'Ivoire [1334]; Democratic Republic of the
 Congo (br?) [25489]; Eritrea [659]; Ethiopia (br) [659]; Gambia [760]; Ghana [782]; Guinea-Bissau (br) [659,
 715]; Kenya (br) [5253]; Lesotho [486]; Liberia (v) [5246]; Malawi (br) [1103]; Mali (br) [659]; Mauritania
 [659]; Mozambique (br?) [659]; Namibia (br) [659]; Niger (br?) [659]; Nigeria (br?); Rwanda (v) [659];
 Senegal (br?) [659]; Somalia (br) [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139];
 Togo [5254]; Uganda (br?) [659]; United Republic of Tanzania (br) [659]; Zambia (br) [659]; Zimbabwe (br)
 [659]

CITES Identification Manual Reference:

A-213.004.001.001

Family: FALCONIDAE

Daptrius americanus (Boddaert, 1783) II B LC 386, 387, 523, 1068

Synonyms: *Ibycter americanus* (Boddaert, 1783), *Falco americanus* Boddaert, 1783
 E: Red-throated Caracara, F: Caracara à gorge rouge, Caracara à ventre rouge, S: Caracara comecacao,
 Caracara gorgirrojo, Carancho ventri-blanco, Chupacacao ventriblanco
 Bolivia (br) [1186, 6415]; Brazil (br) [6186, 7118]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br)
 [5294]; French Guiana (br) [1349]; Guatemala (br) [5241]; Guyana (br) [1295, 25537]; Honduras (br) [1076];
 Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]; Peru (br) [1136]; Suriname (br) [5296];
 Venezuela (br) [1070]

CITES Identification Manual Reference:

A-213.005.001.002

Daptrius ater Vieillot, 1816 II B LC 386, 523, 1068

E: Black Caracara, Yellow-throated Caracara, F: Caracara noir, S: Caracara negro, Carancho negro,
 Chupacacao negro
 Bolivia (br) [1186, 7072]; Brazil (br) [6186]; Colombia (br) [837]; Ecuador (br) [5294]; French Guiana (br)
 [1349]; Guyana (br) [1295, 25537]; Peru (br) [1136]; Suriname (br) [5296]; Venezuela (br) [1070]

CITES Identification Manual Reference:

A-213.005.001.003

Falco alopex (Heuglin, 1861) II B LC 386, 511, 523, 524, 547, 1256, 1292

Synonym: *Tinnunculus alopex* Heuglin, 1861
 E: Fox Kestrel, F: Crêcerelle renard, Faucon-renard, S: Cernícalo zorruno

Benin (br?) [659]; Burkina Faso (br?) [659]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Chad (br) [659]; Côte d'Ivoire [1334, 25470]; Democratic Republic of the Congo [25489]; Djibouti (v) [427]; Eritrea (br?) [659]; Ethiopia (br?) [659]; Gambia (v) [760]; Ghana [782]; Guinea (br) [659, 1078, 11442]; Kenya (br) [5253]; Liberia (v) [5246]; Mali (br) [659]; Mauritania (br) [659]; Niger (br) [659]; Nigeria (br); Senegal [659]; Sierra Leone (br?) [659]; Sudan (br) [659]; Togo (br?) [565, 5254]; Uganda (br?) [659]; United Republic of Tanzania (br?) [659]

CITES Identification Manual Reference:

A-213.005.002.002

Falco amurensis Radde, 1863

II B LC 386, 511, 523, 524, 547

Synonym: *Falco vespertinus amurensis* Radde, 1863

E: Amur Falcon, Eastern Red-footed Falcon, Manchurian Red-footed Falcon, F: Faucon de l'Amour,

S: Cernícalo del Amur

Afghanistan [694]; Angola [5267]; Bangladesh [804]; Bhutan [5261]; Botswana [1102]; British Indian Ocean Territory (v) [12642]; Burundi [659]; China (br) [5293]; Democratic People's Republic of Korea (br) [7680]; Democratic Republic of the Congo (v) [6416, 25489]; Ethiopia [659]; Hong Kong, China (v); India [1197]; Italy (v) [5289]; Japan (v) [503]; Kenya [5253]; Korea, Republic of [1436]; Lao People's Democratic Republic [6187]; Lesotho [486]; Malawi [1103]; Maldives [431]; Mongolia (br) [1306]; Mozambique [659]; Myanmar [1290]; Namibia [659]; Nepal [865]; Northern Mariana Islands (v); Oman [13112]; Pakistan; Russian Federation (br) [710]; Rwanda [659]; Saint Helena (v); Seychelles (v) [6253]; Somalia [5252]; South Africa [659]; Sri Lanka (v) [5271]; Swaziland [1139]; Thailand [487]; Uganda (v) [659]; United Arab Emirates [12351]; United Republic of Tanzania [659]; Yemen (v) [5297]; Zambia [659]; Zimbabwe [659]

Falco areae (Oberholser, 1917)

I A VU 386, 523, 547, 595

Synonym: *Cerchneis areae* Oberholser, 1917

E: Seychelles Kestrel, F: Crécerelle des Seychelles, Crécerelle katitie, Emouchel des Seychelles, Faucon crécerelle des Seychelles, S: Cernícalo de las Seychelles

Seychelles (br) [659]

CITES Identification Manual Reference:

A-213.005.002.003

Falco ardosiaceus Vieillot, 1823

II B LC 386, 511, 523, 524, 547, 573, 1256, 1292

E: Grey Kestrel, F: Faucon ardoisé, S: Cernícalo gris, Cernícalo pizarroso

Angola (br) [5267]; Benin (br) [659]; Burkina Faso (br) [659, 1345]; Burundi (br) [659]; Cameroon (br?) [659, 25375]; Central African Republic (br) [659, 11929]; Chad (br?) [659]; Congo (v) [659]; Côte d'Ivoire (br?) [1334]; Democratic Republic of the Congo (br?) [659, 6388, 25489]; Eritrea (br?) [659]; Ethiopia (br?) [659]; Gabon (br?) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br) [659, 1078, 1191, 1389, 10590, 11455, 11456, 11457]; Guinea-Bissau (br) [659, 715]; Kenya (br) [5253]; Liberia (br?) [5246]; Malawi (v) [1103]; Mali (br) [659]; Mauritania (br) [659]; Namibia (br) [659, 6876]; Niger (br) [659]; Nigeria (br); Rwanda (br) [659]; Senegal (br?) [659]; Sierra Leone (br?) [659]; Sudan (br) [659]; Togo (br?) [5254]; Uganda (br) [659]; United Republic of Tanzania (br?) [659]; ?Zambia [659]

CITES Identification Manual Reference:

A-213.005.002.004

Falco berigora Vigors & Horsfield, 1827

II B LC 386, 523, 547, 1045

E: Brown Falcon, F: Faucon bérígora, S: Halcón berigora

Australia (br) [477]; Indonesia (br) [393]; Irian Jaya; Papua New Guinea (br)

CITES Identification Manual Reference:

A-213.005.002.005

Falco biarmicus Temminck, 1825

II A LC 386, 511, 523, 524, 547, 573, 841, 1256

E: Lanner, Lanner Falcon, F: Faucon lanier, S: Halcón borní

Albania (br?); Algeria (br) [971]; Angola (br) [5267]; Armenia (br) [5240, 8143]; Azerbaijan (br?) [710]; Benin (br) [659]; Botswana (br) [1102]; Bulgaria (v) [5280]; Burkina Faso (br) [659, 1345]; Burundi (br) [659]; Cameroon (br) [659, 25316, 25375, 25376]; Central African Republic (br) [659]; Chad (br?) [659]; Congo (v) [659]; Côte d'Ivoire (br) [1334]; Cyprus (v) [709]; Czech Republic (v) [5258]; Democratic Republic of the Congo (br?) [25489]; Djibouti (br?) [427]; Egypt (br) [756]; Eritrea (br?) [659]; Ethiopia (br) [659]; France (v) [7041]; Gabon (v) [659]; Gambia [760]; Ghana (br) [782]; Gibraltar (v); Greece (br) [5281]; Guinea (br) [10590, 13096]; Guinea-Bissau (br) [659, 715]; Iraq (br?) [385]; Israel (br) [5245]; Italy (br) [5289]; Jordan (br) [395]; Kenya (br) [5253]; Kuwait (v) [537]; Lebanon (br?) [5284]; Lesotho (br) [486]; Liberia [5246]; Libyan Arab Jamahiriya (br) [536, 6303]; Malawi (br) [1103]; Mali [659]; Malta (v); Mauritania (br) [659]; Morocco (br) [461]; Mozambique (br?) [659]; Namibia (br) [659]; Niger (br) [659]; Nigeria (br); Oman [13112]; Portugal (v) [1332]; Portugal (v); Qatar (br?) [1393]; Romania (v) [558]; Rwanda (br) [659]; Saudi Arabia (br) [881]; Senegal (br?) [659]; Serbia and Montenegro (br) [1038]; ?Slovakia [5279]; Somalia (br) [5252]; South Africa (br) [659]; Spain (v) [702]; Sudan (br) [659]; Swaziland (br) [1139]; Syrian Arab Republic (br?) [5283]; Togo (br) [5254]; Tunisia (br) [1344]; Turkey (br) [5282]; Uganda (br?) [659]; ?United Arab Emirates (v) [1192]; United Republic of Tanzania (br) [659]; Western Sahara (br); Yemen (br?) [5297]; Zambia (br) [659]; Zimbabwe (br) [659]

CITES Identification Manual Reference:

A-213.005.002.006

<i>Falco cenchroides</i> Vigors & Horsfield, 1827	II	B	LC	386, 523, 547, 1045, 1242
E: Australian Kestrel, Nankeen Kestrel, F: Crécerelle australienne, Crécerelle d'Australie, S: Cernícalo australiano Australia (br) [477]; Christmas Island (br); Cocos (Keeling) Islands (v); Indonesia (br) [393]; Irian Jaya, Jawa, Lesser Sunda Is, Moluccas; New Zealand [1351]; Norfolk Island (br); Papua New Guinea (br)				
CITES Identification Manual Reference:	A-213.005.002.007			
<i>Falco cherrug</i> Gray, 1834	II	A	EN	381, 386, 511, 523, 524, 547, 614, 841, 1256
Synonym: <i>Falco altaicus</i> (Menzbier, 1891) E: Saker, Saker Falcon, F: Faucon sacre, Faucon sacre, S: Halcón sacre Afghanistan (br?) [694]; Albania (v); Armenia (br) [5240]; Austria (br) [1215]; Azerbaijan; Bahrain [1105]; Bangladesh (v) [804]; Belarus (br); Bulgaria (br) [5280]; ?Burundi (v) [659]; Cameroon (v) [659, 25375]; Chad (v) [659]; China (br) [5293]; Cyprus [709]; Czech Republic (br) [5258]; Denmark (v) [666]; Djibouti (v) [427]; Egypt [756]; Eritrea (v) [659]; Ethiopia [659]; Finland (v) [1300]; France (v) [7041]; Germany (v) [5274]; Greece (v) [5281]; Hungary (br) [5257, 13163]; India [1197]; Iran (Islamic Republic of) [1253]; Iraq (br) [385]; Israel [5245]; Italy [5289]; Jordan [395, 6454]; Kazakhstan (br) [5269]; Kenya [5253]; Korea, Republic of (v) [1436]; Kuwait [537]; Kyrgyzstan (br) [710]; Lebanon (v) [5284]; Libyan Arab Jamahiriya [536]; Mali (v) [659]; Malta; Mauritania [659]; Moldova, Republic of (br) [710]; Mongolia (br) [1306]; Morocco (v) [461]; Nepal [865]; Oman [13112]; Pakistan; Poland (v) [1348]; Qatar (v) [1393]; Romania (br) [558]; Russian Federation (br) [710, 938]; Saudi Arabia [881]; Senegal (v) [659]; Serbia and Montenegro (br) [1038]; Slovakia (v) [5279]; Sudan [659]; Sweden (v) [1199]; Syrian Arab Republic (v) [5283]; Tajikistan (br) [374]; Tunisia [1344]; Turkey (br) [5282]; Turkmenistan (ex , br) [710, 8159]; Ukraine (br) [710]; United Arab Emirates [1192]; United Republic of Tanzania (v) [659]; Uzbekistan (br) [710]; Yemen [5297]				
CITES Identification Manual Reference:	A-213.005.002.008			
<i>Falco chicquera</i> Daudin, 1800	II	B	LC	386, 511, 523, 524, 547, 573, 595, 841, 1256, 1292
E: Red-headed Falcon, Red-headed Merlin, Red-necked Falcon, F: Faucon à cou roux, Faucon chicquera, S: Alcotán cuellirrojo, Alcotán turumti, Halcón de cabeza roja ?Angola (v) [5267]; Bangladesh (br) [804]; Benin (br) [659]; Botswana (br) [1102]; Burundi (br) [659]; Cameroon (br?) [659, 25375]; Central African Republic (br) [659]; Chad (br) [659]; Côte d'Ivoire (br?) [1334]; Democratic Republic of the Congo (br?) [25489]; Ethiopia (br?) [659]; Gambia (br) [760]; Ghana (br?) [782]; Guinea (br) [659, 1078, 1191, 11455, 11457]; Guinea-Bissau (br) [659]; India (br) [1197]; Iran (Islamic Republic of) (br) [1253]; Kenya (br) [5253]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (br) [659]; Mozambique (br?) [659]; Myanmar (v); Namibia (br) [659]; Nepal (br) [865]; Niger (br?) [659]; Nigeria (br); Pakistan (br); Rwanda (br) [659]; Senegal (br) [659]; Sierra Leone (v) [659]; Somalia (v) [5252]; South Africa (br) [659]; Sudan (br) [659]; Togo (br?) [5254]; Turkmenistan (br?) [710]; Uganda (br?) [659]; United Republic of Tanzania (br?) [659]; Zambia (br) [586, 659]; Zimbabwe (br?) [659]				
CITES Identification Manual Reference:	A-213.005.002.009			
<i>Falco columbarius</i> Linnaeus, 1758	II	A	LC	386, 387, 485, 523, 524, 547, 614, 841
E: Merlin, Pigeon Hawk, F: Faucon émerillon, Faucon émerillon, S: Esmerejón, Esmerejón, Halcón migratorio, Halcón palomero Afghanistan [694]; Albania; Algeria [971]; Anguilla (v) [5242, 6791]; Antigua and Barbuda (v) [5242]; Armenia [5240]; Aruba [1380]; Austria [1215]; Azerbaijan; Bahamas [5242]; Bahrain (v) [1105]; Barbados [5242]; Belarus (br) [25261]; Belgium [5272]; Belize [5241]; Bermuda [389]; Bhutan (v) [5261]; Bosnia and Herzegovina (br) [1038]; ?British Virgin Islands; Bulgaria [5280]; Canada (br) [748]; Cayman Islands; China (br) [5293]; Colombia [837]; Costa Rica [1311]; Croatia (br) [5290]; Cuba [5259]; Cyprus [709]; Czech Republic [5258]; Democratic People's Republic of Korea [7680]; Denmark [666]; Dominica [5242]; Dominican Republic [1312, 6754]; Ecuador [5294, 6712, 13140]; Egypt [756]; Estonia (br) [5277]; Faroe Islands (br) [480]; Finland (br) [1300]; France (br) [7041]; French Guiana (v) [1349]; Georgia; Germany [5274]; Gibraltar; Greece [5281]; Grenada [5242]; Guadeloupe [5242]; Guatemala [5241]; Guyana (v) [25290, 25537]; Haiti [1408]; Honduras [1076]; Hungary [5257]; Iceland (br) [507]; India [1197]; Iran (Islamic Republic of) [1253]; Iraq [385]; Ireland (br) [858]; Israel [5245]; Italy (br) [5289]; Jamaica [657]; Japan [503]; Jordan [395, 1386]; Kazakhstan (br) [5269]; Korea, Republic of [1436]; Kuwait (v) [537]; Lao People's Democratic Republic [6187]; Latvia (br) [5278]; Lebanon (v) [5284]; Libyan Arab Jamahiriya (v) [536]; Liechtenstein (v); Lithuania (br) [5247]; Luxembourg [5248]; Malta (v); Martinique [5242]; Mexico [5241]; Moldova, Republic of; Mongolia (br) [1306]; ?Montserrat [5242]; Morocco [461]; Nepal [865]; Netherlands [25261]; Netherlands Antilles: Bonaire, Curaçao, Netherlands Leeward Is; Nicaragua [1195]; Norway (br) [5275]; Oman (v) [13112]; Pakistan; Panama [1195]; Peru [1136]; Philippines (v) [5270, 7148]; Poland [1348]; Portugal [1332]; Portugal, Azores (v), Madeira (v); Puerto Rico [1176]; Romania [558]; Russian Federation (br) [710]; Saint Kitts and Nevis (v) [5242]; Saint Lucia [5251]; Saint Pierre and Miquelon (br) [683]; Saint Vincent and the Grenadines [5242]; Saudi Arabia [881]; ?Senegal (v) [659]; Serbia and Montenegro [1038]; Slovakia (br) [5279]; Slovenia (br) [1038]; Spain [702]; Sudan (v) [659]; Svalbard and Jan Mayen Islands (v); Sweden (br) [1199]; Switzerland [5288]; Syrian Arab Republic [5283]; Tajikistan [374]; Thailand (v) [7268]; The former Yugoslav Republic of Macedonia (br) [1038];				

Trinidad and Tobago [703]; Tunisia [1344]; Turkey [5282]; Turkmenistan [710]; Turks and Caicos Islands; Ukraine [25261]; United Kingdom (br) [6188]; United States (br) [387]; United States Virgin Islands; Uzbekistan; Venezuela [1070]; Viet Nam [5264]; ?Yemen (v) [5297]

CITES Identification Manual Reference: A-213.005.002.010

Falco concolor Temminck, 1825

II B LC 386, 511, 523, 524, 547, 614, 841, 1256, 1292

E: Sooty Falcon, F: Faucon concolore, S: Halcón pardo, Halcón pizarroso
 Bahrain (br) [1105]; Chad (br?) [659]; Cyprus (v) [709]; Djibouti [427]; Egypt (br) [756]; Eritrea (br) [659]; Iran (Islamic Republic of) (v) [1253]; Israel (br) [5245]; Kenya [5253]; Kuwait (v); Libyan Arab Jamahiriya (br) [536]; Madagascar [633, 5249]; Malawi [1103]; Mali (v) [659]; Malta (v); Mauritius [659]; Mozambique [659]; Namibia (v) [659]; Oman (br) [13112]; Pakistan (v); Qatar (v) [1393]; Réunion [1303]; Rwanda [659]; Saudi Arabia (br) [738, 881]; Seychelles (v) [659, 6253]; Seychelles (v) [7815]; Aldabra (v) [7814]; Somalia [5252]; South Africa [659]; Sudan (br) [659]; Turkey (v) [5282]; Uganda [659]; United Arab Emirates (br) [1192]; United Republic of Tanzania [659]; Yemen (br) [5297]; Zambia [659, 1149, 6301]; Zimbabwe (v) [659]

CITES Identification Manual Reference: A-213.005.002.011

Falco cuvierii Smith, 1830

II B LC 386, 511, 523, 524, 547, 573, 1256, 1292

E: African Hobby, F: Faucon de Cuvier, Hobereau africain, S: Alcotán africano, Halcón de Cuvier
 Angola [5267]; Benin (br) [659]; Botswana (v) [1102]; ?Burkina Faso (br) [659]; Burundi (v) [659]; Cameroon (br?) [659, 25315]; Central African Republic (br) [659]; Chad (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334, 25470]; Democratic Republic of the Congo (br) [25489]; Ethiopia (br) [659]; Gabon [659]; Gambia (br) [760, 6255]; Ghana (br) [782]; Guinea (br) [659, 1078, 1191, 10590]; Guinea-Bissau (br) [659]; Kenya (br) [5253]; ?Liberia (br) [5246]; Malawi (v) [1103]; Mali [659]; Mozambique [659]; Namibia [659]; Niger [659, 7218]; Nigeria (br); Rwanda (br) [659]; Senegal (br?) [659]; Sierra Leone (br) [659]; Somalia (v) [5252]; South Africa [659]; Sudan (br?) [659]; Swaziland (br) [1139]; Togo (br?) [5254]; Uganda (br) [659]; United Republic of Tanzania (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

CITES Identification Manual Reference: A-213.005.002.012

Falco deiroleucus Temminck, 1825

II B LC 386, 387, 523, 547, 595, 882, 883, 1068, 25301

E: Orange-breasted Falcon, F: Faucon orangé, S: Halcón pechianaranjado, Halcón pechirrojo, Halcón pechirrufo, Halcón plomizo
 Argentina (br) [465, 1113, 5291, 10249]; Belize (br) [797, 5241]; Bolivia (br) [1185, 1186]; Brazil (br) [6186, 25271]; Colombia (br) [837]; Costa Rica (ex?, br) [1311]; Ecuador (br) [5294]; French Guiana (br) [1349]; Guatemala (br) [5241]; Guyana (br) [1295, 25537]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (v) [1195]; Paraguay (br) [814, 5295]; Peru (br) [1136, 6724]; Suriname (br) [811, 5296]; Trinidad and Tobago (v) [703]; Venezuela (br) [1070]

CITES Identification Manual Reference: A-213.005.002.013

Falco dickinsoni Sclater, 1864

II B LC 386, 511, 523, 524, 547, 573, 1292

E: Dickinson's Kestrel, White-rumped Kestrel, F: Faucon de Dickinson, S: Cernícalo de Dickinson, Cernícalo dorsinegro
 Angola (br?) [5267]; Botswana (br) [1102]; Democratic Republic of the Congo (br?) [659, 6388, 25489]; Kenya (v) [5253]; Malawi (br) [1103]; Mozambique (br?) [659]; Namibia (br?) [659]; South Africa (br) [659]; United Republic of Tanzania (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

CITES Identification Manual Reference: A-213.005.002.014

Falco eleonorae Géné, 1839

II A LC 386, 511, 523, 524, 547, 614, 841, 1392

E: Eleonora's Falcon, F: Faucon d'Eléonore, Faucon d'Eléonore, S: Halcón de Eleonor, Halcón de Eleonor, Halcón de Eleonora, Halcón de Eleonora
 Algeria (br) [971]; Bahrain (v) [1105]; Bulgaria (v) [5280]; Comoros (v) [659]; Côte d'Ivoire (v); Croatia (br) [5290]; Cyprus (br) [709]; Djibouti (v) [427]; Egypt (v) [756]; Eritrea [659]; France (br) [7041]; French Southern and Antarctic Territories (v); Gibraltar; Greece (br) [5281]; Hungary (v) [5257]; Israel [5245]; Italy (br) [5289]; Jordan (v) [395, 6454]; Kenya [5253]; Lebanon (v) [5284]; Libyan Arab Jamahiriya (v) [536]; Madagascar [633, 5249]; Malawi (v?) [1103]; Malta; Mauritania (v) [659]; Mauritius (v) [659]; Morocco (br) [461]; ?Mozambique (v) [659]; Poland (v) [1348]; Portugal [1332]; Portugal, Madeira (v); Réunion (v) [1303]; Rwanda (v) [659]; Serbia and Montenegro (br?) [1038]; Seychelles (v) [659, 721, 6253]; Seychelles (v) [7815]; Aldabra (v) [7814]; Somalia (v) [5252]; South Africa (v) [659]; Spain (br) [702, 1043]; ?Sudan [659]; Sweden (v) [1199]; Syrian Arab Republic (v) [5283]; Tunisia (br) [1344]; Turkey (br) [5282]; ?United Arab Emirates; United Kingdom (v) [6188]; United Republic of Tanzania [659]

CITES Identification Manual Reference: A-213.005.002.015

Falco fasciinucha

Reichenow & Neumann, 1895

II B NT 386, 511, 523, 524, 547,
573, 595, 1292

E: Taita Falcon, Teita Falcon, F: Faucon taita, S: Halcón taita

Botswana (br) [1102]; Ethiopia (br?) [659]; Kenya (br?) [5253]; Malawi (br) [1103]; Mozambique (br?) [659]; South Africa (br) [659]; Sudan (br?) [659]; United Republic of Tanzania (br) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

CITES Identification Manual Reference:

A-213.005.002.016

***Falco femoralis* Temminck, 1822**

II B LC 386, 387, 523, 547, 1068

E: Aplomado Falcon, F: Faucon aplomado, S: Halcón aleto, Halcón aplomado, Halcón azulado, Halcón perdiguero

Argentina (br) [5291, 10249]; Belize (br) [5241]; Bolivia (br) [1186]; Brazil (br) [6186]; Chile (br) [873, 5292]; Colombia (br) [837]; Costa Rica (v) [1311]; Ecuador (br) [5294]; Falkland Islands (Malvinas) (v); Guatemala (v) [5241]; Guyana (br) [1295, 25537]; Honduras (br) [1076]; Mexico (br) [5241, 6648]; Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [5295]; Peru (br) [1136]; Suriname (br) [5296]; Trinidad and Tobago (br) [703]; United States (v) [387]; Uruguay (br) [5287, 25534]; Venezuela (br) [1070]

CITES Identification Manual Reference:

A-213.005.002.017

***Falco hypoleucus* Gould, 1841**

II B NT 386, 523, 547, 595, 831

E: Grey Falcon, F: Faucon gris, S: Halcón gris, Halcón gris de Australia

Australia (br) [477, 1114]; Papua New Guinea (v)

CITES Identification Manual Reference:

A-213.005.002.018

***Falco jugger* Gray, 1834**

I A NT 381, 386, 523, 547

E: Laggar Falcon, F: Faucon laggar, S: Halcón yággar

Afghanistan (br) [694]; Bangladesh (br?) [804]; India (br) [1197]; Iran (Islamic Republic of) (br) [1253]; Kazakhstan (v) [5269]; Myanmar (br) [1290]; Nepal (br) [865]; Pakistan (br); Turkmenistan (v) [710]; Viet Nam (v) [5264]

CITES Identification Manual Reference:

A-213.005.002.019

***Falco longipennis* Swainson, 1837**

II B LC 386, 523, 547

E: Australian Hobby, Little Falcon, F: Petit faucon, S: Alcotán australiano, Halconcito australiano

Australia (br) [477]; Indonesia (br) [393, 1410]; Irian Jaya, Lesser Sunda Is, Moluccas, Sulawesi; Papua New Guinea

CITES Identification Manual Reference:

A-213.005.002.021

***Falco mexicanus* Schlegel, 1850**

II B LC 386, 387, 523, 547

E: Prairie Falcon, F: Faucon des prairies, S: Halcón de las praderas, Halcón mejicano, Halcón pradeño

Canada (br) [748]; Mexico (br) [5241]; United States (br) [387]

CITES Identification Manual Reference:

A-213.005.002.022

***Falco moluccensis* (Bonaparte, 1850)**

II B LC 386, 523, 547, 1045

Synonym: *Tinnunculus moluccensis* Bonaparte, 1850

E: Moluccan Kestrel, Spotted Kestrel, F: Crécerelle des Moluques, S: Cernícalo de las Molucas, Cernícalo moluqueño

Indonesia (br) [393]: Bali, Irian Jaya, Jawa, Kalimantan, Lesser Sunda Is, Moluccas, Sulawesi; Timor-Leste [13131]

CITES Identification Manual Reference:

A-213.005.002.023

***Falco naumanni* Fleischer, 1818**II A VU 381, 386, 469, 511, 523,
524, 547, 573, 595, 614,
741, 841, 1256

E: Lesser Kestrel, F: Faucon crécerellette, Faucon crécerellette, S: Cernícalo primilla

Afghanistan (br) [694]; Albania (br?); Algeria (br) [971]; Angola [5267]; Armenia (br) [5240, 8143]; Austria (ex, br) [1215]; Azerbaijan (br) [710]; Bahrain [1105]; Bangladesh [804]; Belgium (v) [5272]; Benin [659]; Bosnia and Herzegovina [1038]; Botswana [1102]; Bulgaria (br) [5280]; Burkina Faso [659]; Burundi [659]; Cameroon [659, 6295, 7161]; Central African Republic [659]; Chad [659]; China (br) [5293]; Congo [659]; Côte d'Ivoire [1334]; Croatia (ex, br) [5290]; Cyprus [709]; Czech Republic (ex, br) [5258]; Democratic Republic of the Congo [25489]; Denmark (v) [666]; Djibouti [427]; Egypt [756]; Eritrea [659, 7046]; Ethiopia [659]; France (br) [7041]; Gabon [659]; Gambia [760]; Georgia (br) [710]; Germany (v) [5274]; Ghana (v) [782]; Gibraltar (br); Greece (br) [826, 5281]; Guinea [659]; Hungary (ex?, br) [5257]; India [1197]; Iran (Islamic Republic of) (br) [1253]; Iraq (br?) [385, 10174]; Ireland (v) [858]; Israel (br) [5245, 12715]; Italy (br) [5289]; Japan (v) [503]; Jordan (br) [395, 6454]; Kazakhstan (br) [5269, 6446, 12705]; Kenya [5253]; Kuwait [537]; Kyrgyzstan (br) [710]; Lao People's Democratic Republic [6187]; Lebanon (br?) [5284]; Lesotho [486]; Liberia (v) [5246];

Libyan Arab Jamahiriya (br) [536, 6303]; Liechtenstein (v); Malawi [1103]; Maldives [431]; Mali [659]; Malta; Mauritania [659]; Moldova, Republic of (br) [710]; Mongolia (br) [1160, 1306]; Morocco (br) [461]; Mozambique [659]; Myanmar [1290]; Namibia [659]; Nepal [865]; Niger [659, 10581]; Nigeria; Oman [13112]; Pakistan; Poland (br?) [1348]; Portugal (br) [1332]; Portugal (br), Azores (v), Madeira (v); Qatar [1393]; Romania (br) [558]; Russian Federation (br) [710]; Rwanda [659]; Saudi Arabia (br) [881]; Senegal [659]; Serbia and Montenegro (br) [1038]; Seychelles (v) [659, 6253]; ?Sierra Leone [659]; Slovakia (ex, br) [5279]; Slovenia (br) [1038]; Somalia [5252]; South Africa [659]; Spain (br) [702]; Sudan [659]; Svalbard and Jan Mayen Islands (v) [25614]; Swaziland (v) [1139]; Sweden (v) [1199]; Switzerland (br?) [5288]; Syrian Arab Republic (br) [5283]; Tajikistan (br) [374]; The former Yugoslav Republic of Macedonia (br) [1038]; Tunisia (br) [1344]; Turkey (br) [5282]; Turkmenistan (br) [710]; Uganda [659]; Ukraine (br) [710]; United Arab Emirates [1192]; United Kingdom (v) [6188]; United Republic of Tanzania [659]; Uzbekistan (br) [710]; ?Western Sahara; Yemen [5297]; Zambia [659]; Zimbabwe [659]

CITES Identification Manual Reference:

A-213.005.002.024

Falco newtoni (Gurney, 1863)

I/II A/B LC 523, 547, 3746

Synonym: *Tinnunculus newtoni* Gurney, 1863

E: Madagascar Kestrel, Newton's Kestrel, F: Crécerelle d'Aldabra, Crécerelle malgache, Faucon de Newton d'Aldabra, S: Cernícalo de Aldabra, Cernícalo de la isla Aldabra, Cernícalo de Madagascar
Comoros (v) [659]; Madagascar (br) [5249]; Seychelles (br) [659]; Aldabra (br) [7814]

CITES Identification Manual Reference:

A-213.005.002.025

CITES Appendix I population
Seychelles (br) [659]

I A LC

CITES Appendix II populations
Comoros; Madagascar (br) [5249]

II B LC

Falco novaeseelandiae Gmelin, 1788

II B NT 386, 523, 547, 595, 1045

E: New Zealand Falcon, F: Faucon de Nouvelle-Zélande, S: Halcón de Nueva Zelanda, Halcón maorí
New Zealand (br) [1351]

CITES Identification Manual Reference:

A-213.005.002.026

Falco pelegrinoides Temminck, 1829

I A LC 381, 386, 523, 524, 547, 614, 841, 1045, 1292

Synonym: *Falco peregrinus pelegrinoides* Temminck, 1829

E: Barbary Falcon, F: Faucon de Barbarie, S: Halcón de Berbería, Halcón peregrino de Babilonia
Afghanistan (br) [694]; Algeria (br) [971]; Burkina Faso; Cameroon (v) [659, 25314]; China (br) [5293]; Djibouti (v) [427]; Egypt (br) [756]; Eritrea (br) [659]; Ethiopia (br) [659]; Greece (v) [5281]; India [1197]; Iran (Islamic Republic of) (br) [1253]; Iraq [385]; Israel (br) [5245]; Italy (v) [5289]; Jordan (br) [395]; Kazakhstan (br) [5269]; Kenya (br) [5253]; Kyrgyzstan (br) [710]; ?Lebanon (v) [5284]; Libyan Arab
Jamahiriya (br?) [536]; Mali (v) [659]; Malta (v); Morocco (br) [461]; Nepal (v) [865]; Niger (br) [659];
Nigeria [10580]; Oman (br) [13112]; Pakistan; Portugal (v) [1332]; Madeira (v); Saudi Arabia (br) [881];
Senegal (v) [659]; Somalia (br?) [5252]; Spain (v) [702]; Sudan [659]; Syrian Arab Republic (br) [5283];
Tajikistan (br) [374]; Tunisia (br) [1344]; Turkey (v) [6438]; Turkmenistan (br) [710]; ?United Arab Emirates;
Uzbekistan (br) [710]; Yemen (br) [5297]

Falco peregrinus Tunstall, 1771

I A LC 381, 386, 387, 485, 511, 523, 524, 547, 573, 614, 677, 841, 929, 931, 1045, 1048, 1068, 1256, 1292

Synonyms: *Falco kreyenborgi* Kleinschmidt, 1929, *Falco madens* Ripley & Watson, 1963

E: Duck Hawk, Peregrine, Peregrine Falcon, F: Faucon pèlerin, Faucon pèlerin, S: Halcón blancuzco, Halcón común, Halcón peregrino, Halcón real, Halcón viajero
Albania (br); Algeria (br) [971]; Andorra (br) [5239]; Angola (br) [5267]; ?Anguilla [5242]; Antigua and
Barbuda [5242]; Argentina (br) [5291, 10249]; Armenia (br) [5240]; Aruba [1380]; Australia (br) [477];
Lacépède Is [393]; Austria (br) [1215]; Azerbaijan (br) [710]; Bahamas [5242]; Bahrain [1105]; Bangladesh [804]; Barbados [5242]; Belarus (br); Belgium (br) [5272]; Belize [5241]; Benin [659]; Bermuda [389]; Bhutan [5261]; Bolivia [1186]; Bosnia and Herzegovina (br) [1038]; Botswana (br?) [1102]; Brazil [6186, 6413]; ?British
Virgin Islands; Brunei Darussalam; Bulgaria (br) [5280]; Burkina Faso [659]; Burundi (v) [659]; Cambodia [5243]; Cameroon (br?) [659, 25316, 25370, 25375, 25376, 25382]; Canada (br) [748]; Cape Verde (br) [820];
Cayman Islands; Central African Republic [659]; Chad (br) [659]; Chile (br) [873, 5292]; China (br) [5293];
Christmas Island (v); Colombia [837]; Comoros (br) [659]; Congo (br) [659]; Costa Rica [1311]; Côte d'Ivoire
(br) [1334]; Croatia (br) [5290]; Cuba (br) [5259, 6686]; Cyprus (br) [709]; Czech Republic (br) [5258];
Democratic People's Republic of Korea (br) [7680]; Democratic Republic of the Congo (br?) [25489]; Denmark [666]; Djibouti (br?) [427]; Dominica (br) [5242]; Dominican Republic [1312, 6754]; Ecuador (br) [5294, 6390];
Ecuador, Galapagos; Egypt (br) [756]; El Salvador [5241]; Equatorial Guinea: Bioko; Eritrea [659]; Estonia
(br) [5277]; Ethiopia (br?) [659]; Falkland Islands (Malvinas) (br) [1439]; Faroe Islands (v) [480]; Fiji (br)

[1171]; Finland (br) [1300]; France (br) [7041]; French Guiana [1349]; Gabon [659]; Gambia [760]; Georgia (br) [710]; Germany (br) [5274]; Ghana (br) [782]; Gibraltar (br); Greece (br) [5281]; Greenland (br); Grenada [5242]; ?Guadeloupe [5242]; Guam (v) [503, 1171, 25484]; Guatemala [5241]; Guinea [659, 11437, 11451]; Guinea-Bissau [7852]; Guyana [1295, 25537]; Haiti [1408]; Honduras [1076]; Hong Kong, China (br); Hungary (br) [5257, 13163]; Iceland (v) [507]; India (br) [1197]; Indonesia (br) [393, 1086]; Bali, Irian Jaya, Jawa, Kalimantan, Lesser Sunda Is, Moluccas, Sulawesi, Sumatera; Iran (Islamic Republic of) (br) [1253]; Iraq [385, 10169]; Ireland (br) [858]; Israel (br) [5245]; Italy (br) [5289]; Jamaica [657]; Japan (br) [503]; Jordan [395, 1386, 6454]; Kazakhstan (br) [5269]; Kenya (br) [5253]; Korea, Republic of (br?) [1436]; Kuwait [537]; Kyrgyzstan (br) [710]; Lao People's Democratic Republic [6187]; Latvia (br) [5278]; Lebanon (br?) [5284]; Lesotho (br?) [486]; Liberia [5246]; Libyan Arab Jamahiriya (br?) [536, 9127]; Liechtenstein (br); Lithuania (br) [5247]; Luxembourg [5248]; Macao, China; Madagascar (br) [633, 5249]; Malawi (br) [1103]; Malaysia (br) [1289]; Peninsular Malaysia, Sabah, Sarawak; Maldives (v) [431]; Mali [659]; Malta (br); ?Martinique [5242]; Mauritania (br) [659]; Mauritius (v) [659]; Mayotte (br); Mexico (br) [5241]; Moldova, Republic of (br) [710]; Mongolia (br?) [1306]; Montserrat [5242]; Morocco (br) [461]; Mozambique (br?) [659]; Myanmar (br) [1290]; Namibia (br) [659]; Nepal (br) [865]; Netherlands (br?) [5273]; Netherlands Antilles [12247]; Bonaire, Curaçao, Netherlands Leeward Is (v) [12247]; New Caledonia (br) [5260]; Nicaragua [1195, 6604]; Niger (br) [659, 1101]; Nigeria; Norway (br) [5275]; Oman (br) [13112]; Pakistan (br); Palau (v) [1171, 25484]; Panama [1195]; Papua New Guinea (br); ?Paraguay [5295]; Peru (br) [1136, 6410, 6411]; Philippines (br) [5270, 6639, 6929]; Pitcairn Island [13179]; Poland (br) [1348]; Portugal (br) [1332]; Portugal (br), ?Azores (ex, br?), Madeira (v); Puerto Rico [1176]; Qatar (v) [1393]; Romania (br) [558]; Russian Federation (br) [710, 938]; Rwanda (br) [659]; Saint Kitts and Nevis (v) [5242]; Saint Lucia [5251]; Saint Pierre and Miquelon [683]; Saint Vincent and the Grenadines (v) [5242]; Samoa [1394]; Saudi Arabia (br) [881]; Senegal (br?) [659]; Serbia and Montenegro (br) [1038]; Seychelles (v) [659, 721, 6253]; Sierra Leone [659]; Singapore [791]; Slovakia (br) [5279]; Slovenia (br) [1038]; Solomon Islands [5260]; Somalia (br?) [5252]; South Africa (br) [659]; South Georgia and the South Sandwich Islands (v) [6875]; Spain (br) [702]; Sri Lanka (br) [5271]; Sudan (br) [659]; Suriname [810, 5296]; Swaziland (br) [1139]; Sweden (br) [1199]; Switzerland (br) [5288]; Syrian Arab Republic [5283]; Taiwan, Province of China; Tajikistan (br) [374]; Thailand (br) [487, 1220]; The former Yugoslav Republic of Macedonia (br) [1038]; Togo (br?) [5254]; Trinidad and Tobago [703]; Tunisia (br) [1344]; Turkey (br) [5282]; Turkmenistan (br) [710]; Turks and Caicos Islands; Uganda (br) [659]; Ukraine (br) [710]; United Arab Emirates [1192]; United Kingdom (br) [6188]; United Republic of Tanzania (br) [659]; United States (br) [387]; United States Virgin Islands; Uruguay [5287, 25534]; Uzbekistan (br) [710]; Vanuatu (br) [5260]; Venezuela [1070, 6239]; Viet Nam (br?) [5264]; Western Sahara (br?); Yemen (br?) [5297]; Zambia (br) [659]; Zimbabwe (br) [659]; Zimbabwe [759]

CITES Identification Manual Reference:

A-213.005.002.027

Falco punctatus Temminck, 1821

I A VU 386, 523, 547, 564, 595, 597, 899

E: Mauritius Kestrel, F: Crécerelle de Maurice, Faucon de l'île Maurice, S: Cernícalo de la Mauricio, Cernícalo de Mauricio
Mauritius (br) [659]

CITES Identification Manual Reference:

A-213.005.002.028

Falco rufigularis Daudin, 1800

II B LC 386, 387, 523, 547, 1068

E: Bat Falcon, F: Faucon des chauves-souris, S: Halcón golondrina, Halcón murcielaguero, Halcón plomizo menor
Argentina (br) [5291, 10249]; Belize (br) [5241]; Bolivia (br) [1186, 6346, 7072]; Brazil (br) [6186, 6413]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294]; El Salvador (br) [5241]; French Guiana (br) [1349]; Grenada (v) [5242]; Guatemala (br) [5241]; Guyana (br) [1295, 25537]; Honduras (br) [1076]; Mexico (br) [5241, 7068]; Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [5295]; Peru (br) [1136]; Suriname (br) [5296]; Trinidad and Tobago (br) [703]; Venezuela (br) [1070]

CITES Identification Manual Reference:

A-213.005.002.029

Falco rupicoloides Smith, 1829

II B LC 386, 511, 523, 524, 547, 573, 1292

E: Greater Kestrel, White-eyed Kestrel, F: Crécerelle aux yeux blancs, S: Cernícalo ojiblanco, Cernícalo ojiblanco de Africa
Angola (br) [5267]; Botswana (br) [1102]; Eritrea (br?) [659]; Ethiopia (br?) [659]; Kenya (br) [5253]; ?Lesotho (v) [486]; Mozambique (br?) [659]; Namibia (br) [659]; Somalia (br) [5252]; South Africa (br) [659]; Swaziland (br) [1139]; Uganda (br?) [659]; United Republic of Tanzania (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

CITES Identification Manual Reference:

A-213.005.002.030

Falco rusticolus Linnaeus, 1758

I A LC 386, 387, 523, 547, 614

E: Gyr Falcon, Gyrfalcon, F: Faucon gerfaut, Faucon gerfaut, Gerfaut, S: Halcón gerifalte

Austria (v) [1215]; Belgium (v) [5272]; Bulgaria (v); Canada (br) [748]; China (v) [5293]; Czech Republic (v) [5258]; Denmark (v) [666]; Estonia (v) [5277]; Faroe Islands; Finland (br) [1300]; France (v) [7041]; Germany (v) [5274]; Greenland (br); Iceland (br) [507]; Ireland (v) [858]; Japan [503]; Kazakhstan (v) [5269]; Latvia (v); Lithuania (v); Netherlands (v) [5273]; Norway (br) [5275]; Poland (v) [1348]; Portugal (v) [1332]; Portugal (v); Russian Federation (br) [710, 938]; Saint Pierre and Miquelon (v) [683]; Svalbard and Jan Mayen Islands (v); Sweden (br) [1199]; Switzerland (v) [5288]; Ukraine (v) [710]; United Kingdom (v) [6188]; Great Britain, Channel Is, Isle of Man, Northern Ireland; United States (br) [387]

CITES Identification Manual Reference:

A-213.005.002.031

Falco severus Horsfield, 1821

II B LC 381, 386, 523, 547, 929

E: Oriental Hobby, F: Faucon aldrovandin, Hobereau à poitrine rousse, S: Alcotán filipino
 Bangladesh (**ex**, br) [804]; Bhutan (br) [5261, 6478]; Brunei Darussalam (v); Cambodia (br?) [5243, 6475];
 China (br) [5293]; India (br) [1197]; Indonesia (br) [393]; Bali, Irian Jaya, Jawa, Kalimantan, Moluccas,
 Sulawesi, Sumatera; Lao People's Democratic Republic (br) [6187]; Malaysia (v); Peninsular Malaysia [1049],
 Sabah [759]; Myanmar (br) [1290]; Nepal (br) [865]; Papua New Guinea (br); Philippines (br) [5270];
 Solomon Islands [5260, 7087, 13119]; Sri Lanka (v) [5271]; Thailand (br) [487, 1220]; Viet Nam (br) [5264]

CITES Identification Manual Reference:

A-213.005.002.032

Falco sparverius Linnaeus, 1758

II B LC 386, 387, 485, 523, 547, 1068

E: American Kestrel, F: Crécerelle américaine, Crécerelle d'Amérique, S: Cernícalo americano, Cernícalo primito, Halcón primito, Halconcito, Halconcito común
 Anguilla (br?) [5242]; Antigua and Barbuda [5242]; Argentina (br) [5291, 10249]; Aruba (br) [1380]; Bahamas (br) [5242]; Barbados (v) [5242]; Belize [5241]; Bermuda [389]; Bolivia (br) [1186]; Brazil (br) [6186]; British Virgin Islands (br); Canada (br) [748]; Cayman Islands (v); Chile (br) [873, 5292]; Colombia (br) [837]; Costa Rica (br) [1311]; Cuba (br) [5259]; Denmark (v) [666]; Dominica (br) [5242]; Dominican Republic (br) [1312]; Ecuador (br) [5294]; El Salvador [5241]; ?Estonia (v) [5277]; Falkland Islands (Malvinas) (v) [1439]; French Guiana (br) [1349]; Grenada (br) [5242]; Guadeloupe (br?) [5242]; Guatemala (br) [5241]; Guyana (br) [1295, 25537]; Haiti (br) [1408]; Honduras (br) [1076]; Jamaica (br) [657]; Malta (v); Martinique (br) [5242]; Mexico (br) [5241]; Montserrat (br?) [5242]; Netherlands Antilles (br) [12247]; Curaçao, Netherlands Leeward Is [12247]; Nicaragua (br) [1195]; Panama [1195, 6832]; Paraguay (br) [5295]; Peru (br) [1136]; Portugal (v) [1332]; Azores (v); Puerto Rico (br) [1176]; Saint Kitts and Nevis (br) [5242]; Saint Lucia (br) [5251]; Saint Pierre and Miquelon [683]; Saint Vincent and the Grenadines (v) [5242]; Trinidad and Tobago [703]; Turks and Caicos Islands (br?); United Kingdom (v) [6188]; United States (br) [387]; United States Virgin Islands (br); Uruguay (br) [5287, 25534]; Venezuela (br) [1070]

CITES Identification Manual Reference:

A-213.005.002.033

Falco subbuteo Linnaeus, 1758

II A LC 381, 386, 523, 524, 547, 573, 614, 841, 929

E: Eurasian Hobby, Hobby, Northern Hobby, F: Faucon hobereau, Faucon hobereau, S: Alcotán, Alcotán europeo, Alcotán Europeo
 Afghanistan (br) [694]; Albania (br); Algeria (br?) [971]; Angola [5267]; Armenia (br) [5240, 8143]; Austria (br) [1215]; Azerbaijan (br) [710]; Bahrain [1105]; Bangladesh [804]; Belarus (br); Belgium (br) [5272]; ?Benin [659]; Bhutan [5261]; Bosnia and Herzegovina (br) [1038]; Botswana [1102]; Bulgaria (br) [5280]; ?Burkina Faso [659]; Burundi [659]; Cameroon (v) [659, 25376]; Chad (v) [659]; China (br) [5293]; Côte d'Ivoire [1334, 25470]; Croatia (br) [5290]; Cyprus (**ex**, br) [709]; Czech Republic (br) [5258]; Democratic People's Republic of Korea (br) [7680]; Democratic Republic of the Congo [25489]; Denmark (br) [666]; ?Djibouti [427]; Egypt [756]; Eritrea [659]; Estonia (br) [5277]; Ethiopia [659]; Faroe Islands (v) [480]; Finland (br) [1300]; France (br) [7041]; Gabon [659]; Gambia [760]; Georgia (br) [710]; Germany (br) [5274]; Ghana (v) [782]; Gibraltar; Greece (br) [5281]; Guinea (v) [659, 1389]; Hong Kong, China; Hungary (br) [5257, 13163]; Iceland (v) [507]; India (br) [1197]; Indonesia (v) [393, 1050]; Jawa, Lesser Sunda Is; Iran (Islamic Republic of) (br) [1253]; Iraq [385, 10169]; Ireland [858]; Israel (br) [5245]; Italy (br) [5289]; Japan (br) [503]; Jordan (br) [395]; Kazakhstan (br) [5269]; Kenya [5253]; Korea, Republic of [1436]; Kuwait [537]; Kyrgyzstan (br) [710]; Lao People's Democratic Republic; Latvia (br) [5278]; Lebanon (br) [5284]; Lesotho (v) [486]; Liberia [5246]; Libyan Arab Jamahiriya (**ex**, br) [536]; Liechtenstein (br); Lithuania (br) [5247]; Luxembourg (br) [5248]; Malawi [1103]; Malaysia (v); Peninsular Malaysia [1049], Sabah; Maldives [431]; Mali [659]; Malta; ?Mauritania [659]; Moldova, Republic of (br) [710]; Mongolia (br) [1306]; Morocco (br) [461]; Mozambique [659]; Myanmar (br) [1290]; Namibia [659]; Nepal (br) [865]; Netherlands (br) [5273]; Nigeria; Norway (br) [5275]; Oman [13112]; Pakistan (br); Poland (br) [1348]; Portugal (br) [1332]; Portugal (br), Madeira (v); Qatar [1393]; Romania (br) [558]; Russian Federation (br) [710]; Rwanda [659]; Saudi Arabia [881]; Senegal (v) [659]; Serbia and Montenegro (br) [1038]; Seychelles (v) [659, 698, 6253]; Slovakia (br) [5279]; Slovenia [1038]; Somalia [5252]; South Africa [659]; Spain (br) [702]; Sudan [659]; Swaziland [1139]; Sweden (br) [1199]; Switzerland (br) [5288]; Syrian Arab Republic (br?) [5283]; Taiwan, Province of China (v); Tajikistan (br) [374]; Thailand [487]; The former Yugoslav Republic of Macedonia (br) [1038]; Timor-Leste (v); Togo [5254]; Tunisia (br) [1344]; Turkey (br) [5282]; Turkmenistan (br) [710]; Uganda [659]; Ukraine (br) [710]; United Arab Emirates [1192]; United Kingdom (br) [6188]; Isle of Man [759]; United Republic of Tanzania [659]; United States (v) [387]; Uzbekistan (br) [710]; Viet Nam (br) [5264]; Yemen [5297]; Zambia [659]; Zimbabwe [659]

CITES Identification Manual Reference:

A-213.005.002.034

Falco subniger Gray, 1843 II B LC 386, 523, 547

E: Black Falcon, F: Faucon noir, S: Halcón negro, Halcón negro de Australia
Australia (br) [477]; New Zealand (v)

CITES Identification Manual Reference:

A-213.005.002.035

Falco tinnunculus Linnaeus, 1758

II A LC 381, 386, 511, 523, 524,
547, 573, 614, 841, 929,
1256, 1292, 1376

Synonyms: *Falco alexanderi* Bourne, 1955, *Falco neglectus* Schlegel, 1873

E: Common Kestrel, Eurasian Kestrel, Kestrel, F: Faucon crécerelle, Faucon crécerelle, S: Cernícalo común, Cernícalo vulgar, Cernícalo Vulgar
Afghanistan (br) [694]; Albania (br); Algeria (br) [971]; Andorra (br) [5239]; Angola (br) [5267]; Armenia (br) [5240]; Austria (br) [1215]; Azerbaijan (br) [710]; ?Bahrain (br) [1105]; Bangladesh [804]; Belarus (br); Belgium (br) [5272]; Benin [659]; Bermuda (v) [389]; Bhutan (br) [5261]; Bosnia and Herzegovina (br) [1038]; Botswana (br) [1102]; Brunei Darussalam (v); Bulgaria (br) [5280]; Burkina Faso [659, 1345]; Burundi (br) [659]; Cambodia [5243]; Cameroon (br) [659, 25371, 25375, 25376]; Canada (v) [748]; Cape Verde (br) [820, 6676]; Central African Republic [659]; Chad (br) [659]; China (br) [5293]; Congo (br) [659]; Côte d'Ivoire (br?) [1334]; Croatia (br) [5290]; Cyprus (br) [709]; Czech Republic (br) [5258]; Democratic People's Republic of Korea (br) [7680, 12972]; Democratic Republic of the Congo (br) [659, 6388, 25489]; Denmark (br) [666]; Djibouti (br?) [427]; Egypt (br) [756]; Eritrea (br?) [659]; Estonia (br) [5277]; Ethiopia (br) [659]; Faroe Islands (br) [480]; Finland (br) [1300]; France (br) [7041]; French Guiana (v) [1349, 7874]; Gabon (br?) [659]; Gambia [760]; Georgia (br) [710]; Germany (br) [5274]; Ghana (br?) [782, 7856]; Gibraltar (br); Greece (br) [5281]; Greenland (v); Guam (v) [25484]; Guinea [659, 1078, 1389, 11442, 11455]; Guinea-Bissau [7849, 7850, 7852, 7853]; Hong Kong, China; Hungary (br) [5257, 13163]; Iceland (v) [507]; India (br) [1197]; Indonesia (v) [393, 1027]; Sulawesi [7727]; Sumatera; Iran (Islamic Republic of) (br) [1253]; Iraq (br) [385]; Ireland (br) [858]; Israel (br) [5245]; Italy (br) [5289]; Japan (br) [503]; Jordan (br) [395, 1386]; Kazakhstan (br) [5269]; Kenya (br) [5253]; Korea, Republic of (br) [1436]; Kuwait (br) [537]; Kyrgyzstan (br) [710]; Lao People's Democratic Republic (br?) [6187]; Latvia (br) [5278]; Lebanon (br) [5284]; Lesotho (br) [486]; Liberia [5246]; Libyan Arab Jamahiriya (br) [536]; Liechtenstein (br); Lithuania (br) [5247]; Luxembourg (br) [5248]; Malawi (br) [1103]; Malaysia [1289]; Peninsular Malaysia [1049], Sabah [759], Sarawak [393]; Maldives [431]; Mali [659]; Malta (br?); Martinique (v) [485, 5242]; Mauritania (br) [659]; Moldova, Republic of (br) [710]; Mongolia (br) [1306]; Morocco (br) [461]; Mozambique (br?) [659]; Myanmar [1290]; Namibia (br) [659]; Nepal (br) [865]; Netherlands (br) [5273]; Niger (br?) [659]; Nigeria (br); Northern Mariana Islands (v) [25484]; Norway (br) [5275]; Oman (br) [13112]; Pakistan (br); Philippines [5270]; Poland (br) [1348]; Portugal (br) [1332]; Portugal (br), Azores, Madeira (br); Qatar (br?) [1393]; Romania (br) [558]; Russian Federation (br) [710]; Rwanda (br) [659]; Saudi Arabia (br) [881]; Senegal (br?) [659]; Serbia and Montenegro (br) [1038]; Sierra Leone (br?) [659]; Singapore [791]; Slovakia (br) [5279]; Slovenia (br) [1038]; Somalia (br) [5252]; South Africa (br) [659]; Spain (br) [702]; Sri Lanka (br) [5271]; Sudan (br) [659]; Svalbard and Jan Mayen Islands (v); Swaziland (br) [1139]; Sweden (br) [1199]; Switzerland (br) [5288]; Syrian Arab Republic (br) [5283]; Taiwan, Province of China; Tajikistan (br) [374]; Thailand [487]; The former Yugoslav Republic of Macedonia (br) [1038]; Togo (br?) [5254]; Tunisia (br) [1344]; Turkey (br) [5282]; Turkmenistan (br) [710]; Uganda (br) [659]; Ukraine (br) [710]; United Arab Emirates (br) [1192]; United Kingdom (br) [6188]; United Republic of Tanzania (br?) [659]; United States (v) [387]; Uzbekistan (br) [710]; Viet Nam (br) [5264]; Western Sahara (br); Yemen (br) [5297]; Zambia (br) [659]; Zimbabwe (br) [659]

CITES Identification Manual Reference:

A-213.005.002.036

Falco vespertinus Linnaeus, 1766

II A LC 381, 386, 511, 523, 547,
614, 841, 1256

E: Red-footed Falcon, Western Red-footed Falcon, F: Faucon kobelz, Faucon kobelz, S: Cernícalo Patirrojo, Cernícalo patirrojo
?Albania; Algeria [971]; Angola [5267]; Armenia (br) [5240]; Austria (br) [1215]; Azerbaijan [710, 25291]; Bahrain (v) [1105]; Belarus (br); Belgium (v) [5272]; Benin (v) [6877]; Bosnia and Herzegovina [1038]; Botswana [1102]; Bulgaria (br) [5280]; Burkina Faso [659]; Burundi [659]; Cameroon [659]; Central African Republic (v) [659]; Chad [659]; Côte d'Ivoire [1334]; Croatia (br) [5290]; Cyprus [709]; Czech Republic (br) [5258]; Democratic Republic of the Congo [25489]; Denmark (v) [666]; Djibouti (v) [427]; Egypt [756]; Eritrea (v); Estonia (br) [5277]; Ethiopia [659]; Finland [1300]; France (br) [7041]; Gabon (v) [659]; Gambia (v) [7217, 7812]; Georgia [710]; Germany [5274]; Ghana (v) [782, 7856]; Gibraltar (v); Greece [5281]; Hungary (br) [5257, 13163]; Iran (Islamic Republic of) [1253]; ?Iraq [385]; Ireland (v) [858]; Israel [5245]; Italy [5289]; Jordan [395, 1386, 6454]; Kazakhstan (br) [5269]; Kenya [5253]; Kuwait (v); Kyrgyzstan [710]; Latvia [5278]; Lebanon (v) [5284]; ?Lesotho [486]; Liberia (v) [5246]; Libyan Arab Jamahiriya [536]; Liechtenstein; Luxembourg (v) [5248]; Malawi [1103]; Mali [659]; Malta; Mauritania [659]; Moldova, Republic of (br) [710]; Morocco (v) [461]; Namibia [659]; Netherlands (v) [5273]; Niger (v) [659]; Nigeria; Norway (v) [5275]; ?Poland (br) [1348]; Portugal (v) [1332]; Portugal (v); Romania (br) [558]; Russian Federation (br) [710]; Rwanda [659]; São Tomé and Príncipe (v) [659]; Saudi Arabia (v) [881]; Senegal [659]; Serbia and Montenegro (br) [1038]; Seychelles (v) [659, 6253]; Slovakia (br) [5279]; Slovenia [1038]; Somalia (v) [5252]; South Africa [659]; Spain (v) [702]; Sudan [659]; Swaziland (v) [1139]; Sweden [1199]; Switzerland [5288]; Syrian Arab Republic [5283]; Tajikistan [374]; The former Yugoslav Republic of Macedonia [1038]; Togo (v) [5254]; Tunisia [1344]; Turkey (br) [5282]; Turkmenistan [710]; Ukraine (br) [710]; United Kingdom [6188]; United Republic of Tanzania [659]; Uzbekistan [710]; Yemen (v) [5297]; Zambia [659]; Zimbabwe [659]

CITES Identification Manual Reference: A-213.005.002.037

Falco zoniventris Peters, 1854 II B LC 386, 523, 547, 633
 E: Banded Kestrel, Barred Kestrel, F: Faucon à ventre rayé, S: Cernícalo malgache
 Madagascar (br) [5249]

CITES Identification Manual Reference: A-213.005.002.038

Herpetotheres cachinnans (Linnaeus, 1758) II B LC 386, 387, 523, 1068
 Synonym: *Falco cachinnans* Linnaeus, 1758
 E: Laughing Falcon, F: Macagua rieur, S: Acuá, Halcón guaco, Halcón guaicurú, Halcón macagua, Halcón reidor
 Argentina (br) [5291, 10249]; Belize (br) [5241]; Bolivia (br) [1186]; Brazil (br) [6186, 25280]; Chile (br) [5292];
 Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294]; El Salvador (br) [5241]; French Guiana (br)
 [1349]; Guatemala (br) [5241]; Guyana (br) [1295, 25537]; Honduras (br) [1076]; Mexico (br) [5241, 6648];
 Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [5295]; Peru (br) [1136]; Suriname (br) [5296];
 Venezuela (br) [1070]

CITES Identification Manual Reference: A-213.005.003.001

Micrastur buckleyi Swann, 1919 II B LC 386, 476, 523, 595, 598,
 1068
 Synonym: *Micrastur melanoleucus buckleyi* Swann, 1919
 E: Buckley's Forest-Falcon, Lesser Collared Forest-Falcon, Traylor's Forest-Falcon, F: Carnifex de Buckley,
 Carnifex de Traylor, S: Gavilán de Traylor, Halcón-montés de Buckley
 Brazil (br) [7359]; ?Colombia [837]; Ecuador (br) [5294]; Peru (br) [1136]; Venezuela (v) [11378]

CITES Identification Manual Reference: A-213.005.004.001

Micrastur gilvicollis (Vieillot, 1817) II B LC 386, 523, 1068
 Synonyms: *Micrastur ruficollis gilvicollis* (Vieillot, 1817), *Sparvius gilvicollis* Vieillot, 1817
 E: Lined Forest-Falcon, F: Carnifex à gorge cendrée, S: Gavilán de collar, Halcón palomero del sur,
 Halcón-montés cabecigrís
 Bolivia (br) [1186, 7072]; Brazil (br) [6186]; Colombia (br) [837]; Ecuador (br) [5294]; French Guiana (br) [1336,
 1349]; Guyana (br) [1295, 25537]; Peru (br) [1136]; Suriname (br) [5296]; Venezuela (br) [1070]

CITES Identification Manual Reference: A-213.005.004.002

Micrastur mintoni Whittaker, 2002 II 10409
 E: Cryptic Forest-Falcon
 Bolivia; Brazil [25271]

Micrastur mirandollei (Schlegel, 1862) II B LC 386, 387, 523, 1068
 Synonym: *Astur mirandollei* Schlegel, 1862
 E: Slaty-backed Forest-Falcon, F: Carnifex ardoisé, S: Halcón de lomo pizarreño, Halcón-montés dorsigrís
 Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294]; French
 Guiana (br) [1349]; Guyana (br) [1295, 25537]; Panama (br) [1195]; Peru (br) [1136]; Suriname (br) [5296];
 Venezuela (br) [1070, 6810]

CITES Identification Manual Reference: A-213.005.004.003

Micrastur plumbeus W. L. Sclater, 1918 II B VU 386, 476, 523, 595, 598,
 1068
 Synonym: *Micrastur gilvicollis plumbeus* W. L. Sclater, 1918
 E: Plumbeous Forest-Falcon, Plumbeous Forest-falcon, F: Carnifex plombé, S: Halcón-montés plomizo
 Colombia (br) [837]; Ecuador (br) [5294]
 CITES Identification Manual Reference: A-213.005.004.004

Micrastur ruficollis (Vieillot, 1817) II B LC 386, 387, 523, 1068
 Synonym: *Sparvius ruficollis* Vieillot, 1817
 E: Barred Forest-Falcon, F: Carnifex à cou roux, Carnifex barré, S: Caburé, Gavilán cueillirojo, Halcón
 cuellirrufo, Halcón palomero, Halcón-montés agavilanado
 Argentina (br) [5291, 10249]; Belize (br) [5241]; Bolivia (br) [1186]; Brazil (br) [6186, 6892, 25280]; Colombia (br)
 [837, 6674, 9220]; Costa Rica (br) [1311]; Ecuador (br) [5294]; El Salvador (br) [5241]; French Guiana (br) [1336,
 1349]; Guatemala (br) [5241, 10292]; Guyana (br) [1295, 25537]; Honduras (br) [1076]; Mexico (br) [5241, 7068];
 Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [5295]; Peru (br) [1136, 8616]; Suriname (br) [5296];
 Venezuela (br) [1070, 6810]

CITES Identification Manual Reference: A-213.005.004.005

<i>Micrastur semitorquatus</i> (Vieillot, 1817)	II	B	LC	386, 387, 523, 1068
Synonym: <i>Sparvius semitorquatus</i> Vieillot, 1817				
E: Collared Forest-Falcon, F: Carnifex à collier, S: Gavilán-reloj, Halcón semiacollarado, Halcón-montés collarejo, Halcón-selvático collarejo				
Argentina (br) [5291, 10249, 25655]; Belize (br) [5241]; Bolivia (br) [1186]; Brazil (br) [6186, 7122]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294]; El Salvador (br) [5241]; French Guiana (br) [1349]; Guatemala (br) [5241]; Guyana (br) [1295, 25537]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [5295]; Peru (br) [1136, 8616]; Suriname (br) [5296]; United States (v) [387]; Venezuela (br) [1070]				
CITES Identification Manual Reference:	A-213.005.004.006			
<i>Microhierax caerulescens</i> (Linnaeus, 1758)	II	B	LC	386, 523
Synonym: <i>Falco caerulescens</i> Linnaeus, 1758				
E: Collared Falconet, Red-legged Falconet, Red-thighed Falconet, F: Fauconnet à collier, S: Falconete acollarado, Halcón enano de la India				
Bangladesh (br?) [804]; Bhutan (br) [5261]; Cambodia (br) [5243]; China (br) [5293]; India (br) [1197]; Lao People's Democratic Republic (br) [6187]; Myanmar (br) [1290]; Nepal (br) [865]; Thailand (br) [487]; Viet Nam (br) [5264]				
CITES Identification Manual Reference:	A-213.005.005.002			
<i>Microhierax erythrogenys</i> (Vigors, 1831)	II	B	LC	386, 523, 1166
Synonym: <i>Hierax erythrogenys</i> Vigors, 1831				
E: Philippine Falconet, F: Fauconnet des Philippines, S: Falconete filipino, Halconcito de las Filipinas Philippines (br) [5270]				
CITES Identification Manual Reference:	A-213.005.005.003			
<i>Microhierax fringillarius</i> (Drapiez, 1824)	II	B	LC	386, 523, 929
Synonym: <i>Falco fringillarius</i> Drapiez, 1824				
E: Black-legged Falconet, Black-sided Falconet, Black-thighed Falconet, F: Fauconnet moineau, S: Falconete indonesio, Halconcito malayo				
Brunei Darussalam (br); Indonesia (br) [393]; Bali, Jawa, Kalimantan, Sumatera; Malaysia (br) [1289]; Peninsular Malaysia [1049], Sarawak [393]; Myanmar (br) [1290]; Singapore (v) [791]; Thailand (br) [487, 1220]				
CITES Identification Manual Reference:	A-213.005.005.004			
<i>Microhierax latifrons</i> Sharpe, 1879	II	B	NT	386, 523, 595, 1045, 1289
E: Bornean Falconet, White-fronted Falconet, F: Fauconnet de Bornéo, S: Falconete de Borneo, Halconcito de Borneo				
Malaysia (br): Sabah [759]				
CITES Identification Manual Reference:	A-213.005.005.005			
<i>Microhierax melanoleucus</i> (Blyth, 1843)	II	B	LC	381, 386, 523, 595, 929
Synonyms: <i>Microhierax melanoleucus</i> (Blyth, 1843), <i>Ierax melanoleucus</i> Blyth, 1843				
E: Pied Falconet, F: Fauconnet noir-et-blanc, S: Falconete pío				
Bangladesh (ex, br) [804]; Bhutan [5261]; China (br) [5293]; India (br) [1197]; Lao People's Democratic Republic (br) [6187]; Viet Nam (br) [5264]				
CITES Identification Manual Reference:	A-213.005.005.006			
<i>Milvago chimachima</i> (Vieillot, 1816)	II	B	LC	386, 387, 523, 1068
Synonym: <i>Polyborus chimachima</i> Vieillot, 1816				
E: Yellow-headed Caracara, F: Caracara à tête jaune, Caracara chimachima, S: Caracara chimachima, Caricare sabanero, Chimachima				
Argentina (br) [5291, 10249]; Bolivia (br) [1186, 7092]; Brazil (br) [6186, 25280]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294]; French Guiana (br) [1349]; Guyana (br) [1295, 25537]; Netherlands Antilles (v): Bonaire (v), Curaçao (v); Panama (br) [1195]; Paraguay (br) [5295]; Peru (br) [1136]; Suriname (br) [5296]; Trinidad and Tobago (v) [703]; Uruguay (br) [5287, 25534]; Venezuela (br) [1070]				
CITES Identification Manual Reference:	A-213.005.006.002			
<i>Milvago chimango</i> (Vieillot, 1816)	II	B	LC	386, 523, 1068
Synonym: <i>Polyborus chimango</i> Vieillot, 1816				
E: Chimango Caracara, F: Caracara chimango, S: Caracara chimango, Chimango				

Brazil (br) [6186, 7118]; Chile (br) [873, 5292]; Falkland Islands (Malvinas) (br) [1439]; Paraguay (br) [5295]; Uruguay (br) [5287, 25534]

CITES Identification Manual Reference: A-213.005.006.003

Phalcoboenus albogularis Gould, 1837 II B LC 386, 523, 1068

Synonyms: *Polyborus albogularis* Gould, 1837, *Phalcoboenus megalopterus albogularis* (Gould, 1837)
E: White-throated Caracara, F: Caracara à gorge blanche, S: Caracara araucano, Chinalinda, Guarahuau cordillerano, Matamico blanco
Argentina (br) [5291, 10249]; Chile (br) [873, 5292]

CITES Identification Manual Reference: A-213.005.007.002

Phalcoboenus australis (Gmelin, 1788) II B NT 386, 523, 595, 1068

Synonym: *Falco australis* Gmelin, 1788
E: Forster's Caracara, Striated Caracara, F: Caracara austral, Caracara funèbre, S: Caracara austral, Matamico estriado, Matamico grande, Tiuque cordillerano austral
Argentina (br) [5291, 10249]; Chile (br) [5292]; Tierra del Fuego (Chile) [873]; Falkland Islands (Malvinas) (br) [1439, 25480]

CITES Identification Manual Reference: A-213.005.007.003

Phalcoboenus carunculatus Des Murs, 1853 II B LC 386, 523, 1068

Synonym: *Phalcoboenus megalopterus carunculatus* Des Murs, 1853
E: Carunculated Caracara, F: Caracara caronculé, S: Caracara carunculado
Colombia (br) [837]; Ecuador (br) [5294]

CITES Identification Manual Reference: A-213.005.007.004

Phalcoboenus megalopterus (Meyen, 1834) II B LC 386, 523, 1068

Synonym: *Aquila megaloptera* Meyen, 1834
E: Mountain Caracara, F: Caracara montagnard, S: Caracara andino, Carancho andino, Matamico cordillerano
Argentina (br) [5291, 10249]; Bolivia (br) [1186, 7166]; Chile (br) [873, 5292]; Ecuador; Peru (br) [1136, 12669]

CITES Identification Manual Reference: A-213.005.007.005

Polihierax insignis Walden, 1872 II B NT 381, 386, 523, 595, 929

E: Fielden's Falconet, White-rumped Falcon, White-rumped Falconet, F: Fauconnet à pattes jaunes,
S: Halconcito asiático, Halconcito colilargo de Asia
Cambodia (br) [5243, 6475]; Lao People's Democratic Republic (br) [6187]; Myanmar (br) [1290]; Thailand (br) [487, 1220]; Viet Nam (br) [5264]

CITES Identification Manual Reference: A-213.005.008.002

Polihierax semitorquatus (Smith, 1836) II B LC 386, 511, 523, 524, 573, 1292

Synonym: *Falco semitorquata* A. Smith, 1836
E: African Pygmy Falcon, Pygmy Falcon, F: Fauconnet d'Afrique, S: Halconcito africano
?Angola [5267]; Botswana (br?) [1102]; Ethiopia (br) [659]; Kenya (br) [5253]; Namibia (br) [659]; Rwanda (v) [659]; Somalia (br) [5252]; South Africa (br) [659]; Sudan (br?) [659]; Uganda (br?) [659]; United Republic of Tanzania (br?) [659]

CITES Identification Manual Reference: A-213.005.008.003

Polyborus lutosus Ridgway, 1876 II B 1045

Synonym: *Caracara lutosus* (Ridgway, 1876)
E: Guadalupe Caracara, F: Caracara de Guadalupe, S: Carancho de Guadalupe
Mexico (ex, br) [5241]

CITES Identification Manual Reference: A-213.005.009.002

Polyborus plancus (Miller, 1777) II B 386, 387, 485, 523, 1068, 6706

Synonyms: *Caracara cheriway* (Jacquin, 1784), *Caracara plancus* (J. F. Miller, 1777), *Falco plancus* J. F. Miller, 1777, *Falco cheriway* Jacquin, 1784
E: Common Caracara, Crested Caracara, Southern Caracara, F: Caracara commun, Caracara huppé,
S: Caracara carancho, Caracara común, Carancho, Caricare encrestado, Traro

Argentina (br) [5291, 10249]; Aruba (br) [1380]; Belize (v) [1437, 5241, 6769, 8632]; Bolivia (br) [1186]; Brazil (br) [6186, 25280]; Chile (br) [873, 5292]; Colombia (br) [837]; Costa Rica (br) [1311]; Cuba (br) [5259]; Ecuador (br) [5294]; El Salvador (br) [5241]; Falkland Islands (Malvinas) (br) [1439, 25480]; French Guiana (br) [1349]; Guatemala (br) [5241]; Guyana (br) [1295, 25537]; Honduras (br) [1076]; Jamaica (v) [657]; Mexico (br) [5241]; Netherlands Antilles (br): Bonaire (br), Curaçao (br); Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [5295]; Peru (br) [1136]; Suriname (br) [5296]; Trinidad and Tobago (v) [703, 10294]; United States (br) [387]; Uruguay (br) [5287]; Venezuela (br) [1070]

CITES Identification Manual Reference:

A-213.005.009.003

Spizapteryx circumcinctus (Kaup, 1852)

II B LC 386, 523, 1068

Synonym: *Harpagus circumcinctus* Kaup, 1852

E: Spot-winged Falcon, Spot-winged Falconet, F: Carnifex à ailes tachetées, Fauconnet d'Amérique, S: Halconcito argentino, Halconcito gris, Halconcito gris americano

Argentina (br) [5291, 7095, 10249]; Bolivia (br) [1186]; Paraguay (v) [5295]; Uruguay [25534]

CITES Identification Manual Reference:

A-213.005.010.001

**Order: GALLIFORMES
Family: MEGAPODIIDAE**

Macrocephalon maleo Müller, 1846

I A EN 419, 595, 634, 635, 931, 1395, 1410, 6515

E: Celebes Maleo, Gray's Brush-turkey, Malee Fowl, Maleo, Maleo Fowl, Maleo Megapode, F: Maléo, Mégapode maléo, S: Megapodio maleo, Megápodo cabecigrande, Talégalo maleo Indonesia (br) [393, 6328]: Sulawesi

CITES Identification Manual Reference:

A-214.001.005.001

Megapodius wallacei Gray, 1860

D

Synonym: *Eulipoa wallacei* (G. R. Gray, 1860)

E: Moluccan Scrubfowl, F: Mégapode de Wallace, S: Talégalo de Wallace

Indonesia (br) [393]: Irian Jaya, Moluccas

Family: CRACIDAE

Crax alberti Fraser, 1852

III CO A CR 595, 598, 638, 931, 1068

E: Albert's Curassow, Blue-billed Curassow, Blue-knobbed Curassow, Prince Albert's Curassow, F: Hocco à bec bleu, Hocco d'Albert, S: Hocco piquiazu, Paují de pico azul, Pavón piquiazu Colombia (br) [837, 9220, 11374]

CITES Identification Manual Reference:

A-214.002.003.002

Crax alector Linnaeus, 1766

B LC

E: Black Curassow, F: Hocco alector, S: Pavón Guayanés

Brazil (br) [6186]; Colombia (br) [837]; French Guiana (br) [1349]; Guyana [10021, 25537]; Suriname (br) [5296]; Venezuela (br) [1070]

Crax blumenbachii Spix, 1825

I A EN 595, 598, 638, 931, 1068, 1276, 1328

E: Blumenbach's Curassow, Mutum, Red-billed Curassow, F: Hocco à bec rouge, Hocco de Blumenbach, S: Hoco piguirojo, Muitú mamaco, Paují piquirrojo, Pavón piquirrojo Brazil (br) [6186, 12355]

CITES Identification Manual Reference:

A-214.002.003.004

Crax daubentoni Gray, 1867

III CO B NT 638, 1068

E: Daubenton's Curassow, Yellow-knobbed Curassow, F: Hocco de Daubenton, S: Hoco de Daubenton, Paují de copete, Pavón poría, Pavón porú

Colombia (br) [837]; Venezuela (br) [1070]

CITES Identification Manual Reference:

A-214.002.003.005

Crax globulosa Spix, 1825

III CO B VU 476, 595, 598, 638

E: Wattled Curassow, Yarrell's Curassow, F: Hocco globuleux, Hoco caroncule, S: Hoco barbado, Pavón carunculado

Bolivia (br) [1186, 5116]; Brazil (br) [6186]; Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136, 6307]

CITES Identification Manual Reference: A-214.002.003.007

Crax rubra Linnaeus, 1758 III CO B NT 387, 638, 931, 1068
 E: Globose Curassow, Great Curassow, Mexican Curassow, F: Grand hocco, S: Hoco faisán, Hoco grande, Pavón grande, Pavón norteño
 Belize (br) [5241]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294]; El Salvador (br) [5241]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [5241, 6708]; Nicaragua (br) [1195]; Panama (br) [1195, 6641]

CITES Identification Manual Reference: A-214.002.003.010

Mitu mitu (Linnaeus, 1766) I A 595, 598, 638, 931, 1068

Synonym: *Crax mitu mitu* Linnaeus, 1766
 E: Alagoas Curassow, Razor-billed Curassow, F: Grand hocco à bec rasoir, Hocco mitou, S: Hoco de pico navaja, Hoco mitu, Mitu, Paují de Alagoas, Paují menor
 Brazil (br) [6186, 12355]

CITES Identification Manual Reference: A-214.002.003.008

Oreophasis derbianus Gray, 1844 I A EN 387, 595, 598, 638, 931,
 1385

E: Derby's Guan, Horned Guan, Lord Derby's Mountain Pheasant, F: Hocco huppé, Oréophase cornu, Pénélope cornue, Pénélope de Derby, S: Chachalaca cornuda, Faisan de cuerno rojo, Guan cornudo, Paují cornudo, Pava pajuil, Pavón, Pavón cornudo
 Guatemala (br) [850, 5241]; Mexico (br) [753, 754, 5241]

CITES Identification Manual Reference: A-214.002.005.001

Ortalis vetula (Wagler, 1830) III HN B LC 387, 638, 931

Synonym: *Penelope vetula* Wagler, 1830
 E: Chachalaca, Common Chachalaca, Mexican Chachalaca, Plain Chachalaca, F: Ortalide chacamel, Ortalide commune, Ortalide du Mexique, S: Chachalaca de los Llenos, Chachalaca norteña
 Belize (br) [5241]; Costa Rica (br) [1311]; El Salvador (br) [5241]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; United States (br) [387]

CITES Identification Manual Reference: A-214.002.006.010

Pauxi pauxi (Linnaeus, 1766) III CO B 476, 595, 598, 638

Synonym: *Crax pauxi* Linnaeus, 1766
 E: Helmeted Curassow, Northern Helmeted Curassow, F: Hocco à pierre, Pauxi pierre, S: Hoco de casco, Paují copete de piedra, Paují de yelmo
 Colombia (br) [837]; Venezuela (br) [1070]

CITES Identification Manual Reference: A-214.002.003.009

Pauxi unicornis Bond & Meyer de Schauensee, 1939 B

Synonym: *Crax unicornis* (Bond & Meyer de Schauensee, 1939)
 E: Horned Curassow, Southern Helmeted Curassow, F: Hocco unicorn, S: Paují unicornio
 Bolivia (br) [1186, 5116, 6784]; Peru (br) [1136]

Penelope albipennis Taczanowski, 1878 I A CR 387, 595, 598, 638, 646,
 675, 931, 1068, 1109,
 1119, 6680

E: White-winged Guan, F: Pénélope à ailes blanches, S: Chachalaca de remiges blancas, Guan aliblanco, Pava aliblanca
 Peru (br) [1136]

CITES Identification Manual Reference: A-214.002.007.001

Penelope pileata Wagler, 1830 D NT

E: White-crested Guan, F: Pénélope à poitrine rousse, S: Pava crestiblanca
 Brazil (br) [6186]

Penelope purpurascens Wagler, 1830 III HN C LC 476, 638, 1068
 E: Crested Guan, Purple Guan, Purplish Guan, F: Penelope à crête, Pénélope à ventre blanc, Pénélope huppée, Pénélope panachée, S: Grenedera, Pava cojolita, Pava culirroja

Belize (br) [5241]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294]; El Salvador (br) [5241]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [5241, 6708]; Nicaragua (br) [1195]; Panama (br) [1195, 6641]; Peru [8616]; Venezuela (br) [1070]

CITES Identification Manual Reference:

A-214.002.007.014

***Penelopina nigra* (Fraser, 1852)**

III GT B NT 387, 476, 595, 638

Synonym: *Penelope niger* Fraser, 1852

E: Black Chachalaca, Black Pajuil, Black Penelopina, Highland Guan, Little Guan, F: Pénélope noire, Pénélope pajuil, S: Chachalaca negra, Guan negro, Pava pajuil
El Salvador (br) [5241]; Guatemala (br) [5241, 25266]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]

CITES Identification Manual Reference:

A-214.002.008.001

***Pipile jacutinga* (Spix, 1825)**

I A EN 595, 598, 638, 931, 1068

Synonyms: *Penelope jacutinga* Spix, 1825, *Aburria jacutinga* (Spix, 1825)

E: Black-fronted Curassow, Black-fronted Piping-Guan, F: Pénélope à front noir, Pénélope à plastron, S: Chachalaca manchada, Guan de frente negra, Jacutinga, Pava yacutinga, Yacutingá frentinegra
Argentina (br) [465, 5291, 10249]; Brazil (br) [6186, 12355]; Paraguay (br) [5295]

CITES Identification Manual Reference:

A-214.002.002.002

***Pipile pipile* (Jacquin, 1784)**

I A CR 595, 598, 638, 931, 1068

Synonyms: *Crax pipile* Jacquin, 1784, *Aburria pipile pipile* (Jacquin, 1784)

E: Trinidad Piping-Guan, Trinidad White-headed Curassow, Trinidad White-headed Piping Guan, F: Pénélope siffleuse, Pénélope siffleuse à gorge bleue, Siffleuse de la Trinité, S: Chachalaca de la Trinidad, Guan común de Trinidad, Pava de Trinidad, Pava rajadora, Yacutinga cariazul
Trinidad and Tobago (br) [703]

CITES Identification Manual Reference:

A-214.002.002.004

Family: PHASIANIDAE

***Agelastes meleagrides* Bonaparte, 1850**

III GH B VU 595, 597, 1256, 1292, 1360

E: White-breasted Guineafowl, F: Pintade à poitrine blanche, S: Pintada de pechuga blanca, Pintada pechiblanca, Pintado de pecho blanco

Côte d'Ivoire (br) [404, 1334]; Ghana (ex?, br) [782]; ?Guinea; Liberia (br) [5246]; Sierra Leone (br) [627, 659]

CITES Identification Manual Reference:

A-214.003.059.001

***Agriocharis ocellata* (Cuvier, 1820)**

III GT C 387, 595, 1304

Synonym: *Meleagris ocellata* Cuvier, 1820

E: Ocellated Turkey, F: Dindon ocellé, S: Guajolote ocelado, Pavo ocelado
Belize (br) [5241]; Guatemala (br) [5241]; Mexico (br) [5241]

CITES Identification Manual Reference:

A-214.003.001.001

***Arborophila charltonii* (Eyton, 1845)**

III MY B NT 595, 629, 890, 929

Synonyms: *Perdix charltonii* Eyton, 1845, *Tropicoperdix charltonii* (Eyton, 1845)

E: Chestnut-breasted Tree-Partridge, Chestnut-necklaced Hill Partridge, Chestnut-necklaced Partridge, F: Torquéole à poitrine châtaigne, Torquéole de Merlin, Torquéole des bois, S: Arborófila pechicastaña, Perdiz de bosque de Charlton

Indonesia (br) [393]: Sumatera; Malaysia (br): Peninsular Malaysia [1049], Sabah [759]; Myanmar (br) [1290]; Thailand (br) [487]; Viet Nam (br) [5264]

CITES Identification Manual Reference:

A-214.003.057.002

***Arborophila gingica* (Gmelin, 1789)**

D VU

Synonym: *Tetrao gingicus* Gmelin, 1789

E: Collared Hill Partridge, Rickett's Hill-Partridge, White-necklaced Partridge, F: Torquéole de Gingi, S: Arborófila de Fujián

China (br) [5293]

***Arborophila orientalis* (Horsfield, 1821)**

III MY B VU 629, 890, 929

Synonyms: *Arborophila campbelli* (Robinson, 1904), *Arborophila rolli* (Rothschild, 1909), *Arborophila sumatrana* Ogilvie-Grant, 1891, *Perdix orientalis* Horsfield, 1821

E: Bar-backed Partridge, Grey-breasted Partridge, Horsfield's Hill Partridge, F: Torquéole à poitrine brune, Torquéole de Sumatra, S: Arborófila de Sumatra
 Indonesia (br) [393]: Jawa, Sumatera; Malaysia (br): Peninsular Malaysia

<i>Argusianus argus</i> (Linnaeus, 1766)	II	B	NT	637, 889
Synonym: <i>Phasianus argus</i> Linnaeus, 1766				
E: Argus Pheasant, Great Argus, F: Argus géant, S: Argos gigante, Argos real, Faisán argos Brunei Darussalam (br); Indonesia (br) [393, 844]; Kalimantan, Sumatera; Malaysia (br) [1289]; Peninsular Malaysia [1049], Sabah [759], Sarawak [393]; Myanmar (br) [1290]; Singapore (ex); Thailand (br) [487, 1220]				
CITES Identification Manual Reference:		A-214.003.024.001		

<i>Caloperdix oculea</i> (Temminck, 1815)	III	MY	C	NT	890, 929
Synonym: <i>Perdix oculea</i> Temminck, 1815					
E: Ferruginous Partridge, Ferruginous Wood-Partridge, F: Rouloul ocellé, S: Perdicilla herrumbrosa, Perdiz de bosque ferruginosa Indonesia (br) [393, 3750, 3751]; Kalimantan [7728], Sumatera; Malaysia (br) [1289]; Peninsular Malaysia [1049], Sabah [759], Sarawak [393]; Myanmar (br) [1290]; Thailand (br) [487]					
CITES Identification Manual Reference:		A-214.003.026.001			

<i>Catreus wallichii</i> (Hardwicke, 1827)	I		A	381, 595, 637, 889, 931, 1447, 1448
Synonym: <i>Lophophorus wallichii</i> Hardwicke, 1827				
E: Cheer Pheasant, Chir Pheasant, Wallich's Pheasant, F: Faisan de l'Himalaya, Faisan de Wallich, S: Faisán chir, Faisán de Wallich India (br) [734, 735, 736, 1197]; Nepal (br) [865, 973]; Pakistan (br)				
CITES Identification Manual Reference:		A-214.003.027.001		

<i>Colinus virginianus</i> (Linnaeus, 1758)	I/NC		A/NR	NT
Synonym: <i>Tetrao virginianus</i> Linnaeus, 1758				
E: Bobwhite Quail, Northern Bobwhite, F: Colin de Virginie, S: Codorniz, Colín de Virginia Bahamas (int) [5242]; Canada (br) [748]; Cuba (br) [5259]; Dominican Republic (int) [1312]; Guatemala (br) [5241]; Haiti (int) [1408]; Mexico (br) [5241]; New Zealand (ex, int, br) [1351]; Portugal (int, br): Portugal (int, br), Azores (int, br); Puerto Rico (int) [1176]; United States (br) [387]; United States Virgin Islands				

Non-CITES populations
 NT
 Bahamas (int); Canada (br); Cuba (br); Dominican Republic (int); Guatemala (br); Haiti (int); Mexico (br);
 New Zealand (ex, int, br); Portugal (int, br): Portugal (int, br), Azores (int, br); Puerto Rico (int); United
 States (br); United States Virgin Islands

<i>Colinus virginianus ridgwayi</i>	I		A	387, 931
Brewster, 1885				
E: Masked Bobwhite, F: Colin de Ridgway, Colin de Virginie masqué, S: Colín virginiano de Ridgway Mexico (br) [5241]; Sonora; United States (ex, br) [387]				

CITES Identification Manual Reference: A-214.003.005.001

<i>Crossoptilon crossoptilon</i> (Hodgson, 1838)	I		A	NT	381, 595, 637, 889, 931
Synonym: <i>Phasianus crossoptilon</i> Hodgson, 1838					
E: White Eared-Pheasant, F: Faisan oreillard blanc, Hokki blanc, S: Faisán orejudo blanco, Faisán orejudo tibetano, Hoki blanco China (br) [1069, 5293]					

CITES Identification Manual Reference: A-214.003.030.003

<i>Crossoptilon harmani</i> Elwes, 1881	I		A	NT	595, 637, 889, 931
Synonym: <i>Crossoptilon crossoptilon harmani</i> Elwes, 1881					
E: Tibetan Eared-Pheasant, Tibetan Eared-pheasant, F: Hokki de Harman, Hokki du Tibet China (br) [5293]					

<i>Crossoptilon mantchuricum</i> Swinhoe, 1863	I		VU	595, 637, 889, 931, 1069
E: Brown Eared-Pheasant, Brown Eared-pheasant, Manchurian Eared-Pheasant, F: Faisan oreillard brun, Hokki brun, S: Faisán orejudo de Manchuria, Faisán orejudo pardo, Hoki pardo China (br) [5293]				
CITES Identification Manual Reference:		A-214.003.030.004		

<i>Gallus sonneratii</i> Temminck, 1813	II	B	LC	381, 595, 637, 889
E: Grey Junglefowl, Sonnerat's Junglefowl, F: Coq de Sonnerat, S: Gallo de Sonnerat, Gallo gris India (br) [1197]				
CITES Identification Manual Reference:	A-214.003.034.004			
<i>Ithaginis cruentus</i> (Hardwicke, 1821)	II	B	LC	381, 637, 889
Synonym: <i>Phasianus cruentus</i> Hardwicke, 1821				
E: Blood Pheasant, F: Faisan sanguin, Ithagine ensanglantée, Ithagine, S: Faisán ensangrentado, Faisán sangrante, Faisán sanguineo Bhutan (br) [5261]; China (br) [5293]; India (br) [1197]; Myanmar (br) [1290]; Nepal (br) [865]				
CITES Identification Manual Reference:	A-214.003.036.001			
<i>Lophophorus impejanus</i> (Latham, 1790)	I	A	LC	381, 637, 889
Synonym: <i>Phasianus impejanus</i> Latham, 1790				
E: Himalayan Monal, Impeyan Pheasant, Monal Pheasant, F: Lophophore resplendissant, Monal de l'Himalaya, S: Faisán monal del Himalaya, Lofóforo del Himalaya, Monal colirrojo Afghanistan (br) [694]; Bhutan (br) [5261]; China (br) [5293]; India (br) [1197]; Myanmar (br) [1290]; Nepal (br) [865]; Pakistan (br)				
CITES Identification Manual Reference:	A-214.003.038.002			
<i>Lophophorus lhuysii</i>	I	A	VU	595, 637, 889, 931, 995, 1069
Geoffroy Saint-Hilaire, 1866				
E: Chinese Impeyan, Chinese Monal, F: Lophophore de Lhuys, Monal chinois, S: Faisán monal chino, Lofóforo chino, Monal coliverde China (br) [5293]				
CITES Identification Manual Reference:	A-214.003.038.003			
<i>Lophophorus sclateri</i> Jerdon, 1870	I	A	VU	381, 595, 637, 889, 931, 12079
E: Crestless Monal, Sclater's Monal, F: Lophophore de Sclater, Monal birman, S: Faisán monal de Sclater, Lofóforo de Sclater, Monal coliblanco China (br) [5293]; India (br) [1197]; Myanmar (br) [1290, 7214]				
CITES Identification Manual Reference:	A-214.003.038.004			
<i>Lophura bulweri</i> (Sharpe, 1874)	B	VU		
Synonym: <i>Lobiophasis bulweri</i> Sharpe, 1874				
E: Bulwer's Pheasant, White-tailed Wattled Pheasant, F: Faisan de Bulwer, S: Faisán coliblanco, Faisán de Bulwer Brunei Darussalam (br); Indonesia (br) [393]; Kalimantan; Malaysia (br): Sabah [759], Sarawak [393]				
<i>Lophura diardi</i> (Bonaparte, 1856)	B	NT		
Synonyms: <i>Euplocomus diardi</i> Bonaparte, 1856, <i>Diardigallus diardi</i> (Bonaparte, 1856)				
E: Diard's Fireback, Siamese Fireback, F: Faisan prélat, S: Faisán Siamés Cambodia (br) [5243]; Lao People's Democratic Republic (br) [6187]; ?Myanmar [1290]; Thailand (br) [487]; Viet Nam (br) [5264]				
<i>Lophura edwardsi</i> (Oustalet, 1896)	I	A	EN	595, 637, 889, 929, 931
Synonyms: <i>Gennaeus edwardsi</i> Oustalet, 1896, <i>Hierophasis edwardsi</i> (Oustalet, 1896)				
E: Edwards's Pheasant, F: Faisan d'Edwards, S: Faisán de Edwards Viet Nam (br) [5264]				
CITES Identification Manual Reference:	A-214.003.039.004			
<i>Lophura erythrophthalma</i> (Raffles, 1822)	III MY	B	VU	595, 637, 889, 929
Synonyms: <i>Houppifer erythrophthalmus</i> (Raffles, 1822), <i>Phasianus erythrophthalmus</i> Raffles, 1822				
E: Crestless Fireback, Rufous-tailed Pheasant, F: Faisan à queue rousse, S: Faisán colicanelo, Faisán de carúncula azul Brunei Darussalam (br); Indonesia (br) [393, 1289]; Kalimantan, Sumatera; Malaysia (br) [1289]; Peninsular Malaysia [1049], Sarawak [393]; Singapore (ex)				
CITES Identification Manual Reference:	A-214.003.039.005			

Lophura hatinhensis

Vo Quy & Do Ngoc Quang, 1965

E: Vietnamese Fireback, Vietnamese Pheasant, Vo Quy's Pheasant, F: Faisan du Vietnam
Viet Nam (br) [5264]

B EN

***Lophura hoogerwerfi* (Chasen, 1939)**E: Hoogerwerf's Pheasant, Sumatran Pheasant, F: Faisan de Sumatra
Indonesia (br) [393]: Sumatera

B VU

***Lophura ignita* (Shaw, 1797)**Synonyms: *Lophura rufa* (Raffles, 1822), *Phasianus rufus* Raffles, 1822, *Phasianus ignitus* Shaw, 1797
E: Crested Fireback, Vieillot's Fireback, F: Faisan noble, S: Faisán de carúncula azul crestado, Faisán noble
Brunei Darussalam (br); Indonesia (br) [393, 1289]: Kalimantan, Sumatera; Malaysia (br) [1289]: Peninsular
Malaysia [1049], Sabah [759], Sarawak [393]; Myanmar (br) [1290]; Thailand (br) [487]

CITES Identification Manual Reference:

A-214.003.039.006

Lophura imperialis

(Delacour & Jabouille, 1924)

I A

595, 637, 889, 929, 931,
7784Synonym: *Hierophasis imperialis* Delacour & Jabouille, 1924E: Imperial Pheasant, F: Faisan impérial, S: Faisán imperial
Viet Nam (br) [5264]

CITES Identification Manual Reference:

A-214.003.039.007

***Lophura inornata* (Salvadori, 1879)**

B VU

Synonyms: *Houppifer inornatus* (Salvadori, 1879), *Acomus inornatus* Salvadori, 1879
E: Salvadori's Pheasant, F: Faisan de Salvadori, S: Faisán sencillo
Indonesia (br) [393]: Sumatera***Lophura leucomelanos* (Latham, 1790)**

B LC 7075

Synonyms: *Gennaeus leucomelanos* (Latham, 1790), *Phasianus leucomelanos* Latham, 1790E: Kalij Pheasant, F: Faisan leucomèle, S: Faisán kálij
Bangladesh (br) [804]; Bhutan (br) [5261]; China (br) [5293]; India (br) [1197]; Myanmar (br) [1290]; Nepal
(br) [865]; Pakistan (br); Thailand (br) [487]; United States (br) [387]***Lophura swinhoii* (Gould, 1863)**I A NT 595, 637, 889, 929, 931,
1259, 1260, 1261Synonyms: *Hierophasis swinhoii* (Gould, 1863), *Euplocomus swinhoii* Gould, 1863E: Swinhoe's Pheasant, F: Faisan de Formose, Faisan de Swinhoe, S: Faisán de Formosa, Faisán de Swinhoe
Taiwan, Province of China (br)

CITES Identification Manual Reference:

A-214.003.039.011

***Melanoperdix nigra* (Vigors, 1829)**

III MY C VU 595, 890, 929

Synonym: *Cryptonyx niger* Vigors, 1829E: Black Partridge, Black Wood-Partridge, F: Perdrix noire, Rououl noir, S: Perdiz de bosque negra, Perdiz
negra
Indonesia (br) [393, 1289]: Kalimantan, Sumatera; Malaysia (br) [1289]: Peninsular Malaysia [1049], Sarawak
[393]; Singapore (ex)

CITES Identification Manual Reference:

A-214.003.041.001

***Odontophorus strophium* (Gould, 1844)**

A CR

E: Gorgeted Wood-Quail, Gorgeted Wood-quail, F: Tocro à miroir, S: Corcovado gorgiblanco
Colombia (br) [837]***Ophrysia superciliosa* (Gray, 1846)**

A CR

Synonym: *Rollulus superciliosus* J. E. Gray, 1846E: Himalayan Quail, F: Ophrysie de l'Himalaya, S: Perdicilla Himalaya
India (ex, br) [1197]***Pavo muticus* Linnaeus, 1766**II B VU 381, 595, 637, 835, 889,
929, 931, 13108E: Green Peafowl, Green-necked Peafowl, F: Paon spicifère, Paon vert, S: Pavo mudo, Pavo-real cuelliverde,
Pavo-real verde
Bangladesh (ex?, br) [804]; Cambodia (br) [5243]; China (br) [5293]; India (br) [1197]; Indonesia (br) [393]:
Jawa; Lao People's Democratic Republic (br) [6187]; Malaysia (br): Peninsular Malaysia; Myanmar (br)
[1290]; Thailand (br) [487]; Viet Nam (br) [5264]

CITES Identification Manual Reference: A-214.003.042.003

Polyplectron bicalcaratum (Linnaeus, 1758) II B LC 381, 637, 889, 929
 Synonyms: *Pavo bicalcaratus* Linnaeus, 1758, *Polyplectron katsumatae* Rothschild, 1906
 E: Common Peacock-Pheasant, Grey Peacock-Pheasant, Iris Peacock-Pheasant, F: Éperonnier chinquis, Éperonnier gris, S: Espolonero chinquis, Faisán de cola ocelada gris, Faisán de espolones gris, Faisán real gris
 Bangladesh (br) [804]; Bhutan (br) [5261]; Cambodia [7417]; China (br) [5293]; India (br) [1197]; Lao People's Democratic Republic (br) [6187]; Myanmar (br) [1290]; Thailand (br) [487, 1220]; Viet Nam (br) [5264]

CITES Identification Manual Reference: A-214.003.046.002

Polyplectron emphanum Temminck, 1831 I A VU 552, 595, 637, 889, 931, 12409
 Synonym: *Polyplectron napoleonis* (Lesson, 1831)
 E: Napoleon's Peacock-Pheasant, Palawan Peacock-Pheasant, Palawan Peacock-pheasant, F: Éperonnier de Palawan, Éperonnier Napoléon, S: Espolonero de Palawan, Faisán de espolones de Palawan, Faisán real de Palaguán
 Philippines (br) [5270]

Polyplectron germaini Elliot, 1866 II B VU 595, 637, 889, 929
 E: Germain's Peacock-Pheasant, F: Éperonnier de Germain, S: Espolonero de Germain, Faisán de cola ocelada de Germain, Faisán de espolones de Germain, Faisán real de Germain
 Viet Nam (br) [5264]

CITES Identification Manual Reference: A-214.003.046.005

Polyplectron inopinatum (Rothschild, 1903) III MY C VU 595, 637, 889, 929
 Synonym: *Chalcurus inopinatus* Rothschild, 1903
 E: Mountain Peacock-Pheasant, Rothschild's Peacock-Pheasant, F: Éperonnier de Rothschild, S: Espolonero de Rothschild, Faisán de cola ocelada indómito
 Malaysia (br): Peninsular Malaysia

CITES Identification Manual Reference: A-214.003.046.006

Polyplectron malacense (Scopoli, 1786) II B VU 595, 637, 889, 929
 Synonym: *Pavo malaccensis* Scopoli, 1786
 E: Crested Peacock-Pheasant, Malayan Peacock-Pheasant, F: Éperonnier de Hardwick, Éperonnier de Malaisie, Éperonnier malais, S: Espolonero malayo, Faisán de cola ocelada malayo, Faisán de espolones malayo, Faisán real malayo
 Malaysia (br): Peninsular Malaysia; Myanmar; Singapore (ex); Thailand (br) [487, 1220]

CITES Identification Manual Reference: A-214.003.046.007

Polyplectron schleiermacheri Brüggemann, 1877 II B EN 595, 889, 1289
 Synonym: *Polyplectron malacense schleiermacheri* Brüggemann, 1877
 E: Bornean Peacock-Pheasant, Bornean Peacock-pheasant, F: Éperonnier de Bornéo, S: Espolonero de Borneo, Faisán de espolones de Borneo
 Indonesia (br) [393, 13071]: Kalimantan [844]; Malaysia (br): Sabah [759], Sarawak [393, 1289]

Rheinardia ocellata (Elliot, 1871) I A VU 595, 637, 889, 929, 931
 Synonyms: *Rheinardia nigrescens* (Rothschild, 1902), *Argus ocellatus* Elliot, 1871
 E: Crested Argus, Ocellated Pheasant, F: Argus ocellé, Rheinarte ocellé, S: Faisán de Rheinard
 Lao People's Democratic Republic (br) [6187]; Malaysia (br): Peninsular Malaysia; Viet Nam (br) [5264]

CITES Identification Manual Reference: A-214.003.049.003

Rhizothera longirostris (Temminck, 1807) III MY C NT 890, 929
 Synonyms: *Perdix longirostris* Temminck, 1815, *Rhizothera dulitensis* Ogilvie-Grant, 1895
 E: Long-billed Partridge, F: Perdrix à long bec, Rouloul à long bec, S: Perdiz de bosque de pico largo, Perdiz piquilarga
 Indonesia (br) [393]: Kalimantan [1289], Sumatera; Malaysia (br) [1289]: Peninsular Malaysia [1049], Sabah [759], Sarawak [393]; Myanmar (br) [1290]; Thailand (br) [487]

CITES Identification Manual Reference: A-214.003.050.001

Rollulus rouloul (Scopoli, 1786) III MY C NT 890, 929
 Synonym: *Phasianus rouloul* Scopoli, 1786

E: Crested Partridge, Roulroul, F: Rouloul à couronne, Rouloul couronné, S: Perdiz de bosque crestada, Perdiz rulrul
 Brunei Darussalam (br); Indonesia (br) [393]; Kalimantan [1289], Sumatera [1289]; Malaysia (br): Peninsular Malaysia [1049], Sabah [759], Sarawak [393]; Myanmar (br) [1290]; Thailand (br) [487]
 CITES Identification Manual Reference: A-214.003.051.001

Syrmaticus ellioti (Swinhoe, 1872) I A VU 595, 637, 889, 931, 935, 1069

Synonym: *Phasianus ellioti* Swinhoe, 1872
 E: Chinese Barred-backed Pheasant, Elliot's Pheasant, F: Faisan d'Elliot, S: Faisán de Elliot
 China (br) [5293]

CITES Identification Manual Reference: A-214.003.053.002

Syrmaticus humiae (Hume, 1881) I A VU 381, 595, 637, 889, 929, 931

Synonym: *Calophasis humiae* Hume, 1881
 E: Hume's Bar-tailed Pheasant, Hume's Pheasant, Mrs Hume's Pheasant, F: Faisan à queue barrée, Faisan de Birmanie, Faisan de Hume, S: Faisán de Hume
 China (br) [5293]; India (br) [1197]; Myanmar (br) [926, 1290]; Thailand (br) [487, 1220]

CITES Identification Manual Reference: A-214.003.053.003

Syrmaticus mikado (Ogilvie-Grant, 1906) I A NT 595, 637, 889, 931, 1259, 1260

Synonym: *Calophasis mikado* Ogilvie-Grant, 1906
 E: Mikado Pheasant, F: Faisan mikado, S: Faisán mikado
 Taiwan, Province of China (br)

CITES Identification Manual Reference: A-214.003.053.004

Syrmaticus reevesii (Gray, 1829) D VU

Synonym: *Phasianus reevesii* J. E. Gray, 1829
 E: Reeves's Pheasant, F: Faisan vénéré, S: Faisán venerado
 China (br) [5293]; Czech Republic (int) [5258]

Tetraogallus caspius (Gmelin, 1784) I A LC 614

Synonym: *Tetrao caspius* S. G. Gmelin, 1784
 E: Caspian Snowcock, F: Perdrix des neiges de la Caspienne, Tétraogalle de Perse, Tétraogalle de Perse, Tétras des neiges de la Caspienne, Tétrogalle de la Caspienne, S: Gallo lira del Caspio, Gallo salvaje del Caspio, Perdigallo caspio, Perdigallo del Caspio, Perdiz real del Caspio
 Armenia (br) [5240]; Azerbaijan (br) [710]; Georgia (br) [710]; Iran (Islamic Republic of) (br) [1253]; Iraq (br); Turkey (br) [5282]; Turkmenistan (br) [710]

CITES Identification Manual Reference: A-214.003.054.003

Tetraogallus tibetanus Gould, 1854 I A LC 381

E: Tibetan Snowcock, F: Perdrix des neiges du Tibet, Tétraogalle du Tibet, Tétras des neiges du Tibet,
 S: Gallo lira del Tíbet, Gallo salvaje del Tibet, Perdigallo Tibetano, Perdiz real del Tibet
 Bhutan (br) [5261]; China (br) [5293]; India (br) [1197]; Nepal (br) [865]; Tajikistan (br) [374]

CITES Identification Manual Reference: A-214.003.054.006

Tragopan blythii (Jerdon, 1870) I A VU 381, 595, 637, 889, 931

Synonym: *Cerornis blythii* Jerdon, 1870
 E: Blyth's Tragopan, Grey-bellied Tragopan, F: Tragopan de Blyth, Tragopan de Molesworth, Tragopan oriental, S: Tragopán de Blyth, Tragopán oriental
 Bhutan (br) [5261]; China (br) [5293]; India (br) [1197, 7265]; Myanmar (br) [1290, 7214]

CITES Identification Manual Reference: A-214.003.056.002

Tragopan caboti (Gould, 1857) I A VU 595, 637, 889, 927, 931, 1069, 1450, 1451, 1452

Synonym: *Cerornis caboti* Gould, 1857
 E: Cabot's Tragopan, Yellow-billed Tragopan, F: Tragopan arlequin, Tragopan de Cabot, S: Tragopán arlequín, Tragopán chino, Tragopán de Cabot
 China (br) [5293]

CITES Identification Manual Reference: A-214.003.056.003

<i>Tragopan melanocephalus</i> (Gray, 1829)	I	A	VU	381, 595, 637, 664, 737, 889, 931
Synonym: <i>Phasianus melanocephalus</i> J. E. Gray, 1829				
E: Black-headed Tragopan, Western Horned-Pheasant, Western Tragopan, F: Tragopan à tête noire, Tragopan de Hastings, Tragopan occidental, S: Tragopán de cabeza negra, Tragopán dorsigrís, Tragopán occidental				
?China [5293]; India (br) [736, 1093, 1197]; ?Nepal [865]; Pakistan (br) [405, 867, 868]				

CITES Identification Manual Reference: A-214.003.056.004

<i>Tragopan satyra</i> (Linnaeus, 1758)	III	NP	C	NT	381, 595, 637, 889
Synonym: <i>Meleagris satyra</i> Linnaeus, 1758					
E: Crimson Horned-Pheasant, Indian Tragopan, Satyr Tragopan, F: Tragopan satyre, S: Tragopán sátiro					
Bhutan (br) [5261]; China (br) [5293]; India (br) [1197]; Nepal (br) [865]					

CITES Identification Manual Reference: A-214.003.056.005

<i>Tympanuchus cupido</i> (Linnaeus, 1758)	I/NC	A/NR	VU
Synonym: <i>Tetrao cupido</i> Linnaeus, 1758			
E: Greater Prairie-chicken, F: Tétras des prairies, S: Gallo de las praderas grande			
Canada (br); United States (br) [387]			

Non-CITES populations
Canada (br); United States (br) VU

<i>Tympanuchus cupido attwateri</i>	I	A	387, 931
Bendire, 1893			
E: Attwater's Prairie-chicken, F: Poule de prairie d'Attwater, Tétras cupidon d'Attwater, S: Gallito de pradera			
United States (br) [387]: Louisiana, Texas			

Order: GRUIFORMES
Family: GRUIDAE

<i>Balearica pavonina</i> (Linnaeus, 1758)	II	B	NT	523, 524, 886, 1256, 1292, 1360, 1384, 6193, 12692
Synonym: <i>Ardea pavonina</i> Linnaeus, 1758				
E: Black Crowned-Crane, West African Crowned Crane, F: Grue couronnée, Grue couronnée de l'Afrique del'ouest et du Soudan, S: Grulla coronada, Grulla coronada cuellinegra, Grulla coronada del África occidental				
Benin (br) [659]; Burkina Faso (br) [659, 1345]; Burundi [25523]; Cameroon (br?) [659]; Central African Republic (br) [659]; Chad (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo [6294, 25489]; Eritrea [659]; Ethiopia (br) [659]; Gabon [659]; Gambia (br) [760]; Ghana [782]; Guinea (br) [659, 1078, 10590, 11442, 12904]; Guinea-Bissau (br) [659, 715]; Kenya (br) [869, 1129, 5253]; Mali (br) [659]; Mauritania (br) [659]; Niger (br) [659, 10581]; Nigeria (br); Senegal (br) [659]; Sierra Leone [659]; Sudan (br) [659]; Togo (br?) [5254]; Uganda (v) [659, 869]				

CITES Identification Manual Reference: A-215.004.004.002

<i>Balearica regulorum</i> (E. T. Bennett, 1834)	II	B	LC	511, 573, 886, 1292, 1360, 1384
Synonym: <i>Anthropoides regulorum</i> E. T. Bennett, 1834				
E: Grey Crowned-Crane, South African Crowned Crane, F: Grue couronnée de Cap, Grue couronnée de l'Afrique du sud et de l'est, Grue royale, S: Grulla coronada cuelligrís, Grulla coronada sudafricana				
Angola (br?) [5267]; Botswana (br) [1102]; Burundi (br) [659]; Democratic Republic of the Congo (br) [25489]; Kenya (br) [1129, 5253]; Lesotho (v) [486]; Malawi (br) [1103]; Mozambique (br?) [659]; Namibia (br) [659]; Rwanda (br) [659]; South Africa (br) [659, 7822]; Swaziland [1139]; Uganda (br) [659, 7823]; United Republic of Tanzania (br) [659]; Zambia (br) [659]; Zimbabwe (br) [659]				

CITES Identification Manual Reference: A-215.004.004.003

<i>Grus americana</i> (Linnaeus, 1758)	I	A	EN	387, 417, 595, 598, 656, 671, 886, 931, 1384
Synonym: <i>Ardea americana</i> Linnaeus, 1758				
E: Whooping Crane, F: Grue blanche, Grue blanche américaine, Grue blanche d'Amérique, S: Grulla americana, Grulla gritona, Grulla trompetera				
Canada (br) [748]; Mexico (ex, v) [5241]; United States (ex, br) [387]				

CITES Identification Manual Reference: A-215.004.003.002

Grus antigone (Linnaeus, 1758)	II	B	VU	381, 595, 886, 929, 1384
Synonym: <i>Ardea antigone</i> Linnaeus, 1758 E: Sarus Crane, F: Grue antigone, Grue antigone tropicale, S: Grulla blanco cuello, Grulla sarus Australia (br) [477]; Bangladesh (br) [804]; Cambodia (br) [5243, 6475]; China (br) [5293]; India (br) [1197]; ?Lao People's Democratic Republic (br) [6187]; Malaysia (v): Peninsular Malaysia; ?Myanmar (br) [1290]; Nepal (br) [865]; Pakistan (br); Philippines (ex?, br) [5270]; Thailand (ex , br) [487]; Viet Nam (br) [5264] CITES Identification Manual Reference:				A-215.004.003.003
Grus canadensis (Linnaeus, 1758)	I/II	A	LC	387, 886, 931, 1384
Synonym: <i>Ardea canadensis</i> Linnaeus, 1758 E: Sandhill Crane, F: Grue canadienne, Grue du Canada, Grue grise, S: Grulla canadiense, Grulla cenicienta, Grulla de Cuba Canada (br) [748]; Cuba [9311]; Faroe Islands (v) [480]; Greenland (v); Ireland (v) [858]; Japan [503]; Korea, Republic of (v) [1436]; Mexico [5241]; Netherlands (v) [5273]; Russian Federation (br) [710]; Saint Pierre and Miquelon (v) [683]; United Kingdom (v) [6188]; United States (br) [387] CITES Identification Manual Reference:				A-215.004.003.004
CITES Appendix II populations	II	A	LC	
Canada [748]; Faroe Islands (v) [480]; Greenland (v); Ireland (v) [858]; Japan [503]; Korea, Republic of (v) [1436]; Mexico [5241]; Netherlands (v) [5273]; Russian Federation (br) [710]; Saint Pierre and Miquelon (v) [683]; United Kingdom (v) [6188]; United States (br) [387]				
Grus canadensis nesiotes	I	A		387, 886, 931, 1384
Bangs & Zappey, 1905 Synonym: <i>Grus nesiotes</i> Bangs & Zappey, 1905 E: Cuban Sandhill Crane, F: Grue canadienne de Cuba, S: Grulla cenicienta de Cuba Cuba (br) [5259, 9311]				
Grus canadensis pulla	I	A		387, 886, 931, 1384
Aldrich, 1972 E: Mississippi Sandhill Crane, F: Grue canadienne du Mississippi, S: Grulla ceniciente del Misisipi United States (br) [387]				
Grus carunculatus (Gmelin, 1789)	II	B	VU	511, 573, 595, 597, 886, 939, 1034, 1292, 1360, 1384
Synonyms: <i>Ardea carunculata</i> Gmelin, 1789, <i>Bugeranus carunculatus</i> (Gmelin, 1789) E: Wattled Crane, F: Grue caronculée, S: Grulla carunculada, Grulla zarzo Angola (br) [5267]; Botswana (br) [1102]; Democratic Republic of the Congo (br) [25489]; Ethiopia (br) [659]; ?Guinea-Bissau (v) [659, 6316, 6330]; Lesotho (v) [486]; Malawi (br) [1103]; Mozambique (br) [659]; Namibia (br) [659, 1426]; South Africa (br) [659, 1324, 7822]; Swaziland (ex , br) [1139]; United Republic of Tanzania (br) [659]; Zambia (br) [659]; Zimbabwe (br) [659] CITES Identification Manual Reference:				A-215.004.002.001
Grus grus (Linnaeus, 1758)	II	A	LC	381, 614, 841, 886, 1360, 1384, 6234
Synonym: <i>Ardea grus</i> Linnaeus, 1758 E: Common Crane, Crane, F: Grue cendrée, Grue cendrée, S: Grulla común, Grulla Común Afghanistan [694]; Albania; Algeria [971]; Armenia (br) [5240]; Austria (ex , br) [1215]; Azerbaijan (br) [710]; Bangladesh [804]; Belarus (br); Belgium [5272]; Bhutan (v) [5261]; Bosnia and Herzegovina [1038]; Bulgaria (ex , br) [5280]; China (br) [5293]; Croatia [5290]; Cyprus [709]; Czech Republic [5258]; Democratic People's Republic of Korea [7680]; Denmark (br) [666]; Djibouti (v) [427]; Egypt [756]; Eritrea [659]; Estonia (br) [5277, 25475]; Ethiopia [659]; Faroe Islands (v) [480]; Finland (br) [1300]; France (br) [1077, 25475]; Georgia (br) [710]; Germany (br) [5274, 25475]; Gibraltar (v); Greece [5281]; Hong Kong, China (v); Hungary (ex , br) [5257, 25475]; Iceland (v) [507]; India [1197]; Iran (Islamic Republic of) [1253]; Iraq [385, 10169, 10170]; Ireland (v) [858]; Israel [5245]; Italy (ex , br) [5289]; Japan [503]; Jordan [395]; Kazakhstan (br) [5269]; Korea, Republic of [1436]; ?Kuwait (v) [537]; Latvia (br) [5278]; Lebanon [5284]; Libyan Arab Jamahiriya [536]; Liechtenstein (v); Lithuania (br) [5247]; Luxembourg [5248]; Malta; Mauritania (v) [659]; Mongolia (br) [1306]; Morocco [461]; Myanmar [1290]; Nepal [865]; Netherlands [5273]; ?Niger (v) [659]; Nigeria (v); Norway (br) [5275]; Oman [13112]; Pakistan; Poland (br) [1348, 25475]; Portugal [1332]; Portugal, Azores (v), Madeira (v); Romania (br) [558]; Russian Federation (br) [710, 25475]; Saudi Arabia [881]; Serbia and Montenegro (ex , br) [1038]; Slovakia [5279]; Slovenia [1038]; Spain (ex , br) [702]; Sudan [659]; Svalbard and Jan Mayen Islands (v); Sweden (br) [1199, 25475]; Switzerland [5288]; Syrian Arab Republic [5283]; Tajikistan [374]; The former Yugoslav Republic of Macedonia (ex , br) [1038]; Tunisia [1344]; Turkey (br) [5282]; Turkmenistan [710, 8159]; Ukraine (br) [710]; United Arab Emirates (v) [1192]; United Kingdom (br) [6188]; United States (v) [387]; Uzbekistan; Viet Nam [5264]; Yemen [5297] CITES Identification Manual Reference:				A-215.004.003.005

<i>Grus japonensis</i> (Müller, 1776)	I	A	EN	595, 886, 931, 1384
Synonym: <i>Ardea japonensis</i> P. L. S. Müller, 1776				
E: Japanese Crane, Manchurian Crane, Red-crowned Crane, F: Grue blanche du Japon, Grue de Mandchourie, Grue du Japon, S: Grulla de Manchuria, Grulla manchú				
China (br) [1428, 5293]; Democratic People's Republic of Korea [7680, 7684, 12972]; Japan (br) [503]; Korea, Republic of [1436]; Mongolia (br) [1306]; Russian Federation (br) [710, 938, 1170]; Taiwan, Province of China (v)				
CITES Identification Manual Reference:	A-215.004.003.006			
<i>Grus leucogeranus</i> Pallas, 1773	I	A	CR	381, 595, 886, 931, 1033, 1384
E: Siberian Crane, Siberian White Crane, Snow Crane, F: Grue blanche asiatique , Grue blanche d'Asie, Grue de Sibérie, Leucogéranne, S: Grulla blanca asiática, Grulla siberiana, Grulla siberiana blanca				
Afghanistan [694]; Azerbaijan (v); China (br) [920, 1069, 1428, 5293]; India [1197]; Iran (Islamic Republic of) [841, 1253]; Japan (v) [503]; Kazakhstan [5269]; Korea, Republic of (v) [1436]; Mongolia (br?) [1306]; Pakistan; Russian Federation (br) [710, 938, 1170]; Turkmenistan [710]; Uzbekistan (v) [10115]				
CITES Identification Manual Reference:	A-215.004.003.007			
<i>Grus monacha</i> Temminck, 1835	I	A	VU	595, 886, 931, 1384
E: Hooded Crane, F: Grue moine, S: Grulla monje, Grulla monjita				
China (br) [5293]; Democratic People's Republic of Korea [7680]; India (v) [1197]; Japan [503]; Kazakhstan (v) [5269]; Korea, Republic of [1301, 1436]; Mongolia (v) [1306]; Russian Federation (br) [710, 938, 1170]; Taiwan, Province of China (v)				
CITES Identification Manual Reference:	A-215.004.003.008			
<i>Grus nigricollis</i> Przevalski, 1876	I	A	VU	381, 595, 886, 931, 1384
E: Black-necked Crane, Tibetan Crane, F: Grue à cou noir, S: Grulla cuellinegra				
Bhutan [581, 5261]; China (br) [1208, 1251, 5293]; India (br) [1197]; Myanmar (v); Nepal (v) [865]; Viet Nam [5264]				
CITES Identification Manual Reference:	A-215.004.003.009			
<i>Grus paradisea</i> (Lichtenstein, 1793)	II	B	VU	573, 595, 886, 1360, 1362, 1384
Synonyms: <i>Ardea paradisea</i> Lichtenstein, 1793, <i>Tetrapteryx paradisea</i> (Lichtenstein, 1793), <i>Anthropoides paradisea</i> (Lichtenstein, 1793)				
E: Blue Crane, Stanley Crane, F: Grue bleue, Grue de paradis, S: Grulla azul, Grulla de paraíso				
Botswana (br) [1102]; Lesotho (v) [486]; Namibia (br) [659]; South Africa (br) [659, 7822]; Swaziland (br) [1139]; ?Zimbabwe (v) [659]				
CITES Identification Manual Reference:	A-215.004.001.002			
<i>Grus rubicunda</i> (Perry, 1810)	II	B	LC	886, 1384
Synonym: <i>Ardea rubicunda</i> Perry, 1810				
E: Brolga, F: Grue brolga, Grue d'Australie, S: Grulla australiana, Grulla brolga				
Australia (br) [477]; Indonesia (br) [393]; Irian Jaya; New Zealand (v) [1351]; Papua New Guinea (br); ?Russian Federation (v)				
CITES Identification Manual Reference:	A-215.004.003.010			
<i>Grus vipio</i> Pallas, 1811	I	A	VU	595, 886, 931, 1384
E: White-naped Crane, White-necked Crane, F: Grue à cou blanc, S: Grulla cuelliblanca				
China (br) [5293]; Democratic People's Republic of Korea [7680, 7684]; Japan (br) [503, 6882]; Kazakhstan (v) [5269]; Korea, Republic of [1301, 1436]; Mongolia (br) [1306]; Russian Federation (br) [710, 938, 1170]; Taiwan, Province of China (v)				
CITES Identification Manual Reference:	A-215.004.003.011			
<i>Grus virgo</i> (Linnaeus, 1758)	II	B	LC	381, 614, 886, 1256, 1360, 1384
Synonyms: <i>Ardea virgo</i> Linnaeus, 1758, <i>Anthropoides virgo</i> (Linnaeus, 1758)				
E: Demoiselle Crane, F: Demoiselle de Numidie, Grue demoiselle, S: Grulla damisela, Grulla moruna				

Afghanistan [694]; Algeria (**ex**, br) [971]; Armenia [5240]; Azerbaijan [710]; Bangladesh [804]; Bhutan (v) [5261]; Bulgaria (v) [5280]; Chad [659]; China (br) [5293, 6234]; Croatia [5290]; Cyprus [709]; Czech Republic [5258]; Denmark (v) [666]; Egypt [756]; ?Eritrea (v); Ethiopia [659]; Finland (v) [1300]; Georgia: Gruziya; ?Germany (v) [5274]; Greece (v) [5281]; Hungary (v) [5257]; India [1197]; Iran (Islamic Republic of) [1253]; Iraq (v) [385]; Israel (v) [5245]; ?Italy (v) [5289]; Japan (v) [503]; Jordan (v) [6454]; Kazakhstan (br) [5269]; Kenya (v) [5253]; Korea, Republic of (v) [1436]; Kuwait (v) [537, 1161]; Kyrgyzstan (br) [710]; Lebanon (v) [5284]; Malta (v); Moldova, Republic of (br) [710]; Mongolia (br) [1306, 6234]; ?Morocco (ex?, br) [461, 6234]; Myanmar [1290]; Nepal [865]; Nigeria; Norway (v) [5275]; Oman [13112]; Pakistan; Poland [1348]; Portugal (v) [1332]; Portugal (v); Romania (ex?, v) [558, 6234]; Russian Federation (br) [710, 938]; Saudi Arabia [881]; Serbia and Montenegro (v) [1038]; Slovakia [5279]; Spain (v) [702]; Sudan [659]; Sweden (v) [1199]; Syrian Arab Republic [5283]; Tajikistan [374]; Tunisia (**ex**, br) [1344]; Turkey (br) [5282]; Turkmenistan [710, 8159]; Ukraine (br) [710, 6234]; United Arab Emirates (v) [1192]; Uzbekistan (br) [710]; Yemen (v) [5297]

CITES Identification Manual Reference:

A-215.004.001.003

Family: RALLIDAE***Gallirallus sylvestris* (Sclater, 1869)**

I A EN 595, 725, 931, 1196

Synonyms: *Ocydromus sylvestris* Sclater, 1869, *Tricholimnas conditicius* Peters & Griscom, 1928, *Tricholimnas sylvestris* (Sclater, 1869)

E: Lord Howe Island Rail, Lord Howe Island Woodhen, Lord Howe Rail, F: Râle de l'île Lord Howe, Râle sylvestre, S: Rascón de la isla de Lord Howe, Rascón de la Lord Howe
Australia (br): Lord Howe I (br)

CITES Identification Manual Reference:

A-215.007.049.004

Family: RHYNOCHETIIDAE***Rhynochetus jubatus***

Verreaux & Des Murs, 1860

I A EN 505, 595, 855, 931

E: Kagu, F: Kagou, Kagou huppé, S: Kagú
New Caledonia (br) [5260]

CITES Identification Manual Reference:

A-215.009.001.001

Family: OTIDIDAE***Ardeotis arabs* (Linnaeus, 1758)**

II B LC 614, 841, 891, 1006, 1355, 1360

Synonyms: *Choriotis arabs* (Linnaeus, 1758), *Otis arabs* Linnaeus, 1758

E: Arabian Bustard, F: Grande outarde arabe, Outarde arabe, S: Avutarda árabe
Algeria (v) [971]; Burkina Faso (br?) [659]; Cameroon (br?) [659]; Chad (br) [659]; Côte d'Ivoire [1334]; Djibouti (br) [427, 1402]; Eritrea (br) [429, 659]; Ethiopia (br) [429, 659]; Gambia (v) [760]; Ghana [782]; Guinea-Bissau [7859]; ?Kenya (v) [1355, 5253]; Mali (br) [659]; Mauritania (br) [659]; Morocco (ex?, br) [461]; Niger [569, 659]; Nigeria (br); Saudi Arabia (br) [881, 1265]; Senegal (br) [659]; Somalia (v) [5252]; Sudan (br) [659]; Yemen (br) [1181, 5297]

CITES Identification Manual Reference:

A-215.012.003.002

***Ardeotis australis* (J. E. Gray, 1829)**

II B NT 781, 891, 1411

Synonyms: *Choriotis australis* (J. E. Gray, 1829), *Otis australis* J. E. Gray, 1829

E: Australian Bustard, F: Outarde australienne, Outarde d'Australie, S: Avutarda australiana
Australia (br) [477]; Indonesia (br) [393]; Irian Jaya; Papua New Guinea (br)

CITES Identification Manual Reference:

A-215.012.003.003

***Ardeotis kori* (Burchell, 1822)**

II B LC 891, 1006, 1007, 1008, 1360

Synonyms: *Choriotis kori* (Burchell, 1822), *Otis kori* Burchell, 1822

E: Kori Bustard, F: Outarde kori, S: Avutarda kori

Angola (br?) [5267]; Botswana (br) [1102]; Ethiopia (br) [429, 659]; Kenya (br) [5253]; Mozambique (br?) [659]; Namibia (br) [659]; Somalia (br) [429, 5252]; South Africa (br) [516, 659]; Sudan (br?) [659]; Swaziland (ex?, br) [1139]; Uganda (br?) [659]; United Republic of Tanzania (br) [432, 659, 1084]; Zambia [6301]; Zimbabwe (br) [659, 1209]

CITES Identification Manual Reference:

A-215.012.003.004

***Ardeotis nigriceps* (Vigors, 1831)**

I A EN 381, 595, 891, 931, 944, 1177, 1178, 1363

Synonyms: *Choriotis nigriceps* (Vigors, 1831), *Otis nigriceps* Vigors, 1831
 E: Great Indian Bustard, Indian Bustard, F: Outarde à tête noire, Outarde de l'Inde, S: Avutarda de la India, Avutarda india, Avutarda índica
 India (br) [1197]; ?Nepal (v) [865]; Pakistan (br?)

CITES Identification Manual Reference: A-215.012.003.006

Chlamydotis undulata (Jacquin, 1784)

I	A	VU	381, 588, 841, 891, 1360, 12474, 12502, 12510, 12513, 12514, 12515
---	---	----	---

Synonyms: *Chlamydotis macqueenii* (J. E. Gray, 1832), *Psophia undulata* Jacquin, 1784, *Otis macqueenii* J. E. Gray, 1832
 E: Houbara, Houbara Bustard, F: Houbara ondulé, Outarde houbara, Outarde houbara, S: Avutarda hubara, Hubara, Hubara
 Afghanistan (br?) [694]; Algeria (br) [971, 1285]; Armenia (ex, br) [5240]; Azerbaijan (v); Bahrain [1105]; Belgium (v) [5272]; China (br) [5293]; Cyprus (v) [709]; Czech Republic (v) [5258]; Denmark (v) [666]; Egypt (br) [756, 1229]; Finland (v) [1300]; France (v) [7041]; Germany (v) [5274]; Greece (v) [5281]; India [1197]; Iran (Islamic Republic of) (br) [1022, 1253]; Iraq (br) [385]; Israel (br) [5245]; Italy (v) [5289]; Jordan (br) [395]; Kazakhstan (br) [5269, 12069]; Kuwait (ex, br) [537]; Kyrgyzstan [710]; Latvia (v) [5278]; Lebanon (v) [5284]; Libyan Arab Jamahiriya (br) [536]; Malta (v); Mauritania (br) [659]; Mongolia (br) [1306]; Morocco (br) [461, 763]; Netherlands (v) [5273]; Oman (br) [13112]; Pakistan (br) [1072]; Poland (v) [1348]; Portugal (v) [1332]; Portugal (v); Qatar [1393]; Romania (v) [558]; Russian Federation (br) [710, 938]; Saudi Arabia (br) [881]; Slovakia (v) [9147]; Slovenia (v) [1038]; Spain (br) [702]; Canary Is [557, 596, 1122, 9313]; Sudan (v) [659]; Sweden (v) [1199]; Switzerland (v) [5288]; Syrian Arab Republic (br) [5283]; Tajikistan (br) [374]; Tunisia (br) [1344, 10251, 12516]; Turkmenistan (br) [710]; Ukraine (v) [710]; United Arab Emirates [1192]; United Kingdom (v) [6188]; Uzbekistan (br) [710]; Western Sahara (br) [763]; Yemen (br?) [5297]

CITES Identification Manual Reference: A-215.012.002.001

Eupodotis afra (Linnaeus, 1766)

II	B	LC
----	---	----

Synonyms: *Afrotis atra* (Linnaeus, 1766), *Otis atra* Linnaeus, 1766
 E: Black Bustard, Black Korhaan, F: Outarde korhaan, Outarde noire, S: Sisón negro, Sisón negro alioscuro
 South Africa (br) [659]

CITES Identification Manual Reference: A-215.012.001.001

Eupodotis afraoides (A. Smith, 1831)

II	B	LC	456, 891, 1007, 1008, 1360
----	---	----	-------------------------------

Synonyms: *Afrotis atra afraoides* (A. Smith, 1831), *Afrotis afraoides* (A. Smith, 1831), *Otis afraoides* A. Smith, 1831, *Eupodotis afra afraoides* (A. Smith, 1831)
 E: White-quilled Bustard, F: Outarde à miroir blanc, S: Sisón negro aliclaro
 Angola (br) [5267]; Botswana (br) [1102]; Lesotho [486]; Namibia (br) [659]; South Africa (br) [659]

Eupodotis bengalensis (Gmelin, 1789)

I	A	381, 382, 595, 863, 864, 891
---	---	---------------------------------

Synonyms: *Houbaropsis bengalensis* (Gmelin, 1789), *Otis bengalensis* Gmelin, 1789
 E: Bengal Bustard, Bengal Florican, F: Outarde du Bengale, S: Avutarda bengalí, Avutarda de Bengala, Sisón bengali
 Bangladesh (ex, br) [804, 909]; ?Cambodia (br) [5243]; India (br) [864, 1197]; Nepal (br) [862, 865]; Viet Nam (br) [5264]

CITES Identification Manual Reference: A-215.012.005.001

Eupodotis caerulescens (Vieillot, 1820)

II	B	NT	595, 891, 1007, 1008, 1360
----	---	----	-------------------------------

Synonym: *Otis caerulescens* Vieillot, 1820
 E: Blue Bustard, Blue Korhaan, F: Outarde plombée, S: Sisón azul, Sisón azulado
 Lesotho (br) [486]; South Africa (br) [659]

CITES Identification Manual Reference: A-215.012.004.002

Eupodotis gindiana Oustalet, 1881

II	B	LC	891, 1006, 1292, 1360
----	---	----	-----------------------

Synonyms: *Lophotis ruficrista gindiana* (Oustalet, 1881), *Lophotis gindiana* (Oustalet, 1881), *Eupodotis ruficrista gindiana* (Oustalet, 1881)
 E: Buff-crested Bustard, F: Outarde d'Oustalet, S: Sisón moñudo etíope
 Djibouti (br?) [427]; Ethiopia (br) [429, 659]; Kenya (br) [5253]; Somalia (br) [429, 5252]; Sudan (br) [659]; Uganda (br?) [659]; United Republic of Tanzania (br?) [432, 659]

Eupodotis hartlaubii (Heuglin, 1863)

II	B	LC	891, 1006, 1360
----	---	----	-----------------

Synonyms: *Lissotis hartlaubii* (Heuglin, 1863), *Otis hartlaubii* Heuglin, 1863
 E: Hartlaub's Bustard, F: Outarde de Hartlaub, S: Sisón de Hartlaub, Sisón ventrinegro de Hartlaub

Ethiopia (br) [429, 659]; Kenya (br) [5253]; Somalia (br?) [429, 5252]; Sudan (br?) [659]; Uganda (br?) [659]; United Republic of Tanzania (br?) [432, 659]

CITES Identification Manual Reference:

A-215.012.006.002

Eupodotis humilis (Blyth, 1856) II B NT 595, 891, 1006, 1360

Synonym: *Sypheotides humilis* Blyth, 1856

E: Little Brown Bustard, F: Outarde somalienne, S: Sisón somalí

Ethiopia (br?) [424, 429, 659]; Somalia (br) [429, 3747, 3748, 5252]

CITES Identification Manual Reference:

A-215.012.004.003

Eupodotis indica (J. F. Miller, 1782) II A 381, 382, 595, 764, 891, 1234, 1235, 1236

Synonym: *Sypheotides indica* (J. F. Miller, 1782)

E: Lesser Florican, Likh, F: Outarde naine de l'Inde, Outarde passarage, S: Sisón de penacho, Sisón indio

Bangladesh (v) [804]; India (br) [1013, 1197, 1238]; Nepal (br?) [865]; Pakistan

CITES Identification Manual Reference:

A-215.012.010.001

Eupodotis melanogaster (Rüppell, 1835) II B LC 891, 1006, 1007, 1008, 1360

Synonyms: *Lissotis melanogaster* (Rüppell, 1835), *Otis melanogaster* Rüppell, 1835

E: Black-bellied Bustard, Black-bellied Korhaan, F: Outarde à ventre noir, S: Sisón ventrínegro, Sisón ventrínegro común

Angola (br) [5267]; Benin (br) [659]; Botswana (br?) [1102]; Burkina Faso (br) [659, 1345]; Burundi (br) [659]; Cameroon (br?) [659]; Central African Republic (br) [659]; Chad (br) [659]; Congo (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Eritrea (br?) [429, 659]; Ethiopia (br) [429, 659]; Gabon (br?) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br) [659, 1078, 1389, 10590, 11455]; Guinea-Bissau (br) [659, 715]; Kenya (br) [5253]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (v) [659]; Mozambique (br?) [659]; Namibia (br?) [659]; Niger (br) [569, 659]; Nigeria (br); Rwanda (br) [659]; Senegal (br) [659]; Sierra Leone (br?) [659]; Somalia (br?) [429, 5252]; South Africa (br) [659]; Sudan (br?) [659]; Swaziland (br) [1139]; Togo (br?) [5254]; Uganda (br?) [659]; United Republic of Tanzania (br?) [432, 659]; Zambia (br) [659]; Zimbabwe (br) [659]

CITES Identification Manual Reference:

A-215.012.006.003

Eupodotis rueppellii (Wahlberg, 1856) II B LC 891, 1007, 1008, 1360

Synonym: *Otis rueppellii* Wahlberg, 1856

E: Damara Korhaan, Rüppell's Bustard, F: Outarde de Rüppell, S: Sisón de Damaraland, Sisón de Rüppell Angola (br?) [5267]; Namibia (br) [659, 1375]

CITES Identification Manual Reference:

A-215.012.004.004

Eupodotis ruficrista (A. Smith, 1836) II B LC 891, 1007, 1008, 1360

Synonyms: *Lophotis ruficrista* (A. Smith, 1836), *Otis ruficrista* A. Smith, 1836

E: Crested Korhaan, Red-crested Bustard, F: Outarde houppette, Outarde naine, S: Sisón moñirrojo, Sisón moñudo austral

Angola (br) [5267]; Botswana (br) [1102]; Mozambique (br?) [659]; Namibia (br) [659]; South Africa (br) [659]; Swaziland (br) [1139]; Zambia (br) [659]; Zimbabwe (br) [659]

CITES Identification Manual Reference:

A-215.012.007.002

Eupodotis savilei (Lynes, 1920) II B LC 891, 1360

Synonym: *Lophotis savilei* Lynes, 1920

E: Savile's Bustard, F: Outarde de Savile, S: Avutarda de Savile, Sisón moñudo de saheliano

Burkina Faso (br?) [659, 7154]; Cameroon (br) [6295, 25315]; Chad (br) [659]; Côte d'Ivoire (br?) [1334]; Gambia [12895]; Mali (br) [659]; Mauritania (br) [659]; Niger (br?) [659]; Nigeria (br?); Senegal (br) [659]; Sudan (br) [659]

CITES Identification Manual Reference:

A-215.012.007.003

Eupodotis senegalensis (Vieillot, 1820) II B LC 891, 1006, 1008, 1360

Synonyms: *Neotis cafra* (Lichtenstein, 1793), *Otis cafra* Lichtenstein, 1793, *Otis senegalensis* Vieillot, 1820

E: Senegal Bustard, White-bellied Bustard, White-bellied Korhaan, F: Outarde du Sénégal, S: Sisón senegalés

Angola (br?) [5267]; Benin (br) [659]; Botswana (br?) [1102]; Burkina Faso (br?) [659]; Cameroon (br?) [659]; Central African Republic (br) [555, 659]; Chad (br) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br) [25489]; Eritrea (br?) [429, 659]; Ethiopia (br) [429, 659]; Gambia (br?) [760]; Ghana (br?) [782]; Guinea (br) [659, 1078]; Kenya (br) [5253]; Mali (br) [659]; Mauritania (br) [659]; ?Niger (br) [659]; Nigeria (br); Senegal (br) [659]; Somalia (br) [429, 5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; ?Togo (br) [5254]; ?Uganda (br) [659]; United Republic of Tanzania (br) [432, 659]; Zambia (br) [659]

CITES Identification Manual Reference:

A-215.012.004.005

Eupodotis vigorsii (A. Smith, 1831)

II B LC 891, 1007, 1008, 1360

Synonym: *Otis vigorsii* A. Smith, 1831

E: Karoo Bustard, Karoo Korhaan, Vigors's Bustard, F: Outarde de Vigors, S: Sisón de Vigors, Sisón del karroo

Lesotho (br) [486]; Namibia (br) [659, 1375]; South Africa (br) [659]

CITES Identification Manual Reference:

A-215.012.004.006

Neotis denhami (Children, 1826)

II B NT 614, 891, 1006, 1007, 1008, 1360

Synonyms: *Neotis cafra denhami* (Children, 1826), *Neotis burchellii* (Heuglin, 1867), *Eupodotis burchellii* Heuglin, 1867

E: Denham's Bustard, Stanley Bustard, F: Outarde de Burchell, Outarde de Denham, S: Avutarda cafre, Avutarda de Burchell, Avutarda de Denham

Angola (br?) [5267]; Benin (br) [659]; Botswana (v) [1102]; Burkina Faso (br) [659, 1345]; Burundi (br?) [659]; Cameroon [659]; Central African Republic (br) [659]; Chad (br) [659]; Congo [659]; Côte d'Ivoire (br?) [1334, 25470]; Democratic Republic of the Congo (br) [25489]; Eritrea (br?) [429, 659]; Ethiopia (br?) [429, 659]; Gabon (v) [659]; Gambia [760]; Ghana [782]; Guinea (br) [659, 1078, 10590, 11455]; Kenya (br) [1358, 5253]; Lesotho (v) [486]; Malawi (br) [1103, 1433]; Mali (br) [659]; Mauritania (br) [659]; Mozambique (br?) [659]; Namibia (br?) [659]; Niger [659, 10581]; Nigeria (br); Rwanda (br) [659]; Senegal (br?) [659]; Sierra Leone (br?) [659]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Togo (v) [5254]; Uganda (br?) [659]; United Republic of Tanzania (br?) [432, 659]; Zambia (br) [659]; Zimbabwe (br?) [659, 851]

CITES Identification Manual Reference:

A-215.012.008.002

Neotis heuglinii (Hartlaub, 1859)

II B LC 891, 1006, 1360, 3747

Synonym: *Otis heuglinii* Hartlaub, 1859

E: Heuglin's Bustard, F: Outarde de Heuglin, S: Avutarda de Heuglin, Avutarda somalí Djibouti (br?) [427]; Eritrea (v) [659]; Ethiopia (br) [429, 659]; Kenya (br) [5253]; Somalia (br) [429, 5252]

CITES Identification Manual Reference:

A-215.012.008.004

Neotis ludwigii (Rüppell, 1837)

II B LC 891, 1007, 1008, 1360

Synonym: *Otis ludwigii* Rüppell, 1837

E: Ludwig's Bustard, F: Outarde de Ludwig, S: Avutarda de Ludwig, Avutarda de Namibia

Angola (br?) [5267]; Botswana (v) [1102]; Lesotho (v) [486]; Namibia (br) [659]; South Africa (br?) [516, 659]

CITES Identification Manual Reference:

A-215.012.008.005

Neotis nuba (Cretzschmar, 1826)

II B NT 595, 614, 891, 1006, 1360

Synonym: *Otis nuba* Cretzschmar, 1826

E: Nubian Bustard, F: Outarde de Nubie, Outarde nubienne, S: Avutarda núbica

Burkina Faso; Cameroon (br) [6295, 25315]; Chad (br?) [659]; Mali (br) [659]; Mauritania (br) [659]; Niger (br) [659, 1101]; Nigeria (v); Sudan (br?) [659]

CITES Identification Manual Reference:

A-215.012.008.006

Otis tarda Linnaeus, 1758

II A VU 381, 591, 594, 595, 614, 841, 891, 1360

E: Great Bustard, F: Grande Outarde, Grande Outarde, Outarde barbue, Outarde barbue, S: Avutarda, Avutarda, Avutarda Común, Avutarda común, Avutarda euroasiática

Afghanistan [694]; Albania (v); Algeria (**ex**, br) [971]; Austria (br) [1215]; Azerbaijan [710]; Belgium (v) [5272]; Bosnia and Herzegovina [1038]; Bulgaria (**ex**, br) [5280]; China (br) [937, 5293]; Croatia [5290]; Cyprus (v) [709]; Czech Republic (br) [5258]; Democratic People's Republic of Korea (v) [7681]; Denmark (**ex**, br) [666]; Egypt (v) [756]; Finland (v) [1300]; France (**ex**, br) [7041]; Germany (br) [655, 5274]; Gibraltar (v); Greece (**ex**, br) [5281]; Hungary (br) [695, 696, 5257]; Iran (Islamic Republic of) (br) [1253, 6445]; Iraq (**ex**, br) [385]; Ireland (v) [858]; Israel (v) [5245]; Italy (v) [5289]; Japan (v) [503]; ?Jordan [6454]; Kazakhstan (br) [5269]; Korea, Republic of (v) [1436]; Kyrgyzstan (br) [710]; Latvia (v) [5278]; Lebanon (v) [5284]; Luxembourg (v) [5248]; Malta (v); Moldova, Republic of (br) [710]; Mongolia (br) [937, 1306]; Morocco (br) [461, 6523]; Myanmar (v) [1290]; Netherlands (v) [5273]; Pakistan (v); Poland (**ex**, br) [460, 1348]; Portugal (br) [534, 1332, 10152]; Portugal (br); Romania (br) [558]; Russian Federation (br) [710, 937, 938]; Saudi Arabia

(v) [881]; Serbia and Montenegro (**ex**, br) [1038]; Slovakia (br) [5279]; Slovenia [1038]; Spain (br) [696, 702, 1126, 10152]; Sweden (**ex**, br) [1199]; Switzerland (**ex**, br) [5288]; Syrian Arab Republic (br?) [5283]; Tajikistan (br) [374]; The former Yugoslav Republic of Macedonia [1038]; Tunisia (v) [1344]; Turkey (br) [765, 911, 5282]; Turkmenistan [710, 8159]; Ukraine (br) [710, 8997]; United Kingdom (**ex**, br) [6188]; Uzbekistan (br) [710]

CITES Identification Manual Reference:

A-215.012.009.001

Tetrao tetrix (Linnaeus, 1758)

II A NT 381, 595, 614, 891, 1250, 1360

Synonym: *Otis tetrix* Linnaeus, 1758

E: Little Bustard, F: Outarde canepetière, Outarde canepetière, S: Gallo lira, Sisón, Sisón, Sisón común
Afghanistan (v) [694]; Albania (**ex**, br); Algeria (br) [455, 971]; Austria (v) [1215]; Azerbaijan [710]; Belgium (v) [5272]; Bosnia and Herzegovina [1038]; Bulgaria (**ex**, br) [5280]; China (br) [5293]; Croatia [5290]; Cyprus (v) [709]; Czech Republic (v) [5258]; Denmark (v) [666]; Egypt [756]; Finland (v) [1300]; France (br) [390, 7041]; Georgia [710]; Germany (v) [5274]; Greece (**ex**, br) [5281]; Hungary (v) [5257]; India (v) [1197]; Iran (Islamic Republic of) (br) [1253]; Iraq (v) [385]; Ireland (v) [858]; Israel [5245]; Italy (br) [1154, 1239, 5289]; Japan (v) [503]; Kazakhstan (br) [5269]; Kyrgyzstan (br) [710]; Latvia (v) [5278]; Lebanon (v) [5284]; Libyan Arab Jamahiriya [536]; Luxembourg (v) [5248]; Malta (v); Morocco (br) [461]; Netherlands (v) [5273]; Norway (v) [5275]; Oman (v) [13112]; Pakistan; Poland (v) [1348]; Portugal (br) [1332, 9312]; Portugal (br), Madeira (v); Romania (**ex**, br) [558]; Russian Federation (br) [710, 938]; Serbia and Montenegro (**ex**, br) [1038]; Slovakia [5279]; Slovenia [1038]; Spain (br) [702, 9312]; Sweden (v) [1199]; Switzerland (v) [5288]; Syrian Arab Republic (v) [5283]; Tajikistan [374]; The former Yugoslav Republic of Macedonia (**ex**, br) [1038]; Tunisia (**ex**, br) [1344]; Turkey (br) [911, 5282]; Turkmenistan [710, 8159]; Ukraine (br) [710]; United Kingdom (v) [6188]; Uzbekistan (br?) [710]

CITES Identification Manual Reference:

A-215.012.011.001

Order: CHARADRIIFORMES
Family: BURHINIDAE
Burhinus bistriatus (Wagler, 1829)

III GT C LC 387, 816, 1068

Synonym: *Charadrius bistriatus* Wagler, 1829

E: Double-striped Thick-knee, F: Oedicnème américain, Oedicnème bistré, S: Alcaraván americano, Alcaraván venozolano, Dara

Bahamas (br); Barbados (v) [5242]; Brazil (br) [6186, 7122]; Colombia (br) [837]; Costa Rica (br) [1311]; Dominican Republic (br) [1312]; El Salvador (br) [5241]; Guatemala (br) [5241]; Guyana (br) [1295, 25537]; Haiti (br) [1408]; Honduras (br) [1076]; Mexico (br) [5241]; Netherlands Antilles (v): Curaçao (v); Nicaragua (br) [1195]; United States (v) [387]; Venezuela (br) [1070]

Family: SCOLOPACIDAE
Numenius borealis (Forster, 1772)

I A CR 387, 485, 590, 595, 598, 671, 690, 749, 816, 874, 888, 931

Synonym: *Scolopax borealis* J. R. Forster, 1772

E: Eskimo Curlew, F: Courlis esquimau, S: Chorlito esquimal, Chorlo polar, Zarapito boreal, Zarapito esquimal, Zarapito polar

Argentina (v) [465, 5291, 10249]; Barbados (v) [5242]; Bermuda (v) [389]; Bolivia (v) [6986]; Brazil [6186, 12355]; Canada (br?) [748, 13048]; Chile (v) [5292]; Falkland Islands (Malvinas) (v) [1439]; Greenland (v); Grenada (v) [5242]; Guadeloupe (v) [5242]; Guatemala (v) [5241]; Guyana (v) [25537]; Iceland (v) [507]; Ireland (v) [858]; Mexico (v) [5241]; Paraguay [5295]; Puerto Rico (v) [1176]; Russian Federation (v) [710]; Saint Vincent and the Grenadines (v) [5242]; Trinidad and Tobago (v) [703]; United Kingdom (v) [6188]; United States (br?, v) [387]; United States Virgin Islands (v); Uruguay (v) [5287]

Numenius tenuirostris Vieillot, 1817

I A CR 414, 595, 612, 779, 816, 841, 888, 1360

E: Slender-billed Curlew, F: Courlis à bec grêle, Courlis à bec grêle, S: Zarapito fino

Albania (v) [25261, 25262]; Algeria (v) [971]; Austria (v) [1215]; Azerbaijan (v); Belgium (v) [5272]; Bosnia and Herzegovina [1038]; Bulgaria (v) [5280]; Canada (v) [748]; Croatia [5290]; Cyprus (v) [709]; Czech Republic (v) [5258]; Egypt (v) [756]; France (v) [7041]; Georgia (v); Germany (v) [5274]; Greece [5281]; Hungary [5257]; Iran (Islamic Republic of) (v) [1253]; Iraq (v) [385, 10170]; Israel (v) [5245]; Italy [5289]; ?Japan (v) [503]; Jordan (v) [395]; Kazakhstan [5269]; Kuwait (v) [537]; Latvia (v) [5278]; Libyan Arab Jamahiriya (v) [536]; Malta (v); Morocco [461, 481]; Netherlands (v) [5273]; Oman (v) [13112]; Poland (v) [1348]; Portugal (v) [1332]; Portugal (v), Azores (v); Romania [558]; Russian Federation (br) [710, 938]; Serbia and Montenegro [1038]; Slovakia (v) [5279]; Slovenia [1038]; Spain (v) [702]; Switzerland (v) [5288]; Tunisia [1344]; Turkey [5282]; Turkmenistan; Ukraine (v) [710]; Uzbekistan; Yemen (v) [5297]

Tringa guttifer (Nordmann, 1835)

I A EN 381, 595, 816, 852, 853, 888, 929, 931

Synonyms: *Totanus guttifer* Nordmann, 1835, *Pseudototanus guttifer* (Nordmann, 1835)
 E: Nordmann's Greenshank, Spotted Greenshank, F: Chevalier à gouttelette, Chevalier tacheté, S: Archibebe manchado, Archibebe moteado
 ?Australia [477]; Bangladesh [804]; Cambodia [5243, 6476]; China [5293]; Democratic People's Republic of Korea (v) [7681]; Guam (v) [503]; Hong Kong, China (v) [921]; India (v) [1197]; Indonesia (v) [393]; Sumatera; Japan [503]; Korea, Republic of [1436]; Malaysia [1289]; Peninsular Malaysia, Sabah, Sarawak; Myanmar [1290]; Philippines [5270]; Russian Federation (br) [489, 710, 938]; Singapore (v) [791]; Taiwan, Province of China (v); Thailand [487]; Viet Nam [5264]

Family: LARIDAE

Larus relictus Lönnberg, 1931 I A VU 595, 802, 931, 933, 1454

Synonym: *Larus melanocephalus relictus* Lönnberg, 1931
 E: Relict Gull, F: Goéland de Mongolie, Goéland relique, Mouette relique, S: Gaviota de Mongolia, Gaviota relicta
 China (br) [5293]; Hong Kong, China (v); Japan (v) [503]; Kazakhstan (br) [5269]; Korea, Republic of [1436]; Mongolia (br) [704, 1306]; Russian Federation (br) [710, 938]; Viet Nam (v) [5264]

Order: COLUMBIFORMES

Family: COLUMBIDAE

Caloenas nicobarica (Linnaeus, 1758) I A NT 381, 595, 758, 929, 931

Synonym: *Columba nicobarica* Linnaeus, 1758
 E: Nicobar Dove, Nicobar Pigeon, F: Nicobar à camail, Pigeon à camail, Pigeon à colerette, Pigeon de Nicobar, S: Paloma calva, Paloma de Nicobar
 Cambodia (br) [5243]; India (br) [1197]; Indonesia (br) [393]; Irian Jaya, Jawa, Kalimantan, Lesser Sunda Is, Moluccas, Sulawesi [12651], Sumatera; Malaysia (br) [1289]; Peninsular Malaysia, Sabah; Myanmar (br) [1290]; Palau (br) [1171]; Papua New Guinea (br); Philippines (br) [5270]; Solomon Islands (br) [5260]; Thailand (br) [487]; Viet Nam (br) [5264]

CITES Identification Manual Reference: A-217.003.003.001

Claravis goedefrida (Temminck, 1811) A CR

Synonym: *Columba goedefrida* Temminck, 1811
 E: Purple-barred Ground-Dove, Purple-winged Ground-Dove, F: Colombe de Geoffroy, S: Tortolita alipúrpura Argentina (br) [5291, 10249]; Brazil (br) [6186, 6292, 7118, 12355]; Paraguay (br) [5295, 6321]

Columba caribaea Jacquin, 1784

B VU

Synonym: *Patagioenas caribaea* (Jacquin, 1784)
 E: Ring-tailed Pigeon, F: Pigeon de la Jamaïque, S: Paloma Jamaicana
 Jamaica (br) [657]

Columba guinea Linnaeus, 1758

III GH C LC 511, 573, 758, 1222, 1256, 1292, 1360

E: Speckled Pigeon, Speckled Rock Pigeon, Triangular-spotted Pigeon, F: Pigeon de Guinée, Pigeon roussard, S: Paloma de Guinea
 Angola (br?) [5267]; Benin (br) [659]; Botswana (br) [1102]; Burkina Faso (br) [659, 1345]; Burundi (br) [659, 25523]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Chad (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br?) [25489]; Djibouti (br) [427]; Eritrea (br) [659]; Ethiopia (br) [659, 894]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br) [659, 1078]; Guinea-Bissau (br) [659, 715]; Kenya (br) [5253]; Lesotho (br) [486]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (br) [659]; Namibia (br) [659]; Niger (br) [659]; Nigeria (br); Rwanda (br) [659]; Senegal (br) [659]; Sierra Leone (br) [659]; Somalia (br) [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Togo (br?) [565, 5254]; Uganda (br) [659]; United Republic of Tanzania (br?) [659]; Yemen (v) [6456]; Zimbabwe (br) [659]

Columba iriditorques Cassin, 1856

III GH C LC 758, 1256, 1292, 1360

Synonym: *Turturoena iriditorques* (Cassin, 1856)
 E: Western Bronze-naped Pigeon, F: Pigeon à nuque bronzée, S: Paloma nuquibronceada
 Angola (br?) [5267]; Benin (br?) [659]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334, 25471]; Democratic Republic of the Congo (br) [25489]; Equatorial Guinea (br?) [659]; Equatorial Guinea; Gabon (br?) [659]; Ghana (br?) [782]; Guinea (br) [659, 1183, 1389, 11440, 11455, 11457, 13096]; Liberia (br) [5246]; Nigeria (br?) [25533]; Sierra Leone (br?) [659]; Togo (br) [570, 5254]; Uganda (br?) [659]; Zambia (br) [659]

Columba livia Gmelin, 1789

III GH A LC 381, 614, 758, 841, 986, 1256, 1292

Synonym: *Columba domestica livia* Gmelin, 1789

E: Common Pigeon, Feral Pigeon, Rock Dove, Rock Pigeon, F: Pigeon biset, Pigeon biset, Pigeon domestique, S: Paloma bravía, Paloma doméstica
 Afghanistan (br) [694]; Albania (br); Algeria (br) [971]; Angola (int, br) [516, 5267]; Anguilla (int) [5242, 6791]; Antigua and Barbuda (int, br) [5242]; Argentina (int, br) [10249]; Armenia (br) [5240]; Australia (int, br) [477]; Austria (int, br) [1215]; Azerbaijan (br) [710]; Bahamas (int) [5242]; Bangladesh (br) [804]; Barbados (int, br) [5242]; Belarus (br); Bhutan (br) [5261]; Bolivia (int, br); Bosnia and Herzegovina (br) [1038]; British Virgin Islands (int); Brunei Darussalam (int, br); Bulgaria (br) [5280]; Burkina Faso (br?) [659]; Cambodia (int, br) [5243]; Cape Verde (br) [820]; Cayman Islands (int); Chad (br) [659]; Chile (int, br); China (br) [5293]; Cook Islands (int, br) [1171]; Costa Rica (int, br) [1311]; Côte d'Ivoire (br) [1334, 25471]; Croatia (br) [5290]; Cuba (int) [5259]; Cyprus (br) [709]; Czech Republic (br) [5258]; Democratic People's Republic of Korea (int) [12972]; Democratic Republic of the Congo (int) [25489]; Djibouti (int, br) [427]; Dominica (int, br) [5242]; Dominican Republic (int) [1312]; Dominican Republic [515, 574]; Ecuador (int, br) [5294]; Galapagos; Egypt (br) [756]; Eritrea (v) [659]; Estonia (br) [5277]; Ethiopia (br) [659]; Faroe Islands (br) [480]; Fiji (br) [1171]; France (br) [7041]; French Polynesia (int, br) [1171]; Marquesas (int, br) [1171], Society Is (int, br) [1171], Tuamotu Is (int, br) [1171]; Gambia (br) [760]; Georgia (br) [710]; Ghana (br?) [782]; Gibraltar (int, br); Greece (br) [5281]; Grenada (int) [5242]; Guadeloupe (int) [5242]; Guatemala (int, br) [448, 5241]; Guinea (br) [659, 1078]; Guyana (int, br) [25537]; Haiti (int) [1408]; Iceland (br) [507]; India (br) [1197]; Indonesia (int, br) [393, 844, 1032]; Bali, Irian Jaya, Jawa, Kalimantan, Lesser Sunda Is, Moluccas, Sulawesi, Sumatera; Iran (Islamic Republic of) (br) [1253]; Iraq (br) [385]; Ireland (br) [858]; Israel (br) [5245]; Italy (br) [5289]; Jamaica (int) [657]; Japan [503]; Jordan (br) [395]; Kazakhstan (br) [5269]; Kuwait (br); Kyrgyzstan (br) [710]; Lao People's Democratic Republic (int, br) [6187]; Latvia (br) [5278]; Lebanon (br) [5284]; Lesotho (int, br) [486]; Libyan Arab Jamahiriya (br) [536]; Liechtenstein (int, br); Lithuania (br) [5247]; Malaysia (int, br); Peninsular Malaysia, Sabah, Sarawak; Maldives (int, br) [431]; Mali (br) [659]; Malta (br); Martinique (int) [5242]; Mauritania (br) [659]; Mauritius (int, br); Mauritius (int, br), Rodrigues (int, br) [7810]; Micronesia (Federated States of) (br) [1171]; Moldova, Republic of (br) [710]; Mongolia (br) [1306]; Montserrat (int) [5242]; Morocco (br) [461]; Mozambique (int, br) [516, 659]; Myanmar (br) [1290]; Namibia (int, br) [659]; Nepal (br) [865]; Netherlands Antilles (int); Bonaire (int, br), Netherlands Leeward Is (int, br); New Zealand (int, br); Niger (br) [659]; Nigeria (br); Norway (br) [5275]; Oman (br) [13112]; Pakistan (br); Paraguay (int, br) [5295]; Peru (int, br); Portugal (br) [1332]; Portugal (br), Azores (int, br), Madeira (int, br); Puerto Rico (int) [1176]; Romania (br) [558]; Russian Federation (br) [710]; Saint Helena (int, br); Saint Kitts and Nevis (int) [5242]; Saint Lucia (int, br) [5251]; Saint Pierre and Miquelon (int?, br) [683]; Saint Vincent and the Grenadines (int) [5242]; São Tomé and Príncipe (br) [659]; Sao Tome [668]; Saudi Arabia (br) [881]; Senegal (br?) [659]; Serbia and Montenegro (br) [1038]; Seychelles (int, br) [659, 721]; Singapore (int, br) [791]; Slovakia (br) [5279]; Slovenia (br) [1038]; Somalia (int, br) [5252]; South Africa (int, br) [659]; Spain (br) [702]; Sri Lanka (br) [5271]; Sudan (br) [659]; Suriname (int, br); Swaziland (int, br) [1139]; Sweden (br) [1199]; Switzerland (int, br) [5288]; Syrian Arab Republic (br) [5283]; Taiwan, Province of China (br); Tajikistan (br) [374]; Thailand (int, br); The former Yugoslav Republic of Macedonia (br) [1038]; Timor-Leste (int, br); Togo (br?) [5254]; Tunisia (br) [1344]; Turkey (br) [5282]; Turkmenistan (br) [710]; Turks and Caicos Islands (int); Ukraine (br) [710]; United Arab Emirates (br) [1192]; United Kingdom (br) [6188]; United States (int, br) [387]; United States Virgin Islands (int, br); Uruguay (int, br); Uzbekistan (br) [710]; Venezuela (int, br) [11378]; Viet Nam (int, br) [5264]; Western Sahara (br); Yemen (br) [5297]; Zambia (int, br) [516, 659]; Zimbabwe (int, br) [516, 659]

***Columba mayeri* Prévost, 1843**

III MU

C

595, 597, 758

Synonym: *Nesoenas mayeri* (Prévost, 1843)

E: Pink Pigeon, F: Pigeon rose, S: Paloma de Mauricio Mauritius (br) [659]

CITES Identification Manual Reference:

A-217.003.006.052

***Columba oenops* Salvin, 1895**

D

VU

Synonym: *Patagioenas oenops* (Salvin, 1895)

E: Peruvian Pigeon, F: Pigeon du Pérou, S: Paloma Peruana Ecuador; Peru (br) [1136, 6680, 6681]

***Columba unicincta* Cassin, 1860**

III GH

C

LC

511, 758, 1256, 1292,
1360

E: Afep Pigeon, African Wood-Pigeon, Grey Wood-Pigeon, F: Pigeon gris, Pigeon gris écaillé, S: Paloma afep, Paloma del Congo

Angola (br?) [5267]; Cameroon (br?) [659, 25374, 25376, 25382]; Central African Republic (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334, 25470]; Democratic Republic of the Congo (br) [25489]; Equatorial Guinea (br?) [659, 1183]; Gabon (br) [659]; Ghana (br?) [782]; Guinea (br) [659, 1078, 11455]; Liberia (br) [5246]; Rwanda (br) [659]; Sierra Leone (br?) [659]; Sudan (br?) [659]; Uganda (br) [659]; ?United Republic of Tanzania (br?) [659]; Zambia (br) [659]

***Didunculus strigirostris* (Jardine, 1845)**

B

EN

Synonym: *Gnathodon strigirostris* Jardine, 1845

E: Tooth-billed Pigeon, F: Diduncule strigirostre, S: Paloma manumea Samoa (br) [1394]

Ducula mindorensis (Whitehead, 1896)	I	A	VU	595, 758
Synonym: <i>Carpophaga mindorensis</i> Whitehead, 1896				
E: Mindoro Imperial-Pigeon, Mindoro Zone-tailed Pigeon, F: Carpophage de Mindoro, Pigeon de Mindoro, S: Dúcula de Mindoro, Paloma de Mindoro Philippines (br) [5270]				
CITES Identification Manual Reference:	A-217.003.011.021			
Ducula pickeringii (Cassin, 1854)	D		VU	
Synonym: <i>Carpophaga pickeringii</i> Cassin, 1854				
E: Grey Imperial-Pigeon, Grey Imperial-pigeon, F: Carpophage de Pickering, S: Dúcula gris Indonesia (br) [393]: Kalimantan, Sulawesi [12651]; Malaysia (br): Sabah, Sarawak; Philippines (br) [5270, 10364]				
Gallicolumba criniger (Pucheran, 1853)	D			7806
Synonym: <i>Pampusanna criniger</i> Pucheran, 1853				
E: Mindanao Bleeding-heart, F: Gallicolombe de Barlett, Gallicolombe de Bartlett, S: Paloma apuñalada de Mindanao Philippines (br) [5270]				
CITES Identification Manual Reference:	A-217.003.012.004			
Gallicolumba luzonica (Scopoli, 1786)	II	B	NT	595, 758, 1166
Synonym: <i>Columba luzonica</i> Scopoli, 1786				
E: Bleeding-heart Dove, Bleeding-heart Pigeon, Luzon Bleeding-heart, F: Colombe poignardée, Gallicolombe poignardée, S: Paloma apuñalada, Paloma apuñalada de Luzón Philippines (br) [5270]				
CITES Identification Manual Reference:	A-217.003.012.010			
Goura cristata (Pallas, 1764)	II	B	VU	595, 758, 1242
Synonym: <i>Columba cristata</i> Pallas, 1764				
E: Blue Crowned-Pigeon, Common Crowned Pigeon, Great Goura, Western Crowned-Pigeon, F: Goura couronné, S: Gura occidental, Paloma crestada azul Indonesia (br) [393, 1003, 7120]: Irian Jaya, Moluccas (int) [7728]				
CITES Identification Manual Reference:	A-217.003.015.002			
Goura scheepmakeri Finsch, 1876	II	B	VU	452, 595, 758, 1242
E: Maroon-breasted Crowned-Pigeon, Masked Goura, Scheepmaker's Crowned-Pigeon, Southern Crowned-Pigeon, F: Goura de Scheepmaker, Goura de Slater, S: Gura sureña, Paloma crestada de Scheepmaker Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br) [6924]				
CITES Identification Manual Reference:	A-217.003.015.003			
Goura victoria (Fraser, 1844)	II	B	VU	452, 595, 758, 1242
Synonym: <i>Lophyrus victoria</i> Fraser, 1844				
E: Victoria Crowned-Pigeon, Victoria Goura, F: Goura de Victoria, S: Gura Victoria, Paloma crestada victoria Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)				
CITES Identification Manual Reference:	A-217.003.015.004			
Leptotila wellsi (Lawrence, 1884)	A		CR	
Synonym: <i>Engyptila wellsi</i> Lawrence, 1884				
E: Grenada Dove, F: Colombe de Grenade, S: Paloma montaraz de Granada Grenada (br) [5242]				
Oena capensis (Linnaeus, 1766)	III GH	C	LC	511, 573, 614, 758, 1222, 1256, 1292, 1360
Synonym: <i>Columba capensis</i> Linnaeus, 1766				
E: Long-tailed Dove, Masked Dove, Namaqua Dove, F: Tourtelette masquée, Tourterelle à masque de fer, Tourterelle du Cap, Tourterelle masquée, S: Palomita especulada capense, Tortolita rabilarga				

Algeria (br) [971]; Angola (br) [5267]; Bahrain [1105]; Benin [659]; Botswana (br) [1102]; Burkina Faso (br) [659, 1345]; Burundi (v) [659]; Cameroon [659]; Central African Republic (br) [659]; Chad (br) [659]; Congo [659]; Côte d'Ivoire [1334, 25470, 25471]; Cyprus (v) [6448]; Democratic Republic of the Congo [25489]; Djibouti (br) [427]; Egypt (br) [756]; Eritrea (br) [659]; Ethiopia (br) [659]; Gabon (br) [659]; Gambia [760]; Ghana (br?) [782]; Guinea (br) [659, 1078, 1389, 10590]; Guinea-Bissau [659, 715]; Israel (br) [5245]; Jordan [395]; Kenya (br) [5253]; Kuwait (v) [537, 1161]; Lesotho (br) [486]; Madagascar (br) [5249]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (br) [659]; Morocco (br) [461]; Mozambique (br?) [659]; Namibia (br) [659]; Niger (br?) [659]; Nigeria (br); Oman (br) [13112]; Qatar (br) [1393, 6470]; Rwanda [659]; Saudi Arabia (br) [881]; Senegal (br) [659]; Sierra Leone (v) [659]; Somalia (br) [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Togo (br) [5254]; Uganda (br?) [659]; United Arab Emirates (v) [1192]; United Republic of Tanzania (br?) [659]; Western Sahara (br); Yemen (br) [5297]; Zambia (br) [659]; Zimbabwe (br) [659]

Ptilinopus marchei (Oustalet, 1880)

D VU

Synonyms: *Leucotreron marchei* (Oustalet, 1880), *Ptilopus marchei* Oustalet, 1880

E: Flame-breasted Fruit-dove, F: Ptilope de Marche, S: Tilopo de Marche

Philippines (br) [5270]

Streptopelia decipiens

(Hartlaub & Finsch, 1870)

III GH C LC 511, 573, 758, 1222,
1256, 1292, 1360Synonyms: *Streptopelia fulvopectoralis* Granvik, 1923, *Turtur decipiens* Hartlaub & Finsch, 1870

E: African Mourning Dove, Mourning Collared-Dove, F: Tourterelle pleureuse, S: Tórtola engañosa

Angola (br) [5267]; Benin (br) [659]; Botswana (br) [1102]; Burkina Faso (br) [659, 1345]; Burundi (br) [659]; Cameroon (br) [659]; Central African Republic (br) [659]; Chad (br) [659]; Democratic Republic of the Congo (br) [25489]; Djibouti (br?) [427]; Ethiopia (br) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea-Bissau [7849]; Kenya (br) [5253]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (br) [659]; Mozambique (br) [659]; Namibia (br) [659]; Niger (br) [659]; Nigeria (br); Rwanda (br) [659]; Senegal (br) [659]; Somalia (br) [5252]; South Africa (br) [659]; Sudan (br) [659]; Togo (br) [5254]; Uganda (br) [659]; United Republic of Tanzania (br) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

Streptopelia roseogrisea (Sundevall, 1857)III GH C LC 758, 841, 1256, 1292,
1360Synonym: *Columba roseogrisea* Sundevall, 1857

E: African Collared-Dove, Pink-headed Dove, Rose-grey Dove, F: Tourterelle rieuse, S: Tórtola rosigrís Bahrain (v) [1105]; Burkina Faso (br?) [659]; Cameroon (br?) [659]; Chad (br) [659]; Djibouti (br) [427]; Egypt (br) [756]; Eritrea (br) [659]; Ethiopia (br) [659]; Gambia (br?) [760]; Ghana (v) [782]; Israel (v); Jordan (v) [6454]; Mali (br) [659]; Mauritania (br) [659]; Niger (br) [659]; Nigeria (br?); Oman (v) [13112]; Saudi Arabia (br) [881]; Senegal (br) [659]; Somalia (br) [5252]; Sudan (br) [659]; Yemen (br) [5297]

Streptopelia semitorquata (Rüppell, 1837)III GH C LC 511, 573, 758, 841,
1222, 1256, 1292, 1360Synonym: *Columba semitorquata* Rüppell, 1837

E: Red-eyed Dove, F: Tourterelle à collier, S: Tórtola ojirroja, Tórtola rizum Angola (br) [5267]; Benin (br?) [659]; Botswana (br) [1102]; Burkina Faso (br) [659, 1345]; Burundi (br) [659, 25523]; Cameroon (br?) [659, 25370, 25374, 25376]; Central African Republic (br) [659]; Chad (br?) [659]; Congo (br) [659]; Côte d'Ivoire (br) [1334, 25471]; Democratic Republic of the Congo (br?) [25489]; Equatorial Guinea (br) [659, 1183]; Equatorial Guinea, Bioko; Eritrea (br) [659]; Ethiopia (br) [659]; Gabon (br) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br) [659, 1078, 1191, 1389, 10590, 11437, 11439, 11440, 11442, 11445, 11455, 11456, 11457, 13096]; Guinea-Bissau (br) [659, 715]; Kenya (br) [5253]; Lesotho (br) [486]; Liberia (br) [5246]; Malawi (br) [1103]; Mali (br) [659]; Mauritania [659]; Mozambique (br?) [659]; Namibia (br) [659]; Niger (br?) [659]; Nigeria (br); Rwanda (br) [659]; Saudi Arabia (br) [881]; Senegal (br) [659]; Sierra Leone (br) [659]; Somalia (br) [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Togo (br) [5254]; Uganda (br) [659]; United Republic of Tanzania (br?) [659]; Yemen (br) [5297]; Zambia (br) [659]; Zimbabwe (br) [659]

Streptopelia senegalensis (Linnaeus, 1766)III GH C LC 381, 511, 573, 614, 758,
841, 1222, 1256, 1292,
1360Synonym: *Columba senegalensis* Linnaeus, 1766

E: Laughing Dove, Palm Dove, Senegal Dove, F: Tourterelle des palmiers, Tourterelle maillée, Tourterelle maillée, S: Tórtola del Senegal, Tórtola reidora, Tórtola senegalesa

Afghanistan (br) [694]; Algeria (br) [971]; Angola (br) [5267]; Australia (int, br) [477]; Azerbaijan (br) [25291]; Bahrain (v) [1105]; Bangladesh (br) [804]; Benin (br?) [659]; Bhutan (br) [5261]; Botswana (br) [1102]; Burkina Faso (br) [659, 1345]; Burundi (br) [659, 25523]; Cameroon (br?) [659]; Central African Republic (br) [659]; Chad (br) [659]; China (br) [5293]; Côte d'Ivoire (br) [1334, 25469, 25471]; Cyprus (v) [709]; Democratic Republic of the Congo (br) [25489]; Djibouti (br) [427]; Egypt (br) [756]; Equatorial Guinea (br) [659]; Eritrea (br) [659]; Ethiopia (br) [659]; Finland (v) [1300]; Gabon [659]; Gambia (br) [760]; Ghana (br) [782]; Greece (v) [5281]; Guinea (br) [659, 1078, 1191, 1389, 10590, 11437, 11442, 11445, 11457]; Guinea-Bissau (br) [659, 715]; India (br) [1197]; Iran (Islamic Republic of) (br) [1253]; Iraq (br) [385, 10161]; Israel (br) [5245]; Italy (v) [5289]; Jordan (br) [395]; Kazakhstan (br) [5269]; Kenya (br) [5253]; Kuwait (v) [537, 1161]; Kyrgyzstan (br) [710]; Lebanon (br) [5284]; Lesotho (br) [486]; Liberia (br?) [5246]; Libyan Arab Jamahiriya (br) [536, 6303, 9127]; Malawi (br) [1103]; Mali (br) [659]; Malta (v); Mauritania (br) [659]; Morocco (v) [461]; Mozambique (br?) [659]; Namibia (br) [659]; Nepal (br) [865]; Niger (br) [659]; Nigeria (br); Oman (br)

[13112]; Pakistan (br); Portugal (v); Portugal (br) [1393, 6470]; Rwanda (br) [659]; São Tomé and Príncipe (br) [659]; Saudi Arabia (br) [881]; Senegal (br) [659]; Sierra Leone (br?) [659]; Somalia (br) [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Syrian Arab Republic (br) [5283]; Tajikistan (br) [374]; Togo (br) [5254]; Tunisia (br) [1344]; Turkey (br) [5282]; Turkmenistan (br) [710]; Uganda (br) [659]; United Arab Emirates (br) [1192]; United Republic of Tanzania (br?) [659]; Uzbekistan (br) [710]; Yemen (br) [5297]; Zambia (br) [659]; Zimbabwe (br) [659]

Streptopelia turtur (Linnaeus, 1758)

III GH A LC 511, 614, 758, 841, 1081, 1360

Synonym: *Columba turtur* Linnaeus, 1758

E: European Turtle-Dove, Turtle Dove, Western Turtle-Dove, F: Tourterelle des bois, Tourterelle des bois, S: Tórtola común, Tórtola europea
 Afghanistan (br) [694]; Albania (br); Algeria (br) [971]; Andorra (br) [5239]; Armenia (br) [5240]; Austria (br) [1215]; Azerbaijan (br) [710]; Bahrain (br) [1105]; Belarus (br); Belgium (br) [5272]; Bosnia and Herzegovina (br) [1038]; Botswana (v); Bulgaria (br) [5280]; Burkina Faso [659]; Cameroon [659]; Cape Verde [820]; Chad (br) [659]; China (br) [5293]; Comoros (v) [6276]; Côte d'Ivoire (v) [1334]; Croatia (br) [5290]; Cyprus (br) [709]; Czech Republic (br) [5258]; Democratic Republic of the Congo (v) [6294, 6403, 25489]; Denmark (br) [666]; Djibouti (v) [427]; Dominica; Egypt (br) [756]; Eritrea [659]; Estonia (br) [5277]; Ethiopia [659]; Faroe Islands [480]; Finland (br) [1300]; France (br) [7041]; Gabon [659]; Gambia [760]; Georgia (br) [710]; Germany (br) [5274]; Ghana [782, 6379]; Gibraltar; Greece (br) [5281]; Guinea [659, 1078, 1079]; Guinea-Bissau [7849, 7859]; Hungary (br) [5257]; Iceland (v) [507]; Iran (Islamic Republic of) (br) [1253]; Iraq (br) [385]; Ireland (br) [858]; Israel (br) [5245]; Italy (br) [5289]; Jordan (br) [395]; Kazakhstan (br) [5269]; Kenya (v) [788, 5253]; Kuwait (br) [537]; Kyrgyzstan (br) [710]; Latvia (br) [5278]; Lebanon (br) [5284]; Liberia (v) [5246]; Libyan Arab Jamahiriya (br) [536]; Liechtenstein (br); Lithuania (br) [5247]; Luxembourg (br) [5248]; Maldives (v) [431]; Mali [659]; Malta (br); Mauritania [659]; Moldova, Republic of (br) [710]; Mongolia (br) [1306]; Morocco (br) [461]; Namibia (v) [659, 1434]; Netherlands (br) [5273]; Niger (br?) [659]; Nigeria; Norway (v) [5275]; Oman (br) [13112]; Pakistan (v); Poland (br) [1348]; Portugal (br) [1332]; Portugal (br), Azores (v), Madeira (br); Qatar (br) [1393]; Romania (br) [558]; Russian Federation (br) [710]; Saudi Arabia (br) [881]; Senegal [659]; Serbia and Montenegro (br) [1038]; Seychelles (v) [659, 721]; Sierra Leone [659]; Slovakia (br) [5279]; Slovenia (br) [1038]; Somalia (v) [5252]; South Africa (v) [659]; Spain (br) [702]; Sudan [659]; Svalbard and Jan Mayen Islands (v); Sweden [1199]; Switzerland (br) [5288]; Syrian Arab Republic (br) [5283]; Tajikistan (br) [374]; The former Yugoslav Republic of Macedonia (br) [1038]; Togo [5254]; Tunisia (br) [1344]; Turkey (br) [5282]; Turkmenistan (br) [710]; Uganda (v) [659]; Ukraine (br) [710]; ?United Arab Emirates (br) [1192]; United Kingdom (br) [6188]; Uzbekistan (br) [710]; Western Sahara; Yemen [5297]

Streptopelia vinacea (Gmelin, 1789)

III GH C LC 511, 758, 1256, 1292, 1360

Synonym: *Columba vinacea* Gmelin, 1789

E: Vinaceous Dove, F: Pigeon vert à front nu, Tourterelle vineuse, S: Tórtola vinosa
 Benin (br) [659]; Burkina Faso (br) [659, 1345]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Chad (br?) [659]; Côte d'Ivoire (br) [1334, 25469, 25471]; Democratic Republic of the Congo (br?) [25489]; Eritrea (br?) [659]; Ethiopia (br) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br) [659, 1078, 1389, 10590, 11438, 11456, 11457, 13096]; Guinea-Bissau (br) [659, 715]; Liberia [5246]; Mali (br) [659]; Mauritania (br) [659]; Niger (br) [659]; Nigeria (br); Senegal (br) [659]; Sierra Leone (br) [659]; Sudan (br) [659]; Togo (br?) [5254]; Uganda (br?) [659]

Treron calva (Temminck, 1808)

III GH C LC 511, 573, 758, 1222, 1256, 1292, 1360

Synonyms: *Treron delalandii* (Bonaparte, 1854), *Treron australis calva* (Temminck, 1808), *Phalacrotreron delalandii* Bonaparte, 1854, *Columba calva* Temminck, 1808

E: African Green-Pigeon, F: Colombar à front nu, S: Vinago africano, Vinago obeng
 Angola (br) [5267]; Benin (br?) [659]; Botswana (br) [1102]; Burkina Faso (br?) [659]; Burundi (br) [659, 25523]; Cameroon (br?) [659, 25374]; Central African Republic (br) [659]; Chad (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br) [25476, 25489]; Equatorial Guinea (br) [659, 1183]; Equatorial Guinea, Bioko; Ethiopia (br?) [659]; Gabon (br) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br) [659, 1078, 1389, 10590, 11437, 11439, 11442, 11455, 11456, 11457, 13096]; Guinea-Bissau (br) [659, 715]; Kenya (br) [5253]; Liberia (br) [5246]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (v) [659]; Mozambique (br?) [659]; Namibia (br?) [659]; Niger (br?) [659]; Nigeria (br); Rwanda (br) [659]; São Tomé and Príncipe (br) [659]; Senegal (br) [659]; Sierra Leone (br) [659]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Togo (br?) [5254]; Uganda (br) [659]; United Republic of Tanzania (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

Treron waalia (F. A. A. Meyer, 1793)

III GH C LC 511, 758, 1256, 1292, 1360

Synonym: *Columba waalia* F. A. A. Meyer, 1793

E: Bruce's Green-Pigeon, Yellow-bellied Green-Pigeon, F: Colombar waalia, Pigeon vert à épaulettes violettes, S: Vinago waalia

Benin (br?) [659]; Burkina Faso (br) [659, 1345]; Cameroon (br?) [659]; Central African Republic (br) [659]; Chad (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br?) [25489]; Djibouti (br) [427]; Eritrea (br) [659]; Ethiopia (br) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br) [659, 1078, 1389]; Guinea-Bissau (br) [659, 715]; Kenya (br?) [5253]; Mali (br) [659]; Mauritania (br) [659]; Niger (br) [659]; Nigeria (br); Oman (br) [13112]; Saudi Arabia (br) [881]; Senegal (br) [659]; Somalia (br) [5252]; Sudan (br) [659]; Togo (br?) [5254]; Uganda (br?) [659]; Yemen (br) [5297]

Turacoena modesta (Temminck, 1835) D VU
 Synonym: *Columba modesta* Temminck, 1835
 E: Black Cuckoo-dove, F: Phasianelle modeste, S: Paloma de Timor
 Indonesia (br) [393]: Lesser Sunda Is; Timor-Leste (br) [13144]

Turtur abyssinicus (Sharpe, 1902) III GH C LC 511, 758, 1256, 1292, 1360
 Synonym: *Chalcopelia abyssinica* Sharpe, 1902
 E: Black-billed Wood-Dove, F: Emerauldine à bec noir, Tourtelette d'Abyssinie, S: Palomita especulada abisinica, Palomita saheliana
 Benin (br?) [659]; Burkina Faso (br) [659, 1345]; Cameroon (br?) [659]; Central African Republic (br) [659]; Chad (br?) [659]; Côte d'Ivoire (br) [1334, 25471]; Democratic Republic of the Congo [6294, 25489]; Djibouti (br) [427]; Eritrea (br?) [659]; Ethiopia (br?) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br) [659, 1078, 1191, 1389]; Guinea-Bissau (br) [659, 715]; Liberia (v) [5246]; Mali (br) [659]; Mauritania (br) [659]; Niger (br) [659]; Nigeria (br); Senegal (br) [659]; Sudan (br) [659]; Togo (br?) [5254]; Uganda (br?) [659]

Turtur afer (Linnaeus, 1766) III GH C LC 511, 573, 758, 1256, 1292, 1360, 7070
 Synonym: *Columba afra* Linnaeus, 1766
 E: Blue-spotted Wood-Dove, Red-billed Wood-Dove, F: Emerauldine à bec rouge, Tourtelette améthystine, S: Palomita aliazul, Palomita especulada africana
 Angola (br) [5267]; Benin (br?) [659]; Burkina Faso (br) [659, 1345]; Burundi (br) [659]; Cameroon (br?) [659, 25374, 25376]; Central African Republic (br) [659]; Chad (br?) [659]; Congo (br) [659]; Côte d'Ivoire (br) [1334, 25471]; Democratic Republic of the Congo (br) [25489]; Equatorial Guinea (br) [659, 1183]; Equatorial Guinea, Bioko; Eritrea (br?) [659]; Ethiopia (br) [659, 894]; Gabon (br) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br) [659, 1078, 1191, 10590, 11437, 11438, 11442, 11455, 11457, 13096]; Guinea-Bissau (br) [659, 715]; Kenya (br) [5253]; Liberia (br) [5246]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (br?) [659]; Mozambique (br?) [659]; Niger (br?) [659]; Nigeria (br); Rwanda (br) [659]; Senegal (br?) [659]; Sierra Leone (br) [659]; South Africa (br?) [659]; Sudan (br?) [659]; Togo (br?) [5254]; Uganda (br?) [659]; United Republic of Tanzania (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

Turtur brehmeri (Hartlaub, 1865) III GH C LC 758, 1256, 1292, 1360
 Synonym: *Chalcopelia brehmeri* Hartlaub, 1865
 E: Blue-headed Dove, Blue-headed Wood-Dove, F: Tourtelette demoiselle, Tourterelle à tête bleue, S: Palomita cabeciazul, Palomita especulada cobriza
 Angola (br?) [5267]; Cameroon (br?) [659, 25370, 25374, 25376, 25382]; Central African Republic (br?) [659, 11929]; Congo (br?) [659]; Côte d'Ivoire (br) [1334, 25471]; Democratic Republic of the Congo (br) [25489]; Equatorial Guinea (br?) [659]; Gabon (br) [659]; Ghana (br) [782]; Guinea (br) [659, 1078, 11455, 13096]; Liberia (br) [5246]; Nigeria (br); Sierra Leone (br) [659]; Togo (br?) [570, 5254]

Turtur tympanistria (Temminck, 1809) III GH C LC 511, 573, 758, 1222, 1256, 1292, 1360
 Synonyms: *Tympanistria tympanistria* (Temminck, 1810), *Columba tympanistria* Temminck, 1810
 E: Tambourine Dove, F: Tourtelette tambourette, Tourterelle tambourette, S: Palomita tamborilera, Tórtola tamborilera
 Angola (br) [5267]; Benin (br?) [659]; Burundi (br) [659]; Cameroon (br?) [659, 25371, 25374, 25376, 25382]; Central African Republic (br?) [659, 11929]; Comoros (int, br?) [659]; Congo (br) [659]; Côte d'Ivoire (br) [1334, 25471]; Democratic Republic of the Congo (br) [25489]; Equatorial Guinea (br) [659, 1183]; Equatorial Guinea, Bioko; Eritrea (br?) [659]; Gabon (br) [659]; Ghana (br?) [782]; Guinea (br) [659, 1078, 1191, 10590, 11438, 11440, 11455, 11457, 13096]; Kenya (br) [5253]; Liberia (br) [5246]; Malawi (br) [1103]; Mozambique (br?) [659]; Nigeria (br); Rwanda (br) [659]; Senegal (v) [659]; Sierra Leone (br) [659]; Somalia (br?) [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Togo (br?) [570, 5254]; Uganda (br) [659]; United Republic of Tanzania (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

Order: PSITTACIFORMES
Family: LORIIDAE

Chalcopsitta atra (Scopoli, 1786) II B LC 713, 1242
 Synonym: *Psittacus ater* Scopoli, 1786
 E: Black Lory, F: Lori noir, S: Lori negro
 Indonesia (br) [393]: Irian Jaya

<i>Chalcopsitta cardinalis</i> (G. R. Gray, 1849)	II	B	LC	713
Synonym: <i>Lorius cardinalis</i> G. R. Gray, 1849				
E: Cardinal Lory, F: Lori cardinal, S: Lori cardenal				
Papua New Guinea (br); Solomon Islands (br) [5260, 13119]				
<i>Chalcopsitta duivenbodei</i> (Dubois, 1884)	II	B	LC	713, 1254
Synonym: <i>Psittacus duivenbodei</i> Dubois, 1884				
E: Brown Lory, Duyvenbode's Lory, F: Lori de Duyvenbode, S: Lori pardo				
Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)				
<i>Chalcopsitta sintillata</i> (Temminck, 1835)	II	B	LC	713
Synonym: <i>Psittacus sintillatus</i> Temminck, 1835				
E: Greater Streaked Lory, Yellow-streaked Lory, F: Lori flamméché, S: Lori chispeado				
Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)				
<i>Charmosyna amabilis</i> (Ramsay, 1875)	II	B	EN	595, 713, 1254
Synonyms: <i>Charmosyna aureicincta</i> (E. L. Layard, 1875), <i>Hypocharmosyna amabilis</i> (E. P. Ramsay, 1876), <i>Trichoglossus aureicinctus</i> Layard, 1875				
E: Red-throated Lorikeet, F: Lori à gorge rouge, S: Lori gorgirrojo				
Fiji (br) [1171]				
<i>Charmosyna diadema</i>	II	B	CR	595, 713, 1254, 6985
(Verreaux & Des Murs, 1860)				
Synonyms: <i>Psitteuteles diadema</i> J. Verreaux & Des Murs, 1860, <i>Hypocharmosyna diadema</i> (Verreaux & Des Murs, 1860)				
E: New Caledonian Lorikeet, F: Lori à diadème, Lori de Nouvelle-Calédonie, S: Lori diadema				
New Caledonia (ex?, br) [5260]				
<i>Charmosyna josefinae</i> (Finsch, 1873)	II	B	LC	713, 1242
Synonym: <i>Trichoglossus josefinae</i> Finsch, 1873				
E: Josephine's Lorikeet, Josephine's Lory, F: Lori de Joséphine, S: Lori de Josefina				
Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)				
<i>Charmosyna margarethae</i> Tristram, 1879	II	B	NT	595, 713
E: Duchess Lorikeet, F: Lori de Margaret, Lori de Marguerite, S: Lori de Margarita				
Papua New Guinea (br); Solomon Islands (br) [5260]				
<i>Charmosyna meeki</i>	II	B	NT	713
(Rothschild & Hartert, 1901)				
Synonym: <i>Hypocharmosyna meeki</i> Rothschild & Hartert, 1901				
E: Meek's Lorikeet, F: Lori de Meek, S: Lori de Meek				
Papua New Guinea (br); Solomon Islands (br) [5260]				
<i>Charmosyna multistriata</i> (Rothschild, 1911)	II	B	NT	595, 713, 1242, 1254
Synonyms: <i>Psittacus multistriata</i> (Rothschild, 1911), <i>Charmosynopsis multistriata</i> Rothschild, 1911				
E: Streaked Lorikeet, Striated Lorikeet, F: Lori strié, S: Lori estriado				
Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)				
<i>Charmosyna palmarum</i> (Gmelin, 1788)	II	B	VU	595, 713
Synonyms: <i>Psittacus palmarum</i> Gmelin, 1788, <i>Hypocharmosyna palmarum</i> (J. F. Gmelin, 1788)				
E: Palm Lorikeet, F: Lori des palmiers, S: Lori palmero				
Solomon Islands (br) [5260]; Vanuatu (br) [5260]				
<i>Charmosyna papou</i> (Scopoli, 1786)	II	B	LC	713, 1242
Synonym: <i>Psittacus papou</i> Scopoli, 1786				
E: Papuan Lorikeet, F: Lori de Papouasie, Lori papou, S: Lori rabilargo				
Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)				
<i>Charmosyna placenta</i> (Temminck, 1834)	II	B	LC	713
Synonyms: <i>Psittacus placenta</i> Temminck, 1834, <i>Hypocharmosyna placenta</i> (Temminck, 1835)				
E: Red-flanked Lorikeet, F: Lori coquet, Lori splendide, S: Lori flanquirrojo				
Indonesia (br) [393]: Irian Jaya, Moluccas; Papua New Guinea (br)				

<i>Charmosyna pulchella</i> Gray, 1859	II	B	LC	713
E: Fairy Lorikeet, Little Red Lorikeet, F: Lori féérique, S: Lori lindo Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)				
<i>Charmosyna rubrigularis</i> (Sclater, 1881)	II	B	LC	713, 1242, 1254
Synonyms: <i>Hypocharmosyna rubrigularis</i> (P. L. Sclater, 1881), <i>Trichoglossus rubrigularis</i> Sclater, 1881 E: Red-chinned Lorikeet, F: Lori à menton rouge, S: Lori barbirrojo Papua New Guinea (br): Bismarck Archipelago				
<i>Charmosyna rubronotata</i> (Wallace, 1862)	II	B	LC	713, 1242
Synonyms: <i>Hypocharmosyna rubronotata</i> (Wallace, 1862), <i>Coriphilus rubronotatus</i> Wallace, 1862 E: Red-fronted Lorikeet, Red-spotted Lorikeet, F: Lori à front rouge, S: Lori frentirrojo Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)				
<i>Charmosyna toxopei</i> (Siebers, 1930)	II	B	CR	595, 713, 758, 1254
Synonym: <i>Hypocharmosyna toxopei</i> Siebers, 1930 E: Blue-fronted Lorikeet, F: Lori de Buru, Lori de l'île Buru, S: Lori de Buru Indonesia (br) [393, 1410]: Moluccas				
<i>Charmosyna wilhelminae</i> (A. B. Meyer, 1874)	II	B	LC	713
Synonyms: <i>Hypocharmosyna wilhelminae</i> (A. B. Meyer, 1874), <i>Trichoglossus wilhelminae</i> A. B. Meyer, 1874 E: Pygmy Lorikeet, Wilhelmina's Lorikeet, F: Lori de Wilhelmina, S: Lori pigmeo Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)				
<i>Eos bornea</i> (Linnaeus, 1758)	II	B	LC	713, 1254, 7729
Synonyms: <i>Psittacus borneus</i> Linnaeus, 1758, <i>Eos goodfellowi</i> Ogilvie-Grant, 1907, <i>Eos rubra</i> (Gmelin, 1788) E: Moluccan Lory, Red Lory, F: Lori écarlate, S: Lori rojo Indonesia (br) [393]: Moluccas				
<i>Eos cyanogenia</i> Bonaparte, 1850	II	B	VU	595, 713, 1242, 1254
E: Biak Red Lory, Black-winged Lory, F: Lori à joues bleues, S: Lori alinegro Indonesia (br) [393]: Irian Jaya				
<i>Eos histrio</i> (P. L. S. Müller, 1776)	I	A	EN	595, 713, 1254, 1410, 6886
Synonym: <i>Psittacus histrio</i> P. L. S. Müller, 1776 E: Red-and-blue Lory, F: Lori arlequin, S: Lori de Sangir Indonesia (br) [393, 12651]: Sulawesi				
<i>Eos reticulata</i> (S. Müller, 1841)	II	B	NT	548, 595, 713, 1254, 1410
Synonym: <i>Psittacus reticulatus</i> S. Müller, 1841 E: Blue-streaked Lory, F: Lori réticulé, S: Lori de las Tanimbar Indonesia (br) [393]: Lesser Sunda Is, Moluccas				
<i>Eos semilarvata</i> Bonaparte, 1850	II	B	LC	595, 713, 1254, 1410
E: Blue-eared Lory, F: Lori masqué, S: Lori de Seram Indonesia (br) [393]: Moluccas				
<i>Eos squamata</i> (Boddaert, 1783)	II	B	LC	713, 958, 1242
Synonym: <i>Psittacus squamatus</i> Boddaert, 1783 E: Moluccan Red Lory, Violet-necked Lory, F: Lori écaillé, S: Lori escamoso Indonesia (br) [393]: Irian Jaya, Moluccas				
<i>Glossopsitta concinna</i> (Shaw, 1791)	II	B	LC	713, 1288
Synonym: <i>Psittacus concinnus</i> Shaw, 1791 E: Musk Lorikeet, F: Lori à bandeau rouge, Lori musc, S: Lori almizclero Australia (br) [477]				
<i>Glossopsitta porphyrocephala</i> (Dietrichsen, 1837)	II	B	LC	713, 1288
Synonym: <i>Trichoglossus porphyrocephalus</i> Dietrichsen, 1837 E: Purple-crowned Lorikeet, F: Lori à couronne pourpre, S: Lori coronipúrpura Australia (br) [477]				

Glossopsitta pusilla (Shaw, 1790)	II	B	LC	713, 1288
Synonym: <i>Psittacus pusillus</i> Shaw, 1790				
E: Little Lorikeet, F: Lori à masque rouge, Petit lori musc, S: Lori carirrojo				
Australia (br) [477]				
Lorius albidiinuchus	II	B		595, 713, 1242, 1254, 7806
(Rothschild & Hartert, 1924)				
Synonym: <i>Domicella albidiinucha</i> Rothschild & Hartert, 1924				
E: White-naped Lory, F: Lori à nuque blanche, S: Lori nuquiblanco				
Papua New Guinea (br): Bismarck Archipelago				
Lorius chlorocercus Gould, 1856	II	B	LC	713, 1254
Synonym: <i>Domicella chlorocercus</i> (Gould, 1856)				
E: Yellow-bibbed Lory, F: Lori à collier jaune, S: Lori acollarado				
Solomon Islands (br) [5260]				
Lorius domicella (Linnaeus, 1758)	II	B	VU	595, 713, 958, 1254, 1410
Synonyms: <i>Psittacus domicella</i> Linnaeus, 1758, <i>Lorius tibialis</i> Sclater, 1871, <i>Domicella domicella</i> (Linnaeus, 1758), <i>Domicella tibialis</i> (Sclater, 1871)				
E: Purple-capped Lory, Purple-naped Lory, F: Lori des dames, S: Lori damisela				
Indonesia (br) [393]: Moluccas				
Lorius garrulus (Linnaeus, 1758)	II	B	EN	595, 713, 958, 1254
Synonyms: <i>Psittacus garrulus</i> Linnaeus, 1758, <i>Domicella garrula</i> (Linnaeus, 1758)				
E: Chattering Lory, Yellow-backed Lory, F: Lori noira, S: Lori górrulo				
Indonesia (br) [393]: Moluccas				
Lorius hypoinochrous G. R. Gray, 1859	II	B	LC	713, 1242
Synonyms: <i>Lorius amabilis</i> Stresemann, 1931, <i>Domicella hypoinochroa</i> (G. R. Gray, 1859), <i>Domicella amabilis</i> (Stresemann, 1931)				
E: Eastern Black-capped Lory, Purple-bellied Lory, F: Lori à ventre violet, S: Lori ventrивinoso				
Papua New Guinea (br): Papua New Guinea, Bismarck Archipelago				
Lorius lory (Linnaeus, 1758)	II	B	LC	713, 1242
Synonyms: <i>Psittacus lory</i> Linnaeus, 1758, <i>Domicella lory</i> (Linnaeus, 1758)				
E: Black-capped Lory, Western Black-capped Lory, F: Lori des Moluques, Lori tricolore, S: Lori tricolor				
Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)				
Neopsittacus musschenbroekii	II	B	LC	713, 1242
(Schlegel, 1871)				
Synonym: <i>Nanodes musschenbroekii</i> Schlegel, 1871				
E: Musschenbroek's Lorikeet, Yellow-billed Lorikeet, F: Lori de Musschenbroek, S: Lori montano grande				
Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)				
Neopsittacus pullicauda Hartert, 1896	II	B	LC	713
E: Emerald Lorikeet, Orange-billed Lorikeet, F: Lori émeraude, S: Lori montano chico				
Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)				
Oreopsittacus arfaki (A. B. Meyer, 1874)	II	B	LC	713, 1242
Synonym: <i>Trichoglossus arfaki</i> A. B. Meyer, 1874				
E: Plum-faced Lorikeet, Whiskered Lorikeet, F: Lori bridé, Lori des montagnes, S: Lori bigotudo				
Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br) [7109]				
Phigys solitarius (Suckow, 1800)	II	B	LC	713, 1171
Synonym: <i>Psittacus solitarius</i> Suckow, 1800				
E: Collared Lory, F: Lori des Fidji, Lori solitaire des îles Fidji, S: Lori solitario				
Fiji (br) [1171]				
Pseudeos fuscata (Blyth, 1858)	II	B	LC	713
Synonym: <i>Eos fuscata</i> Blyth, 1858				
E: Dusky Lory, F: Lori orange sombre, Lori sombre, S: Lori sombrío				
Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)				
Psitteuteles goldiei Sharpe, 1882	II	B	LC	713

Synonym: *Trichoglossus goldiei* Sharpe, 1882
 E: Goldie's Lorikeet, F: Loriquet de Goldie, S: Lori de Goldie
 Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)

Psitteuteles iris (Temminck, 1835) II B NT 595, 713
 Synonyms: *Psittacus iris* Temminck, 1835, *Trichoglossus iris* (Temminck, 1835)
 E: Iris Lorikeet, Iris Lory, F: Loriquet iris, S: Lori iris
 Indonesia (br) [393]: Lesser Sunda Is; Timor-Leste (br)

Psitteuteles versicolor (Lear, 1831) II B LC 713, 1288
 Synonym: *Trichoglossus versicolor* Lear, 1831
 E: Varied Lorikeet, F: Loriquet versicolore, S: Lori versicolor
 Australia (br) [477]

Trichoglossus chlorolepidotus (Kuhl, 1820) II B LC 713, 1288
 Synonym: *Psittacus chlorolepidotus* Kuhl, 1820
 E: Scaly-breasted Lorikeet, F: Loriquet vert, S: Lori escuamiverde
 Australia (br) [477]

Trichoglossus euteles (Temminck, 1835) II B LC 713, 1254
 Synonym: *Psittacus euteles* Temminck, 1835
 E: Olive-headed Lorikeet, Perfect Lorikeet, F: Loriquet eutèle, S: Lori humilde
 Indonesia (br) [393]: Lesser Sunda Is; Timor-Leste (br) [13131]

Trichoglossus flavoviridis Wallace, 1863 II B LC 713
 Synonym: *Psitteuteles flavoviridis* (Wallace, 1863)
 E: Meyer's Lorikeet, Yellow-and-green Lorikeet, F: Loriquet jaune et vert, S: Lori verdigualdo
 Indonesia (br) [393, 7262]: Sulawesi

Trichoglossus haematodus (Linnaeus, 1771) II B LC 713, 1242, 1254, 1288
 Synonyms: *Psittacus haematodus* Linnaeus, 1771, *Trichoglossus weberi* (Büttikofer, 1894), *Trichoglossus rubratorquis* Vigors & Horsfield, 1827, *Trichoglossus haematodus rubratorquis* Vigors & Horsfield, 1827, *Trichoglossus capistratus* (Bechstein, 1811), *Trichoglossus forsteni* Bonaparte, 1850
 E: Green-naped Lorikeet, Rainbow Lorikeet, Rainbow Lory, F: Loriquet à tête bleue, S: Lori arcoiris
 Australia (br) [477]; Hong Kong, China (int, br); Indonesia (br) [393]: Bali, Irian Jaya, Lesser Sunda Is, Moluccas, Sulawesi; New Caledonia (br) [5260]; Papua New Guinea (br); Solomon Islands (br) [5260, 13119]; Timor-Leste; Vanuatu (br) [5260]

Trichoglossus johnstoniae Hartert, 1903 II B NT 595, 713, 1254
 Synonym: *Psitteuteles johnstoniae* (Hartert, 1903)
 E: Johnstone's Lorikeet, Mindanao Lorikeet, F: Loriquet de Johnstone, S: Lori de Mindanao
 Philippines (br) [1166, 5270]

Trichoglossus ornatus (Linnaeus, 1758) II B LC 713, 1410
 Synonym: *Psittacus ornatus* Linnaeus, 1758
 E: Ornate Lorikeet, Ornate Lory, F: Loriquet orné, S: Lori adornado
 Indonesia (br) [393, 7262]: Sulawesi

Trichoglossus rubiginosus
 (Bonaparte, 1850) II B LC 713
 Synonym: *Chalcopsitta rubiginosa* Bonaparte, 1850
 E: Pohnpei Lorikeet, Pohnpei Lory, F: Loriquet de Ponapé, S: Lori de Ponapé
 Micronesia (Federated States of) (br) [1171]: Micronesia Federated States [1171]

Vini australis (Gmelin, 1788) II A LC 713, 1171, 1254
 Synonym: *Psittacus australis* Gmelin, 1788
 E: Blue-crowned Lorikeet, F: Lori fringillaire, S: Lori de Samoa
 American Samoa (br) [1394]; Fiji (br) [1171]; Niue (br) [1171]; Samoa (br) [1394]; Tonga (br) [1171]; Wallis and Futuna (br)

Vini kuhlii (Vigors, 1824) II A EN 595, 713, 846, 1171, 1254
 Synonym: *Psittacula kuhlii* Vigors, 1824
 E: Kuhl's Lorikeet, Scarlet-breasted Lorikeet, F: Lori de Kuhl, S: Lori de Rimitara
 French Polynesia (br) [1171]: Tubuai Is (br) [1171]; Kiribati (int, br) [503]

Vini peruviana (P. L. S. Müller, 1776)	II	A	VU	595, 713, 846, 931, 1171, 1254
Synonym: <i>Psittacus peruvianus</i> P. L. S. Müller, 1776 E: Blue Lorikeet, Tahitian Lorikeet, F: Lori nonnette, S: Lori monjita Cook Islands (br) [1171]; French Polynesia (br) [1171]; Society Is (ex, br) [1171], Tuamotu Is (br) [1171]				
Vini stepheni (North, 1908)	II	A	VU	595, 713, 1254
Synonym: <i>Calliptilus stepheni</i> North, 1908 E: Henderson Lorikeet, Stephen's Lorikeet, F: Lori de Stephen, S: Lori de Stephen Pitcairn Island (br) [1171, 13179, 25480]				
Vini ultramarina (Kuhl, 1820)	I	A	EN	410, 595, 713, 846, 931, 1254
Synonym: <i>Psittacus ultramarinus</i> Kuhl, 1820 E: Ultramarine Lorikeet, Ultramarine Lory, F: Lori ultramarin, S: Lori ultramar French Polynesia (br) [1171]; Marquesas (br) [1171]				
Family:	CACATUIDAE			
Cacatua alba (P. L. S. Müller, 1776)	II	B	VU	593, 595, 713, 958, 1254, 1410
Synonyms: <i>Psittacus albus</i> P. L. S. Müller, 1776, <i>Kakatoe alba</i> (P. L. S. Müller, 1776) E: Umbrella Cockatoo, White Cockatoo, F: Cacatoès à huppe blanche, Cacatoès blanc, S: Cacatúa alba, Cacatúa blanca Indonesia (br) [393]: Moluccas				
CITES Identification Manual Reference:	A-218.002.001.002			
Cacatua ducorpii Pucheran, 1853	II	B	LC	593, 713
Synonyms: <i>Plyctolophus ducrops</i> Bonaparte, 1850, <i>Kakatoe ducrops</i> (Bonaparte, 1850) E: Ducorp's Cockatoo, F: Cacatoès de Ducorp, S: Cacatúa de Ducorp Papua New Guinea (br); Solomon Islands (br) [5260, 13119]				
CITES Identification Manual Reference:	A-218.002.001.003			
Cacatua galerita (Latham, 1790)	II	B	LC	713, 1288
Synonyms: <i>Psittacus galeritus</i> Latham, 1790, <i>Kakatoe galerita</i> (Latham, 1790) E: Greater Sulphur-crested Cockatoo, Sulphur-crested Cockatoo, F: Cacatoès à huppe jaune, Grand cacatoès à huppe jaune, S: Cacatúa de cresta amarilla grande Australia (br) [477]; Indonesia (br) [393, 1410]; Irian Jaya, Moluccas; New Zealand (int, br) [975, 1351]; Papua New Guinea (br); Singapore (int, br) [791]				
CITES Identification Manual Reference:	A-218.002.001.004			
Cacatua goffini (Finsch, 1863)	I	A	NT	548, 562, 593, 595, 713, 1254, 1410
Synonyms: <i>Kakatoe sanguinea goffini</i> (Finsch, 1863), <i>Lophochroa goffini</i> Finsch, 1863 E: Goffin's Cockatoo, Tanimbar Cockatoo, Tanimbar Corella, F: Cacatoès de Goffin, S: Cacatúa de Goffin Indonesia (br) [393]: Lesser Sunda Is, Moluccas				
CITES Identification Manual Reference:	A-218.002.001.005			
Cacatua haematuropygia (Müller, 1776)	I	A	CR	593, 595, 713, 1254
Synonyms: <i>Psittacus haematuropygius</i> P. L. S. Müller, 1776, <i>Kakatoe haematuropygia</i> (P. L. S. Müller, 1776) E: Philippine Cockatoo, Red-vented Cockatoo, F: Cacatoès à ventre rouge, Cacatoès des Philippines, S: Cacatúa de cola sangrante Philippines (br) [5270, 10364]				
CITES Identification Manual Reference:	A-218.002.001.006			
Cacatua leadbeateri (Vigors, 1831)	II	B	LC	595, 713, 1254, 1288
Synonyms: <i>Plyctolophus leadbeateri</i> Vigors, 1831, <i>Kakatoe leadbeateri</i> (Vigors, 1831) E: Leadbeater's Cockatoo, Major Mitchell's Cockatoo, Pink Cockatoo, F: Cacatoès de Leadbeater, S: Cacatúa de Leadbeater, Cacatúa inca Australia (br) [477]				
CITES Identification Manual Reference:	A-218.002.001.007			

Cacatua moluccensis (Gmelin, 1788)	I	A	VU	593, 595, 713, 1254, 1410
Synonyms: <i>Psittacus moluccensis</i> Gmelin, 1788, <i>Kakatoe moluccensis</i> (Gmelin, 1788) E: Moluccan Cockatoo, Salmon-crested Cockatoo, F: Cacatoès à huppe rouge, Cacatoès des Moluques, S: Cacatúa de las Molucas Indonesia (br) [393]: Moluccas; Singapore (int, br) [791]				
CITES Identification Manual Reference:				A-218.002.001.008
Cacatua ophthalmica Sclater, 1864	II	B	LC	593, 713, 1254
Synonym: <i>Kakatoe galerita ophthalmica</i> (Sclater, 1864) E: Blue-eyed Cockatoo, F: Cacatoès à oeil bleu, Cacatoès aux yeux bleus, S: Cacatúa oftálmica Papua New Guinea (br) [12649]: Bismarck Archipelago				
CITES Identification Manual Reference:				A-218.002.001.009
Cacatua pastinator (Gould, 1841)	II	B	LC	595, 713, 9325
Synonyms: <i>Cacatua tenuirostris pastinator</i> (Gould, 1841), <i>Kakatoe tenuirostris pastinator</i> (Gould, 1841), <i>Licmetis pastinator</i> Gould, 1841 E: Western Corella, F: Cacatoès à lores rouges, Cacatoès aux yeux nus, Cacatoès laboureur, S: Cacatúa de pico afilado Australia (br) [477]				
CITES Identification Manual Reference:				A-218.002.001.010
Cacatua sanguinea Gould, 1843	II	B	LC	713, 1288
Synonym: <i>Kakatoe sanguinea</i> (Gould, 1843) E: Bare-eyed Cockatoo, Little Cockatoo, Little Corella, F: Cacatoès corella Australia (br) [477]; ?Indonesia (br) [393]: Irian Jaya; ?Papua New Guinea (br); Singapore (int, br) [791]				
Cacatua sulphurea (Gmelin, 1788)	I	A	CR	593, 595, 713, 1410
Synonyms: <i>Psittacus sulphureus</i> Gmelin, 1788, <i>Kakatoe sulphurea</i> (Gmelin, 1788) E: Lesser Sulphur-crested Cockatoo, Yellow-crested Cockatoo, F: Cacatoès soufré, Petit cacatoès à huppe jaune Hong Kong, China (int, br); Indonesia (br) [393, 549, 550]: Bali, Jawa, Lesser Sunda Is, Sulawesi; Singapore (int, br) [791]; Timor-Leste (br)				
CITES Identification Manual Reference:				A-218.002.001.011
Cacatua tenuirostris (Kuhl, 1820)	II	B	LC	713, 1288, 7867
Synonyms: <i>Psittacus tenuirostris</i> Kuhl, 1820, <i>Kakatoe tenuirostris</i> (Kuhl, 1820) E: Long-billed Corella, F: Cacatoès à bec gracie, Cacatoès nasique, S: Cacatúa de pico afilado anaranjada Australia (br) [477]				
CITES Identification Manual Reference:				A-218.002.001.012
Callocephalon fimbriatum (J. Grant, 1803)	II	B	LC	713, 1288
Synonym: <i>Psittacus fimbriatus</i> J. Grant, 1803 E: Gang-gang Cockatoo, F: Cacatoès à tête rouge, Cacatoès casqué, S: Cacatúa de cabeza roja, Gan-Gan Australia (br) [477]				
CITES Identification Manual Reference:				A-218.002.002.001
Calyptorhynchus banksii (Latham, 1790)	II	B	LC	713, 1254, 1288, 9325, 9326
Synonyms: <i>Psittacus magnificus</i> Shaw, 1790, <i>Psittacus banksii</i> Latham, 1790, <i>Calyptorhynchus magnificus</i> Shaw, 1790 E: Red-tailed Black-Cockatoo, F: Cacatoès banksien, Cacatoès de Banks, S: Cacatúa de cola roja, Cacatúa negra de cola roja Australia (br) [477]				
CITES Identification Manual Reference:				A-218.002.003.004
Calyptorhynchus baudinii Lear, 1832	II	B	NT	595, 713, 1254, 1288
Synonym: <i>Calyptorhynchus funereus baudinii</i> Lear, 1832 E: Long-billed Black-Cockatoo, White-tailed Black-Cockatoo, White-tailed Black-cockatoo, F: Cacatoès de Baudin Australia (br) [477]				
Calyptorhynchus funereus (Shaw, 1794)	II	B	LC	713, 1288

Synonym: *Psittacus funereus* Shaw, 1794
 E: Yellow-tailed Black-Cockatoo, F: Cacatoès à oreilles blanches, Cacatoès à oreilles jaunes, Cacatoès funèbre, S: Cacatúa negra de cola amarilla
 Australia (br) [477]

CITES Identification Manual Reference: A-218.002.003.002

Calyptorhynchus lathami (Temminck, 1807) II B LC 595, 713, 1288, 9325

Synonym: *Psittacus lathami* Temminck, 1807
 E: Glossy Black-Cockatoo, Glossy Black-cockatoo, F: Cacatoès à tête brune, Cacatoès de Latham,
 S: Cacatúa negra de Latham
 Australia (br) [477]

CITES Identification Manual Reference: A-218.002.003.003

Calyptorhynchus latirostris Carnaby, 1948 II B EN 595, 713, 9325

E: Short-billed Black-Cockatoo, Slender-billed Black-Cockatoo, F: Cacatoès à rectrices blanches
 Australia (br) [477]

Eolophus roseicapillus (Vieillot, 1817) II B 713, 1288, 7806

Synonyms: *Cacatua roseicapilla* Vieillot, 1817, *Kakatoe roseicapilla* (Vieillot, 1817)
 E: Galah, Roseate Cockatoo, F: Cacatoès rosalbin, S: Cacatúa rosada
 Australia (br) [477]

CITES Identification Manual Reference: A-218.002.004.001

Probosciger aterrimus (Gmelin, 1788) I A LC 595, 713, 1288

Synonym: *Psittacus aterrimus* Gmelin, 1788
 E: Palm Cockatoo, F: Cacatoès noir, Microglosse noir, S: Cacatúa enlutada
 Australia (br) [477]; Indonesia (br) [393]; Irian Jaya; Papua New Guinea (br)
 CITES Identification Manual Reference: A-218.002.005.001

Family: PSITTACIDAE

Agapornis canus (Gmelin, 1788) II B LC 713, 1292

Synonym: *Psittacus canus* Gmelin, 1788
 E: Grey-headed Lovebird, Madagascar Lovebird, F: Inséparable à tête grise, S: Inseparable malgache
 Comoros (int, br) [659]; Madagascar (br) [633, 5249]; Mauritius (ex, int): Mauritius (ex, int), Rodrigues (ex, int) [7810]; Mayotte (int, br); Seychelles (ex, br) [659]

Agapornis fischeri Reichenow, 1887 II B NT 511, 595, 713, 723, 1254, 1292

E: Fischer's Lovebird, F: Inséparable de Fischer, Perruche de Fischer, S: Inseparable de Fischer
 Burundi (v) [659, 25523]; Kenya (int, br) [5253, 25179]; Rwanda (v) [659]; United Republic of Tanzania (br) [659, 25179]

Agapornis lilianae Shelley, 1894 II B NT 573, 713, 723, 1254, 1292

E: Lilian's Lovebird, Nyasa Lovebird, F: Inséparable de Lilian, Perruche de Lilian, S: Inseparable del-Nyasa
 Malawi (br?) [1103]; Mozambique (br?) [659]; United Republic of Tanzania (br?) [659]; Zambia (br?) [659];
 Zimbabwe (br?) [659]

Agapornis nigrigenis W. L. Sclater, 1906 II B VU 573, 595, 597, 713, 1254, 1292, 10146

Synonym: *Agapornis lilianae nigrigenis* Sclater, 1906
 E: Black-cheeked Lovebird, F: Inséparable à joues noires, Perruche à joue noire, S: Inseparable cachetón
 Botswana [1102]; Namibia [659]; Zambia (br) [659, 7866]; Zimbabwe (ex?, br) [659]

Agapornis personatus Reichenow, 1887 II B LC 511, 713, 723, 1292

E: Black-masked Lovebird, Masked Lovebird, Yellow-collared Lovebird, F: Inséparable masqué, Perruche
 masquée, S: Inseparable cabecinegro
 Burundi (int, br) [659]; Kenya (int, br) [5253]; United Republic of Tanzania (br) [659, 25179]

Agapornis pullarius (Linnaeus, 1758) II B LC 511, 713, 723, 1256, 1292

Synonym: *Psittacus pullarius* Linnaeus, 1758

E: Red-faced Lovebird, Red-headed Lovebird, F: Inséparable à tête rouge, Perruche à tête rouge,
 S: Inseparable carirrojo
 Angola (br?) [5267]; Benin (br?) [659]; Burundi (br) [659, 25523]; Cameroon (br?) [659]; Central African Republic (br) [659]; Chad (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br?) [1334]; Democratic Republic of the Congo (br?) [25489]; Equatorial Guinea (br) [659, 1183]; Equatorial Guinea, Bioko; Ethiopia (br?) [659]; Gabon (br?) [659]; Ghana (br?) [782]; Guinea (br) [659, 1078, 10590, 11437, 11442]; Kenya (br?) [5253]; Liberia (int, br?) [5246]; Mali [6906]; Niger; Nigeria (br); Rwanda (br) [659]; São Tomé and Príncipe (br) [659]; Sierra Leone (br) [659]; Sudan (br?) [659]; Togo (br?) [5254]; Uganda (br?) [659]; United Republic of Tanzania (br?) [659]

Agapornis swindernianus (Kuhl, 1820) II B LC 511, 713, 723, 1254, 1256, 1292

Synonym: *Psittacus swindernianus* Kuhl, 1820

E: Black-collared Lovebird, F: Inséparable à collier noir, Inséparable de Swindern, Perruche de Swindern,
 S: Inseparable acollarado, Inseparable de collera
 Cameroon (br?) [659, 25374, 25376, 25382]; Central African Republic (br?) [659, 11929]; Congo (br?) [659]; Côte d'Ivoire (br?) [1334, 25471]; Democratic Republic of the Congo (br) [25489]; Equatorial Guinea [6426]; Gabon (br) [659]; Ghana (br?) [782]; Liberia (br?) [5246]; Uganda (br?) [659]

Agapornis taranta (Stanley, 1814) II B LC 713, 723, 1292

Synonym: *Psittacus taranta* Stanley, 1814

E: Abyssinian Lovebird, Black-winged Lovebird, F: Inséparable d'Abyssinie, S: Inseparable abisinio
 Eritrea (br?) [659, 7046]; Ethiopia (br) [659]

Alisterus amboinensis (Linnaeus, 1766) II B LC 595, 713, 1254

Synonym: *Psittacus amboinensis* Linnaeus, 1766

E: Ambo King-Parrot, Moluccan King-Parrot, F: Perruche tricolore, S: Papagayo moluqueño
 Indonesia (br) [393]: Irian Jaya [1410], Moluccas, Sulawesi

Alisterus chloropterus (Ramsay, 1879) II B LC 713, 1254

Synonym: *Aprosmictus chloropterus* Ramsay, 1879

E: Green-winged King-Parrot, Papuan King-Parrot, F: Perruche à ailes vertes, S: Papagayo papú
 Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)

Alisterus scapularis (Lichtenstein, 1818) II B LC 713, 1288

Synonym: *Psittacus scapularis* Lichtenstein, 1818

E: Australian King-Parrot, F: Perruche royale, S: Papagayo australiano
 Australia (br) [477]

Amazona aestiva (Linnaeus, 1758) II B LC 713, 1068, 1194

Synonym: *Psittacus aestivus* Linnaeus, 1758

E: Blue-fronted Amazon, Blue-fronted Parrot, Turquoise-fronted Parrot, F: Amazone à front bleu,
 S: Amazona frentiazul, Loro hablador

Argentina (br) [465, 5291, 10249]; Bolivia (br) [1186]; Brazil (br) [6186, 6292]; Paraguay (br) [5295]

CITES Identification Manual Reference: A-218.003.005.002

Amazona agilis (Linnaeus, 1758) II B VU 387, 485, 595, 713, 1254, 12650

Synonym: *Psittacus agilis* Linnaeus, 1758

E: Black-billed Amazon, Black-billed Parrot, F: Amazone agile, Amazone verte, S: Amazona jamaicana
 piquioscura, Amazónico activo, Amazónico jamaica, Amazónico todo verde
 Jamaica (br) [657]

CITES Identification Manual Reference: A-218.003.005.003

Amazona albifrons (Sparrman, 1788) II B LC 387, 713, 1194

Synonym: *Psittacus albifrons* Sparrman, 1788

E: White-fronted Amazon, White-fronted Parrot, F: Amazone à front blanc, S: Amazona frentialba, Loro
 frente blanca, Perico manglero
 Belize (br) [5241]; Costa Rica (br) [1311]; El Salvador (ex?, br) [5241]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [5241, 6648]; Nicaragua (br) [1195]

CITES Identification Manual Reference: A-218.003.005.004

Amazona amazonica (Linnaeus, 1766) II B LC 713, 1068, 1194

Synonym: *Psittacus amazonicus* Linnaeus, 1766

E: Orange-winged Amazon, Orange-winged Parrot, F: Amazone à ailes oranges, Amazone à ailes vertes,
 Amazone aourou, S: Amazona alinaranja, Loro guaro

Bolivia (br) [1186]; Brazil (br) [6186, 25280]; Colombia (br) [837]; Ecuador (br) [5294, 12877]; French Guiana (br) [1349]; Guyana (br) [1295, 25537]; Netherlands Antilles (int, br): Curaçao (int, br); Peru (br) [1136]; Puerto Rico (int, br) [1176]; Suriname (br) [5296]; Trinidad and Tobago (br) [703]; Venezuela (br) [1070, 8231]

CITES Identification Manual Reference:

A-218.003.005.005

Amazona arausiaca (Müller, 1776)

I A VU 387, 485, 595, 598, 685, 713, 931, 1254

Synonym: *Psittacus arausiacus* P. L. S. Müller, 1766

E: Jacquot, Red-necked Amazon, Red-necked Parrot, F: Amazone à cou rouge, Amazone de Bouquet, S: Amazona cabenazul, Amazona cabeza azul, Amazona gorgirroja
Dominica (br) [5242]

CITES Identification Manual Reference:

A-218.003.005.006

Amazona autumnalis (Linnaeus, 1758)

II B LC 387, 713, 1068, 1194

Synonym: *Psittacus autumnalis* Linnaeus, 1758

E: Red-lored Amazon, Red-lored Parrot, F: Amazone à joues jaunes, Amazone diadème, S: Amazona frentirroja, Cotorra cucha, Loro frente roja, Loro frentirrojo
Belize (br) [5241]; Brazil (br) [6186]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294]; Guatemala (br) [5241]; Honduras (br) [1076, 6231]; Mexico (br) [5241, 6648, 12877]; Tamaulipas [12877]; Nicaragua (br) [1195]; Panama (br) [1195]; Venezuela (br) [1070, 11385]

CITES Identification Manual Reference:

A-218.003.005.007

Amazona barbadensis (Gmelin, 1788)

I A VU 595, 598, 713, 1068, 1194, 1254

Synonym: *Psittacus barbadensis* Gmelin, 1788

E: Yellow-shouldered Amazon, Yellow-shouldered Parrot, F: Amazone à épaulettes jaunes, Amazone de la Barbade, S: Amazona de espalda amarilla, Amazona hombroqualda, Cotorra cabeciamarilla, Loro de Barbados

Aruba (ex?, br) [1380]; Netherlands Antilles (br): Bonaire (br); Venezuela (br) [1070, 1214, 1277, 1373]

CITES Identification Manual Reference:

A-218.003.005.008

Amazona brasiliensis (Linnaeus, 1758)

I A VU 595, 598, 713, 931, 1068, 1142, 1194, 1240

Synonym: *Psittacus brasiliensis* Linnaeus, 1758

E: Red-tailed Amazon, Red-tailed Parrot, F: Amazone à joues bleues, Amazone à queue rouge, Amazone du Brésil, S: Amazona colirroja, Loro brasileño, Loro cariazul, Papagayo de cara roja
Brazil (br) [6186, 7118]; Uruguay [25534]

CITES Identification Manual Reference:

A-218.003.005.009

Amazona collaria (Linnaeus, 1758)

II B VU 387, 485, 595, 713, 1254, 12650

Synonym: *Psittacus collaris* Linnaeus, 1758

E: Yellow-billed Amazon, Yellow-billed Parrot, F: Amazone de la Jamaïque, Amazone sasabé, S: Amazona jamaicana piquiclara, Loro de Jamaica
Jamaica (br) [657]

CITES Identification Manual Reference:

A-218.003.005.010

Amazona dufresniana (Shaw, 1812)

II B NT 595, 713, 1068, 1194

Synonym: *Psittacus dufresnianus* Shaw, 1812

E: Blue-cheeked Amazon, Blue-cheeked Parrot, F: Amazone à joues bleues, Amazone de Dufresne, S: Amazona cariazul, Loro cariazul
?Brazil [6186]; French Guiana (br) [1349]; Guyana (br) [1295, 25537]; Suriname (br) [5296]; Venezuela (br) [1070]

CITES Identification Manual Reference:

A-218.003.005.011a

Amazona farinosa (Boddaert, 1783)

II B LC 387, 713, 1068, 1194

Synonym: *Psittacus farinosus* Boddaert, 1783

E: Mealy Amazon, Mealy Parrot, F: Amazone farineuse, Amazone poudrée, S: Amazona harinosa, Loro burrón, Loro cabeza azul, Loro verde
Belize (br) [5241]; Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294]; French Guiana (br) [1349]; Guatemala (br) [5241]; Guyana (br) [1295, 25537]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]; Peru (br) [1136]; Suriname (br) [5296]; Venezuela (br) [1070]

CITES Identification Manual Reference:

A-218.003.005.012

Amazona festiva (Linnaeus, 1758)	II	B	LC	713, 1068, 1194
Synonym: <i>Psittacus festivus</i> Linnaeus, 1758				
E: Festive Amazon, Festive Parrot, F: Amazone festive, Amazone tavoua, S: Amazona festiva, Loro lomirrojo				
Brazil (br) [6186]; Colombia (br) [837]; Ecuador (br?) [5294]; Guyana (br) [1295, 25537]; Peru (br) [1136];				
Venezuela (br) [1070]				
CITES Identification Manual Reference:	A-218.003.005.013			
Amazona finschi (Sclater, 1864)	I	A	LC	387, 595, 713
Synonym: <i>Chrysotis finschi</i> Sclater, 1864				
E: Lilac-crowned Amazon, Lilac-crowned Parrot, F: Amazone à couronne lilas, Amazone de Finsch,				
S: Amazona guayabera, Cotorra frente roja, Loro corona-violeta				
Mexico (br) [5241]				
CITES Identification Manual Reference:	A-218.003.005.014			
Amazona guildingii (Vigors, 1837)	I	A	VU	387, 485, 544, 595, 598, 713, 875, 876, 931, 956, 957, 1254
Synonym: <i>Psittacus guildingii</i> Vigors, 1837				
E: Saint Vincent Amazon, Saint Vincent Parrot, F: Amazone de Guilding, Amazone de Saint-Vincent,				
S: Amazona de San Vicente, Loro de San Vicente				
Saint Vincent and the Grenadines (br) [5242]				
CITES Identification Manual Reference:	A-218.003.005.015			
Amazona imperialis Richmond, 1899	I	A	EN	387, 485, 595, 598, 685, 713, 931
E: Imperial Amazon, Imperial Parrot, F: Amazone impériale, S: Amazona imperial, Loro imperial				
Dominica (br) [5242]				
CITES Identification Manual Reference:	A-218.003.005.016			
Amazona kawalli Grantsau & Camargo, 1989	II	B	LC	6453, 7864
E: Kawall's Amazon, Kawall's Parrot, White-faced Amazon, F: Amazone de Kawall, S: Amazona de Kawall				
Brazil (br) [6186]				
Amazona leucocephala (Linnaeus, 1758)	I	A	NT	387, 485, 595, 713, 931
Synonym: <i>Psittacus leucocephalus</i> Linnaeus, 1758				
E: Bahamas Parrot, Caribbean Amazon, Cuban Amazon, Cuban Parrot, F: Amazone à tête blanche,				
Amazone de Cuba, S: Amazona cubana, Amazona de Cuba, Loro de cabeza blanca				
Bahamas (br) [1297, 5242]; Cayman Islands (br) [25480]; Cuba (br) [5259, 9311]				
CITES Identification Manual Reference:	A-218.003.005.017			
Amazona mercenaria (Tschudi, 1844)	II	B	LC	713, 1068, 1194
Synonym: <i>Psittacus mercenarius</i> Tschudi, 1844				
E: Scaly-naped Amazon, Scaly-naped Parrot, F: Amazone mercenaire, S: Amazona mercenaria, Loro verde				
Argentina (v) [10249]; Bolivia (br) [1186]; Colombia (br) [837, 10120]; Ecuador (br) [5294]; Peru (br) [1136, 12669]; Venezuela (br) [1070, 6290]				
CITES Identification Manual Reference:	A-218.003.005.018			
Amazona ochrocephala (Gmelin, 1788)	I/II	A/B	LC	387, 713, 1068, 1142, 7055, 12877
Synonym: <i>Psittacus ochrocephalus</i> Gmelin, 1788				
E: Yellow-crowned Amazon, Yellow-crowned Parrot, Yellow-fronted Amazon, F: Amazone à front jaune,				
S: Amazona real, Loro cabeza amarilla, Loro mona amarilla, Loro nuca amarilla, Loro real				
Belize [12877]; Bolivia (br) [1186, 12877]; Brazil (br) [6186, 12877]; Colombia (br) [837, 12877]; Costa Rica [12877]; Ecuador (br) [5294, 12877]; French Guiana (br) [1349, 12877]; Guatemala [12653, 12877]; Guyana (br) [1295, 12877, 25537]; Honduras [12877]; Mexico [12877]; Nicaragua [12877]; Panama (br) [1195, 12877]; Peru (br) [1136, 12877]; Suriname (br) [5296, 12877]; Trinidad and Tobago (br?) [703, 12877]; Venezuela (br) [1070, 8231, 12877]				
CITES Identification Manual Reference:	A-218.003.005.019			
CITES Appendix II populations	II	B	LC	
Bolivia (br); Brazil (br); Colombia (br); Ecuador (br); French Guiana (br); Guyana (br); Panama (br); Peru (br); Suriname (br); Trinidad and Tobago (br?); Venezuela (br)				

Amazona ochrocephala europalliata (Lesson, 1842)	I	A	387, 713, 1142, 7055, 7144, 7145
Synonyms: <i>Psittacus europallatus</i> Lesson, 1842, <i>Amazona europalliata</i> (Lesson, 1842) E: Yellow-naped Amazon, Yellow-naped Parrot, F: Amazone à nuque d'or, S: Loro nuquiamarillo Belize (v) [8632]; Costa Rica (br) [1311, 12877]; El Salvador (br) [5241]; Guatemala (br) [5241]; Honduras (br) [1076, 6231]; Mexico [5241, 12877]; Chiapas [12877], Oaxaca; Nicaragua (br) [1195]			
Amazona ochrocephala belizensis Monroe & Howell, 1966 Belize [12877]	I	A	
Amazona ochrocephala caribaea Lousada, 1989 Honduras: Honduran Caribbean Is	I	A	
Amazona ochrocephala oratrix Ridgway, 1887	I	A	387, 490, 583, 595, 598, 713, 1142, 1254, 7055
Synonyms: <i>Amazona ochrocephala magna</i> Monroe & Howell, 1966, <i>Amazona oratrix</i> Ridgway, 1887 E: Yellow-headed Amazon, Yellow-headed Parrot, F: Amazone à tête jaune, S: Loro cabeciamarillo Belize (br) [5241]; Guatemala [5241, 6753]; Honduras (br) [1076, 6326]; Mexico (br) [1367, 5241, 12877]; Chiapas [12877], Tamaulipas [12877], Veracruz [12877]; Puerto Rico (int, br) [1176]			
Amazona ochrocephala parvipes Monroe & Howell, 1966 Honduras; Nicaragua	I	A	
Amazona ochrocephala tresmariae Nelson, 1900	I	A	
Synonym: <i>Amazona oratrix tresmariae</i> Nelson, 1900 Mexico [12877]: Nayarit [12877]			
Amazona pretrei (Temminck, 1830)	I	A	VU
Synonym: <i>Psittacus pretrei</i> Temminck, 1830 E: Red-spectacled Amazon, Red-spectacled Parrot, F: Amazone de Prêtre, S: Amazona cabecirroja, Amazona charao, Lora de cara roja, Loro cabecirrojo, Loro de cabeza roja Argentina (br) [465, 5291, 10249]; Brazil (br) [1270, 6186]; Paraguay (br) [5295, 6321]; ?Uruguay [5287]			595, 598, 713, 931, 1068, 1142, 1194, 1254, 1275
CITES Identification Manual Reference:			A-218.003.005.020
Amazona rhodocorytha (Salvadori, 1890)	I	A	EN
Synonyms: <i>Amazona dufresniana rhodocorytha</i> (Salvadori, 1890), <i>Chrysotis rhodocorytha</i> Salvadori, 1890 E: Red-browed Amazon, Red-browed Parrot, Red-topped Amazon, Red-topped Parrot, F: Amazone à couronne rouge, Amazone à sourcils rouges, S: Amazona coronirroja, Amazona crestirroja, Loro de mejillas azules Brazil (br) [6186, 25280]			595, 598, 713, 1068, 1194, 1252, 1254
CITES Identification Manual Reference:			A-218.003.005.011
Amazona tucumana (Cabanis, 1885)	I	A	LC
Synonyms: <i>Amazona pretrei tucumana</i> (Cabanis, 1885), <i>Chrysotis tucumana</i> Cabanis, 1885 E: Alder Parrot, Tucuman Amazon, Tucuman Parrot, F: Amazone de Tucuman, S: Amazona tucumana, Loro aliserio Argentina (br) [465, 5291, 10249]; Bolivia (br) [1186, 5116, 7090]			713, 1068, 1142
CITES Identification Manual Reference:			A-218.003.005.021
Amazona ventralis (Müller, 1776)	II	B	VU
Synonym: <i>Psittacus ventralis</i> P. L. S. Müller, 1776 E: Hispaniolan Amazon, Hispaniolan Parrot, F: Amazone de San Domingo, Amazone d'Hispaniola, S: Amazona de la Española, Cotorra, Loro de la Española Dominican Republic (br) [1312]; Haiti (br) [1408]; Puerto Rico (int, br) [1176]			387, 485, 595, 713, 1142, 1254
CITES Identification Manual Reference:			A-218.003.005.022

Amazona versicolor (P. L. S. Müller, 1776)	I	A	VU	387, 485, 543, 545, 546, 595, 598, 713, 876, 877, 878, 931
Synonym: <i>Psittacus versicolor</i> P. L. S. Müller, 1776				
E: Saint Lucia Amazon, Saint Lucia Parrot, F: Amazone de Sainte-Lucie, Amazone versicolore, S: Amazona de Santa Lucía, Loro multicolor				
Saint Lucia (br) [5251]				
CITES Identification Manual Reference:			A-218.003.005.023	
Amazona vinacea (Kuhl, 1820)	I	A	VU	595, 598, 713, 1068, 1142, 1194, 1254
Synonym: <i>Psittacus vinaceus</i> Kuhl, 1820				
E: Vinaceous Amazon, Vinaceous Parrot, F: Amazone bourgogne, Amazone vineuse, S: Amazona pechivinosa, Amazona vinosa, Loro malva, Loro pechivinoso, Loro pecho vinoso				
Argentina (br) [465, 5291, 10249]; Brazil (br) [6186]; Paraguay (br) [5295]				
CITES Identification Manual Reference:			A-218.003.005.024	
Amazona viridigenalis (Cassin, 1853)	I	A	EN	387, 595, 598, 713, 1142, 1194, 1254
Synonym: <i>Chrysotis viridigenalis</i> Cassin, 1853				
E: Green-cheeked Amazon, Green-cheeked Parrot, Red-crowned Amazon, Red-crowned Parrot, F: Amazone à joues vertes, S: Amapola, Amazona tamaulipeco, Loro cabeza roja, Loro famaulipeco				
Mexico (br) [582, 5241, 12877]; Tamaulipas [12877]; Puerto Rico (int, br) [1176]; United States (int, br) [387]				
CITES Identification Manual Reference:			A-218.003.005.025	
Amazona vittata (Boddaert, 1783)	I	A	CR	387, 485, 512, 595, 598, 713, 931, 979, 980, 992, 1071, 1142, 1254, 1298
Synonym: <i>Psittacus vittatus</i> Boddaert, 1783				
E: Puerto Rican Amazon, Puerto Rican Parrot, Red-fronted Amazon, F: Amazone à bandeau rouge, Amazone de Porto Rico, S: Amazona de Puerto Rico, Amazona portorriqueña, Loro de banda roja				
Puerto Rico (br) [1176]				
CITES Identification Manual Reference:			A-218.003.005.026	
Amazona xantholora (G. R. Gray, 1859)	II	B	LC	387, 713, 1142
Synonym: <i>Chrysotis xantholora</i> G. R. Gray, 1859				
E: Yellow-lored Amazon, Yellow-lored Parrot, Yucatan Parrot, F: Amazone à lores jaunes, Amazone du Yucatan, S: Amazona yucateca, Loro yucateco				
Belize (br) [5241]; ?Honduras [1076, 6231]; Mexico (br) [5241]				
CITES Identification Manual Reference:			A-218.003.005.027	
Amazona xanthops (Spix, 1824)	II	B	NT	595, 713, 1068, 1142
Synonym: <i>Psittacus xanthops</i> Spix, 1824				
E: Yellow-faced Amazon, Yellow-faced Parrot, F: Amazone à face jaune, S: Amazona de cara amarilla, Amazona del cerrado				
Bolivia (br) [1186, 1187]; Brazil (br) [1270, 6186, 7118]				
CITES Identification Manual Reference:			A-218.003.005.028	
Anodorhynchus glaucus (Vieillot, 1816)	I	A	CR	563, 595, 598, 713, 931, 1068, 1142, 1194, 1254, 6361
Synonym: <i>Macrocerus glaucus</i> Vieillot, 1816				
E: Glaucous Macaw, F: Ara bleu, Ara glauque, S: Ara azul, Guacamayo glauco, Guacamayo violáceo				
Argentina (ex?, br) [465, 5291, 10249]; Brazil (ex?, br) [6186]; Paraguay (ex, br) [5295]; ?Uruguay (ex, br) [5287, 25534]				
CITES Identification Manual Reference:			A-218.003.006.002	
Anodorhynchus hyacinthinus (Latham, 1790)	I	A	EN	577, 595, 598, 713, 1068, 1089, 1142, 1194, 1254, 1274, 6361
Synonym: <i>Psittacus hyacinthinus</i> Latham, 1790				
E: Hyacinth Macaw, F: Ara bleu, Ara hyacinthe, Ara jacinthe, S: Guacamayo azul, Guacamayo jacinto				
Bolivia (br) [1186, 5116]; Brazil (br) [784, 785, 1088, 1270, 6186, 10333]; Paraguay (br) [814, 5295, 6927]				
CITES Identification Manual Reference:			A-218.003.006.003	

Anodorhynchus leari Bonaparte, 1856	I	A	CR	499, 595, 598, 713, 803, 931, 1004, 1068, 1142, 1254, 1267, 1444
E: Indigo Macaw, Lear's Macaw, F: Ara cobalt, Ara de Lear, S: Guacamayo cobalto, Guacamayo de Lear Brazil (br) [6186]				
CITES Identification Manual Reference:				A-218.003.006.004
Aprosmictus erythropterus (Gmelin, 1788)	II	B	LC	713, 1288
Synonym: <i>Psittacus erythropterus</i> Gmelin, 1788				
E: Red-winged Parrot, F: Perruche érythropicte, S: Papagayo alirrojo Australia (br) [477]; Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)				
Aprosmictus jonquillaceus (Vieillot, 1818)	II	B	NT	595, 713, 1254, 1410
Synonym: <i>Psittacus jonquillaceus</i> Vieillot, 1818				
E: Olive-shouldered Parrot, Timor Red-winged Parrot, F: Perruche jonquille, S: Papagayo de Timor Indonesia (br) [393]: Lesser Sunda Is; Timor-Leste (br) [13131]				
Ara ambiguus (Bechstein, 1811)	I	A	VU	387, 713, 931, 1068, 1142, 1254
Synonym: <i>Psittacus ambiguus</i> Bechstein, 1811				
E: Buffon's Macaw, Great Green Macaw, F: Ara de Buffon, S: Guacamayo ambiguo, Guacamayo verde mayor Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294, 6418, 6684, 11475]; Honduras (br) [1025, 1076]; Nicaragua (br) [1195]; Panama (br) [1195]				
Ara ararauna (Linnaeus, 1758)	II	B	LC	713, 1068, 1142
Synonyms: <i>Psittacus ararauna</i> Linnaeus, 1758, <i>Sittace caninde</i> Wagler, 1832, <i>Ara caninde</i> Wagler, 1832				
E: Blue-and-gold Macaw, Blue-and-yellow Macaw, F: Ara bleu, S: Guacamayo azul y amarillo, Guacamayo azulamarillo Bolivia (br) [1186]; Brazil (br) [6186, 7118]; Colombia (br) [837]; Ecuador (br) [5294]; French Guiana (br) [1349]; Guyana (br) [1295, 25537]; Panama (br) [1195]; Paraguay (ex, br) [5295]; Peru (br) [1136]; Puerto Rico (int, br?) [1176]; Suriname (br) [5296]; Trinidad and Tobago (ex, br) [703]; Venezuela (br) [1070, 6810, 8231]				
Ara chloroptera G. R. Gray, 1859	II	B		387, 713, 1068, 1142
E: Green-winged Macaw, Red-and-green Macaw, F: Ara chloroptère, S: Guacamayo aliverde, Guacamayo rojo Argentina (ex, br) [465, 5291, 10249]; Bolivia (br) [1186, 7072]; Brazil (br) [6186, 7118]; Colombia (br) [837]; Ecuador (br) [5294, 13140]; French Guiana (br) [1349, 10252]; Guyana (br) [1295, 25537]; Panama (br) [1195]; Paraguay (br) [5295]; Peru (br) [1136]; Suriname (br) [5296]; Venezuela (br) [1070, 6925, 8231]				
Ara glaucogularis Dabbene, 1921	I	A	CR	409, 595, 598, 713, 860, 931, 964, 1068, 1142, 1254, 12652
E: Blue-throated Macaw, F: Ara à gorge bleue, Ara canindé, S: Guacamayo amarillo, Guacamayo barbazul, Guacamayo caninde ?Argentina [465]; Bolivia (br) [901, 1186, 1187, 5116]; ?Paraguay [5295]				
CITES Identification Manual Reference:				A-218.003.008.006
Ara macao (Linnaeus, 1758)	I	A	LC	387, 713, 1068, 1142
Synonym: <i>Psittacus macao</i> Linnaeus, 1758				
E: Scarlet Macaw, F: Ara macao, Ara rouge, S: Guacamayo bandera, Guacamayo macao, Lapa azul Belize (br) [5241]; Bolivia (br) [1186, 5116]; Brazil (br) [6186]; Colombia (br) [837]; Costa Rica (br) [1311, 12386]; Ecuador (br) [5294]; El Salvador (ex, br) [5241]; French Guiana (br) [1349]; Guatemala (br) [5241]; Guyana (br) [1295, 25537]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]; Peru (br) [1136]; Suriname (br) [5296]; ?Trinidad and Tobago (br) [703]; Venezuela (br) [1070, 8231]				
Ara militaris (Linnaeus, 1766)	I	A	VU	595, 713, 1068, 1142, 1254
Synonym: <i>Psittacus militaris</i> Linnaeus, 1766				
E: Military Macaw, F: Ara militaire, S: Guacamayo militar, Guacamayo verde Argentina (ex, br) [465, 5291, 10249]; Bolivia (br) [1186, 5116]; Colombia (br) [837, 11374]; Ecuador (br) [5294]; ?Guatemala (ex, br?) [5241]; Mexico (br) [5241]; Peru (br) [1136, 6680]; Venezuela (br) [1070, 6304]				
Ara rubrogenys Lafresnaye, 1847	I	A	EN	496, 580, 595, 598, 713, 964, 965, 1068, 1087, 1142, 1194, 1254
E: Red-fronted Macaw, F: Ara de Fresnaye, Ara de Lafresnaye, S: Guacamayo de Cochabamba, Guacamayo frentirroja Bolivia (br) [1186, 5116, 6327, 7090]				

CITES Identification Manual Reference:

A-218.003.008.014

Ara severa (Linnaeus, 1758)	II	B	LC	713, 1068, 1142
Synonym: <i>Psittacus severus</i> Linnaeus, 1758				
E: Chestnut-fronted Macaw, Severe Macaw, F: Ara sévère, Ara vert, S: Guacamayo severo				
Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837]; Ecuador (br) [5294]; French Guiana (br) [1349]; Guyana (br) [1295, 25537]; Panama (br) [1195]; Peru (br) [1136]; Suriname (br) [5296]; United States (int, br) [387, 975]; Venezuela (br) [1070]				
Aratinga acuticaudata (Vieillot, 1818)	II	B	LC	713, 1068, 1142, 6841
Synonyms: <i>Psittacus acuticaudatus</i> Vieillot, 1818, <i>Thectocercus acuticaudatus</i> (Vieillot, 1818)				
E: Blue-crowned Conure, Blue-crowned Parakeet, F: Conure à tête bleue, S: Aratinga cabeciazul, Carapaico, Cotorra de los Palos				
Argentina (br) [5291, 10249, 25655]; Bolivia (br) [1186]; Brazil (br) [6186, 7158]; Colombia (br) [837]; Paraguay (br) [5295]; ?Uruguay (br) [5287, 25534]; Venezuela (br) [1070]				
Aratinga aurea (Gmelin, 1788)	II	B	LC	713, 1068, 1142
Synonyms: <i>Psittacus aureus</i> Gmelin, 1788, <i>Eupsittula aurea</i> (J. F. Gmelin, 1788)				
E: Golden-crowned Conure, Peach-fronted Conure, Peach-fronted Parakeet, F: Conure couronnée, Perruche à front doré, S: Aratinga frentidorada, Cotorra frentidorada				
Argentina (br) [465, 5291, 10249]; Bolivia (br) [1186]; Brazil (br) [6186, 7077, 25280]; Paraguay (br) [5295]; Peru (br) [1136]; Suriname (br) [5296]				
Aratinga auricapilla (Kuhl, 1820)	II	B		595, 598, 713, 1068, 1142, 1194, 1254, 7806
Synonym: <i>Psittacus auricapillus</i> Kuhl, 1820				
E: Golden-capped Conure, Golden-capped Parakeet, F: Conure à tête d'or, S: Aratinga testadorada				
Brazil (br) [6186, 7118, 25280]				
Aratinga brevipes (Lawrence, 1871)	II	B	EN	
Synonyms: <i>Conurus holochlorus brevipes</i> Lawrence, 1871, <i>Aratinga holochlora brevipes</i> (Lawrence, 1871)				
E: Socorro Parakeet, F: Conure de Socorro, S: Aratinga de Socorro				
Mexico [5241]				
Aratinga cactorum (Kuhl, 1820)	II	B	LC	713, 1068, 1142
Synonyms: <i>Psittacus cactorum</i> Kuhl, 1820, <i>Eupsittula cactorum</i> (Spix, 1824)				
E: Caatinga Parakeet, Cactus Conure, Cactus Parakeet, F: Conure des cactus, S: Aratinga cactácea				
Brazil (br) [6186]				
Aratinga canicularis (Linnaeus, 1758)	II	B	LC	387, 713, 1142
Synonyms: <i>Psittacus canicularis</i> Linnaeus, 1758, <i>Eupsittula canicularis</i> (Linnaeus, 1758)				
E: Orange-fronted Conure, Orange-fronted Parakeet, F: Conure à front rouge, S: Aratinga frentinaranja, Perico frentinaranja				
Costa Rica (br) [1311]; El Salvador (br) [5241]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Puerto Rico (int, br) [1176]				
Aratinga chloroptera (Souancé, 1856)	II	B	VU	387, 485, 595, 713, 1142, 1254
Synonym: <i>Psittacara chloroptera</i> Souancé, 1856				
E: Hispaniolan Conure, Hispaniolan Parakeet, F: Conure maîtresse, S: Aratinga de la Española, Perico Dominicana Republic (br) [1312, 6754]; Haiti (br) [1408]; Puerto Rico (ex , int, br) [1176]				
Aratinga erythrogenys (Lesson, 1844)	II	B	NT	595, 713, 1068, 1142
Synonym: <i>Psittacara erythrogenys</i> Lesson, 1844				
E: Red-masked Conure, Red-masked Parakeet, F: Conure à tête rouge, S: Aratinga de Guayaquil, Perico caretirrojo				
Ecuador (br) [5294, 6360, 6712, 6827, 12381]; Peru (br) [1136, 12669]				
Aratinga euops (Wagler, 1832)	II	B	VU	387, 485, 595, 598, 713, 1142, 1254, 1418
Synonyms: <i>Psittacara euops</i> (Wagler, 1832), <i>Sittace euops</i> Wagler, 1832				
E: Cuban Conure, Cuban Parakeet, F: Conure de Cuba, S: Aratinga cubana				
Cuba (br) [5259]				
Aratinga finschi (Salvin, 1871)	II	B	LC	387, 713, 1142
Synonyms: <i>Psittacara finschi</i> (Salvin, 1871), <i>Conurus finschi</i> Salvin, 1871				

E: Crimson-fronted Conure, Crimson-fronted Parakeet, Finsch's Conure, F: Conure de Finsch, S: Aratinga de Finsch
 Costa Rica (br) [1311]; Nicaragua (br) [1195, 6604]; Panama (br) [1195]

Aratinga holochlora (Sclater, 1859) II B LC 387, 713, 1142

Synonyms: *Psittacara holochlora* (P. L. Sclater, 1859), *Conurus holochlorus* Sclater, 1859, *Conurus holochlorus strenuus* Ridgway, 1915, *Aratinga strenua* (Ridgway, 1915)

E: Green Conure, Green Parakeet, F: Conure verte, S: Aratinga verde, Perico verde
 El Salvador (br) [5241]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [595, 598, 879, 1212, 5241];
 Nicaragua (br) [1195]

Aratinga jandaya (Gmelin, 1788) II B LC 713, 1068, 1142

Synonym: *Psittacus jandaya* Gmelin, 1788

E: Jandaya Conure, Jandaya Parakeet, Yellow-headed Parakeet, F: Conure jandaya, Perruche de Jenday,
 S: Aratinga jandaya
 Brazil (br) [6186]

Aratinga leucophthalmus

(P. L. S. Müller, 1776) II B LC 713, 1068, 1142

Synonyms: *Psittacus leucophthalmus* P. L. S. Müller, 1776, *Psittacara leucophthalma* (Statius Müller, 1776)

E: White-eyed Conure, White-eyed Parakeet, F: Conure pavouane, S: Aratinga ojiblanca, Cotorra verde,
 Perico ojo blanco
 Argentina (br) [5291, 10249, 25655]; Bolivia (br) [1186]; Brazil (br) [6186, 25280]; Colombia (br) [837]; Ecuador
 (br) [5294]; French Guiana (br) [1349]; Guyana (br) [1295, 25537]; Paraguay (br) [5295]; Peru (br) [1136, 6332];
 Suriname (br) [5296]; Uruguay (br) [5287, 25534]; Venezuela (br) [1070]

Aratinga mitrata (Tschudi, 1844) II B LC 713, 1068, 1142

Synonyms: *Psittacara mitrata* (Tschudi, 1844), *Conurus mitratus* Tschudi, 1844

E: Mitred Conure, Mitred Parakeet, F: Conure mitrée, S: Aratinga mitrada, Cotorra carirroja
 Argentina (br) [5291, 10249]; Bolivia (br) [1186, 7166]; Peru (br) [1136]

Aratinga nana (Vigors, 1830)

II B LC 387, 713, 1142

Synonyms: *Psittacara nana* Vigors, 1830, *Eupsittula nana* (Vigors, 1830)

E: Aztec Parakeet, Olive-throated Conure, Olive-throated Parakeet, F: Conure aztèque, S: Aratinga pechisucia, Perico pechisucio
 Belize (br) [5241]; Costa Rica (br) [1311]; Dominican Republic (br) [1312, 6754]; Guatemala (br) [5241];
 Honduras (br) [1076]; Jamaica (br) [657]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]

Aratinga pertinax (Linnaeus, 1758)

II B LC 387, 713, 1068, 1142

Synonyms: *Psittacus pertinax* Linnaeus, 1758, *Eupsittula pertinax* (Linnaeus, 1758)

E: Brown-throated Conure, Brown-throated Parakeet, F: Conure cuivrée, S: Aratinga pertinaz, Perico cara sucia
 Aruba (br) [1380]; Barbados (int, br) [5242]; Brazil (br) [6186]; Colombia (br) [837]; Costa Rica [6740];
 Dominica (int, br) [5242]; French Guiana (br) [1349]; Guyana (br) [1295, 25537]; Netherlands Antilles (br):
 Bonaire, Curaçao, Netherlands Leeward Is; Panama (br) [1195]; Puerto Rico (int, br) [1176]; Suriname (br)
 [811, 5296]; United States Virgin Islands (br); Venezuela (br) [1070]

Aratinga rubritorquis (Sclater, 1887)

II B LC

Synonyms: *Conurus rubritorquis* Sclater, 1887, *Aratinga holochlora rubritorquis* (Sclater, 1887)

E: Red-throated Parakeet, F: Conure à rouge gorge
 El Salvador; Guatemala; Honduras; Nicaragua

Aratinga solstitialis (Linnaeus, 1758)

II B LC 713, 1068, 1142

Synonym: *Psittacus solstitialis* Linnaeus, 1758

E: Sun Conure, Sun Parakeet, F: Conure soleil, Perruche du soleil, S: Aratinga sol, Perico dorado
 Brazil (br) [6186]; French Guiana (v) [1349]; Guyana (br) [1295, 25537]; Suriname (br) [5296]

Aratinga wagleri (G. R. Gray, 1845)

II B LC 713, 1068, 1142

Synonyms: *Psittacara wagleri* (G. R. Gray, 1845), *Conurus wagleri* G. R. Gray, 1845

E: Red-fronted Conure, Scarlet-fronted Parakeet, F: Conure de Wagler, S: Aratinga de Wagler, Chacaraco
 Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136, 12669]; Venezuela (br) [1070]

Aratinga weddellii (Deville, 1851)

II B LC 713, 1068, 1142

Synonyms: *Eupsittula weddellii* (Deville, 1851), *Conurus weddellii* Deville, 1851

E: Dusky-headed Conure, Dusky-headed Parakeet, F: Conure de Weddell, S: Aratinga cabecifusca, Perico cabecioscuro

Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136]

Barnardius barnardi

(Vigors & Horsfield, 1827)

II

B

713, 1288

Synonyms: *Platycercus zonarius barnardi* Vigors & Horsfield, 1827, *Platycercus barnardi* (Vigors & Horsfield, 1827)

E: Barnard's Parakeet, Mallee Ringneck, F: Perruche de Barnard, S: Perico de Barnard
Australia (br) [477]

***Barnardius zonarius* (Shaw, 1805)**

II

B

LC

713, 1288

Synonyms: *Platycercus zonarius* (Shaw, 1805), *Psittacus zonarius* Shaw, 1805

E: Australian Ringneck, Port Lincoln Ringneck, Twenty-eight Parakeet, F: Perruche à collier jaune, S: Perico de Port Lincoln
Australia (br) [477]

***Bolbopsittacus lunulatus* (Scopoli, 1786)**

II

B

LC

713, 1254

Synonym: *Psittacus lunulatus* Scopoli, 1786

E: Guaiabero, F: Perruche lunulée, S: Lorito guayabero
Philippines (br) [5270]

Bolborhynchus ferrugineifrons

(Lawrence, 1880)

II

B

VU

595, 598, 713, 771, 931,
1068, 1142, 1194, 1254

Synonym: *Brotogeris ferrugineifrons* Lawrence, 1880

E: Rufous-fronted Parakeet, F: Toui à front roux, S: Catita frentirrufa
Colombia (br) [837, 6683, 8618]

***Bolborhynchus lineola* (Cassin, 1853)**

II

B

LC

387, 713, 1068, 1142

Synonym: *Psittacula lineola* Cassin, 1853

E: Barred Parakeet, F: Toui catherine, S: Catita barrada, Perico barreteado, Periquito barrado
Bolivia [6688]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294, 6200]; El Salvador (br) [5241];
Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [5241, 7068]; Nicaragua (br) [1195]; Panama (br)
[1195]; Peru (br) [1136]; Venezuela (br) [1070, 6290]

***Bolborhynchus orbygnesius* (Souancé, 1856)**

II

B

LC

713, 1068, 1142

Synonyms: *Psittacula andicola* Finsch, 1874, *Psilopsiagon aurifrons orbygnesius* (Souancé, 1856), *Myiopsitta orbygnesia* Souancé, 1856, *Bolborhynchus andicolus* (Finsch, 1874)

E: Andean Parakeet, F: Toui d'Orbigny, S: Catita andina
Bolivia (br) [1186, 6346]; Peru (br) [1136]

***Brotogeris chiriri* (Vieillot, 1818)**

II

B

LC

713, 1068, 1142

Synonyms: *Psittacus chiriri* Vieillot, 1818, *Brotogeris versicolorus chiriri* (Vieillot, 1818)

E: Yellow-chevroned Parakeet, F: Toui à ailes jaunes, S: Catita chiriri
Argentina (br) [465, 5291, 10249, 25654]; Bolivia (br) [1186, 6327]; Brazil (br) [6186]; Paraguay [814]

***Brotogeris chrysopterus* (Linnaeus, 1766)**

II

B

LC

713, 1068, 1142

Synonym: *Psittacus chrysopterus* Linnaeus, 1766

E: Golden-winged Parakeet, F: Toui para, S: Catita alidorada, Periquito ala dorada
Brazil (br) [6186]; French Guiana (br) [1349]; Guyana (br) [1295, 25537]; Suriname (br) [5296]; Venezuela (br)
[1070]

***Brotogeris cyanoptera* (Pelzeln, 1870)**

II

B

LC

713, 1068, 1142

Synonyms: *Brotogeris gustavi* Berlepsch, 1889, *Sittace cyanoptera* Pelzeln, 1870

E: Cobalt-winged Parakeet, F: Toui de Deville, S: Catita aliazul, Periquito azul
Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136]; Venezuela (br)
[1070]

Brotogeris jugularis

(P. L. S. Müller, 1776)

II

B

LC

713, 1068, 1142

Synonym: *Psittacus jugularis* P. L. S. Müller, 1776

E: Orange-chinned Parakeet, F: Perruche tovi, Toui à menton d'or, S: Catita churica, Churica, Periquito barbinaranja
Colombia (br) [837]; Costa Rica (br) [1311]; El Salvador (br) [5241]; Guatemala (br) [5241]; Honduras (br)
[1076]; Mexico (br) [5241, 7068]; Nicaragua (br) [1195]; Panama (br) [1195]; Venezuela (br) [1070, 6239]

***Brotogeris pyrrhopterus* (Latham, 1801)**

II

B

EN

595, 713, 1068, 1142,
1194

Synonym: *Psittacus pyrrhopterus* Latham, 1801
 E: Grey-cheeked Parakeet, F: Perruche orangé, Toui flamboyant, S: Catita macareña, Perico cachetigris, Perico macareño
 Ecuador (br) [5294, 6360, 6827, 12381]; Peru (br) [1136, 6680, 8616]

Brotogeris sanctithomae (P. L. S. Müller, 1776) II B LC 713, 1068, 1142

Synonym: *Psittacus sanctithomae* P. L. S. Müller, 1776
 E: Tui Parakeet, F: Toui à front d'or, S: Catita frentiguada, Perico tui
 Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136]

Brotogeris tirica (Gmelin, 1788) II B LC 713, 1068, 1142

Synonym: *Psittacus tirica* Gmelin, 1788
 E: Plain Parakeet, F: Toui tirica, S: Catita tirica
 Brazil (br) [6186, 25280]

Brotogeris versicolurus (P. L. S. Müller, 1776) II B LC 713, 1068, 1142

Synonym: *Psittacus versicolurus* P. L. S. Müller, 1776
 E: Canary-winged Parakeet, F: Toui à ailes variées, S: Catita aliamarilla, Catita versicolor
 Brazil (br) [6186]; Colombia (br) [837]; ?Ecuador (br?) [5294]; ?French Guiana [1349]; Peru (br) [1136]; Puerto Rico (int, br) [1176]; ?Suriname (br?) [5296]; United States (int, br) [387]

Coracopsis nigra (Linnaeus, 1758) II B LC 713, 931

Synonyms: *Psittacus niger* Linnaeus, 1758, *Coracopsis barklyi* Newton, 1867
 E: Black Parrot, F: Perroquet noir, Perroquet petit vasa, S: Loro negro
 Comoros (br) [659]; Madagascar (br) [633, 5249]; Seychelles (br) [659]

Coracopsis vasa (Shaw, 1812) II B LC 713

Synonym: *Psittacus vasa* Shaw, 1812
 E: Vasa Parrot, F: Perroquet vasa, Petit perroquet noir, Vasa géant, S: Loro vasa
 Comoros (br) [659]; Madagascar (br) [633, 5249]

Cyanoliseus patagonus (Vieillot, 1818) II B LC 713, 1068, 1142

Synonym: *Psittacus patagonus* Vieillot, 1818
 E: Burrowing Parakeet, Patagonian Conure, F: Conure de Patagonie, S: Loro barranquero
 Argentina (br) [465, 5291, 10249]; Chile (br) [5292]; Falkland Islands (Malvinas) (v) [1439]; Uruguay (br) [5287, 25534]

Cyanopsitta spixii (Wagler, 1832) I A CR 595, 598, 632, 713, 794, 903, 904, 905, 906, 907, 914, 931, 1068, 1144, 1194, 1254, 1343

Synonyms: *Sittace spixii* Wagler, 1832, *Ara spixii* (Wagler, 1832)
 E: Little Blue Macaw, Spix's Macaw, F: Ara à face grise, Ara de Spix, S: Guacamayito azul, Guacamayo de Spix
 Brazil (br) [6186]

CITES Identification Manual Reference: A-218.003.017.001

Cyanoramphus auriceps (Kuhl, 1820) II B NT 595, 713, 1073, 1326, 1327, 25183

Synonym: *Psittacus auriceps* Kuhl, 1820
 E: Yellow-crowned Parakeet, Yellow-fronted Kakariki, Yellow-fronted Parakeet, F: Perruche à front jaune, Perruche à tête d'or, S: Perico maori cabecigualdo
 New Zealand (br) [1351, 25183]; New Zealand North I [25183], New Zealand South I [25183]

Cyanoramphus forbesi Rothschild, 1893 I A EN 595, 713, 931, 1073, 1326, 25183

Synonym: *Cyanoramphus auriceps forbesi* Rothschild, 1893
 E: Chatham Island Yellow-fronted Parakeet, Forbes's Kakariki, Forbes's Parakeet, F: Perruche à front jaune de Forbes, Perruche à tête d'or de Forbes, Perruche des îles Chatham, S: Cacatúa de Forbes, Perico de las Chatham, Periquito frentiamarillo de Forbes
 New Zealand (br) [1351, 25183]; Chatham Is (br) [25183]

CITES Identification Manual Reference: A-218.003.018.002b

Cyanoramphus malherbi Souancé, 1857 II B EN 6950, 11409, 25183
 E: Malherbe's Parakeet, Orange-fronted Parakeet, F: Perruche de Malherbe, S: Perico maori montano

New Zealand (br) [1351, 25183]: New Zealand South I (br) [25183]

Cyanoramphus novaezelandiae (Sparrman, 1787)	I	A	LC	713, 931, 1326, 7776, 25183
Synonyms: <i>Platycercus cookii</i> G. R. Gray, 1859, <i>Psittacus novaezelandiae</i> Sparrman, 1787, <i>Cyanoramphus saisseti</i> J. Verreaux & Des Murs, 1860, <i>Cyanoramphus cookii</i> (G. R. Gray, 1859)				
E: New Zealand Parakeet, Red-crowned Parakeet, Red-fronted Kakariki, Red-fronted Parakeet, F: Perruche à bandeau rouge, Perruche de Nouvelle-Zélande, Perruche de Sparrman, S: Perico maori cabecirrojo, Periquito cabecirrojo				
Australia (br) [477]: Lord Howe I (ex, br), Macquarie I (ex, br); New Caledonia (br) [5260, 10250]; New Zealand (br) [1351]: Chatham Is [25183], New Zealand North I [25183], New Zealand South I [25183]; Norfolk Island (br)				
CITES Identification Manual Reference:			A-218.003.018.004	

Cyanoramphus unicolor (Lear, 1831)	II	B	VU	595, 713, 1254, 1326, 1425, 25183
Synonym: <i>Platycercus unicolor</i> Lear, 1831				
E: Antipodes Green Parakeet, Antipodes Parakeet, F: Perruche des Antipodes, Perruche unicolore, S: Perico de las Antípodas				
New Zealand (br) [1351, 25183]: Antipodean Is [25183]				

Cyclopsitta diophthalma (Hombron & Jacquinot, 1841)	I/II	A/B	LC	713, 1254, 1288
Synonyms: <i>Psittacula diophthalma</i> Hombron & Jacquinot, 1841, <i>Psittaculirostris diophthalma</i> (Hombron & Jacquinot, 1841), <i>Oropsitta diophthalma</i> (Hombron & Jacquinot, 1841)				
E: Double-eyed Fig-Parrot, Dwarf Fig-Parrot, F: Perroquet masqué, Psittacule double-oeil, S: Lorito dobleojo				
Australia (br) [477]; Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)				

CITES Appendix II populations	II	B	LC	
Australia (br) [477]; Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br) [6951]				

Cyclopsitta diophthalma coxeni Gould, 1867	I	A		713, 9325
Synonym: <i>Oropsitta diophthalma coxeni</i> (Gould, 1867)				
E: Coxen's Blue-browed Fig Parrot, Coxen's Double-eyed Fig-Parrot, Coxen's Two-eyed Fig Parrot,				
F: Perroquet masqué de Coxen, Psittacule à double-oeil de Coxen, S: Lorito de Coxen, Lorito emmascarado de Coxen				
Australia (br) [477]				
CITES Identification Manual Reference:			A-218.003.041.002b	

Cyclopsitta gulielmitertii (Schlegel, 1866)	II	B	LC	713
Synonyms: <i>Psittacula gulielmitertii</i> Schlegel, 1866, <i>Nannopsittacus gulielmitertii</i> (Schlegel, 1866), <i>Oropsitta gulielmitertii</i> (Schlegel, 1866)				
E: Orange-breasted Fig-Parrot, F: Psittacule à poitrine orange, S: Lorito pechinaranja				
Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)				

Deroptyus accipitrinus (Linnaeus, 1758)	II	B	LC	713, 1068, 1142
Synonym: <i>Psittacus accipitrinus</i> Linnaeus, 1758				
E: Hawk-headed Parrot, Red-fan Parrot, F: Papegeai maillé, S: Loro cacique				
Brazil (br) [6186, 6402]; Colombia (br) [837]; Ecuador (br) [5294]; French Guiana (br) [1349, 10252]; Guyana (br) [1295, 8615, 25537]; Peru (br) [1136]; Suriname (br) [5296]; Venezuela (br) [1070]				

Diopsittaca nobilis (Linnaeus, 1758)	II	B		713, 1068, 1142
Synonyms: <i>Psittacus nobilis</i> Linnaeus, 1758, <i>Ara nobilis</i> (Linnaeus, 1758)				
E: Hahn's Macaw, Noble Macaw, Red-shouldered Macaw, F: Ara noble, Petit perruche-ara, S: Guacamayo enano, Guacamayo noble				
Bolivia (br) [1186]; Brazil (br) [6186, 6690]; French Guiana (br) [1349]; Guyana (br) [1295, 25537]; Peru (br) [1136]; Suriname (br) [5296]; Venezuela (br) [1070]				

Eclectus roratus (P. L. S. Müller, 1776)	II	B	LC	713, 1288
Synonym: <i>Lorius roratus</i> (P. L. S. Müller, 1776)				
E: Eclectus Parrot, F: Grand Éclectus, S: Loro ecléctico				
Australia (br) [477]; Indonesia (br) [393]: Irian Jaya, Lesser Sunda Is, Moluccas; Palau (int, br) [1171]; Papua New Guinea (br); Solomon Islands (br) [5260, 13119]				

Enicognathus ferrugineus (Müller, 1776) II B LC 713, 1068, 1142

Synonyms: *Psittacus ferrugineus* P. L. S. Müller, 1776, *Microsittace ferruginea* (P. L. S. Müller, 1776)

E: Austral Conure, Austral Parakeet, F: Conure magellanique, Perruche émeraude, S: Cotorra austral, Cotorra cachaña

Argentina (br) [5291, 10249]; Chile (br) [5292]; Falkland Islands (Malvinas) (v) [1439]

Enicognathus leptorhynchus (King, 1831) II B LC 595, 713, 1068, 1142, 1254

Synonyms: *Cyanoliseus patagonus byroni* (J. E. Gray, 1831), *Psittacus byroni* J. E. Gray, 1831, *Psittacara leptorhyncha* King, 1830

E: Slender-billed Conure, Slender-billed Parakeet, F: Conure à long bec, Perruche à bec gracile, S: Cotorra choroy

Chile (br) [5292, 7164]

Eunymphicus cornutus (Gmelin, 1788) I A EN 595, 713, 931, 1254

Synonyms: *Psittacus cornutus* Gmelin, 1788, *Eunymphicus uvaeensis* (Layard & Layard, 1882)

E: Horned Parakeet, F: Perruche cornue, Perruche huppée, S: Perico cornudo

New Caledonia (br) [5260]

Forpus coelestis (Lesson, 1847) II B LC 713, 1068, 1142

Synonym: *Agapornis coelestis* Lesson, 1847

E: Celestial Parrotlet, Pacific Parrotlet, F: Toui céleste, S: Cotorrita de Piura, Periquito del Pacífico

Ecuador (br) [5294]; Peru (br) [1136, 12669]

Forpus conspicillatus (Lafresnaye, 1848) II B LC 713, 1068, 1142

Synonym: *Psittacula conspicillata* Lafresnaye, 1848

E: Spectacled Parrotlet, F: Toui à lunettes, S: Cotorrita de anteojos, Periquito ojiazul

Colombia (br) [837]; Panama (br) [1195]; Venezuela (br) [1070]

Forpus crassirostris (Taczanowski, 1883) II B 713, 1068, 1142, 6656

Synonyms: *Psittacula crassirostris* Taczanowski, 1883, *Forpus passerinus crassirostris* (Taczanowski, 1883), *Forpus xanthopterygius* (Spix, 1824)

E: Blue-winged Parrotlet, F: Toui de Spix, S: Catita enana, Cotorrita aliazul, Periquito aliazul

Argentina (br) [5291, 10249]; Bolivia (br) [1186]; Brazil (br) [6186, 25280]; Colombia (br) [837]; Ecuador (br) [5294]; Paraguay (br) [814, 5295]; Peru (br) [1136]

Forpus cyanopygius (Souancé, 1856) II B LC 387, 713, 1142

Synonym: *Psittacula cyanopygia* Souancé, 1856

E: Blue-rumped Parrotlet, Mexican Parrotlet, F: Toui du Mexique, S: Cotorrita mexicana, Periquito mexicano

Mexico (br) [5241]

Forpus passerinus (Linnaeus, 1758) II B LC 713, 1068, 1142

Synonym: *Psittacus passerinus* Linnaeus, 1758

E: Green-rumped Parrotlet, F: Perruche aux ailes bleues, Toui été, S: Cotorrita culiverde, Periquito Barbados (int, br) [485, 5242]; Brazil (br) [6186]; Colombia (br) [837]; French Guiana (br) [1349]; Guyana (br) [1295, 25537]; Jamaica (int, br) [485, 657]; Netherlands Antilles (v): Curaçao (v); Suriname (br) [5296]; Trinidad and Tobago (br) [703]; Venezuela (br) [1070]

Forpus sclateri (G. R. Gray, 1859) II B LC 713, 1068

Synonym: *Psittacula sclateri* G. R. Gray, 1859

E: Dusky-billed Parrotlet, Sclater's Parrotlet, F: Toui de Sclater, S: Cotorrita de Sclater, Periquito obscuro

Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837]; Ecuador (br) [5294]; French Guiana (br) [1349];

Guyana (br) [1295, 25537]; Peru (br) [1136]; Venezuela (br) [1070]

Forpus xanthops (Salvin, 1895) II B VU 595, 598, 713, 1068, 1201, 1254, 6862

Synonyms: *Psittacula xanthops* Salvin, 1895, *Forpus coelestis xanthops* (Salvin, 1895)

E: Yellow-faced Parrotlet, F: Toui à tête jaune, S: Cotorrita carigualda

Peru (br) [1136, 6680]

Geoffroyus geoffroyi (Bechstein, 1811) II B LC 713, 1242, 1288

Synonym: *Psittacus geoffroyi* Bechstein, 1811

E: Red-cheeked Parrot, F: Perruche de Geoffroy, S: Lorito carirrojo

Australia (br) [477]; Indonesia (br) [393, 1410]: Irian Jaya, Lesser Sunda Is, Moluccas; Papua New Guinea (br); Timor-Leste

<i>Geoffroyus heteroclitus</i> (Hombron & Jacquinot, 1841)	II	B	LC	713, 1242, 1254
Synonym: <i>Psittacus geoffroyi heteroclitus</i> Hombron & Jacquinot, 1841				
E: Singing Parrot, F: Perruche hétéroclite, S: Lorito heteróclito Papua New Guinea (br); Solomon Islands (br) [5260, 13119]				
<i>Geoffroyus simplex</i> (Meyer, 1874)	II	B	LC	713, 1242
Synonym: <i>Pionias simplex</i> A. B. Meyer, 1874				
E: Blue-collared Parrot, F: Perruche à col bleu, S: Lorito acollarado Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)				
<i>Geopsittacus occidentalis</i> Gould, 1861	I	A		595, 713, 931, 1057, 1288, 9325
Synonym: <i>Pezoporus occidentalis</i> (Gould, 1861)				
E: Night Parrot, F: Perruche nocturne, S: Cacatúa nocturna, Loro nocturno, Perico nocturno Australia (ex?, br) [477]				
CITES Identification Manual Reference:		A-218.003.025.001		
<i>Graydidascalus brachyurus</i> (Kuhl, 1820)	II	B	LC	713, 1068, 1142
Synonym: <i>Psittacus brachyurus</i> Kuhl, 1820				
E: Short-tailed Parrot, F: Caïque à queue courte, S: Lorito colicorto, Loro colicorto Brazil (br) [6186]; Colombia (br) [837]; Ecuador (br) [5294]; French Guiana (br) [1349]; Peru (br) [1136]				
<i>Guarouba guarouba</i> (Gmelin, 1788)	I	A		595, 598, 713, 931, 1068, 1118, 1142, 1271, 12695
Synonyms: <i>Psittacus guarouba</i> Gmelin, 1788, <i>Aratinga guarouba</i> (Gmelin, 1788)				
E: Golden Conure, Golden Parakeet, Queen of Bavaria's Conure, F: Conure de la Reine de Bavière, Conure dorée, Guarouba, Perruche dorée, S: Aratinga guaruba, Cacatúa dorada, Cotorra amarilla Brazil (br) [6186]				
CITES Identification Manual Reference:		A-218.003.009.011		
<i>Hapalopsittaca amazonina</i> (Des Murs, 1845)	II	B	EN	595, 598, 713, 931, 1068, 1142, 1194, 1254
Synonym: <i>Psittacus amazoninus</i> Des Murs, 1845				
E: Rusty-faced Parrot, F: Caïque à face rouge, S: Lorito amazonino, Perico multicolor Colombia (br) [837]; Ecuador [5294]; Venezuela (br) [1070, 6239, 11385]				
<i>Hapalopsittaca fuertesi</i> (Chapman, 1912)	II	B	CR	595, 598, 713, 1254
Synonyms: <i>Pionopsitta fuertesi</i> Chapman, 1912, <i>Hapalopsittaca amazonina fuertesi</i> (Chapman, 1912)				
E: Fuertes's Parrot, Indigo-winged Parrot, F: Caïque de Fuertes, S: Lorito de Fuertes Colombia (br) [837]				
<i>Hapalopsittaca melanotos</i> (Lafresnaye, 1847)	II	B	LC	713, 1068, 1142, 1254
Synonym: <i>Pionus melanotos</i> Lafresnaye, 1847				
E: Black-eared Parrot, Black-winged Parrot, F: Caïque à ailes noires, S: Lorito alinegro Bolivia (br) [1186, 5116, 6346]; Peru (br) [1136]				
<i>Hapalopsittaca pyrrhops</i> (Salvin, 1876)	II	B	VU	595, 598, 713, 1254, 7054
Synonyms: <i>Pionopsitta pyrrhops</i> Salvin, 1876, <i>Hapalopsittaca amazonina pyrrhops</i> (Salvin, 1876)				
E: Red-faced Parrot, F: Caïque de Salvin, S: Lorito ecuatoriano Ecuador (br) [5294, 6200, 6317, 6318, 6389, 13140]; Peru (br) [1136]				
<i>Lathamus discolor</i> (White, 1790)	II	B	EN	595, 713, 1254, 1288, 9325
Synonym: <i>Psittacus discolor</i> White, 1790				
E: Swift Parrot, F: Perruche de Latham, S: Periquito migrador Australia (br) [477]				
<i>Leptosittaca branickii</i> Berlepsch & Stolzmann, 1894	II	B	VU	595, 598, 713, 1068, 1142, 1194, 1254
E: Golden-plumed Conure, Golden-plumed Parakeet, F: Conure à pinceaux d'or, Perruche de Branicki, S: Aratinga de pinceles				

Colombia (br) [837, 1097, 6683]; Ecuador (br) [5294, 6334, 6389, 13140]; Peru (br) [1136]

Loriculus amabilis Wallace, 1862 E: Moluccan Hanging-Parrot, F: Coryllis des Moluques, S: Lorículo amable Indonesia (br) [393]: Moluccas	II	B	LC	713
Loriculus aurantiifrons Schlegel, 1873 E: Orange-fronted Hanging-Parrot, Papuan Hanging-Parrot, F: Coryllis à front orange, S: Lorículo papú Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)	II	B	LC	713, 1242
Loriculus beryllinus (J. R. Forster, 1781) Synonym: <i>Psittacus beryllinus</i> J. R. Forster, 1781 E: Ceylon Hanging-Parrot, Sri Lanka Hanging-Parrot, F: Coryllis de Ceylan, S: Lorículo de Ceilán Sri Lanka (br) [5271]	II	B	LC	381, 713
Loriculus catamene Schlegel, 1873 Synonym: <i>Loriculus amabilis catamene</i> Schlegel, 1873 E: Sangihe Hanging-Parrot, Sangihe Hanging-parrot, F: Coryllis des Sangi, S: Lorículo de la Sangihe Indonesia (br) [393]: Sulawesi	II	B	EN	595, 713, 1254, 1410
Loriculus exilis Schlegel, 1866 E: Green Hanging-Parrot, Pygmy Hanging-Parrot, Red-billed Hanging-Parrot, F: Coryllis vert, S: Lorículo exiguo Indonesia (br) [393, 7262]: Sulawesi	II	B	NT	713, 1254, 1410
Loriculus flosculus Wallace, 1864 E: Flores Hanging-Parrot, Wallace's Hanging-Parrot, Wallace's Hanging-parrot, F: Coryllis de Wallace, S: Lorículo de Flores Indonesia (br) [393]: Lesser Sunda Is	II	B	EN	595, 713, 1254, 1410
Loriculus galgulus (Linnaeus, 1758) Synonym: <i>Psittacus galgulus</i> Linnaeus, 1758 E: Blue-crowned Hanging-Parrot, Blue-topped Hanging-Parrot, F: Coryllis à tête bleue, Lorículo malais, S: Lorículo coroniazul Brunei Darussalam (br); Indonesia (br) [393]: Kalimantan, Sumatera; Malaysia (br) [1289]: Peninsular Malaysia [1049], Sabah [759], Sarawak [393]; Singapore (br) [791]; Thailand (br) [487, 1220]	II	B	LC	713, 929
Loriculus philippensis (Müller, 1776) Synonym: <i>Psittacus philippensis</i> P. L. S. Müller, 1776 E: Colasisi, Philippine Hanging-Parrot, F: Coryllis des Philippines, S: Lorículo filipino Philippines (br) [5270]	II	B	LC	713, 1140
Loriculus pusillus G. R. Gray, 1859 E: Yellow-throated Hanging-Parrot, Yellow-throated Hanging-parrot, F: Coryllis à gorge jaune, S: Lorículo de Java Indonesia (br) [393]: Bali, Jawa	II	B	NT	595, 713, 1254
Loriculus sclateri Wallace, 1863 Synonym: <i>Loriculus amabilis sclateri</i> Wallace, 1863 E: Sula Hanging-Parrot, F: Coryllis del Sula, S: Lorículo de las Sula Indonesia (br): Sulawesi	II	B		
Loriculus stigmatus (S. Müller, 1843) Synonym: <i>Psittacus stigmatus</i> S. Müller, 1843 E: Black-billed Hanging-Parrot, Maroon-rumped Hanging-Parrot, Sulawesi Hanging-Parrot, F: Coryllis des Célèbes, S: Lorículo de Célebes Indonesia (br) [393, 7262]: Sulawesi	II	B	LC	713, 1410
Loriculus tener Sclater, 1877 Synonyms: <i>Loriculus aurantiifrons tener</i> Sclater, 1877, <i>Loriculus stigmatus tener</i> Sclater, 1877 E: Green-fronted Hanging-Parrot, Green-fronted Hanging-parrot, F: Coryllis des Bismarck, S: Lorículo de las Bismarck Papua New Guinea (br): Bismarck Archipelago	II	B	NT	595, 713

Loriculus vernalis (Sparrman, 1787)	II	B	LC	381, 713, 929
Synonym: <i>Psittacus vernalis</i> Sparrman, 1787				
E: Vernal Hanging-Parrot, F: Coryllis vernal, S: Lorículo vernal				
Bangladesh (br) [804]; Cambodia (br) [5243]; China (br) [5293]; India (br) [1197]; Lao People's Democratic Republic (br) [6187]; Myanmar (br) [1290]; Nepal (br) [865]; Thailand (br) [487, 1220]; Viet Nam (br) [5264]				
Micropsitta bruijnii (Salvadori, 1875)	II	B	LC	713, 1242
Synonym: <i>Nasiterna bruijnii</i> Salvadori, 1875				
E: Red-breasted Pygmy-Parrot, F: Micropsitte de Bruijn, Perruche pygmée de Brujin, S: Microloro pechirrojo				
Indonesia (br) [393]; Irian Jaya, Moluccas; Papua New Guinea (br) [6924]; Solomon Islands (br) [5260]				
Micropsitta finschii (Ramsay, 1881)	II	B	LC	713, 1242
Synonym: <i>Nasiterna finschii</i> Ramsay, 1881				
E: Finsch's Pygmy-Parrot, F: Micropsitte de Finsch, S: Microloro de Finsch				
Papua New Guinea (br); Solomon Islands (br) [5260, 13119]				
Micropsitta geelvinkiana (Schlegel, 1871)	II	B	NT	595, 713, 1242
Synonym: <i>Nasiterna pygmaea geelvinkiana</i> Schlegel, 1871				
E: Geelvink Pygmy-Parrot, F: Micropsitte de Geelvink, Perruche pygmée de Schlegel, S: Microloro de Geelvink				
Indonesia (br) [393]; Irian Jaya				
Micropsitta keiensis (Salvadori, 1875)	II	B	LC	713
Synonym: <i>Nasiterna keiensis</i> Salvadori, 1875				
E: Yellow-capped Pygmy-Parrot, F: Micropsitte pygmée, Perruche pygmée de Salvadori, S: Microloro de las Kai				
Indonesia (br) [393]; Irian Jaya, Moluccas; Papua New Guinea (br)				
Micropsitta meeki	II	B	LC	713, 1242, 1254
Rothschild & Hartert, 1924				
E: Meek's Pygmy-Parrot, F: Micropsitte de Meek, Perruche pygmée de Meek, S: Microloro de Meek				
Papua New Guinea (br): Bismarck Archipelago				
Micropsitta pusio (Sclater, 1866)	II	B	LC	713, 1242
Synonym: <i>Nasiterna pusio</i> Sclater, 1866				
E: Buff-faced Pygmy-Parrot, F: Micropsitte à tête fauve, Perruche pygmée de Sclater, S: Microloro pusio				
Indonesia (br) [393]; Irian Jaya; Papua New Guinea (br)				
Myiopsitta luchsi (Finsch, 1868)	II	B		
Synonym: <i>Bolborhynchus luchsi</i> Finsch, 1868				
E: Cliff Parakeet, F: Conure des rochers, S: Cotorra boliviana				
Bolivia (br)				
Myiopsitta monachus (Boddaert, 1783)	II	B	LC	713, 1068, 1142
Synonym: <i>Psittacus monachus</i> Boddaert, 1783				
E: Grey-breasted Parakeet, Monk Parakeet, Quaker Parakeet, F: Conure veuve, Perruche-souris, S: Catita común, Cotorra argentina				
Argentina (br) [5291, 10249]; Bahamas (ex, int) [5242]; Bolivia (br) [1186]; Brazil (br) [6186]; Cayman Islands (int, br); Guadeloupe (int, br) [5242]; Paraguay (br) [5295]; Puerto Rico (int, br) [1176]; Slovakia (int, br) [8725]; Spain (int, br) [702, 975]; United States (int, br) [387, 975]; United States Virgin Islands (int, v); Uruguay (br) [5287, 25534]				
Nandayus nenday (Vieillot, 1823)	II	B	LC	713, 1068, 1142
Synonym: <i>Psittacus nenday</i> Vieillot, 1823				
E: Black-headed Conure, Black-headed Parakeet, Nanday Conure, Nanday Parakeet, F: Conure nanday, Perruche Nanday, S: Aratinga ñanday, Cotorra cabecinegra				
Argentina (br) [5291, 10249]; Bolivia [6986]; Brazil (br) [6186]; Paraguay (br) [5295]; United States (int, br) [387]; Uruguay [25534]				
Nannopsittaca dachilleae	II	B	NT	595
O'Neil, Munn & Franke, 1991				
E: Amazonian Parakeet, Amazonian Parrotlet, F: Toui de D'Achille, S: Cotorrita amazónica				
Bolivia (br) [6372]; Brazil [8666]; Peru (br) [1136]				
Nannopsittaca panychlora	II	B	LC	713, 1068, 1142
(Salvin & Godman, 1883)				

Synonym: *Brotogeris panychlorus* Salvin & Godman, 1883
 E: Tepui Parakeet, Tepui Parrotlet, F: Toui des tépuis, S: Chirica, Cotorrita tepuí
 ?Brazil (br?) [6186]; Guyana (br) [1295, 25537]; Venezuela (br) [1070, 8231]

Neophema chrysogaster (Latham, 1790) I A CR 525, 526, 595, 713, 931,
 994, 1254, 1288, 9325

Synonym: *Psittacus chrysogaster* Latham, 1790
 E: Orange-bellied Parakeet, Orange-bellied Parrot, F: Perruche à lunettes vertes, Perruche à ventre orange,
 S: Cacatúa de vientre naranja, Loro ventrinaranja, Periquito ventrinaranja
 Australia (br) [477, 885]

CITES Identification Manual Reference: A-218.003.039.003

Neophema chrysostoma (Kuhl, 1820) II B LC 713, 1288

Synonym: *Psittacus chrysostomus* Kuhl, 1820
 E: Blue-winged Grass-Parakeet, Blue-winged Parrot, F: Perruche à bouche d'or, S: Periquito crisóstomo
 Australia (br) [477]

Neophema elegans (Gould, 1837) II B LC 713, 1288

Synonym: *Nanodes elegans* Gould, 1837
 E: Elegant Grass-Parakeet, Elegant Parrot, F: Perruche élégante, S: Periquito elegante
 Australia (br) [477]

Neophema petrophila (Gould, 1841) II B LC 713, 1288

Synonym: *Euphema petrophila* Gould, 1841
 E: Rock Parrot, F: Perruche des écueils, Perruche des rochers, S: Periquito roquero
 Australia (br) [477]

Neophema pulchella (Shaw, 1792) II B LC 595, 713, 931, 1288

Synonym: *Psittacus pulchellus* Shaw, 1792
 E: Turquoise Grass-Parakeet, Turquoise Parrot, F: Perruche turquoisine, S: Periquito turquesa
 Australia (br) [477]

Neophema splendida (Gould, 1841) II B LC 595, 713, 931, 1254,
 1288

Synonym: *Euphema splendida* Gould, 1841
 E: Scarlet-chested Parrot, Splendid Grass-Parakeet, F: Perruche à poitrine écarlate, Perruche splendide,
 S: Periquito espléndido
 Australia (br) [477]

Neosephotus bourkii (Gould, 1841) II B LC 713, 1288

Synonyms: *Neophema bourkii* (Gould, 1841), *Euphema bourkii* Gould, 1841
 E: Bourke's Parrot, F: Perruche de Bourke, S: Periquito rosado
 Australia (br) [477]

Nestor meridionalis (Gmelin, 1788) II B VU 454, 595, 713, 1254

Synonym: *Psittacus meridionalis* Gmelin, 1788
 E: Kaka, New Zealand Kaka, F: Nestor superbe, S: Kaka
 New Zealand (br) [1351]

Nestor notabilis Gould, 1856 II B VU 595, 713, 1254

E: Kea, F: Kea, Nestor kéa, S: Kea
 New Zealand (br) [1351]

Northiella haematogaster (Gould, 1838) II B LC 713, 1288

Synonyms: *Platycercus haematogaster* Gould, 1838, *Psephotus haematogaster* (Gould, 1838)
 E: Bluebonnet, F: Perruche à bonnet bleu, S: Perico cariazul
 Australia (br) [477]

Ognorhynchus icterotis (Massena & Souancé, 1854) I A CR 595, 598, 713, 931,
 1068, 1142, 1194, 1254

Synonym: *Conurus icterotis* Massena & Souancé, 1854
 E: Yellow-eared Conure, Yellow-eared Parrot, F: Conure à joues d'or, Conure à oreilles jaunes, Perruche aux
 oreilles jaunes, S: Aratinga orejigualda, Periquito orejiamarillo
 Colombia (br) [837, 6683, 6756]; Ecuador (br) [5294, 6863]

CITES Identification Manual Reference: A-218.003.040.001

Orthopsittaca manilata (Boddaert, 1783)	II	B	713, 1068, 1142
Synonyms: <i>Psittacus manilatus</i> Boddaert, 1783 , <i>Ara manilata</i> (Boddaert, 1783)			
E: Red-bellied Macaw, F: Ara macavouanne, S: Guacamayo barriga roja, Guacamayo ventrirrojo Bolivia (br) [1186]; Brazil (br) [6186, 7118]; Colombia (br) [837]; Ecuador (br) [5294]; French Guiana (br) [1349]; Guyana (br) [1295, 25537]; Peru (br) [1136]; Suriname (br) [5296]; Trinidad and Tobago (br) [703]; Venezuela (br) [1070, 6290]			
Pezoporus wallicus Kerr, 1792	I	A	LC 595, 713, 931, 1254, 1288, 9325, 9326
Synonym: <i>Psittacus wallicus</i> Kerr, 1792			
E: Ground Parakeet, Ground Parrot, Swamp Parakeet, F: Perruche de terre, Perruche terrestre, S: Cacatúa terrera, Perico terrestre, Periquito de tierra Australia (br) [477]			
CITES Identification Manual Reference:	A-218.003.042.001		
Pionites leucogaster (Kuhl, 1820)	II	B	LC 713, 1068, 1142
Synonym: <i>Psittacus leucogaster</i> Kuhl, 1820			
E: White-bellied Caique, White-bellied Parrot, F: Caïque à ventre blanc, S: Lorito rubio Bolivia (br) [1186]; ?Brazil (br?) [6186]; Peru (br) [1136]			
Pionites melanocephala (Linnaeus, 1758)	II	B	LC 713, 1068, 1142
Synonym: <i>Psittacus melanocephalus</i> Linnaeus, 1758			
E: Black-headed Caique, Black-headed Parrot, F: Caïque maïpourri, S: Lorito chirlecrés, Perico calzoncito Brazil (br) [6186]; Colombia (br) [837]; Ecuador (br) [5294]; French Guiana (br) [1349]; Guyana (br) [1295, 25537]; Peru (br) [1136]; Suriname (br) [810, 5296]; Venezuela (br) [1070]			
Pionopsitta aurantiocephala	II		NT 9115
Gaban-Lima, Raposo & Hofling, 2002			
E: Bald Parrot Brazil			
Pionopsitta barrabandi (Kuhl, 1820)	II	B	LC 713, 1068, 1142
Synonyms: <i>Psittacus barrabandi</i> Kuhl, 1820, <i>Gyropsitta barrabandi</i> (Kuhl, 1820)			
E: Barraband's Parrot, Orange-cheeked Parrot, F: Caïque de Barraband, S: Lorito carinaranja, Perico cachete amarillo Bolivia (br) [1135, 1186, 6372]; Brazil (br) [6186]; Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136]; Venezuela (br) [1070, 7126]			
Pionopsitta caica (Latham, 1790)	II	B	LC 713, 1068, 1142
Synonyms: <i>Psittacus caica</i> Latham, 1790, <i>Gyropsitta caica</i> (Latham, 1790)			
E: Caica Parrot, F: Caïque à tête noire, S: Lorito caica, Perico cabecinegro Brazil (br) [6186]; French Guiana (br) [1349]; Guyana (br) [1295, 25537]; Suriname (br) [5296]; Venezuela (br) [1070]			
Pionopsitta haematotis	II	B	LC 387, 713, 1142
(Sclater & Salvin, 1860)			
Synonyms: <i>Pionus haematotis</i> Sclater & Salvin, 1860, <i>Gyropsitta haematotis</i> (Sclater & Salvin, 1860)			
E: Brown-hooded Parrot, F: Caïque à capuchon, S: Lorito encapuchado, Loro orejirrojo Belize (br) [5241]; Colombia (br) [837]; Costa Rica (br) [1311]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]			
Pionopsitta pileata (Scopoli, 1769)	I	A	LC 595, 713, 1068, 1142, 1254
Synonym: <i>Psittacus pileatus</i> Scopoli, 1769			
E: Pileated Parrot, Red-capped Parrot, F: Caïque mitré, Perroquet à oreilles, S: Cúiu cúiu, Lorito carirrojo, Lorito orejudo, Lorito pileado Argentina (br) [5291, 10249]; Brazil (br) [6186, 25280]; Paraguay (br) [5295]			
CITES Identification Manual Reference:	A-218.003.044.005		
Pionopsitta pulchra Berlepsch, 1897	II	B	LC 713, 1068, 1142
Synonym: <i>Gyropsitta pulchra</i> Berlepsch, 1897			
E: Beautiful Parrot, Rose-faced Parrot, F: Caïque à joues roses, S: Lorito carirrosado, Loro cachirrosa Colombia (br) [837]; Ecuador [5294]			

Pionopsitta pyrilia (Bonaparte, 1853)	II	B	VU	387, 713, 1068, 1142, 1254
Synonyms: <i>Psittacula pyrilia</i> Bonaparte, 1853, <i>Gypopsitta pyrilia</i> (Bonaparte, 1853) E: Saffron-headed Parrot, F: Caïque de Bonaparte, S: Lorito cabecigualdo, Perico cabecidorado Colombia (br) [837]; ?Panama (br) [1195]; Venezuela (br) [1070, 6304]				
Pionopsitta vulturina (Kuhl, 1820)	II	B		713, 1068, 1142
Synonyms: <i>Psittacus vulturinus</i> Kuhl, 1820, <i>Gypopsitta vulturina</i> (Kuhl, 1820) E: Vulturine Parrot, F: Caïque vautourin, S: Lorito vulturino Brazil (br) [6186]				
Pionus chalcopterus (Fraser, 1841)	II	B	LC	387, 713, 1142
Synonym: <i>Psittacus chalcopterus</i> Fraser, 1841 E: Bronze-winged Parrot, F: Pione noire, S: Cotorra negra, Loro alibronceado Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136, 8616]; Venezuela (br) [1070]				
Pionus fuscus (P. L. S. Müller, 1776)	II	B	LC	713, 1068, 1142
Synonym: <i>Psittacus fuscus</i> P. L. S. Müller, 1776 E: Dusky Parrot, F: Pione violette, S: Cotorra morada, Loro morado Brazil (br) [6186]; Colombia (br) [837]; French Guiana (br) [1349]; Guyana (br) [1295, 25537]; Suriname (br) [5296]; Venezuela (br) [1070]				
Pionus maximiliani (Kuhl, 1820)	II	B	LC	713, 1068, 1142
Synonym: <i>Psittacus maximiliani</i> Kuhl, 1820 E: Scaly-headed Parrot, F: Pione de Maximilien, S: Loro choclero Argentina (br) [5291, 10249]; Bolivia (br) [1186]; Brazil (br) [6186]; Paraguay (br) [5295]				
Pionus menstruus (Linnaeus, 1766)	II	B	LC	387, 713, 1068, 1142
Synonym: <i>Psittacus menstruus</i> Linnaeus, 1766 E: Blue-headed Parrot, Red-vented Parrot, F: Pione à tête bleue, S: Cotorra cabeciazul, Loro cabeciazul Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294, 6351]; French Guiana (br) [1349]; Guyana (br) [1295, 25537]; Panama (br) [1195]; Peru (br) [1136]; Suriname (br) [5296]; Trinidad and Tobago (br) [703]; Venezuela (br) [1070]				
Pionus senilis (Spix, 1824)	II	B	LC	387, 713, 1068, 1142
Synonym: <i>Psittacus senilis</i> Spix, 1824 E: White-capped Parrot, White-crowned Parrot, F: Pione à couronne blanche, S: Loro caroniblanco, Loro senil Belize (br) [5241]; Costa Rica (br) [1311]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]				
Pionus sordidus (Linnaeus, 1758)	II	B	LC	713, 1068, 1142
Synonym: <i>Psittacus sordidus</i> Linnaeus, 1758 E: Red-billed Parrot, F: Pione à bec rouge, S: Loro piquirrojo, Perico pico rojo Bolivia (br) [1186]; Colombia (br) [837]; Ecuador (br) [5294, 6351, 13140]; Peru (br) [1136]; Venezuela (br) [1070]				
Pionus tumultuosus (Tschudi, 1844)	II	B	LC	713, 1068, 1142
Synonyms: <i>Pionus seniloides</i> Massena & Souancé, 1854, <i>Psittacus tumultuosus</i> Tschudi, 1844, <i>Psittacus seniloides</i> Massena & Souancé, 1854 E: Plum-crowned Parrot, F: Pione pailletée, S: Cotorra cabeciblanca, Loro tumultuoso Bolivia (br) [1186, 7166]; Colombia (br) [837, 10120]; Ecuador (br) [5294]; Peru (br) [1136]; Venezuela (br) [1070]				
Platycercus adelphe Gould, 1841	II	B		
Synonym: <i>Platycercus elegans adelphe</i> Gould, 1841 E: Adelaide Parakeet, Adelaide Rosella, F: Perruche d'Adélaïde, S: Perico de Adelaida Australia (br)				
Platycercus adscitus (Latham, 1790)	II	B	LC	713, 1288
Synonym: <i>Psittacus adscitus</i> Latham, 1790 E: Mealy Rosella, Pale-headed Rosella, F: Perruche à tête pâle, Perruche palliceps, S: Perico pálido Australia (br) [477]; United States (int, br) [387]				
Platycercus caledonicus (Gmelin, 1788)	II	B	LC	713, 1288, 9326
Synonym: <i>Psittacus caledonicus</i> Gmelin, 1788				

E: Green Rosella, Tasmanian Rosella, F: Perruche à ventre jaune, Perruche calédonienne, S: Perico de Tasmania
 Australia (br) [477]

Platycercus elegans (Gmelin, 1788) II B LC 713, 1288
 Synonym: *Psittacus elegans* Gmelin, 1788

E: Crimson Rosella, Pennant's Parakeet, F: Perruche de Pennant, S: Perico elegante
 Australia (br) [477]; New Zealand (int, br) [1351]; Norfolk Island (br)

Platycercus eximius (Shaw, 1792) II B LC 713, 1288
 Synonym: *Psittacus eximius* Shaw, 1792

E: Eastern Rosella, Golden-mantled Rosella, F: Perruche omnicolore, S: Perico multicolor
 Australia (br) [477]; New Zealand (int, br) [1351]

Platycercus flaveolus Gould, 1837 II B LC 713, 1288

Synonym: *Platycercus caledonicus flaveolus* Gould, 1837
 E: Yellow Rosella, F: Perruche flavéole, S: Perico gualda
 Australia (br) [477]

Platycercus icterotis (Kuhl, 1820) II B LC 713, 1288

Synonym: *Psittacus icterotis* Kuhl, 1820
 E: Stanley Parakeet, Western Rosella, F: Perruche à oreilles jaunes, Perruche de Stanley, S: Perico carigualdo
 Australia (br) [477]

Platycercus venustus (Kuhl, 1820) II B LC 713, 1288

Synonym: *Psittacus venustus* Kuhl, 1820
 E: Northern Rosella, F: Perruche gracieuse, S: Perico gracioso
 Australia (br) [477]

Poicephalus crassus (Sharpe, 1884) II B LC 713, 723, 1256, 1292

Synonyms: *Poicephalus cryptoxanthus crassus* (Sharpe, 1884), *Pionias crassus* Sharpe, 1884
 E: Niam-niam Parrot, F: Perroquet des niam-niam, S: Lorito niam-niam
 Central African Republic (br?) [555, 659]; Chad (br?) [659]; Democratic Republic of the Congo (br?) [25489];
 Sudan (br?) [659]

Poicephalus cryptoxanthus (Peters, 1854) II B LC 511, 573, 713, 723, 1292

Synonym: *Psittacus cryptoxanthus* Peters, 1854
 E: Brown-headed Parrot, F: Perroquet à tête brune, S: Lorito cabecipardo
 Kenya (br) [5253]; Malawi (br) [1103]; Mozambique (br?) [659]; South Africa (br) [659]; Swaziland (br) [1139]; United Republic of Tanzania (br?) [659]; Zimbabwe (br) [659]

Poicephalus flavifrons (Rüppell, 1845) II B LC 713, 723, 894, 1292

Synonym: *Pionus flavifrons* Rüppell, 1845
 E: Yellow-fronted Parrot, F: Perroquet à face jaune, S: Lorito carigualdo
 Ethiopia (br) [659]

Poicephalus gulielmi (Jardine, 1849) II B LC 511, 713, 723, 1256, 1292

Synonym: *Pionus gulielmi* Jardine, 1849
 E: Jardine's Parrot, Red-crowned Parrot, Red-fronted Parrot, F: Perroquet à calotte rouge, Perroquet vert à calotte rouge, Perroquet vert du Congo, S: Lorito frentirrojo, Papagayo de Gulielm
 Angola (br?) [5267]; Cameroon (br?) [659, 25331, 25376, 25382]; Central African Republic (br?) [659, 11929];
 Congo (br) [659]; Côte d'Ivoire (br) [1334, 25469]; Democratic Republic of the Congo (br) [25489]; Equatorial Guinea (br?) [659, 1183]; Gabon (br) [659]; Ghana (br) [782, 7856]; Guinea [12904]; Kenya (br) [5253]; Liberia (br) [5246]; Nigeria [7101]; Uganda (br?) [659]; United Republic of Tanzania (br?) [659]

Poicephalus meyeri (Cretzschmar, 1827) II B LC 511, 573, 713, 723, 1256, 1292

Synonym: *Psittacus meyeri* Cretzschmar, 1827
 E: Brown Parrot, Meyer's Parrot, F: Perroquet de Meyer, S: Lorito de Meyer
 Angola (br) [5267]; Botswana (br) [1102]; Burundi (br) [659, 25523]; Central African Republic (br) [659]; Chad (br) [659]; Democratic Republic of the Congo (br?) [25489]; Eritrea (br?) [659]; Ethiopia (br) [659]; Kenya (br) [5253]; Malawi (br) [1103]; Mozambique (br?) [659]; Namibia (br?) [659]; Rwanda (br) [659]; South Africa (br) [659]; Sudan (br) [659]; Uganda (br?) [659]; United Republic of Tanzania (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

Poicephalus robustus (Gmelin, 1788)	II	B	LC	713, 723, 1254, 7735
Synonyms: <i>Psittacus robustus</i> Gmelin, 1788, <i>Poicephalus fuscicollis</i> (Kuhl, 1820)				
E: Brown-necked Parrot, Cape Parrot, F: Perroquet du Cap, Perroquet robuste, S: Lorito robusto, Papagayo robusto				
Angola (br?) [5267]; Botswana (br?) [1102]; Burundi (br) [659]; ?Cameroon; Côte d'Ivoire (br) [1334, 25469, 25470, 25471]; Democratic Republic of the Congo (br) [25488, 25489]; Gambia (br) [760]; Ghana (br) [782]; ?Guinea (v?); Guinea-Bissau (br) [659, 715]; Liberia (v) [5246]; Malawi (br) [1103]; Mali (v) [659]; Mozambique (br?) [659]; Namibia (br?) [659]; Nigeria (br); Rwanda (br) [659]; Senegal (v) [659]; Sierra Leone (v) [659]; South Africa (br) [659, 25228]; Swaziland (br) [1139]; Togo (br?) [5254]; Uganda (br?) [659]; United Republic of Tanzania (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]				
Poicephalus rueppellii (Gray, 1849)	II	B	LC	573, 713, 723, 1292
Synonym: <i>Psittacus rueppellii</i> G. R. Gray, 1849				
E: Rüppell's Parrot, F: Perroquet de Rüppell, S: Lorito de Rüppell				
Angola (br) [5267]; Namibia (br) [659]				
Poicephalus rufiventris (Rüppell, 1845)	II	B	LC	511, 713, 723, 1254, 1292
Synonym: <i>Pionus rufiventris</i> Rüppell, 1845				
E: African Orange-bellied Parrot, Red-bellied Parrot, F: Perroquet à ventre rouge, S: Lorito ventrirrojo				
Ethiopia (br) [659]; Kenya (br) [5253]; Somalia (br) [5252]; United Republic of Tanzania (br) [659]				
Poicephalus senegalus (Linnaeus, 1766)	II	B	LC	713, 723, 1254, 1256, 1292
Synonym: <i>Psittacus senegalus</i> Linnaeus, 1766				
E: Senegal Parrot, F: Perroquet à tête grise, Perroquet youyou, Youyou, S: Lorito senegalés, Papagayo senegalés				
Benin (br) [659]; Burkina Faso (br) [659, 1345, 7154]; Cameroon (br) [659]; Chad (br) [659]; Côte d'Ivoire (br) [1334, 25469, 25471]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br) [659, 1078, 1191, 1389, 10590, 11437, 11442, 12904]; Guinea-Bissau (br) [659, 715, 12904]; Liberia (int, br) [5246]; Mali (br) [659]; Mauritania (br) [659]; Niger (br) [659]; Nigeria (br); Senegal (br) [659]; Sierra Leone [659]; Togo (br) [5254]				
Polytelis alexandrae Gould, 1863	II	B	NT	595, 713, 1254, 1288
Synonym: <i>Spathopterus alexandrae</i> (Gould, 1863)				
E: Alexandra's Parrot, Princess of Wales Parakeet, Princess Parrot, F: Perruche à calotte bleue, Perruche d'Alexandra, Perruche princesse, S: Perico princesa				
Australia (br) [477]				
Polytelis anthopeplus (Lear, 1831)	II	B	LC	713, 1288, 7121, 9325
Synonyms: <i>Spathopterus anthopeplus</i> (Lear, 1831), <i>Palaeornis anthopeplus</i> Lear, 1831				
E: Regent Parrot, Rock Pebbler, F: Perruche mélanure, S: Perico regente				
Australia (br) [477]				
Polytelis swainsonii (Desmarest, 1826)	II	B	VU	595, 713, 1254, 1288, 9326
Synonym: <i>Psittacus swainsonii</i> Desmarest, 1826				
E: Barraband Parakeet, Green Leek Parrot, Superb Parrot, F: Perruche de Barraband, S: Perico soberbio				
Australia (br) [477]				
Prioniturus discurus (Vieillot, 1818)	II	B	LC	595, 713, 1254
Synonym: <i>Psittacus discurus</i> Vieillot, 1822				
E: Blue-crowned Racquet-tail, Palawan Racket-tailed Parrot, F: Palette à couronne bleue, S: Lorito-momoto coroniazul				
Philippines (br) [5270]				
Prioniturus flavicans Cassin, 1853	II	B	NT	595, 713, 1254, 1410, 9324
E: Yellow-breasted Racquet-tail, Yellowish-breasted Racquet-tail, F: Palette de Cassin, S: Lorito-momoto amarillento				
Indonesia (br) [393, 7262]: Sulawesi				
Prioniturus luconensis Steere, 1890	II	B	VU	595, 713, 1254
E: Green Racquet-tail, Green-crowned Racket-tailed Parrot, Green-headed Racket-tailed Parrot, F: Palette verte, S: Lorito-momoto de Luzón				
Philippines (br) [5270]				

Prioniturus mada Hartert, 1900 E: Buru Racquet-tail, F: Palette de Buru, S: Lorito-momoto de Buru Indonesia (br) [393]: Moluccas	II	B	LC	595, 713, 1254, 1410
Prioniturus montanus Ogilvie-Grant, 1895 Synonym: <i>Prioniturus flavicans montanus</i> Ogilvie-Grant, 1895 E: Luzon Racquet-tail, Montane Racquet-tail, F: Palette momot, S: Lorito-momoto montano Philippines (br) [5270]	II	B	NT	595, 713
Prioniturus platenae W. Blasius, 1888 Synonym: <i>Prioniturus discurus platenae</i> W. Blasius, 1888 E: Blue-headed Racquet-tail, F: Palette de Palawan, S: Lorito-momoto de Palawan Philippines (br) [5270]	II	B	VU	595
Prioniturus platurus (Vieillot, 1818) Synonym: <i>Psittacus platurus</i> Vieillot, 1817 E: Golden-mantled Racquet-tail, F: Palette à manteau d'or, S: Lorito-momoto dorsidorado Indonesia (br) [393, 7262]: Sulawesi	II	B	LC	713, 1410
Prioniturus verticalis Sharpe, 1893 Synonyms: <i>Prioniturus flavicans verticalis</i> Sharpe, 1893, <i>Prioniturus discurus verticalis</i> Sharpe, 1893 E: Blue-winged Racquet-tail, F: Palette des Sulu, S: Lorito-momoto de las Sulu Philippines (br) [5270, 10364]	II	B	EN	595
Prioniturus waterstradti Rothschild, 1904 Synonyms: <i>Prioniturus discurus waterstradti</i> Rothschild, 1904, <i>Prioniturus montanus waterstradti</i> Rothschild, 1904 E: Mindanao Racquet-tail, F: Palette de Mindanao, S: Lorito-momoto de Mindanao Philippines (br) [5270]	II	B	NT	595
Propyrrhura auricollis (Cassin, 1853) Synonyms: <i>Primolius auricollis</i> (Cassin, 1853), <i>Ara auricollis</i> Cassin, 1853 E: Golden-collared Macaw, Yellow-collared Macaw, F: Ara à collier jaune, Ara à nuque d'or, S: Guacamayo acollarado, Maracana cuellidorada Argentina (br) [465, 5291, 10249]; Bolivia (br) [1186, 6415]; Brazil (br) [6186]; Paraguay (br) [5295]	II	B		713, 1068, 1142, 7774
Propyrrhura couloni (P. L. Sclater, 1876) Synonyms: <i>Primolius couloni</i> (P. L. Sclater, 1876), <i>Ara couloni</i> P. L. Sclater, 1876 E: Blue-headed Macaw, F: Ara de Coulon, S: Guacamayo cabeciazul Bolivia (br) [1135, 1186, 6372]; ?Brazil (br?) [6186]; Peru (br) [1136]	I	A		713, 1068, 1142, 7774
Propyrrhura maracana (Vieillot, 1816) Synonyms: <i>Macrocerus maracana</i> Vieillot, 1816, <i>Primolius maracana</i> (Vieillot, 1816), <i>Ara maracana</i> (Vieillot, 1816) E: Blue-winged Macaw, Illiger's Macaw, F: Ara d'Illiger, Ara miracana, S: Guacamayo de Illiger, Guacamayo maracaná, Maracana dorsirroja Argentina (ex, br) [465, 5291, 10249]; Brazil (br) [6186, 8634]; Paraguay (br) [5295]	I	A		595, 713, 1068, 1142, 1254, 7774
Prosopeia personata (G. R. Gray, 1848) Synonym: <i>Coracopsis personata</i> G. R. Gray, 1848 E: Masked Shining-Parrot, F: Perruche masquée, S: Papagayo enmascarado Fiji (br) [1171]	II	B	VU	595, 713, 1254
Prosopeia splendens (Peale, 1848) Synonyms: <i>Platycercus splendens</i> Peale, 1848, <i>Prosopeia tabuensis splendens</i> (Peale, 1848) E: Crimson Shining-Parrot, F: Perruche écarlate, S: Papagayo escarlata Fiji (br) [1171]	II	B	VU	595, 713, 1254, 7152
Prosopeia tabuensis (Gmelin, 1788) Synonyms: <i>Psittacus tabuensis</i> Gmelin, 1788, <i>Layardiella tabuensis</i> (J. F. Gmelin, 1788) E: Red Shining-Parrot, F: Perruche pompadour, S: Papagayo granate Fiji (br) [1171]; Tonga (br) [1171]	II	B	LC	713

Psephotus chrysoterygius Gould, 1858	I	A	EN	595, 713, 931, 1254, 1288, 1397, 9325
E: Golden-shouldered Parrot, F: Perruche à ailes d'or, Perruche à épaules dorées, Perruche aux ailes d'or, S: Cacatúa de alas doradas, Loro hombroamarillo, Perico aligualdo, Periquito de espalda dorada Australia (br) [477]				
CITES Identification Manual Reference:			A-218.003.051.002a	
Psephotus dissimilis Collett, 1898	I	A	LC	595, 713, 931, 1254
Synonym: <i>Psephotus chrysoterygius dissimilis</i> Collett, 1898				
E: Hooded Parrot, F: Perruche à capuchon, Perruche à capuchon noir, S: Perico capirotado, Periquito encapuchado Australia (br) [477]				
CITES Identification Manual Reference:			A-218.003.051.002b	
Psephotus haematonotus (Gould, 1838)	II	B	LC	713, 1288
Synonym: <i>Platycercus haematonotus</i> Gould, 1838				
E: Red-rumped Parrot, F: Perruche à croupion rouge, Perruche à dos rouge, S: Perico dorsirrojo Australia (br) [477]				
Psephotus pulcherrimus (Gould, 1845)	I	A	EX	595, 713, 931, 1254, 1288, 6985
Synonym: <i>Platycercus pulcherrimus</i> Gould, 1845				
E: Beautiful Parakeet, Paradise Parrot, F: Perruche de paradis, Perruche magnifique, S: Cacatúa del paraíso, Loro del paraíso, Perico del paraíso Australia (ex?, br) [477]				
CITES Identification Manual Reference:			A-218.003.051.005	
Psephotus varius Clark, 1910	II	B	LC	713, 1288
E: Many-coloured Parakeet, Mulga Parrot, F: Perruche multicolore, S: Perico variado Australia (br) [477]				
Psilopsiagon aurifrons (Lesson, 1830)	II	B		713, 1068, 1142
Synonyms: <i>Psittacus aurifrons</i> Lesson, 1830, <i>Bolborhynchus aurifrons</i> (Lesson, 1830)				
E: Golden-fronted Parakeet, Mountain Parakeet, F: Toui à bandeau jaune, S: Catita frentidorada, Catita serrana verde Argentina (br) [5291, 10249]; Bolivia (br) [1186]; Chile (br) [5292]; Peru (br) [1136]				
Psilopsiagon aymara (d'Orbigny, 1839)	II	B		713, 1068, 1142
Synonyms: <i>Amoropsittaca aymara</i> (d'Orbigny, 1839), <i>Arara aymara</i> d'Orbigny, 1839, <i>Bolborhynchus</i> <i>aymara</i> (d'Orbigny, 1839)				
E: Grey-hooded Parakeet, Sierra Parakeet, F: Perruche d'Aymara, Toui aymara, S: Catita aimará, Catita serrana común Argentina (br) [5291, 10249]; Bolivia (br) [1186]; ?Chile (br) [5292]				
Psittacella brehmii Schlegel, 1873	II	B	LC	713, 1242
E: Brehm's Tiger-Parrot, F: Perruche de Brehm, S: Lorito-tigre de Brehm Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)				
Psittacella madaraszi A. B. Meyer, 1886	II	B	LC	713, 1242
Synonym: <i>Psittacella modesta madaraszi</i> A. B. Meyer, 1886				
E: Madarasz's Tiger-Parrot, F: Perruche de Madarasz, S: Lorito-tigre de Madarasz Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)				
Psittacella modesta Schlegel, 1873	II	B	LC	713, 1242
E: Modest Tiger-Parrot, F: Perruche modeste, S: Lorito-tigre modesto Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)				
Psittacella picta Rothschild, 1896	II	B	LC	713
E: Painted Tiger-Parrot, F: Perruche peinte, S: Lorito-tigre pintado Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)				
Psittacula alexandri (Linnaeus, 1758)	II	B	LC	381, 713, 929
Synonym: <i>Psittacus alexandri</i> Linnaeus, 1758				
E: Moustached Parakeet, Red-breasted Parakeet, F: Perruche à moustaches, S: Cotorra pechirroja				

Bangladesh (br) [804]; Bhutan (br) [5261]; Cambodia (br) [5243]; China (br) [5293]; Hong Kong, China (v); India (br) [1197]; Indonesia (br) [393]; Bali, Jawa, Kalimantan, Sumatera; Lao People's Democratic Republic (br) [6187]; Malaysia (br); Myanmar (br) [1290]; Nepal (br) [865]; Singapore (int, br) [791]; Thailand (br) [487, 1220]; Viet Nam (br) [5264]

Psittacula calthropae (Blyth, 1849) II B LC 381, 713, 1254

Synonym: *Psittacula calthorpa* (Blyth, 1849)

E: Emerald-collared Parakeet, Layard's Parakeet, F: Perruche de Layard, S: Cotorra de ceilán
Sri Lanka (br) [5271]

Psittacula caniceps (Blyth, 1846) II B NT 381, 595, 713, 1254

Synonym: *Palaeornis caniceps* Blyth, 1846

E: Blyth's Parakeet, Nicobar Parakeet, F: Perruche des Nicobar, S: Cotorra de Nicobar
India (br) [1197]; Nicobar Is

Psittacula columbooides (Vigors, 1830) II B LC 381, 713, 1254

Synonym: *Palaeornis columbooides* Vigors, 1830

E: Malabar Parakeet, F: Perruche de Malabar, S: Cotorra de Malabar
India (br) [1197]

Psittacula cyanocephala (Linnaeus, 1766) II B LC 381, 713

Synonym: *Psittacus cyanocephalus* Linnaeus, 1766

E: Plum-headed Parakeet, F: Perruche à tête prune, S: Cotorra ciruela
Bangladesh (br) [804]; India (br) [1197]; Nepal (br) [865]; Pakistan (br); Sri Lanka (br) [5271]

Psittacula derbiana (Fraser, 1852) II B LC 381, 595, 713, 1254

Synonym: *Palaeornis derbianus* Fraser, 1852

E: Derbyan Parakeet, F: Perruche de Derby, S: Cotorra de Derby
China (br) [5293]; India (br) [1197]

Psittacula echo (Newton & Newton, 1876) I A 401, 595, 597, 713

Synonyms: *Psittacula eques echo* (A. Newton & E. Newton, 1876), *Psittacula eques* (Boddaert, 1783),

Psittacula krameri echo (A. Newton & E. Newton, 1876), *Palaeornis echo* A. Newton & E. Newton, 1876

E: Mauritius Parakeet, Mauritius Ring-necked Parakeet, F: Grosse cateau verte de Maurice, Perruche à collier de Maurice, Perruche de l'île Maurice, Perruche de Maurice, S: Cacatúa del collar de Mauricio, Cotorra de Mauricio

Mauritius (br) [659]

CITES Identification Manual Reference: A-218.003.053.008

Psittacula eupatria (Linnaeus, 1766) II B LC 381, 713, 841, 929

Synonym: *Psittacus eupatria* Linnaeus, 1766

E: Alexandrine Parakeet, F: Perruche alexandre, S: Cotorra alejandrina

Afghanistan (br) [694]; Bangladesh (br) [804]; Bhutan (br?) [5261]; Cambodia (br) [5243]; India (br) [1197]; Iran (Islamic Republic of) (int, br) [1253]; Kuwait (int, br) [537]; Lao People's Democratic Republic (br) [6187]; Myanmar (br) [1290]; Nepal (br) [865]; Pakistan (br); Saudi Arabia (int, br) [881]; Sri Lanka (br) [5271]; Thailand (br) [487, 1220]; Viet Nam (br) [5264]; Yemen (int, br) [5297]

Psittacula finschii (Hume, 1874) II B LC 713

Synonym: *Psittacula himalayana finschii* (Hume, 1874)

E: Grey-headed Parakeet, F: Perruche de Finsch, S: Cotorra de Finsch

Bangladesh (br) [804]; Cambodia (br) [5243]; China (br) [1069, 5293]; India (br) [1197]; Lao People's Democratic Republic (br) [6187]; Myanmar (br) [1290]; Thailand (br) [487, 1220]; Viet Nam (br) [5264]

Psittacula himalayana (Lesson, 1832) II B LC 381, 713, 929

Synonyms: *Psittacus himalayanus* Lesson, 1832, *Palaeornis finschii* Hume, 1874

E: Slaty-headed Parakeet, F: Perruche à tête ardoisée, Perruche de l'Himalaya, S: Cotorra del Himalaya
Afghanistan (br) [694]; Bhutan (br) [5261]; India (br) [1197]; Nepal (br) [865]; Pakistan (br)

Psittacula intermedia (Rothschild, 1895) II B 381, 595, 713, 1232, 7775

Synonym: *Palaeornis intermedia* Rothschild, 1895

E: Intermediate Parakeet, Rothschild's Parakeet, F: Perruche intermédiaire, S: Cotorra intermedia
India (br) [1197]

Psittacula krameri (Scopoli, 1769) III GH C LC 381, 511, 611, 713, 723, 841, 929, 1256, 1292

Synonym: *Psittacus krameri* Scopoli, 1769

E: Ring-necked Parakeet, Rose-ringed Parakeet, F: Perruche à collier, Perruche à collier, S: Cotorra de Kramer, Cotorra de Kramer, Loro rabudo collar, Periquito de collar africano
 Afghanistan (br) [694]; Austria (int, br) [1215]; Azerbaijan (int) [25291]; Bahrain (int, br) [1105]; Bangladesh (br) [804]; Belgium (int, br) [5272]; Benin (br?) [659]; Bhutan (br?) [5261]; Burkina Faso (br?) [659]; Cameroon (br?) [659]; ?Cape Verde (v) [820]; Central African Republic (br?) [659]; Chad (br) [659]; China (br?) [5293]; Côte d'Ivoire (br) [1334, 25471]; Cuba (int, v) [8654]; Djibouti (br?) [427]; Egypt (int, br) [756]; Eritrea (br?) [659]; Ethiopia (br?) [659]; Gambia (br) [760]; Germany (int, br) [5274]; Ghana (br?) [782]; Guinea (br) [659, 1078, 10590, 11456]; Guinea-Bissau (br) [659, 715]; Hong Kong, China (int, br); India (br) [1197]; Iran (Islamic Republic of) (int, br) [1253]; Iraq (int, br) [385, 10169, 10177]; Israel (int, br) [5245]; Italy (int, br) [5289]; Japan (int, br) [503]; Jordan (int, br) [395, 7871]; Kenya (int, br) [5253]; Kuwait (int, br) [537]; Lebanon (int, br) [5284]; Liberia (int?, br?) [5246]; Macao, China (int, br); Maldives (int, br) [7264]; Mali (br) [659]; Mauritania (br) [659]; Mauritius (int, br) [659]; Myanmar (br) [1290]; Nepal (br) [865]; Netherlands (int, br) [5273]; Niger (br?) [659]; Nigeria (br); Oman (int, br) [13112]; Pakistan (br); Portugal (int, br) [1332]; Portugal (int, br); Puerto Rico (int) [8662]; Qatar (int, br) [1393]; Saudi Arabia (int, br) [881]; Senegal (br) [659]; Sierra Leone (br?) [659]; Singapore (int, br) [791]; Slovenia (int, br) [1038]; Somalia (v) [5252]; South Africa (int, br) [659]; Spain (int, br) [702]; Sri Lanka (br) [5271]; Sudan (br) [659]; Togo (br) [5254]; Turkey (int, br) [5282]; Uganda (br?) [659]; United Arab Emirates (int, br) [1192]; United Kingdom (int, br) [6188]; United States (int, br) [387]; Venezuela (int, br) [6720, 11378]; Viet Nam (br) [5264]; Yemen (int, br) [5297]

CITES Identification Manual Reference:

A-218.003.053.013

Psittacula longicauda (Boddaert, 1783)

II B NT 381, 713, 929

Synonym: *Psittacus longicauda* Boddaert, 1783

E: Long-tailed Parakeet, Pink-cheeked Parakeet, F: Perruche à longs brins, S: Cotorra colilarga
 Brunei Darussalam (br); India (br) [1197]; Indonesia (br) [393]; Kalimantan, Sumatera; Malaysia (br) [1289]; Peninsular Malaysia [1049], Sabah [759], Sarawak [393]; Myanmar (br) [1290]; Singapore (br) [791]; Viet Nam (br) [5264]

Psittacula roseata Biswas, 1951

II B LC 381, 713, 929

E: Blossom-headed Parakeet, F: Perruche à tête rose, S: Cotorra carirrosa

Bangladesh (br) [804]; Cambodia (br) [5243]; ?China (br?) [5293]; India (br) [1197]; Lao People's Democratic Republic (br) [6187]; Myanmar (br) [1290]; Thailand (br) [487, 1220]; Viet Nam (br) [5264]

Psittaculirostris desmarestii

(Desmarest, 1826)

II B LC 713, 1242

Synonym: *Psittacus desmarestii* Desmarest, 1826

E: Desmarest's Fig-Parrot, Golden-headed Fig-Parrot, Large Fig-Parrot, F: Psittacule de Desmarest, S: Lorito de Desmarest

Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br) [6924]

Psittaculirostris edwardsii

(Oustalet, 1885)

II B LC 713

Synonyms: *Psittaculirostris salvadorii edwardsii* (Oustalet, 1885), *Cyclopsittacus edwardsii* Oustalet, 1885

E: Edwards's Fig-Parrot, F: Psittacule d'Edwards, S: Lorito de Edwards

Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)

Psittaculirostris salvadorii

(Oustalet, 1880)

II B VU 452, 595, 713, 1242, 1254

Synonym: *Cyclopsittacus salvadorii* Oustalet, 1880

E: Salvadori's Fig-Parrot, F: Psittacule de Salvadori, S: Lorito de Salvadori

Indonesia (br) [393]: Irian Jaya

Psittacus erithacus Linnaeus, 1758

II B LC 511, 713, 723, 1256, 1292

E: Grey Parrot, F: Jacko, Jacquot, Perroquet gris, Perroquet jaco, S: Loro yaco, Yaco
 Angola (br) [659, 5267]; Benin (br) [7855]; Burundi (br) [659, 25466]; Cameroon (br) [659, 12906, 25180, 25331, 25370, 25374, 25376, 25382]; Central African Republic (br) [659]; Congo (br) [659]; Côte d'Ivoire (br) [659, 1334, 25469, 25470, 25471]; Democratic Republic of the Congo (br) [659, 12907, 25466, 25476, 25488, 25489]; Equatorial Guinea (br) [659, 25443]; Equatorial Guinea, Bioko; Gabon (br) [659]; Ghana (br) [659, 782, 7856]; Guinea (br) [659, 1078, 1389, 11437, 11442, 11455, 12904, 12905]; Guinea-Bissau (br) [659, 715, 12904]; Kenya (br) [659, 5253]; Liberia (br) [659, 5246]; Mali (br) [659]; Nigeria (br) [659, 7827]; Rwanda (br) [659, 25466]; São Tomé and Príncipe (br) [659]; Sierra Leone (br) [659]; Togo (br?) [659, 5254]; Uganda (br) [659]; United Republic of Tanzania (br) [659]

Psittinus cyanurus (Forster, 1795)

II B NT 595, 713, 929

Synonym: *Psittacus cyanurus* Forster, 1795

E: Blue-rumped Parrot, F: Perruche à croupion bleu, S: Lorito dorsiazul

Brunei Darussalam (br); Indonesia (br) [393]; Kalimantan, Sumatera; Malaysia (br) [1289]; Peninsular Malaysia [1049], Sabah [759], Sarawak [393]; Myanmar (br) [1290]; Singapore (v) [791]; Thailand (br) [487]; Viet Nam (br) [1220, 5264]

Psittrichas fulgidus (Lesson, 1830) II B VU 595, 713, 1242, 1254

Synonym: *Banksianus fulgidus* Lesson, 1830

E: Pesquet's Parrot, Vulturine Parrot, F: Psittrichas de Pesquet, S: Loro aguileño
Indonesia (br) [393]; Irian Jaya; Papua New Guinea (br) [6924]

Purpleicephalus spurius (Kuhl, 1820) II B LC 713, 1288

Synonym: *Psittacus spurius* Kuhl, 1820

E: Pileated Parakeet, Red-capped Parrot, F: Perruche à tête pourpre, S: Perico capelo
Australia (br) [477]

Pyrrhura albipectus Chapman, 1914 II B VU 595, 598, 713, 1068,
1142, 1194, 1254

E: White-breasted Parakeet, White-necked Conure, White-necked Parakeet, F: Conure à col blanc,
S: Cotorra cuelliblanca, Perico pechiblanco
Ecuador (br) [5294, 6200]; Peru (v) [10295]

Pyrrhura calliptera (Massena & Souancé, 1854) II B VU 595, 598, 713, 1068,
1142, 1194, 1254

Synonym: *Conurus callipterus* Massena & Souancé, 1854

E: Brown-breasted Parakeet, Flame-winged Conure, Flame-winged Parakeet, F: Conure à poitrine brune,
S: Cotorra pechiparda
Colombia (br) [837]

Pyrrhura cruentata (Wied, 1820) I A VU 595, 598, 713, 931, 1068,
1142, 1194, 1254

Synonym: *Psittacus cruentatus* Wied, 1820

E: Blue-chested Parakeet, Blue-throated Parakeet, Ochre-marked Parakeet, Red-eared Conure, F: Conure à
gorge bleue, Conure tiriba, Perruche tiriba, S: Cotorra tiriba, Perico grande
Brazil (br) [6186, 25280]

CITES Identification Manual Reference:

A-218.003.059.004

Pyrrhura devillei (Massena & Souancé, 1854) II B LC 713, 1068, 1142

Synonym: *Conurus devillei* Massena & Souancé, 1854

E: Blaze-winged Conure, Blaze-winged Parakeet, F: Conure de Deville, S: Cotorra de Deville
?Bolivia (br) [1186]; Brazil (br) [6186]; Paraguay (br) [5295]

Pyrrhura egregia (Sclater, 1881) II B LC 713, 1068, 1142

Synonym: *Conurus egregius* Sclater, 1881

E: Fiery-shouldered Conure, Fiery-shouldered Parakeet, F: Conure aile-de-feu, S: Cotorra egregia, Perico
colimorado
Brazil (br) [6186]; Guyana (br) [1295, 8615, 25537]; Venezuela (br) [1070]

Pyrrhura frontalis (Vieillot, 1818) II B LC 713, 1068, 1142

Synonym: *Psittacus frontalis* Vieillot, 1818

E: Maroon-bellied Parakeet, Red-bellied Conure, Reddish-bellied Parakeet, F: Conure de Vieillot,
S: Chiripepé común, Cotorra chiripepé
Argentina (br) [5291, 10249]; Brazil (br) [6186, 25280]; Paraguay (br) [5295]; Uruguay (br) [5287, 25534]

Pyrrhura hoematotis Souancé, 1857 II B LC 713, 1068, 1142

E: Blood-eared Parakeet, Red-breasted Conure, Red-eared Parakeet, F: Conure à oreillons, S: Cotorra
colirroja, Perico cola roja
Venezuela (br) [1070]

Pyrrhura hoffmanni (Cabanis, 1861) II B LC 387, 713, 1142

Synonym: *Conurus hoffmanni* Cabanis, 1861

E: Hoffmann's Conure, Sulphur-winged Parakeet, F: Conure de Hoffmann, S: Cotorra catana
Costa Rica (br) [1311]; Panama (br) [1195]

Pyrrhura lepida (Wagler, 1832) II B NT 595, 713, 1068, 1142,
1194, 6842

Synonyms: *Sittace lepida* Wagler, 1832, *Conurus rhodogaster* Sclater, 1864

E: Pearly Conure, Pearly Parakeet, F: Conure perlée, S: Cotorra perlada
 Brazil (br) [6186]

Pyrrhura leucotis (Kuhl, 1820) II B LC 713, 1068, 1142, 1254,
 6776, 25283
 Synonyms: *Psittacus leucotis* Kuhl, 1820, *Pyrrhura griseipectus* Salvadori, 1900, *Pyrrhura anaca* (J. F.
 Gmelin, 1788), *Pyrrhura emma* Salvadori, 1891, *Pyrrhura pfrimeri* Miranda-Ribeiro, 1920
 E: Maroon-faced Parakeet, White-eared Conure, White-eared Parakeet, F: Conure emma, S: Cotorra
 cariparda, Perico pintado
 Brazil (br) [6186, 7170]; Venezuela (br) [1070]

Pyrrhura melanura (Spix, 1824) II B LC 713, 1068, 1142
 Synonym: *Aratinga melanurus* Spix, 1824
 E: Maroon-tailed Conure, Maroon-tailed Parakeet, F: Conure de Souancé, S: Cotorra colinegra, Perico cola
 negra
 Brazil (br) [6186]; Colombia (br) [837]; Ecuador (br) [5294, 12077]; Peru (br) [1136]; Venezuela (br) [1070]

Pyrrhura molinae (Massena & Souancé, 1854) II B LC 713, 1068, 1142, 6728
 Synonyms: *Pyrrhura hypoxantha* Salvadori, 1899, *Conurus molinae* Massena & Souancé, 1854
 E: Green-cheeked Conure, Green-cheeked Parakeet, F: Conure de Molina, S: Chiripepé salteño, Cotorra de
 Molina
 Argentina (br) [5291, 10249]; Bolivia (br) [1186, 6667]; Brazil (br) [6186]; Paraguay (br) [6238, 12400]

Pyrrhura orcesi Ridgely & Robbins, 1988 II B EN 595, 598, 713, 1254
 E: El Oro Conure, El Oro Parakeet, F: Conure d'Orcès, S: Cotorra de El Oro, Perico de El Oro
 Ecuador (br) [6360, 9223]

Pyrrhura perlata (Spix, 1824) II B LC 421, 713, 1068, 1142
 Synonyms: *Pyrrhura rhodogaster* (Sclater, 1864), *Aratinga perlatus* Spix, 1824
 E: Crimson-bellied Conure, Crimson-bellied Parakeet, F: Conure à ventre rouge, S: Cotorra ventrirroja
 Bolivia (br) [444, 1186, 6372]; Brazil (br) [6186, 25271]

Pyrrhura picta (P. L. S. Müller, 1776) II B LC 387, 713, 1068, 1142
 Synonyms: *Psittacus pictus* P. L. S. Müller, 1776, *Pyrrhura amazonum* Hellmayr, 1906, *Pyrrhura*
caeruleiceps Todd, 1947, *Pyrrhura eisenmanni* Delgado, 1985, *Pyrrhura subandina* Todd, 1917
 E: Painted Conure, Painted Parakeet, F: Conure versicolore, S: Cotorra pintada, Perico cabecirrosado
 Bolivia (br) [1186, 7072]; Brazil (br) [6186]; Colombia (br) [837]; Ecuador (br) [5294]; French Guiana (br)
 [1349]; Guyana (br) [1295, 25537]; Panama (br) [1195]; Peru (br) [1136]; Suriname (br) [5296]; Venezuela (br)
 [1070]

Pyrrhura rhodocephala (Sclater & Salvin, 1871) II B LC 595, 713, 1068, 1142
 Synonym: *Conurus rhodocephalus* Sclater & Salvin, 1871
 E: Rose-crowned Conure, Rose-headed Conure, Rose-headed Parakeet, F: Conure tête-de-feu, S: Cotorra
 coronirroja, Perico cabecirrojo
 Venezuela (br) [1070]

Pyrrhura rupicola (Tschudi, 1844) II B LC 713, 1068, 1142
 Synonym: *Conurus rupicola* Tschudi, 1844
 E: Black-capped Conure, Black-capped Parakeet, Rock Parakeet, F: Conure à cape noire, S: Cotorra
 capirotada
 Bolivia (br) [1186]; Brazil (br) [1268, 6186]; Peru (br) [1136]

Pyrrhura viridicata Todd, 1913 II B EN 595, 713, 1068, 1142
 E: Santa Marta Conure, Santa Marta Parakeet, F: Conure des Santa Marta, S: Cotorra de Santa Marta
 Colombia (br) [837]

Rhynchopsitta pachyrhyncha (Swainson, 1827) I A EN 387, 595, 598, 713, 931,
 940, 966, 967, 993,
 1142, 1254
 Synonym: *Macrocerus pachyrhynchus* Swainson, 1827
 E: Thick-billed Parrot, F: Conure à gros bec, Perruche à gros bec, Perruche ara, S: Cotorra-serrana
 occidental, Loro piquigordo, Periquito de pico grueso
 Mexico (br) [5241]; United States (int, br) [387, 897]

Rhynchopsitta terrisi Moore, 1947	I	A	VU	387, 595, 598, 713, 931, 970, 1142, 1254
Synonym: <i>Rhynchopsitta pachyrhyncha terrisi</i> Moore, 1947				
E: Maroon-fronted Parrot, F: Conure à front brun, S: Cotorra-serrana oriental				
Mexico (br) [5241]				
Strigops habroptilus G. R. Gray, 1845	I	A	CR	398, 466, 467, 595, 713, 910, 983, 1060, 1073, 1254
E: Kakapo, Owl Parrot, F: Kakapo, Perroquet nocturne, Perroquet-hibou, Strigops kakapo, S: Cacapo, Kakapo				
New Zealand (br) [1351, 1425]				
CITES Identification Manual Reference:				A-218.003.064.001
Tanygnathus gramineus (Gmelin, 1788)	II	B	VU	595, 713, 1254, 1410
Synonym: <i>Psittacus gramineus</i> Gmelin, 1788				
E: Black-lored Parrot, F: Perruche de Buru, S: Loro de Buru				
Indonesia (br) [393]: Moluccas				
Tanygnathus lucionensis (Linnaeus, 1766)	II	B	NT	595, 713, 1254
Synonym: <i>Psittacus lucionensis</i> Linnaeus, 1766				
E: Blue-naped Parrot, F: Perroquet à couronne, Perruche à calotte bleue, Perruche de Luçon, S: Loro nuquiazul				
Indonesia (br) [393, 1410]: Kalimantan, Sulawesi [12651]; Malaysia (br): Sabah [759]; Philippines (br) [5270, 10364]				
Tanygnathus megalorynchos (Boddaert, 1783)	II	B	LC	713, 1254
Synonym: <i>Psittacus megalorynchos</i> Boddaert, 1783				
E: Great-billed Parrot, F: Perruche à bec de sang, S: Loro picogordo				
Indonesia (br) [393]: Irian Jaya, Lesser Sunda Is, Moluccas, Sulawesi; Philippines (br) [5270]				
Tanygnathus sumatranus (Raffles, 1822)	II	B	LC	713
Synonyms: <i>Psittacus sumatranus</i> Raffles, 1822, <i>Psittacus mulleri</i> S. Müller, 1841, <i>Tanygnathus mulleri</i> (S. Müller, 1841), <i>Tanygnathus heterurus</i> Salvadori, 1912				
E: Azure-rumped Parrot, Blue-backed Parrot, Müller's Parrot, F: Perruche de Müller, S: Loro de Müller				
Indonesia (br) [393]: Sulawesi; Philippines (br) [5270]				
Touit batavica (Boddaert, 1783)	II	B	LC	713, 1068, 1142
Synonym: <i>Psittaca batavica</i> Boddaert, 1783				
E: Lilac-tailed Parrotlet, Seven-colored Parrotlet, F: Toui à sept couleurs, S: Cotorrita sietecolores, Perico siete colores				
French Guiana (br) [1349]; Guyana (br) [1295, 25537]; Suriname (br) [5296]; Trinidad and Tobago (br) [703]; Venezuela (br) [1070]				
Touit costaricensis (Cory, 1913)	II	B	VU	387, 595, 713, 1254
Synonyms: <i>Touit dilectissima costaricensis</i> (Cory, 1913), <i>Urochroma costaricensis</i> Cory, 1913				
E: Red-fronted Parrotlet, F: Toui du Costa Rica, S: Cotorrita costarricense				
Costa Rica (br) [1311]; Panama (br) [1195]				
Touit dilectissima	II	B	LC	713, 1068, 1142
(Sclater & Salvin, 1871)				
Synonym: <i>Urochroma dilectissima</i> Sclater & Salvin, 1871				
E: Blue-fronted Parrotlet, F: Toui à front bleu, S: Churiquita, Cotorrita cariazul, Periquito frentiazul				
Colombia (br) [837, 9220]; Ecuador (br) [5294]; Panama (br) [1195]; Venezuela (br) [1070]				
Touit huetii (Temminck, 1830)	II	B	LC	713, 1068, 1142
Synonym: <i>Psittacus huetii</i> Temminck, 1830				
E: Scarlet-shouldered Parrotlet, F: Toui de Huet, S: Cotorrita alirroja, Periquito azul alirrojo				
Bolivia (br) [1135, 1186, 6372]; Brazil (br) [6186]; Colombia (br) [837]; Ecuador (br) [5294]; Guyana (br) [1295, 25537]; Peru (br) [1136]; Trinidad and Tobago (ex, br) [703]; Venezuela (br) [1070]				
Touit melanonota (Wied, 1820)	II	B		595, 598, 713, 931, 1068, 1142, 1162, 1194, 1254
Synonym: <i>Psittacus melanotus</i> Wied, 1820				
E: Black-eared Parrotlet, Brown-backed Parrotlet, F: Toui à dos noir, S: Cotorrita dorsinegra				
Brazil [6186, 25280]				

Touit purpurata (Gmelin, 1788)	II	B	LC	713, 1068, 1142
Synonym: <i>Psittacus purpuratus</i> Gmelin, 1788				
E: Sapphire-rumped Parrotlet, F: Toui à queue pourprée, S: Cotorrita purpurada, Periquito rabadilla púrpura Brazil (br) [6186, 25268]; Colombia (br) [837]; Ecuador (br) [5294]; French Guiana (br) [1349]; Guyana (br) [1295, 25537]; Peru (br) [1136]; Suriname (br) [5296]; Venezuela (br) [1070]				
Touit stictoptera (Sclater, 1862)	II	B	VU	595, 598, 713, 1068, 1142, 1254
Synonym: <i>Urochroma stictoptera</i> Sclater, 1862				
E: Spot-winged Parrotlet, F: Toui tacheté, S: Cotorrita alipinta, Periquito alipunteado Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136, 6724]				
Touit surda (Kuhl, 1820)	II	B	VU	595, 598, 713, 931, 1068, 1142, 1162, 1194, 1254
Synonym: <i>Psittacus surdus</i> Kuhl, 1820				
E: Golden-tailed Parrotlet, F: Toui à queue d'or, S: Cotorrita sorda Brazil (br) [6186, 11383, 25280]				
Tricholaema malachitacea (Spix, 1824)	II	B	NT	595, 598, 713, 1068, 1142, 1254, 6785
Synonym: <i>Psittacus malachitaceus</i> Spix, 1824				
E: Blue-bellied Parrot, Purple-bellied Parrot, F: Crick à ventre bleu, Perruche à ventre bleu, S: Loro ventriazul ?Argentina [465, 1224, 10249]; Brazil (br) [1252, 1272, 6186]				
Order: CUCULIFORMES				
Family: MUSOPHAGIDAE				
Corythaeaola cristata (Vieillot, 1816)	III GH	B	LC	511, 723, 1256, 1292
Synonym: <i>Musophaga cristata</i> Vieillot, 1816				
E: Blue Plantain-eater, Great Blue Turaco, F: Touraco géant, S: Turaco gigante Angola (br?) [5267]; Burundi (br) [659, 25523]; Cameroon (br) [659, 25329, 25370, 25374, 25376, 25382]; Central African Republic (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334, 25470, 25471]; Democratic Republic of the Congo (br) [25476, 25488, 25489]; Equatorial Guinea (br) [659, 1183]; Equatorial Guinea, Bioko; Gabon (br) [659]; Ghana (br?) [782]; Guinea (br) [659, 1078, 1183, 11455, 11457, 13096]; Guinea-Bissau (br) [659, 715]; Kenya (br) [5253]; Liberia (br) [5246]; Nigeria (br); Rwanda (br) [659]; Sierra Leone (br?) [659]; Sudan (br?) [659]; Togo (br?) [5254]; Uganda (br) [659]; United Republic of Tanzania (br?) [659]				
Crinifer piscator (Boddaert, 1783)	III GH	B	LC	723, 1256, 1292
Synonyms: <i>Crinifer africanus</i> (Latham, 1790), <i>Phasianus africanus</i> Latham, 1790, <i>Falco piscator</i> Boddaert, 1783				
E: Grey Plantain-eater, Western Grey Plantain-eater, F: Touraco gris, S: Turaco gris occidental Benin (br?) [659]; Burkina Faso (br) [659, 1345]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Chad (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334, 25471]; Democratic Republic of the Congo (br?) [25489]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br) [659, 1078, 1191, 1389, 10590, 11437, 11442, 11455, 11456, 11457]; Guinea-Bissau (br) [659, 715]; Liberia (br) [5246]; Mali (br) [659]; Mauritania (br) [659]; Niger (br) [659]; Nigeria (br); Senegal (br) [659]; Sierra Leone (br) [659]; Togo (br) [5254]				
Musophaga porphyreolophia (Vigors, 1831)	II	B		511, 573, 723, 1292
Synonyms: <i>Tauraco porphyreolophus</i> (Vigors, 1831), <i>Corythaix porphyreolophia</i> Vigors, 1831, <i>Gallirex porphyreolophus</i> (Vigors, 1831)				
E: Purple-crested Turaco, Violet-crested Turaco, F: Touraco à huppe pourprée, Touraco à huppe splendide, Touraco à huppe violette, Touraco violet, S: Turaco crestimorado, Turaco crestivioleta Burundi (br) [659]; Kenya (br) [5253]; Malawi (br) [1103]; ?Mozambique (br) [659]; Rwanda (br) [659]; South Africa (br) [659]; Swaziland (br) [1139]; Uganda (br?) [659]; United Republic of Tanzania (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]				
Musophaga violacea Isert, 1788	III GH	B	LC	1256, 1292
E: Violet Plantain-eater, Violet Turaco, F: Touraco violet, S: Turaco azul, Turaco violáceo Benin (br?) [659]; Burkina Faso (br?) [659]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Chad (br?) [659]; Côte d'Ivoire (br) [1334, 25471]; Gambia (br) [760]; Ghana (br?) [782]; Guinea (br) [659, 1078, 1389, 10590, 11437, 11442]; Guinea-Bissau (br) [659, 715]; Liberia (v) [5246]; Mali (br?) [659]; Niger (br?) [659]; Nigeria (br); Senegal (br?) [659]; Sierra Leone (v) [659]; Togo (br?) [5254]				
Tauraco bannermani (Bates, 1923)	II	A	EN	595, 597, 723, 1009, 1256, 1292
Synonym: <i>Proturaculus bannermani</i> Bates, 1923				

E: Bannerman's Turaco, F: Touraco de Bannerman, Touraco doré, S: Turaco de Bannerman
Cameroon (br) [659]

Tauraco corythaix (Wagler, 1827) II B LC 573, 723, 931, 1292
 Synonyms: *Tauraco persa corythaix* (Wagler, 1827), *Spelectos corythaix* Wagler, 1827
 E: Helmeted Turaco, Knysna Turaco, F: Touraco louri, Touraco lourie, Touraco vert d'Afrique du Sud,
 S: Turaco de Knysna, Turaco sudafricanus
 Mozambique (br?) [659]; South Africa (br) [659]; Swaziland (br) [1139]
 CITES Identification Manual Reference: A-219.001.005.003a

Tauraco erythrophthalmus (Vieillot, 1819) II B LC 723
 Synonym: *Opaethus erythrophthalmus* Vieillot, 1819
 E: Red-crested Turaco, F: Touraco pauline, S: Turaco crestirrojo
 Angola (br) [5267]; ?Cameroon [659, 6295]

Tauraco fischeri (Reichenow, 1878) II B NT 595, 723, 1292
 Synonyms: *Tauraco corythaix fischeri* (Reichenow, 1878), *Corythaix fischeri* Reichenow, 1878
 E: Fischer's Turaco, F: Touraco de Fischer, S: Turaco de Fischer
 Kenya (br) [5253]; Somalia (br?) [5252]; United Republic of Tanzania (br?) [659, 11406]
 CITES Identification Manual Reference: A-219.001.005.003b

Tauraco hartlaubi II B LC 723
 (Fischer & Reichenow, 1884)
 Synonym: *Corythaix hartlaubi* Fischer & Reichenow, 1884
 E: Hartlaub's Turaco, F: Touraco de Hartlaub, S: Turaco de Hartlaub
 Kenya (br) [5253]; Uganda (br?) [659]; United Republic of Tanzania (br?) [659]

Tauraco leucolophus (Heuglin, 1855) II B LC 723
 Synonym: *Corythaix leucolophus* Heuglin, 1855
 E: White-crested Turaco, F: Touraco à huppe blanche, S: Turaco capucha-blanca, Turaco crestiblanco
 Cameroon (br?) [659]; Central African Republic (br?) [659]; Chad (br?) [659]; Democratic Republic of the
 Congo (br) [25489]; Kenya (br) [5253]; Nigeria (br); Sudan (br?) [659]; Uganda (br?) [659]

Tauraco leucotis (Rüppell, 1835) II B LC 723
 Synonym: *Corythaix leucotis* Rüppell, 1835
 E: White-cheeked Turaco, F: Touraco à joues blanches, S: Turaco cariblanco
 Eritrea (br) [659]; Ethiopia (br) [659]; Sudan (br?) [659]

Tauraco livingstonii (G. R. Gray, 1864) II B LC 723, 1292
 Synonyms: *Tauraco corythaix livingstonii* (G. R. Gray, 1864), *Turacus livingstonii* G. R. Gray, 1864
 E: Livingstone's Turaco, F: Touraco de Livingstone, S: Touraco de Livingstone, Turaco de Livingstone
 Burundi (br) [659]; Malawi (br) [1103]; Mozambique (br?) [659]; South Africa (br) [659]; United Republic of
 Tanzania (br?) [659]; Zimbabwe (br) [659]
 CITES Identification Manual Reference: A-219.001.005.003c

Tauraco macrorhynchus (Fraser, 1839) II B LC 723, 1256, 1292
 Synonym: *Corythaix macrorhynchus* Fraser, 1839
 E: Black-tip Crested Turaco, Crested Turaco, Verreaux's Turaco, Yellow-billed Turaco, F: Touraco à gros bec,
 S: Turaco capucha-franjeada, Turaco piquigualdo
 Angola (br?) [5267]; Cameroon (br?) [659, 25374, 25376]; Congo (br?) [659]; Côte d'Ivoire (br) [1334, 25471];
 Democratic Republic of the Congo (br?) [25489]; Equatorial Guinea (br) [659, 1183]; Equatorial Guinea, Bioko;
 Gabon (br) [659]; Ghana (br?) [782]; Guinea (br) [659, 1078, 11455, 12904]; Liberia (br) [5246]; Nigeria (br?);
 Sierra Leone (br) [659]
 CITES Identification Manual Reference: A-219.001.005.009

Tauraco persa (Linnaeus, 1758) II B LC 723, 1256, 1292
 Synonyms: *Cuculus persa* Linnaeus, 1758, *Tauraco corythaix persa* (Linnaeus, 1758)
 E: Guinea Turaco, F: Touraco vert, S: Turaco capucha-verde de Guinea, Turaco de Guinea, Turaco persa
 Angola (br?) [5267]; Benin (br?) [659]; Cameroon (br?) [659, 25371, 25374, 25376, 25382]; Central African
 Republic (br?) [659, 11929]; Congo (br?) [659]; Côte d'Ivoire (br) [1334, 25471]; Democratic Republic of the
 Congo (br?) [25489]; Equatorial Guinea (br) [659, 1183]; Equatorial Guinea; Gabon (br) [659]; Gambia (br?)
 [760]; Ghana (br?) [782]; Guinea (br) [659, 1078, 1183, 1191, 1389, 10590, 11439, 11442, 11455, 11456, 11457, 13096];
 Guinea-Bissau (br) [659, 715]; Liberia (br) [5246]; Mali (br) [659]; Nigeria (br?); Senegal (br?) [659]; Sierra
 Leone (br) [659]; Togo (br?) [5254]

CITES Identification Manual Reference:

A-219.001.005.003d

Tauraco ruspolii (Salvadori, 1896)	II	B	VU	595, 597, 723, 1292, 13098
Synonym: <i>Turacus ruspolii</i> Salvadori, 1896				
E: Prince Ruspoli's Turaco, Ruspoli's Turaco, F: Touraco de Ruspoli, S: Turaco de Ruspoli Ethiopia (br) [659]				
Tauraco schalowi (Reichenow, 1891)				
II B LC 723, 1292				
Synonyms: <i>Tauraco livingstonii schalowi</i> (Reichenow, 1891), <i>Tauraco corythaix schalowi</i> (Reichenow, 1891), <i>Corythaix schalowi</i> Reichenow, 1891				
E: Schalow's Turaco, F: Touraco de Schalow, S: Turaco de Schalow				
Angola (br) [5267]; Botswana (br?) [1102]; Democratic Republic of the Congo (br) [25489]; Kenya (br) [5253]; Malawi (br) [1103]; ?Namibia (br) [659]; United Republic of Tanzania (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]				

CITES Identification Manual Reference:

A-219.001.005.003e

Tauraco schuettii (Cabanis, 1879)	II	B	723, 1292
Synonyms: <i>Tauraco corythaix schuettii</i> (Cabanis, 1879), <i>Corythaix schuettii</i> Cabanis, 1879			
E: Black-billed Turaco, F: Touraco à bec noir, S: Turaco de Schuett, Turaco piquinegro			
Angola (br?) [5267]; Burundi (br) [659]; Central African Republic (br?) [659, 11929]; Congo (br) [659]; Democratic Republic of the Congo (br) [25476, 25489]; Kenya (br?) [5253]; Rwanda (br) [659]; Sudan (br) [659]; Uganda (br?) [659]; United Republic of Tanzania (br?) [659]			
CITES Identification Manual Reference:			

A-219.001.005.012

Order: STRIGIFORMES
Family: TYTONIDAE

Phodilus badius (Horsfield, 1821)	II	B	LC	381, 386, 541, 929
Synonym: <i>Strix badius</i> Horsfield, 1821				
E: Bay Owl, Common Bay-Owl, Oriental Bay-Owl, F: Chouette baie, Phodile calong, S: Lechuza baya de Madagascar, Lechuza cornuda				
?Bangladesh (br?) [804]; Brunei Darussalam (br); Cambodia (br) [5243, 6485]; China (br) [5293]; India (br) [1197, 7267]; Indonesia (br) [393]; Bali, Jawa, Kalimantan, Sumatera; Lao People's Democratic Republic (br) [6187]; Malaysia (br) [1289]; Peninsular Malaysia, Sabah, Sarawak; Myanmar (br) [1290]; ?Nepal (v) [865]; Philippines (v) [5270]; Singapore (ex , br) [791]; Sri Lanka (br) [5271]; Thailand (br) [487]; Viet Nam (br) [5264]				
CITES Identification Manual Reference:				

A-220.001.001.002

Phodilus prigoginei Schouteden, 1952	II	B	EN	386, 541, 576, 595, 597, 9314
E: African Bay Owl, Congo Bay-Owl, Congo Bay-owl, Itombwe Owl, F: Phodile de Prigogine, S: Lechuza del Congo				
Burundi [659]; Democratic Republic of the Congo (br) [25489]				
CITES Identification Manual Reference:				

A-220.001.001.003

Tyto alba (Scopoli, 1769)	II	A	LC	381, 386, 387, 485, 511, 539, 541, 573, 723, 841, 929, 1068, 1256, 1325
Synonyms: <i>Strix alba</i> Scopoli, 1769, <i>Tyto detorta</i> Hartert, 1913				
E: Barn Owl, Common Barn-Owl, F: Chouette effraie, Effraie africaine, Effraie des clochers, Effraie des clochers, S: Lechuza común, Lechuza de campanario				
Albania (br); Algeria (br) [971]; American Samoa (br) [1171, 1394]; Andorra (br) [5239]; Angola (br) [5267]; Argentina (br) [5291, 10249]; Australia (br) [477]; Austria (br) [1215]; Bahamas (br) [5242]; Bahrain (br) [1105]; Bangladesh (br) [804]; Belarus (br); Belgium (br) [5272]; Belize (br) [5241]; Benin (br) [659]; Bermuda (br) [389]; Bolivia (br) [1186]; Bosnia and Herzegovina (br) [1038]; Botswana (br) [1102]; Brazil (br) [6186]; Bulgaria (br) [5280]; Burkina Faso (br) [659, 1345]; Burundi (br) [659]; Cambodia (br) [5243]; Cameroon (br?) [659, 25374]; Canada (br) [748, 1308]; Cape Verde (br) [820]; Cayman Islands (br); Central African Republic (br) [659]; Chad (br?) [659]; Chile (br) [873, 5292]; China (br) [5293]; Colombia (br) [837, 25278]; Comoros (br?) [659]; Congo (br?) [659]; Costa Rica (br) [1311]; Côte d'Ivoire (br) [1334, 25469]; Croatia (br) [2590]; Cuba (br) [5259]; Cyprus (br) [709]; Czech Republic (br) [5258]; Democratic Republic of the Congo (br?) [25489]; Denmark (br) [666]; Dominica (br) [5242]; Dominican Republic (br) [1312]; Ecuador (br) [5294]; Ecuador, Galapagos; Egypt (br) [756]; El Salvador (br) [5241]; Equatorial Guinea (br) [659]: Equatorial Guinea, Bioko; Eritrea (br?) [659]; Estonia (v) [5277]; Ethiopia (br) [659]; Falkland Islands (Malvinas) (br?) [1439]; Fiji (br) [1171]; Finland (v) [1300]; France (br) [7041]; France (br), Corse (br); French Guiana (br) [1349]; Gabon (br) [659]; Gambia (br) [760]; Georgia (br); Germany (br) [5274]; Ghana (br)				

[782]; Gibraltar (br?); Greece (br) [5281]; Grenada (br) [5242]; Guatemala (br) [5241]; Guinea (br) [659, 1078, 1191, 1389, 10590, 11455, 13096]; Guinea-Bissau (br) [659, 715]; Guyana (br) [1295, 25537]; Haiti (br) [1408]; Honduras (br) [1076]; Hungary (br) [5257, 13163]; India (br) [1197]; Indonesia (br) [393]; Bali, Jawa, Lesser Sunda Is, Sulawesi, Sumatera; Iran (Islamic Republic of) (br) [1253]; Iraq (br) [385]; Ireland (br) [858]; Israel (br) [5245]; Italy (br) [5289]; Italy (br), Sardegna (br); Jamaica (br) [657]; Jordan (br) [395]; Kenya (br) [5253]; Kuwait (v) [537]; Lao People's Democratic Republic (br) [6187]; Latvia (br) [5278]; Lebanon (br) [5284]; Lesotho (br) [486]; Liberia (br) [5246]; Libyan Arab Jamahiriya [536, 6303]; Liechtenstein (v); Lithuania (br) [5247]; Luxembourg (br) [5248]; Madagascar (br) [633, 5249]; Malawi (br) [1103]; Malaysia (br): Peninsular Malaysia [1049], Sabah [759], Sarawak [393]; Mali (br) [659]; Malta (br); Mauritania (br) [659]; Mayotte (br); Mexico (br) [5241]; Moldova, Republic of (br) [710]; Monaco (br); Morocco (br) [461]; Mozambique (br?) [659]; Myanmar (br) [1290]; Namibia (br) [659]; Nepal (br) [865]; Netherlands (br) [631, 5273]; Netherlands Antilles (br) [11883]; Bonaire, Curaçao (br); New Zealand (v) [1351]; Nicaragua (br) [1195]; Niger (br) [659]; Nigeria (br); Niue (br) [1171]; Norway (v) [5275]; Oman (br) [13112]; Pakistan (br); Panama (br) [1195]; Papua New Guinea (br); Paraguay (br) [5295]; Peru (br) [1136, 12669]; Poland (br) [1348]; Portugal (br) [1332]; Portugal (br), Azores (ex, br?, v?), Madeira (br); Puerto Rico (v) [1176]; Romania (br) [558]; Rwanda (br) [659]; Saint Vincent and the Grenadines (br) [5242]; Samoa (br) [1171, 1394]; San Marino (br); São Tomé and Príncipe (br) [659]; Saudi Arabia (br) [881]; Senegal (br) [659]; Serbia and Montenegro (br) [1038]; Seychelles (int, br) [659, 975]; Sierra Leone (br) [659]; Singapore (br) [791]; Slovakia (br) [5279]; Slovenia (br) [1038]; Solomon Islands (br) [5260]; Somalia (br) [5252]; South Africa (br) [659]; South Georgia and the South Sandwich Islands (v) [6835]; Spain (br) [702]; Spain (br), Baleares (br), Canary Is (br); Sri Lanka (br) [5271]; Sudan (br) [659]; Suriname (br) [5296]; Svalbard and Jan Mayen Islands (v); Swaziland (br) [1139]; Sweden (br) [1199]; Switzerland (br) [5288]; Syrian Arab Republic [5283]; Thailand (br) [487, 1220]; The former Yugoslav Republic of Macedonia (br) [1038]; Timor-Leste; Togo (br?) [570, 5254]; Tonga (br) [1171]; Trinidad and Tobago (br) [703]; Tunisia (br) [1344]; Turkey (v) [5282]; Turks and Caicos Islands (br); Uganda (br?) [659]; Ukraine (br) [710]; United Arab Emirates (br) [1192]; United Kingdom (br) [6188]; Great Britain, Channel Is, Isle of Man (br), Northern Ireland; United Republic of Tanzania (br?) [659]; United States (br) [387, 1308]; Uruguay (br) [5287, 25534]; Vanuatu (br) [5260]; Venezuela (br) [1070]; Viet Nam (br) [5264]; Wallis and Futuna (br) [1171]; Western Sahara (br); Yemen (br) [5297]; Zambia (br) [659]; Zimbabwe (br) [659]

CITES Identification Manual Reference:

A-220.001.002.002

Tyto aurantia (Salvadori, 1881)

II B DD 386, 541, 595, 1242

Synonym: *Strix aurantia* Salvadori, 1881E: Bismarck Masked-Owl, Golden Owl, New Britain Masked-Owl, F: Effraie dorée, S: Lechuza dorada
Papua New Guinea (br): Bismarck Archipelago

CITES Identification Manual Reference:

A-220.001.002.003

Tyto capensis (A. Smith, 1834)

II B LC 386, 511, 541, 573, 723, 1256

Synonym: *Strix capensis* A. Smith, 1834E: African Grass-Owl, Grass Owl, F: Effraie du Cap, S: Lechuza de El Cabo
Angola (br?) [5267]; Burundi (br?) [659]; Cameroon (br?) [659, 25376]; Congo (br?) [659]; Democratic Republic of the Congo (br) [25489]; Ethiopia (br?) [659, 1354]; Kenya (br) [5253]; Lesotho (br) [486]; Malawi (br) [1103]; Mozambique (br?) [659]; Rwanda (br) [659]; South Africa (br) [659]; Swaziland (br) [1139]; Uganda (br?) [659]; United Republic of Tanzania (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

CITES Identification Manual Reference:

A-220.001.002.004

Tyto castanops (Gould, 1837)

II B LC 386, 541

Synonyms: *Strix castanops* Gould, 1837, *Tyto novaehollandiae castanops* (Gould, 1837)E: Tasmanian Masked-Owl, F: Effraie de Tasmanie
Australia (br) [477]***Tyto glaucops*** (Kaup, 1852)

II B LC 386, 387

Synonym: *Tyto alba glaucops* (Kaup, 1852)E: Ashy-faced Owl, F: Effraie d'Hispaniola, S: Lechuza de la Española
Dominican Republic (br) [1312, 6754]; Haiti (br) [1408]***Tyto inexspectata*** (Schlegel, 1879)

II B VU 386, 541, 595, 1410

Synonym: *Strix inexspectata* Schlegel, 1879E: Minahassa Barn-Owl, Minahassa Masked-Owl, Minahassa Owl, F: Effraie de Minahassa, S: Lechuza de Minahassa
Indonesia (br) [393, 6422]; Sulawesi

CITES Identification Manual Reference:

A-220.001.002.005

Tyto longimembris (Jerdon, 1839)

II B LC 381, 386, 541, 1242

Synonyms: *Strix longimembris* Jerdon, 1839, *Tyto capensis longimembris* (Jerdon, 1839)

E: Eastern Grass-Owl, F: Effraie de prairie, S: Lechuza patilarga

Australia (br) [477]; Bangladesh (**ex**, br) [804]; China (br) [5293]; Fiji (br) [1171]; ?Hong Kong, China (v); India (br) [1197]; Indonesia (br) [393]; Irian Jaya, Lesser Sunda Is, Sulawesi; Japan (v) [503, 504]; Myanmar (br) [1290]; Nepal (br) [865]; New Caledonia (br) [5260]; Papua New Guinea (br); Philippines (br) [5270]; Taiwan, Province of China (br); Viet Nam (br) [5264]

Tyto manusi Rothschild & Hartert, 1914 II B VU 386, 595

Synonym: *Tyto novaehollandiae manusi* Rothschild & Hartert, 1914
E: Manus Masked-Owl, F: Effraie de Manus, S: Lechuza de la Manus
Papua New Guinea (br): Bismarck Archipelago

Tyto multipunctata Mathews, 1912 II B LC 386, 595

Synonym: *Tyto tenebricosa multipunctata* Mathews, 1912
E: Lesser Sooty-Owl, F: Effraie piquetée, S: Lechuza moteada
Australia (br) [477]

Tyto nigrobrunnea Neumann, 1939 II B EN 386, 541, 595, 1410

E: Sula Barn-Owl, Taliabu Masked-Owl, Taliabu Owl, F: Effraie de Taliabu, S: Lechuza de la Taliabu
Indonesia (br) [393]: Sulawesi

Tyto novaehollandiae (Stephens, 1826) II B LC 386, 541, 918

Synonym: *Strix novaehollandiae* Stephens, 1826
E: Australian Masked-Owl, Masked Owl, F: Effraie masquée, S: Lechuza australiana
Australia (br) [477]; Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)
CITES Identification Manual Reference: A-220.001.002.008

Tyto rosenbergii (Schlegel, 1866) II B LC 386, 541

Synonym: *Strix rosenbergii* Schlegel, 1866
E: Sulawesi Owl, F: Effraie des Célèbes, S: Lechuza de Célebes
Indonesia (br) [393, 7262]: Sulawesi
CITES Identification Manual Reference: A-220.001.002.009

Tyto sororcula (P. L. Sclater, 1883) II B DD 386, 541, 595, 1410

Synonyms: *Strix sororcula* P. L. Sclater, 1883, *Tyto novaehollandiae sororcula* (P. L. Sclater, 1883)
E: Lesser Masked-Owl, Tanimbar Owl, F: Effraie des Tanimbar, S: Lechuza de las Tanimbar
Indonesia (br) [393]: Lesser Sunda Is, Moluccas

Tyto soumagnei (Milne Edwards, 1878) I A EN 386, 541, 576, 595, 597

Synonym: *Heliodilus soumagnei* Milne-Edwards, 1878
E: Madagascar Grass Owl, Madagascar Owl, Madagascar Red Owl, Soumagne's Owl, F: Effraie de Soumagne, Effraie rousse de Madagascar, S: Lechuza de Madagascar, Lechuza malgache
Madagascar (br) [633, 5249, 10142]
CITES Identification Manual Reference: A-220.001.002.010

Tyto tenebricosa (Gould, 1845) II B LC 386, 541, 918

Synonym: *Strix tenebricosus* Gould, 1845
E: Greater Sooty-Owl, Sooty Owl, F: Effraie ombrée, S: Lechuza tenebrosa
Australia (br) [477]; Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)
CITES Identification Manual Reference: A-220.001.002.011

Family: STRIGIDAE

Aegolius acadicus (Gmelin, 1788) II B LC 386, 387, 541, 595

Synonym: *Strix acadica* Gmelin, 1788
E: Northern Saw-whet Owl, Saw-whet Owl, F: Petite nyctale, S: Mochuelo cabezón, Tecolote-abetero norteño
Bermuda (v) [389]; Canada (br) [748]; Costa Rica (br) [1311]; El Salvador (br) [5241]; Guatemala (br) [5241]; Mexico (br) [5241, 6819]; Panama (v) [1195]; Saint Pierre and Miquelon (v) [683]; United States (br) [387]
CITES Identification Manual Reference: A-220.002.001.002

Aegolius funereus (Linnaeus, 1758) II A LC 386, 387, 541, 611

Synonym: *Strix funerea* Linnaeus, 1758
E: Boreal Owl, Tengmalm's Owl, F: Chouette de Tengmalm, Chouette de Tengmalm, Engoulevent d'Europe, Nyctale de Tengmalm, S: Lechuza de Tengmalm, Lechuza de Tengmalm, Mochuelo boreal

Andorra (br) [5239]; Armenia (br) [8143]; Austria (br) [1215]; Belarus (br); Belgium (br) [5272]; Bosnia and Herzegovina (br) [1038]; Bulgaria (br) [5280]; Canada (br) [748]; China (br) [5293]; Croatia (br) [5290]; Czech Republic (br) [5258]; Denmark [666]; Estonia (br) [5277]; Finland (br) [1300]; France (br) [7041]; Germany (br) [5274]; Greece (br) [5281]; Hungary (br) [5257, 13163]; India (br) [1197]; Italy (br) [5289]; Japan (br) [503, 504]; Kazakhstan (br) [5269]; Kyrgyzstan (br) [710]; Latvia (br) [5278]; Liechtenstein (br); Lithuania (br) [5247]; Luxembourg (v) [5248]; Mongolia (br) [1306]; Netherlands (br) [5273]; Norway (br) [5275]; Poland (br) [1348]; Romania (br) [558]; Russian Federation (br) [710]; Saint Pierre and Miquelon [683]; Serbia and Montenegro (br) [1038]; Slovakia (br) [5279]; Slovenia (br) [1038]; Spain (br) [702]; Sweden (br) [1199]; Switzerland (br) [5288]; Tajikistan (br?) [374]; The former Yugoslav Republic of Macedonia (br) [1038]; Turkey (br?) [841, 5282]; Ukraine (br) [710]; United Kingdom (v) [6188]; United States (br) [387, 819]

CITES Identification Manual Reference:

A-220.002.001.003

Aegolius harrisii (Cassin, 1849)

II B LC 386, 541, 595, 1068

Synonym: *Nyctale harrisii* Cassin, 1849

E: Buff-fronted Owl, F: Chouette de Harris, Nyctale de Harris, S: Carburé acanelado, Curucucú barriga amarilla, Lechucita acanelada, Mochuelo canela
Argentina (br) [5291, 10249]; Bolivia (br) [1186, 6327]; Brazil (br) [6186]; Colombia (br) [837, 25267]; Ecuador (br) [5294, 6200]; Guyana [10121]; Paraguay (br) [5295]; Peru (br) [1136, 12669]; Uruguay (br) [5287, 25534]; Venezuela (br) [1070, 6925, 8231]

CITES Identification Manual Reference:

A-220.002.001.004

Aegolius ridgwayi (Alfaro, 1905)

II B LC

Synonym: *Cryptoglaux ridgwayi* Alfaro, 1905

E: Unspotted Saw-whet Owl, F: Nyctale immaculée, S: Mochuelo moreno
Costa Rica [1311]; El Salvador (br) [5241]; Guatemala (br) [5241]; Mexico [5241]; Panama (v) [1195]

CITES Identification Manual Reference:

A-220.002.001.005

Asio abyssinicus (Guérin-Méneville, 1843)

II B LC 386, 511, 541

Synonyms: *Asio otus abyssinicus* (Guérin-Méneville, 1843), *Otus abyssinicus* Guérin-Méneville, 1843

E: Abyssinian Long-eared Owl, Abyssinian Owl, F: Hibou d'Abyssinie, S: Búho abisinio
Democratic Republic of the Congo (br?) [25489]; Ethiopia (br?) [659]; Kenya (br?) [5253]; Rwanda (br?) [659]; Uganda (br?) [659]

Asio capensis (Smith, 1834)

II B LC 386, 511, 541, 573, 723, 841, 1256

Synonym: *Otus capensis* A. Smith, 1834

E: African Marsh Owl, Marsh Owl, F: Hibou du Cap, S: Búho moro, Lechuza mora
Algeria (ex, br) [971]; Angola (br) [5267]; Benin (br?) [659]; Botswana (br) [1102]; Burkina Faso (br?) [659]; Burundi (br) [659]; Cameroon (br?) [659, 25376]; Chad (br?) [659]; Congo [659]; Côte d'Ivoire [7098]; Democratic Republic of the Congo (br?) [25489]; Ethiopia [659]; Gambia [760]; Guinea (v) [659, 11443]; Kenya (br) [5253]; Lesotho (br) [486]; Madagascar (br) [633, 5249]; Malawi (br?) [1103]; Mali (br) [659]; Mauritania [659]; Morocco (br) [461]; Mozambique (br?) [659]; Namibia (br) [659]; Nigeria (br); Portugal (v) [1332]; Portugal (v); Rwanda (br) [659]; Senegal (v) [659]; South Africa (br) [659]; Spain (v) [702]; Sudan [659]; Swaziland (br) [1139]; Uganda (br?) [659]; United Republic of Tanzania (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

CITES Identification Manual Reference:

A-220.002.002.003

Asio clamator (Vieillot, 1808)

II B 386, 541, 576, 1068

Synonyms: *Pseudoscops clamator* (Vieillot, 1808), *Bubo clamator* Vieillot, 1808, *Rhinoptynx clamator* (Vieillot, 1808)

E: Striped Owl, F: Hibou criard, Hibou strié, S: Búho gritón, Búho-cornudo cariblanco, Lechuza listada, Lechuzón, Lechuzón orejas largas, Lechuzón orejudo
Argentina (br) [5291, 10249]; Belize (v) [5241]; Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294]; El Salvador (br) [5241]; French Guiana (br) [1349]; Guatemala (br) [5241]; Guyana (br) [1295, 25537]; Honduras (br) [1076, 6308]; Mexico (br) [5241, 6675]; Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [5295]; Peru (br) [1136]; Suriname (br) [5296]; Trinidad and Tobago (br) [703]; Uruguay (br) [5287, 25534]; Venezuela (br) [1070]

CITES Identification Manual Reference:

A-220.002.021.001

Asio flammeus (Pontoppidan, 1763)

II A LC 381, 386, 387, 485, 541, 576, 611, 723, 929, 1068, 1256

Synonym: *Strix flammea* Pontoppidan, 1763

E: Short-eared Owl, F: Hibou brachyote, Hibou des marais, Hibou des marais, S: Búho campestre, Búho orejicorto, Lechuza campestre, Lechuza orejicorta, Lechuzón campestre

Afghanistan [694]; Albania; Algeria [971]; Argentina (br) [5291, 10249]; Armenia (br) [5240]; Austria (br) [1215]; Azerbaijan (br) [710]; Bahamas (v) [5242]; Bahrain [537, 1105]; Bangladesh [804]; Belarus (br); Belgium (br) [5272]; Belize (v) [6709]; Bermuda (v) [389]; Bhutan (v) [5261]; Bolivia (br) [1058, 1186, 7072]; Bosnia and Herzegovina (br) [1038]; Brazil (br) [457, 1164, 6186]; Brunei Darussalam (v); Bulgaria (br) [5280]; ?Cameroon (v); Canada (br) [748]; Cape Verde (v) [820]; Cayman Islands; Chad (v) [659]; Chile (br) [415, 514, 5292]; China (br) [5293]; Colombia (br) [837, 6297]; Costa Rica (v) [1283, 1311]; Croatia (br) [5290]; Cuba (br) [5259]; Cyprus [709]; Czech Republic (br) [5258]; Democratic People's Republic of Korea [7681]; Denmark (br) [666]; Dominican Republic (br) [1312]; Ecuador (br) [542, 5294, 13140]; Ecuador, Galapagos; Egypt [756]; Eritrea [659]; Estonia (br) [5277]; Ethiopia [659]; Falkland Islands (Malvinas) (br) [1439, 25480]; Faroe Islands [480]; Finland (br) [1300]; France (br) [7041]; French Guiana (v) [1349]; Georgia (br) [710]; Germany (br) [5274]; Gibraltar (v); Greece (br) [5281]; Greenland (v); Guadeloupe (v) [5242]; St Martin-St Barthelemy; Guam (v) [503]; Guatemala (v) [5241]; Guinea [659, 1078]; Guyana (br) [1295, 25537]; Haiti (br) [1408]; Hong Kong, China (v); Hungary (br) [5257, 13163]; Iceland (br) [507]; India [1197]; Iran (Islamic Republic of) [841, 1253]; Iraq [385]; Ireland (br) [858]; Israel (br) [5245]; Italy [5289]; Japan [503, 1415]; Jordan [395, 6454]; Kazakhstan (br) [5269]; Kenya (v) [511, 5253]; Korea, Republic of [1436]; Kuwait [537]; Kyrgyzstan (br) [710]; Lao People's Democratic Republic [6187]; Latvia (br) [5278]; Lebanon [5284]; Liberia (v) [5246]; Libyan Arab Jamahiriya [536]; Liechtenstein (v); Lithuania (br) [5247]; Luxembourg [5248]; Macao, China [11382]; Malaysia (v): Peninsular Malaysia, Sarawak [1289]; Maldives [431]; Mali [659]; Malta; Marshall Islands (v) [1171]; Mauritania [659]; Mexico [5241]; Micronesia (Federated States of) (br) [1171]; Moldova, Republic of (br) [710]; Mongolia (br) [1306]; Morocco [461]; Myanmar [1290]; Nepal [865]; Netherlands (br) [5273]; Niger (v) [659]; Nigeria (v) [676, 10580]; Northern Mariana Islands (v) [1171, 25484]; Norway (br) [5275]; Oman [13112]; Pakistan; Paraguay (br) [5295]; Peru (br) [1136]; Philippines (v) [1166, 5270]; Poland (br) [1348]; Portugal [1332]; Portugal, Azores (v), Madeira (br?); Puerto Rico (br) [1176]; Qatar [537, 1393]; Romania (br) [558]; Russian Federation (br) [710]; Saint Pierre and Miquelon (br) [683]; Saudi Arabia [881]; Senegal [659]; Serbia and Montenegro (br) [1038]; Singapore (v) [791]; Slovakia (br) [5279]; Slovenia [1038]; Spain (br) [702]; Sri Lanka (v) [5271]; Sudan [659]; Suriname (br) [5296]; Svalbard and Jan Mayen Islands (v); Sweden (br) [1199]; Switzerland [5288]; Syrian Arab Republic (v) [5283]; Taiwan, Province of China; Tajikistan [374]; Thailand (v) [487]; The former Yugoslav Republic of Macedonia (br) [1038]; Trinidad and Tobago (v) [10294]; Tunisia [1344]; Turkey (br) [5282]; Turkmenistan (br) [710]; Turks and Caicos Islands (v); Uganda (v) [659]; Ukraine (br) [710]; United Arab Emirates [1192]; United Kingdom (br) [6188]; United States (br) [387, 1322]; United States Virgin Islands (v); Uruguay (br) [5287, 25534]; Uzbekistan (br) [710]; Venezuela (br) [1070]; Viet Nam [5264]; Yemen (v) [5297]

CITES Identification Manual Reference:

A-220.002.002.004

***Asio madagascariensis* (Smith, 1834)**

II B LC 386, 541

Synonym: *Otus madagascariensis* A. Smith, 1834

E: Madagascar Owl, F: Hibou de Madagascar, Hibou malgache, S: Búho malgache, Lechuza orejita de Madagascar
Madagascar (br) [633, 5249]

CITES Identification Manual Reference:

A-220.002.002.005

***Asio otus* (Linnaeus, 1758)**

II A LC 381, 386, 387, 541, 611, 723, 841

Synonym: *Strix otus* Linnaeus, 1758

E: Long-eared Owl, F: Hibou moyen-duc, Hibou moyen-duc, S: Búho chico, Búho Chico, Búho-cornudo caricafe
Afghanistan (br) [694]; Albania (br); Algeria (br) [971]; Andorra (br) [5239]; Armenia (br) [5240]; Austria (br) [1215]; Azerbaijan (br) [710]; Belarus (br); Belgium (br) [5272]; Bermuda (v) [389]; Bhutan (v) [5261]; Bosnia and Herzegovina (br) [1038]; Bulgaria (br) [5280]; Canada (br) [748]; China (br) [5293]; Croatia (br) [5290]; Cuba (v) [485, 5259]; Cyprus (br) [709]; Czech Republic (br) [5258]; Democratic People's Republic of Korea [7681]; Denmark (br) [666]; Egypt [756]; Estonia (br) [5277]; Faroe Islands (v) [480]; Finland (br) [1300]; France (br) [7041]; Georgia (br) [710]; Germany (br) [5274]; Gibraltar (v); Greece (br) [5281]; Hong Kong, China (v); Hungary (br) [5257, 13163]; Iceland (v) [507]; India (br) [1197]; Iran (Islamic Republic of) (br) [1253]; Iraq [385]; Ireland (br) [858]; Israel (br) [5245]; Italy (br) [5289]; Japan (br) [503, 504]; Jordan [395]; Kazakhstan (br) [5269]; Korea, Republic of [1436]; Kyrgyzstan (br) [710]; Lao People's Democratic Republic (v) [6187]; Latvia (br) [5278]; Lebanon (v) [5284]; Liechtenstein (br); Lithuania (br) [5247]; Luxembourg (br) [5248]; Malta; Mexico (br) [5241]; Moldova, Republic of (br) [710]; Mongolia (br) [1306]; Morocco (br) [461]; Myanmar (v) [1290]; Nepal (v) [865]; Netherlands (br) [5273]; Norway (br) [5275]; Oman (v) [13112]; Pakistan (br); Poland (br) [1348]; Portugal (br) [1332]; Portugal (br), Azores (br); Romania (br) [558]; Russian Federation (br) [710]; Saint Pierre and Miquelon (v) [683]; Saudi Arabia (v) [881]; Serbia and Montenegro (br) [1038]; Slovakia (br) [5279]; Slovenia (br) [1038]; Spain (br) [702]; Svalbard and Jan Mayen Islands (v); Sweden (br) [1199]; Switzerland (br) [5288]; Syrian Arab Republic (br) [5283, 7875]; Taiwan, Province of China; Tajikistan (br) [374]; The former Yugoslav Republic of Macedonia (br) [1038]; Tunisia (br) [1344]; Turkey (br) [5282]; Turkmenistan (br) [710]; Ukraine (br) [710]; United Arab Emirates (v) [1192]; United Kingdom (br) [6188]; United States (br) [387]; Uzbekistan (br) [710]

CITES Identification Manual Reference:

A-220.002.002.006

***Asio stygius* (Wagler, 1832)**

II B LC 386, 387, 485, 541, 1068

Synonym: *Nyctalops stygius* Wagler, 1832

E: Stygian Owl, F: Hibou maître-bois, S: Búho negruzco, Búho-cornudo oscuro, Lechuza estigia, Lechuzón negruzco

Argentina (br) [5291, 10249]; Belize (br) [5241]; Bolivia (br) [445]; Brazil (br) [6186]; Colombia (br) [837]; Cuba (br) [5259]; Dominican Republic (br) [1312]; Ecuador (br) [5294, 6360]; Guatemala (br) [5241]; Guyana (br) [25537]; Haiti (br) [1408]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Paraguay (br) [5295]; Peru [12669]; Venezuela (br) [1070]

CITES Identification Manual Reference:

A-220.002.002.007

Athene blewitti (Hume, 1873)

I A

381, 386, 541, 576, 595,
931, 6477, 6486, 6487

Synonym: *Heteroglaux blewitti* Hume, 1873

E: Forest Little Owl, Forest Owlet, Forest Spotted Owlet, F: Chevêche forestière, Chouette des forêts, S: Mochuelo de Blewitt, Mochuelo de los bosques, Mochuelo forestal
India (br) [1197]

CITES Identification Manual Reference:

A-220.002.003.002

Athene brama (Temminck, 1821)

II B LC 381, 386, 541, 841, 929

Synonym: *Strix brama* Temminck, 1821

E: Spotted Little Owl, Spotted Owlet, F: Chevêche brame, S: Mochuelo brahmán
Bangladesh (br) [804]; Bhutan (br) [5261]; Cambodia (br) [5243]; India (br) [1197]; Iran (Islamic Republic of) (br) [1253]; Lao People's Democratic Republic (br) [6187]; Myanmar (br) [1290]; Nepal (br) [865]; Pakistan (br); Thailand (br) [487, 1220]; Viet Nam (br) [5264]

CITES Identification Manual Reference:

A-220.002.003.003

Athene noctua (Scopoli, 1769)

II A LC 381, 386, 541, 611, 723,
740, 841, 1256

Synonym: *Strix noctua* Scopoli, 1769

E: Little Owl, Northern Little Owl, Tibet Owlet, F: Chevêche d'Athéna, Chevêche d'Athéna, Chouette chevêche, S: Mochuelo común, Mochuelo europeo
Afghanistan (br) [694]; Albania (br); Algeria (br) [971]; Andorra (br) [5239]; Armenia (br) [5240]; Austria (br) [1215]; Azerbaijan (br) [710]; Belarus (br); Belgium (br) [5272]; Bosnia and Herzegovina (br) [1038]; Bulgaria (br) [5280]; Chad (br?) [659]; China (br) [5293]; Croatia (br) [5290]; Cyprus (br) [709]; Czech Republic (br) [5258]; Democratic People's Republic of Korea (v) [7681]; Denmark (br) [666]; Djibouti (br?) [427]; Egypt (br) [756]; Eritrea (br?) [659]; Ethiopia (br?) [659]; Finland (v) [1300]; France (br) [7041]; Georgia (br) [710]; Germany (br) [5274]; Gibraltar (br); Greece (br) [5281]; Hungary (br) [5257, 13163]; India (br) [1197]; Iran (Islamic Republic of) (br) [1253]; Iraq (br) [385]; Ireland (v) [858]; Israel (br) [5245]; Italy (br) [5289]; Jordan (br) [395]; Kazakhstan (br) [5269]; Korea, Republic of (br) [1436]; Kuwait (br?) [537]; Kyrgyzstan (br) [710]; Latvia (br) [5278]; Lebanon (br) [5284]; Libyan Arab Jamahiriya (br) [536]; Liechtenstein (ex?, br); Lithuania (br) [5247]; Luxembourg (br) [5248]; Mali (br?) [659]; Malta (v); Mauritania (br) [659]; Moldova, Republic of (br) [710]; Mongolia (br) [1306]; Morocco (br) [461]; Nepal (br) [865]; Netherlands (br) [5273]; New Zealand (int, br) [1351]; Niger (br?) [659]; Norway (v) [5275]; Oman (br) [13112]; Pakistan (br); Poland (br) [1348]; Portugal (br) [1332]; Portugal (br); Romania (br) [558]; Russian Federation (br) [710]; Saudi Arabia (br) [881]; Serbia and Montenegro (br) [1038]; Slovakia (br) [5279]; Slovenia (br) [1038]; Somalia (br) [5252]; Spain (br) [702]; Sudan (br?) [659]; Sweden (v) [1199]; Switzerland (br) [5288]; Syrian Arab Republic (br) [5283]; Tajikistan (br) [374]; The former Yugoslav Republic of Macedonia (br) [1038]; Tunisia (br) [1344]; Turkey (br) [5282]; Turkmenistan (br) [710, 1318]; Ukraine (br) [710]; United Arab Emirates (br) [1192]; United Kingdom (int, br) [6188]; Uzbekistan (br) [710]; Western Sahara (br); Yemen (br) [5297]

CITES Identification Manual Reference:

A-220.002.003.004

Bubo africanus (Temminck, 1821)

II B LC 386, 511, 541, 573, 723,
841, 1256

Synonyms: *Bubo cinerascens* Guérin-Méneville, 1843, *Strix africana* Temminck, 1821

E: African Eagle-Owl, Spotted Eagle-Owl, F: Grand-duc africain, S: Búho africano, Búho africano chico
Angola (br) [5267]; Benin (br?) [659]; Botswana (br) [1102]; Burkina Faso (br?) [659]; Burundi (br) [659]; Cameroon (br?) [659, 25376]; Central African Republic (br) [659]; Chad (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br) [25489]; Djibouti (br?) [427]; Eritrea (br?) [659]; Ethiopia (br?) [659]; Gabon (br?) [659]; Gambia [760]; Ghana (br?) [782]; Guinea (br) [659, 1078, 10590, 11441, 11455, 13096]; Guinea-Bissau (br) [659, 715]; Kenya (br) [5253]; Lesotho (br?) [486]; Liberia (br?) [5246]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (br?) [659]; Mozambique (br?) [659]; Namibia (br) [659]; Niger (br?) [659]; Nigeria (br); Oman (br?) [13112]; Rwanda (br) [659]; Saudi Arabia (br) [881]; Senegal (br?) [659]; Sierra Leone (br?) [659]; Somalia (br) [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Togo (br?) [5254]; Uganda (br?) [659]; United Republic of Tanzania (br?) [659]; Yemen (br) [5297]; Zambia (br) [659]; Zimbabwe (br) [659]

CITES Identification Manual Reference:

A-220.002.004.002

Bubo ascalaphus Savigny, 1809

II B

LC 386, 611, 723, 1256

Synonyms: *Bubo bubo desertorum* Erlanger, 1897, *Bubo bubo ascalaphus* Savigny, 1809
 E: Pharaoh Eagle-Owl, F: Grand-duc ascalaphe, Grand-duc du désert, S: Búho desértico
 Algeria (br) [971]; Chad (br?) [659]; Egypt (br) [756]; Eritrea (br) [659]; Iraq (br) [385]; Israel (br) [5245];
 Jordan (br) [395, 6454]; Kuwait (br) [537]; Libyan Arab Jamahiriya (br) [536]; Mali (br) [659]; Mauritania (br)
 [659]; Morocco (br) [461]; Niger (br) [659]; Oman (br) [13112]; Qatar; Saudi Arabia (br) [881]; Senegal (v)
 [659]; Sudan (br) [659]; Tunisia (br) [1344]; United Arab Emirates (br) [1192]; Western Sahara (br)

Bubo bengalensis (Franklin, 1831) II B LC 381, 386
 Synonyms: *Bubo bubo bengalensis* (Franklin, 1831), *Otus bengalensis* Franklin, 1831

E: Rock Eagle-Owl, F: Grand-duc indien, S: Búho bengalí
 Bangladesh (v) [804]; India (br) [1197]; Myanmar (ex?, br) [1290]; Nepal (br) [865]; Pakistan (br)

Bubo bubo (Linnaeus, 1758) II A LC 381, 386, 541, 611

Synonym: *Strix bubo* Linnaeus, 1758
 E: Eagle Owl, Eurasian Eagle-Owl, F: Grand-duc d'Europe, Grand-duc d'Europe, Hibou grand-duc, S: Búho real
 Afghanistan (br?) [694]; Albania (br); Andorra (br) [5239]; Armenia (br) [5240]; Austria (br) [1215];
 Azerbaijan (br) [710]; Belarus (br); Belgium (br) [5272]; Bosnia and Herzegovina (br) [1038]; Bulgaria (br)
 [5280]; China (br) [5293]; Croatia (br) [5290]; Czech Republic (br) [5258]; Democratic People's Republic of
 Korea (br) [7680]; Denmark (v) [666]; Estonia (br) [5277]; Finland (br) [1300]; France (br) [7041]; Georgia
 (br) [710]; Germany (br) [5274]; Gibraltar (v); Greece (br) [5281]; Hong Kong, China (br); Hungary (br)
 [5257, 13163]; India (br) [1197]; Iran (Islamic Republic of) (br) [1253]; Iraq (br) [385]; Israel (br) [5245]; Italy
 (br) [5289]; Japan (br) [503, 504]; Kazakhstan (br) [5269]; Korea, Republic of (br) [1436]; Kyrgyzstan (br)
 [710]; Latvia (br) [5278]; Lebanon (br) [5284]; Liechtenstein (br); Lithuania (br) [5247]; Luxembourg (br)
 [5248]; Moldova, Republic of (br) [710]; Mongolia (br) [1306]; Netherlands (br) [5273]; Norway (br) [5275];
 Pakistan (br); Poland (br) [1348]; Portugal (br) [1332]; Portugal (br); Romania (br) [558]; Russian Federation
 (br) [710]; Serbia and Montenegro (br) [1038]; Slovakia (br) [5279]; Slovenia (br) [1038]; Spain (br) [702];
 Sweden (br) [1199]; Switzerland (br) [5288]; Syrian Arab Republic (br) [5283]; Tajikistan (br) [374]; The
 former Yugoslav Republic of Macedonia (br) [1038]; Turkey (br) [5282]; Turkmenistan (ex, br) [710, 8159];
 Ukraine (br) [710]; United Kingdom (v) [6188]; Uzbekistan (br) [710]

CITES Identification Manual Reference: A-220.002.004.003

Bubo capensis A. Smith, 1834 II B LC 386, 511, 541, 573, 723

E: Cape Eagle-Owl, Mackinder's Eagle-Owl, Mountain Eagle-Owl, F: Grand-duc du Cap, S: Búho de El Cabo
 Eritrea (br?) [659]; Ethiopia (br?) [659]; Kenya (br) [5253]; Lesotho (v) [486]; Malawi (v) [1103]; Mozambique
 (br?) [659, 870]; Namibia (br) [659, 1037, 1391]; South Africa (br) [659]; Swaziland (br) [1139]; United Republic
 of Tanzania (br?) [659]; Zimbabwe (br) [659]

CITES Identification Manual Reference: A-220.002.004.004

Bubo coromandus (Latham, 1790) II B LC 381, 386, 541, 929

Synonym: *Strix coromanda* Latham, 1790
 E: Dusky Eagle-Owl, F: Grand-duc de Coromandel, S: Búho de Coromandel
 Bangladesh (v) [804]; China (v) [5293]; India (br) [1197]; Malaysia (v); Myanmar (br) [1290]; Nepal (br)
 [865]; Pakistan (br); Thailand (br?) [487, 1220]

CITES Identification Manual Reference: A-220.002.004.005

Bubo lacteus (Temminck, 1820) II B LC 386, 511, 541, 573, 723,
 1256

Synonym: *Strix lactea* Temminck, 1820
 E: Giant Eagle-Owl, Milky Eagle-Owl, Verreaux's Eagle-Owl, F: Grand-duc de Verreaux, S: Búho lechoso,
 Gran búho etiópico
 Angola (br) [5267]; Benin (br) [659, 12887]; Botswana (br) [1102]; Burkina Faso (br) [659, 1345]; Burundi (br)
 [659]; Cameroon (br?) [659]; Central African Republic (br) [659]; Chad (br?) [659]; Côte d'Ivoire (br) [1334];
 Democratic Republic of the Congo (br) [25489]; Djibouti (br) [427]; Eritrea (br) [659]; Ethiopia (br) [659];
 Gambia (br) [760]; Ghana (br) [782, 7856]; Guinea (br) [659, 1078]; Guinea-Bissau (br) [659, 715]; Kenya (br)
 [5253]; Lesotho (ex, br) [486]; Liberia (br) [5246]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (br?) [659];
 Mozambique (br?) [659]; Namibia (br) [659]; Niger (br?) [659]; Nigeria (br); Rwanda (br) [659]; Senegal
 (br?) [659]; Sierra Leone (br?) [659]; Somalia (br) [5252]; South Africa (br) [659]; Sudan (br) [659];
 Swaziland (br) [1139]; Togo (br?) [5254]; Uganda (br) [659]; United Republic of Tanzania (br?) [659]; Zambia
 (br) [659]; Zimbabwe (br) [659]

CITES Identification Manual Reference: A-220.002.004.006

Bubo leucostictus Hartlaub, 1855 II B LC 386, 541, 723, 918, 1256

E: Akun Eagle-Owl, Sooty Eagle-Owl, F: Grand-duc tacheté, S: Búho de Akún

Angola (br?) [5267]; Cameroon (br?) [659, 25382]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br) [25489]; Equatorial Guinea (br?) [659, 1183]; Gabon (br) [659]; Ghana (br?) [782]; Guinea (br) [659, 1078, 11456]; Liberia (br) [5246]; Nigeria (br?); Sierra Leone (br) [659]

CITES Identification Manual Reference:

A-220.002.004.007

Bubo nipalensis Hodgson, 1836

II B LC 381, 386, 541, 595, 929

E: Forest Eagle-Owl, Spot-bellied Eagle-Owl, F: Grand-duc du Népal, S: Búho nepalí

Bangladesh (br) [804]; Bhutan (br) [5261]; Cambodia (br) [5243]; China (v) [5293]; India (br) [1197]; Lao People's Democratic Republic (br) [6187]; Myanmar (br) [1290]; Nepal (br) [865]; Sri Lanka (br) [5271]; Thailand (br) [487, 1220]; Viet Nam (br) [5264]

Bubo philippensis (Kaup, 1851)

II B VU 386, 541, 595

Synonyms: *Scops philippensis* G. R. Gray, 1844, *Pseudoptynx philippensis* Kaup, 1851

E: Philippine Eagle-Owl, Philippine Eagle-owl, F: Grand-duc des Philippines, S: Búho filipino
Philippines (br) [1166, 5270, 6929]

CITES Identification Manual Reference:

A-220.002.004.008

Bubo poensis Fraser, 1853

II B LC 386, 511, 541, 595, 597, 723, 918, 1256

E: Fraser's Eagle-Owl, F: Grand-duc à aigrettes, S: Búho de Guinea

Angola (br?) [5267]; Cameroon (br?) [659, 25371, 25376, 25382]; Central African Republic (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br) [25489]; Equatorial Guinea (br) [659, 1183]; Equatorial Guinea, Bioko; Gabon (br?) [659]; Ghana (br) [782, 7856]; Guinea [13096]; Liberia (br) [5246]; Nigeria (br) [6276, 7101, 25533]; Rwanda (br) [659]; Sierra Leone (br?) [659]; Uganda (br?) [659]; United Republic of Tanzania (br)

CITES Identification Manual Reference:

A-220.002.004.009

Bubo shelleyi (Sharpe & Ussher, 1872)

II B NT 386, 541, 723, 918, 1256

Synonym: *Huhua shelleyi* Sharpe & Ussher, 1872

E: Banded Eagle-Owl, Shelley's Eagle-Owl, F: Grand-duc de Shelley, S: Búho barrado

Cameroon (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br) [6294, 25489]; Gabon (br?) [659]; Ghana (br?) [782]; Liberia (br?) [5246]; Sierra Leone (br?) [659]

CITES Identification Manual Reference:

A-220.002.004.010

Bubo sumatranus (Raffles, 1822)

II B LC 386, 541, 929

Synonym: *Strix sumatrana* Raffles, 1822

E: Barred Eagle-Owl, F: Grand-duc bruyant, S: Búho malayo

Brunei Darussalam (br); Cocos (Keeling) Islands (v) [1316]; Indonesia (br) [393]: Bali, Jawa, Kalimantan, Sumatera; Malaysia (br) [1289]; Peninsular Malaysia, Sabah, Sarawak; Myanmar (br) [1290]; Singapore (ex, br) [791]; Thailand (br) [487, 1220]

CITES Identification Manual Reference:

A-220.002.004.011

Bubo virginianus (Gmelin, 1788)

II B LC 386, 387, 541, 1068

Synonyms: *Bubo magellanicus* Gmelin, 1789, *Strix virginiana* Gmelin, 1788

E: Great Horned Owl, F: Grand-duc d'Amérique, S: Búho, Búho americano, Búho cornudo, Lechuzón orejudo, Nacurutú

Argentina (br) [5291, 10249]; Belize (br) [5241]; Bermuda (v) [389]; Bolivia (br) [1186]; Brazil (br) [6186, 6413]; Canada (br) [748]; Chile (br) [873, 5292]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294]; El Salvador (br) [5241]; Falkland Islands (Malvinas) (v) [1439]; French Guiana (br) [1349]; Guatemala (br) [5241]; Guyana (br) [1295, 25537]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (v) [1195]; Paraguay (br) [5295]; Peru (br) [1136]; Saint Pierre and Miquelon [683]; Suriname (br) [5296]; United States (br) [387]; Uruguay (br) [5287, 25534]; Venezuela (br) [1070]

CITES Identification Manual Reference:

A-220.002.004.008

Bubo vosseleri Reichenow, 1908

II B VU 576, 595

Synonym: *Bubo poensis vosseleri* Reichenow, 1908

E: Usambara Eagle-Owl, Usambara Eagle-owl, F: Grand-duc des Usambara, S: Búho de Usambara
United Republic of Tanzania (br) [659]

Glaucidium albentinum Prigogine, 1983

II B VU 386, 576, 595, 597, 723, 918

E: Albertine Owlet, Prigogine's Owlet, F: Chevêchette du Graben, S: Mochuelo del Alberto
Democratic Republic of the Congo (br) [25489]; Rwanda (br?) [659]

Glaucidium boliviannum König, 1991	II	B	LC	
E: Yungas Pygmy-Owl, F: Chevêchette des yungas, S: Mochuelo boliviano Argentina (br) [5291, 10249]; Bolivia (br) [1186]; Peru (br) [1136]				
Glaucidium brasiliannum (Gmelin, 1788)	II	B	LC	386, 387, 541, 1068
Synonym: <i>Strix brasiliiana</i> Gmelin, 1788				
E: Ferruginous Pygmy-Owl, F: Chevêchette brune, S: Caburé, Mochuelo caburé, Pavita ferruginea, Tecolotito común Argentina (br) [5291, 6190, 10249]; Belize (br) [5241]; Bolivia (br) [1186]; Brazil (br) [6186, 25280]; Chile (br) [5292, 6393]; Colombia (br) [837, 9220]; Costa Rica (br) [1311]; Ecuador (br) [5294, 8617]; El Salvador (br) [5241]; Guatemala (br) [5241, 6397]; Guyana (br) [1295, 25537]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [5295]; Peru (br) [1136]; Suriname (v) [5296]; Trinidad and Tobago (br) [703]; United States (br) [387]; Uruguay (br) [5287, 25534]; Venezuela (br) [1070]				
Glaucidium brodiei (Burton, 1836)	II	B	LC	381, 386, 541, 929
Synonym: <i>Noctua brodiei</i> Burton, 1836				
E: Collared Owlet, Collared Pygmy-Owl, F: Chevêchette à collier, S: Mochuelo acollarado Afghanistan (br) [694]; Bangladesh (br) [804]; Bhutan (br) [5261]; Brunei Darussalam (br); Cambodia (br) [5243]; China (br) [5293]; India (br) [1197]; Indonesia (br) [393]; Kalimantan, Sumatera; Lao People's Democratic Republic (br) [6187]; Malaysia (br) [1289]; Peninsular Malaysia, Sabah, Sarawak; Myanmar (br) [1290]; Nepal (br) [865]; Pakistan (br); Taiwan, Province of China (br); Thailand (br) [487, 1220]; Viet Nam (br) [5264]				
Glaucidium californicum	II	B	LC	387
P. L. Sclater, 1857				
Synonym: <i>Glaucidium gnoma californicum</i> P. L. Sclater, 1857				
E: Northern Pygmy-Owl, F: Chevêchette des Rocheuses, S: Mochuelo californiano, Tecolotito del cabo Canada (br) [748]; Mexico (br) [5241]; United States (br) [387]				
Glaucidium capense (A. Smith, 1834)	II	B	LC	386, 511, 541, 573, 723, 918
Synonym: <i>Noctua capensis</i> A. Smith, 1834				
E: African Barred Owlet, Barred Owlet, F: Chevêchette du Cap, S: Mochuelo de El Cabo Cameroon [25382]; Democratic Republic of the Congo [25489]; ?Mozambique (br) [659]; South Africa (br) [659]; Swaziland (br) [1139]				
CITES Identification Manual Reference:	A-220.002.006.004			
Glaucidium castaneum Reichenow, 1893	II	B	LC	723
Synonym: <i>Glaucidium capense castaneum</i> Reichenow, 1893				
E: Chestnut Owlet, F: Chevêchette châtaigne, S: Mochuelo castaño Cameroon [6295, 25180]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br) [25489]; Liberia (br) [5246]; Uganda (br?) [659]				
Glaucidium castanopterum (Blyth, 1852)	II	B	NT	381, 595
Synonyms: <i>Glaucidium cuculoides castanopterum</i> (Blyth, 1846), <i>Glaucidium radiatum castanopterum</i> (Blyth, 1852), <i>Athene castanoptera</i> Blyth, 1852				
E: Chestnut-backed Owlet, F: Chevêchette à dos marron, S: Mochuelo de Ceilán Sri Lanka (br) [5271]				
Glaucidium castanopterum (Horsfield, 1821)	II	B	LC	386
Synonyms: <i>Glaucidium cuculoides castanopterum</i> (Horsfield, 1821), <i>Strix castanoptera</i> Horsfield, 1821				
E: Javan Owlet, F: Chevêchette spadicée, S: Mochuelo de Java Indonesia (br) [393]: Bali, Jawa				
Glaucidium cuculoides (Vigors, 1831)	II	B	LC	381, 386, 541, 929
Synonym: <i>Noctua cuculoides</i> Vigors, 1831				
E: Asian Barred Owlet, Cuckoo Owlet, F: Chevêchette cuculoïde, S: Mochuelo cuco Bangladesh (br) [804]; Bhutan (br) [5261]; Cambodia (br) [5243]; China (br) [5293]; Hong Kong, China (ex, br); India (br) [1197]; Lao People's Democratic Republic (br) [6187]; Myanmar (br) [1290]; Nepal (br) [865]; Pakistan (br); Thailand (br) [487, 1220]; Viet Nam (br) [5264]				
CITES Identification Manual Reference:	A-220.002.006.005			
Glaucidium gnoma Wagler, 1832	II	B	LC	386, 387, 541
Synonym: <i>Glaucidium hoskinsii</i> Brewster, 1888				

E: Mountain Pygmy-Owl, F: Chevêchette naine, S: Mochuelo gnomo, Tecolotito serano
 ?Belize [7110, 7111, 8757]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua [25288];
 United States (br) [387]

CITES Identification Manual Reference: A-220.002.006.006

Glaucidium hardyi Vieilliard, 1989

II B LC 6866

E: Amazonian Pygmy-Owl, Hardy's Pygmy-Owl, F: Chevêchette d'Amazonie, S: Mochuelo amazónico
 Bolivia (br) [6986]; Brazil (br) [6186]; French Guiana (br) [1349]; Guyana [25537]; Venezuela (br) [7056]

Glaucidium jardinii (Bonaparte, 1855)

II B LC 386, 387, 1068

Synonyms: *Glaucidium costaricanum* L. Kelso, 1937, *Phalaenopsis jardinii* Bonaparte, 1855

E: Andean Pygmy-Owl, F: Chevêchette des Andes, S: Mochuelo andino, Pavita andina
 Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294]; Panama (br) [1195]; Peru (br) [1136, 6724,
 12669]; Venezuela (br) [1070]

CITES Identification Manual Reference: A-220.002.006.007

Glaucidium minutissimum (Wied, 1830)

II B LC 386, 387, 541, 1068,
 6866

Synonyms: *Glaucidium sanchezi* Lowery & Newman, 1949, *Glaucidium griseiceps* Sharpe, 1875, *Glaucidium palmarum* Nelson, 1901, *Strix minutissima* Wied, 1830

E: Brazilian Pygmy-Owl, Least Pygmy-Owl, F: Chevêchette cabouré, S: Mochuelo minimo
 Belize (br) [5241]; Bolivia (br) [1135, 1186, 7072]; Brazil (br) [6186, 25280]; Colombia (br) [837]; Costa Rica (br)
 [1311]; Guatemala (br) [448, 5241]; Honduras (br) [1076]; Mexico (br) [5241]; Panama (br) [1195]; Paraguay
 (br) [5295]; Peru (br) [1136]

CITES Identification Manual Reference: A-220.002.006.008

Glaucidium mooreorum

II

da Silva, Coelho & Gonzaga, 2002
 E: Pernambuco Pygmy-Owl
 Brazil

Glaucidium nanum (P. P. King, 1827)

II B LC

Synonym: *Strix nana* P. P. King, 1828

E: Austral Pygmy-Owl, F: Chevêchette austral, S: Caburé patagónico, Mochuelo patagónico
 Argentina (br) [5291, 10249]; Chile (br) [5292]

Glaucidium ngamiense (Roberts, 1932)

II B 574, 723

Synonyms: *Glaucidium capense ngamiense* (Roberts, 1932), *Smithiglaux capensis ngamiensis* Roberts, 1932

E: Ngami Owlet, F: Chevêchette de Ngami
 Angola (br) [5267]; Botswana (br) [1102]; Democratic Republic of the Congo (br); Namibia (br) [659]; South
 Africa (br) [659]; United Republic of Tanzania (br) [659]; Zambia (br) [659]

Glaucidium nubicola Robbins & Stiles, 1999

II B VU 244

E: Cloud-forest Pygmy-Owl
 Ecuador [12078]

Glaucidium parkeri Robbins & Howell, 1995

II B LC 6866

E: Subtropical Pygmy-Owl, F: Chevêchette de Parker, S: Mochuelo de Parker
 Ecuador (br) [6866, 8617]

Glaucidium passerinum (Linnaeus, 1758)

II A LC 386, 541, 611

Synonym: *Strix passerina* Linnaeus, 1758

E: Eurasian Pygmy-Owl, Pygmy Owl, F: Chevêchette d'Europe, Chevêchette d'Europe, Chouette chevêchette, Chouette chevêchette, S: Mochuelo alpino, Mochuelo chico
 Austria (br) [1215]; Belarus (br); Belgium (v) [5272]; Bosnia and Herzegovina (br) [1038]; Bulgaria (v) [5280];
 China (br) [5293]; Croatia (v) [5290]; Czech Republic (br) [5258]; Denmark (v) [666]; Estonia (br) [5277];
 Finland (br) [1300]; France (br) [7041]; Germany (br) [5274]; Italy (br) [5289]; Kazakhstan (br) [5269]; Latvia
 (br) [5278]; Liechtenstein (br); Lithuania (br) [5247]; Mongolia (br) [1306]; Norway (br) [5275]; Poland (br)
 [1348]; Romania (br) [558]; Russian Federation (br) [710]; Serbia and Montenegro (br) [1038]; Slovakia (br)
 [5279]; Slovenia (br) [1038]; Spain (v) [702]; Sweden (br) [1199]; Switzerland (br) [5288]; Ukraine (v) [710]

CITES Identification Manual Reference:

A-220.002.006.009

Glaucidium perlatum (Vieillot, 1817)

II B LC 386, 511, 541, 573, 723,
 1256

Synonym: *Strix perlata* Vieillot, 1818

E: Pearl-spotted Owlet, F: Chevêchette perlée, S: Mochuelín perlado, Mochuelo perlado
 Angola (br?) [5267]; Benin (br?) [659]; Botswana (br) [1102]; Burkina Faso (br?) [659]; Burundi (br) [659];
 Cameroon (br?) [659]; Central African Republic (br) [659]; Chad (br?) [659]; Côte d'Ivoire (br) [1334];
 Democratic Republic of the Congo (br?) [25489]; Eritrea (br?) [659]; Ethiopia (br?) [659]; Gambia (br) [760];
 Ghana (br?) [782]; Guinea (br) [659, 1078, 1389]; Guinea-Bissau (br) [659, 715]; Kenya (br) [5253]; Liberia (br?)
 [5246]; Malawi (br) [1103]; Mali (br?) [659]; Mauritania (br?) [659]; Mozambique (br?) [659]; Namibia (br)
 [659]; Niger (br?) [659]; Nigeria (br); Rwanda (br) [659]; Senegal (br) [659]; Somalia (br?) [5252]; South
 Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Togo (br?) [5254]; Uganda (br?) [659]; United
 Republic of Tanzania (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

CITES Identification Manual Reference:

A-220.002.006.010

Glaucidium peruanum König, 1991

II B LC

E: Pacific Pygmy-Owl, Peruvian Pygmy-Owl, F: Chevêchette du Pérou, S: Mochuelo peruano
 Ecuador (br) [5294, 8617]; Peru (br) [1136]

Glaucidium radiatum (Tickell, 1833)

II B LC 381, 386, 541

Synonym: *Strix radiata* Tickell, 1833

E: Barred Jungle Owlet, Jungle Owlet, F: Chevêchette de jungle, S: Mochuelo de jungla
 Bangladesh (br) [804]; Bhutan (br) [5261]; India (br) [1197]; Myanmar (br) [1290]; Nepal (br) [865]; Sri
 Lanka (br) [5271]

CITES Identification Manual Reference:

A-220.002.006.011

Glaucidium scheffleri Neumann, 1911

II B

Synonym: *Glaucidium capense scheffleri* Neumann, 1911

E: Scheffler's Owl, F: Chevêchette de Scheffler
 ?Kenya (br) [5253]; ?Somalia (br) [5252]; United Republic of Tanzania (br?) [659]

Glaucidium siju (d'Orbigny, 1839)

II B LC 386, 541

Synonym: *Noctua siju* d'Orbigny, 1839

E: Cuban Pygmy-Owl, F: Chevêchette de Cuba, S: Mochuelo sijú, Siju, Sijucito
 Cuba (br) [5259]

CITES Identification Manual Reference:

A-220.002.006.012

Glaucidium sjostedti Reichenow, 1893

II B LC 386, 541, 918, 1256

E: Sjostedt's Owlet, F: Chevêchette à queue barrée, S: Mochuelo chico, Mochuelo de Sjöstedt, Mochuelo del
 Congo
 Cameroon (br?) [659, 25376]; Congo (br?) [659]; Democratic Republic of the Congo (br) [25489]; Equatorial
 Guinea (br?) [659, 1183]; Gabon (br?) [659]; Nigeria (br?)

CITES Identification Manual Reference:

A-220.002.006.013

Glaucidium tephronotum Sharpe, 1875II B LC 386, 511, 541, 723, 918,
1256, 6299

E: Red-chested Owlet, Yellow-legged Owl, F: Chevêchette à pieds jaunes, S: Mochuelo pechirrojo
 Cameroon (br?) [659, 25374, 25376, 25382]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of
 the Congo (br) [25489]; Equatorial Guinea [6426]; Gabon (br?) [659]; Ghana (br) [782]; Kenya (br) [5253];
 Liberia (br) [648, 5246]; Rwanda (br?) [659]; Sierra Leone (br?) [659]; Uganda (br?) [659]

CITES Identification Manual Reference:

A-220.002.006.14

Jubula lettii (Büttikofer, 1889)II B LC 386, 541, 576, 723, 918,
1256Synonyms: *Bubo lettii* Büttikofer, 1889, *Lophostrix lettii* (Büttikofer, 1889)

E: Maned Owl, F: Duc à crinière, Hibou à bec jaune, S: Búho de Crin, Búho de Guinea
 Cameroon (br) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br)
 [25489]; Equatorial Guinea (br?) [659]; Gabon (br) [518, 659]; Ghana (br?) [782]; Liberia (br) [5246]

CITES Identification Manual Reference:

A-220.002.008.001

Ketupa blakistoni (Seeböhm, 1884)

II B EN 386, 541, 576, 595

Synonym: *Bubo blakistoni* Seeböhm, 1884

E: Blakiston's Fish-Owl, Blakiston's Fish-owl, F: Grand-duc de Blakiston, Kétoupa de Blakiston, S: Búho
 manchú
 China (br) [5293]; Japan (br) [500, 503, 504]; Russian Federation (br) [489, 710, 938]

CITES Identification Manual Reference:

A-220.002.009.002

Ketupa flavipes (Hodgson, 1836)	II	B	LC	381, 386, 541, 595, 929
Synonyms: <i>Bubo flavipes</i> (Hodgson, 1836), <i>Cultrunquius flavipes</i> Hodgson, 1836				
E: Tawny Fish-Owl, F: Hibou pêcheur roux, Kétopa roux, S: Búho pescador, Búho pescador leonado				
Bangladesh (br) [804]; Bhutan (br) [5261]; China (br) [5293]; India (br) [1197]; Lao People's Democratic Republic (br) [6187]; Myanmar (br) [1290]; Nepal (br) [865]; Taiwan, Province of China (br); Viet Nam (br) [5264]				
CITES Identification Manual Reference:	A-220.002.009.003			
Ketupa ketupu (Horsfield, 1821)	II	B	LC	381, 386, 541, 929
Synonyms: <i>Bubo ketupu</i> (Horsfield, 1821), <i>Strix ketupu</i> Horsfield, 1821				
E: Buffy Fish-Owl, Malay Fish-Owl, F: Kétopa malais, S: Búho pescador malayo				
Bangladesh (br) [13143]; Brunei Darussalam (br); Cambodia (br) [5243]; Cocos (Keeling) Islands (v) [1316]; India (ex?, br) [1197]; Indonesia (br) [393]; Bali, Jawa, Kalimantan, Sumatera; ?Lao People's Democratic Republic [6187]; Malaysia (br) [1289]; Peninsular Malaysia, Sabah, Sarawak; Myanmar (br) [1290]; ?Singapore (ex, br?) [791]; Thailand (br) [487, 1220]; Viet Nam (br) [5264]				
CITES Identification Manual Reference:	A-220.002.009.004			
Ketupa zeylonensis (Gmelin, 1788)	II	B	LC	381, 386, 541, 611, 841, 929
Synonyms: <i>Bubo zeylonensis</i> (Gmelin, 1788), <i>Strix zeylonensis</i> Gmelin, 1788				
E: Brown Fish-Owl, F: Kétopa brun, S: Búho pescador de Ceilán				
Bangladesh (br) [804]; Cambodia (br) [5243]; China (br) [5293]; Hong Kong, China; India (br) [1197]; Iran (Islamic Republic of) (br) [1253]; Iraq (v) [385]; Israel (br) [5245]; ?Jordan (br) [395]; Lao People's Democratic Republic (br) [6187]; Lebanon (v) [5284]; Macao, China [11382]; Malaysia (br); Myanmar (br) [1290]; Nepal (br) [865]; Pakistan (br); Seychelles (v?) [659, 6253]; Sri Lanka (br) [5271]; Syrian Arab Republic (br?) [5283]; Thailand (br) [487, 1220]; Turkey (br) [1012, 5282]; Viet Nam (br) [5264]				
CITES Identification Manual Reference:	A-220.002.009.005			
Lophostrix cristata (Daudin, 1800)	II	B	LC	386, 387, 541, 1068
Synonym: <i>Strix cristata</i> Daudin, 1800				
E: Crested Owl, F: Duc à aigrettes, Hibou à casque, S: Búho corniblanco, Búho cornudo, Lechuza copetona				
Belize (br) [5241, 6769]; Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837, 6674]; Costa Rica (br) [1311]; Ecuador (br) [5294]; El Salvador (ex?, br) [5241]; French Guiana (br) [1349]; Guatemala (br) [5241]; Guyana (br) [1295, 25537]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]; Peru (br) [1136]; Suriname (br) [5296]; Venezuela (br) [1070, 6304, 6810]				
CITES Identification Manual Reference:	A-220.002.010.001			
Micrathene whitneyi (Cooper, 1861)	II	B	LC	386, 387, 541
Synonym: <i>Athene whitneyi</i> Cooper, 1861				
E: Elf Owl, F: Chevêchette des saguaros, Chevêchette-elfe, S: Mochuelo de los saguaros, Mochuelo duende, Tecolotito enano				
Mexico (br) [5241, 7106]; United States (br) [387]				
CITES Identification Manual Reference:	A-220.002.011.001			
Mimizuku gurneyi (Tweeddale, 1879)	I	A	VU	386, 541, 576, 595
Synonyms: <i>Pseudoptynx gurneyi</i> Tweeddale, 1879, <i>Otus gurneyi</i> (Tweeddale, 1879)				
E: Giant Scops-Owl, Lesser Eagle-Owl, Mindanao Eagle-Owl, F: Hibou de Tweeddale, Petit-duc de Gurney, Petit-duc géant, Scops géant de Guerney, S: Autillo de Guerney, Búho de Mindanao				
Philippines (br) [5270]				
CITES Identification Manual Reference:	A-220.002.016.001			
Nesasio solomonensis (Hartert, 1901)	II	B	VU	386, 541, 576, 595, 1242
Synonym: <i>Pseudoptynx solomonensis</i> Hartert, 1901				
E: Fearful Owl, F: Chouette des îles Salomons, Hibou redoutable, S: Búho de las Salomón				
Papua New Guinea (br); Solomon Islands (br) [5260]				
CITES Identification Manual Reference:	A-220.002.013.001			
Ninox affinis Beavan, 1867	II	B	NT	381, 386, 541, 595
E: Andaman Boobook, Andaman Hawk-Owl, F: Ninoxe des Andaman, S: Nínox de Andamán				
India (br) [1197]; Andaman Is, Nicobar Is				
CITES Identification Manual Reference:	A-220.002.014.002			

<i>Ninox boobook</i> (Latham, 1801)	II	B	LC	
Synonyms: <i>Ninox novaeseelandiae marmorata</i> (Gould, 1846), <i>Ninox novaeseelandiae lurida</i> DeVis, 1889, <i>Ninox novaeseelandiae boobook</i> (Latham, 1801), <i>Ninox novaeseelandiae remigialis</i> Stresemann, 1930, <i>Ninox novaeseelandiae pusilla</i> Mayr & Rand, 1935, <i>Ninox novaeseelandiae ocellata</i> (Bonaparte, 1850), <i>Ninox novaeseelandiae plesseni</i> Stresemann, 1929, <i>Ninox novaeseelandiae fusca</i> (Vieillot, 1817), <i>Ninox novaeseelandiae cinnamomina</i> Hartert, 1906, <i>Strix boobook</i> Latham, 1801				
E: Southern Boobook, F: Ninoxe d'Australie, S: Nínox australiano				
Australia (br) [477]				
<i>Ninox connivens</i> (Latham, 1801)	II	B	LC	386, 541
Synonym: <i>Falco connivens</i> Latham, 1801				
E: Barking Owl, Winking Owl, F: Ninoxe aboyeuse, S: Nínox ladrador				
Australia (br) [477]; Indonesia (br) [393]: Irian Jaya, Moluccas; Papua New Guinea (br)				
CITES Identification Manual Reference:				A-220.002.014.003
<i>Ninox ios</i> Rasmussen, 1999	II	B	VU	7263
E: Cinnabar Hawk-Owl				
Indonesia [7262, 7271]: Sulawesi [7227]				
<i>Ninox jacquinoti</i> (Bonaparte, 1850)	II	B	LC	386, 541, 1242
Synonym: <i>Athene jacquinoti</i> Bonaparte, 1850				
E: Solomon Hawk-Owl, Solomon Islands Boobook, F: Ninoxe de Jacquinot, S: Nínox de las Solomón				
Papua New Guinea (br); Solomon Islands (br) [5260, 13119]				
CITES Identification Manual Reference:				A-220.002.014.004
<i>Ninox meeki</i> Rothschild & Hartert, 1914	II	B	LC	386, 541, 1242
E: Admiralty Hawk-Owl, Admiralty Islands Hawk-Owl, Manus Boobook, Manus Hawk-Owl, F: Ninoxe de l'Amirauté, S: Nínox de la Manus				
Papua New Guinea (br): Bismarck Archipelago				
CITES Identification Manual Reference:				A-220.002.014.005
<i>Ninox novaeseelandiae</i> (Gmelin, 1788)	I/II	A/B	LC	386, 541
Synonym: <i>Strix novaeseelandiae</i> Gmelin, 1788				
E: Morepork, F: Chouette boobok, Chouette coucou, Ninoxe boubouk, S: Nínox maorí				
Australia (br) [477]; Indonesia (br) [393]: Lesser Sunda Is, Moluccas; New Zealand (br) [1351]; Norfolk Island (br) [477, 1216]; Papua New Guinea (br); Timor-Leste [13131]				
CITES Appendix II populations	II	B	LC	
Australia (br) [477]; Indonesia (br) [393]: Lesser Sunda Is, Moluccas; New Zealand (br) [1351]; Papua New Guinea (br) [6951]				
<i>Ninox novaeseelandiae undulata</i>	I	A		386, 541, 576, 931, 1116
(Latham, 1801)				
Synonym: <i>Ninox novaeseelandiae roiana</i> Mathews, 1912				
E: Norfolk Boobook, Norfolk Island Boobook Owl, F: Chouette boobok de l'île Norfolk, Ninoxe boubouk de l'île Norfolk, S: Lechuza gavilana de Norfolk, Mochuelo cucú				
Norfolk Island (br) [477, 1216]				
CITES Identification Manual Reference:				A-220.002.014.006
<i>Ninox ochracea</i> (Schlegel, 1865)	II	B	NT	386, 541, 576
Synonyms: <i>Ninox perversa</i> Stresemann, 1938, <i>Noctua ochracea</i> Schlegel, 1865				
E: Ochre-bellied Boobook, Ochre-bellied Hawk-Owl, F: Ninoxe ocrée, S: Nínox ocráceo				
Indonesia (br) [393]: Sulawesi				
CITES Identification Manual Reference:				A-220.002.014.008
<i>Ninox odiosa</i> Sclater, 1877	II	B	LC	386, 541, 1242
E: New Britain Hawk-Owl, Russet Boobook, Russet Hawk-Owl, F: Ninoxe odieuse, S: Nínox de Nueva Bretaña				
Papua New Guinea (br): Bismarck Archipelago				
CITES Identification Manual Reference:				A-220.002.014.007
<i>Ninox philippensis</i> Bonaparte, 1855	II	B	LC	386, 541
Synonyms: <i>Ninox spilonota</i> Bourns & Worcester, 1894, <i>Ninox spilocephala</i> Tweeddale, 1879				
E: Philippine Boobook, Philippine Hawk-Owl, F: Ninoxe des Philippines, S: Nínox filipino				

Philippines (br) [1166, 5270]				
CITES Identification Manual Reference:	A-220.002.014.009			
<i>Ninox punctulata</i> (Quoy & Gaimard, 1830)	II	B	LC	386, 541
Synonym: <i>Noctua punctulata</i> Quoy & Gaimard, 1830				
E: Speckled Boobook, Speckled Hawk-Owl, F: Ninoxe pointillée, S: Nínox punteado				
Indonesia (br) [393, 1410, 7262]: Sulawesi				
CITES Identification Manual Reference:	A-220.002.014.010			
<i>Ninox rudolfi</i> Meyer, 1882	II	B	NT	386, 595
Synonym: <i>Ninox novaeseelandiae rudolfi</i> A. B. Meyer, 1882				
E: Sumba Boobook, F: Ninoxe de Sumba, S: Níoxo de Sumba				
Indonesia (br) [393]: Lesser Sunda Is				
<i>Ninox rufa</i> (Gould, 1846)	II	B	LC	386, 541
Synonym: <i>Athene rufa</i> Gould, 1846				
E: Rufous Owl, F: Ninoxe rousse, S: Níoxo rojizo				
Australia (br) [477]; Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)				
CITES Identification Manual Reference:	A-220.002.014.011			
<i>Ninox scutulata</i> (Raffles, 1822)	II	B	LC	381, 386, 541, 929, 9222
Synonyms: <i>Ninox japonica</i> (Temminck & Schlegel, 1844), <i>Ninox randi</i> Deignan, 1951, <i>Strix scutulata</i> Raffles, 1822				
E: Brown Boobook, Brown Hawk-Owl, F: Ninoxe hirsute, S: Níoxo pardo				
Australia (v) [477]; Bangladesh (br) [804]; Bhutan (br) [5261]; Brunei Darussalam (br); Cambodia (br) [5243]; China (br) [5293]; Democratic People's Republic of Korea (br) [7680]; Hong Kong, China; India (br) [1197]; Indonesia (br) [393]: Bali, Jawa, Kalimantan, Lesser Sunda Is, Moluccas, Sulawesi, Sumatera; Japan (br) [503, 504]; Kazakhstan (v) [5269]; Korea, Republic of (br) [1436]; Lao People's Democratic Republic (br) [6187]; Malaysia (br): Peninsular Malaysia, Sabah, Sarawak [1289]; Myanmar (br) [1290]; Nepal (br) [865]; Philippines (br) [1166, 5270]; Russian Federation (br) [710, 938]; Singapore (br) [791]; Sri Lanka (br) [5271]; Taiwan, Province of China (br); Thailand (br) [487, 1220]; Viet Nam (br) [5264]				
CITES Identification Manual Reference:	A-220.002.014.012			
<i>Ninox squamipila</i> (Bonaparte, 1850)	I/II	A/B	LC	386, 541
Synonym: <i>Athene squamipila</i> Bonaparte, 1850				
E: Moluccan Boobook, Moluccan Hawk-Owl, F: Chouette des Moluques, Chouette épervière, Ninoxe des Moluques, S: Lechuza gavilana de las Molucas, Mochuelo de las Molucas, Níoxo moluqueño				
Christmas Island (br) [931, 1115]; Indonesia (br) [393]: Lesser Sunda Is, Moluccas				
CITES Appendix II populations	II	B	LC	
Indonesia (br) [393]: Lesser Sunda Is, Moluccas				
<i>Ninox squamipila natalis</i>	I	A		386, 576, 931, 1115
Lister, 1889				
Synonym: <i>Ninox natalis</i> (Lister, 1889)				
E: Christmas Hawk-Owl, Christmas Island Hawk-Owl, F: Chouette épervière de l'île Christmas				
Christmas Island (br)				
CITES Identification Manual Reference:	A-220.002.014.016			
<i>Ninox strenua</i> (Gould, 1838)	II	B	LC	386, 541, 595
Synonym: <i>Athene strenua</i> Gould, 1838				
E: Powerful Owl, F: Ninoxe puissante, S: Nínox robusto				
Australia (br) [477]				
CITES Identification Manual Reference:	A-220.002.014.017			
<i>Ninox sumbaensis</i>	II		NT	8724
Olsen, Wink, Sauer-Gürth & Trost, 2002				
E: Little Sumba Hawk-Owl				
Indonesia: Lesser Sunda Is				
<i>Ninox superciliaris</i> (Vieillot, 1817)	II	B	LC	386, 541
Synonym: <i>Strix superciliaris</i> Vieillot, 1817				

E: Madagascar Hawk-Owl, White-browed Boobook, White-browed Owl, F: Ninoxe à sourcils blancs, S: Ninox malgache
 Madagascar (br) [633, 5249]

CITES Identification Manual Reference: A-220.002.014.018

Ninox theomacha (Bonaparte, 1855) II B LC 386, 541, 1242

Synonyms: *Ninox goldii* Gurney, 1883, *Spiloglaux theomacha* Bonaparte, 1855

E: Chestnut Hawk-Owl, Jungle Boobook, Jungle Hawk-Owl, Sooty-backed Hawk-Owl, F: Ninoxe brune, S: Ninox papú

Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)

CITES Identification Manual Reference: A-220.002.014.019

Ninox variegata (Quoy & Gaimard, 1830) II B LC 386, 541

Synonym: *Ninox solomonis* Sharpe, 1876

E: Bismarck Boobook, Bismarck Hawk-Owl, New Ireland Hawk-Owl, F: Ninoxe bariolée, S: Ninox de las Bismarck

Papua New Guinea (br): Bismarck Archipelago

CITES Identification Manual Reference: A-220.002.014.013

Nyctea scandiaca (Linnaeus, 1758) II A LC 386, 387, 541, 611

Synonyms: *Bubo scandiacus* (Linnaeus, 1758), *Strix scandiaca* Linnaeus, 1758

E: Snowy Owl, F: Chouette harfang, Harfang des neiges, Harfang des neiges, S: Búho nival
 Albania (v); Austria (v) [1215]; Belgium (v) [5272]; Bermuda (v) [389]; Canada (br) [748]; China (v) [5293];
 Croatia (v) [5290]; Czech Republic (v) [5258]; Democratic People's Republic of Korea (v) [7681]; Denmark (v)
 [666]; Faroe Islands [480]; Finland (br) [1300]; France (v) [7041]; Germany (v) [5274]; Greenland (br);
 Hungary (v) [5257]; Iceland (br) [507]; Iran (Islamic Republic of) (v) [841, 1253]; Ireland (v) [858]; Japan (v)
 [503, 504]; Kazakhstan [5269]; Korea, Republic of (v) [1436]; Kyrgyzstan (v) [710]; Latvia (v) [5278];
 Luxembourg (v) [5248]; Mongolia (v) [1306]; Netherlands (v) [5273]; Norway (br) [5275]; Pakistan (v); Poland
 (v) [1348]; Portugal (v) [1332]; Azores (v); Russian Federation (br) [710]; Saint Pierre and Miquelon [683];
 Serbia and Montenegro (v) [1038]; Slovakia (v) [5279]; Svalbard and Jan Mayen Islands (br); Sweden (br)
 [1199]; Turkmenistan (v) [710]; Ukraine (v) [710]; United Kingdom (br) [6188]; United States (v) [387]

CITES Identification Manual Reference: A-220.002.015.001

Otus albogularis (Cassin, 1850) II B LC 386, 541, 1068

Synonym: *Megascops albogularis* (Cassin, 1849)

E: White-throated Screech-Owl, F: Petit-duc à gorge blanche, S: Autillo gorgiblanco, Curucucú
 gargantiblanco
 Bolivia (br) [1186]; Colombia (br) [837]; Ecuador (br) [5294, 6317]; Peru (br) [1136, 12669]; Venezuela (br)
 [1070]

CITES Identification Manual Reference: A-220.002.016.002

Otus alius Rasmussen, 1998 II B DD 32

E: Nicobar Scops-Owl, F: Petit-duc de Nicobar, S: Autillo de Nicobar
 India (br) [1197]: Nicobar Is

Otus angelinae (Finsch, 1912) II B VU 386, 394, 450, 541, 595

Synonyms: *Pisorhina angelinae* Finsch, 1912, *Otus spilocephalus angelinae* (Finsch, 1912)

E: Javan Scops-Owl, Javan Scops-owl, F: Petit-duc de Java, S: Autillo de Java
 Indonesia (br) [393, 450]: Jawa

Otus asio (Linnaeus, 1758) II B LC 386, 387, 541

Synonyms: *Megascops asio* (Linnaeus, 1758), *Strix asio* Linnaeus, 1758

E: Eastern Screech-Owl, F: Petit-duc maculé, S: Autillo yanqui, Tecolote oriental
 Bermuda (v) [389]; Canada (br) [748]; Mexico (br) [5241]; United States (br) [387]

CITES Identification Manual Reference: A-220.002.016.004

Otus atricapillus (Temminck, 1822) II B 386, 387, 541, 1068,
 7806

Synonyms: *Megascops guatemalae* (Sharpe, 1875), *Megascops hoyi* (Koenig & Straneck, 1989), *Megascops atricapilla* (Temminck, 1822), *Otus hoyi* König & Straneck, 1989, *Otus guatemalae* Sharpe, 1875, *Strix atricapilla* Temminck, 1822

E: Black-capped Screech-Owl, Variable Screech-Owl, F: Petit-duc à mèches noires, S: Autillo capirotado,
 Curucucú vermiculado, Lechucita rojiza

Argentina (br) [5291, 10249]; Belize (br) [610, 5241]; Bolivia (br) [6986]; Brazil (br) [6186, 25280]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [5295]; Peru (br) [1136]; Uruguay (br) [5287]; Venezuela (br) [1070]

CITES Identification Manual Reference:

A-220.002.016.016

Otus bakkamoena Pennant, 1769

II B LC 381, 386, 541

Synonym: *Otus lempiji* Horsfield, 1821

E: Collared Scops-Owl, Indian Scops-Owl, Sunda Scops-Owl, F: Petit-duc à collier, Petit-duc de Horsfield, Petit-duc indien, S: Autillo chino, Autillo de la Sonda, Autillo indio
Bangladesh (br) [804]; Bhutan (br) [5261]; Brunei Darussalam (br); Cambodia (br) [5243]; China (br) [5293]; Democratic People's Republic of Korea (br) [7680]; Hong Kong, China (br); India (br) [1197]; Indonesia (br) [393]; Bali, Jawa, Kalimantan, Sumatera; Iran (Islamic Republic of) (br) [1253]; Japan (br) [503, 504]; Korea, Republic of (br) [1436]; Lao People's Democratic Republic (br) [6187]; Malaysia (br) [1289]; Peninsular Malaysia, Sabah, Sarawak; Myanmar (br) [1290]; Nepal (br) [865]; Pakistan (br); Russian Federation (br) [710]; Singapore (br) [791]; Sri Lanka (br) [5271]; Taiwan, Province of China (br); Thailand (br) [487, 1220]; Viet Nam (br) [5264]

CITES Identification Manual Reference:

A-220.002.016.006

Otus balli (Hume, 1873)

II B NT 381, 386, 541, 595

Synonym: *Ephialtes balli* Hume, 1873

E: Andaman Scops-Owl, F: Petit-duc des Andaman, S: Autillo de Andamán
India (br) [1197]; Andaman Is

CITES Identification Manual Reference:

A-220.002.016.007

Otus barbarus (Sclater & Salvin, 1868)

II B NT 386, 387, 541, 595

Synonyms: *Scops barbarus* Sclater & Salvin, 1868, *Megascops barbarus* (Sclater & Salvin, 1868)

E: Bearded Screech-Owl, Santa Barbara Screech-Owl, F: Petit-duc bridé, S: Autillo barbudo, Tecolote barbudo
Guatemala (br) [5241]; Mexico (br) [5241]

CITES Identification Manual Reference:

A-220.002.016.008

Otus brookii (Sharpe, 1892)

II B LC 386, 541

Synonym: *Scops brookii* Sharpe, 1892

E: Rajah Scops-Owl, F: Petit-duc radjah, S: Autillo rajá
Indonesia (br) [393]; Sumatera; Malaysia (br) [1289]; Sabah, Sarawak

CITES Identification Manual Reference:

A-220.002.016.010

Otus brucei (Hume, 1873)

II B LC 381, 386, 541, 611, 723, 841, 918

Synonym: *Ephialtes brucei* Hume, 1873

E: Pallid Scops-Owl, Striated Scops-Owl, F: Petit-duc de Bruce, S: Autillo persa
Afghanistan (v) [694]; Bahrain (v) [1105]; Egypt (v) [756]; India [1197]; Iran (Islamic Republic of) (br) [1253]; Iraq (br) [385, 10170, 10172, 10175, 10176]; Israel (br?) [5245]; Jordan (br?) [395, 1386]; Kazakhstan (br) [5269]; Lebanon (br?) [5284]; Oman (br) [13112]; Pakistan (br); Saudi Arabia [881]; Syrian Arab Republic (br?) [5283]; Tajikistan (br) [374]; Turkey (br) [5282]; Turkmenistan (br) [710]; United Arab Emirates (br) [1192]; Uzbekistan (br) [710]; Yemen (br?) [5297]

Otus choliba (Vieillot, 1817)

II B LC 386, 387, 541, 1068

Synonyms: *Megascops choliba* (Vieillot, 1817), *Strix choliba* Vieillot, 1817

E: Tropical Screech-Owl, F: Petit-duc choliba, S: Autillo chóliba, Curucucú común, Lechucita común
Argentina (br) [5291, 10249]; Bolivia (br) [1186]; Brazil (br) [6186, 25280]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294]; French Guiana (br) [1349]; Guyana (br) [1295, 25537]; Panama (br) [1195]; Paraguay (br) [5295]; Peru (br) [1136]; Suriname (br) [5296]; Trinidad and Tobago (br) [703]; Uruguay (br) [5287, 25534]; Venezuela (br) [1070]

CITES Identification Manual Reference:

A-220.002.016.012

Otus clarkii Kelso & Kelso, 1935

II B LC 386, 387, 541, 1068

Synonym: *Megascops clarkii* (L. Kelso & E. H. Kelso, 1935)

E: Bare-shanked Screech-Owl, F: Petit-duc de Clark, S: Autillo serrano, Buhito en Pernetas
Colombia (br) [837]; Costa Rica (br) [1311]; Panama (br) [1195]

CITES Identification Manual Reference:

A-220.002.016.013

Otus collaris Lambert & Rasmussen, 1998

II B 6305

E: Sangihe Scops-Owl, F: Petit-duc de Sangihe, S: Autillo de la Sangihe
 Indonesia (br) [393]: Sulawesi

Otus elegans (Cassin, 1852) II B NT 576
 Synonyms: *Ephialtes elegans* Cassin, 1852, *Otus scops elegans* (Cassin, 1852), *Otus scops interpositus* Kuroda, 1923, *Otus scops botelensis* Kuroda, 1928, *Otus scops calayensis* McGregor, 1904
 E: Elegant Scops-Owl, Ryukyu Scops-Owl, F: Petit-duc élégant, S: Autillo elegante
 Japan (br) [503]; Philippines (br) [5270]; Taiwan, Province of China (br) [504, 1258]

Otus flammeolus (Kaup, 1853) II B LC 386, 387, 541
 Synonym: *Scops flammeola* Kaup, 1853
 E: Flammulated Owl, F: Petit-duc nain, S: Autillo flamulado, Tecolote flameado
 Canada (br) [748]; Guatemala [5241]; Mexico (br) [5241]; United States (br) [387]
 CITES Identification Manual Reference: A-220.002.016.015

Otus fuliginosus (Sharpe, 1888) II B NT 595
 Synonym: *Otus bakkamoena fuliginosus* (Sharpe, 1888)
 E: Palawan Scops-Owl, Palawan Scops-owl, F: Petit-duc de Palawan, S: Autillo de Palawan
 Philippines (br) [5270]

Otus hartlaubi (Giebel, 1849) II B VU 386, 541, 576, 595, 597,
 723, 918, 1256
 Synonym: *Noctua hartlaubi* Giebel, 1872
 E: São Tomé Scops-Owl, F: Petit-duc de São Tomé, S: Autillo de Santo Tomé
 São Tomé and Príncipe (br) [659, 900]
 CITES Identification Manual Reference: A-220.002.016.017

Otus icterorhynchus (Shelley, 1873) II B LC 386, 541, 723, 918, 1256
 Synonym: *Scops icterorhynchus* Shelley, 1873
 E: Sandy Scops-Owl, F: Petit-duc à bec jaune, S: Autillo piquigualdo
 Cameroon (br?) [659, 25180, 25382]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br) [25489];
 Ghana (br?) [782]; Liberia (br?) [648, 5246]
 CITES Identification Manual Reference: A-220.002.016.018

Otus ingens (Salvin, 1897) II B LC 386, 541, 1068
 Synonyms: *Scops ingens* Salvin, 1897, *Ciccaba minima* Carriker, 1935, *Megascops ingens* (Salvin, 1897),
Megascops colombianus (Traylor, 1952), *Otus minimus* (Carriker, 1935), *Otus colombianus* Traylor, 1952
 E: Colombian Screech-Owl, Rufous Screech-Owl, F: Petit-duc de Salvin, S: Autillo pálido, Curucú pálido
 Bolivia (br) [1186]; Colombia (br) [837]; Ecuador (br) [5294, 12077]; Peru (br) [1136]; Venezuela (br) [1070]
 CITES Identification Manual Reference: A-220.002.016.019

Otus ireneae Ripley, 1966 II A EN 386, 511, 541, 576, 595,
 597, 693, 723, 918
 E: Morden's Scops-Owl, Sokoke Scops-Owl, F: Petit-duc d'Irène, S: Autillo de Sokoke
 Kenya (br) [5253]; United Republic of Tanzania (br?) [659]
 CITES Identification Manual Reference: A-220.002.016.021

Otus kennicottii (Elliot, 1867) II B LC 387
 Synonyms: *Scops kennicottii* Elliot, 1867, *Scops cooperi* Ridgway, 1878, *Megascops kennicotti* (Elliot, 1867),
Megascops seductus (R. T. Moore, 1941), *Megascops cooperi* (Ridgway, 1878), *Otus asio kennicottii* (Elliot, 1867),
Otus cooperi (Ridgway, 1878), *Otus asio vinaceus* (Brewster, 1888), *Otus asio sinaloensis* Moore, 1937,
Otus seductus Moore, 1941, *Otus asio clazus* Oberholser, 1937, *Otus asio quercinus* Grinnell, 1915,
Otus asio xantusi (Brewster, 1902), *Otus asio cinereus* (Ridgway, 1895), *Otus asio cardonensis* Huey, 1926,
Otus asio gilmani Swarth, 1910, *Otus asio inyoensis* Grinnell, 1928, *Otus asio aikenii* (Brewster, 1891),
Otus asio mychophilus Oberholser, 1937, *Otus asio brewsteri* Ridgway, 1914, *Otus asio bendirei* (Brewster, 1882), *Otus asio macfarlanei* (Brewster, 1891)
 E: Western Screech-Owl, F: Petit-duc des montagnes, S: Autillo californiano, Tecolote occidental
 Canada (br) [748]; Costa Rica (br) [1311]; El Salvador (br) [5241]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; United States (br) [387]
 CITES Identification Manual Reference: A-220.002.016.014

Otus koepckeae Hekstra, 1982 II B LC 386
 Synonym: *Megascops koepckeae* (Hekstra, 1982)

E: Koepcke's Screech-Owl, F: Petit-duc de Koepcke, S: Autillo de Koepcke
Bolivia (br) [6947]; Peru (br) [1136]

Otus lawrencii (Sclater & Salvin, 1868) II B LC 386, 387, 485, 541

Synonym: *Gymnoglaux lawrencii* Sclater & Salvin, 1868

E: Bare-legged Owl, Cuban Screech-Owl, F: Chouette de Cuba, Petit-duc de Cuba, S: Autillo cubano, Cotunto, Cuco, Siju cotunto
Cuba (br) [5259]

CITES Identification Manual Reference:

A-220.002.007.001

Otus leucotis (Temminck, 1820) II B LC 386, 511, 541, 573, 723, 1256

Synonyms: *Ptilopsis leucotis* (Temminck, 1820), *Ptilopsis granti* (Kollibay, 1910), *Strix leucotis* Temminck, 1820

E: White-faced Scops-Owl, F: Petit-duc à face blanche, S: Autillo cariblanco, Gran autillo veliblanco
Angola (br) [5267]; Benin (br?) [659]; Botswana (br) [1102]; Burkina Faso (br) [659, 1345]; Burundi (br?) [659]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Chad (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br) [25489]; Djibouti (br?) [427]; Eritrea (br) [659]; Ethiopia (br) [659]; Gabon (br?) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br) [659, 1078, 1389, 11455]; Guinea-Bissau (br) [659, 7834]; Kenya (br) [5253]; Liberia (br) [5246]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (br) [659]; Mozambique (br?) [659]; Namibia (br) [659]; Niger (br?) [659]; Nigeria (br); Rwanda (br) [659]; Senegal (br) [659]; Sierra Leone (br) [659]; Somalia (br) [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Togo (br?) [568, 5254]; Uganda (br) [659]; United Republic of Tanzania (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

CITES Identification Manual Reference:

A-220.002.016.022

Otus longicornis (Ogilvie-Grant, 1894) II B NT 595

Synonyms: *Scops longicornis* Ogilvie-Grant, 1894, *Otus scops longicornis* (Ogilvie-Grant, 1894)

E: Luzon Scops-Owl, Luzon Scops-owl, F: Petit-duc longicorne, S: Autillo de Luzón
Philippines (br) [5270]

Otus magicus (Müller, 1841) II B LC 386, 541, 576, 595, 597, 1242

Synonyms: *Scops beccarii* Salvadori, 1876, *Pisorhina alfredi* Hartert, 1897, *Otus beccarii* Salvadori, 1876, *Otus insularis* (Tristram, 1880), *Otus enganensis* Riley, 1927, *Otus manadensis magicus* (S. Müller, 1841), *Otus alfredi* Hartert, 1897, *Otus manadensis bouruensis* (Sharpe, 1875), *Otus manadensis albiventris* (Sharpe, 1875), *Otus manadensis tempestatis* (Hartert, 1904), *Otus umbra enganensis* Riley, 1927, *Otus manadensis morotensis* (Sharpe, 1875), *Otus manadensis leucospilus* (G. R. Gray, 1860), *Strix magica* S. Müller, 1841

E: Moluccan Scops-Owl, Papuan Scops-Owl, F: Petit-duc mystérieux, S: Autillo moluqueño
Indonesia (br) [393]: Irian Jaya, Lesser Sunda Is, Moluccas, Sulawesi; Seychelles (br) [659]

CITES Identification Manual Reference:

A-220.002.016.003

Otus manadensis (Quoy & Gaimard, 1830) II B LC 386, 541

Synonyms: *Scops manadensis* Quoy & Gaimard, 1830, *Otus siaoensis* (Schlegel, 1873)

E: Celebes Scops-Owl, Sulawesi Scops-Owl, F: Petit-duc de Manado, S: Autillo de Célebes
Indonesia (br) [393, 7262]: Sulawesi

CITES Identification Manual Reference:

A-220.002.016.023

Otus mantananensis (Sharpe, 1892) II B NT

Synonyms: *Scops mantananensis* Sharpe, 1892, *Otus scops cuyensis* McGregor, 1904, *Otus scops mantananensis* (Sharpe, 1892), *Otus manadensis sibutuensis* (Sharpe, 1893), *Otus manadensis steerei* Mearns, 1909, *Otus scops romblonis* McGregor, 1905

E: Mantanani Scops-Owl, F: Petit-duc de Mantanani, S: Autillo de la Mantanani
Malaysia (br): Sabah; Philippines (br) [5270]

Otus marshalli Weske & Terborgh, 1981 II B NT 386, 576, 705

Synonyms: *Megascops petersoni* (Fitzpatrick & O'Neill, 1986), *Megascops marshalli* (Weske & Terborgh, 1981), *Otus petersoni* Fitzpatrick & O'Neill, 1986

E: Cloud-forest Screech-Owl, F: Petit-duc de Marshall, S: Autillo de Marshall
Ecuador; Peru (br) [1136, 1407, 6854]

Otus megalotis (Walden, 1875) II B LC 386

Synonyms: *Scops whiteheadi* Ogilvie-Grant, 1895, *Lempijius megalotis* Walden, 1875, *Otus bakkamoena megalotis* (Walden, 1875), *Otus whiteheadi* (Ogilvie-Grant, 1895), *Otus bakkamoena boholensis* McGregor, 1907, *Otus bakkamoena everetti* (Tweeddale, 1879)

E: Philippine Scops-Owl, F: Petit-duc de Luçon, S: Autillo filipino
 Philippines (br) [5270, 6639]

Otus mentawi Chasen & Kloss, 1926 II B NT

Synonym: *Otus bakkamoena mentawi* Chasen & Kloss, 1926

E: Mentawai Scops-Owl, F: Petit-duc des Mentawai, S: Autillo de las Mentawai
 Indonesia (br) [393]: Sumatera

Otus mindorensis (Whitehead, 1899) II B NT 386, 595

Synonyms: *Scops mindorensis* Whitehead, 1899, *Otus scops mindorensis* (Whitehead, 1899)

E: Mindoro Scops-Owl, Mindoro Scops-owl, F: Petit-duc de Mindoro, S: Autillo de Mindoro
 Philippines (br) [5270]

Otus mirus Ripley & Rabor, 1968 II B NT 595

Synonym: *Otus scops mirus* Ripley & Rabor, 1968

E: Mindanao Scops-Owl, Mindanao Scops-owl, F: Petit-duc de Mindanao, S: Autillo de Mindanao
 Philippines (br) [5270]

Otus moheliensis II B CR 41, 6298

Lafontaine & Moulaert, 1998

E: Moheli Scops-Owl, F: Petit-duc de Mohéli, S: Autillo de Moheli
 Comoros (br) [659]

Otus nudipes (Daudin, 1800) II B LC 386, 387, 485, 541, 576

Synonyms: *Megascops nudipes* (Daudin, 1800), *Strix nudipes* Daudin, 1800

E: Puerto Rican Screech-Owl, F: Petit-duc de Porto Rico, S: Autillo portorriqueño
 British Virgin Islands (br) [25480]; Puerto Rico (br) [1176]; United States Virgin Islands (br)

CITES Identification Manual Reference: A-220.002.016.025

Otus pauliani (Benson, 1960) II B CR 386, 576, 595, 597, 833, 989, 6298

Synonym: *Otus rutilus pauliani* (Benson, 1960)

E: Comoro Scops-Owl, Grand Comoro Scops-Owl, Grand Comoro Scops-owl, F: Petit-duc du Karthala,
 S: Autillo de las Comores
 Comoros (br) [659]

Otus podarginus (Hartlaub & Finsch, 1872) II B LC 386, 541, 576

Synonyms: *Noctua podargina* Hartlaub & Finsch, 1872, *Pyrroglaux podargina* (Hartlaub & Finsch, 1872)

E: Palau Owl, F: Petit-duc des Palau, S: Autillo de las Palau
 Palau (br) [1171]

CITES Identification Manual Reference: A-220.002.020.001

Otus roboratus Bangs & Noble, 1918 II B LC 386, 541, 1068

Synonym: *Megascops roboratus* (Bangs & Noble, 1918)

E: Peruvian Screech-Owl, West Peruvian Screech-Owl, F: Petit-duc du Pérou, S: Autillo peruano, Autillo
 roborado

Ecuador (br?) [6360]; Peru (br) [1136, 12669]

CITES Identification Manual Reference: A-220.002.016.026

Otus rufescens (Horsfield, 1821) II B NT 386, 541, 929

Synonym: *Strix rufescens* Horsfield, 1821

E: Reddish Scops-Owl, F: Petit-duc roussâtre, S: Autillo rojizo

Brunei Darussalam (br); Indonesia (br) [393]: Jawa, Kalimantan, Sumatera; Malaysia (br) [1289]: Peninsular
 Malaysia, Sabah, Sarawak; ?Philippines [5270]; Thailand (br) [487, 1220]

CITES Identification Manual Reference: A-220.002.016.027

Otus rutilus (Pucheran, 1849) II B LC 386, 412, 511, 541, 576, 595, 723, 918, 931, 6298

Synonyms: *Scops rutilus* Pucheran, 1849, *Gymnoscops insularis* Tristram, 1880, *Otus pemaensis*
 Pakenham, 1937, *Otus mayottensis* Benson, 1960, *Otus madagascariensis* (Grandidier, 1867), *Otus
 capnodes* (Gurney, 1889)

E: Madagascar Scops-Owl, Malagasy Scops-Owl, Pemba Scops-Owl, F: Petit-duc malgache, S: Autillo
 malgache

Comoros (br) [659]; Madagascar (br) [633, 5249]; Mayotte (br); United Republic of Tanzania (br?) [659]

CITES Identification Manual Reference:

A-220.002.016.028

Otus sagittatus (Cassin, 1848)

II B VU 386, 541, 595, 929

Synonym: *Ephialtes sagittatus* Cassin, 1848E: White-fronted Scops-Owl, White-fronted Scops-owl, F: Petit-duc à front blanc, S: Autillo frentiblanco
?Indonesia [393, 1027]: ?Sumatera; Malaysia (br) [1290]; Taiwan, Province of China (v);
Thailand (br) [487, 1220]

CITES Identification Manual Reference:

A-220.002.016.029

Otus sanctaecatarinae (Salvin, 1897)

II B LC

Synonym: *Megascops sanctaecatarinae* (Salvin, 1897)E: Long-tufted Screech-Owl, F: Petit-duc à aigrettes longues, S: Autillo de Santa Catalina
Argentina (br) [5291, 10249]; Brazil (br) [6186]; Uruguay [25534]

CITES Identification Manual Reference:

A-220.002.016.005

Otus scops (Linnaeus, 1758)II A LC 381, 386, 511, 541, 611,
723, 841, 929Synonyms: *Scops senegalensis* Swainson, 1837, *Scops sunia* Hodgson, 1836, *Otus sunia* (Hodgson, 1836),
Otus senegalensis (Swainson, 1837), *Strix scops* Linnaeus, 1758
E: African Scops-Owl, Common Scops-Owl, Eurasian Scops-Owl, Oriental Scops-Owl, Scops Owl, F: Hibou
petit-duc, Petit-duc africain, Petit-duc scops, S: Autillo, Autillo, Autillo africano, Autillo europeo, Autillo
oriental
Afghanistan (br?) [694]; Albania (br); Algeria (br) [971]; Andorra (v) [5239]; Angola (br) [5267]; Armenia (br)
[5240]; Austria (br) [1215]; Azerbaijan (br) [710]; Bahrain [1105]; Bangladesh (br) [804]; Belarus (br);
Belgium (v) [5272]; Benin (br?) [659]; Bhutan (br) [5261]; Bosnia and Herzegovina (br); Botswana (br)
[1102]; Bulgaria (br) [5280]; Burkina Faso (br?) [659]; Burundi (br) [659]; Cambodia (br) [5243]; Cameroon
(br) [659, 25374]; Central African Republic (br?) [659]; Chad (br?) [659]; China (br) [5293]; Côte d'Ivoire (br)
[1334]; Croatia (br) [709]; Czech Republic (br) [5258]; Democratic People's Republic of Korea
(br) [7680]; Democratic Republic of the Congo (br) [25489]; Denmark (v) [666]; Djibouti (br?) [427]; Egypt
(br?) [756]; Equatorial Guinea (br) [659]; Bioko; Eritrea (br?) [659]; Ethiopia (br) [659]; Faroe Islands (v)
[480]; France (br) [7041]; Gambia (br) [760, 7217]; Georgia (br) [710]; Germany (v) [5274]; Ghana (br) [782];
Gibraltar (br?); Greece (br) [5281]; Guinea (br) [659, 1078, 10590, 11438]; Guinea-Bissau (br) [659, 715]; Hong
Kong, China; Hungary (br) [5257, 13163]; Iceland (v) [507]; India (br) [1197]; Indonesia (br) [393]; Sumatera;
Iran (Islamic Republic of) (br) [1253]; Iraq (br) [385]; Ireland (v) [858]; Israel (br) [5245]; Italy (br) [5289];
Japan (br) [503, 504]; Jordan (br) [395, 6454]; Kazakhstan (br) [5269]; Kenya (br) [5253]; Korea, Republic of
(br) [1436]; Kuwait [537]; Kyrgyzstan (br) [710]; Lao People's Democratic Republic (br) [6187]; Latvia (v)
[5278]; Lebanon (br) [5284]; Lesotho (v) [486]; Liberia (br?) [5246]; Libyan Arab Jamahiriya (br) [536];
Liechtenstein (v); Luxembourg (v) [5248]; Malawi (br) [1103]; Malaysia; Malta; Mauritania (br?) [659];
Moldova, Republic of (br) [710]; Mongolia (br) [1306]; Morocco (br) [461]; Mozambique (br?) [659]; Myanmar
(br) [1290]; Namibia (br) [659]; Nepal (br) [865]; Netherlands (v) [5273]; Niger (br?) [659]; Nigeria (br);
Norway (v) [5275]; Oman (br?) [13112]; Pakistan (br); Poland (br) [1348]; Portugal (br) [1332]; Portugal (br),
Madeira (v); Qatar (v) [1393]; Romania (br) [558]; Russian Federation (br) [710]; Rwanda (br) [659]; Saudi
Arabia (br) [881]; Senegal (br) [659]; Serbia and Montenegro (br); Seychelles (v) [6253]; Sierra Leone (br?)
[659]; Singapore (v) [791]; Slovakia (br) [5279]; Slovenia (br); Somalia (br) [5252]; South Africa (br) [659];
Spain (br) [702]; Sri Lanka (br) [5271]; Sudan (br) [659]; Swaziland (br) [1139]; Sweden (v) [1199];
Switzerland (br) [5288]; Syrian Arab Republic (br?) [5283]; Tajikistan (br) [374]; Thailand (br) [487, 1220]; The
former Yugoslav Republic of Macedonia (br); Togo (br?) [5254]; Tunisia (br) [1344]; Turkey (br) [5282];
Turkmenistan (br) [710]; Uganda (br) [659]; Ukraine (br) [710]; United Arab Emirates [1192]; United
Kingdom (v) [6188]; United Republic of Tanzania (br?) [659]; Uzbekistan (br) [710]; Viet Nam (br) [5264];
Western Sahara; Yemen (br) [5297]; Zambia (br) [659]; Zimbabwe (br) [659]

CITES Identification Manual Reference:

A-220.002.016.030

Otus silvicola (Wallace, 1864)

II B LC 386, 541, 595

Synonym: *Scops silvicola* Wallace, 1864E: Lesser Sunda Scops-Owl, Wallace's Scops-Owl, F: Petit-duc de Wallace, S: Autillo de Wallace
Indonesia (br) [393]: Lesser Sunda Is

CITES Identification Manual Reference:

A-220.002.016.031

Otus spilocephalus (Blyth, 1846)

II B LC 381, 386, 541, 929

Synonyms: *Ephialtes spilocephalus* Blyth, 1846, *Pisorhina vandewateri* Robinson & Kloss, 1916, *Otus*
vandewateri (Robinson & Kloss, 1916)E: Mountain Scops-Owl, Spotted Scops-Owl, F: Petit-duc tacheté, S: Autillo montano
Bangladesh (br) [804]; Bhutan (br) [5261]; Cambodia (br) [5243]; China (br) [5293]; India (br) [1197];
Indonesia (br) [393]; Kalimantan [7727], Sumatera; Lao People's Democratic Republic (br) [6187]; Malaysia
(br) [1289]; Myanmar (br) [1290, 7214]; Nepal (br) [865]; Pakistan (br); Taiwan, Province of China (br);
Thailand (br) [487, 1220]; Viet Nam (br) [5264]

CITES Identification Manual Reference: A-220.002.016.032

Otus trichopsis (Wagler, 1832) II B LC 386, 387, 541
 Synonyms: *Scops trichopsis* Wagler, 1832, *Megascops trichopsis* (Wagler, 1832)
 E: Whiskered Screech-Owl, F: Petit-duc à moustaches, S: Autillo bigotudo, Tecolote bigotudo
 El Salvador (br) [5241]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; United States (v) [387]

CITES Identification Manual Reference: A-220.002.016.034

Otus umbra (Richmond, 1903) II B NT 386, 541
 Synonym: *Pisorhina umbra* Richmond, 1903
 E: Mentaur Scops-Owl, Simeulue Scops-Owl, F: Petit-duc de Simalur, S: Autillo de la Simeulue
 Indonesia (br) [393]: Sumatera
 CITES Identification Manual Reference: A-220.002.016.035

Otus vermiculatus (Ridgway, 1887) II B
 Synonyms: *Megascops vermiculatus* (Ridgway, 1887), *Megascops roraimae* (Salvin, 1897), *Megascops napensis* (Chapman, 1928), *Otus guatemalae vermiculatus* (Ridgway, 1887)
 E: Vermiculated Screech-Owl, F: Petit-duc vermiculé, S: Autillo vermiculado
 Colombia (br) [837]; Costa Rica (br) [1311]; Panama (br) [1195]

Otus watsonii (Cassin, 1848) II B LC 386, 541, 1068
 Synonyms: *Ephialtes watsonii* Cassin, 1848, *Megascops watsonii* (Cassin, 1848), *Otus usta* Sclater, 1859
 E: Tawny-bellied Screech-Owl, F: Petit-duc de Watson, S: Autillo del Amazonas, Curucucú orejudo
 Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837]; Ecuador (br) [5294]; French Guiana (br) [1349];
 Guyana (br) [1295, 25537]; Peru (br) [1136]; Suriname (br) [5296]; Venezuela (br) [1070, 6304]
 CITES Identification Manual Reference: A-220.002.016.037

Pseudoscops grammicus (Gosse, 1847) II B LC 386, 387, 485, 541
 Synonym: *Ephialtes grammicus* Gosse, 1847
 E: Jamaican Owl, F: Hibou de la Jamaïque, S: Búho de Jamaica, Búho jamaicano
 Jamaica (br) [657]
 CITES Identification Manual Reference: A-220.002.018.001

Pulsatrix koeniswaldiana II B LC 386, 541, 1068
 (M. Bertoni & W. Bertoni, 1901)
 Synonym: *Syrnium koeniswaldianum* M. Bertoni & W. Bertoni, 1901
 E: Tawny-browed Owl, White-chinned Owl, F: Chouette à sourcils jaunes, Chouette de Koeniswald,
 S: Lechuzón acollarado chico, Lechuzón anteojos menor, Lechuzón pardo menor
 Argentina (br) [5291, 10249]; Brazil (br) [6186, 25280]; Paraguay (br) [5295, 6321]
 CITES Identification Manual Reference: A-220.002.019.002

Pulsatrix melanota (Tschudi, 1844) II B LC 386, 541, 1068
 Synonym: *Noctua melanota* Tschudi, 1844
 E: Band-bellied Owl, Band-tailed Owl, Rusty-barred Owl, F: Chouette à collier, S: Cicupa, Lechuzón acollarado grande
 Bolivia (br) [1186]; Colombia (v) [837]; Ecuador (br) [5294, 13140]; Peru (br) [1136]
 CITES Identification Manual Reference: A-220.002.019.003

Pulsatrix perspicillata (Latham, 1790) II B LC 386, 541, 1068
 Synonym: *Strix perspicillata* Latham, 1790
 E: Spectacled Owl, F: Chouette à lunettes, S: Búho de anteojos, Lechuzón anteojos, Lechuzón de anteojos
 Argentina (br) [5291, 10249]; Belize (br) [5241]; Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837];
 Costa Rica (br) [1311]; Ecuador (br) [5294]; El Salvador (br) [5241]; French Guiana (br) [1349]; Guatemala
 (br) [448, 5241]; Guyana (br) [1295, 25537]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195];
 Panama (br) [1195]; Paraguay (br) [5295]; Peru (br) [1136]; Suriname (br) [5296]; Trinidad and Tobago (br)
 [703]; Venezuela (br) [1070]

CITES Identification Manual Reference: A-220.002.019.004

Sceloglaux albifacies (G. R. Gray, 1844) II B EX 386, 541, 576, 1073
 Synonym: *Athene albifacies* G. R. Gray, 1844

E: Laughing Owl, White-faced Owl, F: Chouette à joues blanches, Ninoxe rieuse, S: Lechuzón cariblanco, Nínox reidor

New Zealand (**ex**, br) [1351]

CITES Identification Manual Reference:

A-220.002.022.001

Scotopelia bouvieri Sharpe, 1875

II B LC 386, 541, 723, 918, 1256

E: Vermiculated Fishing-Owl, F: Chouette-pêcheuse de Bouvier, S: Cárbabo pescador vermiculado
Angola (br?) [5267]; Cameroon (br?) [659, 25374, 25376]; Central African Republic (br?) [659]; Congo (br?) [659]; Democratic Republic of the Congo (br) [25489]; Gabon (br) [659]; Nigeria (br?)

CITES Identification Manual Reference:

A-220.002.023.002

Scotopelia peli (Bonaparte, 1850)

II B LC 386, 511, 541, 573, 723, 1256

Synonym: *Strix peli* Bonaparte, 1850

E: Pel's Fishing-Owl, F: Chouette pêcheuse, Chouette-pêcheuse de Pel, S: Cárbabo pescador común, Lechuza pescadora

Angola (br?) [5267]; Benin (br?) [659, 12885]; Botswana (br) [522, 1102]; Burkina Faso (br?) [659]; Cameroon (br?) [659, 25382]; Central African Republic (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br?) [25489]; Eritrea (br?) [659]; Ethiopia (br?) [522, 659, 894]; Gabon (br) [659]; Gambia (br?) [760]; Ghana (br?) [782]; Guinea (br) [10590]; Kenya (br?) [5253]; Liberia (br?) [5246]; Malawi (br?) [1103]; Mali (br?) [659]; Mozambique (br?) [659]; Namibia (br?) [659]; Niger (br?) [659]; Nigeria (br); Rwanda (br?) [659]; Senegal (br?) [659]; Sierra Leone (br) [659]; Somalia (br?) [5252]; South Africa (br) [659]; Sudan (br?) [659]; Swaziland (ex?, br) [1139]; Togo (ex?) [659]; Uganda (br?) [659]; United Republic of Tanzania (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

CITES Identification Manual Reference:

A-220.002.023.003

Scotopelia ussheri Sharpe, 1871

II B EN 386, 541, 576, 595, 597,
723, 918, 1256

E: Rufous Fishing-Owl, F: Chouette d'Ussher, Chouette-pêcheuse rousse, S: Búho pescador rojizo, Cárbabo pescador rojizo

Côte d'Ivoire (br) [1334]; Ghana (br?) [782]; Guinea (br) [659, 1078, 11436]; Liberia (br) [5246]; Sierra Leone (br) [659]

CITES Identification Manual Reference:

A-220.002.023.004

Speotyto cunicularia (Molina, 1782)

II B 386, 387, 485, 541, 1068

Synonyms: *Athene cunicularia* (Molina, 1782), *Strix cunicularia* Molina, 1782

E: Burrowing Owl, F: Chevêche des terriers, Chouette de terrier, S: Búho llanero, Cucú, Lechucita común, Lechucita de las viscacheras, Mochuelo de Hoyo, Mochuelo de madriguera

Antigua and Barbuda (**ex**, br) [5242]; Argentina (br) [5291, 10249]; Aruba (br) [1380]; Bahamas (br) [5242]; Belize (v) [6709]; Bolivia (br) [1186, 6385, 7166]; Brazil (br) [6186, 25271]; Canada (br) [748]; Chile (br) [873, 5292]; Colombia (br) [837]; Costa Rica (v) [1311]; Cuba (br) [5259, 6679]; Dominican Republic (br) [1312]; Ecuador (br) [5294]; El Salvador [5241]; Falkland Islands (Malvinas) (v) [1439]; Guadeloupe (br) [5242]; Guatemala [5241]; Guyana (br) [1295, 25537]; Haiti (br) [1408]; Honduras [1076]; Mexico (br) [5241]; Netherlands Antilles (v): Curaçao (v); Panama (v) [1195]; Paraguay (br) [5295]; Peru (br) [1136]; Saint Kitts and Nevis (**ex**, br) [5242]; Suriname (br) [5296]; Trinidad and Tobago; United States (br) [387]; Uruguay (br) [5287, 25534]; Venezuela (br) [1070]

CITES Identification Manual Reference:

A-220.002.024.001

Strix albitarsus (Bonaparte, 1850)

II B 386, 541, 1068, 7806

Synonyms: *Ciccaba albitarsus* (Bonaparte, 1850), *Syrnium albitarse* Bonaparte, 1850

E: Rufous-banded Owl, F: Chouette fasciée, S: Cárbabo patiblanco, Lechuza colilarga, Lechuza patiblanca
Bolivia (br) [1186, 6346]; Colombia (br) [837, 6358]; Ecuador (br) [5294, 6317]; Peru (br) [1136]; Venezuela (br) [1070]

CITES Identification Manual Reference:

A-220.002.005.002

Strix aluco Linnaeus, 1758

II A LC 381, 386, 541, 611, 723,
841

E: Tawny Owl, Tawny Wood-Owl, F: Chouette hulotte, Chouette hulotte, Hulotte chat-huant, S: Cárbabo, Cárbabo común

Afghanistan (br) [694]; Albania (br); Algeria (br) [971]; Andorra (br) [5239]; Armenia (br) [5240]; Austria (br) [1215]; Azerbaijan (br) [710]; Belarus (br); Belgium (br) [5272]; Bhutan (br) [5261]; Bosnia and Herzegovina (br) [1038]; Bulgaria (br) [5280]; China (br) [5293]; Croatia (br) [5290]; Czech Republic (br) [5258]; Democratic People's Republic of Korea (br) [7680]; Denmark (br) [666]; Estonia (br) [5277]; Finland (br) [1300]; France (br) [7041]; Georgia (br) [710]; Germany (br) [5274]; Greece (br) [5281]; Hungary (br) [5257, 13163]; India (br) [1197]; Iran (Islamic Republic of) (br) [1253]; Iraq (br) [385, 10172]; Israel (br) [5245]; Italy (br) [5289]; Jordan (br) [395, 6454]; Kazakhstan (br) [5269]; Korea, Republic of (br) [1436]; Kyrgyzstan (br) [710]; Latvia (br) [5278]; Lebanon (br) [5284]; Liechtenstein (br); Lithuania (br) [5247]; Luxembourg (br) [5248]; Moldova, Republic of (br) [710]; Morocco (br) [461]; Myanmar (br) [1290, 7214]; Nepal (br) [865]; Netherlands (br) [5273]; Norway (br) [5275]; Pakistan (br); Poland (br) [1348]; Portugal (br) [1332]; Portugal (br); Romania (br) [558]; Russian Federation (br) [710]; Serbia and Montenegro (br) [1038]; Slovakia (br) [5279]; Slovenia (br) [1038]; Spain (br) [702]; Sweden (br) [1199]; Switzerland (br) [5288]; Syrian Arab Republic (br) [5283]; Taiwan, Province of China (br) [1051]; Tajikistan (br) [374]; The former Yugoslav Republic of Macedonia (br) [1038]; Tunisia (br) [1344]; Turkey (br) [5282]; Turkmenistan (br) [710]; Ukraine (br) [710]; United Kingdom (br) [6188]; Uzbekistan (br) [710]; Viet Nam (br) [5264]

CITES Identification Manual Reference:

A-220.002.025.002

Strix butleri (Hume, 1878)

II B LC 386, 541, 576, 723, 841, 918

Synonym: *Asio butleri* Hume, 1878

E: Desert Owl, Hume's Owl, Hume's Tawny Owl, Hume's Wood-Owl, F: Chouette de Butler, Chouette hulotte de Hume, S: Cárbabo árabe, Cárbabo de Hume

Egypt (br) [6252]; Iran (Islamic Republic of) (br?) [1253]; Israel (br) [422, 5245]; Jordan (br) [395]; Oman (br?) [13112]; Pakistan (br); Saudi Arabia (br) [881]; Yemen (br?) [5297]

CITES Identification Manual Reference:

A-220.002.025.003

Strix davidi (Sharpe, 1875)

II B 386, 595, 1069

Synonyms: *Syrnium davidi* Sharpe, 1875, *Strix uralensis davidi* (Sharpe, 1875)

E: David's Owl, Sichuan Wood-Owl, Sichuan Wood-owl, F: Chouette de Sitchouan, Chouette du Sitchouan, S: Cárbabo de Sichuán

China (br) [5293]

Strix fulvescens (Sclater & Salvin, 1875)

II B LC

Synonym: *Strix varia fulvescens* (Sclater & Salvin, 1875)

E: Fulvous Owl, F: Chouette fauve, S: Búho fulvo, Cárbabo guatemalteco

El Salvador (br) [5241]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [5241]

Strix huhula Daudin, 1800

II B 386, 541, 1068

Synonym: *Ciccaba huhula* (Daudin, 1800)

E: Black-banded Owl, F: Chouette huhul, S: Cárbabo negro, Lechuza negra

Argentina (br) [5291, 10249]; Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837]; Ecuador (br) [5294]; Guyana (br) [1295, 25537]; Paraguay (br) [5295, 6321, 6932]; Peru (br) [1136]; Suriname (br) [5296]; Venezuela (br) [1070, 6304]

CITES Identification Manual Reference:

A-220.002.005.003

Strix hylophila Temminck, 1825

II B NT 386, 541, 1068

E: Rusty-barred Owl, F: Chouette dryade, S: Cárbabo brasileño, Lechuza listada

Argentina (br) [465, 5291, 10249]; Brazil (br) [6186, 6292, 6892]; Paraguay (br) [5295, 6321]

CITES Identification Manual Reference:

A-220.002.025.005

Strix leptogrammica Temminck, 1831

II B LC 381, 386, 541, 929

E: Brown Wood-Owl, F: Chouette leptogramme, S: Cárbabo oriental

Bangladesh (br) [804]; Bhutan (br) [5261]; Brunei Darussalam (br); Cambodia (br) [5243]; China (br) [5293]; India (br) [1197]; Indonesia (br) [393]; Jawa, Kalimantan, Sumatera; Lao People's Democratic Republic (br) [6187]; Malaysia (br) [1289]; Peninsular Malaysia, Sabah, Sarawak; Myanmar (br) [1290]; Nepal (br) [865]; Sri Lanka (br) [5271]; Taiwan, Province of China (br) [1051]; Thailand (br) [487, 1220]; Viet Nam (br) [5264]

CITES Identification Manual Reference:

A-220.002.025.006

Strix nebulosa Forster, 1772

II A LC 386, 387, 541, 611

E: Great Grey Owl, Grey Owl, Lapland Owl, Lapp Owl, F: Chouette lapone, Chouette lapone, S: Cárbabo lapón Belarus (br) [9307]; Canada (br) [748]; China (br) [5293]; Finland (br) [1300]; Germany (v) [5274]; Kazakhstan (br) [5269]; Latvia (ex, br) [5278]; Lithuania (br) [5247]; Mongolia (br) [1306]; Norway (br) [5275]; Poland (v) [1348]; Russian Federation (br) [710]; Sweden (br) [1199]; United States (br) [387]

CITES Identification Manual Reference:

A-220.002.025.007

<i>Strix nigrolineata</i> Sclater, 1859	II	B	386, 387, 541, 1068
Synonym: <i>Ciccaba nigrolineata</i> Sclater, 1859			
E: Black-and-white Owl, F: Chouette à lignes noires, Chouette noire et blanche, S: Búho blanquinegro, Cárobo blanquinegro, Cárobo de sudamérica, Lechuza blanquinegra			
Belize (br) [5241]; Colombia (br) [837, 6674, 11374]; Costa Rica (br) [1311]; Ecuador (br) [5294]; El Salvador (br) [5241]; French Guiana (br) [1349]; Guatemala (br) [5241]; Honduras (br) [1076, 6231, 6308]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]; Peru (br) [1136, 8616]; Venezuela (br) [1070, 6304]			
CITES Identification Manual Reference:	A-220.002.005.004		
<i>Strix occidentalis</i> (Xántus de Vesey, 1860)	II	B	NT 386, 387, 541, 576, 595, 1414
Synonym: <i>Syrnium occidentale</i> Xantus, 1860			
E: Spotted Owl, F: Chouette tachetée, S: Búho manchado, Cárobo californiano			
Canada (br) [748]; British Columbia; Mexico (br) [5241]; United States (br) [387, 787]			
CITES Identification Manual Reference:	A-220.002.025.008		
<i>Strix ocellata</i> (Lesson, 1839)	II	B	LC 381, 386, 541
Synonym: <i>Syrnium ocellatum</i> Lesson, 1839			
E: Mottled Wood-Owl, F: Chouette ocellée, S: Cárobo ocelado			
Bangladesh (br?) [804]; India (br) [1197]; Myanmar (br) [1290]; Pakistan (v)			
CITES Identification Manual Reference:	A-220.002.025.006		
<i>Strix rufipes</i> King, 1828	II	B	LC 386, 541, 1068
Synonym: <i>Strix chacoensis</i> Cherrie & Reichenberger, 1921			
E: Rufous-legged Owl, F: Chouette masquée, S: Cárobo bataraz, Lechuza bataraz			
Argentina (br) [5291, 10249]; Bolivia (br) [6986]; Chile (br) [873, 5292]; Falkland Islands (Malvinas) (v) [1439]; Paraguay (br) [5295]			
CITES Identification Manual Reference:	A-220.002.025.010		
<i>Strix seloputo</i> Horsfield, 1871	II	B	LC 386, 541, 929
E: Spotted Wood-Owl, F: Chouette des pagodes, S: Cárobo de las pagodas			
Cambodia (br) [5243]; Indonesia (br) [393, 1027]; Jawa; Lao People's Democratic Republic; Malaysia (br); Myanmar (br) [1290]; Philippines (br) [1166, 5270]; Singapore (br) [791]; Thailand (br) [487, 1220]; Viet Nam (br) [5264]			
CITES Identification Manual Reference:	A-220.002.025.011		
<i>Strix uralensis</i> Pallas, 1771	II	A	LC 386, 541, 611
E: Ural Owl, F: Chouette de l'Oural, Chouette de l'Oural, S: Cárobo uralense			
Albania (br?); Austria (br) [1215]; Belarus (br); Bosnia and Herzegovina (br) [1038]; Bulgaria (br) [5280]; China (br) [5293]; Croatia (br) [5290]; Democratic People's Republic of Korea (br) [7680]; Estonia (br) [5277]; Finland (br) [1300]; Germany (v) [5274]; Hungary (br) [5257, 13163]; Italy (v) [5289]; Japan (br) [503, 504]; Kazakhstan (br) [5269]; Korea, Republic of (v) [1436]; Latvia (br) [5278]; Lithuania (br) [5247]; Mongolia (br) [1306]; Norway (br) [5275]; Poland (br) [1348]; Romania (br) [558]; Russian Federation (br) [710]; Serbia and Montenegro (br) [1038]; Slovakia (br) [5279]; Slovenia (br) [1038]; Sweden (br) [1199]; The former Yugoslav Republic of Macedonia (br) [1038]			
CITES Identification Manual Reference:	A-220.002.025.012		
<i>Strix varia</i> Barton, 1799	II	B	LC 386, 387, 541
E: Barred Owl, F: Chouette rayée, S: Búho barrado, Cárobo norteamericano			
Bermuda (v) [389]; Canada (br) [748]; Mexico (br) [5241]; United States (br) [387]			
CITES Identification Manual Reference:	A-220.002.025.013		
<i>Strix virgata</i> (Cassin, 1850)	II	B	386, 387, 541, 1068
Synonyms: <i>Ciccaba virgata</i> (Cassin, 1850), <i>Syrnium virgatum</i> Cassin, 1850			
E: Mottled Owl, F: Chouette mouchetée, S: Búho café, Cárobo café, Lechuza colilarga			
Argentina (br) [465, 5291, 10249]; Belize (br) [5241]; Bolivia (br) [1186]; Brazil (br) [6186]; Colombia (br) [837]; Costa Rica (br) [1311]; Ecuador (br) [5294]; El Salvador (br) [5241]; French Guiana (br) [1349]; Guatemala (br) [5241]; Guyana (br) [1295, 25537]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]; Paraguay (br) [5295, 6927]; Peru (br) [1136]; Suriname (br) [5296]; Trinidad and Tobago (br) [703]; United States (v) [387]; Venezuela (br) [1070]			
CITES Identification Manual Reference:	A-220.002.005.005		

Strix woodfordii (A. Smith, 1834) II B LC 386, 511, 541, 573, 723, 1256

Synonyms: *Ciccaba woodfordii* (A. Smith, 1834), *Noctua woodfordii* A. Smith, 1834

E: African Wood-Owl, Woodford's Owl, F: Chouette africaine, Hulotte africaine, S: Cárabo africano, Lechuzón de Woodford

Angola (br) [5267]; Benin (br?) [659]; Botswana (br) [1102]; Burundi (br) [659]; Cameroon (br?) [659, 25374, 25376, 25382]; Central African Republic (br) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br) [25476, 25489]; Equatorial Guinea (br) [659, 1183]; Equatorial Guinea, Bioko; Ethiopia (br?) [659]; Gabon (br) [659]; Gambia [760]; Ghana (br) [782]; Guinea (br) [659, 1078, 10590, 11455, 11457, 13096]; Guinea-Bissau (br) [659, 715]; Kenya (br) [5253]; Liberia (br) [5246]; Malawi (br) [1103]; Mozambique (br?) [659]; Namibia (br) [659]; Nigeria (br); Rwanda (br) [659]; Senegal (br?) [659]; Sierra Leone (br) [659]; Somalia (br?) [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Togo (br?) [5254]; Uganda (br?) [659]; United Republic of Tanzania (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

CITES Identification Manual Reference:

A-220.002.005.006

Surnia ulula (Linnaeus, 1758) II A LC 386, 387, 541, 611

Synonym: *Strix ulula* Linnaeus, 1758

E: Hawk Owl, Northern Hawk Owl, F: Chouette épervière, Chouette épervière, S: Búho Gavilán, Búho gavilán, Cárabo gavilán, Lechuza gavilana, Lechuza gavilana

Austria (v) [1215]; Belgium (v) [5272]; Bermuda (v) [389]; Canada (br) [748]; China (br) [5293]; ?Czech Republic [5258]; Democratic People's Republic of Korea (v); Denmark (v) [666]; Estonia (br) [5277]; Faroe Islands (v) [480]; Finland (br) [1300]; France (v) [7041]; Germany (v) [5274]; Hungary (v) [5257]; Japan (v) [503]; Kazakhstan [5269]; Latvia (ex, br) [5278]; Luxembourg (v) [5248]; Mongolia (br) [1306]; Netherlands (v) [5273]; Norway (br) [5275]; Poland (v) [1348]; Romania (v) [558]; Russian Federation (br) [710]; Serbia and Montenegro (v) [1038]; Slovakia (v) [5279]; ?Spain (v) [702]; Sweden (br) [1199]; Switzerland (v) [5288]; Ukraine (v) [710]; United Kingdom (v) [6188]; United States (br) [387]

CITES Identification Manual Reference:

A-220.002.026.001

Uroglaux dimorpha (Salvadori, 1874) II B DD 386, 541, 576

Synonym: *Athene dimorpha* Salvadori, 1874

E: Papuan Boobook, Papuan Hawk-Owl, Papuan Hawk-owl, F: Chouette de Nouvelle-Guinée, Ninoxe papoue, S: Nínox halcón

Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)

CITES Identification Manual Reference:

A-220.002.027.001

Xenoglaux loweryi O'Neill & Graves, 1977 II B EN 386, 576, 595, 598

E: Long-whiskered Owlet, F: Chevêchette nimbée, S: Búho pequeño de bigotes alargados, Mochuelo peludo Peru (br) [1136, 6724]

CITES Identification Manual Reference:

A-220.002.028.001

Order: APODIFORMES
Family: TROCHILIDAE

Abeillia abeillei

(Lesson & DeLattre, 1839)

II B LC 387

Synonym: *Ornismya abeillei* Lesson & DeLattre, 1839

E: Emerald-chinned Hummingbird, F: Colibri d'Abeillé, S: Colibrí barbiesmeralda El Salvador (br) [5241]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]

Adelomyia melanogenys (Fraser, 1840)

II B LC 1068

Synonym: *Trochilus melanogenys* Fraser, 1840

E: Speckled Hummingbird, F: Colibri moucheté, S: Colibrí jaspeado, Colibrí serrano gargantiazul, Picaflor gargantiazul Argentina (br) [465, 5291, 10249]; Bolivia (br) [1058, 1186]; Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136, 12669]; Venezuela (br) [1070]

Aglaeactis aliciae Salvin, 1896

II B VU 595, 598, 1068

E: Purple-backed Sunbeam, F: Colibri d'Alice, S: Colibrí de Alicia Peru (br) [1136, 6680]

<i>Aglaeactis castelnauaudii</i> (Bourcier & Mulsant, 1848) Synonym: <i>Trochilus castelnauaudii</i> Bourcier & Mulsant, 1848 E: White-tufted Sunbeam, F: Colibri de Castelneau, S: Colibrí condecorado Peru (br) [1136]	II	B	LC	1068
<i>Aglaeactis cupripennis</i> (Bourcier, 1843) Synonym: <i>Trochilus cupripennis</i> Bourcier, 1843 E: Shining Sunbeam, F: Colibri étincelant, S: Colibrí cobrizo, Rayito brillante Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136, 12669]	II	B	LC	
<i>Aglaeactis pamela</i> (d'Orbigny, 1838) Synonym: <i>Ornismya pamela</i> d'Orbigny, 1838 E: Black-hooded Sunbeam, F: Colibri paméla, S: Colibrí negrito Bolivia (br) [1058, 1186, 5116]	II	B	LC	1068
<i>Aglaioecrus berlepschi</i> (Hartert, 1898) Synonyms: <i>Aglaioecrus kingi berlepschi</i> (Hartert, 1898), <i>Cyanolesbia berlepschi</i> Hartert, 1898 E: Venezuelan Sylph Venezuela	II	B		
<i>Aglaioecrus coelestis</i> (Gould, 1861) Synonym: <i>Cynanthus coelestis</i> Gould, 1861 E: Violet-tailed Sylph, F: Sylphe à queue violette, S: Silfo celeste, Silfo colivioleta Colombia (br) [837]; Ecuador (br) [5294]	II	B	LC	1068
<i>Aglaioecrus kingi</i> (Lesson, 1832) Synonyms: <i>Aglaioecrus emmae</i> (Berlepsch, 1892), <i>Trochilus kingi</i> Lesson, 1832, <i>Cyanolesbia emmae</i> Berlepsch, 1892 E: Long-tailed Sylph, F: Sylphe à queue d'azur, S: Colibrí coludo azul, Silfo colilargo, Silfo de King Bolivia (br) [1058, 1186]; Colombia (br) [837, 10120]; Ecuador (br) [5294]; Peru (br) [1136]; Venezuela (br) [1070]	II	B	LC	1068
<i>Agyrtria brevirostris</i> (Lesson, 1829) Synonyms: <i>Amazilia brevirostris</i> (Lesson, 1829), <i>Amazilia chionopectus</i> (Gould, 1859), <i>Thaumatis chionopectus</i> Gould, 1859 E: White-chested Emerald, F: Ariane à poitrine blanche, S: Amazilia pechiblanca, Diamante colidorado Brazil (br) [1269, 6186]; French Guiana (br) [463, 1349]; ?Grenada (br) [5242]; Guyana [25537]; Suriname (br) [5296]; Trinidad and Tobago (br) [703]; Venezuela [11378]	II	B		1068
<i>Agyrtria candida</i> (Bourcier & Mulsant, 1846) Synonyms: <i>Trochilus candidus</i> Bourcier & Mulsant, 1846, <i>Amazilia candida</i> (Bourcier & Mulsant, 1846) E: White-bellied Emerald, F: Ariane candide, S: Amazilia cándida, Esmeralda viente-blanco Belize (br) [5241]; Costa Rica (v) [1311]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]	II	B		387
<i>Agyrtria cyanocephala</i> (Lesson, 1829) Synonyms: <i>Amazilia cyanocephala</i> (Lesson, 1829), <i>Amazilia microrhyncha</i> Elliot, 1876, <i>Ornismya cyanocephala</i> Lesson, 1829, <i>Cyanomyia microrhyncha</i> Elliot, 1876 E: Azure-crowned Hummingbird, Pied-billed Azurecrown, F: Ariane à couronne azur, S: Amazilia coroniazul, Colibrí coroniazul Belize (br) [1227, 5241]; El Salvador (br) [5241]; Guatemala (br) [448, 5241]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]	II	B		387
<i>Agyrtria franciae</i> (Bourcier & Mulsant, 1846) Synonyms: <i>Trochilus franciae</i> Bourcier & Mulsant, 1846, <i>Amazilia franciae</i> (Bourcier & Mulsant, 1846) E: Andean Emerald, F: Ariane de Francia, S: Amazilia andina Colombia (br) [837, 6783, 9220]; Ecuador (br) [5294]; Peru (br) [1136]	II	B		1068
<i>Agyrtria leucogaster</i> (Gmelin, 1788) Synonyms: <i>Trochilus leucogaster</i> Gmelin, 1788, <i>Amazilia leucogaster</i> (Gmelin, 1788) E: Plain-bellied Emerald, F: Ariane vert-doré, S: Amazilia ventriblanca, Diamante ventriblanco Brazil (br) [1269, 6186]; French Guiana (br) [464, 1349]; Guyana (br) [1295, 25537]; Suriname (br) [5296]; Venezuela (br) [1070]	II	B		1068

<i>Agyrtria rondoniae</i> (Ruschi, 1982)	II	B	6495
Synonym: <i>Amazilia rondoniae</i> Ruschi, 1982			
E: Rondônia Emerald			
Bolivia; Brazil (br) [6186]			
<i>Agyrtria versicolor</i> (Vieillot, 1818)	II	B	1068
Synonyms: <i>Trochilus versicolor</i> Vieillot, 1818, <i>Amazilia hollandi</i> (Todd, 1913), <i>Amazilia versicolor</i> (Vieillot, 1818), <i>Agyrtria hollandi</i> Todd, 1913			
E: Versicolored Emerald, F: Ariane versicolore, S: Amazilia versicolor, Diamante multicolor, Picaflor pequeño verde			
Argentina (br) [5291, 10249]; Bolivia (br) [1058, 1186]; Brazil (br) [1252, 1269, 6186, 6413, 25280]; Colombia (br) [837]; Guyana [25290, 25537]; Paraguay (br) [5295]; Peru [9221]; Venezuela (br) [1070]			
<i>Agyrtria violiceps</i> (Gould, 1859)	II	B	387
Synonyms: <i>Amazilia violiceps</i> (Gould, 1859), <i>Cyanomyia violiceps</i> Gould, 1859			
E: Violet-crowned Hummingbird, F: Ariane à couronne violette, S: Amazilia coronivioleta, Colibrí corona-violeta			
Guatemala (v) [6397]; Mexico (br) [5241, 7068, 7106]; United States (br) [387, 887]			
<i>Agyrtria viridifrons</i> (Elliot, 1871)	II	B	387, 6357
Synonyms: <i>Amazilia viridifrons</i> (Elliot, 1871), <i>Amazilia wagneri</i> Philips, 1965			
E: Green-fronted Hummingbird, F: Ariane à front vert, S: Amazilia frentiverde, Colibrí corona-verde			
?Belize [6768, 6769, 8757]; Mexico (br) [5241]			
<i>Amazilia alticola</i> Gould, 1860	II	B	7702
E: Loja Hummingbird			
Ecuador (br)			
<i>Amazilia amazilia</i> (Lesson, 1828)	II	B	1068, 7702
Synonym: <i>Ornismya amazilia</i> Lesson, 1828			
E: Amazilia Hummingbird, F: Ariane de Lesson, S: Amazilia costeña, Amazilia ventrirrufa			
Ecuador (br) [5294]; Peru (br) [1136]			
<i>Amazilia castaneiventris</i> (Gould, 1856)	II	B	595, 598, 1068
Synonym: <i>Amazilius castaneiventris</i> Gould, 1856			
E: Chestnut-bellied Hummingbird, F: Ariane à ventre roux, S: Amazilia ventricastaña			
Colombia (br) [836, 837, 8636, 25289]			
<i>Amazilia rutila</i> (DeLattre, 1842)	II	B	387
Synonym: <i>Ornismya rutila</i> DeLattre, 1843			
E: Cinnamon Hummingbird, F: Ariane cannelle, S: Amazilia canela, Colibrí canelo			
Belize (br) [680, 5241]; Costa Rica (br) [1283, 1311]; El Salvador (br) [5241]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; United States (v) [387]			
<i>Amazilia tzacatl</i> (de la Llave, 1833)	II	B	387, 1068, 6707
Synonyms: <i>Trochilus tzacatl</i> de la Llave, 1833, <i>Amazilia handleyi</i> Wetmore, 1963			
E: Rufous-tailed Hummingbird, F: Ariane à ventre gris, S: Amazilia colirrufa, Amazilia tzacatl, Colibrí colirrufo			
Belize (br) [5241]; Colombia (br) [837]; Costa Rica (br) [1283, 1311]; Ecuador (br) [5294]; Guatemala (br) [5241]; ?Guyana [10021]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]; United States (v) [387, 887]; Venezuela (br) [1070]			
<i>Amazilia yucatanensis</i> (Cabot, 1845)	II	B	387
Synonym: <i>Trochilus yucatanensis</i> Cabot, 1845			
E: Buff-bellied Hummingbird, Fawn-breasted Hummingbird, F: Ariane du Yucatan, S: Amazilia yucateca, Colibrí vientre-canelo			
Belize (br) [5241]; Guatemala (br) [5241]; ?Honduras (v) [1076]; Mexico (br) [5241, 6675]; United States (br) [387, 887]			
<i>Androdon aequatorialis</i> Gould, 1863	II	B	387, 1068
E: Tooth-billed Hummingbird, F: Colibri d'Equateur, S: Colibrí piquidentado			
Colombia (br) [837]; Ecuador (br) [5294]; Panama (br) [1195, 1203, 12081]			
<i>Anopetia gounellei</i> (Boucard, 1891)	II	B	1068
Synonym: <i>Phaethornis gounellei</i> Boucard, 1891			

E: Broad-tipped Hermit, F: Ermite de Gounelle, S: Ermitaño coliancho
 Brazil (br) [1269, 6186]

Anthocephala floriceps (Gould, 1854) II B VU 595, 1068
 Synonym: *Trochilus floriceps* Gould, 1854

E: Blossomcrown, F: Colibri à tête rose, S: Colibrí florido
 Colombia (br) [836, 837, 6683, 11374]

Anthracothorax dominicus (Linnaeus, 1766) II B LC 387, 485

Synonym: *Trochilus dominicus* Linnaeus, 1766

E: Antillean Mango, Dominican Mango, F: Mango doré, S: Mango antillano, Zumbador grande
 British Virgin Islands (ex, br): British Virgin Is [1176]; Dominican Republic (br) [1312]; Haiti (br) [1408, 1438];
 Puerto Rico (br) [1176]; United States Virgin Islands (br)

Anthracothorax mango (Linnaeus, 1758) II B LC 387, 485

Synonym: *Trochilus mango* Linnaeus, 1758

E: Jamaican Mango, F: Mango de la Jamaïque, S: Mango jamaicano
 Jamaica (br) [657]

Anthracothorax nigricollis (Vieillot, 1817) II B LC 387, 1068

Synonym: *Trochilus nigricollis* Vieillot, 1817

E: Black-throated Mango, F: Mango à cravate noire, S: Mango, Mango gorginegro, Mango pechinegro,
 Picaflor ventrínegro
 Argentina (br) [5291, 10249]; Bolivia (br) [1058, 1186]; Brazil (br) [1252, 1269, 6186, 6413, 25280]; Colombia (br)
 [837]; Ecuador (br) [5294]; French Guiana (br) [464, 1349, 10252]; Guyana (br) [1295, 25537]; Panama (br)
 [1195]; Paraguay (br) [5295]; Peru (br) [1136]; Suriname (br) [5296]; Trinidad and Tobago (br) [703]; Uruguay
 (v) [761, 5287]; Venezuela (br) [1070]

Anthracothorax prevostii (Lesson, 1832) II B LC 387, 485, 1068

Synonym: *Trochilus prevostii* Lesson, 1832

E: Green-breasted Mango, F: Mango de Prévost, S: Mango pechiverde
 Bahamas (br) [5242]; Belize (br) [5241]; Colombia (br) [837]; Costa Rica (br) [1283, 1311]; Ecuador (br) [5294];
 El Salvador (br) [5241]; Guatemala (br) [5241, 6397]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br)
 [1195]; Panama (br); Peru (br) [1136]; United States (v) [387]; Venezuela (br) [1070]

Anthracothorax recurvirostris (Swainson, 1822) II B 595, 1068

Synonyms: *Trochilus recurvirostris* Swainson, 1822, *Avocettula recurvirostris* (Swainson, 1822)

E: Fiery-tailed Awlbill, F: Colibri avocette, S: Colibrí pico lezna, Mango picolezna
 Brazil (br) [1269, 6186]; Ecuador (br) [5294]; French Guiana (br) [1349]; Guyana (br) [1295, 25537]; Suriname
 (br) [1350, 5296]; Venezuela (br) [1070, 6290]

Anthracothorax veraguensis Reichenbach, 1855 II B LC

E: Veraguan Mango, F: Mango de Veragua, S: Mango de Veragua
 Panama

Anthracothorax viridigula (Boddaert, 1783) II B LC 1068

Synonym: *Trochilus viridigula* Boddaert, 1783

E: Green-throated Mango, F: Mango à cravate verte, S: Mango gargantiverde, Mango gorgiverde
 Brazil (br) [1269, 6186]; French Guiana (br) [463, 1349]; ?Grenada (br?) [387, 5242]; Guyana (br) [1295, 25537];
 Suriname (br) [5296]; Trinidad and Tobago (br) [703]; Venezuela (br) [1070]

Anthracothorax viridis (Audebert & Vieillot, 1801) II B LC 387, 485

Synonym: *Trochilus viridis* Audebert & Vieillot, 1801

E: Green Mango, F: Mango vert, S: Mango portorriqueño
 Puerto Rico (br) [1176]

Archilochus alexandri (Bourcier & Mulsant, 1846) II B LC 387, 887

Synonym: *Trochilus alexandri* Bourcier & Mulsant, 1846

E: Black-chinned Hummingbird, F: Colibri à gorge noire, S: Colibrí barbinegro, Colibrí gorgirrubí
 Canada (br) [748]; Mexico (br) [5241]; United States (br) [387]

Archilochus colubris (Linnaeus, 1758)	II	B	LC	387, 485
Synonym: <i>Trochilus colubris</i> Linnaeus, 1758				
E: Ruby-throated Hummingbird, F: Colibri à gorge rubis, S: Colibrí gorjirrubí				
Bahamas [5242]; Belize [5241]; Bermuda [387, 389]; Canada (br) [748, 887]; Cayman Islands (v); Costa Rica [1283, 1311]; Cuba [5259]; ?Dominican Republic (v) [387, 1312]; El Salvador [5241]; Guatemala [448, 5241]; Haiti (v) [387, 1408, 1438]; Honduras [1076]; Jamaica (v) [387, 657]; Mexico [5241]; Nicaragua [1195]; Panama [1195]; Puerto Rico (v) [387, 1176]; Saint Pierre and Miquelon [683]; United States (br) [387, 887]				
Atthis ellioti Ridgway, 1878	II	B	LC	387, 6887
Synonyms: <i>Selasphorus ellioti</i> (Ridgway, 1878), <i>Atthis heloisa ellioti</i> Ridgway, 1878				
E: Wine-throated Hummingbird, F: Colibri d'Elliot, S: Colibrí de Elliot, Zimbador centroamericano				
El Salvador (br) [5241]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [5241]				
Atthis heloisa (Lesson & DeLattre, 1839)	II	B	LC	387, 6887
Synonyms: <i>Selasphorus heloisa</i> (Lesson & DeLattre, 1839), <i>Ornismya heloisa</i> Lesson & DeLattre, 1839				
E: Bumblebee Hummingbird, F: Colibri héloise, S: Colibrí de Eloísa, Zimbador mexicano				
Mexico (br) [5241]; United States (v) [387, 887]				
Augastes geoffroyi (Bourcier, 1843)	II	B	LC	1068
Synonyms: <i>Trochilus geoffroyi</i> Bourcier, 1843, <i>Schistes geoffroyi</i> (Bourcier, 1843)				
E: Wedge-billed Hummingbird, F: Colibri de Geoffroy, S: Colibrí pico de cuña, Colibrí picocuña, Colibrí piquicunna				
Bolivia (br) [1058, 1186]; Colombia (br) [836, 837, 10120]; Ecuador (br) [5294]; Peru (br) [1136]; Venezuela (br) [1070]				
Augastes lumachella (Lesson, 1838)	II	B	NT	595, 769, 1068, 7806
Synonym: <i>Ornismya lumachella</i> Lesson, 1838				
E: Hooded Visorbearer, F: Colibri lumachelle, S: Colibrí lumaquela				
Brazil (br) [1269, 6186]				
Augastes scutatus (Temminck, 1822)	II	B	NT	595, 769, 1068
Synonym: <i>Trochilus scutatus</i> Temminck, 1824				
E: Hyacinth Visorbearer, F: Colibri superbe, S: Colibrí colaceleste				
Brazil (br) [1269, 1270, 6186, 6762]				
Basilinna leucotis (Vieillot, 1818)	II	B		387
Synonyms: <i>Hylocharis leucotis</i> (Vieillot, 1818), <i>Trochilus leucotis</i> Vieillot, 1818				
E: White-eared Hummingbird, F: Saphir à oreilles blanches, S: Colibrí orejiblanco				
El Salvador (br) [5241]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [670, 5241]; Nicaragua (br) [1195]; United States				
Basilinna xantusii (Lawrence, 1860)	II	B		387
Synonyms: <i>Hylocharis xantusii</i> (Lawrence, 1860), <i>Amazilia xantusii</i> Lawrence, 1860				
E: Black-fronted Hummingbird, Xantus's Hummingbird, F: Saphir de Xantus, S: Colibrí de Xantus				
Canada (v) [748]; Mexico (br) [5241]; United States (v) [387]				
Boissonneaua flavescens (Loddiges, 1832)	II	B	LC	1068, 8641
Synonym: <i>Trochilus flavescens</i> Loddiges, 1832				
E: Buff-tailed Coronet, F: Colibri flavescent, S: Colibrí cabecidorado, Colibrí colihabano, Coronita colihabana				
Colombia (br) [837, 10120]; Ecuador (br) [5294]; Venezuela (br) [1070]				
Boissonneaua jardini (Bourcier, 1851)	II	B	LC	1068, 8641
Synonym: <i>Trochilus jardini</i> Bourcier, 1851				
E: Velvet-purple Coronet, F: Colibri de Jardine, S: Colibrí sietecolores, Coronita aterciopelada				
Colombia (br) [837]; Ecuador (br) [5294]				
Boissonneaua matthewsii (Bourcier, 1847)	II	B	LC	1068, 8641
Synonym: <i>Trochilus matthewsii</i> Bourcier, 1847				
E: Chestnut-breasted Coronet, F: Colibri de Matthews, S: Colibrí pechirrojo, Coronita pechicastaña				
Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136]				
Calliphlox amethystina (Boddaert, 1783)	II	B	LC	1068
Synonym: <i>Trochilus amethystinus</i> Boddaert, 1783				
E: Amethyst Woodstar, F: Colibri améthyste, S: Colibrí amatista, Estrellita amatista, Picaflor amatista, Tucusito amatista				

Argentina (br) [465, 5291, 10249]; Bolivia (br) [1058, 1186, 6327]; Brazil (br) [1252, 1269, 6186, 25280]; Colombia (br) [837]; Ecuador (br) [5294]; French Guiana (v) [463, 1349]; Guyana (br) [1295, 25537]; Paraguay (br) [5295]; Peru (br) [1136]; Suriname (br) [810, 5296]; Venezuela (br) [1070]

Calliphlox bryantae (Lawrence, 1867) II B LC 387, 595
 Synonyms: *Philodice bryantae* (Lawrence, 1867), *Doricha bryantae* Lawrence, 1867
 E: Magenta-throated Woodstar, F: Colibri magenta, S: Colibrí magenta
 Costa Rica (br) [1283, 1311]; Panama (br) [1195]

Calliphlox evelynae (Bourcier, 1847) II B LC 387, 485
 Synonyms: *Trochilus evelynae* Bourcier, 1847, *Philodice evelynae* (Bourcier, 1847)
 E: Bahama Woodstar, F: Colibri des Bahamas, S: Colibrí de las Bahamas
 Bahamas (br) [5242]; United States (v) [387, 887]

Calliphlox mitchellii (Bourcier, 1847) II B LC 387, 1068
 Synonyms: *Trochilus mitchellii* Bourcier, 1847, *Philodice mitchellii* (Bourcier, 1847)
 E: Purple-throated Woodstar, F: Colibri de Mitchell, S: Colibrí de Mitchell, Estrellita gorjipúrpura
 Colombia (br) [837, 10120]; Ecuador (br) [5294]; Panama (br) [1195, 1203]

Calothorax lucifer (Swainson, 1827) II B LC 387
 Synonym: *Cynanthus lucifer* Swainson, 1827
 E: Lucifer Hummingbird, F: Colibri lucifer, S: Colibrí lucifer, Tijereta nortena
 Mexico (br) [5241]; United States (br) [387, 887]

Calothorax pulcher Gould, 1859 II B LC 387
 E: Beautiful Hummingbird, F: Colibri charmant, S: Colibrí bonito, Tijereta oaxaqueña
 Mexico (br) [5241]

Calypte anna (Lesson, 1829) II B LC 387
 Synonyms: *Archilochus anna* (Lesson, 1829), *Ornismya anna* Lesson, 1929
 E: Anna's Hummingbird, F: Colibri d'Anna, S: Colibrí de Anna
 Canada (v) [748, 887]; Mexico (v) [5241]; United States (br) [387, 887]

Calypte costae (Bourcier, 1839) II B LC 387, 436
 Synonym: *Ornismya costae* Bourcier, 1839
 E: Costa's Hummingbird, F: Colibri de Costa, S: Colibrí de Costa
 ?Canada (v) [387, 748, 887]; Mexico (br) [5241]; United States (br) [387, 887]

Campylopterus cirrochloris (Vieillot, 1818) II B 1068
 Synonyms: *Trochilus cirrochloris* Vieillot, 1818, *Aphantochroa cirrochloris* (Vieillot, 1818)
 E: Sombre Hummingbird, F: Colibri vert et gris, S: Colibrí apagado
 Brazil (br) [1252, 1269, 6186, 25280]

Campylopterus curvipennis (Dippe, 1830) II B LC 387
 Synonyms: *Trochilus curvipennis* Lichtenstein, 1830, *Campylopterus excellens* (Wetmore, 1941)
 E: Wedge-tailed Sabrewing, F: Campyloptère pampa, S: Colibrí ruiseñor, Fandangero colicuna
 Belize (br) [5241]; Guatemala (br) [5241]; Honduras (br) [1076, 25286]; Mexico (br) [5241]

Campylopterus cuvierii (DeLattre & Bourcier, 1846) II B 1068
 Synonyms: *Trochilus cuvierii* DeLattre & Bourcier, 1846, *Phaeochroa cuvierii* (DeLattre & Bourcier, 1846)
 E: Scaly-breasted Hummingbird, F: Colibri de Cuvier, S: Colibrí de Cuvier, Fandangero pechiescamosa
 Belize (br) [5241]; Colombia (br) [837]; Costa Rica (br) [1283, 1311]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (v) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]

Campylopterus duidae Chapman, 1929 II B LC 1068
 E: Buff-breasted Sabrewing, F: Campyloptère montagnard, S: Ala de sable anteado, Colibrí del Duida
 Brazil [6186, 12396]; Venezuela (br) [1070, 7076]

Campylopterus ensipennis (Swainson, 1822) II B NT 595, 598, 1068
 Synonym: *Trochilus ensipennis* Swainson, 1822
 E: White-tailed Sabrewing, F: Campyloptère à queue blanche, S: Ala de sable verde, Colibrí coliblanco
 Trinidad and Tobago (br) [703, 1331]; Venezuela (br) [1070]

Campylopterus falcatus (Swainson, 1821)	II	B	LC	1068
Synonym: <i>Trochilus falcatus</i> Swainson, 1821				
E: Lazuline Sabrewing, F: Campyloptère lazulite, S: Ala de sable pechivioleta, Alasable azulino, Colibrí lazulita				
Colombia (br) [837, 12080]; Ecuador (br) [5294]; Venezuela (br) [1070]				
Campylopterus hemileucurus (Deppe, 1830)	II	B	LC	387
Synonym: <i>Trochilus hemileucurus</i> Lichtenstein, 1830				
E: Violet Sabrewing, F: Campyloptère violet, S: Colibrí morado, Fandangero morado				
Belize (br) [5241]; Costa Rica (br) [1283, 1311]; El Salvador (br) [5241]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [5241, 7068]; Nicaragua (br) [1195]; Panama (br) [1195]				
Campylopterus hyperythrus Cabanis, 1848	II	B	LC	1068
E: Rufous-breasted Sabrewing, F: Campyloptère rougeâtre, S: Ala de sable rufo, Colibrí rojizo venezolano				
Brazil (br) [1068, 6186]; Guyana [8615, 10121, 25537]; Venezuela (br) [1070]				
Campylopterus largipennis (Boddaert, 1783)	II	B	LC	1068
Synonym: <i>Trochilus largipennis</i> Boddaert, 1783				
E: Grey-breasted Sabrewing, F: Campyloptère à ventre gris, S: Ala de sable gris, Alasable del Napo, Colibrí pechigrís				
Bolivia (br) [1058, 1186]; Brazil (br) [1269, 6186]; Colombia (br) [837]; Ecuador (br) [5294]; French Guiana (br) [647, 1349]; Guyana (br) [1295, 8615, 25537]; Peru (br) [1136]; Suriname (br) [5296]; Venezuela (br) [1070]				
Campylopterus macrourus (Gmelin, 1788)	II	B		1068
Synonyms: <i>Trochilus macrourus</i> Gmelin, 1788, <i>Eupetomena macroura</i> (Gmelin, 1788)				
E: Swallow-tailed Hummingbird, F: Colibri hirondelle, S: Colibrí golondrina				
?Argentina [6853, 10249]; Bolivia (br) [1058, 1186, 7092]; Brazil (br) [1252, 1269, 6186, 25280]; French Guiana (v) [463, 1349]; Paraguay (br) [5295]; Peru (br) [1136]; Suriname (br) [5296]				
Campylopterus phainopeplus	II	B	EN	595, 1068
Salvin & Godman, 1879				
E: Santa Marta Sabrewing, F: Campyloptère des Santa Marta, S: Colibrí de Santa Marta				
Colombia (br) [837]				
Campylopterus rufus Lesson, 1840	II	B	LC	387
E: Rufous Sabrewing, F: Campyloptère roux, S: Colibrí rojizo mexicano, Fandangero rufo				
El Salvador; Guatemala (br) [5241]; Mexico (br) [5241]				
Campylopterus villaviscensio	II	B	NT	595, 1068
(Boucier, 1851)				
Synonym: <i>Trochilus villaviscensio</i> Bourcier, 1851				
E: Napo Sabrewing, F: Campyloptère du Napo, S: Colibrí del Napo				
Colombia [6783]; Ecuador (br) [5294]; Peru (br) [1136, 6724, 6854]				
Chaetocercus astreans (Bangs, 1899)	II	B		1068
Synonyms: <i>Acestrura astreans</i> Bangs, 1899, <i>Acestrura heliodor astreans</i> Bangs, 1899				
E: Santa Marta Woodstar, F: Colibri des Santa Marta, S: Colibrí astral				
Colombia (br) [837, 11374]				
Chaetocercus berlepschi Simon, 1889	II	B		407, 595, 598, 1068
Synonym: <i>Acestrura berlepschi</i> (Simon, 1889)				
E: Esmeraldas Woodstar, F: Colibri de Berlepsch, S: Colibrí de Esmeraldas, Estrellita esmeraldeña				
Ecuador (br) [5294, 6711, 6827]				
Chaetocercus bombus Gould, 1871	II	B		407, 595, 598, 1068
Synonym: <i>Acestrura bombus</i> (Gould, 1871)				
E: Little Woodstar, F: Colibri bourdon, S: Colibrí abejorro, Estrellita chica				
Colombia [6783]; Ecuador (br) [5294, 6827, 12382]; Peru (br) [1136]				
Chaetocercus heliodor (Boucier, 1840)	II	B		387, 1068
Synonyms: <i>Ornismya heliodor</i> Bourcier, 1840, <i>Acestrura heliodor</i> (Boucier, 1840)				
E: Gorgeted Woodstar, F: Colibri héliodore, S: Colibrí heliodoro, Estrella cuellirroja, Estrellita de gorguera				
Colombia (br) [837]; Ecuador (br) [5294]; Panama (br) [1195, 1203]; Venezuela (br) [1070, 6239]				

<i>Chaetocercus jourdanii</i> (Bourcier, 1839)	II	B	LC	1068
Synonym: <i>Ornismya jourdanii</i> Bourcier, 1839				
E: Rufous-shafted Woodstar, F: Colibri de Jourdan, S: Colibrí de Jourdan, Tucusito garganta rosa Colombia (br) [837]; Trinidad and Tobago (br) [703, 10294]; Venezuela (br) [1070]				
<i>Chaetocercus mulsant</i> (Bourcier, 1842)	II	B		1068
Synonyms: <i>Ornismya mulsant</i> Bourcier, 1842, <i>Acestrura mulsant</i> (Bourcier, 1842)				
E: White-bellied Woodstar, F: Colibri de Mulsant, S: Colibrí de Mulsant, Estrellita ventriblanca Bolivia (br) [1058, 1186, 7072]; Colombia (br) [837, 6297]; Ecuador (br) [5294]; Peru (br) [1136, 12669]				
<i>Chalcostigma herrani</i>	II	B	LC	1068
(DeLattre & Bourcier, 1846)				
Synonym: <i>Trochilus herrani</i> DeLattre & Bourcier, 1846				
E: Rainbow-bearded Thornbill, F: Métallure arc-en-ciel, S: Colibrí de Herrán, Picoespina arcoiris Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136]				
<i>Chalcostigma heteropogon</i>	II	B	LC	1068
(Boissonneau, 1839)				
Synonym: <i>Ornismya heteropogon</i> Boissonneau, 1839				
E: Bronze-tailed Throbnbill, F: Métallure à queue bronzée, S: Colibrí picoespina, Pico espina bronceado Colombia (br) [837]; Venezuela (br) [1070]				
<i>Chalcostigma olivaceum</i> (Lawrence, 1864)	II	B	LC	1068
Synonym: <i>Ramphomicron olivaceus</i> Lawrence, 1864				
E: Olivaceous Thornbill, F: Métallure olivâtre, S: Colibrí oliváceo Bolivia (br) [1058, 1186]; Peru (br) [1136]				
<i>Chalcostigma ruficeps</i> (Gould, 1846)	II	B	LC	1068
Synonyms: <i>Metallura ruficeps</i> (Gould, 1846), <i>Trochilus ruficeps</i> Gould, 1846				
E: Rufous-capped Thornbill, F: Métallure à tête rousse, S: Colibrí capirrufo, Picoespina gorrirrufa Bolivia (br) [1058, 1186]; ?Colombia (br?) [837, 1246]; Ecuador (br) [5294]; Peru (br) [1136]				
<i>Chalcostigma stanleyi</i> (Bourcier, 1851)	II	B	LC	1068
Synonym: <i>Trochilus stanleyi</i> Bourcier, 1851				
E: Blue-mantled Thornbill, F: Métallure de Stanley, S: Colibrí de Stanley, Picoespina dorsiazul Bolivia (br) [1058, 1186]; Ecuador (br) [5294]; Peru (br) [1136]				
<i>Chalybura buffonii</i> (Lesson, 1832)	II	B	LC	1068
Synonym: <i>Trochilus buffonii</i> Lesson, 1832				
E: White-vented Plumeleteer, F: Colibri de Buffon, S: Calzonario colibronceado, Colibrí de Buffon, Colibrí grande colinegro Colombia (br) [837]; Panama (br) [1195]; Venezuela (br) [1070]				
<i>Chalybura urochrysia</i> (Gould, 1861)	II	B	LC	387, 1068
Synonym: <i>Hypuroptila urochrysia</i> Gould, 1861				
E: Bronze-tailed Plumeleteer, F: Colibri à queue bronzée, S: Colibrí patirrojo Colombia (br) [837]; Costa Rica (br) [1283, 1311]; Ecuador (br) [5294]; Honduras (br); Nicaragua (br) [1195]; Panama (br) [1195]; Peru				
<i>Chlorostilbon alice</i>	II	B	LC	1068
(Bourcier & Mulsant, 1848)				
Synonym: <i>Trochilus alice</i> Bourcier & Mulsant, 1848				
E: Green-tailed Emerald, F: Émeraude alice, S: Esmeralda coliverde Venezuela (br) [1070]				
<i>Chlorostilbon aureoventris</i>	II	B	LC	1068
(d'Orbigny & Lafresnaye, 1838)				
Synonym: <i>Ornismya aureoventris</i> d'Orbigny & Lafresnaye, 1838				
E: Glittering-bellied Emerald, F: Émeraude splendide, S: Esmeralda ventridorada, Picaflor común Argentina (br) [5291, 10249]; Bolivia (br) [1058, 1186]; Brazil (br) [1252, 1269, 6186, 25280]; Paraguay (br) [5295]; Uruguay (br) [5287]				
<i>Chlorostilbon maugaeus</i>	II	B	LC	387, 485
(Audebert & Vieillot, 1801)				

Synonym: *Trochilus maugaeus* Audebert & Vieillot, 1801
 E: Puerto Rican Emerald, F: Émeraude de Porto Rico, S: Esmeralda portorriqueña
 Puerto Rico (br) [1176]

Chlorostilbon mellisugus (Linnaeus, 1758) II B LC 387, 1068
 Synonyms: *Chlorostilbon gibsoni* (Fraser, 1840), *Chlorostilbon canivetii assimilis* Lawrence, 1861,
Chlorostilbon assimilis Lawrence, 1861, *Chlorostilbon canivetii* (Lesson, 1832), *Chlorostilbon auriceps*
 (Gould, 1852), *Chlorostilbon forficatus* Ridgway, 1885, *Chlorostilbon salvini* Cabanis & Heine, 1860,
Chlorostilbon prasinus (Lesson, 1830), *Chlorostilbon vitticeps* (Simon, 1910), *Chlorostilbon melanorhynchus*
 Gould, 1860, *Trochilus gibsoni* Fraser, 1840, *Ornismya prasina* Lesson, 1830, *Ornismya canivetii* Lesson,
 1832, *Prasitis vitticeps* Simon, 1910
 E: Blue-tailed Emerald, F: Émeraude orvert, S: Esmeralda coliazul
 Aruba (br) [1380]; Belize; Bolivia (br) [1058, 1186]; Brazil (br) [1269, 6186]; Colombia (br) [837]; Costa Rica;
 Ecuador (br) [5294]; El Salvador; French Guiana (br) [464, 1349]; Guatemala; Guyana (br) [1295, 25537];
 Honduras; Mexico; Netherlands Antilles (br): Bonaire (br), Curaçao (br); Nicaragua; Panama; Peru (br)
 [1136]; Suriname (br) [811, 5296]; Trinidad and Tobago (br) [703, 1331]; Venezuela (br) [1070]

Chlorostilbon notatus (G. C. Reich, 1795) II B 1068
 Synonyms: *Chlorestes notatus* (G. C. Reich, 1795), *Trochilus notatus* G. C. Reich, 1795
 E: Blue-chinned Sapphire, F: Colibri à menton bleu, S: Colibrí verdécito, Esmeralda gorgiazul, Zafiro
 barbiazul
 Brazil (br) [1269, 6186, 25280]; Colombia (br) [837]; Ecuador (br) [5294]; French Guiana (br) [647, 1349];
 Guyana (br) [1295, 25537]; Peru (br) [1136]; Suriname (br) [5296]; Trinidad and Tobago (br) [703]; Venezuela
 (br) [1070]

Chlorostilbon olivaresi Stiles, 1996 II B LC 6859
 E: Chiribiquete Emerald, F: Émeraude d'Olivares, S: Esmeralda del Chiribiquete
 Colombia (br) [837]

Chlorostilbon poortmani (Bourcier, 1843) II B LC 1068
 Synonyms: *Chlorestes euchloris* Reichenbach, 1854, *Chlorostilbon euchloris* (Reichenbach, 1854),
Chlorostilbon auratus Cabanis & Heine, 1860, *Chlorostilbon inexpectatus* (Berlepsch, 1879), *Ornismya*
poortmani Bourcier, 1843, *Panychlora inexpectata* Berlepsch, 1879, *Panychlora aurata* Cabanis & Heine,
 1860
 E: Short-tailed Emerald, F: Émeraude à queue courte, S: Esmeralda colicorta
 Colombia (br) [837]; ?Peru (br) [1136]; Venezuela (br) [1070]

Chlorostilbon ricordii (Gervais, 1835) II B LC 387, 485
 Synonym: *Ornismya ricordii* Gervais, 1835
 E: Cuban Emerald, F: Émeraude de Ricord, S: Esmeralda zunzún
 Bahamas (br) [5242]; Cuba (br) [5259]; United States (v) [387, 887]

Chlorostilbon russatus
 (Salvin & Godman, 1881) II B LC 1068
 Synonym: *Panychlora russata* Salvin & Godman, 1881
 E: Coppery Emerald, F: Émeraude cuivrée, S: Esmeralda bronzeada
 Colombia (br) [837]; Venezuela (br) [1070]

Chlorostilbon stenurus
 (Cabanis & Heine, 1860) II B LC 1068, 7806
 Synonym: *Panychlora stenura* Cabanis & Heine, 1860
 E: Narrow-tailed Emerald, F: Émeraude à queue étroite, S: Esmeralda cola de alambre, Esmeralda colifina
 Colombia (br) [837]; ?Ecuador (br?) [5294]; Venezuela (br) [1070]

Chlorostilbon swainsonii (Lesson, 1829) II B LC 387, 485
 Synonym: *Ornismya swainsonii* Lesson, 1829
 E: Hispaniolan Emerald, F: Émeraude d'Hispaniola, S: Esmeralda de la Española, Zumbador
 Dominican Republic (br) [1312]; Haiti (br) [1408, 1438]

Chrysolampis mosquitus (Linnaeus, 1758) II B LC 387, 1068
 Synonym: *Trochilus mosquitus* Linnaeus, 1758
 E: Ruby-topaz Hummingbird, F: Colibri rubis-topaze, S: Colibrí rubí, Tucusito rubí
 Argentina [10302]; Aruba (br) [1380]; Bolivia (br) [1058, 1186]; Brazil (br) [1269, 6186]; Colombia (br) [837];
 French Guiana (br) [464, 1349]; Grenada (v) [387, 485, 5242]; Guyana (br) [1295, 25537]; Netherlands Antilles
 (br): Bonaire (br), Curaçao (br); Panama (v) [1195, 6414]; Suriname (br) [5296]; Trinidad and Tobago (br)
 [703]; Venezuela (br) [1070]

<i>Chrysuronia oenone</i> (Lesson, 1832)	II	B	LC	1068
Synonym: <i>Ornismya oenone</i> Lesson, 1832				
E: Golden-tailed Sapphire, F: Saphir oenome, S: Colibrí cola de oro, Zafiro colidorado				
Bolivia (br) [1058, 1186]; Brazil (br) [1269, 6186]; Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136];				
?Trinidad and Tobago (br?) [703]; Venezuela (br) [1070]				
<i>Clytolaema rubricauda</i> (Boddaert, 1783)	II	B	LC	1068
Synonym: <i>Trochilus rubricauda</i> Boddaert, 1783				
E: Brazilian Ruby, F: Colibri rubis-émeraude, S: Colibrí colirrojo				
Brazil (br) [1252, 1269, 6186, 25280]				
<i>Coeligena bonapartei</i> (Boissonneau, 1840)	II	B	LC	1068
Synonyms: <i>Ornismya bonapartei</i> Boissonneau, 1840, <i>Coeligena orina</i> Wetmore, 1953				
E: Golden-bellied Starfrontlet, F: Inca de Bonaparte, S: Colibrí inca dorado, Inca ventridorado				
Colombia (br) [836, 837]; Venezuela (br) [1070]				
<i>Coeligena coeligena</i> (Lesson, 1833)	II	B	LC	1068
Synonym: <i>Ornismya coeligena</i> Lesson, 1833				
E: Bronzy Inca, F: Inca céleste, S: Colibrí inca bronceado, Inca bronceado				
Bolivia (br) [1058, 1186]; Colombia (br) [837, 6297]; Ecuador (br) [5294]; Peru (br) [1136]; Venezuela (br) [1070]				
<i>Coeligena eos</i> (Gould, 1848)	II	B		
Synonym: <i>Helianthea eos</i> Gould, 1848				
E: Golden Starfrontlet				
Venezuela				
<i>Coeligena helianthea</i> (Lesson, 1838)	II	B	LC	1068
Synonym: <i>Ornismya helianthea</i> Lesson, 1838				
E: Blue-throated Starfrontlet, F: Inca porphyre, S: Colibrí inca ventrivoleta, Inca ventrivoleta				
Colombia (br) [837]; Venezuela (br) [1070]				
<i>Coeligena inca</i> Gould, 1852	II	B		
Synonym: <i>Bourcieria inca</i> Gould, 1852				
E: Gould's Inca, F: Inca de Gould, S: Inca de Gould				
Bolivia; Peru				
<i>Coeligena iris</i> (Gould, 1854)	II	B	LC	1068
Synonym: <i>Helianthea iris</i> Gould, 1854				
E: Rainbow Starfrontlet, F: Inca iris, S: Frentiestrella arcoiris, Inca arcoiris				
Ecuador (br) [5294, 6360, 6389]; Peru (br) [1136, 12669]				
<i>Coeligena lutetiae</i> (DeLattre & Bourcier, 1846)	II	B	LC	1068
Synonym: <i>Trochilus lutetiae</i> DeLattre & Bourcier, 1846				
E: Buff-winged Starfrontlet, F: Inca à gemme bleue, S: Frentiestrella alihabano, Inca alihabano				
Colombia (br) [837]; Ecuador (br) [5294, 6317]; Peru (br) [1136]				
<i>Coeligena phalerata</i> (Bangs, 1898)	II	B	LC	1068
Synonym: <i>Leucuria phalerata</i> Bangs, 1898				
E: White-tailed Starfrontlet, F: Inca à queue blanche, S: Inca coliblanco				
Colombia (br) [837, 11374]				
<i>Coeligena prunellei</i> (Bourcier, 1843)	II	B	EN	595, 598, 931, 1068
Synonym: <i>Trochilus prunellei</i> Bourcier, 1843				
E: Black Inca, F: Inca noir, S: Inca negro				
Colombia (br) [836, 837]				
<i>Coeligena torquata</i> (Boissonneau, 1840)	II	B	LC	1068
Synonym: <i>Ornismya torquata</i> Boissonneau, 1840				
E: Collared Inca, F: Inca à collier, S: Colibrí inca acollarado, Inca acollarado				
Colombia (br) [837]; Ecuador (br) [5294, 13140]; Peru (br) [1136]; Venezuela (br) [1070]				
<i>Coeligena violifer</i> (Gould, 1846)	II	B	LC	1068, 6775

Synonym: <i>Trochilus violifer</i> Gould, 1846 E: Violet-throated Starfrontlet, F: Inca violifère, S: Inca gorgimorado Bolivia (br) [1058, 1186]; Peru (br) [1136]				
<i>Coeligena wilsoni</i> (DeLattre & Bourcier, 1846)	II	B	LC	1068
Synonym: <i>Trochilus wilsoni</i> DeLattre & Bourcier, 1846 E: Brown Inca, F: Inca brun, S: Inca café, Inca pardo Colombia (br) [837]; Ecuador (br) [5294]				
<i>Colibri coruscans</i> (Gould, 1846)	II	B	LC	1068
Synonym: <i>Trochilus coruscans</i> Gould, 1846 E: Sparkling Violet-ear, F: Colibri anaïs, S: Colibrí orejivioleta grande, Colibrí rutilante, Picaflor ventriazul Argentina (br) [5291, 10249]; Bolivia (br) [1058, 1186, 6415]; Brazil (br) [1269, 6186]; Chile (br) [1459, 5292, 6393]; Colombia (br) [837]; Ecuador (br) [5294]; Guyana [8615, 10121]; Peru (br) [1136, 12669]; Venezuela (br) [1070, 7076]				
<i>Colibri delphinae</i> (Lesson, 1839)	II	B	LC	387, 1068
Synonym: <i>Ornismya delphinae</i> Lesson, 1839 E: Brown Violet-ear, F: Colibri de Delphine, S: Colibrí pardo, Orejavioleta café, Orejavioleta marrón Belize (br) [5241]; Bolivia (br) [1058, 1186]; Brazil (br) [1269, 6186]; Colombia (br) [837]; Costa Rica (br) [1283, 1311]; Ecuador (br) [5294, 6200]; Guatemala (br) [5241, 6231]; Guyana (br) [1295, 10121, 25537]; Honduras (br) [1076]; Nicaragua (br) [1195]; Panama (br) [1195]; Peru (br) [1136]; Suriname (br) [5296]; Trinidad and Tobago (br) [703]; Venezuela (br) [1070]				
<i>Colibri serrirostris</i> (Vieillot, 1816)	II	B	LC	1068
Synonym: <i>Trochilus serrirostris</i> Vieillot, 1816 E: White-vented Violet-ear, F: Colibri à ventre blanc, S: Colibrí orejimorado, Picaflor ventriverde Argentina (br) [5291, 10249]; Bolivia (br) [1058, 1186, 6385]; Brazil (br) [1252, 1269, 6186]; Paraguay (br?) [5295]				
<i>Colibri thalassinus</i> (Swainson, 1827)	II	B	LC	387, 1068
Synonym: <i>Trochilus thalassinus</i> Swainson, 1827 E: Green Violet-ear, F: Colibri thalassin, S: Colibrí orejivioleta verde, Colibrí verdemar, Picaflor orejiazul Bolivia (br) [1058, 1186]; Colombia (br) [837, 10120]; Costa Rica (br) [1283, 1311]; Ecuador (br) [5294]; El Salvador (br) [5241]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]; Peru (br) [1136, 12669]; United States (v) [387, 887]; Venezuela (br) [1070]				
<i>Cyanophia bicolor</i> (Gmelin, 1788)	II	B	LC	387, 485
Synonym: <i>Trochilus bicolor</i> Gmelin, 1788 E: Blue-headed Hummingbird, F: Colibri à tête bleue, S: Colibrí bicolor Dominica (br) [1247, 5242]; Martinique (br) [1247, 5242]				
<i>Cynanthus latirostris</i> Swainson, 1827	II	B	LC	387
Synonyms: <i>Cynanthus lawrencei</i> (Berlepsch, 1887), <i>Cynanthus doubledayi</i> (Bourcier, 1847) E: Broad-billed Hummingbird, F: Colibri circé, S: Colibrí piquiancho Mexico (br) [5241, 7068]; United States (br) [387, 887]				
<i>Cynanthus sordidus</i> (Gould, 1859)	II	B	LC	387
Synonym: <i>Cyanomyia sordida</i> Gould, 1859 E: Dusky Hummingbird, F: Colibri sombre, S: Colibrí prieto Mexico (br) [5241]				
<i>Damophila julie</i> (Bourcier, 1842)	II	B	LC	387, 1068
Synonym: <i>Ornismya julie</i> Bourcier, 1842 E: Violet-bellied Hummingbird, F: Colibri julie, S: Colibrí de Julia, Colibrí ventrivoleta Colombia (br) [837]; ?Costa Rica (v) [1283, 1311]; Ecuador (br) [5294]; Panama (br) [1195]; Peru (br) [1136]				
<i>Discosura conversii</i> (Bourcier & Mulsant, 1846)	II	B		387, 1068
Synonyms: <i>Trochilus conversii</i> Bourcier, 1846, <i>Popelairia conversii</i> (Bourcier & Mulsant, 1846) E: Green Thorntail, F: Coquette à queue fine, S: Colacerda verde, Rabudito verde Colombia (br) [837, 6674, 9220]; Costa Rica (br) [1283, 1311]; Ecuador (br) [5294]; Panama (br) [1195, 12081]				
<i>Discosura langsdorffi</i> (Temminck, 1821)	II	B		1068
Synonyms: <i>Trochilus langsdorffi</i> Temminck, 1821, <i>Popelairia langsdorffi</i> (Temminck, 1821)				

E: Black-bellied Thorntail, F: Coquette de Langsdorff, S: Colacerda ventrinegra, Coqueta cola de Lira, Rabudito ventrino negro
 Bolivia (br) [1135, 1186]; Brazil (br) [1269, 6186, 25280]; Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136]; Venezuela (br) [1070]

Discosura letitiae

(Bourcier & Mulsant, 1852)

II B 595, 598, 1068

Synonyms: *Trochilus letitiae* Bourcier & Mulsant, 1852, *Popelairia letitiae* (Bourcier & Mulsant, 1852)E: Coppery Thorntail, F: Coquette de Létitia, S: Rabudito cobrizo
 Bolivia (br) [1186, 5116]***Discosura longicauda* (Gmelin, 1788)**Synonym: *Trochilus longicaudus* Gmelin, 1788

II B 1068, 7806

E: Racket-tailed Coquette, F: Coquette à raquettes, S: Coqueta cola raqueta, Rabudito de raquetas
 Brazil (br) [1269, 6186, 25280]; French Guiana (br) [464, 1349]; Guyana (br) [1295, 25537]; Suriname (br) [5296];
 Venezuela (br) [1070, 6290, 6810]***Discosura popelairii***

(DuBus & Gisignies, 1846)

II B 1068

Synonyms: *Trochilus popelairii* DuBus, 1846, *Popelairia popelairii* (DuBus, 1846)E: Wire-crested Thorntail, F: Coquette de Popelaire, S: Colacerda crestuda, Rabudito crestado
 Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136]***Doricha eliza* (Lesson & DeLattre, 1839)**

II B NT 387

Synonyms: *Trochilus eliza* Lesson & DeLattre, 1839, *Calothorax eliza* (Lesson & DeLattre, 1839)E: Mexican Sheartail, F: Colibri élise, S: Colibrí de Elisa, Tijereta yucateca
 Mexico (br) [670, 5241]***Doricha enicura* (Vieillot, 1818)**

II B LC 387

Synonyms: *Trochilus enicurus* Vieillot, 1818, *Calothorax enicura* (Vieillot, 1818)E: Slender Sheartail, F: Colibri à queue singulière, S: Colibrí colirraro, Tijereta centroamericana
 El Salvador (br) [5241]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [5241]***Doryfera johannae* (Bourcier, 1847)**

II B LC 1068

Synonym: *Trochilus johannae* Bourcier, 1847E: Blue-fronted Lancebill, F: Porte-lance de Jeanne, S: Colibrí picolanza menor, Pico lanza frentiazul
 Brazil (br) [1269, 6186]; Colombia (br) [837, 6783]; Ecuador (br) [5294]; Guyana (br) [1295, 25537]; Peru (br)
 [1136]; Venezuela (br) [1070, 7076]***Doryfera ludovicae***

(Bourcier & Mulsant, 1847)

II B LC 387, 1068

Synonym: *Trochilus ludovicae* Bourcier & Mulsant, 1847E: Green-fronted Lancebill, F: Porte-lance de Louise, S: Colibrí picolanza mayor, Pico lanza frentiverde
 Bolivia (br) [1058, 1186]; Colombia (br) [837, 6783, 10120]; Costa Rica (br) [1283, 1311]; Ecuador (br) [5294,
 12077]; Panama (br) [1195]; Peru (br) [1136]; Venezuela (br) [1070, 11385]***Elvira chionura* (Gould, 1851)**

II B LC 387

Synonym: *Trochilus chionura* Gould, 1851E: White-tailed Emerald, F: Colibri elvire, S: Esmeralda elvira
 Costa Rica (br) [1283, 1311]; Panama (br) [1195]***Elvira cupreiceps* (Lawrence, 1867)**

II B LC 387

Synonym: *Euperusa cupreiceps* Lawrence, 1866E: Coppery-headed Emerald, F: Colibri à tête cuivrée, S: Esmeralda capirotada
 Costa Rica (br) [1283, 1311]***Ensifera ensifera* (Boissonneau, 1839)**

II B LC 1068

Synonym: *Ornismya ensifera* Boissonneau, 1839E: Sword-billed Hummingbird, F: Colibri porte-épée, S: Colibrí picoespada
 Bolivia (br) [1058, 1186]; Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136, 12669]; Venezuela (br)
 [1070, 6290]***Eriocnemis alinae* (Bourcier, 1842)**

II B LC 1068, 7701

Synonym: *Ornismya alinae* Bourcier, 1842E: Emerald-bellied Puffleg, F: Érione d'Aline, S: Calzadito pechiblanco, Zamarrito pechiblanco
 Colombia (br) [836, 837, 6783]; Ecuador (br) [5294]; Peru (br) [1136]

<i>Eriocnemis cupreoventris</i> (Fraser, 1840)	II	B	NT	1068, 7701
Synonym: <i>Trochilus cupreoventris</i> Fraser, 1840				
E: Coppery-bellied Puffleg, F: Érione à ventre cuivré, S: Calzadito cobrizo, Colibrí pantalón cobrizo				
Colombia (br) [837]; Venezuela (br) [1070]				
<i>Eriocnemis derbyi</i>	II	B	NT	595, 1068, 7701
(DeLattre & Bourcier, 1846)				
Synonym: <i>Trochilus derbyi</i> DeLattre & Bourcier, 1846				
E: Black-thighed Puffleg, F: Érione de Derby, S: Calzadito patinegro, Zamarrito muslinegro				
Colombia (br) [837, 6683]; Ecuador (br) [5294]				
<i>Eriocnemis glaucopoides</i>	II	B	LC	1068, 7701
(d'Orbigny & Lafresnaye, 1838)				
Synonym: <i>Ornismya glaucopoides</i> d'Orbigny & Lafresnaye, 1838				
E: Blue-capped Puffleg, F: Érione à front bleu, S: Calzadito frentiazul, Picaflor frentivioleta				
Argentina (br) [5291, 10249]; Bolivia (br) [1058, 1186, 6667, 7090]				
<i>Eriocnemis godini</i> (Bourcier, 1851)	II	B	CR	595, 598, 1068, 7701
Synonym: <i>Trochilus godini</i> Bourcier, 1851				
E: Turquoise-throated Puffleg, F: Érione turquoise, S: Calzadito turquesa, Zamarrito gorjiturquesa				
?Colombia (br) [837]; Ecuador (br) [5294]				
<i>Eriocnemis luciani</i> (Bourcier, 1847)	II	B	LC	1068, 7701
Synonym: <i>Trochilus luciani</i> Bourcier, 1847				
E: Sapphire-vented Puffleg, F: Érione Catherine, S: Calzadito colilargo norteño, Zamarrito colilargo				
Colombia (br) [837]; Ecuador (br) [5294]; Venezuela [7701]				
<i>Eriocnemis mirabilis</i>	II	B	CR	595, 598, 1068, 1096, 6755, 7701
Meyer de Schauensee, 1967				
E: Colourful Puffleg, F: Érione multicolore, S: Calzadito admirable				
Colombia (br) [836, 837, 6358]				
<i>Eriocnemis mosquera</i>	II	B	LC	1068, 7701
(DeLattre & Bourcier, 1846)				
Synonym: <i>Trochilus mosquera</i> DeLattre & Bourcier, 1846				
E: Golden-breasted Puffleg, F: Érione à poitrine d'or, S: Calzadito de Mosquera, Zamarrito pechidorado				
Colombia (br) [837]; Ecuador (br) [5294]				
<i>Eriocnemis nigrivestis</i>	II	B	CR	595, 598, 1068, 7701, 10038
(Bourcier & Mulsant, 1852)				
Synonym: <i>Trochilus nigrivestis</i> Bourcier & Mulsant, 1852				
E: Black-breasted Puffleg, F: Érione à robe noire, S: Calzadito pechinegro, Zamarrito pechinegro				
Ecuador (br) [479, 5294]				
<i>Eriocnemis sapphiropygia</i> Taczanowski, 1874	II	B		7701
E: Coppery-naped Puffleg				
Peru				
<i>Eriocnemis vestitus</i> (Lesson, 1838)	II	B	LC	1068, 7701
Synonym: <i>Ornismya vestita</i> Lesson, 1838				
E: Glowing Puffleg, F: Érione pattue, S: Calzadito reluciente, Colibrí pantalón verde, Zamarrito luciente				
Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136]; Venezuela (br) [1070, 11385]				
<i>Eugenes fulgens</i> (Swainson, 1827)	II	B	LC	387
Synonym: <i>Trochilus fulgens</i> Swainson, 1827				
E: Magnificent Hummingbird, Rivoli's Hummingbird, F: Colibri de Rivoli, S: Colibrí magnífico				
Costa Rica (br) [1283, 1311]; El Salvador (br) [5241]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [670, 5241]; Nicaragua (br) [1195]; Panama (br) [1195]; United States (br) [387, 887]				
<i>Eulampis holosericeus</i> (Linnaeus, 1758)	II	B	LC	387, 485, 1380
Synonyms: <i>Trochilus holosericeus</i> Linnaeus, 1758, <i>Sericotes holosericeus</i> (Linnaeus, 1758)				
E: Green-throated Carib, F: Colibri falle-vert, S: Colibrí caribeño gorgiverde				

Antigua and Barbuda (br) [5242]; Barbados (br) [5242]; British Virgin Islands (br); British Virgin Is [1176]; Dominica (br) [5242]; Grenada (br) [5242]; Guadeloupe (br) [5242]; Martinique (br) [5242]; Montserrat (br) [5242]; Netherlands Antilles (br) [12247]; Netherlands Leeward Is (br) [12247]; Puerto Rico (br) [1176]; Saint Kitts and Nevis (br) [5242]; Saint Lucia (br) [5251]; Saint Vincent and the Grenadines (br) [5242]; United States Virgin Islands (br)

Eulampis jugularis (Linnaeus, 1766) II B LC 387, 485

Synonym: *Trochilus jugularis* Linnaeus, 1766

E: Purple-throated Carib, F: Colibri madère, S: Colibrí caribeño gorgimorado

Antigua and Barbuda (br) [5242]; Barbados (v) [5242]; Brazil (v) [1269, 6186]; Dominica (br) [5242]; Grenada (v) [5242]; Guadeloupe (br) [5242]; Martinique (br) [5242]; Montserrat (br) [5242]; Netherlands Antilles (br) [1380]; Netherlands Leeward Is (br); Saint Kitts and Nevis (br) [5242]; Saint Lucia (br) [5251]; Saint Vincent and the Grenadines (br) [5242]; United States Virgin Islands (v) [1108]

Eupherusa cyanophrys Rowley & Orr, 1964 II B EN 387, 595, 598

E: Blue-capped Hummingbird, Oaxaca Hummingbird, F: Colibri d'Oaxaca, S: Colibrí oaxaqueño

Mexico (br) [1223, 5241]

Eupherusa eximia (DeLattre, 1843) II B LC 387

Synonym: *Ornismya eximia* DeLattre, 1843

E: Stripe-tailed Hummingbird, F: Colibri à épaulettes, S: Colibrí colirayado

Belize (br) [5241]; Costa Rica (br) [1283, 1311]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]

Eupherusa nigriventris Lawrence, 1867 II B LC 387

E: Black-bellied Hummingbird, F: Colibri à ventre noir, S: Colibrí ventrinegro

Costa Rica (br) [1283, 1311]; Panama (br) [1195]

Eupherusa poliocerca Elliot, 1871 II B VU 387, 595, 598, 1095

E: White-tailed Hummingbird, F: Colibri du Guerrero, S: Colibrí de Guerrero, Colibrí guerrerense

Mexico (br) [5241]

Eutoxeres aquila (Bourcier, 1847) II B LC 387, 1068

Synonym: *Trochilus aquila* Bourcier, 1847

E: White-tipped Sicklebill, F: Bec-en-faucille aigle, S: Pico-de-hoz puntiblanco, Picohoz coliverde
Colombia (br) [837, 9220]; Costa Rica (br) [1283, 1311]; Ecuador (br) [5294]; Panama (br) [1195]; Peru (br) [1136, 6332]

Eutoxeres condamini (Bourcier, 1851) II B LC 1068

Synonym: *Trochilus condamini* Bourcier, 1851

E: Buff-tailed Sicklebill, F: Bec-en-faucille de la Condamine, S: Pico-de-hoz colihabano, Picohoz colicanela
Bolivia (br) [554, 1058, 1186]; Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136]

Florisuga fusca (Vieillot, 1817) II B 1068

Synonyms: *Melanotrochilus fuscus* (Vieillot, 1817), *Trochilus fuscus* Vieillot, 1817

E: Black Jacobin, F: Colibri demi-deuil, S: Colibrí negro, Picaflor negro

Argentina (br) [5291, 10249]; Brazil (br) [1269, 6186, 25280]; Paraguay (br) [5295, 6321]; Uruguay (br) [5287]

Florisuga mellivora (Linnaeus, 1758) II B LC 387, 485, 1068

Synonym: *Trochilus mellivorus* Linnaeus, 1758

E: White-necked Jacobin, F: Colibri jacobin, S: Colibrí nuquiblanco, Jacobino collarejo, Jacobino nuquiblanco
Aruba (br) [1380]; Belize (br) [5241]; Bolivia (br) [1058, 1186]; Brazil (br) [1269, 6186]; Colombia (br) [837];
Costa Rica (br) [1283, 1311]; Ecuador (br) [5294]; French Guiana (br) [464, 1349]; Grenada (v) [5242];
Guatemala (br) [5241]; Guyana (br) [1295, 25537]; Honduras (br) [1076]; Mexico (br) [5241]; Netherlands
Antilles (v): Curaçao (v); Nicaragua (br) [1195]; Panama (br) [1195]; Peru (br) [1136]; Suriname (br) [811,
5296]; Trinidad and Tobago (br) [703]; Venezuela (br) [1070, 7076]

Glaucis aenea Lawrence, 1867 II B LC 387, 1068

Synonym: *Glaucis hirsuta aenea* Lawrence, 1867

E: Bronzy Hermit, F: Ermite bronzé, S: Ermitaño bronceado

Colombia (br) [837]; Costa Rica (br) [1283, 1311]; Ecuador (br) [5294]; Honduras (br) [6308]; Nicaragua (br)
[1195]; Panama (br) [1195]

Glaucis dohrnii (Bourcier & Mulsant, 1852) I A EN 592, 595, 598, 931, 1068

Synonyms: *Trochilus dohrnii* Bourcier & Mulsant, 1852, *Ramphodon dohrnii* (Bourcier & Mulsant, 1852)

E: Hook-billed Hermit, F: Colibri à bec incurvé, Colibri de Dohrn, Ermite de Dohrn, Ermite de Dohrnou à bec incurvé, S: Colibrí de pico recurvado, Colibrí picosierra chico, Ermitaño de Espírito Santo
Brazil (br) [6186, 12355]

Glaucis hirsuta (Gmelin, 1788) II B LC 387, 931, 1068

Synonyms: *Threnetes grzimeki* Ruschi, 1973, *Trochilus hirsutus* Gmelin, 1788

E: Rufous-breasted Hermit, F: Ermitaño hirsute, S: Colibrí pecho canela, Ermitaño hirsuto, Ermitaño pechicanelo

Bolivia (br) [1058, 1186]; Brazil (br) [1225, 1252, 6186, 25280]; Colombia (br) [837]; Ecuador (br) [5294]; French Guiana (br) [464, 1349]; Grenada (br) [485, 5242]; Guyana (br) [1295, 25537]; Netherlands Antilles (v): Curaçao (v); Panama (br) [1195]; Peru (br) [1136]; Suriname (br) [5296]; Trinidad and Tobago (br) [703]; Venezuela (br) [1070]

Goethalsia bella Nelson, 1912 II B NT 387, 595, 1068

E: Rufous-cheeked Hummingbird, F: Colibri du Pirré, S: Colibrí del Pirre
Colombia (br) [837]; Panama (br) [1195, 1203, 12081]

Goldmania violiceps Nelson, 1911 II B LC 387, 1068

E: Violet-capped Hummingbird, F: Colibri à calotte violette, S: Colibrí de Goldman
Colombia (br) [837]; Panama (br) [1195, 6641]

Haplophaedia assimilis (Elliot, 1876) II B

Synonyms: *Eriocnemis assimilis* Elliot, 1876, *Haplophaedia aureliae assimilis* (Elliot, 1876)

E: Buff-thighed Puffleg
Bolivia; Peru

Haplophaedia aureliae (Bourcier & Mulsant, 1846) II B LC 387, 1068, 6702

Synonym: *Trochilus aureliae* Bourcier & Mulsant, 1846

E: Greenish Puffleg, F: Érione d'Aurélie, S: Calzadito verdoso norteño, Zamarrito verdoso
Colombia (br) [837]; Ecuador (br) [5294]; Panama (br) [1195, 12081]; Peru [25264]

Haplophaedia lugens (Gould, 1851) II B NT 595, 598, 1068

Synonym: *Eriopus lugens* Gould, 1851

E: Hoary Puffleg, F: Érione givrée, S: Calzadito canoso, Zamarrito canoso
Colombia (br) [837]; Ecuador (br) [5294]

Heliactin bilopha (Temminck, 1820) II B

1054, 1068

Synonyms: *Trochilus cornutus* Wied, 1821, *Heliactin cornuta* (Wied, 1821)

E: Horned Sunbeam, F: Colibri aux huppes d'or, S: Colibrí cornudito
Bolivia (br) [1058, 1186]; Brazil (br) [1269, 6186]; Suriname (br) [628, 5296]

Heliangelus amethysticollis (d'Orbigny & Lafresnaye, 1938) II B LC 1068

Synonym: *Ornismya amethysticollis* d'Orbigny & Lafresnaye, 1838

E: Amethyst-throated Sunangel, F: Héliange à gorge améthyste, Héliange clarisse, S: Angel de sol amatista, Colibrí gorgiamatista, Solangel gorjiamatista
Bolivia (br) [1058, 1186]; Ecuador (br) [5294, 6317]; Peru (br) [1136]

Heliangelus clarisse (Longuemare, 1841) II B

Synonyms: *Ornismya clarisse* Longuemare, 1841, *Heliangelus spencei* (Bourcier, 1847)

E: Longuemare's Sunangel
Colombia; Venezuela

Heliangelus exortis (Fraser, 1840) II B LC 1068

Synonym: *Trochilus exortis* Fraser, 1840

E: Tourmaline Sunangel, F: Héliange tourmaline, S: Colibrí turmalina, Solangel turmalino
Colombia (br) [837, 10120]; Ecuador (br) [5294]

Heliangelus mavora Gould, 1848 II B LC 1068

E: Orange-throated Sunangel, F: Héliange mars, S: Angel de sol cuellicro, Colibrí de Marte
Colombia (br) [837]; Venezuela (br) [1070]

Heliangelus micraster Gould, 1872 II B

E: Little Sunangel, F: Héliange menu, S: Colibrí lacero

Ecuador; Peru [12669]

Heliangelus regalis

Fitzpatrick, Willard & Terborgh, 1979
E: Royal Sunangel, F: Héliange royale, S: Colibrí real
Peru (br) [707, 1136, 6199, 6680, 6724]

II B EN

***Heliangelus strophianus* (Gould, 1846)**

Synonym: *Trochilus strophianus* Gould, 1846
E: Gorgeted Sunangel, F: Héliange à queue bleue, S: Colibrí pectoral, Solangel de gorguera
Colombia (br) [6783]; Ecuador (br) [5294, 6360, 12077]

II B LC 1068

***Heliangelus viola* (Gould, 1853)**

Synonym: *Heliotrypha viola* Gould, 1853
E: Purple-throated Sunangel, F: Héliange violette, S: Colibrí violeta, Solangel gorjipurpura
Ecuador (br) [5294, 6360]; Peru (br) [1136, 12669]

II B LC 1068

***Heliodoxa aurescens* (Gould, 1846)**

Synonyms: *Trochilus aurescens* Gould, 1846, *Polyplancta aurescens* (Gould, 1846)
E: Gould's Jewelfront, F: Brillant à bandeau bleu, S: Brillante pechicastaño, Colibrí cuellicastaño, Frentijoya
Bolivia (br) [1058, 1186, 1248, 6415]; Brazil (br) [1269, 6186]; Colombia (br) [706, 837]; Ecuador (br) [5294]; Peru
(br) [1136]; Venezuela (br) [1070]

II B LC 1068

***Heliodoxa branickii* (Taczanowski, 1874)**

Synonym: *Lampraster branickii* Taczanowski, 1874
E: Rufous-webbed Brilliant, F: Brillant de Branicki, S: Brillante alicanela
Peru (br) [1136, 1249]

II B LC 1068

***Heliodoxa gularis* (Gould, 1860)**

Synonyms: *Agapeta gularis* (Gould, 1860), *Aphantochroa gularis* Gould, 1860
E: Pink-throated Brilliant, F: Brillant à gorge rose, S: Brillante gorgirrosado
Brazil; Colombia (br) [706, 837]; Ecuador (br) [5294]; Peru (br) [1136]

II B NT 595, 1068

***Heliodoxa imperatrix* (Gould, 1856)**

Synonym: *Eugenia imperatrix* Gould, 1856
E: Empress Brilliant, F: Brillant impératrice, S: Brillante emperador
Colombia (br) [837]; Ecuador (br) [5294, 12077]

II B LC 1068

***Heliodoxa jacula* Gould, 1850**

E: Green-crowned Brilliant, F: Brillant fer-de-lance, S: Brillante coroniverde
Colombia (br) [837, 6730, 6783, 9220]; Costa Rica (br) [1283, 1311]; Ecuador (br) [5294]; Nicaragua [10301];
Panama (br) [1195]

II B LC 387, 1068

***Heliodoxa leadbeateri* (Bourcier, 1843)**

Synonym: *Trochilus leadbeateri* Bourcier, 1843
E: Violet-fronted Brilliant, F: Brillant à front violet, S: Brillante frentivioleta, Heliodoxa frentiazul
Bolivia (br) [1058, 1186]; Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136]; Venezuela (br) [1070]

II B LC 1068

Heliodoxa rubinoides

(Bourcier & Mulsant, 1846)
Synonym: *Trochilus rubinoides* Bourcier & Mulsant, 1846
E: Fawn-breasted Brilliant, F: Brillant rubinoïde, S: Brillante pechianteado, Brillante pechigamuza
Bolivia [7650]; Colombia (br) [836, 837, 6730, 10120]; Ecuador (br) [5294, 6200]; Peru (br) [1136]

II B LC 1068

***Heliodoxa schreibersii* (Bourcier, 1847)**

Synonyms: *Trochilus schreibersii* Bourcier, 1847, *Ionolaima schreibersii* (Bourcier, 1847)
E: Black-throated Brilliant, F: Brillant à gorge noire, S: Brillante gorjinegro, Brillante ventinegro
Brazil (br) [1269, 6186]; Colombia (br) [706, 837]; Ecuador (br) [5294]; Peru (br) [1136]

II B LC 1068

Heliodoxa xanthogonys

Salvin & Godman, 1882
E: Velvet-browed Brilliant, Velvet-crowned Brilliant, F: Brillant à couronne verte, S: Brillante de Tepui,
Colibrí frentiverde
Brazil (br) [1269, 6186]; Guyana (br) [1295, 8615, 25537]; Venezuela (br) [1070, 6925, 7076]

II B LC 1068, 8643

<i>Heliomaster constantii</i> (DeLattre, 1843)	II	B	LC	387
Synonym: <i>Ornismya constantii</i> DeLattre, 1843				
E: Plain-capped Starthroat, F: Colibri de Constant, S: Colibrí pochotero, Picolargo coronioscuro				
Costa Rica (br) [1283, 1311]; El Salvador (br) [5241]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; United States (v) [387, 887]				
<i>Heliomaster furcifer</i> (Shaw, 1812)	II	B	LC	1068
Synonym: <i>Trochilus furcifer</i> Shaw, 1812				
E: Blue-tufted Starthroat, F: Colibri d'Angèle, S: Colibrí de Barbijo, Picaflor de Barbijo				
Argentina (br) [5291, 10249]; Bolivia (br) [1058, 1186]; Brazil (br) [1269, 6186]; Colombia (br) [837]; Ecuador (br); Paraguay (br) [5295]; Uruguay (br) [5287]				
<i>Heliomaster longirostris</i>	II	B	LC	387, 1068
(Audebert & Vieillot, 1801)				
Synonym: <i>Trochilus longirostris</i> Audebert & Vieillot, 1801				
E: Long-billed Starthroat, F: Colibri corinne, S: Colibrí estrella picolargo, Colibrí piquilargo, Heliomaster piquilargo, Picolargo coroniazul				
Belize [6697, 8632]; Bolivia (br) [1058, 1186, 6415]; Brazil (br) [1269, 6186, 7077, 7118]; Colombia (br) [837, 6783]; Costa Rica (br) [1283, 1311]; Ecuador (br) [5294]; El Salvador (br) [5241]; French Guiana (br) [463, 1349]; Guatemala (br) [5241]; Guyana (br) [1295, 25537]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]; Peru (br) [1136]; Suriname (br) [628, 5296]; Trinidad and Tobago (br) [703]; Venezuela (br) [1070]				
<i>Heliomaster squamosus</i> (Temminck, 1823)	II	B	LC	1068
Synonym: <i>Trochilus squamosus</i> Temminck, 1823				
E: Stripe-breasted Starthroat, F: Colibri médiastin, S: Colibrí escamoso, Picaflor escamado				
Brazil (br) [1269, 6186]				
<i>Heliothryx aurita</i> (Gmelin, 1788)	II	B	LC	1068
Synonym: <i>Trochilus auritus</i> Gmelin, 1788				
E: Black-eared Fairy, F: Colibri oreillard, S: Colibrí hada orejazul, Colibrí hada oriental, Hada orejinegro				
Bolivia (br) [1058, 1186]; Brazil (br) [1252, 1269, 6186, 25280]; Colombia (br) [837]; Ecuador (br) [5294]; French Guiana (br) [647, 1349]; Guyana (br) [1295, 25537]; Peru (br) [1136]; Suriname (br) [5296]; Venezuela (br) [1070]				
<i>Heliothryx barroti</i> (Bourcier, 1843)	II	B	LC	387, 1068
Synonym: <i>Trochilus barroti</i> Bourcier, 1843				
E: Purple-crowned Fairy, F: Colibri féérique, S: Colibrí hada occidental, Hada coronimorada, Hada gorrimorada				
Belize (br) [5241]; Colombia (br) [837]; Costa Rica (br) [1283, 1311]; Ecuador (br) [5294]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]				
<i>Hylocharis chrysura</i> (Shaw, 1812)	II	B	LC	1068
Synonym: <i>Trochilus chrysurus</i> Shaw, 1812				
E: Gilded Hummingbird, F: Saphir à queue d'or, S: Picaflor bronceado, Picaflor dorado, Zafiro bronceado				
Argentina (br) [5291, 10249]; Bolivia (br) [1058, 1186]; Brazil (br) [1269, 6186]; Paraguay (br) [5295]; Uruguay				
<i>Hylocharis cyanus</i> (Vieillot, 1818)	II	B	LC	1068
Synonym: <i>Trochilus cyanus</i> Vieillot, 1818				
E: White-chinned Sapphire, F: Saphir azuré, S: Picaflor cabeciazul, Zafiro cabecimorado, Zafiro gorgiblanco				
?Argentina [465, 5291, 10249]; Bolivia (br) [1058, 1186]; Brazil (br) [1252, 1269, 6186, 25280]; Colombia (br) [837]; Ecuador (br) [5294]; French Guiana (br) [463, 1349]; Guyana (br) [1295, 25537]; Peru (br) [1136]; Suriname (br) [5296]; Venezuela (br) [1070]				
<i>Hylocharis eliciae</i>	II	B	LC	387, 1068
(Bourcier & Mulsant, 1846)				
Synonym: <i>Trochilus eliciae</i> Bourcier & Mulsant, 1846				
E: Blue-throated Goldentail, F: Saphir d'Elicia, S: Zafiro de Elicia, Zafiro gorjiazul				
Belize (br) [5241, 6320, 6769, 7876]; Colombia (br) [837]; Costa Rica (br) [1283, 1311]; El Salvador (br) [5241]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]				
<i>Hylocharis grayi</i>	II	B	LC	387, 1068
(DeLattre & Bourcier, 1846)				
Synonyms: <i>Hylocharis humboldtii</i> (Bourcier & Mulsant, 1852), <i>Trochilus grayi</i> DeLattre & Bourcier, 1846				
E: Blue-headed Sapphire, F: Saphir ulysses, S: Zafiro cabeciazul				

Colombia (br) [837]; Ecuador (br) [5294]; Panama (br) [1195]

<i>Hylocharis sapphirina</i> (Gmelin, 1788)	II	B	LC	1068
Synonym: <i>Trochilus sapphirinus</i> Gmelin, 1788				
E: Rufous-throated Sapphire, F: Saphir à gorge rousse, S: Picaflor pechiazul, Zafiro gargantirrufo, Zafiro gorjirrojo				
Argentina (br) [5291, 10249]; Bolivia (br) [1058, 1186]; Brazil (br) [1252, 1269, 6186, 25280]; Colombia (br) [837]; Ecuador (br) [5294]; French Guiana (br) [463, 464, 1349]; Guyana (br) [1295, 25537]; Paraguay (br) [5295, 6321]; Peru (br) [1136]; Suriname (br) [5296]; Venezuela (br) [1070]				
<i>Hylonympha macrocerca</i> Gould, 1873	II	B	VU	595, 598, 1068
E: Scissor-tailed Hummingbird, F: Colibri à queue en ciseaux, S: Colibrí tijereta				
Venezuela (br) [1070]				
<i>Klais guimeti</i> (Bourcier, 1843)	II	B	LC	387, 1068
Synonym: <i>Trochilus guimeti</i> Bourcier, 1843				
E: Violet-headed Hummingbird, F: Colibri à tête violette, S: Colibrí cabeciazul, Colibrí cabecivioleta, Tucusito cabeza azul				
Bolivia (br) [1058, 1186]; Brazil; Colombia (br) [837, 6674, 6783]; Costa Rica (br) [1283, 1311]; Ecuador (br) [5294]; Honduras (br) [1076]; Nicaragua (br) [1195]; Panama (br) [1195, 6641]; Peru (br) [1136]; Venezuela (br) [1070]				
<i>Lafresnaya lafresnayi</i> (Boissonneau, 1840)	II	B	LC	1068
Synonym: <i>Trochilus lafresnayi</i> Boissonneau, 1840				
E: Mountain Velvetbreast, F: Colibri de Lafresnaye, S: Colibrí aterciopelado, Colibrí terciopelo				
Colombia (br) [837, 10120]; Ecuador (br) [5294]; Peru (br) [1136, 12669]; Venezuela (br) [1070]				
<i>Lampornis amethystinus</i> Swainson, 1827	II	B	LC	387
E: Amethyst-throated Hummingbird, F: Colibri à gorge améthyste, S: Colibrí amatistino, Colibrí-serrano gorjiamatisto				
El Salvador (br) [5241]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [5241]				
<i>Lampornis castaneoventris</i> (Gould, 1851)	II	B	LC	387
Synonyms: <i>Trochilus castaneoventris</i> Gould, 1851, <i>Oreopyra cinereicauda</i> Lawrence, 1867, <i>Lampornis calolaema</i> (Salvin, 1865), <i>Lampornis cinereicauda</i> (Lawrence, 1867)				
E: Purple-throated Mountain-gem, Variable Mountain-gem, White-throated Mountain-gem, F: Colibri à ventre châtain, S: Colibrí variable				
Costa Rica (br) [1283, 1311]; Nicaragua (br) [1195]; Panama (br) [1195]				
<i>Lampornis clemenciae</i> (Lesson, 1829)	II	B	LC	387
Synonym: <i>Ornismya clemenciae</i> Lesson, 1829				
E: Blue-throated Hummingbird, F: Colibri à gorge bleue, S: Colibrí gorgiazul, Colibrí-serrano gorgiazul				
Mexico (br) [5241]; United States (br) [387, 887]				
<i>Lampornis hemileucus</i> (Salvin, 1865)	II	B	LC	387
Synonym: <i>Oreopyra hemileuca</i> Salvin, 1865				
E: White-bellied Mountain-gem, F: Colibri à gorge lilas, S: Colibrí gorgivioleta				
Costa Rica (br) [1283, 1311]; Panama (br) [1195]				
<i>Lampornis sybillae</i> (Salvin & Godman, 1892)	II	B	LC	387
Synonyms: <i>Delattria sybillae</i> Salvin & Godman, 1892, <i>Lampornis viridipallens sybillae</i> (Salvin & Godman, 1892)				
E: Green-breasted Mountain-gem, F: Colibri de Sybil, S: Colibrí de Sibila, Colibrí-serrano pechiverde				
Honduras (br) [1076]; Nicaragua (br) [1195]				
<i>Lampornis viridipallens</i>	II	B	LC	387
(Bourcier & Mulsant, 1846)				
Synonym: <i>Trochilus viridipallens</i> Bourcier & Mulsant, 1846				
E: Green-throated Mountain-gem, F: Colibri vert-d'eau, S: Colibrí gorgescamoso, Colibrí-serrano gorjiverde				
El Salvador (br) [5241]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [5241]				
<i>Lamprolaima rhami</i> (Lesson, 1838)	II	B	LC	387
Synonym: <i>Ornismya rhami</i> Lesson, 1838				
E: Garnet-throated Hummingbird, F: Colibri à gorge grenat, S: Colibrí alicastaño				
El Salvador (br) [5241]; Guatemala (br) [5241]; Honduras (br) [1076]; Mexico (br) [5241]				

Lepidopyga coeruleogularis (Gould, 1851)	II	B	LC	387, 1068
Synonym: <i>Trochilus coeruleogularis</i> Gould, 1851				
E: Sapphire-throated Hummingbird, F: Colibri faux-saphir, S: Colibrí gorgizafiro				
Colombia (br) [837]; Costa Rica (br) [1283, 1311]; Panama (br) [1195]				
Lepidopyga goudoti (Bourcier, 1843)	II	B	LC	1068
Synonyms: <i>Lepidopyga luminosa</i> (Lawrence, 1862), <i>Trochilus goudoti</i> Bourcier, 1843, <i>Sapphiriona luminosa</i> Lawrence, 1862				
E: Shining-green Hummingbird, F: Colibri de Goudot, S: Colibrí de Goudot, Tucusito pico curvo				
Colombia (br) [837]; Venezuela (br) [1070]				
Lepidopyga lilliae Stone, 1917	II	B	CR	595, 598, 1068
Synonym: <i>Lepidopyga coeruleogularis lilliae</i> Stone, 1917				
E: Sapphire-bellied Hummingbird, F: Colibri de Lillian, S: Colibrí ventrizafiro				
Colombia (br) [837]				
Lesbia nuna (Lesson, 1832)	II	B	LC	1068, 25530
Synonyms: <i>Lesbia gouldii</i> (Loddiges, 1832), <i>Ornismya nuna</i> Lesson, 1832				
E: Green-tailed Trainbearer, F: Porte-traine nouna, S: Colacinta coliverde, Colibrí colilargo menor, Colibrí coludo verde				
Bolivia (br) [1058, 1186, 6415, 7166]; Colombia (br) [837]; Ecuador (br) [5294, 25530]; Peru (br) [1136, 12669, 25530]; ?Venezuela (v) [1070]				
Lesbia victoriae	II	B	LC	1068, 25530
(Bourcier & Mulsant, 1846)				
Synonym: <i>Trochilus victoriae</i> Bourcier & Mulsant, 1846				
E: Black-tailed Trainbearer, F: Porte-traine lesbie, S: Colacinta colinegra, Colibrí colilargo mayor				
Colombia (br) [837]; Ecuador (br) [5294, 25530]; Peru (br) [1136, 12669, 25530]				
Leucippus baeri Simon, 1901	II	B	LC	1068
E: Tumbes Hummingbird, F: Colibri de Tumbes, S: Colibrí de Tumbes				
Ecuador [10018]; Peru (br) [1136]				
Leucippus chionogaster (Tschudi, 1845)	II	B		1068
Synonyms: <i>Trochilus chionogaster</i> Tschudi, 1845, <i>Amazilia chionogaster</i> (Tschudi, 1844)				
E: White-bellied Hummingbird, F: Ariane à ventre blanc, S: Colibrí ventriníveo, Picaflor ventriblanco				
Argentina (br) [5291, 10249]; Bolivia (br) [1058, 1186, 7166]; Brazil (br) [1269, 6186]; Peru (br) [1136]				
Leucippus chlorocercus (Gould, 1866)	II	B	LC	1068
Synonym: <i>Talaphorus chlorocercus</i> (Gould, 1866)				
E: Olive-spotted Hummingbird, F: Colibri à queue verte, S: Colibrí blancioliva, Colibrí olivipunteado				
Brazil (br) [1269, 6186]; Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136]				
Leucippus fallax (Bourcier, 1843)	II	B	LC	1068
Synonym: <i>Trochilus fallax</i> Bourcier, 1843				
E: Buffy Hummingbird, F: Colibri trompeur, S: Colibrí ante, Colibrí anteado				
Colombia (br) [837]; Venezuela (br) [1070]				
Leucippus hypostictus (Gould, 1862)	II	B		1068
Synonyms: <i>Taphrospilus hypostictus</i> (Gould, 1862), <i>Talaphorus hypostictus</i> (Gould, 1862), <i>Aphantochroa hyposticta</i> Gould, 1862				
E: Many-spotted Hummingbird, F: Colibri grivelé, S: Colibrí moteado, Colibrí multipunteado				
Bolivia (br) [1058, 1186]; Brazil (br) [1269, 6186]; Ecuador (br) [5294]; Peru (br) [1136]				
Leucippus taczanowskii (Sclater, 1879)	II	B	LC	1068
Synonyms: <i>Talaphorus taczanowskii</i> (Sclater, 1879), <i>Thaumasius taczanowskii</i> Sclater, 1879				
E: Spot-throated Hummingbird, F: Colibri de Taczanowski, S: Colibrí de Taczanowski				
Peru (br) [1136]				
Leucippus viridicauda Berlepsch, 1883	II	B		1068
Synonym: <i>Amazilia viridicauda</i> (Berlepsch, 1883)				
E: Green-and-white Hummingbird, F: Ariane du Pérou, S: Colibrí blanquiverde				
Peru (br) [1136]				

<i>Leucochloris albicollis</i> (Vieillot, 1818)	II	B	LC	1068
Synonym: <i>Trochilus albicollis</i> Vieillot, 1818				
E: White-throated Hummingbird, F: Colibri à gorge blanche, S: Colibrí gargantilla, Picaflor cuelliblanco Argentina (br) [5291, 10249]; Bolivia; Brazil (br) [1252, 1269, 6186]; Paraguay (br) [5295]; ?Uruguay (br) [5287]				
<i>Loddigesia mirabilis</i> (Bourcier, 1847)	II	B	EN	482, 595, 598, 1068, 1323
Synonym: <i>Trochilus mirabilis</i> Bourcier, 1847				
E: Marvellous Spatuletail, F: Loddigésie admirable, S: Colibrí admirable Peru (br) [1136, 6680, 6682]				
<i>Lophornis adorabilis</i> Salvin, 1870	II	B	LC	387
Synonym: <i>Paphosia adorabilis</i> (Salvin, 1870)				
E: Adorable Coquette, White-crested Coquette, F: Coquette adorable, S: Coqueta adorable Costa Rica (br) [1283, 1311]; Panama (br) [1195, 6851]				
<i>Lophornis brachylophus</i> Moore, 1949	II	B		437, 595, 598, 849
Synonym: <i>Lophornis delattrei brachylophus</i> Moore, 1949				
E: Short-crested Coquette, F: Coquette du Guerrero, S: Coqueta cresticorta, Coqueta de Guerrero Mexico (br) [5241]				
<i>Lophornis chalybeus</i> (Vieillot, 1823)	II	B	LC	1068
Synonyms: <i>Trochilus chalybeus</i> Vieillot, 1823, <i>Polemistra chalybea</i> (Vieillot, 1823)				
E: Festive Coquette, F: Coquette chalybée, S: Coqueta abanico puntiblanco, Coqueta festiva, Coqueta verde, Picaflor abanico verde				
?Argentina [465, 5291, 10249]; Bolivia (br) [1058, 1186]; Brazil (br) [1269, 6186]; Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136]; Venezuela (br) [1070]				
<i>Lophornis delattrei</i> (Lesson, 1839)	II	B	LC	387, 1068
Synonyms: <i>Lophornis melaniae</i> Floericke, 1920, <i>Ornismya delattrei</i> Lesson, 1839				
E: Rufous-crested Coquette, F: Coquette de Delattre, S: Coqueta crestirrufa				
Bolivia (br) [1058, 1186]; Colombia (br) [837, 9220]; ?Costa Rica (br?) [1283, 1311]; Panama (br) [1195]; Peru (br) [1136]				
<i>Lophornis gouldii</i> (Lesson, 1833)	II	B	LC	1068
Synonym: <i>Ornismya gouldii</i> Lesson, 1832				
E: Dot-eared Coquette, F: Coquette de Gould, S: Coqueta moteada				
Bolivia (br) [1058, 1186]; Brazil (br) [1269, 6186]				
<i>Lophornis heleneae</i> (DeLattre, 1843)	II	B	LC	387
Synonyms: <i>Ornismya heleneae</i> DeLattre, 1843, <i>Paphosia heleneae</i> (DeLattre, 1843)				
E: Black-crested Coquette, F: Coquette d'Hélène, S: Coqueta crestinegra				
Belize (br) [5241]; Costa Rica (br) [1283, 1311]; Guatemala (br) [448, 5241]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]				
<i>Lophornis magnificus</i> (Vieillot, 1817)	II	B	LC	1068
Synonym: <i>Trochilus magnificus</i> Vieillot, 1817				
E: Frilled Coquette, F: Coquette magnifique, S: Coqueta magnifica				
Brazil (br) [1269, 6186, 6413, 13142, 25280]				
<i>Lophornis ornatus</i> (Boddaert, 1783)	II	B	LC	1068
Synonym: <i>Trochilus ornatus</i> Boddaert, 1783				
E: Tufted Coquette, F: Coquette huppe-col, S: Coqueta abanico canela, Coqueta adornada				
Brazil (br) [1269, 6186]; French Guiana (br) [1055, 1349]; Guyana (br) [1295, 25537]; Suriname (br) [5296]; Trinidad and Tobago (br) [703]; Venezuela (br) [1070]				
<i>Lophornis pavoninus</i> Salvin & Godman, 1882	II	B	LC	1068
Synonym: <i>Polemistra pavonina</i> (Salvin & Godman, 1882)				
E: Peacock Coquette, F: Coquette paon, S: Coqueta abanico pavo real, Coqueta pavonina				
Brazil (br) [1269, 6186]; Guyana (br) [1295, 25537]; Venezuela (br) [1070]				
<i>Lophornis stictolophus</i>	II	B	LC	595, 1068
Salvin & Elliot, 1873				
E: Spangled Coquette, F: Coquette pailletée, S: Coqueta coronada, Coqueta lentejuelada				

Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136]; Venezuela (br) [1070]

Mellisuga helenae (Lembeye, 1850) II B NT 387, 485, 595, 731
 Synonyms: *Calypte helenae* (Lembeye, 1850), *Orthorhyncus helenae* Lembeye, 1850
 E: Bee Hummingbird, F: Colibri d'Helen, S: Colibrí zunzuncito
 Bahamas (v) [5242]; Cuba (br) [5259]

Mellisuga minima (Linnaeus, 1758) II B LC 387, 485
 Synonym: *Trochilus minimus* Linnaeus, 1758
 E: Vervain Hummingbird, F: Colibri nain, S: Colibrí zumbadorcito, Zumbadorcito
 Dominican Republic (br) [1312]; Haiti (br) [1408, 1438]; Jamaica (br) [657]; Puerto Rico (v) [1176]

Metallura aeneocauda (Gould, 1846) II B LC 1068
 Synonyms: *Metallura malagae* Berlepsch, 1897, *Trochilus aeneocauda* Gould, 1846
 E: Scaled Metaltail, F: Métallure à queue d'airain, S: Metalura escamosa
 Bolivia (br) [1058, 1184, 1186, 6667]; Peru (br) [1136]

Metallura baroni Salvin, 1893 II B EN 595, 598, 1068, 1121, 1193
 E: Violet-throated Metaltail, F: Métallure de Baron, S: Metalura de Azuay, Metalura gorjivioleta
 Ecuador (br) [5294, 6389]

Metallura eupogon (Cabanis, 1874) II B LC 1068
 Synonym: *Urolampra eupogon* Cabanis, 1874
 E: Fire-throated Metaltail, F: Métallure à gorge feu, S: Metalura barbafluego
 Peru (br) [1136]

Metallura iracunda Wetmore, 1947 II B EN 595, 1068
 E: Perijá Metaltail, F: Métallure dorée, S: Colibrí de Perijá, Metalura iracunda
 Colombia (br) [837]; Venezuela (br) [1070]

Metallura odomaes Graves, 1980 II B NT 595, 598, 770, 1137
 E: Neblina Metaltail, F: Métallure du Chinguela, S: Metalura del Chinguela
 Ecuador (br) [6200, 6317]; Peru (br) [1136]

Metallura phoebe (Lesson & DeLattre, 1839) II B LC 1068
 Synonym: *Ornismya phoebe* Lesson & DeLattre, 1839
 E: Black Metaltail, F: Métallure phébé, S: Metalura negra
 Peru (br) [1136, 8639]

Metallura theresiae Simon, 1902 II B LC 1068
 E: Coppery Metaltail, F: Métallure de Thérèse, S: Metalura de Teresa
 Peru (br) [1136]

Metallura tyrianthina (Loddiges, 1832) II B LC 1068
 Synonym: *Trochilus tyrianthinus* Loddiges, 1832
 E: Tyrian Metaltail, F: Métallure émeraude, S: Colibrí verde colirrojo, Metalura tiria
 Bolivia (br) [1058, 1186]; Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136, 12669]; Venezuela (br) [1070]

Metallura williami
 (DeLattre & Bourcier, 1846) II B LC 1068
 Synonym: *Trochilus williami* DeLattre & Bourcier, 1846
 E: Viridian Metaltail, F: Métallure verte, S: Metalura verde
 Colombia (br) [837]; Ecuador (br) [5294, 6368]

Microchera albocoronata (Lawrence, 1855) II B LC 387
 Synonym: *Mellisuga albocoronata* Lawrence, 1855
 E: Snowcap, F: Colibri à coiffe blanche, S: Colibrí coroniblanco
 Costa Rica (br) [1283, 1311]; Honduras (br) [1076]; Nicaragua (br) [1195]; Panama (br) [1195]

Microstilbon burmeisteri
 (P. L. Sclater, 1888) II B LC 1068
 Synonym: *Chaetocercus burmeisteri* P. L. Sclater, 1888
 E: Slender-tailed Woodstar, F: Colibri de Burmeister, S: Colibrí de Burmeister, Picaflor enano

Argentina (br) [5291, 10249]; Bolivia (br) [1058, 1186]

Myrmia micrura (Gould, 1854) II B LC 1068

Synonym: *Calothorax micrurus* Gould, 1854

E: Short-tailed Woodstar, F: Colibri à queue courte, S: Colibrí colicorto, Estrellita colicorta
Ecuador (br) [5294]; Peru (br) [1136]

Myrtis fanny (Lesson, 1838) II B LC 1068

Synonym: *Ornismya fanny* Lesson, 1838

E: Purple-collared Woodstar, F: Colibri fanny, S: Colibrí myrtis, Estrellita gargantillada
Ecuador (br) [5294]; Peru (br) [1136, 12669]

Myrtis yarrellii (Bourcier, 1847) II B 595, 598, 931, 1068

Synonyms: *Trochilus yarrellii* Bourcier, 1847, *Eulidia yarrellii* (Bourcier, 1847)

E: Chilean Woodstar, F: Colibri d'Arica, S: Colibrí de Arica
Chile (br) [5292]; Peru (br) [1133, 1136]

Ocreatus underwoodii (Lesson, 1832) II B LC 1068

Synonym: *Ornismya underwoodii* Lesson, 1832

E: Booted Racket-tail, F: Haut-de-chausses à palettes, S: Colaespatula zamarrito, Colibrí cola de hoja,
Colibrí de raquetas
Bolivia (br) [1058, 1186]; Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136]; Venezuela (br) [1070]

Opisthoproraeuryptera (Loddiges, 1832) II B LC 1068

Synonym: *Trochilus eurypterus* Loddiges, 1832

E: Mountain Avocetbill, F: Colibri avocettin, S: Colibrí picolezna, Colibrí piquiavoceta
Colombia (br) [706, 837]; Ecuador (br) [5294, 6317]; Peru (br) [1136]

Oreonympha nobilis Gould, 1869 II B LC 1068

E: Bearded Mountaineer, F: Colibri noble, S: Colibrí noble
Peru (br) [1136]

Oreotrochilus adela (d'Orbigny & Lafresnaye, 1838) II B NT 595, 1068

Synonym: *Trochilus adela* d'Orbigny & Lafresnaye, 1838

E: Wedge-tailed Hillstar, F: Colibri adèle, S: Colibrí de Cochabamba
Argentina (br) [6812, 10249]; Bolivia (br) [1058, 1186, 5116]

Oreotrochilus chimborazo (DeLattre & Bourcier, 1846) II B LC 1068

Synonyms: *Trochilus chimborazo* DeLattre & Bourcier, 1846, *Oreotrochilus estella chimborazo* (DeLattre & Bourcier, 1846)

E: Ecuadorian Hillstar, F: Colibri du Chimborazo, S: Colibrí del Chimborazo, Estrella ecuatoriana
Colombia [6783]; Ecuador (br) [5294]

Oreotrochilus estella (d'Orbigny & Lafresnaye, 1838) II B LC 1068

Synonyms: *Trochilus estella* d'Orbigny & Lafresnaye, 1838, *Oreotrochilus bolivianus* Boucard, 1893

E: Andean Hillstar, F: Colibri estelle, S: Colibrí punéño, Picaflor serrano ventricanelas
Argentina (br) [5291, 10249]; Bolivia (br) [1058, 1186]; Chile (br) [5292]; Peru (br) [1136]

Oreotrochilus leucopleurus Gould, 1847 II B LC 1068

E: White-sided Hillstar, F: Colibri à flancs blancs, S: Colibrí cordillerano, Picaflor serrano ventrinegro
Argentina (br) [5291, 10249]; Bolivia (br) [1058, 1186]; Chile (br) [1200, 5292, 6393]

Oreotrochilus melanogaster Gould, 1847 II B LC 1068

E: Black-breasted Hillstar, F: Colibri à plastron noir, S: Colibrí pechinegro
Peru (br) [1136]

Oreotrochilus stolzmanni Salvin, 1895 II B

E: Green-headed Hillstar
Ecuador [10018]; Peru

Orthorhyncus cristatus (Linnaeus, 1758) II B LC 387, 485

Synonym: *Trochilus cristatus* Linnaeus, 1758

E: Antillean Crested Hummingbird, F: Colibri huppé, S: Colibrí crestado

Antigua and Barbuda (br) [5242]; Barbados (br) [5242]; British Virgin Islands (br): British Virgin Is [1176]; Dominica (br) [5242]; Grenada (br) [5242]; Guadeloupe (br) [5242]; Martinique (br) [5242]; Montserrat (br) [5242]; Netherlands Antilles (br) [12247]; Netherlands Leeward Is [12247]; Puerto Rico (br) [1176]; Saint Kitts and Nevis (br) [5242]; Saint Lucia (br) [5251]; Saint Vincent and the Grenadines (br) [5242]; ?United States (v) [387, 887]; United States Virgin Islands (br)

Oxypogon guerinii (Boissonneau, 1840) II B LC 1068

Synonym: *Ornismya guerinii* Boissonneau, 1840

E: Bearded Helmetcrest, F: Colibri casqué, S: Chivito de los páramos, Colibrí chivito
Colombia (br) [837]; Venezuela (br) [1070, 11385]

Panterpe insignis Cabanis & Heine, 1860 II B LC 387, 1309

E: Fiery-throated Hummingbird, F: Colibri insigne, S: Colibrí insigne
Costa Rica (br) [1283, 1311]; Panama (br) [1195]

Patagona gigas (Vieillot, 1824) II B LC 1068

Synonym: *Trochilus gigas* Vieillot, 1824

E: Giant Hummingbird, F: Colibri géant, S: Colibrí gigante, Picaflor gigante
Argentina (br) [5291, 10249]; Bolivia (br) [1058, 1186]; Chile (br) [5292]; Colombia (br) [6783]; Ecuador (br) [5294, 6383]; Peru (br) [1136]

Phaethornis anthophilus (Bourcier, 1843) II B LC 387, 1068

Synonym: *Trochilus anthophilus* Bourcier, 1843

E: Pale-bellied Hermit, F: Ermite anthophile, S: Ermitaño carinegro, Ermitaño ventripáldido
Colombia (br) [837]; Panama (br) [1195]; Venezuela (br) [1070]

Phaethornis atrimentalis Lawrence, 1858 II B

E: Black-throated Hermit
Colombia; Ecuador; Peru

Phaethornis augusti (Bourcier, 1847) II B LC 1068

Synonym: *Trochilus augusti* Bourcier, 1847

E: Sooty-capped Hermit, F: Ermite d'Auguste, S: Ermitaño limpiacasa, Limpiacasa
?Brazil [1269]; Colombia (br) [837]; Guyana (br) [1295, 25537]; Venezuela (br) [1070]

Phaethornis bourcieri (Lesson, 1832) II B LC 1068

Synonym: *Trochilus bourcieri* Lesson, 1832

E: Straight-billed Hermit, F: Ermite de Bourcier, S: Ermitaño de picorrecto, Ermitaño piquirrecto
Brazil (br) [1269, 6186]; Colombia (br) [837]; Ecuador (br) [5294]; French Guiana (br) [1055, 1349]; Guyana (br) [1295, 25537]; Peru (br) [1136]; Suriname (br) [5296]; Venezuela (br) [1070]

Phaethornis eurynome (Lesson, 1832) II B LC 931, 1068

Synonyms: *Trochilus eurynome* Lesson, 1832, *Phaethornis nigrirostris* Ruschi, 1973

E: Scale-throated Hermit, F: Ermite eurynome, S: Ermitaño escamoso, Ermitaño manchado
Argentina (br) [5291, 10249]; Brazil (br) [1268, 1269, 6186, 25280]; Paraguay (br) [5295]

Phaethornis griseogularis Gould, 1851 II B LC 1068

Synonyms: *Phaethornis zonura* Gould, 1860, *Phaethornis porcullae* Carriker, 1935

E: Grey-chinned Hermit, Porcula Hermit, F: Ermite à gorge grise, S: Ermitaño barbigrís, Ermitaño barbigris
Brazil; Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136]; Venezuela (br) [1070, 7076]

Phaethornis guy (Lesson, 1833) II B LC 387, 1068

Synonym: *Trochilus guy* Lesson, 1833

E: Green Hermit, F: Ermite vert, S: Ermitaño verde
Colombia (br) [837]; Costa Rica (br) [1283, 1311]; Ecuador (br) [5294]; Panama (br) [1195]; Peru (br) [1136];
Trinidad and Tobago (br) [703]; Venezuela (br) [1070]

Phaethornis hispidus (Gould, 1846) II B LC 1068

Synonym: *Trochilus hispidus* Gould, 1846

E: White-bearded Hermit, F: Ermite d'Osery, S: Ermitaño barbillanco
Bolivia (br) [1058, 1186]; Brazil (br) [1269, 6186]; Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136];
Venezuela (br) [1070]

<i>Phaethornis idaliae</i> (Bourcier & Mulsant, 1856) E: Minute Hermit, Obscure Hermit, F: Ermite d'Idalie, S: Ermitaño pigmeo Brazil (br) [1252, 1269, 6186]	II	B	LC	1068
<i>Phaethornis koepckeae</i> Weske & Terborgh, 1977 E: Koepcke's Hermit, F: Ermite de Koepcke, S: Ermitaño de Koepcke Peru (br) [1136]	II	B	NT	595, 1406, 6399
<i>Phaethornis longirostris</i> (DeLattre, 1843) E: Western Long-tailed Hermit, F: Ermite à longue queue, S: Ermitaño colilargo norteño Belize; Colombia [6674]; Costa Rica; Ecuador; Guatemala; Honduras; Mexico; Nicaragua; Panama; Peru; Venezuela (br) [11378]	II	B	LC	
<i>Phaethornis longuemareus</i> (Lesson, 1832) Synonyms: <i>Trochilus longuemareus</i> Lesson, 1832, <i>Pygmornis longuemareus</i> (Lesson, 1832) E: Little Hermit, F: Ermite nain, S: Ermitaño pequeño, Ermitaño chico French Guiana (br) [1055, 1349]; Guyana (br) [1295, 25537]; Suriname (br) [5296]; Trinidad and Tobago (br) [703]; Venezuela (br) [1070]	II	B	LC	387, 1068
<i>Phaethornis malaris</i> (Nordmann, 1835) Synonyms: <i>Trochilus malaris</i> Nordmann, 1835, <i>Phaethornis ochraceiventris camargoi</i> Grantsau, 1988, <i>Phaethornis margarettae</i> Ruschi, 1972 E: Great-billed Hermit, Margaretta's Hermit, F: Ermite à long bec, S: Ermitaño picogrande Bolivia; Brazil (br) [1052, 1269, 6186]; Colombia; Ecuador; French Guiana (br) [647, 1349]; Peru; Suriname (br) [628, 5296]; Venezuela	II	B	LC	1068
<i>Phaethornis nattereri</i> Berlepsch, 1887 Synonym: <i>Phaethornis maranhaoensis</i> Grantsau, 1968 E: Cinnamon-throated Hermit, F: Ermite de Natterer, S: Ermitaño de Natterer Bolivia (br) [1058, 1186]; Brazil (br) [1269, 6186]	II	B	LC	1068
<i>Phaethornis philippii</i> (Bourcier, 1847) Synonym: <i>Trochilus philippii</i> Bourcier, 1847 E: Needle-billed Hermit, F: Ermite de Filippi, S: Ermitaño picoaguja Bolivia (br) [1058, 1135, 1186]; Brazil (br) [1269, 6186]; Peru (br) [1136]	II	B	LC	1068
<i>Phaethornis pretrei</i> (Lesson & DeLattre, 1839) Synonym: <i>Trochilus pretrei</i> Lesson & DeLattre, 1839 E: Planalto Hermit, F: Ermite de Prêtre, S: Ermitaño del planalto, Ermitaño frentrinegro Argentina (br) [5291, 10249]; Bolivia (br) [1058, 1186]; Brazil (br) [1269, 6186]; Paraguay (br) [5295]	II	B	LC	1068
<i>Phaethornis ruber</i> (Linnaeus, 1758) Synonym: <i>Trochilus ruber</i> Linnaeus, 1758 E: Reddish Hermit, F: Ermite roussâtre, S: Ermitaño rufo, Ermitaño rojizo Bolivia (br) [1058, 1186]; Brazil (br) [1252, 1269, 6186, 25280]; Colombia (br) [837]; Ecuador (br) [5294]; French Guiana (br) [1056, 1349]; Guyana (br) [1295, 25537]; Peru (br) [1136]; Suriname (br) [5296]; Venezuela (br) [1070]	II	B	LC	1068
<i>Phaethornis rupurumii</i> Boucard, 1892 E: Streak-throated Hermit Brazil; Colombia; Guyana [25537]; Venezuela	II	B		
<i>Phaethornis squalidus</i> (Temminck, 1822) Synonym: <i>Trochilus squalidus</i> Temminck, 1822 E: Dusky-throated Hermit, F: Ermite terne, S: Ermitaño gargantifusco, Ermitaño escuálido Brazil (br) [1252, 1269, 6186, 25280]	II	B	LC	1068
<i>Phaethornis striigularis</i> Gould, 1854 Synonym: <i>Pygmornis striigularis</i> (Gould, 1854) E: Stripe-throated Hermit, F: Ermite à gorge rayée, S: Ermitaño gorgiestriado Belize; Colombia; Costa Rica; Ecuador; Guatemala; Honduras; Mexico; Nicaragua; Panama; Venezuela	II	B	LC	

<i>Phaethornis stuarti</i> Hartert, 1897	II	B	LC	1068
E: White-browed Hermit, F: Ermite de Stuart, S: Ermitaño boliviano Bolivia (br) [1058, 1186]; Peru (br) [1136]				
<i>Phaethornis subochraceus</i> Todd, 1915	II	B	LC	1068
E: Buff-bellied Hermit, F: Ermite ocre, S: Ermitaño ocráceo Bolivia (br) [1058, 1186]; Brazil (br) [1269, 6186]				
<i>Phaethornis superciliosus</i> (Linnaeus, 1766)	II	B	LC	387, 1068
Synonyms: <i>Trochilus superciliosus</i> Linnaeus, 1766, <i>Phaethornis mexicanus</i> Hartert, 1897 E: Eastern Long-tailed Hermit, Long-tailed Hermit, F: Ermite à brins blancs, S: Ermitaño colilargo, Ermitaño colilargo común, Ermitaño guayanés Brazil (br) [1269, 6186, 6413, 7158]; French Guiana (br) [647, 1349]; Guyana (br) [1295, 25537]; Suriname (br) [5296]; Venezuela (br) [1070]				
<i>Phaethornis syematophorus</i> Gould, 1851	II	B	LC	1068
E: Tawny-bellied Hermit, F: Ermite à ventre fauve, S: Ermitaño ventrihabano Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136]				
<i>Phaethornis yaruqui</i> (Bourcier, 1851)	II	B	LC	1068
Synonym: <i>Trochilus yaruqui</i> Bourcier, 1851 E: White-whiskered Hermit, F: Ermite yaruqui, S: Ermitaño bigotiblanco, Ermitaño de Yaruqui Colombia (br) [837]; Ecuador (br) [5294]; Panama [6809]				
<i>Phlogophilus harterti</i>	II	B	NT	595, 1068
Berlepsch & Stolzmann, 1901 E: Peruvian Piedtail, F: Colibri de Hartert, S: Colibrí colipinto peruano Peru (br) [1136]				
<i>Phlogophilus hemileucurus</i> Gould, 1860	II	B	NT	595, 1068
E: Ecuadorian Piedtail, F: Colibri à queue mi-blanche, S: Colapinto ecuatoriano, Colibrí colipinto ecuatoriano Colombia (br) [706, 837]; Ecuador (br) [5294]; Peru (br) [1136, 6724]				
<i>Polyerata amabilis</i> (Gould, 1853)	II	B		387, 1068
Synonyms: <i>Trochilus amabilis</i> Gould, 1853, <i>Amazilia amabilis</i> (Gould, 1853), <i>Amazilia amabilis decora</i> (Salvin, 1891), <i>Amazilia decora</i> (Salvin, 1891) E: Blue-chested Hummingbird, F: Ariane aimable, S: Amazilia amable, Amazilia pechiazul Colombia (br) [837]; Costa Rica (br) [1283, 1311]; Ecuador (br) [5294]; Nicaragua (br) [1195]; Panama (br) [1195]				
<i>Polyerata boucardi</i> (Mulsant, 1877)	II	B		387, 595, 598
Synonyms: <i>Amazilia boucardi</i> (Mulsant, 1877), <i>Arena boucardi</i> Mulsant, 1877 E: Mangrove Hummingbird, F: Ariane de Boucard, S: Amazilia de manglar Costa Rica (br) [1283, 1311]				
<i>Polyerata fimbriata</i> (Gmelin, 1788)	II	B		1068
Synonyms: <i>Trochilus fimbriatus</i> Gmelin, 1788, <i>Amazilia fimbriata</i> (Gmelin, 1788) E: Glittering-throated Emerald, F: Ariane de Linné, S: Amazilia gorjibrillante, Amazilia listada, Diamante gargantiverde Bolivia (br) [1058, 1186]; Brazil (br) [1252, 1269, 6186, 25280]; Colombia (br) [837]; Ecuador (br) [5294]; French Guiana (br) [463, 1349]; Guyana (br) [1295]; ?Paraguay [5295]; Peru (br) [1136]; Suriname (br) [5296]; Trinidad and Tobago (br) [703]; Venezuela (br) [1070]				
<i>Polyerata lactea</i> (Lesson, 1829)	II	B		1068
Synonyms: <i>Amazilia lactea</i> (Lesson, 1829), <i>Ornismya lactea</i> Lesson, 1832 E: Sapphire-spangled Emerald, F: Ariane saphirine, S: Amazilia zafirina, Diamante pechizafiro Bolivia (br) [1058, 1186]; Brazil (br) [1269, 6186]; Peru (br) [1136]; Venezuela (br) [1070]				
<i>Polyerata luciae</i> (Lawrence, 1867)	II	B		387, 595, 598
Synonyms: <i>Amazilia luciae</i> (Lawrence, 1867), <i>Thaumatias luciae</i> Lawrence, 1867 E: Honduran Emerald, F: Ariane de Lucy, S: Amazilia hondureña, Esmeralda hondureña Honduras (br) [403, 1076, 6231, 6308]				
<i>Polyerata rosenbergi</i> Boucard, 1895	II	B		1068
Synonym: <i>Amazilia rosenbergi</i> (Boucard, 1895)				

E: Purple-chested Hummingbird, F: Ariane de Rosenberg, S: Amazilia de Rosenberg, Amazilia pechimorada
Colombia (br) [837, 6358]; Ecuador (br) [5294]

Polyonymus caroli (Bourcier, 1847) II B LC 595, 1068

Synonym: *Trochilus caroli* Bourcier, 1847

E: Bronze-tailed Comet, F: Colibri de Bourcier, S: Colibrí colibronce
Peru (br) [1136]

Polytmus guainumbi (Pallas, 1764) II B LC 1068

Synonym: *Trochilus guainumbi* Pallas, 1764

E: White-tailed Goldenthroat, F: Colibri guainumbi, S: Colibrí gargantidorado, Colibrí guainumbí, Picaflor coliverde
Argentina (br) [465, 5291, 10249]; Bolivia (br) [1058, 1186]; Brazil (br) [1252, 1269, 6186, 7077]; Colombia (br) [837]; French Guiana (br) [463, 1349]; Guyana (br) [1295, 25537]; Paraguay (br) [5295]; Peru (br) [768, 1136]; Suriname (br) [811, 5296]; Trinidad and Tobago (br) [703, 1331]; Venezuela (br) [1070]

Polytmus milleri (Chapman, 1929) II B LC 1068

Synonym: *Waldronia milleri* Chapman, 1929

E: Tepui Goldenthroat, F: Colibri des tépuis, S: Colibrí de tepui
?Brazil [1269]; Guyana [8615]; Venezuela (br) [1070]

Polytmus theresiae (Da Silva Maia, 1843) II B LC 1068

Synonyms: *Ornismya theresiae* Da Silva Maia, 1843, *Smaragdites theresiae* (Da Silva Maia, 1843)

E: Green-tailed Goldenthroat, F: Colibri tout-vert, S: Colibrí de Teresa, Garganta de oro coliverde
Brazil (br) [1269, 6186]; Colombia (br) [837]; Ecuador (br) [5294]; French Guiana (br); Guyana (br) [1295, 25537]; Peru (br) [1136]; Suriname (br) [811, 5296]; Venezuela (br) [1070]

Pterophanes cyanopterus (Fraser, 1839) II B LC 1068

Synonym: *Trochilus cyanopterus* Fraser, 1840

E: Great Sapphirewing, F: Colibri à ailes saphir, S: Alazafiro grande, Colibrí aliazul
Bolivia (br) [1058, 1186]; Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136]; Venezuela (v) [11378]

Ramphodon naevius (Dumont, 1818) II B NT 595, 1068

Synonym: *Trochilus naevius* Dumont, 1818

E: Saw-billed Hermit, F: Colibri tacheté, S: Ermitaño picosierra
Brazil (br) [6186]

Ramphomicron dorsale Salvin & Godman, 1880 II B LC 1068

E: Black-backed Thornbill, F: Colibri à dos noir, S: Colibri piquicorto dorsinegro
Colombia (br) [837]

Ramphomicron microrhynchum (Boissonneau, 1839) II B LC 1068

Synonym: *Ornismya microrhyncha* Boissonneau, 1839

E: Purple-backed Thornbill, F: Colibri à petit bec, S: Colibrí pico espina, Colibrí piquicorto común, Picoespina dorsipurpura
Bolivia (br) [1058, 1186, 6667, 10290]; Colombia (br) [837]; Ecuador (br) [5294, 6200]; Peru; Venezuela (br) [1070]

Rhodopis vesper (Lesson, 1829) II B LC 1068

Synonym: *Ornismya vesper* Lesson, 1829

E: Oasis Hummingbird, F: Colibri vesper, S: Colibrí del Atacama
Chile (br) [5292]; Peru (br) [1136]

Sappho sparganura (Shaw, 1812) II B LC 1068

Synonym: *Trochilus sparganurus* Shaw, 1812

E: Red-tailed Comet, F: Colibri sappho, S: Colibrí cometa, Picaflor coludo rojo
Argentina (br) [5291, 10249]; Bolivia (br) [1058, 1186]; Chile (br) [751, 5292]; ?Peru (br, v?) [1136]

Saucerottia beryllina (Lichtenstein, 1830) II B 387

Synonyms: *Trochilus beryllinus* Lichtenstein, 1830, *Amazilia beryllina* (Lichtenstein, 1830)

E: Berylline Hummingbird, F: Ariane béril, S: Amazilia berilina, Colibrí de Berilo
El Salvador (br) [5241]; Guatemala (br) [448, 5241]; Honduras (br) [1076]; Mexico (br) [5241]; United States (v) [387, 887]

Saucerottia cupreicauda (Salvin & Godman, 1884)	II	B	
Synonym: <i>Amazilia cupreicauda</i> Salvin & Godman, 1884			
E: Copper-tailed Hummingbird Brazil; Venezuela			
Saucerottia cyanifrons (Bourcier, 1843)	II	B	1068
Synonyms: <i>Trochilus cyanifrons</i> Bourcier, 1843, <i>Amazilia cyanifrons</i> (Bourcier, 1843)			
E: Indigo-capped Hummingbird, F: Ariane à front bleu, S: Amazilia capiazul Colombia (br) [837]; ?Costa Rica (br?) [1283, 1311]			
Saucerottia cyanura (Gould, 1859)	II	B	387
Synonym: <i>Amazilia cyanura</i> Gould, 1859			
E: Blue-tailed Hummingbird, F: Ariane à queue bleue, S: Amazilia coliazul, Colibrí coliazul Costa Rica (v) [1311]; El Salvador (br) [5241]; Guatemala (br) [5241, 10292]; Honduras (br) [1076]; Mexico (br) [5241]; Nicaragua (br) [1195]			
Saucerottia edward (DeLattre & Bourcier, 1846)	II	B	387
Synonyms: <i>Trochilus edward</i> DeLattre & Bourcier, 1846, <i>Amazilia edward</i> (DeLattre & Bourcier, 1846)			
E: Snowy-breasted Hummingbird, F: Ariane d'Edward, S: Amazilia de Edward Costa Rica (br) [1283, 1311]; Panama (br) [1195]			
Saucerottia saucerrottei (DeLattre & Bourcier, 1846)	II	B	387, 1068
Synonyms: <i>Trochilus saucerrottei</i> DeLattre & Bourcier, 1846, <i>Amazilia saucerrottei</i> (DeLattre & Bourcier, 1846)			
E: Blue-vented Hummingbird, Steely-vented Hummingbird, F: Ariane de Sophie, S: Amazilia verdiazul Colombia (br) [837]; Costa Rica (br) [1283, 1311]; ?Ecuador (br) [5294]; Nicaragua (br) [1195]; Venezuela (br) [1070]			
Saucerottia tobaci (Gmelin, 1788)	II	B	1068
Synonyms: <i>Trochilus tobaci</i> Gmelin, 1788, <i>Amazilia tobaci</i> (Gmelin, 1788)			
E: Copper-rumped Hummingbird, F: Ariane de Félicie, S: Amazilia bronceada coliazul, Amazilia de Tobago ?Grenada (br?) [5242]; Trinidad and Tobago (br) [703]; Venezuela (br) [1070]			
Saucerottia viridigaster (Bourcier, 1843)	II	B	1068, 6704
Synonyms: <i>Trochilus viridigaster</i> Bourcier, 1843, <i>Amazilia viridigaster</i> (Bourcier, 1843)			
E: Green-bellied Hummingbird, F: Ariane à ventre vert, S: Amazilia colimorada Colombia (br) [837]; Guyana [25537]; Venezuela (br) [1070, 7076]			
Selasphorus ardens Salvin, 1870	II	B	VU
E: Glow-throated Hummingbird, F: Colibri ardent, S: Colibrí ardiente Panama (br) [1195]			387, 595, 598
Selasphorus flammula Salvin, 1864	II	B	LC
Synonyms: <i>Selasphorus simoni</i> Carriker, 1910, <i>Selasphorus torridus</i> Salvin, 1870			387
E: Cerise-throated Hummingbird, Heliotrope-throated Hummingbird, Volcano Hummingbird, F: Colibri flammule, S: Colibrí volcanero Costa Rica (br) [1283, 1311]; Panama (br) [1195]			
Selasphorus platycercus (Swainson, 1827)	II	B	LC
Synonym: <i>Trochilus platycercus</i> Swainson, 1827			387
E: Broad-tailed Hummingbird, F: Colibri à queue large, S: Colibrí coliancho, Zumbador coliancho Guatemala (br) [5241]; Mexico (br) [5241]; United States (br) [387, 887]			
Selasphorus rufus (Gmelin, 1788)	II	B	LC
Synonym: <i>Trochilus rufus</i> Gmelin, 1788			387
E: Rufous Hummingbird, F: Colibri roux, S: Colibrí rufo, Zumbador rufo Bahamas (v) [5242]; Canada (br) [748, 887]; Mexico (br) [5241]; Saint Pierre and Miquelon (v) [683]; United States (br) [387, 887]			
Selasphorus sasin (Lesson, 1829)	II	B	LC
Synonym: <i>Ornismya sasin</i> Lesson, 1829			387
E: Allen's Hummingbird, F: Colibri d'Allen, S: Colibrí de Allen, Zumbador de Allen ?Canada (v) [748, 887]; Mexico (br) [5241]; United States (br) [387, 887]			

<i>Selasphorus scintilla</i> (Gould, 1851)	II	B	LC	387
Synonym: <i>Trochilus scintilla</i> Gould, 1851				
E: Scintillant Hummingbird, F: Colibri scintillant, S: Colibrí centelleante				
Costa Rica (br) [1283, 1311]; Panama (br) [1195]				
<i>Sephanoides fernandensis</i> (King, 1831)	II	B	CR	495, 514, 589, 595, 598, 1310, 6503
Synonym: <i>Trochilus fernandensis</i> King, 1831				
E: Juan Fernández Firecrown, F: Colibri robinson, S: Colibrí de Juan Fernández				
Chile (br): Juan Fernandez Is				
<i>Sephanoides sephanioides</i> (Lesson, 1827)	II	B	LC	1068
Synonym: <i>Orthorhyncus sephanioides</i> Lesson, 1827				
E: Green-backed Firecrown, F: Colibri du Chili, S: Colibrí austral, Picaflor cabeza granate				
Argentina (br) [5291, 10249]; Chile (br) [5292]; Falkland Islands (Malvinas) (v) [1439]				
<i>Stellula calliope</i> (Gould, 1847)	II	B	LC	387
Synonyms: <i>Archilochus calliope</i> (Gould, 1847), <i>Trochilus calliope</i> Gould, 1847				
E: Calliope Hummingbird, F: Colibri calliope, S: Colibrí calíope				
Canada (br) [748, 887]; Mexico (br) [5241, 7068]; United States (br) [387, 887]				
<i>Stephanoxis lalandi</i> (Vieillot, 1818)	II	B	LC	1068
Synonym: <i>Trochilus lalandi</i> Vieillot, 1818				
E: Plovercrest, F: Colibri de Delalande, S: Colibrí copetón, Picaflor copetón				
Argentina (br) [5291, 10249]; Brazil (br) [1252, 1269, 6186]; Paraguay (br) [5295]				
<i>Sternoclyta cyanopectus</i> (Gould, 1846)	II	B	LC	1068
Synonym: <i>Trochilus cyanopectus</i> Gould, 1846				
E: Violet-chested Hummingbird, F: Colibri à poitrine violette, S: Colibrí pechiazul				
Venezuela (br) [1070]				
<i>Taphrolesbia griseiventris</i>	II	B	EN	595, 598, 1068
(Taczanowski, 1883)				
Synonym: <i>Cyananthus griseiventris</i> Taczanowski, 1883				
E: Grey-bellied Comet, F: Colibri comète, S: Colibrí ventigrís				
Peru (br) [1136]				
<i>Thalurania colombica</i> (Bourcier, 1843)	II	B	LC	387, 1068
Synonyms: <i>Thalurania furcata colombica</i> (Bourcier, 1843), <i>Ornismya colombica</i> Bourcier, 1843				
E: Blue-crowned Woodnymph, F: Dryade couronnée, S: Ninfa coronada, Zafiro coroniazul				
Belize (br) [5241]; Colombia (br) [837]; Costa Rica (br) [1311]; Guatemala (br) [5241]; Honduras (br) [1076];				
Nicaragua (br) [1195]; Panama (br) [1195]; Venezuela (br) [1070]				
<i>Thalurania fannyi</i>	II	B	LC	
(DeLattre & Bourcier, 1846)				
Synonyms: <i>Thalurania furcata fannyi</i> (DeLattre & Bourcier, 1846), <i>Thalurania colombica fannyi</i> (DeLattre & Bourcier, 1846), <i>Trochilus fannyi</i> DeLattre & Bourcier, 1846				
E: Green-crowned Woodnymph, F: Dryade de Fanny, S: Ninfa coronada, Zafiro coroniverde				
Colombia (br) [837]; Ecuador (br) [5294]; Panama (br) [1195]; Peru [8616]				
<i>Thalurania furcata</i> (Gmelin, 1788)	II	B	LC	1068
Synonym: <i>Trochilus furcatus</i> Gmelin, 1788				
E: Fork-tailed Woodnymph, F: Dryade à queue fourchue, S: Picaflor gargantiverde, Tucusito moradito, Zafiro golondrina				
Argentina (br) [465, 5291, 10249]; Bolivia (br) [1058, 1186]; Brazil (br) [1269, 6186, 7122]; Colombia (br) [837];				
Ecuador (br) [5294]; French Guiana (br) [647, 1349]; Guyana (br) [1295, 25537]; Paraguay (br) [5295]; Peru (br) [1136]; Suriname (br) [5296]; ?Trinidad and Tobago (br?) [703]; Venezuela (br) [1070]				
<i>Thalurania glaukopis</i> (Gmelin, 1788)	II	B	LC	1068
Synonym: <i>Trochilus glaukopis</i> Gmelin, 1788				
E: Violet-capped Woodnymph, F: Dryade glaucope, S: Picaflor corona azul, Zafiro capirogado				
Argentina (br) [5291, 10249]; Brazil (br) [1252, 1269, 6186, 6291, 25280]; Paraguay (br) [5295]; ?Uruguay (br) [5287]				

Thalurania ridgwayi Nelson, 1900 II B VU 595, 598, 681
 Synonyms: *Thalurania furcata ridgwayi* Nelson, 1900, *Thalurania colombica ridgwayi* Nelson, 1900
 E: Mexican Woodnymph, F: Dryade du Mexique, S: Nifa mexicana, Zafiro Mexicano
 Mexico (br) [5241]

Thalurania watertonii (Bourcier, 1847) II B NT 1068
 Synonym: *Trochilus watertonii* Bourcier, 1847
 E: Long-tailed Woodnymph, F: Dryade de Waterton, S: Zafiro colilargo
 Brazil (br) [1269, 6186, 7079, 12355, 25280]

Thaumastura cora (Lesson, 1827) II B LC 1068
 Synonym: *Orthorhyncus cora* Lesson, 1827
 E: Peruvian Sheartail, F: Colibri cora, S: Colibrí cora
 Chile [1459, 5292]; Ecuador [10018]; Peru [1136, 12669]

Threnetes niger (Linnaeus, 1758) II B LC 1068, 1226
 Synonyms: *Threnetes cristinae* Ruschi, 1975, *Threnetes loehkeni* Grantsau, 1969, *Threnetes leucurus* (Linnaeus, 1766), *Trochilus niger* Linnaeus, 1758, *Trochilus leucurus* Linnaeus, 1766
 E: Bronze-tailed Barbthroat, Pale-tailed Barbthroat, F: Ermite à queue blanche, S: Barbita colipalida, Garganta lanza coliblanca
 Bolivia (br) [1058, 1186]; Brazil (br) [1269, 6186]; Colombia (br) [837]; Ecuador (br) [5294]; French Guiana (br) [463, 1349]; Guyana (br) [1295, 25537]; Peru (br) [1136]; Suriname (br) [5296]; Venezuela (br) [1070]

Threnetes ruckeri (Bourcier, 1847) II B LC 387, 1068
 Synonym: *Trochilus ruckeri* Bourcier, 1847
 E: Band-tailed Barbthroat, F: Ermite de Rucker, S: Barbita colibandeada, Ermitaño barbudo, Ermitaño barbudo colibandeado, Tucuso de Barba
 Belize (br) [5241]; Colombia (br) [837, 6674]; Costa Rica (br) [1283, 1311]; Ecuador (br) [5294]; Guatemala (br) [5241]; Honduras (br) [1076]; Nicaragua (br) [1195]; Panama (br) [1195]; Venezuela (br) [1070]

Tilmatura dupontii (Lesson, 1832) II B LC 387
 Synonyms: *Ornismya dupontii* Lesson, 1832, *Philodice dupontii* (Lesson, 1832)
 E: Sparkling-tailed Barbthroat, Sparkling-tailed Hummingbird, F: Colibri zémès, S: Colibrí colpinto, Colibrí de Dupont
 ?Costa Rica (br?) [1283, 1311]; El Salvador (br) [5241]; Guatemala (br) [5241]; Honduras (br) [1076, 6231]; Mexico (br) [5241]; Nicaragua (br) [1195]

Topaza pella (Linnaeus, 1758) II B LC 1068
 Synonyms: *Topaza pyra* (Gould, 1846), *Trochilus pella* Linnaeus, 1758, *Trochilus pyra* Gould, 1846
 E: Crimson Topaz, F: Colibri topaze, S: Colibrí topacio, Topacio candela colicanelo, Topacio carmesi
 Brazil (br) [1269, 6186]; Colombia; Ecuador (br) [5294]; French Guiana (br) [464, 1349]; Guyana (br) [1295, 25537]; Peru; Suriname (br) [5296]; Venezuela (br) [1070]

Trochilus polytmus Linnaeus, 1758 II B LC 387, 485, 1245
 E: Streamertail, F: Colibri à tête noire, S: Colibrí portacintas
 Jamaica (br) [657]

Trochilus scitulus Brewster & Bangs, 1901 II B LC
 Synonyms: *Trochilus polytmus scitulus* (Brewster & Bangs, 1901), *Aithurus scitulus* Brewster & Bangs, 1901
 E: Black-billed Streamertail, F: Colibri à bec noir, S: Colibrí portacintas piquinegro
 Jamaica

Urochroa bouguieri (Bourcier, 1851) II B LC 1068
 Synonym: *Trochilus bouguieri* Bourcier, 1851
 E: White-tailed Hillstar, F: Colibri de Bouguer, S: Colibrí de Bouguer, Estrella coliblanca
 Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136, 6854]

Urosticte benjamini (Bourcier, 1851) II B LC 1068
 Synonym: *Trochilus benjamini* Bourcier, 1851
 E: Purple-bibbed Whitetip, F: Colibri de Benjamin, S: Colibrí puntablanca occidental, Punta blanca
 Colombia (br) [706, 837]; Ecuador (br) [5294]; Peru

Urosticte ruficrissa Lawrence, 1864 II B LC 1068
 Synonym: *Urosticte benjamini ruficrissa* Lawrence, 1864
 E: Rufous-vented Whitetip, F: Colibri à sous-caudales rousses, S: Colibrí puntablanca oriental
 Colombia (br) [706, 837]; Ecuador (br) [5294]

Order: TROGONIFORMES
Family: TROGONIDAE

Pharomachrus mocinno de la Llave, 1832 I A NT 387, 595, 931, 1409
 E: Magnificent Quetzal, Resplendent Quetzal, F: Quetzal resplendissant, Trogon couroucou, S: Quetzal,
 Quetzal centroamericano, Quetzal guatimalteco
 Costa Rica (br) [1311]; El Salvador (br) [5241]; Guatemala (br) [5241, 25266, 25656]; Honduras (br) [800, 1076];
 Mexico (br) [5241, 9316]; Nicaragua (br) [1195]; Panama (br) [1195]
 CITES Identification Manual Reference: A-224.001.005.005

Order: CORACIIFORMES
Family: BUCEROTIDAE

Aceros cassidix (Temminck, 1823) II B LC 917, 1169
 Synonyms: *Buceros cassidix* Temminck, 1823, *Rhyticeros cassidix* (Temminck, 1823)
 E: Buton Hornbill, Celebes Hornbill, Greater Sulawesi Hornbill, Knobbed Hornbill, Red-knobbed Hornbill,
 Sulawesi Wrinkled Hornbill, F: Calao à cimier, S: Cálaos grande de Célebes
 Indonesia (br) [393]: Sulawesi
 CITES Identification Manual Reference: A-225.010.001.002

Aceros comatus (Raffles, 1822) II B NT 917, 1169
 Synonyms: *Buceros comatus* Raffles, 1822, *Berenicornis comatus* (Raffles, 1822)
 E: Asian White-crested Hornbill, Long-crested Hornbill, White-crested Hornbill, White-crowned Hornbill,
 F: Calao coiffé, S: Cálaos crestiblanco
 Brunei Darussalam (br); Indonesia (br) [393]: Kalimantan, Sumatera; Malaysia (br) [1289]: Peninsular
 Malaysia, Sabah, Sarawak; Myanmar (br) [1290]; Thailand (br) [487]; Viet Nam (br) [5264]
 CITES Identification Manual Reference: A-225.010.004.003

Aceros corrugatus (Temminck, 1832) II B NT 595, 917, 1168, 1169
 Synonyms: *Buceros corrugatus* Temminck, 1832, *Rhyticeros corrugatus* (Temminck, 1832)
 E: Sunda Wrinkled Hornbill, Wrinkled Hornbill, F: Calao à casque rouge, S: Cálaos arrugado
 Brunei Darussalam (br); Indonesia (br) [393]: Kalimantan, Sumatera; Malaysia (br) [1289]: Peninsular
 Malaysia, Sabah, Sarawak; Singapore (ex); Thailand (br) [487]
 CITES Identification Manual Reference: A-225.010.001.003

Aceros everetti Rothschild, 1897 II B VU 595, 902, 917, 1168,
 1169, 1410
 Synonyms: *Rhytidoceros everetti* Rothschild, 1897, *Rhyticeros everetti* (Rothschild, 1897)
 E: Sumba Hornbill, Sumba Wreathed Hornbill, F: Calao de Sumba, S: Cálaos de la Sumba
 Indonesia (br) [393]: Lesser Sunda Is
 CITES Identification Manual Reference: A-225.010.001.004

Aceros leucocephalus (Vieillot, 1816) II B NT 595, 917, 1169
 Synonyms: *Buceros leucocephalus* Vieillot, 1816, *Rhyticeros leucocephalus* (Vieillot, 1816)
 E: Mindanao Wrinkled Hornbill, White-headed Hornbill, Writhed Hornbill, F: Calao de Vieillot, S: Cálaos
 grande de Mindanao
 Philippines (br) [5270, 10364]
 CITES Identification Manual Reference: A-225.010.001.005a

Aceros narcondami Hume, 1873 II B VU 381, 595, 857, 917, 1168,
 1169
 Synonym: *Rhyticeros narcondami* Hume, 1873
 E: Narcondam Hornbill, F: Calao de Narcondam, S: Cálaos de la Narcondam
 India (br) [1197]: Andaman Is
 CITES Identification Manual Reference: A-225.010.001.006

Aceros nipalensis (Hodgson, 1829) I A VU 381, 595, 917, 929, 1168,
 1169
 Synonym: *Buceros nipalensis* Hodgson, 1829
 E: Rufous-cheeked Hornbill, Rufous-necked Hornbill, F: Calao à cou roux, Calao de montagne, S: Cálaos del
 Nepal

Bangladesh (**ex**, br) [804]; Bhutan (br) [5261, 6478]; China (br) [5293]; India (br) [1197]; Lao People's Democratic Republic (br) [6187]; Myanmar (br) [1290, 7214]; Nepal (**ex?**, br) [865]; Thailand (br) [487, 1220]; Viet Nam (br) [5264]

CITES Identification Manual Reference: A-225.010.001.007

Aceros plicatus (Forster, 1781) II B LC 917, 1169

Synonyms: *Buceros plicatus* J. R. Forster, 1781, *Rhyticeros plicatus* (J. R. Forster, 1781)

E: Kokomo, New Guinea Hornbill, New Guinea Wreathed Hornbill, Papuan Hornbill, Plicated Hornbill, F: Calao papou

Indonesia (br) [393]: Irian Jaya, Moluccas; Papua New Guinea (br); Solomon Islands (br) [5260, 13119]

CITES Identification Manual Reference: A-225.010.001.008a

Aceros subruficollis (Blyth, 1843) I A VU 595, 917, 1168, 1169, 6424

Synonyms: *Buceros subruficollis* Blyth, 1843, *Rhyticeros subruficollis* (Blyth, 1843), *Aceros plicatus subruficollis* (Blyth, 1843)

E: Blyth's Hornbill, Blyth's Wreathed Hornbill, Burmese Hornbill, Plain-pouched Hornbill, Plain-pouched Wreathed Hornbill, F: Calao à gorge claire, Calao à poche unie, S: Cálaõ gorgiclaro

Malaysia [6423]: Peninsular Malaysia; Myanmar (br) [1290]; Thailand (br) [487]

CITES Identification Manual Reference: A-225.010.001.008b

Aceros undulatus (Shaw, 1811) II B LC 917, 1168, 1169

Synonyms: *Buceros undulatus* Shaw, 1811, *Rhyticeros undulatus* (Shaw, 1811)

E: Bar-pouched Wreathed Hornbill, Bar-throated Wreathed Hornbill, Northern Waved Hornbill, Wreathed Hornbill, F: Calao festonné, S: Cálaõ gorginegro

Bangladesh (br) [804]; Bhutan (br) [5261]; Brunei Darussalam (br); Cambodia (br) [5243]; India (br) [1197]; Indonesia (br) [393]: Bali, Jawa, Kalimantan, Sumatera; Lao People's Democratic Republic (br) [6187]; Malaysia (br) [1289]: Peninsular Malaysia, Sabah, Sarawak; Myanmar (br) [1290, 7214]; Thailand (br) [487]; Viet Nam (br) [5264]

CITES Identification Manual Reference: A-225.010.001.009

Aceros waldeni (Sharpe, 1877) II B CR 595, 917, 1169

Synonyms: *Cranorhinus waldeni* Sharpe, 1877, *Rhyticeros leucocephalus waldeni* (Sharpe, 1877), *Aceros leucocephalus waldeni* (Sharpe, 1877)

E: Panay Wrinkled Hornbill, Rufous-headed Hornbill, Visayan Wrinkled Hornbill, Writhed-billed Hornbill, F: Calao de Walden, S: Cálaõ grande de Panay

Philippines (br) [5270]

CITES Identification Manual Reference: A-225.010.001.005b

Anorrhinus galeritus (Temminck, 1831) II B LC 1169

Synonym: *Buceros galeritus* Temminck, 1831

E: Bushy-crested Hornbill, F: Calao largup, S: Cálaõ crestado

Brunei Darussalam (br); Indonesia (br) [393]: Kalimantan, Sumatera; Malaysia (br) [1289]: Peninsular Malaysia, Sabah, Sarawak; Myanmar (br) [1290]; Thailand (br) [487]

CITES Identification Manual Reference: A-225.010.002.001

Anorrhinus tickelli (Blyth, 1855) II B NT 595, 1168, 1169

Synonyms: *Buceros tickelli* Blyth, 1855, *Ptilolaemus tickelli* (Blyth, 1855), *Anorrhinus austeni* Jerdon, 1872

E: Assam Brown-backed Hornbill, Brown Hornbill, Tickell's Brown Hornbill, F: Calao brun, S: Cálaõ pardo de Tickell

Cambodia (br) [5243]; China (br) [5293]; India (br) [1197, 7265]; Lao People's Democratic Republic (br) [6187]; Myanmar (br) [1290]; Thailand (br) [487]; Viet Nam (br) [5264]

CITES Identification Manual Reference: A-225.010.010.001

Anthracoceros albirostris (Shaw & Nodder, 1807) II B LC 917, 1169

Synonyms: *Buceros malabaricus* Gmelin, 1788, *Anthracoceros convexus* Temminck, 1831

E: Indian Pied Hornbill, Malaysian Pied-Hornbill, Northern Pied-Hornbill, Oriental Pied-Hornbill, Sunda Pied Hornbill, F: Calao pie, S: Cálaõ cariblanco

Bangladesh (br) [804]; Bhutan (br) [5261]; Brunei Darussalam (br); Cambodia (br) [5243]; China (br) [5293]; India (br) [1197]; Indonesia (br) [393]: Bali, Jawa, Kalimantan, Sumatera; Lao People's Democratic Republic (br) [6187]; Malaysia (br) [1289]: Peninsular Malaysia, Sabah, Sarawak; Myanmar (br) [1290]; Nepal (br) [865]; Singapore (**ex**, v) [791]; Thailand (br) [487]; Viet Nam (br) [5264]

CITES Identification Manual Reference: A-225.010.003.007

Anthracoboceros coronatus (Boddaert, 1783) II B NT 595, 917, 1169
 Synonyms: *Buceros coronatus* Boddaert, 1783, *Anthracoboceros malabaricus* (Gmelin, 1788)
 E: Malabar Pied-Hornbill, Pied Hornbill, F: Calao de Malabar
 India (br) [1197]; Sri Lanka (br) [5271]
 CITES Identification Manual Reference: A-225.010.003.002

Anthracoboceros malayanus (Raffles, 1822) II B NT 595, 917, 1169
 Synonym: *Buceros malayanus* Raffles, 1822
 E: Asian Black Hornbill, Black Hornbill, Malaysian Black Hornbill, F: Calao charbonnier, S: Cáalo malayo
 Brunei Darussalam (br); Indonesia (br) [393]; Kalimantan, Sumatera; Malaysia (br) [1289]; Peninsular
 Malaysia, Sabah, Sarawak; Thailand (br) [487]; ?Viet Nam (br?) [5264]
 CITES Identification Manual Reference: A-225.010.003.004

Anthracoboceros marchei Oustalet, 1885 II B VU 917, 1169
 E: Palawan Hornbill, F: Calao de Palawan, S: Cáalo de Palawan
 Philippines (br) [5270, 10364]
 CITES Identification Manual Reference: A-225.010.003.005

Anthracoboceros montani (Oustalet, 1880) II B CR 595, 917, 1168, 1169
 Synonym: *Buceros montani* Oustalet, 1880
 E: Sulu Hornbill, F: Calao des Sulu, S: Cáalo de las Sulu
 Philippines (br) [5270, 10364]
 CITES Identification Manual Reference: A-225.010.003.006

Buceros bicornis Linnaeus, 1758 I A NT 381, 917, 929, 1168,
 1169, 1233
 E: Concave-casqued Hornbill, Great Hornbill, Great Indian Hornbill, Great Pied Hornbill, Indian
 Concave-casqued Hornbill, Indian Hornbill, F: Calao bicolore, S: Cáalo bicolore, Cáalo grande
 Bangladesh (br) [804]; Bhutan (br) [5261]; Cambodia (br) [5243, 6475]; China (br) [5293]; India (br) [1197];
 Indonesia (br) [393, 1027]; Sumatera; Lao People's Democratic Republic (br) [6187]; Malaysia (br); Myanmar
 (br) [1290]; Nepal (br) [861, 865]; Singapore (v) [791]; Thailand (br) [487, 1220]; Viet Nam (br) [5264]
 CITES Identification Manual Reference: A-225.010.005.002

Buceros hydrocorax Linnaeus, 1766 II B NT 595, 917, 1169
 E: Rufous Hornbill, F: Calao à casque plat, Calao des Philippines, S: Cáalo filipino grande, Cáalo rojipardo
 Philippines (br) [5270, 10364]
 CITES Identification Manual Reference: A-225.010.005.003

Buceros rhinoceros Linnaeus, 1758 II B NT 917, 929, 1168, 1169
 E: Rhinoceros Hornbill, F: Calao rhinocéros, S: Cáalo rinoceronte
 Brunei Darussalam (br); Indonesia (br) [393, 1289]; Jawa, Kalimantan, Sumatera; Malaysia (br): Peninsular
 Malaysia, Sabah, Sarawak; Singapore (ex, br) [791]; Thailand (br) [487, 1220]
 CITES Identification Manual Reference: A-225.010.005.004

Buceros vigil J. R. Forster, 1781 I A 595, 917, 929, 1168,
 1169
 Synonym: *Rhinoplax vigil* (J. R. Forster, 1781)
 E: Helmeted Hornbill, F: Calao à casque, Calao à casque rond, S: Cáalo de casco, Cáalo de Yelmo
 Brunei Darussalam (br); Indonesia (br) [393, 844]; Kalimantan, Sumatera; Malaysia (br) [1289]; Peninsular
 Malaysia, Sabah, Sarawak; Myanmar (br) [1290]; Singapore (ex); Thailand (br) [487, 1220]
 CITES Identification Manual Reference: A-225.010.011.001

Penelopides affinis Tweeddale, 1877 II B LC 595, 917, 1169
 Synonym: *Penelopides panini affinis* Tweeddale, 1877
 E: Mindanao Hornbill, Mindanao Tarictic Hornbill, F: Calao de Mindanao, S: Cáalo chico de Mindanao
 Philippines (br) [5270]
 CITES Identification Manual Reference: A-225.010.009.003b

Penelopides exarhatus (Temminck, 1823) II B LC 917, 1169
 Synonym: *Buceros exarhatus* Temminck, 1823

E: Celebes Hornbill, Celebes Tarictic Hornbill, Sulawesi Dwarf Hornbill, Sulawesi Hornbill, Sulawesi Tarictic Hornbill, F: Calao des Célebes, Calaos à canelure des Célèbes, S: Cálcio chico de Célebes Indonesia (br) [393]: Sulawesi

CITES Identification Manual Reference:

A-225.010.009.002

Penelopides manillae (Boddaert, 1783) II B LC 595, 917, 1169

Synonyms: *Buceros manillae* Boddaert, 1783, *Penelopides panini manillae* (Boddaert, 1783)

E: Luzon Hornbill, Luzon Tarictic Hornbill, F: Calao de Manille, S: Cálcio chico de Luzón Philippines (br) [5270]

CITES Identification Manual Reference:

A-225.010.009.003d

Penelopides mindorensis Steere, 1890 II B EN 595, 917, 1169

E: Mindoro Hornbill, F: Calao de Mindoro, S: Cálcio chico de Mindoro Philippines (br) [5270]

CITES Identification Manual Reference:

A-225.010.009.003e

Penelopides panini (Boddaert, 1783) II B EN 595, 917, 1169

Synonym: *Buceros panini* Boddaert, 1783

E: Panay Tarictic Hornbill, Tarictic Hornbill, Visayan Hornbill, F: Calao tarictic, S: Cálcio chico de Panay Philippines (br) [5270]

CITES Identification Manual Reference:

A-225.010.009.003a

Penelopides samarensis Steere, 1890 II B LC 595, 917, 1169

Synonym: *Penelopides panini samarensis* Steere, 1890

E: Samar Hornbill, Samar Tarictic Hornbill, F: Calao de Samar Philippines (br) [5270]

CITES Identification Manual Reference:

A-225.010.009.003c

Order: PICIFORMES
Family: CAPITONIDAE

Semnornis ramphastinus (Jardine, 1855) III CO B NT 595, 598, 931, 1068

E: Toucan Barbet, F: Cabézon toucan, Caebézon toucan, Toucan barbet, S: Cabezón tucán Colombia (br) [837, 6730, 10120]; Ecuador (br) [5294, 12077]

Family: RAMPHASTIDAE

Baillonius bailloni (Vieillot, 1819) III AR B NT 595, 1068

Synonyms: *Andigena bailloni* Vieillot, 1819, *Ramphastos bailloni* Vieillot, 1819

E: Saffron Toucanet, F: Toucan de Baillon, S: Arasarí banana Argentina (br) [465, 5291, 10249]; Brazil (br) [1268, 6186]; Paraguay (br) [1068, 5295]

Pteroglossus aracari (Linnaeus, 1758) II B LC 1068

Synonym: *Ramphastos aracari* Linnaeus, 1758

E: Black-necked Aracari, F: Araçari à cou noir, Araçari grigri, S: Arasarí cuellinegro, Tilingo cuellinegro Brazil (br) [1068, 6186, 25280]; French Guiana (br) [1349]; Guyana (br) [1295, 25537]; Suriname (br) [5296]; Venezuela (br) [1070]

Pteroglossus castanotis Gould, 1834 III AR B LC 1068

E: Chestnut-eared Aracari, F: Araçari à oreillons roux, S: Arasarí caripardo, Arasarí orejicastaño, Tucán tilingo, Tucán-Tilingo verde Argentina (br) [5291, 10249]; Bolivia (br) [1186]; Brazil (br) [1068, 6186]; Colombia (br) [837]; Ecuador (br) [5294]; Paraguay (br) [1068, 5295]; Peru (br) [1136]

Pteroglossus viridis (Linnaeus, 1766) II B LC 1068

Synonym: *Ramphastos viridis* Linnaeus, 1766

E: Green Aracari, F: Araçari vert, S: Arasarí verde, Tilingo limón Brazil (br) [1068, 6186]; French Guiana (br) [1349]; Guyana (br) [1295, 25537]; Suriname (br) [5296]; Venezuela (br) [1070]

Ramphastos dicolorus Linnaeus, 1766 III AR B LC

E: Red-breasted Toucan, F: Toucan à ventre rouge, S: Tucán bicolor, Tucán rojo y amarillo, Tucán verde
Argentina (br) [5291, 10249]; Brazil (br) [1068, 6186, 6892]; Paraguay (br) [5295]

Ramphastos sulfuratus Lesson, 1830 II B LC 387, 1068
E: Keel-billed Toucan, F: Toucan à carène, S: Piapoco pico verde, Tucán pico-multicolor, Tucán piquiverde
Belize (br) [5241]; Colombia (br) [837, 11374]; Costa Rica (br) [1311]; Guatemala (br) [5241]; Honduras (br)
[1076]; Mexico (br) [5241]; Nicaragua (br) [1195]; Panama (br) [1195]; Venezuela (br) [1070]

Ramphastos toco P. L. S. Müller, 1776 II B LC 1068
E: Toco Toucan, F: Toucan toco, S: Tucán de pico verde, Tucán grande, Tucán toco
Argentina (br) [465, 5291, 10249, 25655]; Bolivia (br) [1186, 7092]; Brazil (br) [1068, 6186]; French Guiana (br)
[1349]; Guyana (br) [1295, 25537]; Paraguay (br) [1068, 5295]; Peru (br) [1136]; Suriname (br) [5296]

Ramphastos tucanus Linnaeus, 1758 II B LC 1068
Synonym: *Ramphastos inca* Gould, 1846
E: Red-billed Toucan, F: Toucan à bec rouge, S: Piapoco pico rojo, Tucán pechiblanco
Brazil (br) [1068, 6186]; Colombia (br) [837]; French Guiana (br) [1349]; Guyana (br) [1295, 25537]; Suriname
(br) [5296]; Venezuela (br) [1070]

Ramphastos vitellinus Lichtenstein, 1823 II B LC 1068
Synonym: *Ramphastos aurantiirostris* Hartert, 1925
E: Channel-billed Toucan, F: Toucan à gorge jaune et blanche, Toucan ariel, S: Diostedé pico acanelado,
Tucán picoacanalado, Tucán piquirrojo
Brazil (br) [6186, 25280]; French Guiana (br) [1349]; Guyana (br) [1295, 25537]; Suriname (br) [5296];
Venezuela (br) [1070]

Selenidera maculirostris (Lichtenstein, 1823) III AR B LC 1068
Synonym: *Pteroglossus maculirostris* Lichtenstein, 1823
E: Spot-billed Toucanet, F: Toucanet à bec tacheté, S: Tucán de pico acanalado, Tucancito picomaculado,
Tucanete piquimaculado
Argentina (br) [465, 5291, 10249]; Bolivia [1186, 6372]; Brazil (br) [1068, 6186, 25280]; Paraguay (br) [5295]

Family: PICIDAE

Campephilus imperialis (Gould, 1832) I A CR 387, 595, 598, 931, 1266
E: Imperial Woodpecker, F: Pic impérial, S: Carpintero gigante, Pito imperial, Pitorreal ocotero
Mexico (br) [5241]

Dryocopus javensis (Horsfield, 1821) I/NC A/NR LC
E: White-bellied Woodpecker, F: Pic à ventre blanc
Brunei Darussalam; Cambodia (br) [5243]; China (br) [5293]; Democratic People's Republic of Korea (br)
[7683, 7684]; India (br) [1197]; Indonesia (br) [393]; Bali (br), Jawa (br), Kalimantan (br), Sumatera (br);
Japan (br) [503]; Korea, Republic of (br) [1436]; Lao People's Democratic Republic (br) [6187]; Malaysia (br);
Peninsular Malaysia, Sabah, Sarawak; Myanmar (br) [1290]; Philippines (br) [5270]; Singapore (br); Thailand
(br) [487]; Viet Nam (br) [5264]

Non-CITES populations LC
Indonesia (br): Bali (br), Jawa (br), Kalimantan (br), Sumatera (br); Lao People's Democratic Republic (br);
Malaysia (br): Peninsular Malaysia (br), Sabah (br), Sarawak (br); Myanmar (br); Philippines (br);
Singapore (br); Thailand (br); Viet Nam (br)

Dryocopus javensis richardsi Tristram, 1879 I A 931, 1266
E: Tristram's Woodpecker, F: Pic à ventre blanc de Corée, Pic de Tristram, S: Pito de vientre blanco de
Corea, Pito ventriblanco de Corea
Democratic People's Republic of Korea (br) [7683, 7684]; Japan (ex?, br) [503]; Korea, Republic of (ex?, br)
[1436]

Order: PASSERIFORMES Family: COTINGIDAE

Cephalopterus ornatus

<i>Cephalopterus ornatus</i>		III CO	C	LC	1068, 1294
Geoffroy Saint-Hilaire, 1809					
E: Amazonian Umbrellabird, Ornate Umbrellabird, F: Coracine ornée, S: Pájaro-paraguas amazónico, Pájaros paraguas					
Bolivia (br) [1186]; Brazil (br) [1068, 6186]; Colombia (br) [837]; Ecuador (br) [5294]; Guyana (br) [1295, 25537]; Peru (br) [1136, 1257]; Suriname (br) [5296]; Venezuela (br) [1070]					
<i>Cephalopterus penduliger</i> Sclater, 1859		III CO	C	VU	595, 931, 1068, 1294
E: Long-wattled Umbrellabird, F: Coracine casquée, S: Pájaro paraguas bigotudo, Pájaro-paraguas longuipendulo					
Colombia (br) [837, 6730]; Ecuador (br) [5294, 6685]					
<i>Cotinga maculata</i> (Müller, 1776)	I	A	EN	595, 598, 931, 1068, 1294	
E: Banded Cotinga, Spotted Cotinga, F: Cotinga à bandeau, Cotinga cordonbleu, Cotinga maculé, S: Cotinga de corbata, Cotinga manchado					
Brazil (br) [1252, 6186]					
<i>Procnias nudicollis</i> (Vieillot, 1817)	D		VU		
E: Bare-throated Bellbird, F: Araponga à gorge nue					
Argentina (br) [5291, 10249]; Brazil (br) [6186]; Paraguay (br) [5295]					
<i>Rupicola peruviana</i> (Latham, 1790)	II	B	LC	1068, 1294	
E: Andean Cock-of-the-rock, Peruvian Cock-of-the-rock, Red Cock-of-the-rock, Scarlet Cock-of-the-rock, F: Coq-de-roche péruvien, S: Gallito de las sierras, Gallito de roca peruano, Tunqui					
Bolivia (br) [1186]; Colombia (br) [837]; Ecuador (br) [5294]; Peru (br) [1136]; Venezuela (br) [1070, 11385]					
<i>Rupicola rupicola</i> (Linnaeus, 1766)	II	B	LC	1068, 1294	
E: Common Cock-of-the-Rock, Guianan Cock-of-the-rock, Orange Cock-of-the-rock, Smaller Cock-of-the-rock, F: Coq-de-roche de Guyane, Coq-de-roche orange, S: Gallito de las rocas, Gallito de roca anaranjado					
Brazil (br) [1068, 6186]; Colombia (br) [837]; French Guiana (br) [1349]; Guyana (br) [1295, 25537]; Suriname (br) [5296]; Venezuela (br) [1070, 7076]					
<i>Xipholena atropurpurea</i> (Wied, 1820)	I	A	EN	595, 598, 931, 1068, 1294	
E: White-winged Cotinga, F: Cotinga à ailes blanches, Cotinga porphyron, S: Cotinga aliblanca					
Brazil (br) [1068, 6186, 11383]					
Family:	PITTIDAE				
<i>Pitta guajana</i> (Müller, 1776)	II	B	LC	929	
E: Banded Pitta, Blue-tailed Pitta, F: Brève à queue bleue, Brève azurine, S: Pita barrada, Pita coliazul, Pita rayada					
Brunei Darussalam (br) [1019]; Indonesia (br) [393]; Bali, Jawa, Kalimantan, Sumatera; Malaysia (br) [1289]; Peninsular Malaysia, Sabah, Sarawak; Thailand (br) [487, 1220]					
CITES Identification Manual Reference:	A-227.012.001.012				
<i>Pitta gurneyi</i> Hume, 1875	I	A	CR	595, 599, 929, 931	
E: Black-breasted Pitta, Gurney's Pitta, F: Brève de Gurney, S: Pita de Gurney					
Myanmar (ex?, br) [1290]; Thailand (br) [377, 487, 778, 780, 1220, 1221]					
CITES Identification Manual Reference:	A-227.012.001.013				
<i>Pitta kochi</i> Brüggemann, 1876	I	A	VU	595, 884	
E: Koch's Pitta, Whiskered Pitta, F: Brève de Koch, S: Pita de Koch, Pita de Luzón					
Philippines (br) [5270]					
<i>Pitta nipalensis</i> (Hodgson, 1837)	D		LC		
E: Blue-naped Pitta, F: Brève à nuque bleue, S: Pita Nuquiazul					
Bangladesh (br) [804]; Bhutan (br) [5261]; China (v) [5293]; India (br) [1197]; Lao People's Democratic Republic (br) [6187]; Myanmar (br) [1290, 7214]; Nepal (br) [865]; Viet Nam (br) [5264]					
<i>Pitta nymphula</i> Temminck & Schlegel, 1850	II	B	VU	595, 929	
Synonym: <i>Pitta brachyura nymphula</i> Temminck & Schlegel, 1850					

E: Fairy Pitta, F: Brève du Japon, Brève migratrice, S: Pita ninfa, Pita nympha
 Brunei Darussalam (v); China (br) [1051, 5293]; Democratic People's Republic of Korea (br?) [762, 7683]; Hong Kong, China (v); Indonesia [393, 1051]: Kalimantan; Japan (br) [503, 1051]; Korea, Republic of (br) [1051, 1436]; Malaysia [1051, 1289]: Sabah, Sarawak; Taiwan, Province of China (br); Viet Nam [5264]

Pitta steerii (Sharpe, 1876)

D VU
 E: Azure-breasted Pitta, Steere's Pitta, F: Azurebreasted pitta, Brève de Steere, S: Pita de Mindanao
 Philippines (br) [5270]

Family: ATRICHORNITHIDAE**Atrichornis clamosus** (Gould, 1844)

I A VU 595, 626, 931, 1287
 E: Noisy Scrub-bird, Western Scrub-bird, F: Atrichorne bruyant, Oiseau bruyant des buissons, S: Corredor chillón, Pájaro de los matorrales
 Australia (br) [477]

Family: HIRUNDINIDAE**Pseudochelidon sirintarae** Kitti, 1968

I A 595, 929, 931, 1353,
 7419

Synonym: *Eurychelidon sirintarae* (Kitti, 1968)
 E: White-eyed River-Martin, White-eyed River-martin, F: Hirondelle à lunettes, Pseudolangrayen d'Asie,
 S: Golondrina de anteojos
 Thailand (ex?, br?) [487, 1111, 1220, 1302]

Family: PYCNONOTIDAE**Pycnonotus zeylanicus** (Gmelin, 1789)

II B VU

E: Straw-crowned Bulbul, Straw-headed Bulbul, F: Bulbul à tête jaune, S: Bulbul bigotudo
 Brunei Darussalam (br); Indonesia (br) [393]: Jawa (ex, br), Kalimantan, Sumatera; Malaysia (br):
 Peninsular Malaysia, Sabah, Sarawak; Myanmar (ex, br) [1290]; Singapore (br) [791]; Thailand (ex, br)
 [487]

Family: BOMBYCILLIDAE**Bombycilla japonica** (Siebold, 1824)

D NT

E: Japanese Waxwing, F: Jaseur du Japon
 China (br) [5293]; Democratic People's Republic of Korea [7683]; Hong Kong, China (v); Japan [503]; Korea, Republic of [1436]; Russian Federation (br) [710]; Taiwan, Province of China

Family: MUSCICAPIDAE**Bebrornis rodericanus** (Newton, 1865)

III MU A 595, 597, 7810

Synonym: *Acrocephalus rodericanus* (Newton, 1865)
 E: Rodrigues Brush-Warbler, Rodrigues Warbler, F: Rousserolle de Rodriguez
 Mauritius (br) [659]: Rodrigues

Cochoa azurea (Temminck, 1824)

D VU

E: Javan Cochoa, F: Cochoa azuré
 Indonesia (br) [393]: Jawa

Cochoa purpurea Hodgson, 1836

D LC

E: Purple Cochoa, F: Cochoa pourpré
 Bhutan [5261]; China [5293]; India [1197]; Lao People's Democratic Republic [6187]; Myanmar [1290]; Nepal [865]; Thailand [487]; Viet Nam [5264]

Cyornis ruckii (Oustalet, 1881)

II B CR 595

Synonyms: *Niltava ruecki* (Oustalet, 1881), *Muscicapa ruecki* (Oustalet, 1881)
 E: Rueck's Blue-Flycatcher, Rueck's Blue-flycatcher, Rueck's Niltava, F: Gobemouche bleu de Rueck,
 Gobemouche de Rueck, S: Papamoscas de Rueck
 Indonesia (br) [393, 1027]: Sumatera; ?Malaysia (br?)

Dasyornis broadbenti (McCoy, 1867) E: Rufous Bristlebird, F: Dasyorne roux Australia (br) [477, 12370]: South Australia, Victoria, Western Australia	I/NC	A/NR	LC
Non-CITES populations Australia			LC
Dasyornis broadbenti litoralis (Milligan, 1902) E: Lesser Rufous Bristlebird, Rufous-headed Bristlebird, Western Rufous Bristlebird, F: Dasyornerousse de l'ouest, Fauvette rousse de l'Ouest, S: Curruca bigotuda rojiza, Papamoscas rosa occidental Australia (br) [477]: Western Australia	I	A	595, 931, 1132
Dasyornis longirostris Gould, 1841 Synonym: <i>Dasyornis brachypterus longirostris</i> Gould, 1841 E: Long-billed Bristlebird, Western Bristlebird, F: Dasyorne à long bec, Fauvette à long bec, Fauvette brune à long bec, Malure occidental, S: Curruca bigotuda piquilarga, Papamoscas piquilargo Australia (br) [477]	I	A	VU 595, 931, 1047
Garrulax canorus (Linnaeus, 1758) E: Hwamei, Melodious Laughingthrush, F: Garrulaxe hoamy China (br) [5293]; Lao People's Democratic Republic (br) [6187]; Taiwan, Province of China (br); United States (int) [387]; Hawaiian Is [1171]; Viet Nam (br) [5264]	II	B	LC
Garrulax formosus (Verreaux, 1869) E: Red-winged Laughingthrush, F: Garrulaxe élégant China [5293]; Viet Nam [5264]	D		LC
Garrulax galbanus Godwin-Austen, 1874 E: Yellow-throated Laughingthrush, F: Garrulaxe à gorge jaune Bangladesh [804]; China [5293]; India [1197]; Myanmar [1290]	D		LC
Garrulax milnei (David, 1874) E: Red-tailed Laughingthrush, F: Garrulaxe à queue rouge China [5293]; Lao People's Democratic Republic [6187]; Myanmar [1290]; Thailand [487]; Viet Nam [5264]	D		LC
Leiothrix argentauris (Hodgson, 1837) E: Silver-eared Mesia, F: Léiothrix à joues argent, Mésia , S: Mesía Bangladesh (ex, br) [804]; Bhutan (br) [5261]; Cambodia (br) [5243, 6485]; China (br) [5293]; India (br) [1197]; Indonesia (br) [393]; Sumatera; Lao People's Democratic Republic (br) [6187]; Malaysia (br); Myanmar (br) [1290]; Thailand (br) [487]; Viet Nam (br) [5264]	II	B	LC
Leiothrix lutea (Scopoli, 1786) E: Red-billed Leiothrix, Red-billed Mesia, F: Léiothrix jaune, S: Ruiseñor del bambú Bhutan (br) [5261]; China (br) [5293]; India (br) [1197]; Myanmar (br) [1290]; Nepal (br) [865]; Pakistan (v); Réunion (int, br) [6913]; United States (br) [387]; Viet Nam (br) [5264]	II	B	LC
Liocichla omeiensis Riley, 1926 E: Emei Shan Liocichla, Mount Omei Liocichla, Omei Shan Liocichla, F: Garrulaxe de l'OMEI, S: Liocicla del Monte Omei China (br) [5293]	II	B	VU
Niltava davidi La Touche, 1907 E: Fujian Niltava, F: Gobemouche de David Cambodia [7416]; China [5293]; Hong Kong, China; Lao People's Democratic Republic [6187]; Thailand (v) [487]; Viet Nam [5264]	D		LC
Picathartes gymnocephalus (Temminck, 1825) E: Bare-headed Rockfowl, White-necked Picathartes, White-necked Rockfowl, Yellow-headed Rockfowl, F: Picatharte à cou blanc, Picatharte chauve, Picatharte de Guinée, S: Cuervo calvo de cuello blanco, Picatartes cuelliblanco Côte d'Ivoire (br) [404, 1334]; Ghana (br) [782, 12671]; Guinea (br) [6276, 11455, 11457]; Liberia (br) [600, 5246]; Sierra Leone (br) [659, 1342]	I	A	VU 566, 595, 597, 792, 1256, 1341

CITES Identification Manual Reference:

A-227.031.110.002

Picathartes oreas Reichenow, 1899	I	A	VU	595, 597, 792, 1256
E: Grey-necked Picathartes, Grey-necked Rockfowl, Red-headed Rockfowl, F: Picatharte à cou gris, Picatharte à tête rouge, Picatharte du Cameroun, S: Cuervo calvo de cuello gris, Picatartes cuelligris Cameroon (br) [659, 25374, 25376]; Equatorial Guinea (br) [659]: Equatorial Guinea, Bioko; Gabon (br) [518, 519, 659]; Nigeria (br) [428]				
CITES Identification Manual Reference:	A-227.031.110.003			

Stachyris whiteheadi (Ogilvie-Grant, 1894)	D	LC
E: Chestnut-faced Babbler, F: Timalie de Whitehead Philippines (br) [5270]		

Swynnertonia swynnertoni (Shelley, 1906)	D	VU
Synonym: <i>Pogonocichla swynnertoni</i> (Shelley, 1906)		
E: Swynnerton's Forest Robin, Swynnerton's Robin, F: Rougegorge de Swynnerton Mozambique (br) [659]; United Republic of Tanzania (br) [659]; Zimbabwe (br) [659]		

Terpsiphone bourbonnensis (Müller, 1776)	III MU	C	LC	931
Synonym: <i>Tchitreia bourbonnensis</i> (Müller, 1776)				
E: Mascarene Paradise-Flycatcher, F: Coq de Bois, Tchitrec des Mascareignes Mauritius (br) [659]; Réunion (br) [1303]				

Turdus dissimilis Blyth, 1847	D	LC
E: Black-breasted Thrush, F: Merle à poitrine noire Bangladesh [804]; China [5293]; India [1197]; Lao People's Democratic Republic [6187]; Myanmar [1290, 7214]; Thailand [487]; Viet Nam [5264]		

Family: SITTIDAE

Sitta magna Ramsay, 1876	D	VU
E: Giant Nuthatch, F: Sittelle géante, Sittelle géante China (br) [5293]; Myanmar (br) [1290]; Thailand (br) [487]		

Sitta yunnanensis Ogilvie-Grant, 1900	D	NT
E: Black-masked Nuthatch, Yunnan Nuthatch, F: Sittelle du Yunnan China (br) [5293]		

Family: NECTARINIIDAE

Anthreptes pallidigaster	B	EN
Sclater & Moreau, 1935		
Synonym: <i>Hedydipna pallidigaster</i> (Sclater & Moreau, 1935)		
E: Amani Sunbird, F: Souimanga d'Amani Kenya (br) [5253]; United Republic of Tanzania (br) [659]		

Anthreptes rubritorques Reichenow, 1905	B	VU
Synonym: <i>Anthreptes rectirostris rubritorques</i> Reichenow, 1905		
E: Banded Sunbird, Grey-chinned Sunbird, F: Souimanga à col rouge United Republic of Tanzania (br) [659]		

Family: ZOSTEROPIDAE

Zosterops albogularis Gould, 1837	I	A	CR	595, 896, 931, 1216
E: White-breasted Silvereye, White-breasted White-eye, White-chested White-eye, F: Zostérops à gorge blanche de l'île de Norfolk, Zostérops à poitrine blanche, Zostérops de l'île de Norfolk, S: Ave de anteojos de pecho blanco, Gafudo gorgiblanco Norfolk Island (br)				

Family: MELIPHAGIDAE

Lichenostomus melanops (Latham, 1802)	I/NC	A/NR	LC	
E: Yellow-tufted Honeyeater, F: Méliophage cornu				

E: Yellow-tufted Honeyeater, F: Méliphage cornu
 Australia (br) [477]: New South Wales, Queensland, Victoria

Non-CITES populations LC
 Australia

Lichenostomus melanops cassidix I A 931
 (Gould, 1867)
 Synonyms: *Lichenostomus cassidix* (Latham, 1802), *Meliphaga cassidix* (Latham, 1802)
 E: Helmeted Honeyeater, F: Méliphage casqué, S: Melero de casco, Melífago de casco
 Australia (br) [477]: Victoria

Family: EMBERIZIDAE

Dacnis nigripes Pelzeln, 1856 D NT
 E: Black-legged Dacnis, F: Dacnis à pattes noires
 Brazil (br) [6186]

Gubernatrix cristata Vieillot, 1817 II B EN 595, 598, 1068, 1211
 E: Yellow Cardinal, F: Cardinal vert, Commandeur huppé, S: Cardenal amarillo
 Argentina (br) [465, 5291, 10249]; Brazil (br) [6186]; ?Paraguay [5295]; Uruguay (br) [5287]
 CITES Identification Manual Reference: A-227.043.025.001

Paroaria capitata II B LC 1068
 d'Orbigny & Lafresnaye, 1837
 E: Yellow-billed Cardinal, F: Paroare à bec jaune, Paroare cardinal à bec jaune, S: Cardenal cabecirrojo
 Argentina (br) [5291, 10249]; Bolivia (br) [1186]; Brazil (br) [6186, 7077, 7118]; Paraguay (br) [1068, 5295]; United States (int, br) [387]; ?Uruguay [5287]

Paroaria coronata (Miller, 1776) II B LC 1068
 E: Red-crested Cardinal, F: Cardinal gris, Paroare huppé, S: Cardenal copetón
 Argentina (br) [5291, 10249]; Bolivia (br) [1186]; Brazil (br) [6186]; Paraguay (br) [1068, 5295]; United States (int, br) [387]; Uruguay (br) [5287]

Sporophila falcirostris (Temminck, 1820) D VU
 E: Temminck's Seedeater, F: Sporophile de Temminck
 Argentina (br) [5291, 10249]; Brazil (br) [6186]; Paraguay (br) [5295, 6321, 6927]

Sporophila frontalis (Verreaux, 1869) D VU
 E: Buffy-fronted Seedeater, Buffy-throated Seedeater, F: Sporophile à front blanc
 ?Argentina [10249]; Brazil (br) [6186]; Paraguay (br) [5295]

Sporophila hypochroma Todd, 1915 D NT
 E: Grey-and-chestnut Seedeater, Rufous-rumped Seedeater, F: Sporophile à croupion roux
 Argentina (br) [5291, 10249]; Bolivia (br) [1186, 5116]; Brazil (br) [6186, 25271]; Paraguay (br) [5295, 6927]

Sporophila palustris (Barrows, 1883) D EN
 E: Marsh Seedeater, F: Sporophile des marais, S: Capuchino pecho blanco
 Argentina (br) [5291, 10249]; Brazil (br) [6186, 7118]; Paraguay (br?) [5295, 6927]; Uruguay (br) [5287]

Tangara fastuosa Lesson, 1831 II B VU
 E: Seven-colored Tanager, F: Calliste superbe, S: Tángara fastuosa
 Brazil (br) [6186, 11383]

Family: ICTERIDAE

Agelaius flavus (Gmelin, 1788) I A 595, 598, 1068
 Synonyms: *Icterus xantholaemus* Gil Lletget, 1918, *Xanthopsar flavus* (Gmelin, 1788)
 E: Saffron-cowled Blackbird, F: Carouge safran, Ictéride à tête jaune, S: Dragón, Mirlo americano
 pechiamarillo, Tordo amarillo, Tordo de cabeza amarilla
 Argentina (br) [465, 716, 5291, 10249]; Brazil (br) [6186]; Paraguay (br) [5295, 6932]; Uruguay (br) [5287]
 CITES Identification Manual Reference: A-227.047.022.001

<i>Sturnella militaris</i> (Linnaeus, 1771)	D	LC	
Synonym: <i>Sturnella defilippii</i> (Bonaparte, 1851) E: Lesser Red-breasted Meadowlark, Pampas Meadowlark, F: Sturnelle des pampas Argentina (br) [5291, 10249, 12699]; ?Brazil (br) [6186]; ?Uruguay (br) [5287, 25537]			
Family: FRINGILLIDAE			
<i>Carduelis ambigua</i> (Oustalet, 1896)	D	LC	
E: Black-headed Greenfinch, F: Verdier d'Oustalet China [5293]; Lao People's Democratic Republic [6187]; Myanmar [1290]; Thailand [487]; Viet Nam [5264]			
<i>Carduelis atrata</i>	D	LC	
Lafresnaye & d'Orbigny, 1837 Synonym: <i>Spinus atratus</i> (Lafresnaye & d'Orbigny, 1837) E: Black Siskin, F: Chardonneret noir Argentina (br) [5291, 10249]; Bolivia [1186]; Chile [5292]; Peru [1136]			
<i>Carduelis cucullata</i> Swainson, 1820	I	A EN	387, 587, 595, 598, 718, 766, 767, 931, 1068, 1174, 3746
Synonym: <i>Spinus cucullatus</i> (Swainson, 1820) E: Red Siskin, F: Chardonneret rouge, Tarin rouge du Venezuela, Tatin rouge du Venezuela, S: Cardenalito, Jilguero rojo, Lúgano cardenalito, Lúgano encapuchado Colombia (br) [837]; Guyana (br) [12399]; Puerto Rico (int, br) [1175, 1176]; Trinidad and Tobago (ex , int, br?) [703]; Venezuela (br) [584, 1070]			
CITES Identification Manual Reference:	A-227.048.004.009		
<i>Carduelis yarrellii</i> (Audubon, 1839)	II	B VU	595, 598, 1068
Synonym: <i>Spinus yarrellii</i> (Audubon, 1839) E: Yellow-faced Siskin, F: Chardonneret de Yarrell, Tarin de Yarell, Tatin de Yarrell, S: Jilguero cara amarilla, Jilguero de Yarrell, Lúgano de Yarrell Brazil (br) [6186, 11383]; ?Guyana [10021]; Venezuela (br) [1070]			
CITES Identification Manual Reference:	A-227.048.004.025		
<i>Carpodacus roborowskii</i> (Przewalski, 1887)	D	LC	
E: Tibetan Rosefinch, F: Roselin de Roborowski China (br) [5293]			
<i>Pyrrhula erythaca</i> Blyth, 1862	D	LC	
E: Grey-headed Bullfinch, F: Bouvreuil à tête grise Bhutan [5261]; China [5293]; India [1197]; Myanmar [1290]; Nepal (v) [865]; Taiwan, Province of China			
<i>Serinus canicapillus</i> (Du Bus, 1855)	III GH	C	511, 573, 792, 1256, 7806
Synonym: <i>Serinus gularis canicapillus</i> (Du Bus, 1855) E: West African Seedeater, West African Streaky-headed Seedeater, F: Serin gris à tête blanche, Serin ouest-africain, S: Serín mofletudo Benin (br?) [659]; Burkina Faso (br?) [659]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br); Ghana (br?) [782]; Guinea (br) [659, 1389]; Mali (br?) [659]; Niger (br?) [659]; Nigeria (br); Sierra Leone (br?) [659]; Sudan (br?) [659]; Togo (br) [570, 5254]; Uganda (br?) [659]			
CITES Identification Manual Reference:	A-227.048.018.016b		
<i>Serinus canicollis</i> (Swainson, 1838)	D	LC	
E: Cape Canary, F: Serin du Cap Angola [5267]; Burundi [659]; Democratic Republic of the Congo; Eritrea [659]; Ethiopia [659]; Kenya [5253]; Lesotho (br) [486]; Malawi [1103]; Mozambique [659]; Réunion (int, br) [1303]; Rwanda [659]; South Africa [659]; Sudan [659]; Swaziland (br) [1139]; Uganda [659]; United Republic of Tanzania [659]; Zambia [659]; Zimbabwe [659]			
<i>Serinus hypostictus</i> (Reichenow, 1904)	D	LC	
E: East African Citril, F: Serin est-africain Kenya [5253]; Malawi [1103]; Mozambique [659]; United Republic of Tanzania [659]; Zambia [659]			

<i>Serinus leucopygius</i> (Sundevall, 1850)	III GH	C	LC	792
E: Grey Canary, Grey Singing Finch, White-rumped Seedeater, F: Chanteur d'Afrique, Serin à croupion blanc, S: Serín culiblanco				
Benin [10078]; Burkina Faso (br) [659, 1345]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Chad (br) [659]; Democratic Republic of the Congo (br?) [25489]; Eritrea (br?) [659]; Ethiopia (br?) [659]; Gambia (br) [760]; Ghana (br?) [782]; Mali (br) [659]; Mauritania (br) [659]; Niger (br) [659]; Nigeria (br); Senegal (br) [659]; Sudan (br) [659]; Togo (v) [5254]; Uganda (br?) [659]; United States (br) [387]				
CITES Identification Manual Reference:	A-227.048.018.019			

<i>Serinus mozambicus</i> (Müller, 1776)	III GH	C	LC	511, 573, 792, 1256
E: Green Singing Finch, Yellow-fronted Canary, F: Serin du Mozambique, S: Canario de Mozambique, Serin de Mozambique				
Angola (br) [5267]; Benin (br?) [659]; Botswana (br) [1102]; Burkina Faso (br) [659, 1345]; Burundi (br?) [659]; Cameroon (br?) [659, 25376]; Central African Republic (br?) [659]; Chad (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br) [25489]; Equatorial Guinea (br) [659]; Bioko; Eritrea (br?) [659]; Ethiopia (br?) [659, 894]; Gabon (br) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br) [659, 1078, 1389, 10590, 11456, 13096]; Guinea-Bissau (br) [7849, 8709]; Kenya (br) [5253]; Lesotho (v) [486]; Liberia (br?) [5246]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (br) [659]; Mauritius (int, br) [659, 975]; Mauritius, Rodrigues (int, br) [7810]; Mozambique (br?) [659]; Namibia (br?) [659]; Niger (br) [659]; Nigeria (br); Puerto Rico (int, br) [975, 1176]; Réunion (int, br) [975, 1303]; Rwanda (br) [659]; São Tomé and Príncipe (br) [659]; Senegal (br?) [659]; Seychelles (int, br) [659]; Sierra Leone (br) [659]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Togo (br?) [5254]; Uganda (br?) [659]; United Republic of Tanzania (br?) [659]; United States (int, br) [387]; Zambia (br) [659]; Zimbabwe (br) [659]				
CITES Identification Manual Reference:	A-227.048.018.022			

Family: ESTRILDIDAE

<i>Amadina fasciata</i> (Gmelin, 1789)	III GH	C	LC	511, 757, 792, 1256
E: Cut-throat, Ribbon Finch, F: Amadine cou-coupé, Cou-coupé, S: Amadina gorgirroja				
Angola (br?) [5267]; Benin (br?) [659]; Botswana (br) [1102]; Burkina Faso (br?) [659]; Cameroon (br?) [659]; Chad (br) [659]; Côte d'Ivoire (br?) [1334]; Eritrea (br) [659]; Ethiopia (br) [659]; Gambia [760]; Ghana (br?) [782]; Kenya (br) [5253]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (br) [659]; Mozambique (br?) [659]; Namibia (br) [573, 659]; Niger (br?) [659]; Nigeria (br); Portugal (int, br); Portugal (int, br); Senegal (br) [659]; Somalia (br) [5252]; South Africa (br) [659]; Sudan (br) [659]; Togo (v) [5254]; Uganda (br?) [659]; United Republic of Tanzania (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]				

<i>Amandava amandava</i> (Linnaeus, 1758)	D	LC		
E: Avadavat, Red Avadavat, F: Bengali rouge, S: Bengalí Rojo				
Bangladesh [804]; Brunei Darussalam (int); Cambodia [5243]; China [5293]; Egypt (int) [756]; Fiji (int, br) [1171]; India [1197]; Indonesia [393]; Bali, Jawa, Kalimantan (int, br), Lesser Sunda Is; Japan (int, br) [503]; Malaysia (int); Sabah; Myanmar [1290]; Nepal [865]; Pakistan; Philippines (ex?, int, br) [5270]; Portugal (int, br); Portugal (int, br); Réunion (int, br) [1303]; Singapore (int) [791]; Thailand [487]; Timor-Leste [13131]; United States (int) [387]; Hawaiian Is [1171]; Viet Nam [5264]				

<i>Amandava formosa</i> (Latham, 1790)	II	B	VU	
Synonym: <i>Estrilda formosa</i> (Latham, 1790)				
E: Green Avadavat, F: Bengali vert, S: Estrilda verde				
India (br) [1197]; Pakistan (v)				

<i>Amandava subflava</i> (Vieillot, 1819)	III GH	C	LC	511, 757, 792, 1256
Synonyms: <i>Estrilda subflava</i> , <i>Sporaeginthus subflavus</i> (Vieillot, 1819)				
E: Golden-breasted Waxbill, Orange-breasted Waxbill, Zebra Waxbill, F: Bengali zébré, Ventre orange, S: Astrilda pechiguada				
Angola (br?) [5267]; Benin [7854, 7855]; Botswana (br?) [1102]; Burkina Faso (br?) [659]; Burundi (br?) [659]; Cameroon (br) [659, 25315, 25376]; Central African Republic (br) [659, 11929]; Chad (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br) [25489]; Ethiopia (br) [659]; Gabon (br?) [659]; Gambia [760]; Ghana (br) [782]; Guinea (br) [659, 10590, 11443, 11455, 11456]; Guinea-Bissau [7849, 8709]; Kenya (br) [5253]; Lesotho (br?) [486]; Liberia (br) [5246]; Malawi (br) [1103]; Mali (br?) [659, 25177]; Mauritania (v) [659, 25177]; Mozambique (br?) [659]; Namibia (br?) [659]; Nigeria (br); Rwanda (br) [659]; Senegal (br) [659, 25177]; Sierra Leone (br) [659]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Togo (br?) [5254]; Uganda (br?) [659]; United Republic of Tanzania (br?) [659]; Yemen (br) [5297]; Zambia (br) [659]; Zimbabwe (br) [573, 659]				

<i>Cryptospiza reichenovii</i> (Hartlaub, 1874)	D	LC		
E: Red-faced Crimson-wing				

Angola [5267]; Burundi [659]; Cameroon [659, 25374, 25376]; Democratic Republic of the Congo [25489]; Equatorial Guinea (br) [659]: Bioko; Malawi [1103]; Mozambique [659]; Nigeria; Rwanda [659]; Uganda [659]; United Republic of Tanzania [659]; Zambia [659]; Zimbabwe [659]

Erythrura coloria Ripley & Rabor, 1961 D NT
E: Mindanao Parrotfinch, Red-eared Parrotfinch, F: Diamant de Mindanao
Philippines (br) [5270]

Erythrura viridifacies D VU
Hachisuka & Delacour, 1937
E: Green-faced Parrotfinch, F: Diamant de Luçon
Philippines (br) [5270]

Estrilda astrild (Linnaeus, 1758) III GH C LC 511, 975, 986, 1256
E: Common Waxbill, Saint Helena Waxbill, F: Astrild ondulé, Astrild ondulé, S: Astrilda común, Pico de coral
Angola (br?) [5267]; Botswana (br) [1102]; Brazil (int, br) [6186, 6291, 6413, 6690]; Burundi (br?) [659];
Cameroon (br?) [659, 25374, 25376]; Cape Verde (int, br) [820]; Central African Republic (br) [659, 11929];
Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br) [25489]; Equatorial
Guinea (br) [659, 1183]; Equatorial Guinea, Bioko; Ethiopia (br) [659]; French Polynesia (int, br) [1171];
Society Is (int, br) [1171]; French Southern and Antarctic Territories (int): Amsterdam-St Paul Is (int, br)
[25615]; Gabon (br) [659]; Ghana (br?) [782]; Guinea (br) [659, 1078, 1191, 10590, 11439, 11455, 11456, 13096];
Kenya (br) [5253]; Lesotho (br) [486]; Liberia (br) [5246]; Malawi (br) [1103]; Mali (v) [659]; Mauritius (int,
br) [659]: Mauritius, Rodrigues (int, br) [7810]; Mozambique (br?) [659]; Namibia (br) [659]; New Caledonia
(int, br) [5260]; Niger (v) [659]; Nigeria (br?); Portugal (int, br) [1332]: Portugal (int, br), Azores (int, br);
Puerto Rico (int, br) [1176]; Réunion (int, br) [1303]; Rwanda (br) [659]; Saint Helena (int, br) [5250];
Ascension, St Helena; São Tomé and Príncipe (int, br) [659]; Seychelles (int, br) [659]; Sierra Leone (br)
[659]; Somalia (br?) [5252]; South Africa (br) [659]; Sudan (br?) [659, 6417]; Swaziland (br) [1139]; Uganda
(br?) [659]; United Republic of Tanzania (br?) [659]; United States (br) [387]; Vanuatu (int, br) [5260];
Zambia (br) [659]; Zimbabwe (br) [659]

Estrilda caerulescens (Vieillot, 1817) III GH C LC 757, 792, 1256
E: Lavender Firefinch, Lavender Waxbill, F: Astrild queue-de-vinaigre, Queue de vinaigre, S: Astrilda ceniza
del Senegal
Benin (br) [659]; Burkina Faso (br) [659, 1345]; Cameroon (br?) [659]; Central African Republic (br?) [659];
Chad (br?) [659]; Côte d'Ivoire (br) [1334]; Gambia (br) [760]; Ghana (br?) [782]; Guinea (br) [659, 1078, 1191,
10590]; Guinea-Bissau (br) [659, 7847, 8709]; Liberia (v) [5246]; Mali (br?) [659]; Niger (br?) [659, 941]; Nigeria
(br); Senegal (br?) [659]; Togo (br?) [5254]; United States (br) [387]

Estrilda melpoda (Vieillot, 1817) III GH C LC 757, 792, 975, 1256
E: Orange-cheeked Waxbill, F: Astrild à joues oranges, Joues-oranges, S: Astrilda carirroja
Angola (br?) [5267]; Benin (br?) [659]; Bermuda (int, br) [389]; Burkina Faso (br?) [659]; Burundi (br?) [659];
Cameroon (br?) [659, 25376]; Central African Republic (br?) [659]; Chad (br?) [659]; Congo (br) [659]; Côte
d'Ivoire (br) [1334]; Democratic Republic of the Congo (br) [25489]; Equatorial Guinea (br?) [659, 1183];
Gabon (br) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br) [659, 1078, 1191, 1389, 10590, 11437, 11439,
11455, 11456, 11457, 13096]; Guinea-Bissau [7849, 8709]; Liberia (br) [5246]; Mali (br) [659]; Mauritania (br)
[659]; Niger (br?) [659, 941]; Nigeria (br); Northern Mariana Islands (int, br) [25484]; Puerto Rico (int, br)
[1176]; Rwanda (br?) [659]; Senegal (br) [659]; Sierra Leone (br) [659]; Togo (br?) [5254]; United States (br)
[387]; Zambia (br?) [659]

Estrilda quartinia Bonaparte, 1851 D
E: Yellow-bellied Waxbill
Angola [5267]; Burundi [659]; Democratic Republic of the Congo [25489]; Eritrea [659]; Ethiopia [659]; Kenya
[5253]; Malawi [1103]; Mozambique [659]; Rwanda [659]; Sudan [659]; Uganda [659]; United Republic of
Tanzania [659]; Zambia [659]

Estrilda troglodytes (Lichtenstein, 1823) III GH C LC 757, 774, 792, 975, 1256
E: Black-rumped Waxbill, Pink-cheeked Waxbill, Red-eared Waxbill, F: Astrild cendré, Bec de corail cendré,
S: Astrilda culinegra
Benin (br?) [659]; Burkina Faso (br) [659, 1345]; Cameroon (br?) [659]; Central African Republic (br?) [659];
Chad (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br?) [25489]; Eritrea (br?)
[659]; Ethiopia (br?) [659]; Gambia (br?) [760]; Ghana (br) [782]; Guadeloupe (int, br) [5242]; Guinea (br)
[659, 1078, 1191]; Kenya (br) [5253]; Liberia (br) [5246]; Mali (br) [659]; Mauritania (br) [527, 659]; Niger (br)
[659]; Nigeria (br); Portugal (int, br): Portugal (int, br), Azores (v?); Puerto Rico (int, br) [1176]; Senegal
(br) [659]; Sudan (br) [659]; Togo (br) [5254]; Uganda (br?) [659]; United States (br) [387]

Hypargos niveoguttatus (Peters, 1868) D LC
E: Peters's Twinspot

Angola [5267]; Burundi [659]; Democratic Republic of the Congo [25489]; Kenya [5253]; Malawi [1103]; Mozambique [659]; Namibia [659]; Rwanda [659]; Somalia [5252]; South Africa [659]; United Republic of Tanzania [659]; Zambia [659]; Zimbabwe [659]

Lagonosticta rara (Antinori, 1864) III GH C LC 511, 757, 792, 1256
 E: Black-bellied Firefinch, Black-bellied Waxbill, F: Amarante à ventre noir, Amarante rare
 Benin (br?) [659]; Burkina Faso (br?) [659]; Cameroon (br?) [659]; Central African Republic (br) [659]; Chad (br?) [659]; Côte d'Ivoire (br) [1334, 25470]; Democratic Republic of the Congo (br?) [25489]; Ghana (br?) [782]; Guinea (br) [659, 1078, 10590, 11455, 11456]; Kenya (br?) [5253]; Liberia (br?) [5246]; Nigeria (br); Senegal (br?) [659]; Sierra Leone (br?) [659]; Sudan (br) [659]; Togo (br?) [567, 5254]; Uganda (br?) [659]

Lagonosticta rubricata (Lichtenstein, 1823) III GH C LC 511, 757, 774, 792
 E: African Firefinch, Blue-billed Firefinch, Brown-backed Firefinch, F: Amarante flambé, Amarante foncé, S: Bengalí de Lichtenstein
 Angola (br) [5267]; Benin (br?) [659]; Burundi (br?) [659]; Cameroon (br?) [659]; Central African Republic (br) [659, 11929]; Congo (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br) [25489]; Ethiopia (br?) [659]; Gabon (br) [659]; Ghana (br) [782]; Guinea (br) [659, 1078, 10590, 11456, 13096]; Guinea-Bissau (br) [659, 7848, 8709]; Kenya (br) [5253]; Liberia (br) [5246]; Malawi (br) [1103]; Mozambique (br?) [659]; Nigeria (br); Rwanda (br) [659]; Senegal (br?) [659]; Sierra Leone (br) [659]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Togo (br?) [567, 5254]; Uganda (br?) [659]; United Republic of Tanzania (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

Lagonosticta rufopicta (Fraser, 1843) III GH C LC 511, 757, 792, 1256
 E: Bar-breasted Firefinch, Bar-breasted Waxbill, F: Amarante pointé, S: Bengalí de Fraser
 Benin (br?) [659]; Burkina Faso (br) [659, 1345]; Cameroon (br?) [659]; Central African Republic (br) [659, 11929]; Chad (br?) [659]; Côte d'Ivoire (br) [1334, 25470]; Democratic Republic of the Congo (br) [25489]; Ethiopia (br?) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br) [659, 1078, 1389, 10590, 11455, 11456]; Guinea-Bissau [7849, 8709]; Kenya (br) [5253]; Liberia (br) [5246]; Mali (br?) [659]; Niger (v) [659]; Nigeria (br); Rwanda (br?) [659]; Senegal (br?) [659]; Sierra Leone (br) [659]; Sudan (br) [659]; Togo (br) [5254]; Uganda (br?) [659]

Lagonosticta senegala (Linnaeus, 1766) III GH C LC 511, 757, 792, 841, 1256
 E: Red-billed Firefinch, Senegal Firefinch, F: Amarante commun, Amarante du Sénégal, S: Bengalí senegalés
 Algeria (int, br) [971]; Angola (br?) [5267]; Benin (br?) [659]; Botswana (br) [1102]; Burkina Faso (br) [659, 1345]; Burundi (br?) [659]; Cameroon (br?) [659]; Central African Republic (br) [659]; Chad (br) [659]; Congo (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br) [25489]; Djibouti (br) [427]; Egypt (ex, int, br); Eritrea (br) [659]; Ethiopia (br) [659]; Gambia (br) [760]; Ghana (br?) [782]; Guinea (br) [659, 1078, 1191, 1389, 10590, 11436, 11437, 11442, 11455, 11456, 11457]; Guinea-Bissau (br) [659, 7848, 8709]; Kenya (br) [5253]; Lesotho (v) [486]; Liberia (br?) [5246]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (br) [659]; Mozambique (br?) [659]; Namibia (br?) [659]; Niger (br) [659]; Nigeria (br); Rwanda (br) [659]; Senegal (br) [659]; Sierra Leone (br) [659]; Somalia (br) [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Togo (br?) [5254]; Uganda (br?) [659]; United Republic of Tanzania (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

Lagonosticta vinacea (Hartlaub, 1857) III GH C 511, 757, 792
 Synonym: *Lagonosticta larvata vinacea* (Hartlaub, 1857)
 E: Black-faced Firefinch, Vinaceous Firefinch, Vinaceous Waxbill, F: Amarante masqué, Amarante vineux, S: Bengalí carinegro
 Benin (br?) [659]; Burkina Faso (br?) [659]; Cameroon (br?) [659]; Central African Republic (br?) [659, 11929]; Chad (br?) [659]; Congo (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br?); Gambia (br?) [760]; Ghana (br?) [782]; Guinea; Guinea-Bissau (br) [659, 7848, 8709]; Mali (br?) [659]; Niger (br?) [659]; Nigeria (br?); Senegal (br?) [659]; Sierra Leone (br?) [659]; Sudan (br) [659]; Togo (br?) [5254]; Uganda (br?) [659]

Lonchura bicolor (Fraser, 1843) III GH C LC 511, 757, 792, 1256
 Synonym: *Spermestes bicolor* (Fraser, 1843)
 E: Black-and-white Mannikin, Black-and-white Munia, Blue-billed Mannikin, F: Capucin bicolore, Spermète à bec bleu
 Angola (br?) [5267]; Benin (br?) [659]; Burundi (br?) [659]; Cameroon (br?) [659, 25374, 25376, 25382]; Central African Republic (br) [659, 11929]; Congo (br?) [659]; Côte d'Ivoire (br) [1334, 25470]; Democratic Republic of the Congo (br) [25489]; Equatorial Guinea (br) [659, 1183]; Equatorial Guinea, Bioko; Ethiopia (br?) [659]; Gabon (br) [659]; Ghana (br) [782]; Guinea (br) [659, 1078, 11436, 11439, 11455, 11456, 11457, 13096]; Guinea-Bissau (br) [659, 7847, 8709]; Kenya (br) [5253]; Liberia (br) [5246]; Mali (br?) [659]; Nigeria (br) [25533]; Rwanda (br) [659]; Sierra Leone (br) [659]; Sudan (br) [659]; Togo (br?) [568, 5254]; Uganda (br) [659]; United Republic of Tanzania (br?) [659]

<i>Lonchura cantans</i> (Gmelin, 1789)	III	GH	C	LC	511, 537, 757, 774, 792, 841, 1256
Synonyms: <i>Lonchura malabarica cantans</i> (Gmelin, 1789), <i>Eudice cantans</i> (Gmelin, 1789)					
E: African Silverbill, F: Bec-d'argent, Capucin bec-d'argent, S: Monjita pico-de-plata					
Bahrain (br) [1105]; Benin (br?) [659]; Burkina Faso (br) [659, 1345]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Chad (br) [659]; Djibouti (br) [427]; Egypt (br) [6881]; Eritrea (br?) [659]; Ethiopia (br) [659]; Gambia (br) [760]; Ghana (br) [782]; Kenya (br) [5253]; Mali (br) [659]; Mauritania (br) [659]; Niger (br) [659]; Nigeria (br); Oman (br) [1383, 13112]; Portugal (int, br): Portugal (int, br); Puerto Rico (int, br) [1176]; Saudi Arabia (br) [881]; Senegal (br) [659]; Somalia (br) [5252]; Sudan (br) [659]; Togo (br?) [5254]; Uganda (br?) [659]; United Republic of Tanzania (br?) [659]; United States (int, br) [387]; Yemen (br) [5297]					
<i>Lonchura cucullata</i> (Swainson, 1837)	III	GH	C	LC	511, 757, 792, 1256
Synonym: <i>Spermestes cucullatus</i> Swainson, 1837					
E: Bronze Mannikin, Bronze Munia, Bronze-winged Mannikin, F: Capucin nonnette, Spermète nonnette, S: Negrita bronzeada					
Angola (br) [5267]; Benin (br) [659]; Botswana (br) [1102]; Burkina Faso (br) [659, 1345]; Burundi (br?) [659]; Cameroon (br?) [659, 25339, 25374, 25376]; Central African Republic (br) [659]; Chad (br?) [659]; Comoros (br) [659]; Congo (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br) [25489]; Equatorial Guinea (br) [659, 1183]; Equatorial Guinea, Bioko; Ethiopia (br) [659]; Gabon (br) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br) [659, 1078, 1191, 1389, 10590, 11436, 11437, 11439, 11440, 11442, 11455, 11456, 11457, 13096]; Guinea-Bissau (br) [659, 7836, 8709]; Kenya (br) [5253]; Liberia (br) [5246]; Malawi (br) [1103]; Mali (br) [659]; Mozambique (br?) [659]; Namibia (br?) [659]; Niger (br?) [659]; Nigeria (br); Puerto Rico (int, br) [485, 975, 1176]; Rwanda (br) [659]; São Tomé and Príncipe (br) [659]; Senegal (br) [659]; Sierra Leone (br) [659]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Togo (br) [5254]; Uganda (br) [659]; United Republic of Tanzania (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]					
<i>Lonchura fringilloides</i> (Lafresnaye, 1835)	III	GH	C	LC	511, 757, 792, 1256
Synonym: <i>Spermestes fringilloides</i> (Lafresnaye, 1835)					
E: Magpie Mannikin, Magpie Munia, Pied Mannikin, F: Capucin pie, Spermète pie, S: Negrita picanza					
Angola (br?) [5267]; Benin (br) [11462]; Botswana [1102]; Cameroon (br?) [659, 25370]; Central African Republic (br?) [659, 11929]; Congo (v) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br) [25489]; Ethiopia (br?) [423, 659]; Gabon (br) [659]; Gambia [760]; Ghana (br) [782]; Guinea (br) [659, 1078, 11436, 11440, 11455]; Guinea-Bissau [8709]; Kenya (v) [5253]; Liberia (br) [5246]; Malawi (br) [1103]; Mali (br?) [659]; Mozambique (br?) [659]; Namibia (v) [659]; Nigeria (br); Senegal (br?) [659]; Sierra Leone (br) [659]; South Africa (br) [659]; Sudan [659]; Swaziland (br) [1139]; Togo (br) [5254]; Uganda (br?) [659]; United Republic of Tanzania (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]					
<i>Lonchura griseicapilla</i> Delacour, 1943	D		LC		
E: Grey-headed Silverbill					
Ethiopia [659]; Kenya [5253]; Sudan [659]; United Republic of Tanzania [659]					
<i>Lonchura punctulata</i> (Linnaeus, 1758)	D		LC	6657, 7078	
E: Scaly-breasted Munia, F: Capucin damier					
Australia (int, br) [477]; Bangladesh [804]; Bhutan (br) [5261]; Brunei Darussalam; Cambodia [5243]; China [5293]; India [1197]; Delhi; Indonesia [393]; Bali, Jawa, Kalimantan, Lesser Sunda Is, Sulawesi, Sumatera; Japan (int, br) [503]; Lao People's Democratic Republic [6187]; Macao, China [11382]; Malaysia: Peninsular Malaysia [1049], Sabah [759]; Mauritius (int, br); Micronesia (Federated States of) (int) [1171]; Myanmar [1290]; Nepal [865]; Palau (ex , int) [1171]; Philippines (br) [5270, 6929]; Réunion (int, br) [1303]; Seychelles (int) [659]; Singapore (br) [791]; Sri Lanka [5271]; Taiwan, Province of China; Thailand [487]; Timor-Leste [13131]; United States (int) [387]; Hawaiian Is [1171]; Viet Nam [5264]					
<i>Lonchura stygia</i> Stresemann, 1924	D		NT		
E: Black Munia, F: Capucin noir					
Indonesia (br) [393]; Irian Jaya; Papua New Guinea (br)					
<i>Mandingoa nitidula</i> (Hartlaub, 1865)	III	GH	C	LC	511, 757, 792, 1256
Synonym: <i>Hypargos nitidula</i> (Hartlaub, 1865)					
E: Green Twinspot, Green-backed Twinspot, F: Astrild vert pointillé, Sénégali vert					
Angola (br?) [5267]; Burundi (br?) [659]; Cameroon (br?) [659, 25374, 25376, 25382]; Central African Republic (br?) [659, 11929]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br) [25489]; Equatorial Guinea (br) [659]: Bioko; Ethiopia (br) [659]; Gabon (br) [659]; Ghana (br?) [782]; Guinea (br) [659, 1078, 11455, 11456, 11457, 13096]; Kenya (br) [5253]; Liberia (br) [5246]; Malawi (br) [1103]; Mozambique (br?) [659]; Nigeria (br?); Rwanda (br?) [659]; Sierra Leone (br) [659]; South Africa (br) [659]; Sudan (br?) [659]; Swaziland (br) [1139]; Togo (br?) [5254]; Uganda (br?) [659]; United Republic of Tanzania (br?) [659]; Zambia (br?) [659]; Zimbabwe (br) [659]					
<i>Nesocharis capistrata</i> (Hartlaub, 1861)	III	GH	C	LC	511, 757, 792, 1256

E: Grey-headed Oliveback, White-cheeked Olive Weaver, F: Dos-vert à joues blanches, Sénégali vert à joues blanches, S: Olivino cariblanco
 Benin (br) [11462]; Burkina Faso (br?) [659]; Cameroon (br?) [659]; Central African Republic (br) [659, 11929]; Chad (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br) [25489]; Gambia (v) [760]; Ghana (br?) [782]; Guinea (br) [10590, 11455, 11456]; Guinea-Bissau (br) [659, 7847, 8709]; Mali (br?) [659]; Nigeria (br); Sierra Leone (br) [659]; Sudan (br?) [659]; Togo (br) [5254]; Uganda (br?) [659]

Nigrita bicolor (Hartlaub, 1844) III GH C LC 511, 757, 792, 1256
 E: Chestnut-breasted Negrofinch, F: Nigrette à ventre roux, Sénégali brun à ventre roux, S: Negrita pechirroja
 Angola (br) [5267]; Benin [6907]; Cameroon (br?) [659, 25374, 25376, 25382]; Central African Republic (br) [659, 11929]; Congo (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br) [25489]; Equatorial Guinea (br) [659, 1183]; Equatorial Guinea, Bioko; Gabon (br) [659]; Gambia (v) [760]; Ghana (br) [782, 7856]; Guinea (br) [659, 1078, 11440, 11455, 11456, 13096]; Guinea-Bissau [7849, 8709]; Kenya (br?) [5253]; Liberia (br) [5246]; Mali (br?) [659]; Nigeria (br); São Tomé and Príncipe (br?) [659]; Senegal (br?) [659]; Sierra Leone (br) [659]; Togo (br?) [5254]; Uganda (br?) [659]

Nigrita canicapilla (Strickland, 1841) III GH C 511, 757, 792, 1256, 7806
 E: Grey-crowned Negrofinch, Grey-headed Negrofinch, F: Nigrette à calotte grise, Sénégali nègre, S: Negrita cana
 Angola (br) [5267]; Benin (br?) [659]; Burundi (br?) [659]; Cameroon (br?) [659, 25374, 25376, 25382]; Central African Republic (br) [659, 11929]; Congo (br?) [659]; Côte d'Ivoire (br?) [1334]; Democratic Republic of the Congo (br) [25489]; Equatorial Guinea (br) [659, 1183]; Equatorial Guinea, Bioko; Gabon (br) [659]; Ghana (br) [782]; Guinea (br) [659, 1078, 1389, 11436, 11455, 13096]; Kenya (br) [5253]; Liberia (br) [5246]; Mali (v) [659]; Nigeria (br); Rwanda (br) [659]; Sierra Leone (br) [659]; Sudan (br) [659]; Togo (br?) [5254]; Uganda (br) [659]; United Republic of Tanzania (br?) [659]

Nigrita fusconota Fraser, 1843 III GH C LC 511, 757, 792, 1256
 E: White-breasted Negrofinch, F: Nigrette à ventre blanc, Sénégali brun à ventre blanc, S: Negrita pechiblanca
 Angola (br) [5267]; Benin (br) [12883]; Cameroon (br?) [659, 25374, 25376, 25382]; Central African Republic (br?) [659, 11929]; Congo (br?) [659]; Côte d'Ivoire (br?) [1334]; Democratic Republic of the Congo (br) [25489]; Equatorial Guinea (br) [6276, 6426]; Equatorial Guinea, Bioko; Gabon (br) [659]; Ghana (br) [782, 7856]; Guinea (br) [659, 1078, 11440, 11455, 13096]; Kenya (br?) [5253]; Liberia (br) [5246]; Mali (br?) [659]; Nigeria (br) [25533]; Rwanda (br) [659]; Sierra Leone (br?) [659]; Uganda (br?) [659]

Nigrita luteifrons Verreaux & Verreaux, 1851 III GH C LC 511, 757, 792, 1256
 E: Pale-fronted Negrofinch, F: Nigrette à front jaune, Sénégali nègre à front jaune, S: Negrita frentiguinalda
 Angola (br) [5267]; Cameroon (br?) [659, 25374, 25376, 25382]; Central African Republic (br?) [659, 11929]; Congo (br?) [659]; Democratic Republic of the Congo (br?); Equatorial Guinea (br) [659, 1183]; Equatorial Guinea, Bioko; Gabon (br) [659]; Ghana (br?) [782]; Liberia (v) [5246]; Nigeria (br?); Sierra Leone (br?) [659]; Togo; Uganda (br?) [659]

Ortygospiza atricollis (Vieillot, 1817) III GH C LC 511, 757, 774, 792, 1256
 E: African Quailfinch, F: Astrild caille, Astrild-caille à lunettes, S: Astrilda aperdizada
 Angola (br?) [5267]; Benin (br?) [659]; Botswana (br) [1102]; Burkina Faso (br?) [659]; Cameroon (br?) [659, 25339]; Chad (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br?) [25489]; Eritrea (br) [659]; Ethiopia (br) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br) [659, 1078, 1191, 1389, 10590, 11442, 11456]; Guinea-Bissau (br) [659, 7847, 8709]; Kenya (br) [5253]; Lesotho (br) [486]; Liberia (br?) [5246]; Malawi (br?) [1103]; Mali (br) [659]; Mauritania (br) [527, 659]; Mozambique (br?) [659]; Namibia (br?) [659]; Niger (v) [659]; Nigeria (br); Senegal (br) [659]; Sierra Leone (br) [659]; Somalia (v) [5252]; South Africa (br) [659]; Sudan (br?) [659]; Swaziland (br) [1139]; Togo (br?) [567, 5254]; Uganda (br?) [659]; United Republic of Tanzania (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

Padda fuscata (Vieillot, 1817) B VU 25182
 Synonym: *Lonchura fuscata* (Vieillot, 1817)
 E: Timor Sparrow, F: Padda de Timor
 Indonesia (br) [393, 25182]: Lesser Sunda Is (br); Timor-Leste (br) [1410]

Padda oryzivora (Linnaeus, 1758) II B VU
 Synonym: *Lonchura oryzivora* (Linnaeus, 1758)
 E: Java Sparrow, F: Padda de Java, S: Gorrión de Java

Brunei Darussalam (int); Christmas Island (int, br); Cocos (Keeling) Islands (**ex**, int); Fiji (int) [1171]; India (**ex**, int); Indonesia (br) [393]; Bali, Jawa, Kalimantan, Lesser Sunda Is, Moluccas, Sulawesi, Sumatera; Japan (int, br) [503]; Malaysia (int); Peninsular Malaysia, Sabah, Sarawak; Mauritius (int, br); Myanmar (int); Philippines (int, br); Saint Helena (int); Singapore (int); Sri Lanka (int); Thailand (int); United States (int) [387]; Venezuela (int) [6845]; Viet Nam (int)

Parmoptila rubrifrons

(Sharpe & Ussher, 1872)

III GH C LC 757, 792, 1256, 11386

Synonyms: *Parmoptila jamesoni* (Shelley, 1890), *Parmoptila woodhousei rubrifrons* (Sharpe & Ussher, 1872)
E: Jameson's Antpecker, Red-fronted Antpecker, F: Astrild fourmilier, Parmoptile à front rouge
Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br) [25489]; Ghana (br?) [782]; Guinea [11455]; Liberia (br) [648, 5246]; Mali (br?) [659]; Sierra Leone (br?) [659]; Uganda; United Republic of Tanzania

Pholidornis rushiae (Cassin, 1855)

III GH C LC 511, 757, 792, 1256

E: Tit-hylia, F: Astrild mésange, Mésangette rayée
Angola (br) [5267]; Benin [10078]; Cameroon (br?) [659, 25374, 25376, 25382]; Central African Republic (br?) [659, 11929]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br) [25489]; Equatorial Guinea (br?) [6276, 6426]; Equatorial Guinea, Bioko; Gabon (br?) [518, 659]; Ghana (br) [782]; Guinea (br) [659, 1078, 11436, 11455, 13096]; Liberia (br) [5246]; Nigeria (br); Sierra Leone (br) [659]; Togo; Uganda (br?) [659]

Poephila cincta (Gould, 1837)

II/NC B/NR NT

E: Black-throated Finch, F: Diamant à bavette
Australia (br) [477]

Non-CITES populations
Australia

Poephila cincta cincta (Gould, 1837)

II B 757, 1132

E: Southern Black-throated Finch, S: Diamante de pecho negro
Australia (br) [477]

CITES Identification Manual Reference: A-227.049.024.004

Pyrenestes ostrinus (Vieillot, 1805)

III GH C LC 511, 757, 792, 1256

Synonyms: *Pyrenestes frommi* Kothe, 1911, *Pyrenestes maximus* Chapin, 1923, *Pyrenestes rothschildi* Neumann, 1910

E: Black-bellied Seedcracker, F: Gros-bec ponceau à ventre noir, Pyréneste ponceau, S: Pirenestes ventrinegro
Angola (br) [5267]; Benin [10078]; Cameroon (br?) [659, 25370, 25376, 25382]; Central African Republic (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br) [25489]; Equatorial Guinea (br?) [659, 1183]; Gabon (br) [659]; Gambia (v) [760]; Ghana (br) [782, 7856]; Kenya (br?) [5253]; Nigeria (br); Sudan (br?) [659]; Togo (br?) [5254]; Uganda (br?) [659]; United Republic of Tanzania (br?) [659]; Zambia (br) [659]

Ptilia hypogrammica Sharpe, 1870

III GH C LC 757, 792, 1256

E: Red-faced Pytilia, Yellow-winged Pytilia, F: Beaumarquet à ailes jaunes, Diamant à face rouge
Benin (br?) [659]; Burkina Faso (br?) [659]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Chad (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br?) [25489]; Ghana (br?) [782]; Guinea (br) [659, 1078, 1389, 10590, 11456]; Liberia (v) [5246]; Nigeria (br); Sierra Leone (br?) [659]; Togo (br?) [5254]

Ptilia phoenicoptera Swainson, 1837

III GH C LC 511, 757, 792, 1256

E: Aurora Finch, Crimson-winged Pytilia, Red-winged Pytilia, F: Beaumarquet, Beaumarquet aurore, Diamant aurore, S: Pitilia alirroja
Benin (br?) [659]; Burkina Faso (br?) [659]; Cameroon (br?) [659]; Central African Republic (br?) [659, 773]; Chad (br?) [659]; Côte d'Ivoire (br) [1334, 25470]; Democratic Republic of the Congo (br?) [25489]; ?Ethiopia [894]; Gambia (br) [760]; Ghana (br?) [782]; Guinea (br) [10590, 11456]; Guinea-Bissau (br) [659, 7847, 8709]; Mali (br) [659]; Niger (br?) [659, 941]; Nigeria (br); Senegal (br?) [659]; Sierra Leone (br?) [659]; Sudan (br?) [659]; Togo (br) [5254]; Uganda (br?) [659]

Spermophaga haematina (Vieillot, 1805)

III GH C LC 757, 792, 1256

E: Blue-billed Weaver, Western Bluebill, F: Gros-bec sanguin, Sénégali sanguin, S: Espermófaga hematina

Angola (br?) [5267]; Benin [7097]; Cameroon (br?) [659, 25370, 25374, 25376, 25382]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br?) [6403, 25489]; Equatorial Guinea (br?) [659, 1183]; Gabon (br) [659]; Gambia (br) [760, 10579]; Ghana (br) [782]; Guinéa (br) [659, 1078, 10590, 11439, 11455, 11457, 13096]; Guinea-Bissau [7849, 8709]; Liberia (br) [5246]; Mali (br?) [659]; Nigeria (br); Senegal (br?) [659]; Sierra Leone (br) [659]; Togo (br?) [5254]

<i>Uraeginthus bengalus</i> (Linnaeus, 1766)	III GH	C	LC	511, 757, 792, 1256
Synonym: <i>Estrilda bengala</i> (Linnaeus, 1766)				
E: Cordonbleu, Red-cheeked Cordonbleu, F: Cordon bleu à joures rouges, Cordonbleu, Cordonbleu à joues rouges, S: Coliazul bengalí				
Angola (br?) [5267]; Benin (br) [659]; Burkina Faso (br) [659, 1345]; Burundi (br?) [659]; Cameroon (br?) [659]; Central African Republic (br) [659]; Chad (br) [659]; Congo (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br) [25489]; Eritrea (br) [659]; Ethiopia (br) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br) [659, 1078, 1389, 10590, 11442, 11456]; Guinea-Bissau (br) [659, 7847, 8709]; Kenya (br) [5253]; Liberia (v) [5246]; Mali (br) [659]; Mauritania (br) [659]; Niger (br) [659]; Nigeria (br); Rwanda (br) [659]; Senegal (br) [659]; Somalia (br) [5252]; Sudan (br) [659]; Togo (br?) [5254]; Uganda (br?) [659]; United Republic of Tanzania (br?) [659]; United States (br) [387]; Zambia (br) [659]				

Family: PLOCEIDAE

<i>Amblyospiza albifrons</i> (Vigors, 1831)	III GH	C	LC	511, 573, 792, 1256
E: Grosbeak Weaver, Thick-billed Weaver, White-fronted Grosbeak, F: Amblyospize à front blanc, Gros-bec à front blanc, S: Tejedor picogordo				
Angola (br) [5267]; Benin (br?) [659]; Botswana (br) [1102]; Burundi (br?) [659]; Cameroon (br?) [659, 25370, 25382]; Central African Republic (br) [659, 11929]; Congo (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br) [25489]; Equatorial Guinea (br?) [659]; Ethiopia (br) [659]; Gabon (br?) [659]; Ghana (br) [782, 7856]; Guinea (br) [11455]; Kenya (br) [5253]; Liberia (br) [5246]; Malawi (br) [1103]; Mozambique (br?) [659]; Namibia (br) [659]; Nigeria (br); Rwanda (br) [659]; Senegal (v) [659]; Sierra Leone (br) [659]; Somalia (br) [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Togo (br?) [5254]; Uganda (br?) [659]; United Republic of Tanzania (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]				

<i>Anaplectes rubriceps</i> (Sundevall, 1850)	III GH	C	LC	511, 573, 792, 1256
Synonyms: <i>Anaplectes melanotis</i> (Lafresnaye, 1838), <i>Malimbus rubriceps</i> (Sundevall, 1850)				
E: Red-headed Weaver, F: Tisserin à ailes rouges, Tisserin écarlate, S: Mailmbo capirotado				
Angola (br) [5267]; Benin (br) [659]; Botswana (br) [1102]; Burkina Faso (br?) [659]; Burundi (br) [659]; ?Cameroon (br) [659, 25376]; ?Central African Republic (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br) [6412, 25489]; Ethiopia (br) [659]; Gabon (br?) [659]; Gambia (v) [760]; Ghana (br) [782]; Guinea (br) [659, 1389, 10590]; Guinea-Bissau (br) [659, 7836, 8709]; Kenya (br) [5253]; Malawi (br) [1103]; Mali (br?) [659]; Mozambique (br?) [659]; Namibia (br) [659]; Nigeria (br) [25533]; Rwanda (br) [659]; Senegal (br?) [659]; Somalia (br) [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Togo (br) [5254]; Uganda (br) [659]; United Republic of Tanzania (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]				

<i>Anomalospiza imberbis</i> (Cabanis, 1868)	III GH	C	LC	511, 573, 792, 1256
E: Cuckoo Weaver, Parasitic Weaver, F: Anomalospize parasite, Tisserin coucou				
Angola (br?) [5267]; Benin [10082]; Botswana (br) [1102]; Cameroon (br?) [659]; Congo (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br) [25489]; Ethiopia (br) [659]; Gambia (v) [760]; Ghana (br?) [782]; Guinea (br) [659, 1078]; Kenya (br) [5253]; Malawi (br) [1103]; Mali (v) [659]; Mozambique (br?) [659]; Namibia (br?) [659]; Nigeria (br?); Rwanda [659]; Sierra Leone (br?) [659]; South Africa (br) [659]; Sudan [659]; Swaziland (br) [1139]; Togo (br?) [5254]; Uganda (br?) [659]; United Republic of Tanzania (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]				

<i>Bubalornis albirostris</i> (Vieillot, 1817)	III GH	C	LC	511, 792, 1256
E: White-billed Buffalo-Weaver, F: Alecto à bec blanc				
Benin (br) [659]; Burkina Faso (br) [659, 1345]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Chad (br) [659]; Eritrea (br) [659]; Ethiopia (br) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br) [659, 1078]; Guinea-Bissau (br) [659, 7847, 8709]; Kenya (br) [5253]; Mali (br) [659]; Mauritania (br) [659]; Niger (br) [659]; Nigeria (br); Senegal (br) [659]; Sudan (br) [659]; Uganda (br?) [659]				

<i>Euplectes afer</i> (Gmelin, 1789)	III GH	C	LC	511, 573, 792, 1256
E: Golden Bishop, Napoleon Weaver, Yellow-crowned Bishop, F: Euplecte vorabé, Vorabé, S: Euplectes amarillo				

Angola (br) [5267]; Benin (br) [659]; Botswana (br) [1102]; Burkina Faso (br) [659, 1345]; Cameroon (br?) [659]; Central African Republic (br) [659, 11929]; Chad (br) [659]; Congo (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br) [25489]; Ethiopia (br) [659]; Gabon (br) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br) [659, 1389, 11456]; Guinea-Bissau (br) [659, 7834, 8709]; Japan (int) [503]; Kenya (br) [5253]; Lesotho (br) [486]; Liberia (v) [5246]; Mali (br) [659]; Mauritania (br) [659]; Mozambique (br?) [659]; Namibia (br) [659]; Niger (br) [659]; Nigeria (br); Portugal (int, br); Portugal (int, br); Puerto Rico (int, br) [1176]; Senegal (br) [659]; Sierra Leone (br) [659]; South Africa (br) [659]; Sudan (br) [659]; Togo (br?) [5254]; Uganda (br?) [659]; United Republic of Tanzania (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

Euplectes ardens (Boddaert, 1783)

III GH C LC 511, 573, 792, 1256

Synonym: *Coliuspasser ardens* (Boddaert, 1783)

E: Red-collared Whydah, Red-collared Widowbird, F: Euplecte veuve-noire, Veuve-noire, S: Falsa viuda pechirroja

Angola (br) [5267]; Botswana (v) [1102]; Burkina Faso (br?) [659]; Burundi (br?) [659]; Cameroon (br?) [659, 25371, 25376]; Central African Republic (br?) [659, 11929]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br) [25489]; Eritrea (br?) [659]; Ethiopia (br) [659, 894]; Gabon (br?) [659]; Gambia (v) [760]; Ghana (br?) [782]; Guinea (br) [659, 1078, 1191, 1389, 10590, 11437, 11441, 11442, 11455, 11457, 13096]; Guinea-Bissau [7859]; Kenya (br) [5253]; Lesotho (br) [486]; Liberia (br) [5246]; Malawi (br) [1103]; Mozambique (br?) [659]; Niger (v) [659]; Nigeria (br); Rwanda (br) [659]; Sierra Leone (br) [659]; South Africa (br) [659]; Sudan (br?) [659]; Swaziland (br) [1139]; Togo (br?) [5254]; Uganda (br) [659]; United Republic of Tanzania (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

Euplectes franciscanus (Isert, 1789)

III GH C LC 511, 573, 792, 1256

Synonym: *Euplectes orix franciscanus* (Isert, 1789)

E: Orange Bishop, Orange Weaver, F: Euplecte franciscain, Ignicolor, Ignicolore, S: Euplectes rojo Benin (br) [659]; Bermuda (int, br) [389]; Burkina Faso (br) [659, 1345]; Cameroon (br?) [659]; Central African Republic (br) [659]; Chad (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br) [25489]; Eritrea (br) [659]; Ethiopia (br) [659, 894]; Gabon (br?) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br) [659, 1078, 1191, 1389, 10590, 11437, 11441, 11442, 11455, 11457, 13096]; Guinea-Bissau (br) [659, 7834, 8709]; Kenya (br) [5253]; Mali (br) [659]; Martinique (int, br) [5242]; Mauritania (br) [659]; Niger (br) [659]; Nigeria (br); Puerto Rico (int, br) [1176]; Senegal (br) [659]; Sierra Leone (br?) [659]; Somalia (br) [5252]; Sudan (br) [659]; Togo (br) [5254]; Uganda (br?) [659]

Euplectes hordeaceus (Linnaeus, 1758)

III GH C LC 511, 573, 792, 1256

E: Black-winged Bishop, Fire-crowned Bishop, F: Euplecte monseigneur, Monseigneur, S: Euplectes alinegro Angola (br) [5267]; Benin (br?) [659]; Burkina Faso (br) [659, 1345]; Burundi (br?) [659]; Cameroon (br?) [659, 25371, 25376]; Central African Republic (br) [659]; Chad (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br) [25489]; Ethiopia (br) [659, 894]; Gabon (br?) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br) [659, 1078, 1191, 1389, 10590, 11437, 11441, 11442, 11455, 11456, 11457, 13096]; Guinea-Bissau (br) [659, 7834, 8709]; Kenya (br) [5253]; Liberia (br) [5246]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (br) [659]; Mozambique (br?) [659]; Niger (v) [659]; Nigeria (br); Rwanda (br?) [659]; São Tomé and Príncipe (br) [659]; Senegal (br?) [659]; Sierra Leone (br) [659]; Sudan (br) [659]; Togo (br) [5254]; Uganda (br?) [659]; United Republic of Tanzania (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

Euplectes macrourus (Gmelin, 1789)

III GH C LC 511, 792, 1256, 7806

Synonym: *Coliuspasser macrourus* (Gmelin, 1789)

E: Yellow-backed Whydah, Yellow-mantled Whydah, Yellow-mantled Widowbird, Yellow-shouldered Widowbird, F: Euplecte à dos d'or, Veuve à dos d'or, S: Falsa viuda dorsiguada Angola (br) [5267]; Benin (br?) [659]; Burkina Faso (br) [659, 1345]; Burundi (br?) [659]; Cameroon (br) [659, 25315, 25376]; Central African Republic (br) [659]; Chad (br) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br) [25489]; Eritrea (br) [659]; Ethiopia (br) [659]; Gabon (br) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br) [659, 1078, 1191, 1389, 10590, 11437, 11441, 11442, 11455, 11456]; Guinea-Bissau (br) [659, 7834, 8709]; Kenya (br) [5253]; Liberia (br) [5246]; Malawi (br) [1103]; Mali (v) [659]; Mozambique (br?) [659]; Niger (br?) [659]; Nigeria (br); Senegal (br?) [659]; Sierra Leone (br) [659]; Sudan (br) [659]; Togo (br?) [5254]; Uganda (br?) [659]; United Republic of Tanzania (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

Malimbus cassini (Elliot, 1859)

III GH C LC 792, 1256

E: Black-throated Malimbe, Cassin's Malimbe, F: Malimbe à gorge noire, Malimbe de Cassin Cameroon (br?) [659, 25382]; Central African Republic (br?) [659, 11929]; Congo (br) [659]; Democratic Republic of the Congo (br) [25489]; Equatorial Guinea [6426]; Gabon (br) [659]; Ghana (br?) [782]

Malimbus malimbicus (Daudin, 1802)

III GH C LC 511, 792, 1256, 25374

E: Crested Malimbe, F: Malimbe huppé, S: Malimbo moñudo

Angola (br) [5267]; Cameroon (br?) [659, 25376, 25382]; Central African Republic (br?) [659, 11929]; Congo (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br) [25476]; Equatorial Guinea (br?) [659, 1183]; Gabon (br) [659]; Ghana (br?) [782]; Guinea (br) [659, 1078, 11455, 11457, 13096]; Liberia (br) [5246]; Mali (br) [659]; Nigeria (br); Sierra Leone (br) [659]; Togo (br?) [5254]; Uganda (br?) [659]

<i>Malimbus nitens</i> (Gray, 1831)	III	GH	C	LC	511, 792, 1256
E: Blue-billed Malimbe, Gray's Malimbe, F: Malimbe à bec bleu, S: Malimbo cabecinegro					
Angola (br) [5267]; Benin (br?) [659]; Burkina Faso (br?) [659]; Cameroon (br?) [659, 25374, 25376, 25382]; Central African Republic (br?) [659, 11929]; Congo (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br) [25489]; Equatorial Guinea (br?) [659, 1183]; Gabon (br) [659]; Ghana (br) [782]; Guinea (br) [659, 1078, 11439, 11440, 11455, 13096]; Guinea-Bissau (br) [659, 7836, 8709]; Liberia (br) [5246]; Mali (br?) [659]; Niger (br?) [659]; Nigeria (br); Senegal (br) [659]; Sierra Leone (br) [659]; Sudan (br?) [659]; Togo (br?) [5254]; Uganda (br?) [659]					
<i>Malimbus rubricollis</i> (Swainson, 1838)					
E: Red-headed Malimbe, Red-headed Weaver, F: Malimbe à tête rouge, S: Malimbo cuellirrojo	III	GH	C	LC	511, 792, 1256
Angola (br) [5267]; Benin (br) [659]; Cameroon (br?) [659, 25374, 25382]; Central African Republic (br?) [659, 11929]; Congo (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br) [6412, 25489]; Equatorial Guinea (br) [659, 1183]; Equatorial Guinea, Bioko; Gabon (br?) [659]; Ghana (br) [782]; Guinea (br) [659, 1078, 11436, 11440, 11455, 11457]; Guinea-Bissau [8709]; Kenya (br?) [5253]; Liberia (br) [5246]; Mali (v) [659]; Nigeria (br); Sierra Leone (br) [659]; Sudan (br?) [659]; Togo (br?) [5254]; Uganda (br?) [659]; United Republic of Tanzania (br?) [659]					
<i>Malimbus scutatus</i> (Cassin, 1849)					
E: Red-vented Malimbe, F: Malimbe à queue rouge, S: Malimbo culirrojo	III	GH	C	LC	792, 1256
Benin (br) [659]; Cameroon (br?) [659, 25374]; Côte d'Ivoire (br) [1334]; Ghana (br) [782]; Guinea (br) [659, 1078, 11436, 11439, 11440, 11455, 13096]; Liberia (br) [5246]; Nigeria (br); Sierra Leone (br) [659]					
<i>Pachyphantes superciliosus</i> (Shelley, 1873)					
Synonym: <i>Ploceus superciliosus</i> (Shelley, 1873)	III	GH	C	LC	511, 792, 1256
E: Compact Weaver, F: Tisserin gros-bec, S: Tejedor rollizo					
Angola (br) [5267]; Benin (br?) [659]; Burkina Faso (br?) [659]; Burundi (br?) [659]; Cameroon (br?) [659, 25374, 25376]; Central African Republic (br?) [659]; Chad (br) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br) [6403, 25489]; Ethiopia (br?) [659]; Gabon (br?) [518, 659]; Ghana (br) [782]; Guinea (br) [659, 1078, 10590, 11455, 13096]; Guinea-Bissau (br) [659, 7834]; Kenya (br) [5253]; Liberia (br) [5246]; Nigeria (br); Rwanda (br) [659]; Senegal (br?) [659]; Sierra Leone (br) [659]; Sudan (br?) [659]; Togo (br?) [5254]; Uganda (br?) [659]; United Republic of Tanzania (br?) [659]; Zambia (v) [659]					
<i>Passer griseus</i> (Vieillot, 1817)					
E: Grey-headed Sparrow, F: Moineau gris, S: Gorrión pardillo	III	GH	C	LC	511, 573, 792, 1256
Angola (br) [5267]; Benin (br) [659]; Burkina Faso (br) [659, 1345]; Burundi (br?) [659]; Cameroon (br?) [659, 25374, 25376]; Central African Republic (br?) [659]; Chad (br) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br) [25489]; Equatorial Guinea (br) [659, 1183]; Equatorial Guinea, Bioko; Eritrea [659]; Ethiopia [659]; Gabon (br) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br) [659, 1078, 1191, 1389, 10590, 11442, 11455, 11456]; Guinea-Bissau (br) [659, 7836, 8709]; Kenya (br) [5253]; Liberia (br) [5246]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (br) [659]; Niger (br) [659]; Nigeria (br); Rwanda (br?) [659]; Senegal (br) [659]; Sierra Leone (br) [659]; Somalia [5252]; Sudan [659]; Togo (br) [5254]; Uganda (br) [659]; United Republic of Tanzania (br) [659]; Zambia (br) [659]					
<i>Petronia dentata</i> (Sundevall, 1850)					
Synonym: <i>Gymnoris dentata</i> (Sundevall, 1850)	III	GH	C	LC	792, 1256
E: Bush Petronia, Bush Sparrow, F: Petit Moineau, Petit moineau soulcie, S: Chillón de Sundevall					
Benin (br?) [659]; Burkina Faso (br) [659, 1345]; Cameroon (br) [659, 25374]; Central African Republic (br?) [659, 11929]; Chad (br) [659]; Côte d'Ivoire (br) [1334, 25470]; Eritrea (br) [659]; Ethiopia (br) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br) [659, 1078, 1389, 10590, 11438, 11442, 13096]; Guinea-Bissau (br) [659, 7847, 8709]; Mali (br) [659]; Mauritania (br) [659]; Niger (br) [659]; Nigeria (br); Senegal (br) [659]; Sierra Leone (br) [659]; Sudan (br) [659]; Togo (br) [5254]; Uganda [659]; Yemen (br) [5297]					
<i>Plocepasser superciliosus</i> (Cretzschmar, 1827)					
E: Chestnut-crowned Sparrow-Weaver, F: Mahali à calotte marron, Moineau-tisserin, S: Tejedor pardal capirotado	III	GH	C	LC	511, 792, 1256
Benin (br) [659]; Burkina Faso (br?) [659]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Chad (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br) [25489]; Eritrea (br) [659]; Ethiopia (br) [659, 894]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br) [10590]; Guinea-Bissau [7849, 8709]; Kenya (br) [5253]; Mali (br?) [659]; Niger (br?) [659]; Nigeria (br); Senegal (br?) [659]; Sudan (br) [659]; Togo (br) [5254]; Uganda (br) [659]					
<i>Ploceus albinucha</i> (Barboza du Bocage, 1876)					
E: Moineau des savanes, F: Moineau des savanes, S: Tejedor pardo	III	GH	C	LC	511, 792, 1256

E: Maxwell's Black Weaver, White-naped Weaver, F: Tisserin de Maxwell, Tisserin noir de Maxwell,
 S: Tejedor negro albinuca
 Cameroon (br?) [659, 25374, 25376, 25382]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br) [25489]; Equatorial Guinea (br) [6276, 6426]; Equatorial Guinea, Bioko; Gabon (br) [659]; Ghana (br) [782]; Guinea [11455, 11456]; Liberia (br) [5246]; Nigeria (br?); Sierra Leone (br) [659]; Uganda (br?) [659]

Ploceus aurantius (Vieillot, 1805) III GH C LC 511, 792, 1256
 E: Orange Weaver, F: Tisserin orangé, S: Tejedor naranja
 Angola (br?) [5267]; Cameroon (br?) [659, 25382]; Central African Republic (br?) [659]; Congo (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br) [25489]; Equatorial Guinea [6426]; Gabon (br) [659]; Ghana (br) [782, 7856]; Kenya (v) [5253]; Liberia (br) [5246]; Nigeria (br); Sierra Leone (br) [659]; Togo (br) [5254]; Uganda (br) [659]; United Republic of Tanzania (br?) [659]

Ploceus cucullatus (Müller, 1776) III GH C LC 511, 573, 574, 792, 975, 1256
 Synonym: *Ploceus nigriceps* (Layard, 1867)
 E: Layard's Black-headed Weaver, Spot-backed Weaver, Village Weaver, F: Tisserin gendarme, S: Tejedor cogullado
 Angola (br) [5267]; Benin (br) [659]; Botswana (br) [1102]; Burkina Faso (br) [659, 1345]; Burundi (br?) [659]; Cameroon (br) [659, 25371, 25374, 25376]; Central African Republic (br) [659]; Chad (br) [659]; Congo (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br) [25489]; Dominican Republic (int, br) [1312]; Equatorial Guinea (br) [659, 1183]; Equatorial Guinea, Bioko; Eritrea (br) [659]; Ethiopia (br) [659]; Gabon (br) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br) [659, 1078, 1191, 1389, 10590, 11436, 11437, 11439, 11442, 11455, 11456, 11457, 13096]; Guinea-Bissau (br) [659, 7836, 8709]; Haiti (int) [1408]; Kenya (br) [5253]; Lesotho (br) [486]; Liberia (br) [5246]; Malawi (br) [1103]; Mali (br) [659]; Martinique (int, br) [5242]; Mauritania (br) [659]; Mauritius (int, br) [659]; Mozambique (br) [659]; Namibia (br) [659]; Niger (br) [659]; Nigeria (br); Portugal (int, br); Portugal (int, br); Puerto Rico (int, br) [1176]; Réunion (int, br) [1303]; Rwanda (br) [659]; São Tomé and Príncipe (br) [659]; Senegal (br) [659]; Sierra Leone (br) [659]; Somalia (br) [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Togo (br) [5254]; Uganda (br) [659]; United Republic of Tanzania (br?) [659]; Venezuela (int, br) [11378]; Zambia (br) [659]; Zimbabwe (br) [659]

Ploceus heuglini Reichenow, 1886 III GH C LC 511, 792, 1256
 Synonym: *Textu atrogularis* (Heuglin, 1864)
 E: Heuglin's Masked-Weaver, F: Tisserin masqué, S: Tejedor de Heuglin
 Benin (br) [659]; Burkina Faso (br?) [659]; ?Cameroon (br) [659]; Chad (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br) [25489]; Gambia (br) [760]; Ghana (br) [782]; Kenya (br) [5253]; Mali (br) [659]; Niger (br?) [659]; Nigeria (br); Senegal (br) [659]; Sudan (br) [659]; Togo (br) [5254]; Uganda (br) [659]

Ploceus luteolus (Lichtenstein, 1823) III GH C LC 511, 597, 792, 1256
 Synonym: *Sitagra luteola* (Lichtenstein, 1823)
 E: Little Weaver, F: Tisserin minule, S: Sitragra chico común
 Benin (br) [659]; Burkina Faso (br) [659, 1345]; Cameroon (br?) [659]; Central African Republic (br) [659]; Chad (br) [659]; Côte d'Ivoire (br?) [1334]; Democratic Republic of the Congo (br) [25489]; Eritrea (br) [659]; Ethiopia (br) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea-Bissau [8709]; Kenya (br) [5253]; Mali (br) [659]; Mauritania (br) [659]; Niger (br) [659]; Nigeria (br); Senegal (br) [659]; Sudan (br) [659]; Togo (br) [5254]; Uganda (br?) [659]; United Republic of Tanzania (br?) [659]

Ploceus melanocephalus (Linnaeus, 1758) III GH C LC 511, 792, 1256
 Synonyms: *Ploceus capitalis* (Latham, 1790), *Sitagra melanocephala* (Linnaeus, 1758)
 E: Black-headed Weaver, Yellow-backed Weaver, F: Tisserin à tête noire, S: Tejedor cabecinegro
 Benin (br) [659]; Burkina Faso (br) [659, 1345]; Burundi (br?) [659]; Cameroon (br?) [659]; Central African Republic (br?) [659, 11929]; Chad (br) [659]; Congo (br) [659]; Democratic Republic of the Congo (br) [25489]; Eritrea (br?) [659]; Ethiopia (br?) [659]; Gambia (br) [760]; Ghana (br?) [782]; Guinea (br) [659, 1389]; Guinea-Bissau (br) [659, 7847, 8709]; Kenya (br) [5253]; Mali (br) [659]; Mauritania (br) [659]; Niger (br) [659, 7218]; Nigeria (br); Rwanda (br) [659]; Senegal (br) [659]; Sudan (br) [659]; Togo (br?) [5254]; Uganda (br) [659]; United Republic of Tanzania (br?) [659]; Zambia (br) [659]

Ploceus nigerrimus Vieillot, 1819 III GH C LC 511, 792, 1256
 E: Vieillot's Black Weaver, F: Tisserin noir, Tisserin noir de Vieillot, S: Tejedor negro de Vieillot
 Angola (br) [5267]; Benin (br) [659]; Burundi (br?) [659]; Cameroon (br?) [659, 25374, 25376, 25382]; Central African Republic (br) [659, 11929]; Congo (br) [659]; Côte d'Ivoire (br) [1334, 25470]; Democratic Republic of the Congo (br) [25489]; Equatorial Guinea (br?) [659, 1183]; Gabon (br) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br) [659, 1078, 1389, 10590, 11437, 11440, 11455, 11456, 13096]; Kenya (br) [5253]; Liberia (br) [5246]; Nigeria (br); Rwanda (br) [659]; Sierra Leone (br) [659]; Sudan (br) [659]; Togo (br) [5254]; Uganda (br) [659]; United Republic of Tanzania (br?) [659]

Ploceus nigricollis (Vieillot, 1805)	III	GH	C	LC	511, 792, 1256
E: Black-necked Weaver, F: Tisserin à cou noir, Tisserin à lunettes, S: Tejedor cuellinegro					
Angola (br) [5267]; Benin (br) [659]; Burkina Faso (br) [659, 1345]; Burundi (br?) [659]; Cameroon (br) [659, 25376]; Central African Republic (br) [659]; Chad (br?) [659]; Congo (br) [659]; Côte d'Ivoire (br) [1334, 25470]; Democratic Republic of the Congo (br) [25489]; Equatorial Guinea (br) [659, 1183]; Equatorial Guinea, Bioko; Ethiopia (br?) [659]; Gabon (br) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br) [659, 1078, 1191, 10590, 11436, 11437, 11438, 11439, 11440, 11441, 11455, 13096]; Guinea-Bissau (br) [659, 7836, 8709]; Kenya (br) [5253]; Liberia (br) [5246]; Mali (br?) [659]; Niger (br?) [659]; Nigeria (br); Rwanda (br) [659]; Senegal (br) [659]; Sierra Leone (br) [659]; Somalia (br) [5252]; Sudan (br?) [659]; Togo (br) [5254]; Uganda (br?) [659]; United Republic of Tanzania (br?) [659]					
Ploceus pelzelni (Hartlaub, 1887)	III	GH	C	LC	511, 792, 1256
E: Slender-billed Weaver, F: Tisserin de Pelzeln, Tisserin nain, S: Sitagra de Pelzeln					
Angola (br?) [5267]; Burundi (br?) [659]; Cameroon (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br) [25489]; Gabon (br) [659]; Ghana (br) [782]; Kenya (br) [5253]; Nigeria (br); Rwanda (br) [659]; Sierra Leone (br?) [659]; Sudan (br?) [659, 6417]; Togo (br?) [5254]; Uganda (br) [659]; United Republic of Tanzania (br?) [659]; Zambia (br) [659]					
Ploceus preussi (Reichenow, 1892)	III	GH	C	LC	792, 1256
E: Golden-backed Weaver, Preuss's Weaver, Yellow-capped Weaver, F: Tisserin à dos doré, Tisserin de Preuss					
Cameroon (br?) [659, 25376, 25382]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br) [25489]; Equatorial Guinea [6426]; Gabon (br?) [518, 659]; Ghana (br) [782, 7856]; Guinea (br) [659, 1078, 11439, 11455, 13096]; Liberia (br?) [5246]; Sierra Leone (br) [659]					
Ploceus tricolor (Hartlaub, 1854)	III	GH	C	LC	511, 792, 1256
E: Yellow-mantled Weaver, F: Tisserin tricolore, S: Tejedor tricolor					
Angola (br) [5267]; Benin [7097]; Cameroon (br?) [659, 25374, 25376, 25382]; Central African Republic (br?) [659, 11929]; Congo (br) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br) [25489]; Equatorial Guinea [6426]; Gabon (br) [518, 659]; Ghana (br) [782, 7856]; Guinea (br) [659, 1078, 11436, 11455]; Kenya (br?) [5253]; Liberia (br) [5246]; Nigeria (br) [25533]; Sierra Leone (br) [659]; Sudan (br?) [659]; Togo (br) [5254]; Uganda (br?) [659]					
Ploceus vitellinus (Lichtenstein, 1823)	III	GH	C	LC	511, 573, 792, 1256
Synonym: <i>Ploceus velatus vitellinus</i> (Lichtenstein, 1823)					
E: Vitelline Masked-Weaver, F: Tisserin à tête rouge, Tisserin à tête rousse, Tisserin vitellin, S: Tejedor velado					
Benin (br) [659]; Burkina Faso (br) [659, 1345]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Chad (br) [659]; Democratic Republic of the Congo (br) [25489]; Equatorial Guinea (br) [659]; Bioko; Ethiopia (br) [659]; Gambia (br) [760]; Ghana (br) [782]; Kenya (br) [5253]; Mali (br) [659]; Mauritania (br) [659]; Niger (br) [659]; Nigeria (br); Senegal (br) [659]; Somalia (br) [5252]; Sudan (br) [659]; Togo (br?) [5254]; Uganda (br) [659]; United Republic of Tanzania (br?) [659]					
Quelea erythrops (Hartlaub, 1848)	III	GH	C	LC	511, 573, 792, 1256
E: Red-headed Dioch, Red-headed Quelea, F: Travailleur à tête rouge, S: Laborioso cabecirrojo					
Angola (br) [5267]; Benin (br) [659]; Botswana (v) [1102]; Burkina Faso (br) [659, 1345]; Burundi [659]; Cameroon (br) [659, 25376]; Central African Republic (br) [659, 11929]; Chad (br) [659]; Congo [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br) [25489]; Equatorial Guinea (br?) [659]; Ethiopia (br?) [659]; Gabon [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea [659, 10590, 11443, 11455, 11456, 13096]; Guinea-Bissau (br) [659, 7834, 8709]; Kenya [5253]; Liberia (br) [5246]; Malawi (br) [1103]; Mali (br) [659]; Mozambique [659]; Niger (br) [659]; Nigeria (br); Rwanda [659]; São Tomé and Príncipe (br) [659]; Senegal [659]; Sierra Leone (br) [659]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br?) [1139]; Togo [5254]; Uganda [659]; United Republic of Tanzania (br) [659]; Zambia (br) [659]; Zimbabwe (br) [659]					
Sporopipes frontalis (Daudin, 1802)	III	GH	C	LC	511, 792, 1256
E: Scaly-fronted Weaver, Speckle-fronted Weaver, F: Moineau quadrillé, Sporopipe quadrillé, S: Tejedorcito punteado					
Benin (br) [11462]; Burkina Faso (br) [659, 1345, 7154]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Chad (br) [659]; Eritrea (br) [659]; Ethiopia (br) [659]; Gambia [760]; Ghana (br) [782]; Guinea-Bissau [8709]; Kenya (br) [5253]; Mali (br) [659]; Mauritania (br) [659]; Niger (br) [659]; Nigeria (br); Senegal (br) [659]; Somalia (v) [5252]; Sudan (br) [659]; Uganda (br?) [659]; United Republic of Tanzania (br?) [659]					
Vidua chalybeata (Statius Müller, 1776)	III	GH	C	LC	511, 573, 792, 1145, 1256
Synonyms: <i>Vidua okavangoensis</i> Payne, 1973, <i>Vidua ultramarina</i> (J. F. Gmelin, 1789), <i>Vidua amauropteryx</i> (Sharpe, 1890), <i>Vidua centralis</i> (Neunzig, 1928), <i>Vidua neumanni</i> (Alexander, 1908), <i>Hypochera chalybeata</i> (Statius Müller, 1776)					

E: Green Indigobird, Senegal Combassou, Village Indigobird, F: Combassou du Sénégal, S: Tejedor bruñido verdoso

Angola (br?) [5267]; Benin (br?) [659]; Botswana (br) [1102]; Burkina Faso (br) [659, 1345]; Burundi (br?) [659]; Cameroon (br?) [659]; Central African Republic (br?) [659]; Chad (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br?) [25489]; Eritrea (br?) [659]; Ethiopia (br?) [659]; Gambia (br) [760]; Ghana (br?) [782]; Guinea (br) [659, 1078, 10590, 11442, 11456]; Guinea-Bissau [8709]; Kenya (br) [5253]; Lesotho (br?) [486]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (br) [659]; Mozambique (br?) [659]; Namibia (br?) [659]; Niger (br?) [659]; Nigeria (br); Rwanda (br) [659]; Senegal (br) [659]; Sierra Leone (br?) [659]; Somalia (br?) [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Togo (br?) [5254]; Uganda (br?) [659]; United Republic of Tanzania (br?) [659]; Zambia (br) [659]; Zimbabwe (br) [659]

Vidua interjecta (Grote, 1922) III GH C LC 1146

Synonym: *Vidua orientalis interjecta* (Grote, 1922)

E: Long-tailed Paradise-Whydah, Uelle Paradise-Whydah, F: Veuve à queue large, Veuve nigérienne, Veuve nigérienne

Cameroon (br?) [659]; Central African Republic (br) [659]; Chad (br?) [659]; Democratic Republic of the Congo (br?) [25489]; Ethiopia (br?) [659]; Ghana (br?) [782]; Guinea (br) [659, 1078, 10590]; Liberia (br?) [5246]; Mali (br?) [659]; Nigeria (br?); Sudan (br?) [659]

Vidua larvaticola Payne, 1982 III GH C LC 1145, 1146

E: Baka Indigobird, Black-faced Firefinch Indigobird, F: Combassou de Baka

Cameroon (br?) [659]; Ethiopia (br?) [659]; Gambia (br?) [760]; Ghana (br?) [782]; Guinea (br) [659, 1078]; Nigeria (br?); Sudan (br?) [659]

Vidua macroura (Pallas, 1764) III GH C LC 511, 573, 792, 1256

E: Pin-tailed Whydah, F: Veuve dominicaine, S: Viuda colicinta

Angola (br?) [5267]; Benin (br?) [659, 12884]; Botswana (br?) [1102]; Burkina Faso (br) [659, 1345]; Burundi (br?) [659, 25523]; Cameroon (br?) [659, 25371, 25376]; Central African Republic (br?) [659]; Chad (br?) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br) [25489]; Equatorial Guinea (br) [659, 1183]; Equatorial Guinea, Bioko; Eritrea (br?) [659]; Ethiopia (br) [659]; Gabon (br) [659]; Gambia (br) [760]; Ghana (br) [782]; Guinea (br) [659, 1078, 1191, 1389, 10590, 11437, 11455, 11456]; Guinea-Bissau (br) [659, 7836, 8709]; Kenya (br) [5253]; Lesotho (br) [486]; Liberia (br) [5246]; Malawi (br) [1103]; Mali (br) [659]; Mauritania (br) [659]; Mozambique (br?) [659]; Namibia (br?) [659]; Niger (br?) [659]; Nigeria (br?); Puerto Rico (int, br) [1176]; Rwanda (br) [659]; São Tomé and Príncipe (br) [659]; Senegal (br) [659]; Sierra Leone (br?) [659]; Somalia (br?) [5252]; South Africa (br) [659]; Sudan (br) [659]; Swaziland (br) [1139]; Togo (br?) [5254]; Uganda (br) [659]; United Republic of Tanzania (br?) [659]; United States (br) [387]; Zambia (br) [659]; Zimbabwe (br) [659]

Vidua orientalis Heuglin, 1870 III GH C 511, 573, 792, 1256

Synonym: *Vidua paradisaea orientalis* Heuglin, 1870

E: Northern Paradise-Whydah, F: Veuve à collier d'or, Veuve paradisiaise, S: Viuda del paraíso oriental Burkina Faso (br) [659, 1345]; Chad (br) [659]; Eritrea (br?) [659]; Ethiopia (br?) [659]; Gambia (br) [760]; Guinea (br) [659, 1078, 11442, 11456]; Guinea-Bissau [7852]; Mali (br) [659]; Mauritania (br) [659]; Niger (br?) [659]; Nigeria (br?); Senegal (br?) [659]; Sudan (br) [659]

Vidua rufiventer Payne, 1982 III GH C LC 1145, 1146

E: Goldbreast Indigobird, Jambandu Indigobird, F: Combassou de Jambandu

Cameroon (br?) [659, 1145]; Democratic Republic of the Congo [25489]; Ghana (br?) [782]; Nigeria (br?); Sierra Leone (br) [659]; Sudan (br?) [659]

Vidua togoensis (Grote, 1923) III GH C LC 1146

Synonym: *Vidua orientalis togoensis* (Grote, 1923)

E: Togo Paradise-Whydah, F: Veuve du Togo

Cameroon (br?) [659, 1146]; Chad (br?) [659]; Côte d'Ivoire (br) [1334]; Ghana (br?) [782]; Mali (v) [659]; Sierra Leone (br?) [659]; Togo (br?) [5254]

Vidua wilsoni (Hartert, 1901) III GH C LC 792, 1145, 1256

Synonyms: *Vidua incognita* (Nicolai, 1972), *Vidua lorenzi* Nicolai, 1972, *Hypochera wilsoni* Hartert, 1901 E: Pale-winged Indigobird, Wilson's Indigobird, F: Combassou de Wilson, Combassou noir, S: Tejedor bruñido de Wilson

Cameroon (br?) [659]; Central African Republic (br?) [659, 11929]; ?Chad (br) [659]; Congo (br?) [659]; Côte d'Ivoire (br) [1334]; Democratic Republic of the Congo (br?) [25489]; Ghana (br) [782]; Guinea (br) [659, 1078, 10590]; Guinea-Bissau (br) [659, 7848, 8709]; Nigeria (br?); Senegal (br?) [659]; Sudan (br) [659]; Togo (br?) [5254]

Family: STURNIDAE

<i>Cosmopsarus regius</i> Reichenow, 1879	D	LC	
E: Golden-breasted Starling, F: Spréo royal Ethiopia [659]; Kenya [5253]; Somalia [5252]; United Republic of Tanzania [659]			
<i>Gracula religiosa</i> Linnaeus, 1758	II	B	LC
Synonyms: <i>Gracula indica</i> (Cuvier, 1929), <i>Gracula enganensis</i> Salvadori, 1892, <i>Gracula robusta</i> Salvadori, 1887 E: Common Hill Myna, Hill Myna, F: Mainate religieux, Merle des Indes, S: Miná de la India, Miná religioso Bangladesh (br) [804]; Bhutan (br) [5261]; Brunei Darussalam (br); Cambodia (br) [5243]; China (br) [5293]; Christmas Island (int, br); India (br) [1197]; Indonesia (br) [393]: Bali, Jawa, Kalimantan, Lesser Sunda Is, Sumatera; Lao People's Democratic Republic (br) [6187]; Malaysia (br) [1289]: Peninsular Malaysia, Sabah, Sarawak; Myanmar (br) [1290]; Nepal (br) [865]; Philippines (br) [5270]; Puerto Rico (int, br) [1176]; Singapore (br) [791]; Sri Lanka (br) [5271]; Thailand (br) [487]; Viet Nam (br) [5264]			
<i>Leucopsar rothschildi</i> Stresemann, 1912	I	A	CR 406, 408, 413, 595, 828, 931, 6511
E: Bali Myna, Bali Starling, Rothschild's Myna, Rothschild's Starling, White Starling, F: Étourneau de Rothschild, Mainate , Mainate de Rothschild, Martin de Rothschild, Sansonnet de Rothschild, S: Estornino de Rothschild, Miná de Rothschild Indonesia (br) [393]: Bali			
CITES Identification Manual Reference:		A-227.051.013.001	
<i>Mino dumontii</i> Lesson, 1827	D	LC	
Synonym: <i>Mino krefftii</i> (Sclater, 1869) E: Yellow-faced Myna, F: Mino de Dumont Indonesia [393]: Irian Jaya; Papua New Guinea; Solomon Islands [5260]			
<i>Sturnus erythropygius</i> (Blyth, 1846)	D	LC	
Synonym: <i>Sturnia erythropygia</i> Blyth, 1846 E: White-headed Starling, F: Étourneau à tête blanche India (br) [1197]: Andaman Is, Nicobar Is			
Family:	PARADISAEIDAE		
<i>Astrapia mayeri</i> Stonor, 1939	II	B	NT 452, 595, 606, 1242
E: Ribbon-tailed Astrapia, Ribbon-tailed Bird-of-paradise, F: Paradisier à rubans Papua New Guinea (br)			
CITES Identification Manual Reference:		A-227.059.004.002	
<i>Astrapia nigra</i> (Gmelin, 1788)	II	B	LC 452, 595, 606, 1242
E: Arfak Astrapia, F: Hausse-col doré, Paradisier à gorge noire Indonesia (br) [393]: Irian Jaya			
CITES Identification Manual Reference:		A-227.059.004.003	
<i>Astrapia rothschildi</i> Förster, 1906	II	B	LC 452, 606, 1242
E: Huon Astrapia, F: Hausse-col de Rothschild, Paradisier de Rothschild Papua New Guinea (br)			
CITES Identification Manual Reference:		A-227.059.004.004	
<i>Astrapia splendidissima</i> Rothschild, 1895	II	B	LC 452, 606, 1242
E: Splendid Astrapia, F: Hausse-col splendide, Paradisier splendide Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br) [7868]			
CITES Identification Manual Reference:		A-227.059.004.005	
<i>Astrapia stephaniae</i> (Finsch, 1885)	II	B	LC 452, 606
E: Princess Stephanie's Bird-of-paradise, Stephanie's Astrapia, F: Hausse-col à queue rubanée, Paradisier de la princesse Stéphanie, Paradisier de Stéphanie Papua New Guinea (br)			
CITES Identification Manual Reference:		A-227.059.004.006	
<i>Cicinnurus magnificus</i> (Pennant, 1781)	II	B	LC 452, 606

Synonym: <i>Diphylloides magnificus</i> (Pennant, 1781) E: Magnificent Bird-of-paradise, F: Paradisier magnifique Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)				
CITES Identification Manual Reference:	A-227.059.006.002			
<i>Cicinnurus regius</i> (Linnaeus, 1758)	II	B	LC	452, 606, 1242
E: King Bird-of-paradise, F: Paradisier royal Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)				
CITES Identification Manual Reference:	A-227.059.005.001			
<i>Cicinnurus respublica</i> (Bonaparte, 1850)	II	B	NT	595, 606, 1242
Synonym: <i>Diphylloides respublica</i> (Bonaparte, 1850) E: Wilson's Bird-of-paradise, F: Paradisier républicain Indonesia (br) [393]: Irian Jaya				
CITES Identification Manual Reference:	A-227.059.006.003			
<i>Cnemophilus loriae</i> (Salvadori, 1894)	II	B	LC	452, 606
Synonym: <i>Loria loriae</i> Salvadori, 1894 E: Loria's Bird-of-paradise, F: Paradisier de Loria, Paradisier loria Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)				
CITES Identification Manual Reference:	A-227.059.003.001			
<i>Cnemophilus macgregorii</i> De Vis, 1890	II	B	LC	452, 606, 1242, 6642
E: Crested Bird-of-paradise, F: Paradisier huppé Papua New Guinea (br)				
CITES Identification Manual Reference:	A-227.059.001.001			
<i>Epimachus albertisi</i> (Sclater, 1873)	II	B	LC	452, 606, 1242
Synonym: <i>Drepanornis albertisi</i> Sclater, 1873 E: Black-billed Sicklebill, Buff-tailed Sicklebill, F: Drépanornis d'Albertis, Paradisier d'Albertis Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)				
CITES Identification Manual Reference:	A-227.059.007.002			
<i>Epimachus bruijnii</i> (Oustalet, 1880)	II	B	NT	452, 595, 606
Synonym: <i>Drepanornis bruijnii</i> Oustalet, 1880 E: Pale-billed Sicklebill, White-billed Sicklebill, F: Drépanornis de Bruijn, Paradisier à bec blanc Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)				
CITES Identification Manual Reference:	A-227.059.007.003			
<i>Epimachus fastuosus</i> (Hermann, 1783)	II	B	VU	452, 595, 606, 1242
E: Black Sicklebill, F: Epimaque fastueux, Paradisier fastueux Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)				
CITES Identification Manual Reference:	A-227.059.008.002			
<i>Epimachus meyeri</i> Finsch, 1885	II	B	LC	452, 606, 1242
E: Brown Sicklebill, F: Epimaque de Mayer, Paradisier de Meyer Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)				
CITES Identification Manual Reference:	A-227.059.008.003			
<i>Loboparadisea sericea</i> Rothschild, 1896	II	B	NT	452, 606, 6642
E: Wattle-billed Bird-of-paradise, Yellow-breasted Bird-of-paradise, F: Paradisier soyeux Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)				
CITES Identification Manual Reference:	A-227.059.002.001			
<i>Lophorina superba</i> (Pennant, 1781)	II	B	LC	452, 606, 1242
E: Superb Bird-of-paradise, F: Paradisier superbe Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)				
CITES Identification Manual Reference:	A-227.059.009.001			

<i>Lycocorax pyrrhopterus</i> (Bonaparte, 1851)	II	B	LC	452, 606, 9310
E: Paradise-Crow, Silky-Crow, F: Corneille de paradis, Paradisier corvin Indonesia (br) [393]: Moluccas				
CITES Identification Manual Reference:	A-227.059.010.001			
<i>Macgregoria pulchra</i> De Vis, 1897	II	B	VU	452, 595, 606, 1242
E: Macgregor's Bird-of-paradise, F: Paradisier de Macgregor Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br) [7109, 7861]				
CITES Identification Manual Reference:	A-227.059.011.001			
<i>Manucodia atra</i> (Lesson, 1830)	II	B	LC	452, 606, 1242
E: Glossy-mantled Manucode, F: Manucaude noir, Paradisier noir Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)				
CITES Identification Manual Reference:	A-227.059.012.002			
<i>Manucodia chalybata</i> (Pennant, 1781)	II	B	LC	452, 606
E: Crinkle-collared Manucode, F: Manucaude vert, Paradisier vert Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)				
CITES Identification Manual Reference:	A-227.059.012.003			
<i>Manucodia comrii</i> Sclater, 1876	II	B	LC	606, 1242
E: Curl-crested Manucode, F: Manucaude de Comrie, Paradisier d'Entrecasteaux Papua New Guinea (br)				
CITES Identification Manual Reference:	A-227.059.012.004			
<i>Manucodia jobiensis</i> Salvadori, 1876	II	B	LC	452, 606, 1242
E: Jobi Manucode, F: Manucaude de Jobi, Paradisier de Jobi Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)				
CITES Identification Manual Reference:	A-227.059.012.005			
<i>Manucodia keraudrenii</i> (Lesson & Garnot, 1826)	II	B	LC	452, 606, 1242
Synonym: <i>Phonygammus keraudrenii</i> (Lesson & Garnot, 1826)				
E: Trumpet Manucode, Trumpetbird, F: Manucaude de Keraudren, Paradisier de Keraudren Australia (br) [477]; Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)				
CITES Identification Manual Reference:	A-227.059.016.001			
<i>Melampitta gigantea</i> (Rothschild, 1899)	II	B	LC	452, 1242
E: Greater Melampitta, F: Grande mélampitte Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)				
<i>Melampitta lugubris</i> Schlegel, 1873	II	B	LC	452, 1242
E: Lesser Melampitta, F: Petite mélampitte Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br) [6924]				
<i>Paradigalla brevicauda</i> Rothschild & Hartert, 1911	II	B	LC	452, 606, 6930
E: Short-tailed Paradigalla, F: Paradigalle à queue courte, Paradisier à queue courte Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)				
CITES Identification Manual Reference:	A-227.059.013.002			
<i>Paradigalla carunculata</i> Lesson, 1835	II	B	NT	452, 595, 606, 1242, 6930
E: Long-tailed Paradigalla, F: Paradigalle caronculée, Paradisier caronculé Indonesia (br) [393]: Irian Jaya				
CITES Identification Manual Reference:	A-227.059.013.003			
<i>Paradisaea apoda</i> Linnaeus, 1758	II	B	LC	452, 606, 1242
E: Greater Bird-of-paradise, F: Grand paradisier, Paradisier grand-émeraude Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br) [6924]; Trinidad and Tobago (br) [703]				

CITES Identification Manual Reference:	A-227.059.014.002			
Paradisaea decora Salvin & Godman, 1883 E: Goldie's Bird-of-paradise, F: Paradisier de Goldie Papua New Guinea (br)	II	B	NT	595, 606, 1242
CITES Identification Manual Reference:	A-227.059.014.003			
Paradisaea guilieimi Cabanis, 1888 E: Emperor Bird-of-paradise, Emperor of Germany's Bird-of-paradise, F: Paradisier de Guillaume, Paradisier de l'empereur Guillaume Papua New Guinea (br)	II	B	NT	452, 595, 606, 1242
CITES Identification Manual Reference:	A-227.059.014.004			
Paradisaea minor Shaw, 1809 E: Lesser Bird-of-paradise, F: Paradisier petit-émeraude, Petit paradisier Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)	II	B	LC	452, 606, 1242
CITES Identification Manual Reference:	A-227.059.014.005			
Paradisaea raggiana Sclater, 1873 E: Count Raggi's Bird-of-paradise, Raggiana Bird-of-paradise, F: Paradisier de Raggi, Paradisier du comte Raggi Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br) [6924]	II	B	LC	452, 606
CITES Identification Manual Reference:	A-227.059.014.006			
Paradisaea rubra Daudin, 1800 E: Red Bird-of-paradise, F: Paradisier rouge Indonesia (br) [393]: Irian Jaya	II	B	NT	595, 606, 1242
CITES Identification Manual Reference:	A-227.059.014.007			
Paradisaea rudolphi (Finsch, 1885) E: Blue Bird-of-paradise, F: Paradisier bleu, Paradisier de Rodolphe Papua New Guinea (br)	II	B	VU	452, 595, 606, 1242
CITES Identification Manual Reference:	A-227.059.014.008			
Parotia carolae Meyer, 1894 E: Carola's Parotia, Queen Carola's Parotia, F: Paradisier de Carola, Sifilet de Carola Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)	II	B	LC	452, 606, 1242
CITES Identification Manual Reference:	A-227.059.015.002			
Parotia heleneae De Vis, 1891 Synonym: <i>Parotia lawesii heleneae</i> De Vis, 1891 E: Eastern Parotia, F: Paradisier d'Helena, Sifilet d'Hélène Papua New Guinea (br)	II	B	LC	452, 606
CITES Identification Manual Reference:	A-227.059.015.003a			
Parotia lawesii Ramsay, 1885 E: Lawes's Parotia, F: Paradisier de Lawes, Sifilet de Lawe Papua New Guinea (br)	II	B	LC	452, 606
CITES Identification Manual Reference:	A-227.059.015.003b			
Parotia sefilata (Pennant, 1781) E: Arfak Parotia, Six-plumed Parotia, Western Parotia, F: Paradisier sifilet, Sifilet d'Arfak Indonesia (br) [393]: Irian Jaya	II	B	LC	452, 606
CITES Identification Manual Reference:	A-227.059.015.004			
Parotia wahnesi Rothschild, 1906 E: Wahnes's Parotia, F: Paradisier de Wahnes, Sifilet de Wahnes Papua New Guinea (br) [452]	II	B	VU	452, 595, 606, 1242

CITES Identification Manual Reference: A-227.059.015.005

Pteridophora alberti Meyer, 1894 II B LC 452, 606
 E: King-of-Saxony Bird-of-paradise, F: Paradisier d'Albert, Paradisier du prince Albert
 Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)

CITES Identification Manual Reference: A-227.059.017.001

Ptiloris intercedens Sharpe, 1882 II B LC 452, 606
 E: Eastern Riflebird
 Papua New Guinea (br)

Ptiloris magnificus (Vieillot, 1819) II B LC 452, 606
 E: Magnificent Riflebird, F: Paradisier gorge-d'acier, Proméfil
 Australia (br) [477]; Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)
 CITES Identification Manual Reference: A-227.059.018.002

Ptiloris paradiseus Swainson, 1825 II B LC 595, 606
 E: Paradise Riflebird, F: Paradisier festonné, Ptiloris paradis
 Australia (br) [477]
 CITES Identification Manual Reference: A-227.059.018.003

Ptiloris victoriae Gould, 1850 II B LC 606
 E: Queen Victoria's Riflebird, Victoria's Riflebird, F: Paradisier de Victoria, Ptiloris de Victoria
 Australia (br) [477]
 CITES Identification Manual Reference: A-227.059.018.004

Seleucidis melanoleuca (Daudin, 1800) II B LC 452, 606
 E: Twelve-wired Bird-of-paradise, F: Paradisier multifil
 Indonesia (br) [393]: Irian Jaya; Papua New Guinea (br)
 CITES Identification Manual Reference: A-227.059.019.001

Semioptera wallacii Gould, 1859 II B LC 472, 595, 606, 9310
 E: Standardwing, Standard-wing Bird-of-paradise, Wallace's Standardwing, F: Paradisier de Wallace
 Indonesia (br) [393]: Moluccas
 CITES Identification Manual Reference: A-227.059.020.001

Family: CORVIDAE

Cyanocorax caeruleus (Vieillot, 1818) D NT
 E: Azure Jay, F: Geai azuré
 Argentina (br) [5291, 10249]; Brazil [6186]; ?Paraguay [5295]

Cyanocorax dickeyi Moore, 1935 D NT
 E: Tufted Jay, F: Geai panaché
 Mexico (br) [5241]

References

- 32 Rasmussen, P. C. (1998) A new scops-owl from Great Nicobar Island. *Bulletin of the British Ornithologists' Club* 118(3): 141-153.
- 41 Lafontaine, R. M. and Moulaert, N. (1998) A new species of scops owl (*Otus*: Aves): taxonomy and conservation status. *Journal of African Zoology* 112(2): 163-169.
- 244 Robbins, M. B. and Stiles, F. G. (1999) A new species of pygmy-owl (Strigidae: *Glaucidium*) from the Pacific slope of the northern Andes. *Auk* 116(2): 305-315.
- 259 Pavel Tomkovich. (2000) Russian names of species for Arctic Bird Library and AEWA. Список видов птиц, зарегистрированных (Russian)
- 374 Abdusalyamov, I. A. (1977) [Fauna of the Tadzhik Soviet Socialist Republic: birds.]. 19(3): Dushanbe (Russian)
- 376 Achaval, F. (1989) Lista de especies de vertebrados del Uruguay. Parte 2: Anfibios, reptiles aves y mamíferos. Facultad de Humanidades y Ciencias, Universidad de la República, Uruguay.
- 377 Aitchison, J. (1993) Pittas or plantations? *World Birdwatch* 15(1): 7-10.
- 378 Akcakaya, H. R. (1990) Bald Ibis *Geronticus eremita* population in Turkey: an evaluation of the captive breeding project for reintroduction. *Biological Conservation* 51: 225-237.
- 379 Akcakaya, H. R. and Akcakaya, R. (1986) Concern for Turkey's last Bald Ibises. *WWF Monthly Reports September* 243-245.
- 380 Albuquerque, J. L. B. (1986) Conservation and status of raptors in southern Brazil. *Birds of Prey Bulletin* 3: 88-94.
- 381 Ali, S. and Ripley, S. D. (1987) Compact handbook of the birds of India and Pakistan together with those in Bangladesh, Nepal, Bhutan and Sri Lanka. Oxford University Press. -Oxford
- 382 Ali, S., Daniel, J. C. and Rahmani, A. R. (1986) Study of ecology of certain endangered species of wildlife and their habitats. The Floricans. Annual Report 1. Bombay Natural History Society. -Bombay
- 383 Allan, D. (1989) The Bald Ibis returns to Cape Town. *Quagga* 25: 18-20.
- 385 Allouse, B. E. (1953) The avifauna of Iraq. *Iraq Natural History Museum Publication* (3)
- 386 Amadon, D., Bull, J., Marshall, J. T. and King, B. F. (1988) Hawks and owls of the world: a distributional and taxonomic list. *Proceedings of the Western Foundation of Vertebrate Zoology* 3(4): 295-357.
- 387 American Ornithologists' Union. (1983) Checklist of North American birds. Sixth edition. American Ornithologists' Union. - New York
- 389 Amos, E. J. R. (1991) A guide to the birds of Bermuda. Eric J. R. Amos. -Warwick, Bermuda
- 390 Andre, R. (1985) Some aspects of the biological reproduction of the Little Bustard and a contribution to an estimate of its population in France 1978/79. *Bustard Studies* 2: 153-160.
- 391 Andres, B., Haag, W. and Andres, S. (1991) Recent records of Swainson's Hawk in Trinidad and Tobago. *Journal of the Trinidad and Tobago Field Naturalists Club* (1991) 45.
- 392 Andrew, P. (1985) An annotated checklist of the birds of Cibodas-Gunung Gede Nature Reserve. *Kukila* 2: 10-28.
- 393 Andrew, P. (1992) The birds of Indonesia: a checklist (Peters' sequence). Indonesian Ornithological Society. -Jakarta
- 394 Andrew, P. and Milton, G. R. (1988) A note on the Javan Scops-owl *Otus angelinae* Finsch. *Kukila* 3: 79.
- 395 Andrews, I. J. (1995) The birds of the Hashemite Kingdom of Jordan. Published by the author. -Musselburgh, U.K
- 396 Anon. (1985) Conservationists battle for Caroni Swamp and Scarlet Ibis. *World Birdwatch* 7(3): 3.
- 397 Anon. (1985) European news. *British Birds* 78: 638-645.
- 398 Anon. (1985) No Kakapo chicks survive breeding season in New Zealand. *World Birdwatch* 7(2): 1-2.
- 400 Anon. (1988) European news. *British Birds* 81: 330-340.
- 401 Anon. (1988) Parakeets breed in Mauritius. *World Birdwatch* 10(1): 3.
- 403 Anon. (1989) Rediscoveries. *World Birdwatch* 11(1): 4.
- 404 Anon. (1989) Tai Forest news. *World Birdwatch* 11(2): 3.
- 405 Anon. (1989) Tragopan triumph. *World Birdwatch* 11(3): 3.
- 406 Anon. (1991) Recent news from Bali. *World Birdwatch* 13(2): 3.
- 407 Anon. (1991) Woodstar turn. *World Birdwatch* 13(2): 3.
- 408 Anon. (1992) Bali Starling increase. *World Birdwatch* 14(3): 5.

- 409 Anon. (1992) Bolivian find. *World Birdwatch* 14(4): 3.
- 410 Anon. (1992) Lorikeet transfer. *World Birdwatch* 14(4): 4
- 411 Anon. (1992) Morocco last hope. *World Birdwatch* 14(3): 4.
- 412 Anon. (1992) New species of owl. *World Birdwatch* 14(3): 4.
- 413 Anon. (1993) Back from the brink. *World Birdwatch* 15(2): 4.
- 414 Anon. (1994) Slender-billed Curlew: situation critical. *World Birdwatch* 16(1): 4.
- 415 Araya, L. (1982) Lista patron de las aves Chilenas. Publicaciones ocasionales No. (1) Instituto de Oceanologica, Universidad de Valparaiso, Vina del Mar, Chile.
- 416 Araya Modinger, B. (1983) A preliminary report on the status and distribution of the Humboldt Penguin in Chile. Pp. 125-140 In: Proceedings of the Jean Delacour/IFCB Symposium on breeding birds in captivity. North Hollywood, California: International Foundation for the Conservation of Birds
- 417 Archibald, G. (1988) Whooping Crane update. *ICF Bugle* 14(1): 4-6.
- 418 Archibald, G. (1993) Saddlebill Storks in the Okavango, Botswana. *Specialist Group on Storks, Ibis and Spoonbills Newsletter* 6(1/2): 13.
- 419 Argeloo, M. (1992) The Maleo - more than a symbol. *World Birdwatch* 14(1): 8-9.
- 420 Arinaitwe, J. (1994) Red Data Bird: Shoebill. *World Birdwatch* 16(2): 20-21.
- 421 Arndt, T. and Roth, P. (1986) Der Rotbauchsittich *Pyrrhura rhodogaster* im Vergleich mit den verschiedenen Unterarten des Blausteissittichs *Pyrrhura perlata*: Vorschlag für nomenklatorische und systematische Änderungen. *Verhandlungen der Orn. Gesellschaft Bayern* 24: 313-317.
- 422 Aronson, L. and van den Berg, A. B. (1979) Hume's Tawny Owl *Strix butleri* in Israel. *Dutch Birding* 1: 18-19.
- 423 Ash, J. (1973) Six species of birds new to Ethiopia. *Bulletin of the British Ornithologists' Club* 93: 3-6.
- 424 Ash, J. S. (1977) Four species of birds new to Ethiopia and other notes. *Bulletin of the British Ornithologists' Club* 97: 4-9.
- 425 Ash, J. S. (1981) Ayres' Hawk Eagle *Hieraetus dubius* in Ethiopia and Somalia. *Scopus* 5: 54-56.
- 426 Ash, J. S. (1984) Bird observations on Bali. *Bulletin of the British Ornithologists' Club* 104: 24-35.
- 427 Ash, J. S. (1985) Midwinter observations from Djibouti. *Scopus* 9: 43-49.
- 428 Ash, J. S. (1987) Surveys of *Picathartes oreas*, *Malimbus ibadanensis* and other species in Nigeria. International Council for Bird Preservation and Nigerian Conservation Foundation.
- 429 Ash, J. S. (1989) An atlas of the past and present distribution of bustards in Ethiopia and Somalia. *Bustard Studies* 4:
- 431 Ash, J. S. and Shafeeq, A. (1994) The birds of the Maldives. *Forktail* 10: 3-31.
- 432 Baker, N. (1989) The distribution and legal status of bustards in Tanzania. *Bustard Studies* 4: 35-40.
- 433 Balchin, C. S. (1988) Recent observations of birds from the Ivory Coast. *Malimbus* 10: 201-206.
- 434 Balen, S. van and Compost, A. R. (1989) Overlooked evidence of the Short-toed Eagle *Circaetus gallicus* on Java. *Kukila* 4: 44-46.
- 435 Balen, S. van. (1984) Sight records of the Black Baza *Aviceda leuphotes* on Java. *Ardea* 72: 234.
- 436 Baltosser, W. H. (1989) Costa's Hummingbird: its distribution and status. *Western Birds* 20(2): 1-62.
- 437 Banks, R. C. (1990) Taxonomic status of the coquette hummingbird of Guerrero, Mexico. *Auk* 107: 191-192.
- 443 Baral, H. S. (1993) Status of storks, ibises and spoonbills in Nepal. *Specialist Group on Storks, Ibises and Spoonbills Newsletter* 6(1/2): 6-8.
- 444 Bates, J. M., Garrin, M. C., Schmitt, D. C. and Schmitt, C. G. (1989) Notes on bird distribution in northeastern Dpto. Santa Cruz, Bolivia with 15 species new to Bolivia. *Bulletin of the British Ornithologists' Club* 109: 236-244.
- 445 Bates, J. M., Parker, T. A., Capparella, A. P. and Davis, T. J. (1992) Observations on the campo, cerrado and forest avifaunas of eastern Dpto. Santa Cruz, Bolivia, including 21 species new to the country. *Bulletin of the British Ornithologists' Club* 112: 86-98.
- 446 Beaman, M. (ed.) (1975) Turkey bird report 1970-1973. Ornithological Society of Turkey. -Sandy
- 447 Beaman, M. and Porter, R. F. (1985) Status of birds of prey in Turkey. *Bulletin of the World Working Group on Birds of Prey* (2) 52-56.
- 448 Beavers, R. A., Delaney, D. J., Leahy, C. W. and Oatman, G. F. (1991) New and noteworthy bird records from Petén, Guatemala, including Tikal National Park. *Bulletin of the British Ornithologists' Club* 111: 77-90.

- 449 Becking, J. H. (1976) Feeding range of Abbott's Booby *Sula abbotti* at the coast of Java. *Ibis* 118: 589-590.
- 450 Becking, J. H. (1994) On the biology of the Javan Scops Owl *Otus angelinae*. *Bulletin of the British Ornithologists' Club* 114: 211-224.
- 451 Beehler, B. M. (1985) Conservation of New Guinea rainforest birds. Pp. 233-247 In: Diamond A. W. and Lovejoy, T.E. (eds.) Conservation of tropical forest birds. (Techn. Publ. 4). International Council for Bird Preservation, -Cambridge, U.K
- 452 Beehler, B. M., Pratt, T. K. and Zimmerman, D. A. (1986) Birds of New Guinea. Princeton University Press. - Princeton, New Jersey
- 453 Bege, L. A. R. and Pauli, B. T. (1990) Two new birds to the Brazilian avifauna. *Bulletin of the British Ornithologists' Club* 110: 93-94.
- 454 Beggs, J. and Wilson, P. (1988) Kaka: a threatened species? *Forest and Bird* (250) 18-19.
- 455 Belarbi, A. (1989) A note on the Little Bustard in Algeria. *Bustard Studies* 4:
- 456 Bell, J. (1970) The white-quilled black bustard. *Animal Kingdom* 73: 25-28.
- 457 Belton, W. (1984) Birds of Rio Grande do Sul, Brazil, part 1: Rheidae through Furnariidae. *Bulletin of the American Museum of Natural History* 178(4):
- 460 Bereszynski, A. and Kaczmarkowski, M. (1983) Bustard (*Otis tarda* L.) in Poland. Pp. 118-120 In: Gorup, P. D. and Vardhan, H. (eds.) Bustards in decline. Tourism and Wildlife Society of India. -Jaipur
- 461 Bergier, P. and Bergier, F. (1990) A birdwatcher's guide to Morocco. Prion. - Huntingdon, U.K.
- 462 Berlanga, M. and Wood, P. (1992) Observations of the King Vulture *Sarcoramphus papa* in the Calakmui Biosphere Reserve, Campeche, Mexico. *Vulture News* 26: 15-21.
- 463 Berlepsch, H. G. von. (1908) On the birds of Cayenne. *Novitates Zoologicae* 15: 103-164, 261-324 15: 103-164, 261-324.
- 464 Berlioiz, J. (1962) Etude d'une collection d'oiseaux de Guyane française. *Bulletin du Muséum National d'Histoire Naturelle* 34: 131-143.
- 465 Bertonatti, C. and Gonzalez, F. (1992) Lista de vertebrados argentinos en peligro de extincion. *Boletín Técnico* (8) Fundacion Vida Silvestre Argentina.
- 466 Best, H. and Powlesland, R. (1985) Kakapo. John McIndoe and New Zealand Wildlife Service. -Dunedin, New Zealand
- 467 Best, H. A. (1984) The foods of Kakapo on Stewart Island as determined from their feeding sign. *New Zealand Journal of Ecology* 7: 71-83.
- 468 Bezzel, E. and Wartmann, B. (1990) Neue Beobachtungen des Waldrapps (*Geronticus eremita*) in Jemen. *Journal für Ornithologie* 131: 456-457.
- 469 Biber, J.-P. (1992) Red Data bird: Lesser Kestrel. *World Birdwatch* 14(2): 14.
- 470 Bierregaard, R. O. (1984) Observations of the nesting biology of the Guiana Crested Eagle (*Morphnus guianensis*). *Wilson Bulletin* 96: 1-5.
- 471 Bildstein, K. L. (1990) Status, conservation and management of the Scarlet Ibis *Eudocimus ruber* in the Caroni Swamp, Trinidad, West Indies. *Biological Conservation* 54: 61-78.
- 472 Bishop, D. (1992) The Standardwing Bird of Paradise *Semioptera wallacii* (Paradisaeidae), its ecology, behaviour, status and conservation. *Emu* 92: 72-78.
- 473 Bishop, K. D. (1983) Some notes on non-passerine birds of west New Britain. *Emu* 83: 235-241.
- 475 Black, J. (1991) The Nene Recovery Initiative. *IWRB Threatened Waterfowl Research Group Newsletter* (1) 4.
- 476 Blake, E. R. (1977) Manual of Neotropical birds. Volume 1. University of Chicago Press. -Chicago
- 477 Blakers, M., Davies, S. J. J. F. and Reilly, P. N. (1984) The atlas of Australian birds. Royal Australian Ornithologists' Union and Melbourne University Press. -Melbourne
- 478 Blasius, W. (1884) Über die neusten Ergebnisse von Herrn F. J. Grabowsky's Ornithologischen Forschungen in Süd- Ost Borneo. *Journal für Ornithologie* 32: 210-227.
- 479 Bleiweiss, R. and Olalia, P. M. (1983) Notes on the ecology of the Black-breasted Puffleg on Volcan Pinchincha, Ecuador. *Wilson Bulletin* 94: 656-661.
- 480 Bloch, D. and Sfrensen, S. (1984) Check list of Faroes birds. -Torshaven
- 481 Blondel, J. and Blondel, C. (1964) Remarques sur l'hivernage des limicoles et autres oiseaux aquatiques au Maroc. *Alauda* 32: 250-279.
- 482 Boeke, J. D. (1978) A food source of the Marvellous Spatuletail. *Ibis* 120: 551.
- 483 Bokermann, W. C. A. (1991) Observaciones sobre a biología do Macuco, *Tinamus solitarius* (Aves - Tinamidae). Doctoral Thesis, Universidad de São Paulo
- 485 Bond, J. (1985) Birds of the West Indies. 5th edition. Collins. -London

- 486 Bonde, K. (1993) Birds of Lesotho, a guide to distribution past and present. University of Natal Press.
- 487 Boonsong Lekagul and Round, P. D. (1991) A guide to the birds of Thailand. Saha Karn Bhaet Co. Ltd. -Bangkok
- 489 Borodin, A. M. (ed.)(1984) Red data book of the USSR: rare and endangered species of animals and plants. Vol. 1: animals. 2nd edition. Promyshlennost. -Moscow (Russian)
- 490 Bosch, K. (1991) Welche Gelbkopfamazone haben Sie? *Gefiederte Welt* 115: 342-344.
- 491 Boshoff, A. F. and Robertson, A. S. (1985) A conservation plan for the Cape Vulture colony at Potberg, de Hoop Nature Reserve, southwestern Cape Province. *Bontebok* 4: 25-31.
- 492 Boshoff, A. F. and Vernon, C. J. (1987) The Cape Vulture colonies at Karnmelkspruit 1984-1986 and Balloch 1978- 1986, northeastern Cape Province. *Vulture News* 17: 31-36.
- 494 Bourne, W. R. P. (1976) On subfossil bones of Abbott's Booby *Sula abbotti* from the Mascarene Islands, with a note on the proportions and distribution of the Sulidae. *Ibis* 118: 119-123.
- 495 Bourne, W. R. P., Brooke, M de L., Clark, G. S. and Stone, T. (1992) Wildlife conservation problems in the Juan Fernandez Archipelago, Chile. *Oryx* 26: 43-51.
- 496 Boussekey, M., Saint-Pie, J. and Morvan, O. (1992) Beobachtungen an einer Population des Rotohraras (*Ara rubrogenys*) im Rio-Caine-Tal, Zentral Bolivien. *Papageien* 5: 54-57, 95-99.
- 498 Brandis, C. (1989) Sighting of a Northern Shoveler at Lake Cowal, central New South Wales. *Australian Birds* 23(2): 37-38.
- 499 Brandt, A. and Machado, R. B. (1990) Área de alimentação e comportamento alimentar de *Anodorhynchus leari*. *Ararajuba* 1: 57-63.
- 500 Brazil, M. (1985) Owl of the setting sun. *BBC Wildlife* 3: 110-115.
- 501 Brazil, M. (1986) Sea eagle sunrise. *BBC Wildlife* 4: 588-592.
- 502 Brazil, M. (1987) Where have all the Baikal Teals gone? *Oriental Bird Club Bulletin* 5: 29.
- 503 Brazil, M. (1991) The birds of Japan. Christopher Helm. -London
- 504 Brazil, M. and Yamamoto, S. (1989) The status and distribution of owls in Japan. Pp. 389-401 in Meyburg, B.- U. and Chancellor, R.D. (eds.) *Raptors in the modern world*. Proceedings of the III World Conference on Birds of Prey and Owls, Eilat, Israel, 22-27 March 1987
- 505 Bregulla, H. (1987) Zur Biologie des Kagu, *Rhynochetos jubatus*. *Zool. Garten N.F.* 57: 349-365.
- 507 Breuil, M. (1989) Les oiseaux d'Islande. Le Chevalier. -Paris
- 509 Brickell, N. (1988) Ducks, Geese and Swans of Africa and its outlying Islands. Frandesen Publishers. -Sandton
- 511 Britton, P. L. (ed.)(1980) Birds of East Africa. East Africa Natural History Society. - Nairobi
- 512 Brock, M. K. (1991) Genetic assessment of the captive breeding programs for the Puerto Rican Parrot *Amazona vittata*, and other Caribbean parrots. Ph.D. thesis, Department of Biology, Queen's University, Kingston, Ontario
- 513 Broni, S. C. (1985) Social and spatial foraging patterns of the Jackass Penguin *Spheniscus demersus*. *South African Journal of Zoology* 20: 241-245.
- 514 Brooke, M. de L. (1987) The birds of the Juan Fernandez Islands, Chile. (16) International Council for Bird Preservation, Study Report. -Cambridge, U.K.
- 515 Brooke, R. K. (1981) The feral pigeon: a 'new' bird for the South African list. *Bokmakierie* 33: 37-40.
- 516 Brooke, R. K. (1984) South African Red Data Book: birds. South African National Scientific Programmes Report (97)
- 517 Brooks, D. J., Evans, M. I., Martins, R. P. and Porter, R. F. (1987) The status of birds in North Yemen and the records of the OSME Expedition in autumn 1985. *Sandgrouse* 9: 4-66.
- 518 Brosset, A. and Erard, C. (1977) New faunistic records from Gabon. *Bulletin of the British Ornithologists' Club* 97: 125-132.
- 519 Brosset, A. and Erard, C. (1986) Les oiseaux des régions forestières du nord-est du Gabon, 1. Société Nationale de Protection de la Nature. -Paris
- 520 Brown, C. J. (1985) The status and conservation of the Cape Vulture in SWA/Namibia. *Vulture News* 14: 4-15.
- 521 Brown, C. J. and Hines, C. J. H. (1987) Western Banded Snake Eagles in Namibia. *Gabar* 2(2): 40-42.
- 522 Brown, L. H. (1976) Observations on Pel's Fishing Owl *Scotopelia peli*. *Bulletin of the British Ornithologists' Club* 96: 49-53.
- 523 Brown, L. H. and Amadon, D. (1968) *Eagles, hawks and falcons of the world*. 2 volumes. Country Life Books. -Feltham, Middlesex

- 524 Brown, L. H., Urban, E. K. and Newman, K. (1982) *The birds of Africa*, 1. Academic Press. -London and New York
- 525 Brown, P. B. and Wilson, R. I. (1984) Orange-bellied Parrot recovery plan. National Parks and Wildlife Service, Tasmania.
- 526 Brown, P. B., Wilson, R., Loyn, R., Murray, N. and Lane, B. (1985) The Orange-bellied Parrot - an RAOU conservation statement. Royal Australasian Ornithologists' Union. - Melbourne
- 527 Browne, P. W. P. (1981) New bird species in Mauritania. *Malimbus* 3(2): 63-72.
- 529 Brüggemann, J. (1877) Über eine Vögelsammlung aus Süd- Ost Borneo. *Abhandlungen Naturw. Vereins Bremen* 5: 435-466. (German)
- 531 Bucher, E. H. and Nores, M. (1988) Present status of birds in steppes and savannas of northern and central Argentina. Pp. 71-79 in Goriup, P. D. (ed) *Ecology and Conservation of Grassland Birds*. ICBP Technical Publication 7. . -Cambridge, U.K.
- 533 Buden, D. W. (1990) The birds of Rum Cay, Bahama Islands. *Wilson Bulletin* 102: 451-468.
- 534 Bugalho, F. F. (1987) Great Bustard in Portugal. Pp. 65-76 In: Farago, S. (ed.) *The Great Bustard Otis tarda L.*. Proceedings of the symposium in Budapest on June 2nd 1987. International Council for Game and Wildlife Conservation. -Budapest
- 536 Bundy, G. (1976) The birds of Libya. British Ornithologists' Union. -London
- 537 Bundy, G. and Warr, E. (1980) A checklist of the birds of the Arabian Gulf States. *Sandgrouse* 1: 4-49.
- 539 Bunn, D. S., Warburton, A. B. and Wilson, R. D. (1982) *The Barn Owl*. Poyser. - Calton, U.K.
- 541 Burton, J. A. (ed.)(1973) *Owls of the world, their evolution, structure and ecology*. Peter Lowe. -London
- 542 Butler, L. Y. (1979) The birds of Ecuador and the Galapagos Archipelago. The Ramphastos Agency. -Portsmouth, N.H.
- 543 Butler, P. J. (1981) The St. Lucia Amazon (*Amazona versicolor*): its changing status and conservation. Pp. 171- 180 In: Pasquier, R. F. (ed.) *Conservation of New World parrots*. Smithsonian Institution Press for the International Council for Bird Preservation. -Washington D.C.
- 544 Butler, P. J. (1990) Some observations on polymorphism in the St Vincent Parrot *Amazona guildingii*. *Dodo* 26: 98-107.
- 545 Butler, P. J. (1991) Saint Lucia Parrot *Amazona versicolor*: consolidating a conservation campaign. RARE Center for Tropical Conservation. -Philadelphia
- 546 Butler, P. J. (1992) Parrots, pressures, people, and pride. Pp. 25-46 In: Beissinger, S. R. and Snyder, N. F. R. (eds.) *New World parrots in crisis: solutions from conservation biology*. Smithsonian Institution Press. - Washington, D.C.
- 547 Cade, T. J. (1982) *The falcons of the world*. Collins. -London
- 548 Cahyadin, Y., Jepson, P. and Manoppo, B. I. (1994) The status of *Cacatua goffini* and *Eos reticulata* on the Tanimbar Islands. PHPA/Birdlife International. -Laporan
- 549 Cahyadin, Y., Jepson, P. and Syarief, M. (1994) A rapid assessment of *Cacatua sulphurea sulphurea* in South Sulawesi Province, Indonesia. PHPA/Birdlife International.
- 550 Cahyadin, Y., Jepson, P. and Arif, S. (1994) Status of *Cacatua sulphurea abbotti* on the Masalembu Islands. PHPA/Birdlife International. -Laporan
- 551 Cajal, J. L. (1988) The Lesser Rhea in the Argentine Puna region: present situation. *Biological Conservation* 45(2): 81-91.
- 552 Caleda, M., Lanante, R. and Viloria, E. (1986) Preliminary studies of the Palawan Peacock Pheasant *Polyplectron emphanum*. In: Ridley, M. (ed.) *Pheasants in Asia 1986*. World Pheasant Association. -Basildon, U.K.
- 553 Camp, K. (1993) Observations of Short-tailed Albatross (*Diomedea albatrus*) in the Bering Sea. *Colonial Waterbirds* 16(2): 221-222.
- 554 Cardiff, S. W. and Remsen, J. V. Jr. (1981) Three bird species new to Bolivia. *Bulletin of the British Ornithologists' Club* 101: 304-305.
- 555 Carroll, R. W. (1988) Birds of the Central African Republic. *Malimbus* 10(2): 177-200.
- 557 Casanova, F. D. (1989) The Houbara Bustard in the Canary Islands: towards a recovery plan. *Bustard Studies* 4:
- 558 Cataneaunu, I. (1978) *Aves. Fauna Republicii Socialiste Romania*. XV(1): Editura Academiei RSR. -Bucarest
- 559 Cavalcanti, R. B. (1988) Conservation of the birds in the cerrado of Central Brazil. Pp. 59-66 in Goriup, P. D. (ed) *Ecology and conservation of grassland birds*. ICBP Technical Publication 7. . -Cambridge, U.K.
- 562 Chayadin, Y. (1993) Tanimbar Corella on Yamdena. *Oriental Bird Club Bulletin* 18: 55-56.

- 563 Chebez, J. C. (1986) El Guacamayo Violaceo (*Anodorhynchus glaucus*). *Nuestras Aves* 4(9): 17-20.
- 564 Cheke, A. S. (1987) The legacy of the Dodo - conservation in Mauritius. *Oryx* 21: 29-36.
- 565 Cheke, R. A. (1982) More bird records from the Republic of Togo. *Malimbus* 4: 55-56.
- 566 Cheke, R. A. (1986) The supposed occurrence of the White-necked Picathartes *Picathartes gymnocephalus* in Togo. *Bulletin of the British Ornithologists' Club* 106: 152.
- 567 Cheke, R. A. and Walsh, J. F. (1980) Bird records from the Republic of Togo. *Malimbus* 2(2): 112-120.
- 568 Cheke, R. A. and Walsh, J. F. (1984) Further bird records from the Republic of Togo. *Malimbus* 6(1/2): 15-22.
- 569 Cheke, R. A., Walsh, J. F. and Fishpool, D. C. (1985) Bird records from the Republic of Niger. *Malimbus* 7: 73-90.
- 570 Cheke, R. A., Walsh, J. F. and Sowah, S. A. (1986) Records of birds seen in the Republic of Togo during 1984-1986. *Malimbus* 8(2): 51-72.
- 571 Cheng Tso-hsin. (1987) A synopsis of the avifauna of China. Science Press. -Beijing
- 572 Christensen, S. and Sorensen, U. G. (1989) A review of the migration and wintering of *Aquila pomarina* and *Aquila nipalensis orientalis*. Pp. 139-150 In: Meyburg, B.-U. and Chancellor, R. D. (eds.) *Raptors in the modern world. Proceedings of the III World Conference on Birds of Prey and Owls*, Eilat, Israel, 22-27 March 1987.
- 573 Clancey, P. A. (ed.) (1980) Checklist of southern African birds. Southern African Ornithological Society. -Pretoria
- 574 Clancey, P. A., Brooke, R. K., Crowe, T. M. and Mendelsohn, J. M. (1987) S.A.O.S. checklist of southern African birds. First updating report. Southern African Ornithological Society. -Johannesburg
- 575 Clark, A. (1977) Review of the records of three Palearctic ducks in southern Africa. *Bulletin of the British Ornithologists' Club* 97: 107-114.
- 576 Clark, R. J. and Mikkola, H. (1989) A preliminary revision of threatened and near-threatened nocturnal birds of prey of the world. In: Meyburg, B.-U. and Chancellor, R. D. (eds.) *Raptors in the modern world. Proceedings of the III World Conference on Birds of Prey and Owls*, Eilat, Israel, 22-27 March 1987 371-388
- 577 Clark, W. D. (1991) Hyacinth Macaws: nesting habits in the wild. *AFA Watchbird* 18(3): 8-10.
- 578 Clark, W. S. (1986) What is *Buteo ventralis*? *Birds of Prey Bulletin* 3: 115-118.
- 579 Clark, W. S. and Parslow, R. (1991) A specimen record of Shikra *Accipiter badius* for Saudi Arabia. *Sandgrouse* 13: 44-46.
- 580 Clarke, R. O. S. and Duran Patiño, E. (1991) The Red-fronted Macaw (*Ara rubrogenys*) in Bolivia: distribution, abundance, biology and conservation. Buena Vista: unpublished report to Wildlife Conservation International and the International Council for Bird Preservation
- 581 Clements, F. A. and Bradbear, N. J. (1986) Status of wintering Black-necked Cranes *Grus nigricollis* in Bhutan. *Forktail* 2: 103-107.
- 582 Clinton-Eitniear, J. (1986) Status of the Green-cheeked Amazon in north-eastern Mexico. *AFA Watchbird* 12(6): 22-24.
- 583 Clinton-Eitniear, J. (1990) *Amazona oratrix belizensis*. *AFA Watchbird* 17(2): 25-26.
- 584 Coats, S. and Phelps, W. H. (1985) The Venezuelan Red Siskin: case history of an endangered species. Pp. 977-985 in Buckley, P. A., Foster, M. S., Morton, E. S., Ridgely, R. S. and Buckley, F. G. (eds.) *Neotropical ornithology. American Ornithologists' Union Ornithological Monograph* (36) AOU. -Washington D.C.
- 585 Colebrook-Robjent, J. F. R. and Osborne, T. O. (1973) Nesting of Verreaux's Eagle *Aquila verreauxii* in Zambia. *Bulletin of the British Ornithologists' Club* 93: 166.
- 586 Colebrook-Robjent, J. F. R. and Osborne, T. O. (1974) High density breeding of the Red-necked Falcon *Falco chicquera* in Zambia. *Bulletin of the British Ornithologists' Club* 94: 172-176.
- 587 Collar, N. (1992) Red Data bird: Red Siskin. *World Birdwatch* 14(1): 13.
- 588 Collar, N. J. (1979) The world status of the Houbara: a preliminary review. In: Coles, C. L. and Collar, N. J. (eds.) *Symposium papers: the Great Bustard (*Otis tarda*), Sofia, Bulgaria, May 26th, 1978 [and] the Houbara Bustard (*Chlamydotis undulata*), Athens, Greece, May 24th 1979* 12
- 589 Collar, N. J. (1985) Red Data bird: The Juan Fernandez Firecrown. *World Birdwatch* 7(2): 5.
- 590 Collar, N. J. (1985) Red Data bird: The Eskimo Curlew. *World Birdwatch* 7(1): 5.
- 591 Collar, N. J. (1985) The world status of the Great Bustard. *Bustard Studies* 2: 1-20.
- 592 Collar, N. J. (1987) Red Data bird: Hook-billed Hermit. *World Birdwatch* 9(1): 5.
- 593 Collar, N. J. (1989) Red Data birds: the cockatoos. *World Birdwatch* 11(1): 5.

- 594 Collar, N. J. (1991) Red Data bird: Great Bustard. *World Birdwatch* 13(1): 13.
- 595 Collar, N. J., Crosby, M. J. and Stattersfield, A. J. (1994) Birds to watch 2, the world list of threatened birds. BirdLife International. -Cambridge, U.K.
- 596 Collar, N. J. and Goriup, P. D (eds.)(1983) Report of the ICBP Fuerteventura Houbara Expedition, 1979. *Bustard Studies* 1:
- 597 Collar, N. J. and Stuart, S. N. (1985) Threatened birds of Africa and related islands: The ICBP/IUCN Red Data Book, Part 1. 3rd edition. International Council for Bird Preservation and International Union for Conservation of Nature and Natural Resources. -Cambridge, U.K.
- 598 Collar, N. J., Gonzaga, L. P., Krabbe, N., Madroño Nieto, A., Naranjo, L. G., Parker, T. A. III and Wege, D. C. (1992) Threatened birds of the Americas: the ICBP/IUCN Red Data Book, 2. 3rd edition. ICBP/IUCN. -Cambridge, U.K.
- 599 Collar, N. J., Round, P. D. and Wells, D. R. (1986) The past and future of Gurney's *Pitta Pitta gurneyi*. *Forktail* 1: 29-51.
- 600 Colston, P. R. and Curry-Lindahl, K. (1986) The birds of Mount Nimba, Liberia. British Museum (Natural History). -London
- 603 Contreras-Balderas, A. J. (1988) New records of birds from Nuevo Leon, Mexico. *Southwestern Naturalist* 33: 251-252.
- 604 Conway, W. G. (1991) The secret lives of the volcano flamingos. *Wildlife Conservation* 94(6): 56-63.
- 605 Cooper, J. (1985) New breeding locality data for southern African seabirds: Jackass Penguin *Spheniscus demersus*. *Cormorant* 13: 81.
- 606 Cooper, W. T. and Forshaw, J. M. (1977) The birds of paradise and bower birds. Collins. -Sydney
- 608 Coulter, M. and Brower, K. (1993) Storks unlimited. *World Birdwatch* 15(2): 13-17.
- 609 Coulter, M. C. (1990) The conservation status of the Oriental White Stork *Ciconia boyciana*. In Matthews, G. V. T. (ed) Managing waterfowl populations. Proceedings of the IWRB Symposium, Astrakhan 1989. 209 IWRB Special Publication 12, IWRB. -Slimbridge, U.K.
- 610 Counsell, D. (1988) The RAFOS expedition to Belize Feb- Mar 1986. *Royal Air Force Ornithological Society Journal* 18: 17-63.
- 611 Cramp, S. (ed.)(1985) Handbook of the birds of Europe, the Middle East and North Africa: the birds of the Western Palearctic. Volume 4. Oxford University Press. -Oxford
- 612 Cramp, S. and Simmons, K. E. L (eds.)(1983) Handbook of the birds of Europe, the Middle East and North Africa:
- 613 the birds of the Western Palearctic. Volume 3. Oxford University Press. -Oxford
- 614 Cramp, S. and Simmons, K. E. L (eds.)(1977) Handbook of the birds of Europe, the Middle East and North Africa: the birds of the Western Palearctic. Volume 1. Oxford University Press. -Oxford
- 614 Cramp, S. and Simmons, K. E. L (eds.)(1980) Handbook of the birds of Europe, the Middle East and North Africa: the birds of the Western Palearctic. Volume 2. Oxford University Press. -Oxford
- 615 Cranbrook, Lord. (1980) Birds recorded within Gunung Mulu National Park. Pp. 157-164 In: Hanbury-Tenison, R. Mulu: the rain forest. Weidenfeld and Nicolson. - London
- 616 Crawford, R. J. M., Williams, A. J., Randall, R. M., Randall, B. M., Berruti, A. and Ross, G. J. B. (1990) Recent population trends of Jackass Penguins *Spheniscus demersus* off Southern Africa. *Biological Conservation* 52: 229-243.
- 617 Crivelli, A. J. (1987) The ecology and behaviour of the Dalmatian Pelican, *Pelecanus crispus* Bruch. A world endangered species. Commission of the European Communities and Station Biologique de la Tour de Valat.
- 618 Crivelli, A. J. and Schreiber, R. W. (1984) Status of the Pelecanidae. *Biological Conservation* 30: 147-156.
- 619 Crivelli, A. J. and Vizi, O. (1981) The Dalmatian Pelican *Pelecanus crispus* Bruch 1832, a recently world endangered bird species. *Biological Conservation* 20: 297-310.
- 620 Crivelli, A. J., Catsadorakis, G., Jerrentrup, H., Hatzilacos, D. and Mitchv, T. (1991) Conservation and management of pelicans nesting in the Palaeartic. Pp. 137-152 in Salathe, Y. Conserving migratory birds. ICBP Technical Publication 12. ICBP. - Cambridge, England
- 622 Dallmeier, F. (1991) Whistling Ducks as a manageable and sustainable resource in Venezuela: balancing economic costs and benefits. In Robinson, J. G. and Redford, K. H. (eds) Neotropical wildlife use and conservation 266-287
- 626 Danks, A. (1990) Red Data bird: Noisy Scrub-bird. *World Birdwatch* 12(4): 13.
- 627 Davies, A. G. (1987) The Gola Forest Reserves, Sierra Leone: wildlife conservation and forest management. International Union for Conservation of Nature and Natural Resources. -Gland, Switzerland and Cambridge, U.K.
- 628 Davis, I. (1979) Additions to the birds of Suriname. *Continental Birdlife* 1(6): 136-146.

- 629 Davison, G. W. H. (1982) Systematics within the genus *Arborophila* Hodgson. *Federation of Museums Journal* 27: 125-134.
- 630 Dean, W. R. J. and Tarboton, W. R. (1983) Osprey breeding records in South Africa. *Ostrich* 54: 241-242.
- 631 Debruijn, O. (1994) Population ecology and conservation of the Barn Owl *Tyto alba* in farmland habitats in Liemers and Achterhoek (the Netherlands). *Ardea* 82(1): 1-109.
- 632 DeDios [sic], A. and Hill, P. (1990) Breeding the Spix Macaw. *Bird World* 13(4): 16, 18.
- 633 Dee, T. J. (1987) The status and distribution of the endemic birds of Madagascar. International Council for Bird Preservation. -Cambridge, U.K.
- 634 Dekker, R. W. R. J. (1990) The distribution and status of nesting grounds of the Maleo *Macrocephalon maleo* in Sulawesi, Indonesia. *Biological Conservation* 5: 139-150.
- 635 Dekker, R. W. R. J. and Wattel, J. (1987) Egg and image: new and traditional uses for the Maleo (*Macrocephalon maleo*). In: Diamond, A. W. and Finion, F. L. (eds.) The value of birds 83-87 International Council for Bird Preservation. -Cambridge, U.K.
- 636 del Hoyo, J., Elliot, A. and Sargatal, J (eds.)(1992) Handbook of the birds of the world. Vol 1, Ostriches to ducks. Lynx Editions. -Barcelona
- 637 Delacour, J. (1977) The pheasants of the world. 2nd edition. World Pheasant Association and Spur Publications. - Hindhead, Surrey
- 638 Delacour, J. and Amadon, D. (1973) Curassows and related birds. American Museum of Natural History. -New York
- 640 Delibes, M. (1978) Ecología alimenticia del aguila imperial ibérica (*Aquila adalberti*) en el Coto Donaña durante la crianza de los pollos. *Donaña, Acta Vertebrata* 5: 35-60.
- 643 Desfayes, M. (1987) Evidence for the ancient presence of the Bald Ibis *Geronticus eremita* in Greece. *Bulletin of the British Ornithologists' Club* 107: 93-94.
- 645 Diamond, J. M. (1985) New distributional records and taxa from the outlying mountain ranges of New Guinea. *Emu* 85: 65-91.
- 646 Díaz Montes, V. R. (1991) Status of the highly endangered White-winged Guan. *Cracid Newsletter* 1(1): 1, 6.
- 647 Dick, J. A., McGillivray, W. B. and Brooks, D. J. (1984) A list of birds and their weights from Saul, French Guiana. *Wilson Bulletin* 96(3): 347-365.
- 648 Dickerman, R. W., Cane, W. P., Carter, M. F., Chapman, A. and Schmitt, C. G. (1994) Report on three collections of birds from Liberia. *Bulletin of the British Ornithologists' Club* 114: 267-274.
- 653 Dolz, J. C., Gimenez, M. and Huertas, J. (1991) Status of some threatened Anatidae species in the Comunidad, Valencia, East Spain. *IWRB Threatened Waterfowl Research Group Newsletter* 1: 7-8.
- 655 Dornbusch, M. (1983) Status, ecology and conservation of Great Bustard in the German Democratic Republic. In Goriup, P. D. and Vardhan, H. (eds) Bustards in decline. 89-90. Tourism and Wildlife Society of India. -Jaipur
- 656 Doughty, R. W. (1989) The return of the Whooping Crane. University of Texas Press. -Austin, Texas
- 657 Downer, A. and Sutton, R. (1990) Birds of Jamaica: a photographic field guide. Cambridge University Press. -Cambridge
- 658 Dowsett, R. J. (1979) Recent additions to the Zambian list. *Bulletin of the British Ornithologists' Club* 99: 94-98.
- 659 Dowsett, R. J. and Dowsett-Lemaire, F. (1993) A contribution to the distribution and taxonomy of Afrotropical and Malagasy birds. *Tauraco Research Report* (5)
- 661 Duckworth, F. (1974) The Whale-headed Stork in Ethiopia. *Bulletin of the British Ornithologists' Club* 94: 3-4.
- 662 Duffy, D. C., Wilson, R. P., Ricklefs, R. E. Broni, S. C. and Veldhuis, H. (1987) Penguins and purseseiners: competition or co-existence? *National Geographic Research* 3: 480-488.
- 663 Dujardin, J. L. (1991) Scarlet Ibis in French Guiana. *Specialist Group on Storks, Ibis and Spoonbills Newsletter* 4(2): 5.
- 664 Duke, G. (1994) Mountains, forests and pheasants. *World Birdwatch* 16(1): 10-13.
- 665 Dupuy, A. R. (1976) Première observation d'un Vautour fauve *Gyps fulvus* au Sénégal. *Ardea* 44: 333-334.
- 666 Dybbro, T. (1978) Oversigt over Danmarks fugle. Dansk Ornithologisk Forening. - Denmark
- 667 Ebenhard, N. T. (1979) First record in the Seychelles of Northern Pintail. *Bulletin of the British Ornithologists' Club* 99: 39-40.
- 668 Eccles, S. D. (1988) The birds of Sao Tome - record of a visit, April 1987 with notes on the rediscovery of Bocage's Longbill. *Malimbus* 10(2): 207-217.
- 669 Eck, S. (1986) *Eutriorchis astur* im Dresden Tierkunde-Museum. *Journal für Ornithologie* 127: 93-94.

- 670 Edwards, E. P. and Lea, R. B. (1955) Birds of the Monserrate area, Chiapas, Mexico. *Condor* 57: 31-54.
- 671 Ehrlich, P. R., Dobkins, D. S. and Wheye, D. (1992) Birds in jeopardy. The imperiled and extinct birds of the United States & Canada. Stanford University Press. - Stanford, CA
- 672 Eichacker, X. (1990) First breeding records of Verreaux's Eagle *Aquila verreauxii* in Saudi Arabia. *Sandgrouse* 12: 53-54.
- 675 Eley, J. W. (1982) Systematic relationships and zoogeography of the White-winged Guan (*Penelope albipennis*) and related forms. *Wilson Bulletin* 94: 241-259.
- 676 Elgood, J. H., Heigham, J. B., Moore, A. M., Nason, A. M., Sharland, R. E. and Skinner, N. J. (1994) The birds of Nigeria. Second edition. B.O.U. Check-list No.4 (Second edition), British Ornithologists' Union. - Tring, Herts
- 677 Ellis, D. H. and Peres, G. (1983) The Pallid Falcon *Falco kreyenborgi* is a color phase of the Austral Peregrine Falcon (*Falco peregrinus cassini*). *Auk* 100: 269-271, 442.
- 678 Ellis-Joseph, S., Hewston, N. and Green, A. (1992) Global waterfowl conservation assessment and management plan. Captive Breeding Specialist Group and The Wildfowl and Wetland Trust. First review draft, 15 March 1992
- 679 Elwell, N. (1970) Marabous in winter - by the hundred. *Bokmakierie* 22: 69-71.
- 680 Erickson, R. (1977) First record of Knot *Calidris canutus*, and other records, from Belize (British Honduras). *Bulletin of the British Ornithologists' Club* 97: 78-81.
- 681 Escalante-Pliego, P. and Peterson, A. T. (1992) Geographic variation and species limits in middle American woodnymphs (*Thalurania*). *Wilson Bulletin* 104: 205-219.
- 682 Espino-Barros, R. and Baldassarre, G. A. (1989) Numbers, migration chronology, and activity patterns of non-breeding Caribbean Flamingos in Yucatan, Mexico. *Condor* 91: 585-591.
- 683 Etcheberry, R. (1982) Les oiseaux de Saint-Pierre et Miquelon. ONC. -Paris
- 684 Evans, I. M. and Pienkowski, M. W. (1991) World status of the Red Kite: a background to the experimental reintroduction to England and Scotland. *British Birds* 84: 171-187.
- 685 Evans, P. G. H. (1991) Status and conservation of Imperial and Red-necked Parrots *Amazona imperialis* and *A. arausiaca* on Dominica. *Bird Conservation International* 1: 11-32.
- 686 Eve, R. and Guigue, A. M. (1989) Survey of the Mahakam River delta, East Kalimantan, with special reference to its waterbirds. (Publ. no. 45). Asian Wetland Bureau. - Kuala Lumpur
- 687 Ebwank, D. R. (1993) Status of storks, ibises and spoonbills in the Matabele Area of Zimbabwe. *Specialist Group on Storks, Ibis and Spoonbills Newsletter* 6(1/2): 11-12.
- 688 Faaborg, J. (1984) Potential for restocking Galapagos Hawks on islands where they have been extirped. *Noticias de Galapagos* 39: 28-30.
- 689 Faaborg, J. (1985) Reproductive success and survivorship of the Galapagos Hawk *Buteo galapagoensis*: potential costs and benefits of cooperative polyandry. *Ibis* 128: 337-347.
- 690 Faanes, C. A. and Senner, S. E. (1991) Status and conservation of the Eskimo Curlew. *American Birds* 45: 237-239.
- 691 Fan, Z. and Song, Y. (1991) [Saving a treasure of the world - Japanese Crested Ibis]. *Forestry of China* 1991(5): 36-37. (Chinese)
- 692 Fan, Z., Song, Y. and Lu, B. (1991) [Protection of the Crested Ibis for 10 years]. *Chinese Wildlife* 59: 3-5. (Chinese)
- 693 Fanshawe, J. (1993) Sokoke Scops Owl. *World Birdwatch* 15(1): 18-19.
- 694 FAO. (1981) Checklist of the birds of Afghanistan. In: Afghanistan, a contribution to a conservation strategy FAO. -Rome
- 695 Farago, S. (1993) Development of the Great Bustard population in Hungary in the period 1981-1990. *Folia Zoologica* 42(3): 221-236.
- 696 Farago, S., Ena, V. and Martinez, A. (1987) Comparison of the state of Great Bustard stocks in Hungary and Spain. In: Farago, S. (ed.) The Great Bustard (*Otis tarda* L.). Proceedings of the symposium in Budapest on June 2nd 1987. 51-63 International Council for Game and Wildlife Conservation. -Budapest
- 698 Feare, C. J. (1973) *Numenius minutus*, *Falco subbuteo* and *Caprimulgus europaeus* in the Seychelles. *Bulletin of the British Ornithologists' Club* 93: 99-101.
- 699 Feare, C. J. (1975) Further migrant birds in the Seychelles. *Bulletin of the British Ornithologists' Club* 95: 48-50.
- 701 Fei Dian-jin. (1989) [An observation and investigation on the breeding situation of the Oriental Stork in Qiqihar Suburban District]. *Zoological Research* 10: 263-270. (Chinese)
- 702 Fernandez-Cruz, M. and Araujo, J (eds.) (1985) Situacion de la avifauna de la Peninsula Iberica, Baleares y Macaronesia. Sociedad Espanola de Ornitologia. -Madrid

- 703 ffrench, R. P. (1991) A guide to the birds of Trinidad and Tobago. 4th edition. Livingston Publishing. -Wynnewood, Pennsylvania
- 704 Fisher, D.J. (1985) Observations on Relict Gull in Mongolia. *Dutch Birding* 7: 117-120.
- 705 Fitzpatrick, J. W. and O'Neill, J. P. (1986) *Otus petersoni*, a new screech-owl from the eastern Andes, with systematic notes on *O. colombianus* and *O. ingens*. *Wilson Bulletin* 98: 1-14.
- 706 Fitzpatrick, J. W. and Willard, D. E. (1982) Twenty-one bird species new or little known from the Republic of Colombia. *Bulletin of the British Ornithologists' Club* 102: 153-158.
- 707 Fitzpatrick, J. W., Willard, D. E. and Terborgh, J. W. (1979) A new species of hummingbird from Peru. *Wilson Bulletin* 91: 177-186.
- 708 Fjeldså, J. and Krabbe, N. (1990) Birds of the high Andes. Zoological Museum, University of Copenhagen and Svendborg. -Copenhagen
- 709 Flint, P. R. and Stewart, P. F. (1991) The birds of Cyprus. 2nd edition. British Ornithologists' Union Checklist No. 6. -London
- 710 Flint, V. E., Boehme, R. L., Kostin, Y. V. and Kuznetsov, A. A. (1984) A field guide to birds of the USSR. Princeton University Press. -Princeton, New Jersey
- 711 Folkestad, A. O. (1984) Situasjonen for havorna *Haliaeetus albicilla* i Norge. *Vår Fuglefauna* 7: 209-216.
- 713 Forshaw, J. M. and Cooper, W. T. (1989) Parrots of the world. 3rd edition. Blandford.
- 715 Frade, F. and Bacelar, A. (1955) Catalogo das aves da Guiné Portuguesa - Non passerines. *Annl. Junta Invest. Ultram.* 10: 7-173.
- 716 Fraga, R. M. (1990) El Tordo Amarillo al borde de la extinción. *Nuestras Aves* 23: 13-15.
- 717 Frederick, P. C., Morales, G., Spaans, A. L. and Luthin, C. S (eds.) (1990) El Corocoro Rojo (*Eudocimus ruber*): situacion actual, conservacion e investigaciones recientes. Proceedings of the first International Scarlet Ibis Conservation Workshop, Caracas, Venezuela. IWRB Special Publication 11
- 718 Frey, H. (1985) The Black-hooded Red Siskin, an endangered species; an interview with Pat Dempko. *AFA Watchbird* 12(4): 40-42.
- 719 Friedmann, H. (1950) The birds of North and Middle America, 11. *Bulletin of the United States National Museum* 50:
- 721 Frith, C. B. (1974) New observations of migrants and vagrants from Aldabra, Farquhar and Astove Atolls, Indian Ocean. *Bulletin of the British Ornithologists' Club* 94: 12-19.
- 722 Frumkin, R. and Adar, M. (1989) First breeding records of Sparrowhawk in Israel. *Ornithological Society of the Middle East Bulletin* 23: 20-22.
- 723 Fry, C. H., Keith, S. and Urban, E. (1988) The birds of Africa. Volume 3. Academic Press. -London and San Diego
- 724 Fujimaki, Y. (1987) Joint survey report of Japan and USSR on Steller's Sea-Eagle. In: The Third Japan-USSR Bird Protection Symposium, 21 November 1986, summary. 49 Wild Bird Society of Japan. -Tokyo
- 725 Fullager, P. J. and Disney, H. J. de S. (1975) The birds of Lord Howe Islands: a report on the rare and endangered species. *Bulletin of the International Council for Bird Preservation* 12: 187-202.
- 726 Gallagher, M. (1982) Nesting of the Lappet-faced Vulture *Torgos tracheliotus* in Oman. *Bulletin of the British Ornithologists' Club* 102: 135-139.
- 727 Gallagher, M. and Brown, M. R. (1982) Golden Eagle *Aquila chrysaetos* breeding in Oman, eastern Arabia. *Bulletin of the British Ornithologists' Club* 102: 41-42.
- 729 Gargett, V. (1990) The Black Eagle: a study. Acorn Books. -Randburg, South Africa
- 730 Garnett, S. (1987) An Australian record of Gurney's Eagle *Aquila gurneyi*. *Australian Bird Watcher* 12(4): 134-135.
- 731 Garrido, O. H. (1985) Cuban endangered birds. In Buckley, P. A., Foster, M. S., Morton, E. S., Ridgely, R. S. and Buckley, F.G. (eds.) Neotropical ornithology. 992-999 American Ornithologists' Union, Ornithological Monograph 36. AOU. - Washington D.C.
- 732 Garrido, O. H. (1986) Las palomas. Editorial Científico-Técnica. -La Habana
- 734 Garson, P. J. (1983) The Cheer Pheasant *Catreus wallichii* in Himachal Pradesh, western Himalayas: an update. *World Pheasant Association Journal* 8: 29-39.
- 735 Gaston, A. J. and Singh, J. (1980) The status of the Cheer Pheasant *Catreus wallichii* in the Chail Wildlife Sanctuary, Himachal Pradesh. *World Pheasant Association Journal* 5: 68-73.
- 736 Gaston, A. J., Garson, P. J. and Hunter, M. L. (1981) Present distribution and status of pheasants in Himachal Pradesh, western Himalayas. *World Pheasant Association Journal* 6: 10-30.
- 737 Gaston, A. J., Islam, K. and Crawford, J. A. (1983) The current status of the Western

- 738 Tragopan *Tragopan melanocephalus*. *World Pheasant Association Journal* 8: 40-49.
- 739 Gaucher, P., Thiollay, J.-M. and Eichaker, X. (1995) The Sooty Falcon *Falco concolor* on the Red Sea coast of Saudi Arabia: distribution, numbers and conservation. *Ibis* 137: 29-33.
- 740 Geeson, J. and Geeson, J. (1990) First Red Kite record for the Gambia. *Malimbus* 11: 144.
- 741 Genot, J.-C. (1989) *Athene noctua*, world bibliography.
- 742 Gensbol, B. (1986) Collins guide to the birds of prey of Britain and Europe, North Africa and the Middle East. Collins. -London
- 743 Glade, A. A. (ed.) (1988) Red list of Chilean terrestrial vertebrates. Impresimas Comerciales, for CONAF. -Santiago
- 744 Godfrey, E. (1986) The birds of Canada. 2nd ed. National Museum of Natural Sciences. -Ottawa, Canada
- 745 Gollop, J. B., Barry, T. W. and Iversen, E. H. (1986) The Eskimo Curlew. A vanishing species. Saskatchewan Natural History Society (Spec. Publ. 17). -Regina, Saskatchewan
- 746 Golovushkin, M. I. and Osipova, M. A. (1988) [Nesting of Imperial Eagle (*Aquila heliaca*) in the region south to Baikal.]. *Ornitologiya* 23: 205-206. (Russian)
- 747 Gonzales, Z. J. (1977) Sobre la presencia en Chile de *Sappho sparganura sappho* (Lesson) (Aves: Trochilidae). *Boletin Ornitológico* 9(1/2): 11-12.
- 748 Gonzalez, L. M., Gonzalez, J. L., Garzon, J. and Heredia, B. (1987) Censo y distribucion del Aguila Imperial Iberica, *Aquila (heliaca) adalberti* Brehm, 1861, en España durante el periodo 1981-1986. *Bol. Est. Cent. Ecol.* 16(31): 99-109.
- 749 González-García, F. (1984) Aspectos biológicos del Pavón *Oreophasis derbianus* G. R. Gray (Aves: Cracidae) en la Reserva Natural "El Triunfo", Municipio del Angel Albion Corzo, Chiapas, Mexico. Tesis profesional, Facultad de Ciencias Biológicas, Universidad Veracruzana, Xalapa, V
- 750 González-García, F. (1991) Observaciones sobre la ecología y biología reproductiva del Pavón *Oreophasis derbianus* en la Reserva de la Biosfera "El Triunfo", Chiapas, México. Paper presented at IV Congreso de Ornitología Neotropical, Quito, Ecuador, November 1991
- 751 Gonzalez-Grande, J. L. (1981) Spain's Imperial Eagle. *Natural History* 90: 40-43.
- 752 Goodman, S. M. and Meininger, P. L. (1989) The birds of Egypt. Oxford University Press. -Oxford
- 753 Goodwin, D. (1982) Estrildid finches of the world. British Museum (Natural History) and Oxford University Press. -London and Oxford
- 754 Goodwin, D. (1983) Pigeons and doves of the world. 3rd edition. British Museum (Natural History) and Cornell University Press. -London and New York
- 755 Gore, M. E. J. (1968) A checklist of the birds of Sabah, Borneo. *Ibis* 110: 165-196.
- 756 Gore, M. E. J. (1990) The birds of the Gambia. 2nd ed. British Ornithologists' Union Check List No. 3. BOU. -London
- 757 Gore, M. E. J. and Gepp, G. R. M. (1978) Las aves del Uruguay. International Council for Bird Preservation, (Pan-American Section). -Montevideo
- 758 Gore, M. E. J. and Won, P-O. (1971) The birds of Korea. Royal Asiatic Society, Korea Branch, in conjunction with Taiwan Publishing Co. -Seoul
- 759 Goriup, P. D. (ed.) (1983) The Houbara Bustard in Morocco: a report of the Al-Areen/ICBP March 1982 preliminary survey. International Council for Bird Preservation, Cambridge, U.K., on behalf of Al-Areen Wildlife Park, Bahrain.
- 760 Goriup, P. D. and Karpowicz, Z. J. (1985) A review of the past and recent status of the Lesser Florican. *Bustard Studies* 3: 163-182.
- 761 Goriup, P. D. and Parr, D. F. (1985) Results of the ICBP bustard survey of Turkey, 1981. *Bustard Studies* 2: 77-98.
- 762 Gorman, K. M. (1990) Breeding the endangered Venezuelan Black-hooded Red Siskin. *AFA Watchbird* 17(1): 7-12.
- 763 Gorman, K. M. (1992) AFA Red Siskin Project. *AFA Watchbird* 18(6): 24-25.
- 764 Graham, G. L., Graves, G. R., Schulenberg, T. S. and O'Neill, J. P. (1980) Seventeen bird species new to Peru from the Pampas de Heath. *Auk* 97: 366-370.
- 765 Grantsau, R. (1967) Sobre o genero *Augastes*, com a descrição de uma subespécie nova (Aves, Trochilidae). *Pap. Avuls. Zool.* 21: 21-31.
- 766 Graves, G. R. (1980) A new species of metaltail hummingbird from northern Peru. *Wilson Bulletin* 92: 1-7.
- 767 Graves, G. R. and Giraldo, O. J. A. (1987) Population status of the Rufous-fronted Parakeet (*Bolborhynchus ferrugineifrons*), a Colombian endemic. *Gerfaut* 77: 89-92.
- 768 Green, A. (1993) White-headed Ducks, a case for action. *Birds Magazine*, Spring 1993: 39-40.
- 769 Green, A. A. (1984) Additional bird records from Bamingui- Bangoran National Park,

- Central African Republic. *Malimbus* 6(1/2): 14-28.
- 774 Green, A. A. and Sayer, J. A. (1979) The birds of Pendjari and Arli National Parks (Benin and Upper Volta). *Malimbus* 1(1): 14-28.
- 775 Green, A. J. (1991) Focus on the White-winged Wood Duck. *Oriental Bird Club Bulletin* 14: 25-27.
- 776 Greenway, J. C. (1958) Extinct and vanishing birds of the world. American Committee for International Wildlife Protection (Ser. Publ. 13). -New York
- 777 Greenway, J. C. (1967) Extinct and vanishing birds of the world. Second edition. Dover Publications. -New York
- 778 Gretton, A. (1987) Gurney's Pitta: the struggle to survive. *World Birdwatch* 9(4): 6-7.
- 779 Gretton, A. (1990) Red Data bird: Slender-billed Curlew. *World Birdwatch* 12(3): 11.
- 780 Gretton, A., Kohler, M., Lansdown, R. V., Pankhurst, T. J., Parr, J. and Robson, C. (1994) The status of Gurney's Pitta *Pitta gurneyi* 1987-1989. *Bird Conservation International* 3: 351-367.
- 781 Grice, D., Caughley, G. and Short, J. (1986) Density and distribution of the Australian Bustard *Ardeotis australis*. *Biological Conservation* 35: 259-267.
- 782 Grimes, L. (1987) The birds of Ghana. B.O.U. Check-list No. 9. British Ornithologists' Union. -London
- 783 Grimmett, R. (1986) News and views: White-winged Ducks in Thailand. *Bulletin of the Oriental Bird Club* 3: 7.
- 784 Guedes, N. M. R. (1991) Observações de ninhos de arara azul (*Anodorhynchus hyacinthinus*) no Pantanal. In: Resumos, I Congresso Brasileiro de Ornitologia. Belém: Museu Paraense Emílio Goeldi 6
- 785 Guedes, N. M. R. and Harper, L. H. (1991) Nest site characteristics of the Hyacinth Macaw (*Anodorhynchus hyacinthinus*) in the Nhecolândia region of the Brazilian Pantanal. Abstract 261 in the Program of the 109th Stated Meeting of the American Ornithologists' Union, 14-17 August 1991
- 786 Guerriat, H. and Ittelet, M. (1982) [A survey on the status of the Black Kite *Milvus migrans* in Belgium.]. *Aves* 19: 183-191.
- 787 Gutierrez, R. J. and Carey, A. B (eds.) (1985) Ecology and management of the Spotted Owl in the Pacific northwest. United States Department of Agriculture (General Technical Report PNW-185), Oregon
- 788 Haas, V., Haussler, U. and Stick, R. (1981) Turtle Dove *Streptopelia turtur* in Kenya. *Scopus* 5: 128.
- 789 Hadden, D. (1981) Birds of the North Solomons. Wau Ecology Institute (Handbook No. 8). -Papua New Guinea
- 791 Hails, C. J. and Jarvis, F. (1987) Birds of Singapore. Times Editions. -Singapore
- 792 Hall, B. P. and Moreau, R. E. (1970) An atlas of speciation in African passerine birds. British Museum (Natural History). -London
- 793 Hallmann, B. (1994) The decline of the Imperial Eagle (*Aquila heliaca*) in Greece. In: Meyburg and Chancellor (eds) 1994 Eagle Studies. World Working Group on Birds of Prey and Owls. -Berlin, London & Paris
- 794 Häggerli, J. (1991) Haltung und Zucht des Spix-Aras (*Cyanopsitta spixii*). *Gefiederte Freund* 38: 130-145.
- 795 Hancock, J. and Kushlan, J. (1984) The herons handbook. Croom Helm. -London
- 796 Hancock, J. A., Kushlan, J. A. and Kahl, M. P. (1992) Storks, ibises and spoonbills of the world. Academic Press. -London
- 797 Haney, J. C. (1987) First sight record of Orange-breasted Falcon for Belize. *Wilson Bulletin* 95: 314-315.
- 798 Hamner, D. B. and Roseveare, M. (1989) The first record of the Shoebill (*Balaeniceps rex*) in Malawi. *Scopus* 12(3/4): 92.93.
- 800 Hanson, D. A. (1982) Distribution of the Quetzal in Honduras. *Auk* 99: 385.
- 802 Harrison, P. (1985) Seabirds: an identification guide. Revised edition. Christopher Helm. -Bromley, Kent
- 803 Hart, J. (1991) Conservation of the Lear's Macaw: management of an endangered species. In: Clinton-Etniear, J. (ed.) Proceedings of the First Mesoamerican Workshop on the Conservation and Management of Macaws. (Misc. Publ. 1). 48-51 Center for the Study of Tropical Birds, Inc. -Antonio, Texas
- 804 Harvey, W. G. (1990) Birds in Bangladesh. University Press Ltd. -Dhaka
- 805 Hasegawa, H. (1982) The breeding status of the Short-tailed Albatross *Diomedea albatrus*, on Torishima, 1979/80 - 1980/81. *Journal of the Yamashina Institute for Ornithology* 14: 16-24.
- 806 Hasegawa, H. (1984) Status and conservation of seabirds in Japan, with special attention to the Short-tailed Albatross. In: Croxall, J. P., Evans, P. G. H. and Schreiber R. W. (eds.) *Status and conservation of the world's seabirds*. 487-500 (Techn. Publ. 2). International Council for Bird Preservation. -Cambridge, U.K.

- 807 Hasegawa, H. (1991) Red Data bird: Short-tailed Albatross. *World Birdwatch* 13(2): 10.
- 809 Haverschmidt, F. (1972) *Accipiter poliogaster* in Surinam. *Journal für Ornithologie* 113: 338-339.
- 810 Haverschmidt, F. (1972) Bird records from Surinam. *Bulletin of the British Ornithologists' Club* 92: 49-53.
- 811 Haverschmidt, F. (1975) More bird records from Surinam. *Bulletin of the British Ornithologists' Club* 95: 74-77.
- 812 Haverschmidt, F. (1983) First record of the Little Egret (*Egretta garzetta*) in Suriname. *Wilson Bulletin* 95: 315.
- 814 Hayes, F. E., Goodman, S. M. and López, N. E. (1990) New or noteworthy bird records from the Matogrosense region of Paraguay. *Bulletin of the British Ornithologists' Club* 110: 94-103.
- 815 Hayes, F. N. and Dumbell, G. S. (1989) Progress in Brown Teal *Anas aucklandica chlorotis* conservation. *Wildfowl* 40: 137-140.
- 816 Hayman, P., Marchant, J. and Prater, T. (1986) Shorebirds. Croom Helm. -London and Sydney
- 817 Hays, C. (1984) The Humboldt Penguin in Peru. *Oryx* 18: 92-95.
- 818 Hays, C. (1986) Effects of the 1982-83 El Niño on Humboldt Penguin colonies in Peru. *Biological Conservation* 36: 169-180.
- 819 Hayward, G. D., Hayward, P. H. and Garton, E. O. (1993) Ecology of Boreal Owls in the Northern Rocky Mountains, USA. *Wildlife Monographs* 124: 1-59.
- 820 Hazevoet, C. J. (1995) The birds of the Cape Verde Islands. British Ornithologists' Union. -Tring, U.K.
- 821 Heather, B. D. (1991) Cattle Egret numbers in New Zealand 1986-1990. *Notornis* 35: 185-191.
- 823 Helander, B. (1980) Fargringmarkning av havsvorn - en lagesrapport. *Fauna och Flora* 4: 183-187.
- 824 Helander, B., Olsson, M. and Reutergardh, L. (1982) Residue levels of organochlorine and mercury compounds in unhatched eggs and the relationships to breeding success in White-tailed Sea Eagles *Haliaeetus albicilla* in Sweden. *Holarctic Ecology* 5: 349-366.
- 825 Helbig, A. J. and Wells, D. R. (1990) Steppe Eagles in Peninsular Malaysia in 1987. *Dutch Birding* 12: 77-79.
- 826 Hellenic Ornithological Society. (1987) [Decrease in the population of the Lesser Kestrel.]. *Nature* 37: 35. (Greek)
- 828 Helvoort, B. van. (1987) Status and conservation needs of the Bali Starling. *Bulletin of the Oriental Bird Club* 5: 9-12.
- 830 Heredia, B., Gonzalez, L. M., Gonzalez, J. L. and Alonso, J. C. (1985) La emancipación y dispersión de los jóvenes de Aguila Imperial en el Parque Nacional de Donaña. *Vida Silvestre* 53: 37-43.
- 831 Hermes, N. (1980) Endangered species. In: Haigh, C. (ed.) *Endangered animals of New South Wales*. National Parks and Wildlife Service. -Sydney
- 833 Herremans, H., Stevens, J., Vangeluwe, D. and Soilih, A. (1990) Red Data bird: Grand Comoro Scops Owl. *World Birdwatch* 12(1-2): 13.
- 834 Hestbeck, J. B. (1993) Overwinter distribution of Northern Pintail population in North America. *Journal of Wildlife Management* 57(3): 582-589.
- 835 Hillgarth, N., Stewart-Cox, B. and Thouless, C. (1986) The decline of the Green Peafowl *Pavo muticus*. In: Ridley, M. (ed.) *Pheasants in Asia 1986*. World Pheasant Association. -Basildon, U.K.
- 836 Hilty, S. (1985) Distributional changes in the Colombian avifauna: a preliminary blue list. In: Buckley, P. A., Foster, M. S., Morton, E. S., Ridgely, R. S. and Buckley, F.G. (eds.) *Neotropical ornithology*. 1000-1012 American Ornithologists' Union Ornithological Monograph No. 36. - Washington D.C.
- 837 Hilty, S. and Brown, W. L. (1986) *A guide to the birds of Colombia*. Princeton University Press. -Princeton, New Jersey
- 838 Hirschfeld, E. (1991) Rare birds in Bahrain 1989 and 1990. *Ornithological Society of the Middle East Bulletin* 26: 20-25.
- 839 Hodges, C. S. N. (1991) Survey of Nene (*Branta sandvicensis*) in Haleakala National Park 1988 through 1990. *Elepaio* 51(6): 38-39.
- 841 Hollom, P. A. D., Porter, R. F., Christensen, S. and Willis, I. (1988) Birds of the Middle East and North Africa. T. and A. D. Poyer. -Calton
- 842 Holmes, D. A. (1977) Faunistic notes and further additions to the Sumatran avifauna. *Bulletin of the British Ornithologists' Club* 97: 68-71.
- 843 Holmes, D. A. (1990) Notes on the occurrence of the White-winged wood duck *Cairina scutulata* on the west coast of North Sumatra. *Kukila* 5(1): 69-72.
- 844 Holmes, D. A. and Burton, K. (1987) Recent notes on the avifauna of Kalimantan. *Kukila* 3: 2-32.
- 845 Holyoak, D. T. and Seddon, M. B. (1990) Distributional notes on the birds of Benin. *Malimbus* 11: 128-134.

- 846 Holyoak, D. T. and Thibault, J-C. (1984) Contribution à l'étude des oiseaux de Polynésie orientale. *Mémoires du Muséum National d'Histoire Naturelle Ser. A., Zool.* 127: 1-209.
- 847 Hoshide, H. M., Price, A. J. and Katahira, L. (1990) A progress report on Nene *Branta sandvicensis* in Hawaii's Volcanoes National Park from 1974-1989. *Wildfowl* 41: 142-155.
- 849 Howell, S. N. G. (1992) The Short-crested Coquette: Mexico's least-known endemic. *Birding* 24: 87-91
- 850 Howell, S.N.G. and Webb, S. (1992) New and noteworthy bird records from Guatemala and Honduras *Bulletin of the British Ornithologists' Club* 112: 42-49
- 851 Howells, W. W. and Finn, K. J. (1979) The occurrence of Denham's Bustard at Wankie National Park and in north-west Rhodesia with notes on movements and behaviour. *Honeyguide* 97: 4-12.
- 852 Howes, J. (1988) Nordmann's Greenshank *Tringa guttifer*: status and threats. *Asian Wetland News* 1: 12.
- 853 Howes, J. and Lambert, F. (1987) Some notes on the status, field identification and foraging characteristics of Nordmann's Greenshank. *Wader Study Group Bulletin* 49: 14-17.
- 854 Humphrey, S. R. and Bain, J. R. (1990) Endangered animals of Thailand. Sandhill Crane Press. -Gainesville, Florida
- 855 Hunt, G. (1994) Red Data Bird: Kagu. *World Birdwatch* 16(1): 20-21.
- 856 Hunter, L. A. (1988) Status of the endemic Atitlan Grebe of Guatemala: is it extinct? *Condor* 90: 906-912.
- 857 Hussain, S. A. (1984) Some aspects of the biology and ecology of Narcondam Hornbill (*Rhyticeros narcondami*). *Journal of the Bombay Natural History Society* 81: 1-18.
- 858 Hutchinson, C. D. (1989) Birds in Ireland. Poyser. -Calton, U.K
- 860 Ingels, J., Parkes, K. C. and Farrand, J. (1981) The status of the macaw generally but incorrectly called *Ara caninde* (Wagler). *Gerfaut* 71: 283-294.
- 861 Inskipp, C. (1989) Nepal's forest birds: their status and conservation. International Council for Bird Preservation (Monograph No. 4.). -Cambridge, U.K.
- 862 Inskipp, C. and Collar, N. J. (1984) The Bengal Florican: its conservation in Nepal. *Oryx* 18: 30-35.
- 863 Inskipp, C. and Inskipp, T. (1983) Results of a preliminary survey of Bengal Floricans *Houbaropsis bengalensis* in Nepal and India, 1982. (Study Report 2).
- 864 International Council for Bird Preservation. -Cambridge, U.K.
- 864 Inskipp, C. and Inskipp, T. (1985) A survey of Bengal Floricans in Nepal and India, 1982. *Bustard Studies* 3: 141-160.
- 865 Inskipp, C. and Inskipp, T. (1991) A guide to the birds of Nepal. 2nd ed. Christopher Helm.
- 867 Islam, K. and Crawford, J. A. (1985) Brood habitat and roost sites of Western Tragopans in northeastern Pakistan. *World Pheasant Association Journal* 10: 7-14.
- 868 Islam, K. and Crawford, J. A. (1986) Summary of Western Tragopan Project in Pakistan with recommendations for conservation of the species. In: Ridley, M. (ed.) *Pheasants in Asia* 1986. World Pheasant Association. -Basildon, U.K.
- 869 Jackson, F. J. and Slater, W. L. (1938) The birds of Kenya Colony and the Ugandan Protectorate. Gurney and Jackson. -London
- 870 Jackson, H. D. (1973) The Cape Eagle Owl *Bubo capensis* in Moçambique. *Bulletin of the British Ornithologists' Club* 93: 10.
- 871 Jacobson, O. W. (1993) Use of feeding habitats by breeding Eurasian Wigeon. *Canadian Journal of Ecology* 71(5): 1046-1054.
- 872 Jairaj, A. P. and Sanjeev Kumar, V. K. (1990) Occurrence of the Spoonbill *Platalea leucorodia* in Kerala. *Journal of the Bombay Natural History Society* 87(2): 289-290.
- 873 Jakšic, F. M. and Jimenez, J. E. (1986) Conservation status of raptors in Chile. *Birds of Prey Bulletin* (3)
- 874 Jaramillo, A. (1992) Eskimo Curlew: a glimmer of hope. *Birders Journal* 1: 202.
- 875 Jeggo, D. F. (1990) Preliminary international studbook: St Vincent Parrot *Amazona guildingii*. In: Colley, R. (ed.) *Parrots in captivity*. 18-28 Association of British Wild Animal Keepers. -Bristol
- 876 Jeggo, D. F. (1991) Captive breeding and the conservation of the St Lucia Parrot *Amazona versicolor* and St Vincent Parrot *A. guildingii*. In: Colley, R. (ed.) *Parrots in captivity*. 18-28 Association of British Wild Animal Keepers. -Bristol
- 877 Jeggo, D. F. and Anthony, D. (1991) A report on the 1990 field survey of the St Lucia Parrot *Amazona versicolor*. *Dodo* 27: 102-107.
- 878 Jeggo, D. F., Anthony, D. and John, L. (1988) A report on the 1988 survey of the St. Lucia Parrot *Amazona versicolor*. *Dodo* 25: 24-30.
- 879 Jehl, J. R. and Parkes, K. C. (1982) The status of the avifauna of the Revillagigedos Islands, Mexico. *Wilson Bulletin* 94: 1-19.

- 881 Jennings, M. C. (1981) The birds of Saudi Arabia: a check- list. Published by the author. -Whittlesford, Cambridge
- 882 Jenny, J. P. and Burnham, W. A. (1987) Preliminary observations on the biology of the Orange-breasted Falcon (*Falco deiroleucus*). III Congress de Ornitoloxia Neotropical: Resumenes.
- 883 Jenny, J. P. and Cade, T. J. (1986) Observations on the biology of the Orange-breasted Falcon *Falco deiroleucus*. *Wilson Bulletin* 3: 119-124.
- 884 Jensen, A. (1991) Forest future in the balance. *World Birdwatch* 13(4): 10-11.
- 885 Jessop, A. E. and Reid, T. (1986) Winter surveys of the Orange-bellied Parrot *Neophema chrysogaster* in Victoria, 1984 and 1985. Royal Australasian Ornithologists' Union. -Victoria
- 886 Johnsgard, P. A. (1983) Cranes of the world. Croom Helm. -London and Canberra
- 887 Johnsgard, P. A. (1983) The hummingbirds of North America. Smithsonian Institution Press. -Washington D.C.
- 888 Johnsgard, P. A. (1986) Plovers, sandpipers and snipes of the world. University of Nebraska Press. -Lincoln and London
- 889 Johnsgard, P. A. (1986) The pheasants of the world. Oxford University Press. -Oxford
- 890 Johnsgard, P. A. (1988) The quails, partridges and francolins of the world. Oxford University Press. -Oxford
- 891 Johnsgard, P. A. (1991) Bustards, hemipodes and sandgrouse: birds of dry places. Oxford University Press. -Oxford
- 892 Johnson, A. R. (1989) Population studies and conservation studies of Greater Flamingos in the Camargue. Pp.49-63 in Spaans, A. L. Wetlands en Watervoegels. Pudoc. -Wageningen, the Netherlands
- 894 Johnson, E. D. H. (1972) Observations on the birds of the Upper Blue Nile Basin. *Bulletin of the British Ornithologists' Club* 92: 42-49.
- 895 Johnson, G. and Smiddy, P. (1989) Black Stork in Co. Dublin - a species new to Ireland. *Irish Birds* 4: 69-70.
- 896 Johnson, T. (1987) Red Data bird: White-breasted White-eye. *World Birdwatch* 9(3): 5.
- 897 Johnson, T. B., Snyder, N. F. R. and Franks, M. A. (1991) Thick-billed Parrot Reintroduction Project Progress Report of December 23, 1991. Arizona Game and Fish Department. Unpublished.
- 899 Jones, C. G. (1987) The larger land-birds of Mauritius. In: Diamond, A. W. (ed.) Studies of Mascarene Island birds. 208-300
- 900 Cambridge University Press. -Cambridge, U.K.
- 900 Jones, P. J. and Tye, A. (1988) A survey of the avifauna of Sao Tome and Principe. (Study Report 24). International Council for Bird Preservation. -Cambridge, U.K.
- 901 Jordan, O. C. and Munn, C. A. (1993) First observation of the Blue-throated Macaw in Bolivia. *Wilson Bulletin* 105(4): 694-695.
- 902 Juhaeni, D. (1993) Little-known bird: Sumba Hornbill *Aceros everetti*. *Oriental Bird Club Bulletin* 18: 19-20.
- 903 Juniper, A. T. and Yamashita, C. (1991) The habitat and status of Spix's Macaw *Cyanopsitta spixii*. *Bird Conservation International* 1: 1-9.
- 904 Juniper, T. (1990) A very singular bird. *BBC Wildlife* 8: 674-675.
- 905 Juniper, T. (1990) Spix's Macaw - a lone survivor. *World Birdwatch* 12(3): 13.
- 906 Juniper, T. (1991) Last of a kind. *Birds International* 3: 10-16.
- 907 Juniper, T. and Yamashita, C. (1990) The conservation of Spix's Macaw. *Oryx* 24: 224-228.
- 908 Jurek, R. M. (1990) An historical review of California Condor recovery programmes. *Vulture News* 23: 3-7.
- 909 Karim, F. (1985) A note on the disappearance of the Bengal Florican from Bangladesh. *Bustard Studies* 3: 161-162.
- 910 Karl, B. J. and Best, H. A. (1982) Feral cats on Stewart Island; their foods, and their effects on Kakapo. *New Zealand Journal of Zoology* 9: 287-294.
- 911 Kasparek, M. (1989) Status and distribution of the Great Bustard and the Little Bustard in Turkey. *Bustard Studies* 4:
- 912 Kasparek, M. and van der Ven, J. (1983) Birds of Turkey. 1: Ercek Golu. Published by the authors. -Heidelberg
- 913 Kebede, E. and Hillman, J. C. (1989) First recorded breeding of Greater Flamingos *Phoenicopterus ruber roseus* in Ethiopia. *Flamingo Research Group Newsletter* 5: 7.
- 914 Keller, C. (1992) Em busca da ararinha de Spix. *Atualidades Ornitológicas* 45: 5.
- 916 Kemp, A. C. (1980) The importance of the Kruger National Park for bird conservation in the Republic of South Africa. *Koedoe* 23: 99-122.
- 917 Kemp, A. C. (1988) The systematics and zoogeography of Oriental and Australasian hornbills (Aves: Bucerotidae). *Bonner Zoologische Beiträge* 39: 315-345.

- 918 Kemp, A. C. (1989) Estimation of biological indices for little-known African owls. In: Meyburg, B.-U. and Chancellor, R. D. (eds.) *Raptors in the modern world*. Proceedings of the III World Conference on Birds of Prey and Owls, Eilat, Israel, 22-27 March 1987. 441-449 World Working Group on Birds of Prey and Owls.
- 919 Kemp, A. C. and Crowe, T. M. (1994) A morphometric analysis of *Accipiter* species. In: Meyburg & Chancellor (eds.) *Eagle Studies*. World Working Group on Birds of Prey and Owls. -Berlin, London & Paris
- 920 Kennerley, P. R. (1987) A survey of the birds of the Poyang Lake Nature Reserve, Jiangxi Province, China, 29 December 1985 - 4 January 1986. *Hong Kong Bird Report 1984/1985* 97-111.
- 921 Kennerley, P. R. and Bakewell, D. N. (1987) Nordmann's Greenshank in Hong Kong: a review of the identification and status. *Hong Kong Bird Report 1986*: 83-100.
- 922 Kerley, G. I. H. (1986) Jackass Penguins harmed in South Africa oil spills. *World Birdwatch 8(2)*: 4.
- 923 Khan, M. A. R. (1986) The threatened White-winged Wood Duck *Cairina scutulata* in Bangladesh. *Forktail 2*: 97-101
- 925 Kiff, L. (1990) To the brink and back: the battle to save the California Condor. *Terra 28(4)*: 6-18.
- 926 King, B. (1985) Wild sighting of Hume's Pheasant in Burma. *World Pheasant Association News 8*: 21.
- 927 King, B. (1987) Wild sighting of Cabot's Tragopan. *World Pheasant Association News 18*: 21-23.
- 928 King, B. (1990) *Hieraetus morphnoides* on Halmahera. *Kukila 5*: 77.
- 929 King, B. F., Dickinson, E. C. and Woodcock, M. W. (1975) A field guide to the birds of South-East Asia. Collins. -London
- 931 King, W. B. (1981) Endangered birds of the world: the ICBP Bird Red Data Book. Smithsonian Institution Press and International Council for Bird Preservation. -Washington D.C.
- 932 Kirkby, J. S. and Mitchell, C. (1993) Distribution and status of wintering Shovelers *Anas clypeata* in Great Britain. *Bird Study 40*: 170-180.
- 933 Kitson, A. R. (1980) *Larus relictus* - a review. *Bulletin of the British Ornithologists' Club 100(3)*: 178-185.
- 935 Knoder, C. E. (1983) Elliot's Pheasant conservation. *World Pheasant Association Journal 8*: 11-28.
- 936 Knystautas, A. (1993) Birds of Russia. Harper Collins Publishers. -London
- 937 Kohalmy, T. (1987) Data on the condition of the eastern subspecies of Great Bustard (*Otis tarda dybowskii* Tacz. 1874). In: Farago, S. (ed.) *The Great Bustard (Otis tarda L.)*. Proceedings of the symposium in Budapest on June 2nd 1987. International Council for Game and Wildlife Conservation. -Budapest
- 938 Kolosov, A. M. (ed.) (1983) [Red data book of the RSFSR: animals.]. Rossel 'khozizdat'. -Moscow (Russian)
- 939 Konrad, P. M. (1981) Status and ecology of the Wattled Crane in Africa. In: Lewis, J. C. and Masatomi, H. (eds.) *Crane research around the world*. 220-237 Robinson Press. -Fort Collins, Colorado
- 940 Koschmann, J. R. and Price, P. L. (1987) The Thick-billed Parrot. *AFA Watchbird 14(1)*: 48-53.
- 941 Koster, S. H. and Grettenberger J. F. (1983) A preliminary survey of the birds of Park W, Niger. *Malimbus 5(2)*: 62-72.
- 942 Kreitchmar, A. V. (1994) [Eurasian wigeon *Anas penelope* in North East Asia.]. *Zoologichesky Zhurnal 73(5)*: 68-79. (Russian)
- 943 Krupa, R. E. (1989) Social and biological implications for endangered species management: the Philippine Eagle *Pithecophaga jefferyi*. In: Meyburg, B.-U. and Chancellor, R.D. (eds.) *Raptors in the modern world*. Proceedings of the III World Conference on Birds of Prey and Owls, Eilat, Israel, 22-27 March 1987. 304-314 World Working Group on Birds of Prey and Owls.
- 944 Kulkarni, B. S. (1981) Ecology and behaviour of Great Indian Bustard (Family Otidae). *Journal of the Bombay Natural History Society 78*: 375-377.
- 947 Kumerloeve, H. (1984) The Waldrap, *Geronticus eremita* (Linnaeus, 1758): historical review, taxonomic history, and present status. *Biological Conservation 30*: 363-373.
- 948 Kyllingstad, H. C. (1986) A record of Bald Ibis from the Sinai Mountains. *Ornithological Society of the Middle East Bulletin 17*: 1-2.
- 949 La Cock, G. D. (1986) The southern oscillation, environmental anomalies, and mortality of two southern African seabirds. *Climatic Change 8*: 173-184.
- 950 La Cock, G. D., Duffy, D. C. and Cooper, J. (1987) Population dynamics of the African Penguin *Spheniscus demersus* at Marcus Island in the Benguela Upwelling ecosystem: 1979-85. *Biological Conservation 40*: 117-126.
- 951 LaBastille, A. (1990) And now they are gone. *International Wildlife 20(4)*: 18-23.

- 952 LaBastille, A. (1992) The Giant Grebes of Atitlan. A chronicle of extinction. *Living Bird Quarterly* 11(1): 10-15.
- 953 Labinger, Z., Gorney, E. and Parslow, R. (1991) First record of Shikra *Accipiter badius* in Israel. *Sandgrouse* 13: 46-49.
- 956 Lambert, F. (1983) Report of an expedition to survey the status of the St Vincent Parrot *Amazona guildingii*. International Council for Bird Preservation (Study Report 3). -Cambridge, U.K.
- 957 Lambert, F. (1985) The St Vincent parrot, an endangered Caribbean bird. *Oryx* 19: 34-37.
- 958 Lambert, F. R. (1993) Trade, status and management of three parrots in the North Moluccas, Indonesia; White Cockatoo *Cacatua alba*, Chattering Lory *Lorius garrulus* and Violet-eared lory *Eos squamata*. *Bird Conservation International* 3: 145-168.
- 960 Langrand, O. (1987) Distribution, status and conservation of the Madagascar Fish-eagle *Haliaeetus vociferoides* Desmurs, 1845. *Biological Conservation* 42: 73-77.
- 961 Langrand, O. (1990) Guide to the birds of Madagascar. Yale University Press. -New Haven and London
- 962 Langrand, O. and Meyburg, B.-U. (1984) Birds of prey and owls in Madagascar: their distribution, status and conservation. In: Mendelsohn, J. M. and Sapsford, C. W. Proceedings of the Second Symposium on African Predatory Birds, 22-26 August 1983. Natal Bird Club. -Durban, South Africa
- 963 Langrand, O. and Meyburg, B.-U. (1984) Range, status and biology of the Madagascar Sea Eagle *Haliaeetus vociferoides*. In: Meyburg, B.-U. and Chancellor, R. D. (eds.) Raptors in the modern world. Proceedings of the III World Conference on Birds of Prey and Owls, Eilat, Israel, 22-27 March 1987. 269-278 World Working Group on Birds of Prey and Owls.
- 964 Lanning, D. V. (1982) Survey of the Red-fronted Macaw (*Ara rubrogenys*) and Caninde Macaw (*Ara caninde*) in Bolivia, December 1981 - March 1982.
- 965 Lanning, D. V. (1991) Distribution and breeding biology of the Red-fronted Macaw. *Wilson Bulletin* 103: 357-365.
- 966 Lanning, D. V. and Shiflett, J. T. (1981) Status and nesting ecology of the Thick-billed Parrot (*Rhynchopsitta pachyrhyncha*). In: Pasquier, R. F. (ed.) Conservation of New World parrots. (Techn. Publ. 1). 393-401 International Council for Bird Preservation, Smithsonian Institution Press. -Washington D.C.
- 967 Lanning, D. V. and Shiflett, J. T. (1983) Nesting ecology of Thick-billed Parrots. *Condor* 85: 66-73
- 968 Lara, O. F. (1987) Notas reproductivas de *Jabiru mycteria*, una cigueña en peligro de extinción. *Flora, Fauna y Áreas Silvestres* 4(2): 35.
- 969 Lassey, P. A. (1994) First record of Lesser Flamingo *Phoenicopterus minor* in Egypt. *Sandgrouse* 16: 52-53.
- 970 Lawson, P. W. and Lanning, D. V. (1981) Nesting and status of the Maroon-fronted Parrot (*Rhynchopsitta terrisi*). In: Pasquier, R. F. (ed.) Conservation of New World parrots. (Techn. Publ. 1) 385-392 International Council for Bird Preservation, Smithsonian Institution Press. -Washington D.C.
- 971 Ledant, J.-P. Jacob, J.-P., Jacobs, P., Malher, F., Ochando, B. and Roché, J. (1981) Mise à jour de l'avifaune algérienne. *Gerfaut* 71: 295-398.
- 972 Ledger, J. (1985) Egyptian extinction. *Quagga* 12: 10-12.
- 973 Lelliott, A. D. (1981) Cheer Pheasants in west-central Nepal. *World Pheasant Association Journal* 6: 89-95
- 974 Lesniczak, A. B. (1989) The Black Stork, *Ciconia nigra*, in the environs of Rybnik on the Silesian upland. *Chronomy PRzyr. Ojczyzna* 45: 68-70.
- 975 Lever, C. (1987) Naturalized birds of the world. Longman Scientific and Technical. - Harlow, U.K.
- 976 Lewis, J. C. and Renton, K. (1989) The status and ecology of the West-Indian Whistling Duck (*Dendrocygna arborea*) on Barbuda. *Neotropical Wetlands Newsletter* 4: 10-13.
- 977 Lewis, R. E. (1986) A rain-forest raptor in danger. *Oryx* 20: 170-175.
- 978 Liefde, M. van. (1992) Status of the West Indian Whistling Duck in the Cayman Islands. *IWRB Threatened Waterfowl Research Group Newsletter* 2: 11-12.
- 979 Lindsey, G. D. and Arendt, W. J. (1991) Radio-tracking Puerto Rican Parrots: assessing triangulation accuracy in an insular rain forest. *Caribbean Journal of Science* 27: 46-53.
- 980 Lindsey, G. D., Arendt, W. J., Kalina, J. and Pendleton, G. W. (1991) Home range and movements of juvenile Puerto Rican Parrots. *Journal of Wildlife Management* 55: 318-322.
- 983 Lloyd, B. D. and Powlesland, R. G. (1994) The decline of the Kakapo *Strigops habroptilus* and attempts at conservation by translocation. *Biological Conservation* 69(1): 75-85.

- 984 Lobkov, E. G. and Neufeldt, I. A. (1986) Distribution and biology of the Steller's Sea Eagle - *Haliaeetus pelagicus pelagicus* (Pallas). Proceedings of the Zoological Institute of the Academy of Sciences, USSR (150) 107-146.
- 985 Londei, T. (1995) Field observations on the Azores Buzzard *Buteo buteo rothschildi*. *Bulletin of the British Ornithologists' Club* 115: 48-53.
- 986 Long, J. L. (1981) Introduced birds of the world. David and Charles. -Newton Abbot
- 987 Louette, M. (1981) The birds of Cameroon: an annotated checklist. *Verhandelingen Koninklijke Academie Brussels (kl. Wet.)* 43(163): 1-295.
- 988 Louette, M. (1992) The identification of forest Accipiters in Central Africa. *Bulletin of the British Ornithologists' Club* 112(1): 50-53.
- 989 Louette, M., Stevens, J., Bijnens, L. and Janssens, L. (1986) Comoro Islands endemic bird survey. International Council for Bird Preservation, final report (30 April 1986)
- 990 Love, J. A. (1983) The return of the Sea Eagle. Cambridge University Press. - Cambridge, U.K
- 992 Lowe, D. W., Matthews, J. R. and Moseley, C. J (eds.)(1990) Puerto Rican Parrot, *Amazona vittata*. In: The official World Wildlife Fund guide to endangered species of North America 565-567
- 993 Lowe, D. W., Matthews, J. R. and Moseley, C. J (eds.)(1990) Thick-billed Parrot, *Rhynchositta pachyrhyncha*. In: The official World Wildlife Fund guide to endangered species of North America 692-693
- 994 Loyn, R. H., Lane, B. A., Chandler, C. and Carr, G. W. (1986) Ecology of Orange-bellied Parrots *Neophema chrysogaster* at their main remnant wintering site. *Emu* 86: 195-206.
- 995 Lu Tai-chun, He Fen-qi and Liu Ru-sun. (1986) The Chinese Monal *Lophophorus lhuysii*: studies of its ecology and biology. In: Ridley, M. (ed.) Pheasants in Asia 1986. World Pheasant Association. -Basildon, U.K.
- 996 Lucca, E. R. de. (1992) El Aguila Coronada *Harpyhaliaetus coronatus* en San Juan. *Nuestras Aves* 26: 25.
- 997 Ludlow, F. (1937) The birds of Bhutan and adjacent territories of Sikkim and Tibet. *Ibis* 14: 1-46, 249-293, 467-5
- 998 Ludlow, F. and Kinnear, N. (1944) The birds of south-eastern Tibet. *Ibis* 86: 43-86, 176-208, 348-389 86: 43-86, 176-208, 348-
- 999 Luthin, C., Frederick, P. and Morales, G. (1988) The Scarlet Ibis (*Eudocimus ruber*): status, conservation and recent research.
- 1000 Luthin, C. S. (1987) Rare visit of Oriental Crested Ibis. *Flying Free* 5(2): 4-5.
- 1001 Luthin, C. S. (1987) Status and conservation priorities for the world's stork species. *Colonial Waterbirds* 10: 181-202.
- 1002 Luthin, C. S., Frederick, P. C. and Morales, G. (1990) The Scarlet Ibis *Eudocimus ruber* Action Plan. IWRB. -Slimbridge, U.K.
- 1003 Macdonald, A. A. (1995) Distribution of Blue Crowned pigeon *Goura cristata* on north Seram. *Bulletin of the British Ornithologists' Club* 115: 33-35.
- 1004 Machado, R. B. and Brandt, A. (1990) Projeto ararinha azul: relatório final. Belo Horizonte: Fundação Biodiversitas. Unpublished.
- 1006 Mackworth-Praed, C. W. and Grant, C. H. B. (1957) Birds of eastern and north-eastern Africa. Volume 1. Longmans. -London
- 1007 Mackworth-Praed, C.W. and Grant, C.H.B. (1962) Birds of the southern third of Africa. Volume 1. Longmans. -London
- 1008 Maclean, G. I. (1993) Roberts' birds of Southern Africa. Sixth Edition. Trustees of the John Voelcker Bird Book Fund. -Cape Town
- 1009 MacLeod, H. and Parrott, J. (1991) Red Data bird: Bannerman's Turaco. *World Birdwatch* 13(4): 12.
- 1010 Madge, S. and Burn, H. (1988) Wildfowl. Christopher Helm. -London
- 1011 Madsen, S. T. (1990) Black Storks in Nepal and India. *Bulletin of the Oriental Bird Club* 11: 34-35.
- 1012 Magnin, G. (1991) A record of Brown Fish Owl *Ketupa zeylonensis* from Turkey. *Sandgrouse* 13: 42-44.
- 1013 Magrath, R. D., Ridley, M. W. and Woinarski, J. Z. (1985) Status and habitat requirements of Lesser Floricans in Kathiawar, western India. *Bustard Studies* 3: 185-193.
- 1017 Mann, C.F. (1986) Christmas Island Frigatebirds *Fregata andrewsi* on the Kenya coast. *Bulletin of the British Ornithologists' Club* 106: 89-90.
- 1019 Mann, C. F. (1988) Bird report for Brunei Darussalam, July 1986 to June 1988. *Brunei Museum Journal* 6: 88-111.
- 1020 Manry, D. E. (1985) Distribution, abundance and conservaation of the Bald Ibis *Geronticus calvus* in southern Africa. *Biological Conservation* 33: 351-362.

- 1021 Manry, D. E. (1985) Reproductive performance of the Bald Ibis *Geronticus calvus* in relation to rainfall and grass-burning. *Ibis* 127: 159-173.
- 1022 Mansoori, J. (1985) The status of the Houbara Bustard in Iran. *Bustard Studies* 3: 97-100.
- 1023 Marchant, S. and Higgins, P. J. (eds). (1990) Handbook of Australian, New Zealand and Antarctic Birds. Vol 1. Ratites and ducks. RAOU/Oxford University Press. -Melbourne
- 1024 Marcondes-Machado, L. O. and Montiero Filho, E. L. A. (1990) The Scarlet Ibis *Eudocimus ruber* in southeastern Brazil. *Bulletin of the British Ornithologists' Club* 110(3): 123-126.
- 1025 Marcus, M.J. (1983) Additions to the avifauna of Honduras. *Auk* 100: 621-629.
- 1026 Marion, L. and Marion, P. (1982) [The Spoonbill *Platalea leucorodia* nests at the Lac de Grand-Lieu, France.]. *Alauda* 50: 241-249. (French)
- 1027 Marle, J. G. van and Voous, K. H. (1988) The birds of Sumatra. British Ornithologists' Union Check-list 10. - London
- 1028 Marquiss, M. and Newton, I. (1982) The Goshawk in Britain. *British Birds* 75: 243-260.
- 1029 Marti, R. (1993) Red Data Bird: White-headed Duck. *World Birdwatch* 15(3): 18-19.
- 1030 Martin, R. (1981) An extension of range of the Mountain Buzzard. *Bokmakierie* 33: 93.
- 1031 Martuscelli, P. (1991) Predação de *Megalobulimus paranaensis* Pelsbry & Ihering, 1900 (Megalobulimidae, Mollusca) por *Leucopternis lacernulata*. In: Resumos, 1 Congreso Brasileiro de Ornitología 29 Museu Paraense Emílio Goeldi. -Belém
- 1032 Mason, V. (1989) The birds of Bali. Periplus Editions. -Berkeley, California and Singapore
- 1033 Massey-Stewart, J. (1987) The 'Lily of birds': the success story of the Siberian White Crane. *Oryx* 21: 6-10.
- 1034 Masterson, A. (1986) Wattled Cranes - hot seating? *Honeyguide* 32: 154-155.
- 1035 Matthews, G. V. T. and Evans, M. E. (1974) On the behaviour of the White-headed Duck with special reference to breeding. *Wildfowl* 25: 56-66.
- 1037 Matthews, N. J. C. and Scott, L. B. (1980) A new distribution record for the Cape Eagle Owl. *Bokmakierie* 32: 99-100.
- 1038 Matvejev, S. D. and Vasic, V. F. (1973) Catalogus Faunae Jugoslaviae, IV/3, Aves. -Yugoslavia
- 1040 Mauersberger, G., Wagner, S., Wallschläger, D. and Warthold, R. (1982) Neue Daten zur Avifauna mongolica. *Mitteilungen aus dem Zoologischen Museum in Berlin* 58: 11-74. (German)
- 1043 Mayol, J. (1981) [Evaluation of the Majorcan colonies of Eleonora's Falcon, *Falco eleonorae*, during summer 1981.]. *Bol. Est. Cent. Ecol.* 20: 21-25. (Spanish)
- 1045 Mayr, E. and Cottrell, G. W (eds.) (1978) Check-list of the birds of the world. Volume 1, 2nd edition. Museum of Comparative Zoology. -Cambridge, Massachusetts
- 1046 McKean, J. L. (1987) A first record of Christmas Island Frigatebird *Fregata andrewsi* on Timor. *Kukila* 3(1-2): 47.
- 1047 McNee, S. (1986) Surveys of the Western Whipbird and Western Bristlebird in western Australia, 1985. Royal Australasian Ornithologists' Union. -Victoria
- 1048 McNutt, J. W. (1984) A peregrine falcon polymorph. Observations on the reproductive behaviour of *Falco kreyenborgi*. *Condor* 86: 378-382.
- 1049 Medway, Lord and Wells, D. R. (1976) The birds of the Malay Peninsula. Volume 5: conclusions and survey of every species. H. F. and G. Witherby and Penerbit Universiti Malaya. -London and Kuala Lumpur
- 1050 Mees, G. F. (1971) Systematic and faunistic remarks on birds from Borneo and Java, with new records. *Zoologische Mededelingen* 45: 225-244.
- 1051 Mees, G. F. (1977) Additional records of birds from Formosa (Taiwan). *Zoologische Mededelingen* 51: 243-264.
- 1052 Mees, G. F. (1977) Zur Verbreitung von *Phaethornis malaris* (Nordmann) (Aves, Trochilidae). *Zoologische Mededelingen* 52: 209-211.
- 1053 Mees, G. F. (1980) The sparrow-hawks (*Accipiter*) of the Andaman Islands. *Journal of the Bombay Natural History Society* 77: 371-412.
- 1054 Mees, G. F. (1985) Nomenclature and systematics of birds from Suriname. *Proceedings. Koninklijke Nederlandse Akademie van Wetenschappen (C)* 88(1): 75-91.
- 1055 Ménégaux, M. A. (1904) Catalogue des oiseaux rapportés par M Geay de la Guyane française et du Conteste France-Bresilien. *Bulletin du Muséum National d'Histoire Naturelle* 10: 107-119, 174-186.
- 1056 Ménégaux, M. A. (1907) Oiseaux de la Guyane française donnés au Museum par M. Rey, gouverneur des Colonies. *Bulletin du Muséum National d'Histoire Naturelle* 13: 493-499.
- 1057 Menkhorst, P. W. and Isles, A. C. (1981) The Night Parrot *Geopsittacus occidentalis*:

- evidence of its occurrence in north-western Victoria during the 1950s. *Emu* 81: 239-240.
- 1058 Mercado, N. K. (1985) Aves de Bolivia. Editorial Gisbert. -La Paz
- 1059 Meretsky, V. J. and Snyder, N. F. R. (1992) Range use and movements of California Condors. *Condor* 94: 313-335.
- 1060 Merton, D. V., Morris, R. B. and Atkinson, I. A. E. (1984) Lek behaviour in a parrot: the Kakapo *Strigops habroptilus* of New Zealand. *Ibis* 126: 277-283.
- 1061 Merwe, F. van der. (1981) Review of the status and biology of the Black Harrier. *Ostrich* 52: 193-207.
- 1062 Meyburg, B.-U. (1982) Seltene und vom Aussterben bedrohte Greifvogel (III): der Spanische Kaiseradler *Aquila (heliaca) adalberti*. *Der Falkner* 31: 21-30.
- 1063 Meyburg, B.-U. (1987) Clutch size, nestling aggression and breeding success of the Spanish Imperial Eagle. *British Birds* 80: 308-320.
- 1064 Meyburg, B.-U. (1989) The Spanish Imperial Eagle *Aquila (heliaca) adalberti*: its biology, status and conservation. In: Meyburg, B.-U. and Chancellor, R. D. (eds.) *Raptors in the modern world*. Proceedings of the III World Conference on Birds of Prey and Owls, Eilat, Israel, 22-27 March 1987. 255-268 World Working Group on Birds of Prey and Owls.
- 1065 Meyburg, B.-U. and Meyburg, C. (1983) Distribution and present status of the Black Vulture *Aegypius monachus*. *Bulletin of the World Working Group on Birds of Prey* 1: 172.
- 1066 Meyburg, B.-U., Balen, S. van, Thiollay, J.-M. and Chancellor, R. D. (1989) Observations on the endangered Java Hawk Eagle *Spizaetus bartelsi*. In: Meyburg, B.-U. and Chancellor, R.D. (eds.) *Raptors in the modern world*. Proceedings of the III World Conference on Birds of Prey and Owls, Eilat, Israel, 22-27 March 1987. 279-285 World Working Group on Birds of Prey and Owls.
- 1068 Meyer de Schauensee, R. (1982) A guide to the birds of South America. Academy of Natural Sciences. -Philadelphia
- 1069 Meyer de Schauensee, R. (1984) The birds of China. Oxford University Press. -Oxford
- 1070 Meyer de Schauensee, R. and Phelps, W. H. (1978) A guide to the birds of Venezuela. Princeton University Press. -Princeton, New Jersey
- 1071 Meyers, J.M. and Barrow, W.C. (1992) Habitat of breeding and nonbreeding pairs of Puerto Rican Parrots (*Amazona vittata*) after Hurricane Hugo. Program abstract, Society of Conservation Biology, June 27- July 1 1992. Virginia Polytech Institute and State University, Blacksburg, VA
- 1072 Mian, A. (1986) Ecological impact of Arab falconry on Houbara Bustard in Baluchistan. *Environmental Conservation* 13: 41-46.
- 1073 Mills, J. A. and Williams, G. R. (1978) The status of endangered New Zealand birds. In: Tyler, M. J. (ed.) *The status of endangered Australasian wildlife*. 147-168 Royal Zoological Society of Australia. - Adelaide
- 1074 Mitchell, P. (1988) Unusual sighting reports. *Bird Observer* (678) 87-88.
- 1075 Mlingwa, C. (1989) Notes on Marabou Storks *Leptoptilos crumeniferus* at Shinyanga, Tanzania. *East African Natural History Society Bulletin* 19: 34.
- 1076 Monroe, B. L. Jr. (1968) A distributional survey of the birds of Honduras. *Ornithological Monographs* 7: 457 pp.
- 1077 Moreau, G. (1990) [A new breeding species for France: the Common Crane]. *Alauda* 58: 244. (French)
- 1078 Morel, G. J. and Morel, M.-Y. (1988) Liste des oiseaux de Guinée. *Malimbus* 10(2): 143-176.
- 1079 Morel, G. J. and Morel, M.-Y. (1988) Nouvelles données sur l'hivernage de la tourterelle des bois, *Streptopelia turtur* en afrique de l'ouest: nord de la Guinée. *Alauda* 56(2): 85-91
- 1080 Morel, G. J. and Morel, M.-Y. (1990) Les oiseaux de Senegambie, notices et cartes de distribution. Editions de l'Orstom. -Paris
- 1081 Morel, M.-Y. (1987) La tourterelle des bois *Streptopelia turtur* dans l'ouest africain: mouvements migratoire et régime alimentaire. *Malimbus* 9(1): 23-42.
- 1084 Morgan-Davis, A. M. (1965) On the Kori Bustard *Ardeotis kori* (Burchell) in north-western Tanzania. *Bulletin of the British Ornithologists' Club* 85: 145-147.
- 1085 Mosimann, P. and Juillard, M. (1988) [Breeding status and winter distribution of the Red Kite *Milvus milvus* in Switzerland]. *Orn. Beob.* 85: 199-206. (French)
- 1086 Mottley, J. (1863) Observations on the birds of south-eastern Borneo. *Proceedings of the Zoological Society of London* 1863: 206-224.
- 1087 Müller-Bierl, M. and Cordier, C. (1991) Auf den Spuren des Rotohraras *Ara rubrogenys*. *Gefiederte Welt* 115: 413-416.
- 1088 Munn, C. A., Silva, C. P. da, Renton, K. and Valqui, M. (1991) Eine kurze Studie über nistende Hyazintharas im Pantanal. *Papageien* 91(5/6): 145-148, 178-181.

- 1089 Munn, C. A., Thomsen, J. B. and Yamashita, C. (1987) Survey and status of the Hyacinth Macaw (*Anodorhynchus hyacinthinus*) in Brazil, Bolivia, and Paraguay. Unpublished. -Unpublished
- 1091 Nagy, K. A., Siegfried, W. R. and Wilson, R. P. (1984) Energy utilization by free-ranging Jackass Penguins, *Spheniscus demersus*. *Ecology* 65: 1648-1655.
- 1092 Naoroji, R. K. (1991) Shikra *Accipiter badius* taking carrion. *Journal of the Bombay Natural History Society* 88: 447-448.
- 1093 Narang, M. L. (1989) Occurrence of the Western Horned Pheasant *Tragopan melanocephalus* east of R. Sutlej in Himachal Pradesh. *Ann. Biol. (Ludhiana)* 5: 153-154.
- 1094 Nash, S. V. and Nash, A. D. (1986) Records of the White-winged Duck *Cairina scutulata* in Sumatran peatswamp forest. *Oriental Bird Club Bulletin* 3: 17.
- 1095 Navarro, A. G. Torres, M. G. and Escalante, B. P. (1991) Catálogo de aves, Museo de Zoológia, Facultad de Ciencias, Universidad Nacional Autónoma de México. Museo de Zoológia "Alfonso L. Herrera", Facultad de Ciencias, UNAM. -México [City]
- 1096 Negret, A. J. (1991) Reportes recientes en el Parque Nacional Munchique de aves consideradas raras o amenazadas de extinción. *Noved. Colombianas (nueva época)* 3: 39-45.
- 1097 Negret, A. J. and Acevedo, C. I. (1990) Reportes recientes de *Leptosittaca branickii*, ave colombiana amenazada de extinción. *Noved. Colombianas (nueva época)* 2: 70-71.
- 1098 Nelson, J. B. (1974) The distribution of Abbott's Booby *Sula abbotti*. *Ibis* 116: 368-369.
- 1099 Nelson, J. B. and Powell, D. (1986) The breeding ecology of Abbott's Booby *Sula abbotti*. *Emu* 86(1): 33-46.
- 1101 Newby, J., Grettenberger, J. and Watkins, J. (1987) The birds of northern Air, Niger. *Malimbus* 9(1): 4-16.
- 1102 Newman, K. (1989) Birds of Botswana. Southern Book Publishers (Pty).
- 1103 Newman, K., Johnston-Stewart, N. and Medland, B. (1992) The birds of Malawi. A supplement to Newman's birds of Southern Africa. Southern Book Publishers (Pty). - Cape Town
- 1105 Nightingale, T. and Hill, M. (1992) The birds of Bahrain. Immel.
- 1108 Norton, R. L. and Hobbs, A. (1987) First record of Purple-throated Carib for the Greater Antilles and notes on vagrants in the Virgin Islands. *Caribbean Journal of Science* 23: 462-463.
- 1109 O'Neill, J. P., Solar R. G. del, Ortiz, T. E., Eley, J. W. and Williams, M. D. (1981) The White-winged Guan *Penelope albipennis*; its rediscovery, status, nesting, systematics, and recommendations for its continued survival. In: Primer Simposio Internacional de la Familia Cracidae: Memorias. Universidad Nacional Autonoma de Mexico . -Mexico City
- 1110 Ogilvie, M. and Ogilvie, C. (1986) Flamingos. Alan Sutton. -Gloucester, U.K.
- 1111 Ogle, D. (1986) The status and seasonality of birds in Nakhon Sawan Province, Thailand. *Natural History Bulletin of the Siam Society* 34(2): 115-143.
- 1113 Olrog, C. C. (1985) Status of wet forest raptors in northern Argentina. In: Newton, I. and Chancellor, R.D. (eds.) Conservation studies on raptors. (Techn. Publ. 5). 191-197 International Council for Bird Preservation. -Cambridge, U.K.
- 1114 Olsen, P. D. and Olsen, J. (1986) Distribution, status, movements and breeding of the Grey Falcon *Falco hypoleucus*. *Emu* 86: 47-51.
- 1115 Olsen, P. D. and Stokes, T. (1989) State of knowledge of the Christmas Island Hawk-Owl *Ninox squamipila natalis*. In: Meyburg, B.-U. and Chancellor, R.D. (eds.) Raptors in the modern world. Proceedings of the III World Conference on Birds of Prey and Owls, Eilat, Israel, 22-27 March 1987. 411-414 World Working Group on Birds of Prey and Owls.
- 1116 Olsen, P. D., Mooney, N. J. and Olsen, J. (1989) Status and conservation of the Norfolk Island Boobook *Ninox novaeseelandiae undulata*. In: Meyburg, B.-U. and Chancellor, R.D. (eds.) Raptors in the modern world. Proceedings of the III World Conference on Birds of Prey and Owls, Eilat, Israel, 22-27 March 1987. 415-422 World Working Group on Birds of Prey and Owls.
- 1117 Olson, P. D., Crome, F. and Olson, J. (1993) Birds of prey and ground birds of Australia. Australian Museum and Angus & Robertson. -Sydney
- 1118 Oren, D. C. and Novaes, F. C. (1986) Observations on the Golden Parakeet *Aratinga guarouba* in northern Brazil. *Biological Conservation* 36: 329-337.
- 1119 Ortiz Tejada, E. and Purisaca Puicon, J. (1981) Estudio preliminar sobre la Pava aliblanca (*Penelope albipennis*) Taczanowski 1877. In Primer Simposio Internacional de la Familia Cracidae: Memorias. [Mexico City] Universidad Nacional Autonoma de Mexico 192-202
- 1121 Ortiz-Crespo, F. I. (1984) First twentieth-century specimen of the Violet-throated Metaltail *Metallura baroni*. *Bulletin of the British Ornithologists' Club* 104: 95-97.

- 1122 Osborne, P. E. (1986) Survey of the birds of Fuerteventura, Canary Islands, with special reference to the status of the Canarian Houbara Bustard *Chlamydotis undulata*. (Study Report 10). International Council for Bird Preservation. -Cambridge, U.K.
- 1126 Otero, C. (1987) The Great Bustard (*Otis tarda*) in Spain. In: Farago, S. (ed.) The Great Bustard (*Otis tarda* L.). Proceedings of the symposium in Budapest on June 2nd 1987. 43-50 International Council for Game and Wildlife Conservation. -Budapest
- 1127 Ottenwalder, J. A. (1988) Flamingos in Haiti. *World Birdwatch* 10(3/4): 8.
- 1128 Ottenwalder, J. A., Woods, C. A., Rathburn, G. B. and Thorbjarneson, J. B. (1990) Status of the Greater Flamingo in Haiti. *Colonial Waterbirds* 13(2): 115-123.
- 1129 Owre, O. T. (1966) The Crowned Crane at Lake Rudolf. *Bulletin of the British Ornithologists' Club* 86(3): 54-56.
- 1130 Padron, F. P. (1983) Las aves de Canarias.
- 1132 Parker, S. A and Reid, N. (1978) Remarks on the status of some Australian passerines. In: Tyler, M. J. (ed.) The status of endangered Australasian wildlife. 109-115 Royal Zoological Society of Australia. - Adelaide
- 1133 Parker, T. A. (1982) First record of the Chilean Woodstar *Eulidia yarrellii* in Peru. *Bulletin of the British Ornithologists' Club* 102: 86.
- 1134 Parker, T. A. and Parker, S. A. (1982) Behavioural and distributional notes on some unusual birds of a lower montane cloud forest in Peru. *Bulletin of the British Ornithologists' Club* 102: 63-70.
- 1135 Parker, T. A. and Remsen, J. V. Jr. (1987) Fifty-two Amazonian bird species new to Bolivia. *Bulletin of the British Ornithologists' Club* 107(3): 94-107.
- 1136 Parker, T. A., Parker, S. A. and Plenge, M. A. (1982) An annotated checklist of Peruvian birds. Buteo Books. -Vermillion, South Dakota
- 1137 Parker, T. A., Schulenberg, T. S., Graves, G. R. and Braun, M. J. (1985) The avifauna of the Huancabamba region, northern Peru. In: Buckley, P. A., Foster, M. S., Morton, E. S., Ridgely, R. S. and Buckley, F.G. (eds.) Neotropical ornithology. 169-197 American Ornithologists' Union Ornithological Monograph No. 36. -Washington D.C.
- 1138 Parker, V. (1988) Birds of Swaziland. *Bokmakierie* 40: 77-79.
- 1139 Parker, V. (1992) Swaziland bird checklist. The Conservation Trust of Swaziland. - Swaziland
- 1140 Parkes, K. C. and Dickinson, E. C. (1991) Types, type localities, and variation in some races of the Colasisi or Philippine Hanging-Parrot *Loriculus philippensis*. *Bulletin of the British Ornithologists' Club* 111: 104-110.
- 1141 Parr, J. W. K., Pongpan Laothong and Gorrerk Ruangsree. (1994) The status of the White-winged Wood Duck *Cairina scutulata* in Thailand. *Tigerpaper* 21(1): 1-7.
- 1142 Pasquier, R. F. (ed.) (1981) Conservation of New World parrots. Smithsonian Institution Press and International Council for Bird Preservation. -Washington D.C. and Cambridge, U.K.
- 1144 Patzwahl, S. (1991) Vogelpark Walsrode places Spix's Macaw in breeding program. *AFA Watchbird* 18(3): 4, 7.
- 1145 Payne, R. B. (1982) Species limits in the indigobirds (Ploceidae, *Vidua*) of West Africa: mouth mimicry, song mimicry and description of new species. *Miscellaneous Publications of the Museum of Zoology, University of Michigan* (162) 96 pp.
- 1146 Payne, R. B. (1985) The species of parasitic finches in West Africa. *Malimbus* 7(2): 103-113.
- 1147 Pegoraro, K. and Malin, G. (1990) Freilandbeobachtungen am Waldrapp (*Geronticus eremita*) in Marokko: Verhalten immaturer Individuen. *Journal für Ornithologie* 131: 453-456.
- 1149 Penry, E. H. (1979) Sight records of the Sooty Falcon *Falco concolor* in Zambia. *Bulletin of the British Ornithologists' Club* 99: 63-65.
- 1150 Peña, M. R. de la. (1992) Guía de Aves Argentinas. Second edition. Vol. 2. Falconiformes-Charadriiformes. Literature of Latin America (L.O.L.A.). -Buenos Aires
- 1152 Perennou, C. and Mundkur, T. (1991) Asian Waterfowl Census 1991. IWRB. - Slimbridge, U.K.
- 1154 Petretti, F. (1985) Preliminary data on the status of the Little Bustard in Italy. *Bustard Studies* 2: 165-172.
- 1155 Petrov, T. et al. (1994) Status of the Imperial Eagle (*Aquila heliaca* Savigny) in Bulgaria in the period between 1890 and 1993. In: Meyburg and Chancellor (eds.) 1994 Eagle Studies. World Working Group on Birds of Prey and Owls. -Berlin, London & Paris
- 1156 Phelps, W. H. and Phelps, W. H. (1958) Lista de las aves de Venezuela con su distribucion, 2. Parte 1. No passeriformes. *Boletin Soc. venez. Cienc. Nat.* 19(90): 317 pp.
- 1159 Piechocki, R. (1968) Beiträge zur avifauna der mongolei teil I. Non-passeriformes. Ergebnisse der Mongolisch- Deutschen Biologischen Expepcion seit 1962. *Mitt. Zool. Mus. Berlin* 44(2): 149-292.

- 1160 Piechocki, R., Stubbe, M., Uhlenhaut, K. and Sumjaa, D. (1981) Beitrage zur Avifauna der Mongolei. *Mitteilungen aus dem Zoologischen Museum in Berlin, Ann. Orn.* 57(5): 71-128.
- 1161 Pilcher, C. W. T., Gregory, G., Tye, A. and Ahmed, M. S. (1990) Additions to the country list produced by the Kuwait Avifaunal Survey, 1985-7. *Sandgrouse* 12: 31-36.
- 1162 Pineschi, R. B. (1990) Aves como dispersores de sete espécies de Rapanea (Myrsinaceae) no maciço do Itatiaia, estados do Rio de Janeiro e Minas Gerais. *Ararajuba* 1: 73-78.
- 1164 Pinto, O. (1978) Novo catalogo das aves do Brasil. Departamento de Zoologia. -Sao Paulo
- 1165 Piper, S. E. and Ruddle, P. (1986) An initial evaluation of the Cape Vulture colonies at Mkambati, Transkei. *Vulture News* 15: 7-12.
- 1166 Pont, J. E. du. (1971) Philippine birds. Delaware Museum of Natural History. - Greenville, Delaware
- 1167 Poole, A. F. (1989) Ospreys: a natural and unnatural history. Cambridge University Press. -Cambridge, U.K.
- 1168 Poonswad, P. (1993) Forest flagships. *World Birdwatch* 15(3): 14-17.
- 1169 Poonswad, P. and Kemp, A. C (eds.)(1993) Manual to the conservation of Asian hornbills. Hornbill Project Mahidol University. -Bangkok, Thailand
- 1170 Potapov, R. L. and Flint, V. E (eds.)(1987) [The birds of the USSR: Galliformes, Gruiformes.]. Nauka. -Leningrad (Russian)
- 1171 Pratt, J. D., Bruner, P. L. and Berrett, D. G. (1987) A field guide to the birds of Hawaii and the tropical Pacific. Princeton University Press. -Princeton, New Jersey
- 1173 Pruet-Jones, S. G., Pruet-Jones, M. A. and Knight, R. L. (1980) The White-tailed Kite in North and Middle America: current status and recent population changes. *American Birds* 34: 682-688.
- 1174 Radtke, G. A. (1991) Haltung und Zucht des Kapuzenzeisigs (*Spinus cucullatus*). *Voliere* 14: 59-61.
- 1175 Raffaele, H. A. (1983) The raising of a ghost - *Spinus cucullatus* in Puerto Rico. *Auk* 100(3): 737-739.
- 1176 Raffaele, H. A. (1989) A guide to the birds of Puerto Rico and the Virgin Islands. Revised edition. Princeton University Press. -Princeton, New Jersey
- 1177 Rahmani, A. R. (1987) Protection for the Great Indian Bustard. *Oryx* 21: 174-179.
- 1178 Rahmani, A. R. and Manakadam, R. (1985) Present status of the Great Indian Bustard. *Bustard Studies* 3: 123-132.
- 1179 Ramyle, J. (1988) [Confirmation of the presence of *Spheniscus humboldti* Meyen (Aves: Spheniscidae) in Colombia.]. *Trianea (Bogota)* 1: 141-143. (Spanish)
- 1180 Randall, R. M. and Randall, B. M. (1986) The diet of Jackass Penguins *Spheniscus demersus* in Algoa Bay, South Africa, and its bearing on population declines elsewhere. *Biological Conservation* 37: 119-134.
- 1181 Rands, M., Rands, G. and Porter, R. (1988) Birds in the Yemen Arab Republic. Report of the expedition of the Ornithological Society of the Middle East. OSME. -Sandy, U.K.
- 1183 Reichenow, A. (1910) Über eine Vogelsammlung vom Rio Benito in Spanischen Guinea. *Mitteilungen aus dem Zoologischen Museum in Berlin* 5: 71-87.
- 1184 Remsen, J. V. Jr. (1984) Natural history notes on some poorly known Bolivian birds. Part 2. *Gerfaut* 74: 163-179.
- 1185 Remsen, J. V. Jr and Traylor, M. A. (1983) Additions to the avifauna of Bolivia, part 2. *Condor* 85: 95-98.
- 1186 Remsen, J. V. Jr and Traylor, M. A. (1989) An annotated list of the birds of Bolivia. Buteo Books. -Vermillion, South Dakota
- 1187 Remsen, J. V., Traylor, M. A. and Parkes, K. C. (1986) Range extensions of some Bolivian birds, 2 (Columbidae to Rhinocryptidae). *Bulletin of the British Ornithologists' Club* 106: 22-32.
- 1188 Reville, R., Tranter, J. and Yorkston, H. D. (1989) Monitoring the endangered Abbott's Booby on Christmas Island 1983-86. Australian National Parks and Wildlife Service, Canberra, Occasional Paper (11)
- 1189 Reville, R., Tranter, J. and Yorkston, H. (1987) Monitoring the endangered Abbott's Booby on Christmas Island 1983- 1986 Australian National Parks and Wildlife Service (Occasional Paper No. 11), Canberra
- 1191 Richards, D. K. (1982) The birds of Conakry and Kakulima, Democratic Republic of Guinea. *Malimbus* 4(2): 93-103.
- 1192 Richardson, C. (1990) The birds of the United Arab Emirates. Hobby Publications. -Dubai and Werrington, U.K.
- 1193 Ridgely, R. S. (1980) Notes on some rare or previously unrecorded birds in Ecuador. *American Birds* 34: 242-248.
- 1194 Ridgely, R. S. (1981) The current distribution and status of mainland Neotropical parrots. In: Pasquier, R. F. (ed.) *Conservation of New World parrots*. 233-384 (Techn. Publ. 1). International

- Council for Bird Preservation. Smithsonian Institution Press, . -Washington D.C.
- 1195 Ridgely, R. S. and Gwynne, J. A. (1989) A guide to the birds of Panama with Costa Rica, Nicaragua, and Honduras. 2nd edition. Princeton University Press. -Princeton, New Jersey
- 1196 Ripley, S. D. (1977) Rails of the world. M. F. Feheley Publishers. -Toronto
- 1197 Ripley, S. D. (1982) A synopsis of the birds of India and Pakistan. 2nd edition. Bombay Natural History Society. -Bombay
- 1199 Risberg, L. (1990) Sveriges Faglar. Sveriges Ornith. For. -Stockholm
- 1200 Riveros, G. G. (1980) Nuevos datos sobre distribucion de *Oreotrochilus leucopleurus* Gould 1847. *Anales Mus. Nat. Hist. nat. Valparaiso* 13: 299-300.
- 1201 Riveros Salcedo, J. C., Sánchez S. R. and Ascencios V. D. (1991) Distribución y status del Pachaloro *Forpus xanthops*. Resúmenes del IV Congreso de Ornitológia Neotropical, 3- 9 de Noviembre 1991, Quito, Ecuador (resumen 160)
- 1202 Robbins, M. B. and Ridgely, R. S. (1990) The avifauna of an upper tropical cloud forest in southwestern Ecuador. *Proceedings of the Academy of Natural Sciences of Philadelphia* 142: 59-71.
- 1203 Robbins, M. B., Parker, T. A. and Allen, S. E. (1985) The avifauna of Cerro Pirre, Darien, eastern Panama. *Ornithological Monographs* 36: 198-232.
- 1204 Roberts, J. L. (1979) Observation of the migration of raptors and other large soaring birds in Bulgaria. *Ibis* 121: 301-312.
- 1205 Robertson, A. and February, E. (1986) Towards an historical perspective of Cape Vultures and domestic stock: a view from the southwestern Cape. *Vulture News* 15: 4-6.
- 1206 Robertson, A. S. (1986) Notes on the breeding cycle of Cape Vultures (*Gyps coprotheres*). *Raptor Research* 20: 51-60.
- 1207 Robertson, A. S. and Boshoff, A. S. (1986) The feeding ecology of Cape Vultures *Gyps coprotheres* in a stock- farming area. *Biological Conservation* 35: 63-86.
- 1208 Robson, C. R. (1986) Recent observations of birds in Xizang and Qinghai provinces, China. *Forktail* 2: 67-82.
- 1209 Rockingham-Gill, D. V. (1983) On the distribution of the Kori Bustard (*Otis kori*) in Zimbabwe. In: Gorup, P. D. and Vardhan, H. (eds.) Bustards in decline. 97-103 Tourism and Wildlife Society of India. -Jaipur
- 1211 Röder, J. (1990) Beobachtungen bei der Haltung und Zucht des Grünkardinals. *Volière* 13: 184-186.
- 1212 Rodriguez-Estrella, R., Mata, E. and Rivera, L. (1992) Ecological notes on the Green Parakeet of Isla Socorro, Mexico. *Condor* 94: 523-525.
- 1213 Rodziewicz, M. (1994) The status, range and breeding success of the Lesser Spotted Eagle *Aquila pomarina* in Poland. In: Meyburg and Chancellor (eds.) Eagle Studies. World Working Group on Birds of Prey and Owls. -Berlin, London & Paris
- 1214 Rojas, F. (1991) Biología reproductiva de la cotorra: *Amazona barbadensis* (Aves: Psittaciformes) en la Península de Macanao, Edo. Nueva Esparta. Lic. Biol. thesis, Universidad Central de Venezuela
- 1215 Rokitansky, G. (1964) Catalogus Faunae Austriae. XXIb Aves.
- 1216 Rooke, I. (1986) Survey of the White-breasted White-eye and the Norfolk Island Boobook Owl on Norfolk Island, October-November 1985. Royal Australasian Ornithologists' Union. -Victoria
- 1217 Rooks, D. (1989) Bird observations in Tobago, December 1987 to November 1989. *Journal of the Trinidad and Tobago Field Naturalists Club* 1989: 15.
- 1218 Roseveare, M. (1989) First record of the Shoebill in Malawi. *Nyala* 14: 45.
- 1220 Round, P. D. (1988) Resident forest birds in Thailand: their status and conservation. International Council for Bird Preservation (Monograph No. 2). -Cambridge, U.K.
- 1221 Round, P. D. and Treesucon, U. (1986) The rediscovery of Gurney's Pitta *Pitta gurneyi*. *Forktail* 2: 53-66.
- 1222 Rowan, M. K. (1983) The doves, parrots, lories and cuckoos of southern Africa. David Philip. -Cape Town
- 1223 Rowley, J. S. and Orr, R. (1964) A new hummingbird from southern Mexico. *Condor* 66: 81-83.
- 1224 Rumboll, M. A. E. (1990) Tres aves nuevas para la Argentina. *Nuestras Aves* 22(8): 28.
- 1225 Ruschi, O. (1973) Uma nova espécie de *Threnetes* (Aves, Trochilidae). *Bol. Mus. Biol. Prof. Mello Leitao* 37: 1-6.
- 1226 Ruschi, O. (1975) *Threnetes christinae* sp. nov. *Bol. Mus. Biol. Prof. Mello Leitao* 83: 1-3.
- 1227 Russell, S. M. (1964) A distributional study of the birds of British Honduras. *Ornithological Monographs* 1: 95 pp.
- 1228 Sahin, R. (1990) Werdegang und Bedeutung des Kopfnickens beim Waldrapp

- (*Geronticus eremita*). *Journal für Ornithologie* 131: 445-451.
- 1229 Saleh, M. (1989) The status of the Houbara Bustard in Egypt. *Bustard Studies* 4:
- 1232 Sane, S. R., Kannan, P., Rajendran, C. G., Ingle, S. T. and Bhagwat, A. M. (1986) On the taxonomic status of *Psittacula intermedia* (Rothschild). *Journal of the Bombay Natural History Society* 83: 26-37.
- 1233 Sanft, K. (1960) Aves/Upupae: Bucerotidae. *Das Tierreich* 76:
- 1234 Sankaran, R. (1987) The Lesser Florican. *Sanctuary* 7: 26-37.
- 1235 Sankaran, R. (1993) Red Data Bird: Lesser Florican. *World Birdwatch* 15(4): 18-19.
- 1236 Sankaran, R. and Rahmani, A. R. (1986) Study of ecology of certain endangered species of wildlife and their habitats: the Lesser Florican, annual report 2 1985-86. *Bombay Natural History Society*. -Bombay
- 1237 Sarker, S. U. and Iqbal, M. (1985) Observations on Pallas's Fish Eagle *Haliaeetus leucoryphus* in Bangladesh. *Bulletin of the World Working Group on Birds of Prey* 2: 100-102.
- 1238 Saxena, V. S. and Meena, B. L. (1985) Occurrence of Lesser Floricans in forest plantations in Rajasthan, India. *Bustard Studies* 3: 183-184.
- 1239 Schenck, H. and Aresu, M. (1985) On the distribution, number and conservation of the Little Bustard in Sardinia (Italy), 1971-1982. *Bustard Studies* 2: 161-164.
- 1240 Scherer Neto, P. and Martuscelli, P. (1992) Conservação e biologia do Papagaio-dacara-roxa, *Amazona brasiliensis*, nos estados de São Paulo e Paraná. Segundo relatório parcial. Unpublished report to The Nature Conservancy and Fundação SOS-Mata Atlântica
- 1241 Schernazarov, E. (1988) [New breeding site of Dalmatian Pelican *Pelecanus crispus* in Uzbekistan.]. *Ornitologiya* 23: 225. (Russian)
- 1242 Schodde, R. (1978) The status of endangered Papuan birds, and Appendix. In: Tyler, M. J. (ed.) The status of endangered Australasian wildlife. 133-145, 185-206 Royal Zoological Society of South Australia. -Adelaide
- 1245 Schuchmann K.-L. (1978) Allopatrische Artbildung bei der Kolibrigattung *Trochilus*. *Ardea* 66: 156-172.
- 1246 Schuchmann, K.-L. (1978) Notes on the Rufous-capped Thornbill *Chalcostigma ruficeps*, a new hummingbird species for Colombia. *Bulletin of the British Ornithologists' Club* 98: 115-116.
- 1247 Schuchmann, K.-L. (1980) Okologie und evolution der Trochilidenfauna auf den ozeanischen Inseln der Karibischen See. *Bonner Zoologische Beiträge* 31: 289-309.
- 1248 Schuchmann, K.-L. (1984) Two hummingbird species, one a new subspecies, new to Bolivia. *Bulletin of the British Ornithologists' Club* 104: 6.
- 1249 Schulenberg, T. S., Allen, S. E., Stotz, D. F. and Wiedenfeld, D. A. (1984) Distributional records from the Cordillera Yanachaga, central Peru. *Gerfaut* 74: 57-70.
- 1250 Schulz, H. (1985) A review of the world status and breeding distribution of the Little Bustard. *Bustard Studies* 2: 131-152.
- 1251 Scott, D. A. (1994) The Black-necked Cranes *Grus nigricollis* of Puergi Marshes, Sichuan, China. *Bird Conservation International* 3: 245-259.
- 1252 Scott, D. A. and Brooke, M. de L. (1985) The endangered avifauna of southeastern Brazil: a report on the BOU/WWF expedition of 1980/81 and 1981/82. In: Diamond, A. W. and Lovejoy, T. E. (eds.) Conservation of tropical forest birds. (Techn. Publ. 4). (Pholidota: Manidae) International Council for Bird Preservation. -Cambridge, U.K.
- 1253 Scott, D. A., Hamadani, H. M. and Mirhosseyni, A. A. (1975) [The birds of Iran.]. Department of Environment. -Tehran, Iran
- 1254 Seal, U. S., Wirth, R., Thomson, J., Ellis-Joseph, S. and Collar, N. (1992) Parrot Conservation Assessment and Management Plan. Camp Workshop Report 14-17 January 1992. Draft Review. ICBP/IUCN/SSC Parrot Specialist Group, Traffic International, ICBP, IUCN/SSC, IUCN SSC Captive Breeding Specialist Group
- 1255 Serle, W. and Morel, G. J. (1977) A field guide to the birds of West Africa. Collins. -London
- 1257 Servat, G. and Pearson, D. L. (1991) Natural history notes and records for seven poorly known bird species from Amazonian Peru. *Bulletin of the British Ornithologists' Club* 111: 92-95.
- 1258 Severinghaus, L. L. (1989) The status and conservation of Lanyu Scops Owl *Otus elegans botelensis*. In: Meyburg, B.-U. and Chancellor, R. D. (eds.) Raptors in the modern world. Proceedings of the III World Conference on Birds of Prey and Owls, Eilat, Israel, 22-27 March 1987. 423-431 World Working Group on Birds of Prey and Owls.
- 1259 Severinghaus, S. (1986) The adaptability of Mikado and Swinhoe's Pheasants to disturbed habitats in Taiwan. Unpaginated abstract In: Ridley, M. (ed.) Pheasants in Asia 1986. World Pheasant Association. -Basildon, U.K.

- 1260 Severinghaus, S. R. (1978) Recommendations for the conservation of the Swinhoe's and Mikado Pheasants in Taiwan. *World Pheasant Association Journal* 3: 79-89.
- 1261 Severinghaus, S. R. and Blackshaw, K. T. (1976) A new guide to the birds of Taiwan. Me Ya Publications. -Taipei
- 1262 Shaw, D. and Maxwell, T. C. (1988) First record of the Mississippi Kite for Bolivia. *Journal of Raptor Research* 22: 90.
- 1263 Sheldon, B. C. K. and Duckworth, J. W. (1990) Rediscovery of the Madagascar Serpent-eagle *Eutriorchis astur*. *Bulletin of the British Ornithologists' Club* 110: 126-130.
- 1264 Shi Dong-chou, Yu Xiao-ping, Chang Xiu-yun and Lu Bao-zhong. (1989) [The breeding habits of the Crested Ibis (*Nipponia nippon*)]. *Zoological Research* 10: 327-332. (Chinese)
- 1265 Shobrak, M. and Rahmani, A. (1991) Notes on the Arabian Bustard *Ardeotis arabs* in Saudi Arabia. *Sandgrouse* 13: 14-23.
- 1266 Short, L. L. (1982) Woodpeckers of the world. Delaware Museum of Natural History. -Greenville, Delaware
- 1267 Sick, H. (1979) Decouverte de la patrie de l'Ara de Lear *Anodorhynchus leari*. *Alauda* 47: 59-60.
- 1268 Sick, H. (1979) Notes on some Brazilian birds. *Bulletin of the British Ornithologists' Club* 99: 115-120.
- 1269 Sick, H. (1984) Ornitologia Brasileira. Volume 1. Editora Universidade de Brasilia. -Brasilia
- 1270 Sick, H. (1985) Ornitologia brasileira, uma introdução. Editora Universidade de Brasilia. -Brasilia
- 1271 Sick, H. (1990) Notes on the taxonomy of Brazilian parrots. *Ararajuba* 1: 111-112.
- 1272 Sick, H. and Teixeira, D. M. (1979) Notas sobre aves brasileiras raras ou ameaçadas de extinção. *Publ. avuls. Mus. Nac.* 62:
- 1274 Silva, C. P. da, Munn, C. A., Cintra, R., Renton, K., Valqui, M. and Yamashita, C. (1991) Breeding ecology of Hyacinth Macaws. *Psittascene* 3(3): 1-3.
- 1275 Silva, F. (1981) Contribuição ao conhecimento da papagaio charão, *Amazona pretrei* (Temminck, 1830) (Psittacidae, Aves). *Inheringia Ser. Zool.* 58: 79-85.
- 1276 Silva, G. L. da and Nacinovic, J. B. (1991) Birds as indicator [sic] for the conservation of Atlantic Forests in Bahia, Brazil. Interim project report to WWF for the period July 1990-July 1991
- 1277 Silvius, K. M. (1991) Ecology and conservation of *Amazona barbadensis* on Margarita Island, Venezuela. Summary report of activities and results, 1989-1991. Unpublished
- 1278 Silvius, M. J. (1988) On the importance of Sumatra's east coast for waterbirds, with notes on the Asian Dowitcher *Limnodromus semipalmatus*. *Kukila* 3: 117-137.
- 1279 Silvius, M. J. and Verheugt, W. J. M. (1989) The status of storks, ibises and spoonbills in Indonesia. *Kukila* 4: 119-132.
- 1280 Silvius, M. J., Verheugt, W. J. M. and Iskandar, J. (1986) Coastal wetlands inventory of southeast Sumatra. (Study Report 9). International Council for Bird Preservation. -Cambridge, U.K.
- 1281 Skinner, J. (1992) Herons in the inner Niger Delta, Mali, West Africa. *Heron Conservation Newsletter* 5: 1.
- 1282 Skokova, N. N. and Vinogradov, V. G. (1986) [Waterfowl habitat conservation.]. Agropromizdat. -Moscow (Russian)
- 1283 Slud, P. (1964) The birds of Costa Rica, distribution and ecology. *Bulletin of the American Museum of Natural History* 128: 1-430.
- 1284 Smeenk, C. (1985) Whales and seabirds. In: Postma, H. and Rommets, J. (eds.) Progress report Snellius II Expedition. Theme II. Ventilation of deep sea basins. Cruise MV Tyro, January 4 - February 6 1985. 6-10, 24-26 Royal Netherlands Academy of Arts and Sciences.
- 1285 Smet, K. de. (1989) The Houbara Bustard in Algeria: a preliminary report. *Bustard Studies* 4:
- 1286 Smith, D. W. and Ireland, J. (1992) First record of the Black-shouldered Kite for Canada. *Western Birds* 23: 177-178.
- 1287 Smith, G. T. (1978) The Noisy Scrub-bird. Pp. 117-121 In: Tyler, M. J. (ed.) The status of endangered Australasian wildlife. Royal Zoological Society of Australia. -Adelaide
- 1288 Smith, G. T. (1978) The status of Australian parrots. Pp. 101- 108 In: Tyler, M. J. (ed.) The status of endangered Australasian wildlife. Royal Zoological Society of Australia. -Adelaide
- 1289 Smythies, B. E. (1981) The birds of Borneo. 3rd edition. The Sabah Society and the Malayan Nature Society. -Malaysia
- 1290 Smythies, B. E. (1986) The birds of Burma. 3rd edition. Nimrod Press and Silvio Mattacchione and Co. -Liss, Hampshire, U.K and Pickering, Ontario
- 1292 Snow, D. W. (ed.)(1978) An atlas of speciation in African non-passenger birds. British Museum (Natural History). -London

- 1293 Snow, D. W. (1979) Atlas of speciation in African non- passerine birds - addenda and corrigenda. *Bulletin of the British Ornithologists' Club* 99: 66-68.
- 1294 Snow, D. W. (1982) The cotingas. British Museum (Natural History) and Oxford University Press. -London and Oxford
- 1295 Snyder, D. E. (1966) The birds of Guyana. Peabody Museum. -Salem
- 1296 Snyder, N. F. R. and Snyder, H. A. (1991) Birds of prey. Natural history and conservation of North American raptors. Voyageur Press. -Stillwater, Minnesota, USA
- 1297 Snyder, N. F. R., King, W. B. and Kepler, C. B. (1982) Biology and conservation of the Bahama Parrot. *Living Bird* 19: 91-114.
- 1298 Snyder, N. F. R., Wiley, J. W. and Kepler, C. B. (1987) The parrots of Luquillo: natural history and conservation of the Puerto Rican Parrot. Western Foundation of Vertebrate Zoology. -Los Angeles
- 1299 Sociedad Española de Ornitología. (1981) [First general survey of Griffon Vulture breeding colonies in the Iberian peninsula, 1979.]. *Ardeola* 26: 165-312. (Spanish)
- 1300 Solonen, T. (1985) Suomen linnusto. Lintutieto. -Helsinki
- 1301 Sonobe, K. and Izawa, N. (1987) Endangered bird species in the Korean Peninsula. Museum of Korean Nature (Korea University in Tokyo) and Wild Bird Society of Japan. -Tokyo
- 1302 Sophasan, S. and Dobias, R. (1984) The fate of the "princess bird", or White-eyed River Martin (*Pseudochelidon sirintarae*). *Natural History Bulletin of the Siam Society* 32(1): 1-10.
- 1303 Staub, F. (1976) Birds of the Mascarenes and Saint Brandon. Organisation Normale des Enterprises Ltée, Labama House. -Port Louis, Mauritius
- 1304 Steadman, D. W., Stull, J. and Eaton, S. W. (1979) Natural history of the Ocellated Turkey. *World Pheasant Association Journal* 4: 15-37.
- 1305 Stepanyan, L. S. (1987) [The first record of *Aviceda jerdoni* (Blyth 1842) (Accipitridae, Aves) in northern Viet Nam.]. *Biol. Nauki (Mosc.)* 1987(1): 42-45. (Russian)
- 1306 Stepanyan, L. S., Bold, A. and Fomin, V. E. (1988) [Taxonomic list of birds of Mongolia.]. *Ornitologiya* 23: 26-35. (Russian)
- 1307 Sterbetz, I. (1982) Migration of *Anser erythropus* and *Branta ruficollis* in Hungary 1971-1980. *Aquila* 89: 107-114.
- 1308 Stewart, P. A. (1980) Population trends of Barn Owls in North America. *American Birds* 34: 698-700.
- 1309 Stiles, F. G. (1985) Geographic variation in the Fiery-throated Hummingbird *Panterpe insignis*. *Ornithological Monographs* 36: 23-30.
- 1310 Stiles, F. G. (1987) Observaciones sobre la situación actual del Picaflor Rojo de Juan Fernandez *Sephanoides fernandensis*, con recomendaciones para un estudio integral de su ecología y biología poblacional. Oficina Regional de la FAO para América Latina y el Caribe.
- 1311 Stiles, F. G., Skutch, A. F. and Gardner, D. (1989) A guide to the birds of Costa Rica. Christopher Helm. -London
- 1312 Stockton de Dod, A. (1987) Aves de la República Dominicana. 2nd edition. Museo Nacional de Historia Natural. -Santo Domingo
- 1313 Stoddart, D. R. (1981) Abbott's Booby on Assumption. *Atoll Research Bulletin* 225: 27-32.
- 1315 Stokes, T. (1988) A review of the birds of Christmas Island, Indian Ocean. *Australian National Parks and Wildlife Service, Occasional Paper* (16)
- 1316 Stokes, T., Sheils, W. and Dunn, K. (1984) Birds of the Cocos (Keeling) Islands, Indian Ocean. *Emu* 84: 23-28.
- 1317 Storer, R. W. (1989) Notes on Paraguayan birds. *Occasional Papers of the Museum of Zoology, University of Michigan* (719) 21 pp.
- 1318 Sukhinin, A. N., Bel'skaya, G. C. and Zhernov, I. V. (1972) [The distribution of the Little Owl *Athene noctua* in Turkmenistan.]. *Ornitologiya* 10: 216-227. (Russian)
- 1320 Sutherland, W. J. and Allport, G. (1991) The distribution and ecology of naturalised Egyptian Geese *Alopochen aegyptiacus* in Britain. *Bird Study* 38(2): 128-134.
- 1322 Swanbeck, A. B. and Seiler, C. F. (1987) First sighting of a Short-eared Owl in the US Virgin Islands. *Florida Field Naturalist* 15: 52-53.
- 1323 Taczanowski, L. and Stolzmann, J. (1881) Notice sur la *Loddigesia mirabilis* Bourc. *Proceedings of the Zoological Society of London* 827-834.
- 1324 Tarboton, W. (1984) The status and conservation of the Wattled Crane in the Transvaal. *Proceedings of the V Pan African Ornithological Congress* 665-678.
- 1325 Taylor, I. (1994) Barn Owls: predator-prey relationships and conservation. Cambridge University Press.
- 1326 Taylor, R. H. (1985) Status, habits and conservation of *Cyanoramphus parakeets* in the New Zealand region. In: Moors, P. J. (ed.) *Conservation of island birds*. 195-211

- (Techn. Publ. 3). International Council for Bird Preservation. -Cambridge, U.K.
- 1327 Taylor, R. H., Heatherbell, E. G., and Heatherbell, E. M. (1986) The Orange-fronted Parakeet (*Cyanoramphus malherbi*) is a color morph of the Yellow-crowned Parakeet *C. auriceps*. *Notornis* 33: 17-22.
- 1328 Teixeira, D. M. and Snow, D. W. (1982) Notes on the nesting of the Red-billed Curassow *Crax blumenbachii*. *Bulletin of the British Ornithologists' Club* 102: 83-84.
- 1329 Temple, S. A. and Wallace, M. P. (1989) Survivorship patterns in a population of Andean Condors *Vultur gryphus*. In: Meyburg, B.-U. and Chancellor, R. D. (eds.) *Raptors in the modern world. Proceedings of the III World Conference on Birds of Prey and Owls*, Eilat, Israel, 22-27 March 1987. 247-251 World Working Group on Birds of Prey and Owls.
- 1330 Tewes, E. (1994) The European Black Vulture *Aegypius monachus* project in Mallorca. In: Meyburg & Chancellor (eds.) 1994 Eagle Studies. World Working Group on Birds of Prey and Owls. -Berlin, London & Paris
- 1331 Thelen, K. D. and Faizool, S. (1980) Plan for a system of national parks and other protected areas in Trinidad and Tobago. Forestry Division, Ministry of Agriculture Land and Fisheries. -Trinidad
- 1332 Themido, A. A. (1952) Aves de Portugal. *Memórias e Estudos do Museu Zoológico de Universidade de Coimbra* (213)
- 1333 Thiollay, J.-M. (1984) Raptor community structure of a primary rain forest in French Guiana and effect of human hunting pressure. *Raptor Research* 18: 117-122.
- 1334 Thiollay, J.-M. (1985) Birds of Ivory Coast: status and distribution. *Malimbus* 7(1): 1-59.
- 1335 Thiollay, J.-M. (1985) Birds of prey in French Guiana - a preliminary survey. *Bulletin of the World Working Group on Birds of Prey* 2: 11-15.
- 1336 Thiollay, J.-M. (1989) Area requirements for the conservation of rain forest raptors and game birds in French Guiana. *Conservation Biology* 3(2): 128-137.
- 1338 Thiollay, J. M. (1993) Habitat segregation and the insular syndrome: two congeneric raptors in New Caledonia: the White-bellied Goshawk *Accipiter haplochrous* and the Brown Goshawk *A. fasciatus*. *Ibis* 135: 237-246.
- 1341 Thompson, H. (1992) Red Data bird: White-necked Picathartes. *World Birdwatch* 14(3): 13.
- 1342 Thompson, H. S. S. (1993) Status of White-necked Picathartes - another reason for the conservation of the Peninsula Forest, Sierra Leone. *Oryx* 27(3): 155-158.
- 1343 Thomsen, J. M. and Munn, C. A. (1988) *Cyanopsitta spixii*: a non-recovery report. *Parrotletter* 1(1): 6-7.
- 1344 Thomsen, P. and Jacobsen, P. (1979) The birds of Tunisia. Peder Jacobsen. - Copenhagen
- 1345 Thonnerieux, Y. (1988) Etat des connaissances sur la reproduction de l'avifaune du Burkina Faso (ex Haute-Volta). *L'Oiseau et la Revue Française Ornithologie* 58: 120-145.
- 1346 Thorstrom, R., Watson, R.T., Damary, B., Toto, F., Baba, M. and Baba, V. (1995) Repeated sightings and first capture of a live Madagascar Serpent-eagle *Eutriorchis astur*. *Bulletin of the British Ornithologists' Club* 115: 40-45.
- 1347 Tilson, R. L. and Kok, O. B. (1980) Habitat ecology of Black Storks in the Kuiseb River. *Madoqua* 11: 347-349.
- 1348 Tomialojc, L. (1990) Ptaki Polski rozmieszczenie i liczebosc. Pantstwowe Wydawnictwo Naukowe. -Warszawa
- 1349 Tostain, O., Dujardin, J. L., Erard, C. and Thiollay, J.-M. (1992) Les oiseaux de Guyane.
- 1350 Trail, P. W. (1978) Sight records of two species new for Surinam. *Ardea* 66: 184-185.
- 1351 Turbott, E. G. (ed.) (1990) Checklist of the birds of New Zealand and the Ross Dependency, Antarctica. 3rd edition.
- 1352 Turnbull, R. E., Johnson, F. A. and Brakhage, D. H. (1989) Status, distribution and foods of Fulvous Whistling-duck in South Florida. *Journal of Wildlife Management* 53(4): 1046-1051.
- 1353 Turner, A. and Rose, C. (1989) Swallows and martins of the world. Christopher Helm. -Kent
- 1354 Turner, D. A. (1974) Cape Grass Owl in Ethiopia. *Bull. Brit. Orn. Club* 94: 38-39.
- 1355 Turner, D. A. (1982) The status and distribution of the Arabian Bustard *Otis arabs* in northeastern Africa and its possible occurrence in northern Kenya. *Scopus* 6: 20-21.
- 1356 Turner, D. A. and Dowsett, R. J. (1988) Additions and corrections to Afrotropical and Malagasy avifaunas, 1. Western Indian Ocean islands. *Tauraco* 1: 130-138.
- 1357 Turner, D. A. and Forbes-Watson, A. D. (1976) Additional migrant records from Seychelles. *Bulletin of the British Ornithologists' Club* 96: 57-58.
- 1358 Turner, D. A. and Goriup, P. D. (1989) The status of Denham's Bustard in Kenya. *Bustard Studies* 4: 170-173.

- 1360 Urban, E. K., Fry, C. H. and Keith, S. (1986) *The birds of Africa. Volume 2.* Academic Press. -London and Florida
- 1362 Van Ee, C. A. (1981) Status of the Blue Crane in south and southwest Africa. In: Lewis, J. C. and Masatomi, H. (eds.) *Crane research around the world.* 259 Robinson Press. -Fort Collins, Colorado
- 1363 Vardhan, H. (1985) A report on the status of bustards in India. *Bustard Studies* 3: 113-118.
- 1365 Vatev, I. T. (1991) Observations de Flamant rose *Phoenicopterus ruber* en Bulgarie. *Alauda* 59: 53-54.
- 1367 Vázquez, M. A. and Maldonado Rodríguez, D. M. A. (1990) Loro Cabeza Amarilla (*Amazona ochrocephala*) en el estado de Tamaulipas. -Unpublished
- 1368 Verheugt, W. (1987) Conservation status and action program for the Milky Stork *Mycteria cinerea.* *Colonial Waterbirds* 10(2): 211-220.
- 1369 Verheugt, W. J. M. (1989) Status of storks in the South Sumatra Province, Indonesia. *Specialist Group on Storks. Ibis and Spoonbills Newsletter* 2: 8-9.
- 1370 Vernon, C. J. and Piper, S. E. (1986) The Cape Vulture colony at Colleywobbles, Transkei, in 1984 and 1985. *Vulture News* 15: 27-28.
- 1373 Vierheilig, M. B. and Vierheilig, H. (1988) Beiträge zu status und biologie von papageien der Insel Margarita, Venezuela. *Gefiederte Welt* 112: 50-52, 91.
- 1375 Viljoen, P. J. (1983) Distribution, numbers and group size of the Karoo Korhaan in Kaokoland, South West Africa. *Ostrich* 54: 50-51.
- 1376 Village, A. (1990) The Kestrel. Poyser. - Calton, U.K.
- 1377 Vinokurov, A. A. (1982) Present status of the *Branta ruficollis* population and measures for its conservation. *Aquila* 89: 115-122.
- 1378 Vlug, J. J. and Fjeldsa, J. (1990) Working bibliography of the grebes of the world: with summaries of current taxonomy and distributional status.
- 1380 Voous, K. H. (1983) Birds of the Netherlands Antilles. De Walburg Pers. - Zutphen
- 1381 Vries, T. de. (1984) Problems of reintroducing native animals on islands where they have been exterminated. *Noticias de Galapagos* 40: 12.
- 1382 Vries, T. de. (1989) Conservation, status and ecological importance of the Galapagos Hawk *Buteo galapagoensis.* In: Meyburg, B.-U. and Chancellor, R. D. (eds.) *Raptors in the modern world. Proceedings of the III World Conference on Birds of Prey and Owls, Eilat, Israel, 22-27 March 1987.* 327-330 World Working Group on Birds of Prey and Owls.
- 1383 Walker, F. J. (1981) Notes on the birds of northern Oman. *Sandgrouse* 2: 33-55.
- 1384 Walkinshaw, L. (1973) *Cranes of the world.* Winchester Press. -New York
- 1385 Wall, J. W. (1992) Worldtwitch. *Winging It* 4(4): 53.
- 1386 Wallace, D. I. M. (1982) Observations on migrant birds at Azraq and north-east Jordan, up to April 1967. *Sandgrouse* 4: 77-99.
- 1387 Wallace, D. I. M. (1984) Selected observations from Lebanon, Syria and Jordan in the springs of 1963 and 1966. *Sandgrouse* 6: 24-47.
- 1388 Walsh, J. F. (1977) Nesting of the Jabiru Stork *Ephippiorhynchus senegalensis* in West Africa. *Bulletin of the British Ornithologists' Club* 97: 136.
- 1389 Walsh, J. F. (1987) Records of birds seen in north-eastern Guinea in 1984-85. *Malimbus* 9(2): 105-122.
- 1391 Walter, A., Walter, J. P. and Brown, C. J. (1986) Breeding record for the Cape Eagle Owl in Namibia. *Madoqua* 14: 429-431.
- 1392 Walter, H. (1979) Eleonora's Falcon, adaptations to prey and habitat in a social raptor.
- 1393 Warr, F. E. (1993) A list of Qatar's birds. Privately distributed.
- 1394 Watling, D. (1982) *Birds of Fiji, Tonga and Samoa.* Millwood Press. -Wellington
- 1395 Watling, D. (1983) Sandbox incubator. *Animal Kingdom* 86(3): 30-35.
- 1397 Weaver, C. M. (1982) Breeding habits and status of the Golden-shouldered Parrot *Psephotus chrysoterygius* in Queensland. *Emu* 82: 2-6.
- 1398 Webb, H. P. (1992) Field observations of the birds of Santa Isabel, Solomon Islands. *Emu* 92: 52-57.
- 1399 Weiss, J. (1986) *Tätigkeitsbericht 1977-84 der Arbeitsgruppe Feldornithologie.* *Regulus* 4: 167-306.
- 1401 Welch, G. R and Welch, H. J. (1988) Djibouti III - preliminary report. *Ornithological Society of the Middle East Bulletin* 20: 1-2.
- 1402 Welch, G. R. and Welch, H. J. (1989) A preliminary survey of the Arabian Bustard in Djibouti. *Bustard Studies* 4:
- 1403 Wells, D. R. (1985) The forest avifauna of western Malesia and its conservation. Pp.

- 213-232 In: Diamond, A.W. and Lovejoy, T.E. (eds.) Conservation of tropical forest birds. ICBP. -Cambridge, U.K.
- 1405 Wells, S. (1988) Red Data bird: Philippine Eagle. *World Birdwatch* 10(2): 5.
- 1406 Weske, J. S. and Terborgh, J. W. (1977) *Phaethornis koepckeae* a new species of hummingbird from Peru. *Condor* 79: 143-147.
- 1407 Weske, J. S. and Terborgh, J. W. (1981) *Otus marshalli* a new species of screech owl in Peru. *Auk* 98: 1-7.
- 1408 Wetmore, A. and Swales, B. H. (1931) The birds of Haiti and the Dominican Republic. *Bulletin of the United States National Museum* 155:
- 1409 Wheelwright, N. T. (1983) Fruits and the ecology of Respendent Quetzals. *Auk* 100: 286-301.
- 1410 White, C. M. N. and Bruce, M. D. (1986) The birds of Wallacea (Sulawesi, the Moluccas and Lesser Sunda Islands, Indonesia): an annotated checklist. British Ornithologists' Union Checklist No. 7. - London
- 1411 White, D. M. (1985) A report on the captive breeding of Australian Bustards at Serendip Wildlife Research Station. *Bustard Studies* 3: 195-212.
- 1412 Wiedenfeld, D. A., Schulenberg, T. S. and Robbins, M. B. (1985) Birds of a tropical deciduous forest in extreme northwestern Peru. In: Buckley, P. A., Foster, M. S., Morton, E. S., Ridgely, R. S. and Buckley, F. G. (eds.) Neotropical ornithology. 305-315 American Ornithologists' Union Ornithological Monograph No. 36. . - Washington D.C.
- 1413 Wilbur, S. R. and Kiff, L. F. (1980) The California Condor in Baja California, Mexico,. *American Birds* 34: 856-859.
- 1414 Wilcove, D. S. (1987) Public lands management and the fate of the Spotted Owl. *American Birds* 41(3): 361-367.
- 1415 Wild Bird Society of Japan. (1982) A field guide to the birds of Japan. -Tokyo
- 1418 Wiley, J. W. (1991) The status and conservation of parrots and parakeets in the Greater Antilles, Bahama Islands, and Cayman Islands. *Bird Conservation International* 1: 187-214.
- 1419 Wiley, J. W. and Ottenwalder, J. A. (1990) Birds of islas Beata and Alto Velo, Dominican Republic. *Studies on Neotropical Fauna and Environment* 25(2): 65-88.
- 1420 Wiley, J. W. and Wiley, B. N. (1981) Breeding season ecology and behaviour of Ridgway's Hawk *Buteo ridgwayi*. *Condor* 83: 132-151.
- 1421 Wilkinson, R. J. (1991) Systematic list of bird species recorded at Barito Ulu. In: Anon. The avifauna of Barito Ulu, central Borneo. (Study Report 48). 30-54 International Council for Bird Preservation. -Cambridge, U.K.
- 1422 Willgoths, J. F. (1984) Havorn i Norge. Direktorat for Vilt og Ferskvannsfisk. - Trondheim
- 1425 Williams, G. R. and Given, D. R. (1981) The red data book of New Zealand. Nature Conservation Council. -Wellington
- 1426 Williams, J. (1987) Wattled Crane survey in Caprivi. *Quagga* 18: 22-23.
- 1427 Williams, M. D. (1986) Preliminary report on the China Cranewatch 1986. - Unpublished
- 1428 Williams, M. D., Bakewell, D. N., Carey, G. J. and Holloway, S. J. (1986) On the bird migration at Beidaihe, Hebei Province, China, during spring 1985. *Forktail* 2: 3-20.
- 1429 Williams, M. J. (1986) The number of Auckland Island Teal. *Wildfowl* 37: 63-70.
- 1430 Wilson, R. P. (1985) Seasonality in diet and breeding success of the Jackass Penguin *Spheniscus demersus*. *Journal für Ornithologie* 126: 53-62.
- 1431 Wilson, R. P. (1985) The Jackass Penguin (*Spheniscus demersus*) as a pelagic predator. *Marine Ecology Progress Series* 25: 219-227.
- 1432 Wilson, R. T. (1976) The Ostrich *Struthio camelus* in Darfur, Republic of Sudan. *Bulletin of the British Ornithologists' Club* 96: 123-125.
- 1433 Wilson, V. J. (1972) Notes on *Otis denhami jacksoni* from the Nyika plateau. *Bulletin of the British Ornithologists' Club* 92: 77-81.
- 1434 Winterbottom, J. M. (1974) Turtle Dove *Streptopelia turtur* in South West Africa. *Bulletin of the British Ornithologists' Club* 94: 19.
- 1436 Yoon Moo-Boo. (1993) [Wild birds of Korea]. (Korean)
- 1437 Wood, D. S., Leberman, R. C. and Weyer, D. (1986) Checklist of the birds of Belize. Carnegie Museum of Natural History. - Pittsburgh
- 1438 Woods, C.A. and Ottenwalder, J.A. Birds of the national parks of Haiti University of Florida, Gainesville
- 1439 Woods, R. W. (1988) Guide to the birds of the Falkland Islands. Anthony Nelson. - Oswestry, U.K.
- 1440 Wotzkow, C. (1985) Status and distribution of Falconiformes in Cuba. *Bulletin of the World Working Group on Birds of Prey* 2: 1-10.

- 1441 Wotzkow, C. (1986) Ecological observations of Gundlach's Hawk *Accipiter gundlachii* in Cuba. *Birds of Prey Bull.* 2: 1-10.
- 1442 Wotzkow, C. (1991) New subspecies of Gundlach's Hawk, *Accipiter gundlachi* (Lawrence). *Birds of Prey Bull.* 4: 271-292.
- 1444 Yamashita, C. (1987) Field observations and comments on the Indigo Macaw (*Anodorhynchus leari*), a highly endangered species from north-eastern Brazil. *Wilson Bulletin* 99: 280-282.
- 1446 Young, H. G. (1991) The endemic wildfowl of Madagascar. *IWRB Threatened Wildfowl Research Group Newsletter* 1: 12-13.
- 1447 Young, L., Garson, P. J. and Kaul, R. (1987) Calling behaviour and social organization in the Cheer Pheasant: implications for survey technique. *World Pheasant Association Journal* 12: 30-43.
- 1448 Young, L., Hussain, M. and Asker, G. (1986) Margala Hills Cheer Pheasant reintroduction project progress report - 1985. In: Ridley, M. (ed.) *Pheasants in Asia* 1986. World Pheasant Association. -Basildon, U.K.
- 1449 Yus Rusila Noor and Tulus Th Sibuea. (1993) Milky Stork banding at Pulau Rambut, West Java, Indonesia. *Specialist Group on Storks, Ibis and Spoonbills Newsletter* 6(1/2): 10.
- 1450 Zheng Guang-mei, Zhao Xin-ru and Song Jie. (1986) On the breeding ecology of the Cabot's Tragopan *Tragopan caboti*. In: Ridley, M. (ed.) *Pheasants in Asia* 1986. World Pheasant Association. -Basildon, U.K.
- 1451 Zheng Guang-mei, Zhao Xin-ru, Song Jie, Liu Zong-xing and Zhou Hongqing. (1986) [Feeding ecology of the Cabot's Tragopan *Tragopan caboti*.]. *Acta Ecologica Sinica* 6: 283-288. (Chinese)
- 1452 Zheng Guang-mei, Zhao Xin-ru, Song Jie, Liu Zong-xing and Zhou Hongqing. (1985) [On the breeding ecology of *Tragopan caboti*.]. *Acta Ecologica Sinica* 5: 379-385. (Chinese)
- 1453 Zonfrillo, B. (1977) Re-discovery of the Andean Condor *Vultur gryphus* in Venezuela. *Bulletin of the British Ornithologists' Club* 97: 17-18.
- 1454 Zubakin, W. A. and Flint, W. E. (1980) Oekologie und Verhalten der Reliktmöwe (*Larus relictus* Lonn.). *Beiträge Vogelkunde* 26: 253-275.
- 1457 Shibaev, Yu.A. (1987) Distributional survey of Japanese Crested Ibis by questionnaire using colour postcards in Far East USSR. Summary, p. 48 In: The Third Japan-USSR Bird Protection Symposium, 21 November 1986. Wild Bird Society of Japan, Tokyo
- 1458 Shibaev, Yu. A. (1987) Interim report on population survey of Steller's Sea-Eagle in winter in USSR. Summary in: The Third Japan-USSR Bird Protection Symposium, 21 November 1986. [Tokyo]: 48 Wild Bird Society of Japan.
- 1459 Howell, S. N. G. and Webb, S. (1995) Noteworthy bird observations from Chile. *Bulletin of the British Ornithologists' Club* 115: 57-66
- 3746 Amos, S. H. (1985) Efforts to save the endangered Black-hooded Red Siskin. *AFA Watchbird* 12(6): 19.
- 3747 Archer, G. and Godman, E. M. (1937) The birds of British Somaliland and the Gulf of Aden. Volumes 1 and 2. Gurney and Jackson. -London
- 3748 Archer, G. and Godman, E. M. (1961) The birds of British Somaliland and the Gulf of Aden. Volumes 3 and 4. Oliver and Boyd. -Edinburgh
- 3749 Kuroda, N. (1933) Birds of the island of Java. Published by the author. -Tokyo
- 3750 Pfeffer, P. L. (1961) Etude d'une collection d'oiseaux de Borneo. Parts I et II. *L'Oiseau* 30: 154-168, 191-218.
- 3751 Pfeffer, P.L. (1961) Etude d'une collection d'oiseaux de Borneo. *L'Oiseau* 31: 1-29
- 5116 Ergueta S., P. and de Morales, C (eds.) (1996) Libro rojo de los vertebrados de Bolivia. CDC - Bolivia. -La Paz, Bolivia
- 5239 Crozier, J., Dubourg-Savage, M. J. and Clamens. A. (1995) Andorra: ocells, oiseauxm aves, birds. Associació per a la Defensa de la Natura.
- 5240 Adamian, M. S. and Klem, D. Jr. (1997) A field guide to the birds of Armenia. American Museum of Armenia.
- 5241 Howell, S. N. G. and Webb, S. (1995) A guide to the birds of Mexico and Northern Central America. Oxford University Press. -Oxford
- 5242 Raffaele, H., Wiley, J., Garrido, O., Keith, A. and Raffaele, J. (1998) Birds of the West Indies.
- 5243 Sun Hean, Seng Kim Hout, Keo Omaliss, Heng Neatmony and C. Poole. (1998) [The birds of Cambodia.]. European Support Programme for the Environment Sector in Cambodia and the Wildlife Protection Office of the Department of Forestry. Ministry of Agriculture, Forestry and Fisheries. Royal Government of (Khmer)
- 5245 Shirihai, H. (ed.) (1996) The birds of Israel. Academic Press. -London
- 5246 Gatter, W. (1997) Birds of Liberia. Pica Press. -Sussex
- 5247 Zalakevicius, M. (1995) Birds of Lithuania, status, number, distribution (breeding, migration, wintering).

- 5248 Conzemius, T. (1995) Liste der Vögel Luxemburgs. *Regulus* 14: 41-56.
- 5249 Morris, P. and Hawkins, A. F. (1998) Birds of Madagascar: a photographic guide. Pica Press. -Sussex
- 5250 Rowlands, B. W., Trueman, T., Olson, S. L., McCulloch, M. N. and Brooke, R. K. (1998) The birds of St Helena: an annotated checklist. BOU Checklist No. 16. British Ornithologists' Union. -Tring
- 5251 Keith, A. R. (1997) The birds of St Lucia: an annotated checklist. BOU Checklist No. 15. British Ornithologists' Union. -Tring
- 5252 Ash, J. S. and Miskell, J. E. (1998) Birds of Somalia. Pica Press. -Sussex
- 5253 Zimmerman, D. A., Turner, D. A. and Pearson, D. J. (1996) Birds of Kenya and northern Tanzania. Christopher Helm. -London
- 5254 Cheke, R. A. and Walsh, J. F. (1996) The birds of Togo: an annotated checklist. BOU Checklist No. 14. British Ornithologists' Union. -Tring
- 5257 Gorman, G. (1996) The birds of Hungary. Christopher Helm. -London
- 5258 Kren, J. (2000) Birds of the Czech Republic. Christopher Helm. -London
- 5259 Garrido, O. H. and Kirkconnell, A. (2000) Birds of Cuba. Christopher Helm. -London
- 5260 Doughty, C., Day, N. and Plant, A. (1999) Birds of the Solomons, Vanuatu & New Caledonia. Christopher Helm. -London
- 5261 Inskipp, C., Inskipp, T. and Grimmett, R. (1999) Birds of Bhutan. Christopher Helm. -London
- 5264 Nguyen Cu, Le Trong Trai and Phillipps, K. (2000) Chim Viet Nam. (Vietnamese)
- 5267 Dean, W. R. J. (2000) The birds of Angola: an annotated checklist. BOU Checklist No. 18. British Ornithologists' Union. -Tring
- 5269 Gavrilov, E. I. (2000) Guide to the birds of the Kazakhstan Republic (names, distribution, abundance).
- 5270 Kennedy, R. S., Gonzales, P. C., Dickinson, E. C., Miranda, H. C. Jr and Fisher, T. H. (2000) A guide to the birds of the Philippines. Oxford University Press. -Oxford
- 5271 Harrison, J. A. (1999) A field guide to the birds of Sri Lanka. Oxford University Press. -Oxford
- 5272 Herroelen, P. (1997) Liste des oiseaux de Belgique (espèces, sous-espèces, statut et nombre de couples nicheurs) 1901-1995. 2me edition.
- 5273 van den Berg, A. B. (1994) Liste van Nederlandse Vogelsoorten 1994.
- 5274 Barthel, P. (1993) Artenliste der Vögel Deutschlands. *J. Orn.* 134: 113-135.
- 5275 Ree, V. and Gjershaug, J. O. (1994) Systematisk navneliste over norske fugler ajourført pr. 1.1.1994. In J. O. Gjershaug et al. (eds.) *Norsk Fugleatlas* 511-527
- 5277 Veromann, H. and Leibak, E (eds.) (1994) Birds of Estonia: numbers, distribution and phenology.
- 5278 Celmins, A. (1992) List of Latvian bird species 1992.
- 5279 Trnka, A., Kristin, A., Danko, S., Harvancik, S., Kocian, L., Karaska, D. and Murin, B. (1995) [Checklist of the birds of Slovakia.]. *Tichodroma* 8: 7-21.
- 5280 Nankinov, D. (1992) Check list of bird species and subspecies in Bulgaria. *Avocetta* 16: 1-17.
- 5281 Handrinos, G. and Akriotis, T. (1997) The birds of Greece. Christopher Helm. -London
- 5282 Kirwan, G., Martins, R. P., Eken, G. and Davidson, P. (1998) A checklist of the birds of Turkey. *Sandgrouse Suppl.* (1) 31 pp.
- 5283 Baumgart, W. (1995) Die Vögel Syriens.
- 5284 Ramadan-Jaradi, G. and Ramadan-Jaradi, M. (1999) An updated checklist of the birds of Lebanon. *Sandgrouse* 21: 132-171
- 5287 Arballo, E. and Cravino, J. L. (1999) Aves del Uruguay. Manual Ornitológico/Handbook of the birds of Uruguay, Vol. 1. Editorial Hemisterio sur, S.R.L. -Montevideo
- 5288 Winkler, R. (1999) Avifauna der Schweiz zweite, neu bearbeitete. Auflage. *Orn. Beob. Beiheft* (10)
- 5289 Brichetti, P. and Massa, B. (1998) Checklist degli uccelli italiani aggiornata a tutto il 1997. *Riv. Ital. Ornithol.* 68: 129-152.
- 5290 Kraij, J. (1997) [Croatian ornithofauna in the last 200 years.]. *Larus* 46: 1-112. (Croatian)
- 5291 Narosky T. and Yzurieta D. (1989) Birds of Argentina and Uruguay: a field guide. Second edition.
- 5292 Araya, B. and Chester, S. (1993) The birds of Chile: a field guide.
- 5293 Cheng Tso-hsin. (ed.) (1994) A complete checklist of the species and subspecies of Chinese birds.
- 5294 Ridgely, R., Greenfield, P. and Guerrero, M. (1999) An annotated list of the birds of mainland Ecuador.

- 5295 Hayes, F. E. (1995) Status, distribution and biogeography of the birds of Paraguay. American Birding Association.
- 5296 Haverschmidt, F. and Mees, G. F. (1995) The birds of Suriname. Second edition.
- 5297 Porter, R. F., Christensen S. and Schiermacker-Hansen, P. (1996) Field guide to the birds of the Middle East. T. & A. D. Poyser. -London
- 6186 Sick, H. (1993) Birds in Brazil. Princeton University Press. -Princeton, USA
- 6187 Delacour, J. and Jabouille, P. (1940) Liste des oiseaux de l'Indochine française, complétée et mise à jour. *L'Oiseau et R.F.O.* 10: 89-220.
- 6188 British Ornithologists' Union. (1992) Checklist of the birds of Britain and Ireland. Sixth edition. British Ornithologist' Union. - Tring
- 6190 Marks, J.S., Cannings, R.J. and Mikkola, H. (1999) Family Strigidae (typical owls). in J del Hoyo et al (eds) Handbook of the birds of the world -5. Barn-owls to hummingbirds. 76-242 Lynx Edicions. - Barcelona
- 6193 Rose, P.M. & Scott, D.A (comps.)(1997) Waterfowl Population Estimates. (2)44: Wetlands International. -Wageningen, The Netherlands
- 6197 Mackereth, B. (1992) Sightings of White Heron at Suva. *Notornis* 39: 70-71
- 6198 Fremont, J. Y. (1995) [*Threskiornis aethiopicus*, a new breeding species for France.]. *Ornithos* 2: 44-45
- 6199 Seddon, N., Barnes, R., Butchart, S. H. M., Davies, C. W. N. and Fernandez, M. (1996) Recent observations and notes on the ecology of the Royal Sunangel *Heliangelus regalis*. *Bulletin of the British Ornithologists' Club* 116: 46-49
- 6200 Rasmussen, J. F., Rahbek, C., Poulsen, B. O., Poulsen, M. K. and Bloch, H. (1996) Distributional records and natural history notes on threatened and little known birds of southern Ecuador. *Bulletin of the British Ornithologists' Club* 116: 26-46
- 6201 Haupt, H., Lutz, K. & Boye, P (eds.)(2000) Internationale Impulse für den Schutz von Wasservögeln in Deutschland. 306 Bundesamt für Naturschutz 2000. -Münster (German)
- 6217 LA COMMISSION DES COMMUNAUTÉS EUROPÉENNES. (2000) Règlement (CE) n° 2724/2000 de la Commission du 30 novembre 2000 modifiant le règlement (CE) n° 338/97 du Conseil relatif à la protection des espèces de faune et de flore sauvages par la réglementation de leur commerce. *Journal officiel n° L 320 320:* (French)
- 6218 Commission of the European Communities. (2000) Commission Regulation (EC) No 2724/2000 of 30 November 2000 amending Council Regulation (EC) No 338/97 on the protection of species of wild fauna and flora by regulating trade therein. *Official Journal L 320 320:*
- 6219 COMISIÓN DE LAS COMUNIDADES EUROPEAS. (2000) Reglamento (CE) nº 2724/2000 de la Comisión, de 30 de noviembre de 2000, que modifica el Reglamento (CE) nº 338/97 del Consejo relativo a la protección de especímenes de la fauna y flora silvestres mediante el control de su comercio. *Diario Oficial nº L 320 320:* (Spanish)
- 6220 KOMMISSIONEN FOR DE EUROPÆISKE FÆLLESSKABER HAR. (2000) Kommissionens forordning (EF) nr. 2724/2000 af 30. november 2000 om ændring af Raadets forordning (EF) nr. 338/97 om beskyttelse af vilde dyr og planter ved kontrol af handelen hermed. *EF-Tidende NR. L 320 320:* (Danish)
- 6221 LA COMMISSIONE DELLE COMUNITÀ EUROPEE. (2000) Regolamento (CE) n. 2724/2000 della Commissione, del 30 novembre 2000, che modifica il regolamento (CE) n. 338/97 del Consiglio relativo alla protezione di specie della flora e fauna selvatiche mediante il controllo del loro commercio. *Gazzetta ufficiale n. L 320 320:* (Italian)
- 6222 DIE KOMMISSION DER EUROPÄISCHEN GEMEINSCHAFTEN. (2000) Verordnung (EG) Nr. 2724/2000 der Kommission vom 30. November 2000 zur Änderung der Verordnung (EG) Nr. 338/97 des Rates über den Schutz von Exemplaren wildlebender Tier- und Pflanzenarten durch Überwachung des Handels. *Amtsblatt nr. L 320 320:* (German)
- 6223 EUROOPAN YHTEISÖJEN KOMISSIO. (2000) Komission asetus (EY) N:o 2724/2000, annettu 30 päivänä marraskuuta 2000, luonnonvaraisten eläinten ja kasvien suojelesta niiden kauppa sääntelemällä annetun neuvoston asetuksen (EY) N:o 338/97 muuttamisesta. *Virallinen lehti nro L 320 320:* (Finnish)
- 6224 DE COMMISSIE VAN DE EUROPESE GEMEENSCHAPPEN. (2000) Verordening (EG) nr. 2724/2000 van de Commissie van 30 november 2000 tot wijziging van Verordening (EG) nr. 338/97 van de Raad inzake de bescherming van in het wild levende dier- en plantensoorten door controle op het desbetreffende handelsverkeer. *Publikatieblad nr L 320 320:* (Dutch)
- 6228 Wells, D. R. (1999) The birds of the Thai-Malay Peninsula. Volume 1: Non-passerines. Academic Press. -London
- 6229 CMS Secretariat. (1999) Proceedings of the First Session of the Meeting of the Parties to the Agreement on the Conservation of African-Eurasian Migratory Waterbirds.

- Cape Town, South Africa. 6-9 November 1999. CMS. -Bonn, Germany
- 6230 AEWA Secretariat. (1999) Report on the Conservation Status of Migratory Waterbirds in the Agreement Area. First Meeting of the Contracting Parties to the African-Eurasian Waterbird Agreement (AEWA, 1995). 153 Interim Secretariat of AEWA, Wetlands International, Minister of Agriculture, Nature Management and Fisheries of the Netherlands.
- 6231 Howell, S. N. G. and Webb, S. (1992) New and noteworthy bird records from Guatemala and Honduras. *Bulletin of the British Ornithologists' Club* 112: 42-49
- 6234 Hagemeijer, W. J. M. and Blair, M. J. (eds.) (1997) The atlas of European breeding birds: their distribution and abundance. 239 T & A D Poyser. -London
- 6238 Capper, D. R., Clay, R. P., Madroño N., A., Barnett, J. M., Burfield, I. J., Esquivel, E. Z., Kennedy, C. P., Perrens, M. & Pople, R. G. (2001) First records, noteworthy observations and new distributional data for birds in Paraguay. *Bulletin of the British Ornithologists' Club* 121(1): 23-37
- 6239 Sharpe, C. J., Ascanio-Echeverria, D. and Rodríguez, G. A. (2001) Further range extensions and noteworthy records for Venezuelan birds. *Bulletin of the British Ornithologists' Club* 121(1): 50-62
- 6250 Clark, W. S. (2001) First record of European Griffon *Gyps fulvus* for Kenya. *Bulletin of the African Bird Club* 8: 59-60
- 6252 Baha El Din, S. and Baha El Din, M. (2001) Status and distribution of Hume's Tawny Owl *Strix butleri* in the Eastern Desert of Egypt. *Bulletin of the African Bird Club* 8: 18-20
- 6253 Skerrett, A. and the Seychelles Bird Records Committee. (2001) The second report of the Seychelles Bird Records Committee. *Bulletin of the African Bird Club* 8: 23-29
- 6255 Barnett, L. K. and Emms, C. (2001) New species and breeding records for The Gambia. *Bulletin of the African Bird Club* 8: 44-45
- 6264 Scharringa, J. (1994) A record of the Bonelli's Eagle (*Hieraetus fasciatus*) in Thailand. *Natural History Bulletin of the Siam Society* 42: 291
- 6269 O'Sullivan, K. (1994) A record of Cinereous Vulture (*Aegypius monachus*) for Cambodia. *Natural History Bulletin of the Siam Society* 42: 297-299
- 6276 Dowsett, R. J. and Forbes-Watson, A. D. (1993) Checklist of birds of the Afro-tropical and Malagasy regions. Volume 1: species limits and distribution. Tauraco Press. - Liège, Belgium
- 6290 Hilty, S. L. (1999) Three bird species new to Venezuela and notes on the behaviour and distribution of other poorly known species. *Bulletin of the British Ornithologists' Club* 119: 220-235
- 6291 Mauricio, G. N. and Dias, R. A. (2000) New distributional information for birds in southern Rio Grande do Sul, Brazil, and the first record of the Rufous Gnateater *Conopophaga lineata* for Uruguay. *Bulletin of the British Ornithologists' Club* 120: 230-237
- 6292 Naka, L. N., Barnett, J. M., Kirwan, G. M., Tobias, J. A. and Azevedo, M. A. G. de. (2000) New and noteworthy bird records from Santa Catarina state, Brazil. *Bulletin of the British Ornithologists' Club* 120: 237-250
- 6294 Demey, R., Herroelen, P. and Pedersen, T. (2000) Additions and annotations to the avifauna of Congo-Kinshasa (ex-Zaire). *Bulletin of the British Ornithologists' Club* 120: 154-172
- 6295 Dowsett, R. J. and Dowsett-Lemaire, F. (2000) New species and amendments to the avifauna of Cameroon. *Bulletin of the British Ornithologists' Club* 120: 179-185
- 6297 Strewe, R. (2000) New distributional sightings of 28 species of birds from Dpto. Nariño, SW Colombia. *Bulletin of the British Ornithologists' Club* 120: 189-195
- 6298 Rasmussen, P. C., Schulenberg, T. S., Hawkins, F. and Voninavoko, R. (2000) Geographic variation in the Malagasy Scops-Owl (*Otus rutilus* auct.): the existence of an unrecognized species on Madagascar and the taxonomy of other Indian Ocean taxa. *Bulletin of the British Ornithologists' Club* 120: 75-102
- 6299 Herroelen, P., Louette, M. and Adams, M. (1999) A reassessment of the subspecies in the owl *Glaucidium tephronotum*, with notes on its biology. *Bulletin of the British Ornithologists' Club* 119: 151-162
- 6301 Dowsett, R. J., Aspinwall, D. R. and Leonard, P. M. (1999) Further additions to the avifauna of Zambia. *Bulletin of the British Ornithologists' Club* 119: 94-103
- 6303 Massa, B. (1999) New and less known birds from Libya. *Bulletin of the British Ornithologists' Club* 119: 129-133
- 6304 Kirwan, G. M. and Sharpe, C. J. (1999) Range extensions and notes on the status of little-known species from Venezuela. *Bulletin of the British Ornithologists' Club* 119: 38-47
- 6305 Lambert, F. R. and Rasmussen, P. C. (1998) A new scops owl from Sangihe Island, Indonesia. *Bulletin of the British Ornithologists' Club* 118: 204-217
- 6307 Begazo, A. J. and Valqui, T. H. (1998) Birds of Pacaya-Samiria National Reserve with a new population (*Myrmotherula longicauda*)

- and new record for Peru (*Hylophilus semicinereus*). *Bulletin of the British Ornithologists' Club* 118: 159-166
- 6308 Anderson, D. L., Bonta, M. and Thorn, P. (1998) New and noteworthy bird records from Honduras. *Bulletin of the British Ornithologists' Club* 118: 178-183
- 6316 Collar, N. J. (1998) Wattled Cranes in Guinea-Bissau. *Bulletin of the British Ornithologists' Club* 118: 57-58
- 6317 Krabbe, N., Poulsen, B. O., Frolander, A. and Barahona, O. R. (1997) Range extensions of cloud forest birds from the high Andes of Ecuador: new sites for rare or little-recorded species. *Bulletin of the British Ornithologists' Club* 117: 248-256.
- 6318 Toyne, E. P. and Flanagan, J. N. M. (1997) Observations on the breeding, diet and behaviour of the Red-faced Parrot *Hapalopsittaca pyrrhops* in southern Ecuador. *Bulletin of the British Ornithologists' Club* 117: 257-263
- 6320 Vallely, A. C. and Aversa, T. (1997) New and noteworthy bird records from Belize including the first record of Chestnut-collared Swift *Cypseloides rutilus*. *Bulletin of the British Ornithologists' Club* 117: 272-274
- 6321 Lowen, J. C. et al. (1997) New and noteworthy observations on the Paraguayan avifauna. *Bulletin of the British Ornithologists' Club* 117: 275-293
- 6324 Bradshaw, C. G., Kirwan, G. M. and Williams, R. S. R. (1997) First record of Swainson's Hawk *Buteo swainsoni* for the West Indies. *Bulletin of the British Ornithologists' Club* 117: 315-316
- 6326 Lousada, S. A. and Howell, S. N. G. (1997) *Amazona oratrix hondurensis*: a new subspecies of parrot from the Sula Valley of northern Honduras. *Bulletin of the British Ornithologists' Club* 117: 205-209
- 6327 Herzog, S. K., Kessler, M., Maijer, S. and Hohnwald, S. (1997) Distributional notes on birds of Andean dry forests in Bolivia. *Bulletin of the British Ornithologists' Club* 117: 223-235
- 6328 Prawiradilaga, D. M. (1997) The Maleo *Macrocephalon maleo* on Buton. *Bulletin of the British Ornithologists' Club* 117: 237
- 6330 Hazeveld, C. J. (1997) On a record of the Wattled Crane *Bugeranus carunculatus* from Guinea-Bissau. *Bulletin of the British Ornithologists' Club* 117: 56-59
- 6332 Barnes, R., Butchart, S. H. M., Davies, C. W. N., Fernández, M. and Seddon, N. (1997) New distributional information on eight bird species from northern Peru. *Bulletin of the British Ornithologists' Club* 117: 69-74
- 6334 Rasmussen, J. F., Rahbek, C., Poulsen, B. O., Poulsen, M. K. and Bloch, H. (1996) Distributional records and natural history notes on threatened and little known birds of southern Ecuador. *Bulletin of the British Ornithologists' Club* 116: 26-46
- 6346 Whitney, B. M., Rowlett, J. L. and Rowlett, R. A. (1994) Distributional and other noteworthy records for some Bolivian birds. *Bulletin of the British Ornithologists' Club* 114: 149-162
- 6347 Zhatkanbayev, A. H. (1994) The present state of pelican populations (*Pelecanus onocrotalus* and *P. crispus*) in Kazakhstan. *Bulletin of the British Ornithologists' Club* 114: 202-205
- 6351 Toyne, E. P. and Jeffcote, M. T. (1994) Nesting records of *Pionus* species in southern Ecuador. *Bulletin of the British Ornithologists' Club* 114: 124-127
- 6357 Howell, S. N. G. (1993) A taxonomic review of the Green-fronted Hummingbird. *Bulletin of the British Ornithologists' Club* 113: 179-187
- 6358 Pearman, M. (1993) Some range extensions and five species new to Colombia, with notes on some scarce or little known species. *Bulletin of the British Ornithologists' Club* 113: 66-75
- 6360 Best, B. J., Clarke, C. T., Checker, M., Broom, A. L., Thewlis, R. M., Duckworth, W. and McNab, A. (1993) Distributional records, natural history notes, and conservation of some poorly known birds from southwestern Ecuador and northwestern Peru. *Bulletin of the British Ornithologists' Club* 113: 108-119, 234-255
- 6361 Yamashita, C. and Valle, M. de P. (1993) On the linkage between *Anodorhynchus* macaws and palm nuts, and the extinction of the Glaucous Macaw. *Bulletin of the British Ornithologists' Club* 113: 53-60
- 6364 Ottosson, U. (1993) An observation of Bateleur *Terathopius ecaudatus* in northern Tunisia. *Bulletin of the British Ornithologists' Club* 113: 62-63
- 6366 Clark, W. S. (1992) The taxonomy of Steppe and Tawny Eagles, with criteria for separation of museum specimens and live eagles. *Bulletin of the British Ornithologists' Club* 112: 150-157
- 6368 Krabbe, N. (1992) Notes on distribution and natural history of some poorly known Ecuadorean birds. *Bulletin of the British Ornithologists' Club* 112: 169-174.
- 6370 Cabot, J. (1991) Distribution and habitat selection of *Buteo polyosoma* and *B. poecilochrous* in Bolivia and neighbouring countries. *Bulletin of the British Ornithologists' Club* 111: 199-209
- 6371 Walsh, J. F. (1991) On the occurrence of the Black Stork *Ciconia nigra* in West Africa. *Bulletin of the British Ornithologists' Club* 111: 209-215

- 6372 Parker, T. A. III, Castillo U., A., Gell-mann, M. and Rocha, O. O. (1991) Records of new and unusual birds from northern Bolivia. *Bulletin of the British Ornithologists' Club* 111: 120-138
- 6377 Ripley, S. D., Saha, S. S. and Beehler, B. M. (1991) Notes on birds from the Upper Noa Dihing, Arunachal Pradesh, northeastern India. *Bulletin of the British Ornithologists' Club* 111: 19-28
- 6379 Hedenström, A., Bensch, S., Hasselquist, D. and Ottosson, U. (1990) Observations of Palearctic migrants rare to Ghana. *Bulletin of the British Ornithologists' Club* 110: 194-197
- 6383 King, J. R. and Holloway, S. J. (1990) Notes on the Giant Hummingbird *Patagona gigas* in southern Ecuador. *Bulletin of the British Ornithologists' Club* 110: 79-80
- 6385 Cabot, J. (1990) First record of *Upucerthia validirostris* from Bolivia and new Bolivian distributional data. *Bulletin of the British Ornithologists' Club* 110: 103-107
- 6388 Louette, M. (1989) Additions and corrections to the avifauna of Zaire (4). *Bulletin of the British Ornithologists' Club* 109: 217-225
- 6389 King, J. R. (1989) Notes on the birds of the Rio Mazan Valley, Azuay Province, Ecuador, with special reference to *Loptosittaca branickii*, *Hapalopsittaca amazonina pyrrhops* and *Metallura baroni*. *Bulletin of the British Ornithologists' Club* 109: 140-147
- 6390 Jenny, J. P., Ortiz, F. and Arnold, M. D. (1981) First nesting record of the Peregrine Falcon in Ecuador. *Condor* 83: 387
- 6393 Marin A., M., Kiff, L. F. and Peña G., L. (1989) Notes on Chilean birds, with descriptions of two new subspecies. *Bulletin of the British Ornithologists' Club* 109: 66-82
- 6397 Wendelken, P. W. and Martin, R. F. (1989) Recent data on the distribution of birds in Guatemala, 2. *Bulletin of the British Ornithologists' Club* 109: 31-36
- 6399 Hinkelmann, C. (1988) Comments on recently described new species of hermit hummingbirds. *Bulletin of the British Ornithologists' Club* 108: 159-169
- 6402 Joseph, L. (1988) Range extension of the Red-fan Parrot *Deroptyus accipitrinus* in Amazonian Brazil. *Bulletin of the British Ornithologists' Club* 108: 101-103
- 6403 Louette, M. (1988) Additions and corrections to the avifauna of Zaire (3). *Bulletin of the British Ornithologists' Club* 108: 112-120
- 6410 Hughes, R. A. (1988) Nearctic migrants in southwest Peru. *Bulletin of the British Ornithologists' Club* 108: 29-43
- 6411 Schoonmaker, P. K., Wallace, M. P. and Temple, S. A. (1985) Migrant and breeding Peregrine Falcons in northwest Peru. *Condor* 87: 423-424
- 6412 Louette, M. (1988) Additions and corrections to the avifauna of Zaire (2). *Bulletin of the British Ornithologists' Club* 108: 43-50
- 6413 Teixeira, D. M., Nacinovic, J. B. and Pontual, F. B. (1987) Notes on some birds of northeastern Brazil (2). *Bulletin of the British Ornithologists' Club* 107: 151-157
- 6414 Braun, M. J. and Wolf, D. E. (1987) Recent records of vagrant South American land birds in Panama. *Bulletin of the British Ornithologists' Club* 107: 115-117
- 6415 Schmitt, C. G. and Schmitt, D. C. (1987) Extensions of range of some Bolivian birds. *Bulletin of the British Ornithologists' Club* 107: 129-134
- 6416 Louette, M. (1987) Additions and corrections to the avifauna of Zaire (1). *Bulletin of the British Ornithologists' Club* 107: 137-143
- 6417 Lambert, F. R. (1987) New and unusual bird records from the Sudan. *Bulletin of the British Ornithologists' Club* 107: 17-19
- 6418 Fjeldsa, J., Krabbe, N. and Ridgely, R. S. (1987) Great Green Macaw *Ara ambiguus* collected in northwest Ecuador, with taxonomic comments on *Ara militaris*. *Bulletin of the British Ornithologists' Club* 107: 28-31
- 6420 Lamont, A. R. and Morgan, J. A. L. (2000) Pallid Harrier *Circus macrourus*: the first record for Peninsular Malaysia. *Forktail* 16: 174
- 6422 Mauro, I. and Drijvers, R. (2000) Minahassa Owl *Tyto inexpectata* at Lore Lindu National Park, Sulawesi, Indonesia in December 1998. *Forktail* 16: 180-182
- 6423 Ho Hua Chew and Sutari Supari. (2000) Observations of Plain-pouched Hornbills *Aceros subruficollis* in Tasek Temengor, Peninsular Malaysia. *Forktail* 16: 65-67
- 6424 Rasmussen, P. C. (2000) A review of the taxonomy and status of the Plain-pouched Hornbill *Aceros subruficollis*. *Forktail* 16: 83-91
- 6425 Cheng Tso-hsin. (1994) A complete checklist of species and subspecies of the Chinese birds. Science Press. -Beijing
- 6426 Dowsett-Lemaire, F. and Dowsett, R. J. (1999) Birds of the Parque Nacional de Monte Alén, mainland Equatorial Guinea, with an updating of the country's list. *Alauda* 67(3): 179-188
- 6432 Stanton, D. B. (2000) The first Fulvous Whistling-duck *Dendrocygna bicolor* in Yemen and the Middle East. *Sandgrouse* 22(2): 130-131

- 6434 Duquet, M. and Richardson, C. (2000) First and second records of Crested Honey Buzzard *Pernis ptilorhynchus* in Iran. *Sandgrouse* 22(2): 133-134
- 6438 Kirwan, G. M. and Martins, R. P. (2000) Turkey Bird Report 1992-1996. *Sandgrouse* 22(1): 13-35
- 6445 Tareh, H. A. (2000) The status of Great Bustard *Otis tarda* in Iran. *Sandgrouse* 22: 55-60
- 6446 Parr, S. J., Sklyarenko, S., Brokhovich, S., Brookhouse, J., Collin, P. N. and Heredia, B. (2000) A baseline survey of Lesser Kestrel *Falco naumanni* in south-east Kazakhstan, April-May 1997. *Sandgrouse* 22(1): 36-42
- 6448 Lamsdell, C. and Lamsdell, D. (2000) The first Namaqua Dove *Oena capensis* in Cyprus. *Sandgrouse* 22(1): 68-69
- 6453 Martuscelli, P. and Yamashita, C. (1997) Rediscovery of the white-cheeked parrot *Amazona kawalli* (Grantsau and Camargo 1989) with notes on its ecology, distribution, and taxonomy. *Ararajuba* 5(2): 97-113
- 6454 Andrews, I. J., Khoury, F. and Shirihai, H. (1999) Jordan Bird Report 1995-97. *Sandgrouse* 21(1): 10-35
- 6456 Stanton, D. B. (1998) The first Speckled pigeon *Columba guinea* in Yemen and the Middle East. *Sandgrouse* 20(2): 145
- 6466 Eriksen, J. (1997) The first Crested Honey Buzzard *Pernis ptilorhynchus* in Oman. *Sandgrouse* 19(2): 143-144
- 6470 Nation, B., Nation, H. and Hooper, A. (1997) Birds new to Qatar. *Sandgrouse* 19(1): 56-62
- 6475 Goes, F. (1999) Notes on selected bird species in Cambodia. *Forktail* 15: 25-27
- 6476 Edwards, P. J. (1999) Recent waterbird surveys in Cambodia. *Forktail* 15: 29-42
- 6477 Rasmussen, P. C. and Ishtiaq, F. (1999) Vocalizations and behaviour of the Forest Owllet *Athene (Heteroglaux) blewitti*. *Forktail* 15: 61-65
- 6478 Bishop, K. D. (1999) Preliminary notes on some birds in Bhutan. *Forktail* 15: 87-91
- 6483 Ma Ming. (1999) Greater Flamingo *Phoenicopterus ruber* and Rufous-tailed Scrub Robin *Cercotrichas galactotes*: two new species for China. *Forktail* 15: 105-106
- 6485 Duckworth, J. W. and Hedges, S. (1998) Bird records from Cambodia in 1997, including records of sixteen species new for the country. *Forktail* 14: 29-36
- 6486 Rasmussen, P. C. and Collar, N. J. (1998) Identification, distribution and status of the Forest Owllet *Athene (Heteroglaux) blewitti*. *Forktail* 14: 41-49
- 6487 King, B. F. and Rasmussen, P. C. (1998) The rediscovery of the Forest Owllet *Athene (Heteroglaux) blewitti*. *Forktail* 14: 51-53
- 6491 Lazaroff, C. (2001) Wild California Condors lay first egg in 15 years. <http://ens.lycos.com/ens/mar2001/2001L-03-29-06.html> Environment News Service.
- 6495 Ruschi, A. (1982) Uma nova espécie de Beija-flor do Brasil: *Amazilia rondoniae* n. sp. e a chave para determinar as espécies de Amazilia que ocorrem no Brasil. *Bol. Mus. Biol. Prof. "Mello Leitao"* Santa Teresa, Sér. Zool. 100: 1-2.
- 6503 Roy, M. S., Torres-Mura, J. C., Hertel, F., Lemus, M. and Sponer, R. (1999) Conservation of the Juan Fernandez firecrown and its island habitat. *Oryx* 33(3): 223-232.
- 6511 Balen, S. (Bas) van, Dirgayusa, I. W. A., Putra, I. M. A. and Prins, H. H. T. (2000) Status and distribution of the endemic Bali starling *Leucopsar rothschildi*. *Oryx* 34(3): 188-197.
- 6515 Baker, G. C. and Butchart, S. H. M. (2000) Threats to the maleo *Macrocephalon maleo* and recommendations for its conservation. *Oryx* 34(4): 255-261.
- 6516 Seddon, N., Tobias, J., Yount, J. W., Ramanampamony, J. R., Butchart, S. and Randrianizahana, H. (2000) Conservation issues and priorities in the Mikea Forest of south-west Madagascar. *Oryx* 34(4): 287-304.
- 6523 Alonso, J. C., Lane, S. J., Dawson, R. and Idaghdour, Y. (2000) Great bustards *Otis tarda* in Morocco: status in spring 1999 and evidence of a decline in recent decades. *Oryx* 34(2): 141-146.
- 6604 Wiedenfeld, D. A., Morales M., J. and Lezama L., M. (2001) Sight records of new species for Nicaragua and noteworthy records on range and occurrence. *Cotinga* 15: 53-57.
- 6639 Miranda, H. C. Jr, Kennedy, R. S., Sison, R. V., Gonzales, P. C. and Ebreo, M. F. (2000) New records of birds from the island of Panay, Philippines. *Bulletin of the British Ornithologists's Club* 120(4): 266-280.
- 6641 Angehr, G. R. and Christian, D. G. (2000) Distributional records from the highlands of the Serranía de Majé, an isolated mountain range in eastern Panama. *Bulletin of the British Ornithologists's Club* 120(3): 173-178.
- 6642 Mack, A. L. and Wright, D. D. (2000) Notes on the Crested *Cnemophilus macgregorii* and Yellow-breasted *Loboparadisea sericea* Birds of Paradise. *Bulletin of the British Ornithologists' Club* 120(3): 186-189.

- 6648 Urbina-Torres, F. (2000) New distributional information of birds from the State of Morelos, Mexico. *Bulletin of the British Ornithologists' Club* 120(1): 8-15.
- 6656 Whitney, B. M. and Pacheco, J. F. (1999) The valid name for Blue-winged Parrotlet and designation of the lectotype of *Psittaculus xanthopterygius* Spix, 1824. *Bulletin of the British Ornithologists' Club* 119(4): 211-214.
- 6657 LeCroy, M. (1999) Type specimens of new forms of *Lonchura*. *Bulletin of the British Ornithologists' Club* 119(4): 214-220.
- 6667 Herzog, S. K., Fjeldsa, J., Kessler, M. and Balderrama, J. A. (1999) Ornithological surveys in the Cordillera Cocapata, depto. Cochabamba, Bolivia, a transition zone between humid and dry intermontane Andean habitats. *Bulletin of the British Ornithologists' Club* 119(3): 162-177.
- 6674 Stiles, F. G., Rosselli, L. and Bohórquez, C. I. (1999) New and noteworthy records of birds from the middle Magdalena valley of Colombia. *Bulletin of the British Ornithologists' Club* 119(2): 113-129.
- 6675 Morales-Pérez, J. E. (1999) Additional bird records for Oaxaca, Mexico. *Bulletin of the British Ornithologists' Club* 119(1): 16-25.
- 6676 Hazevoet, C. J. (1999) Notes on birds from the Cape Verde Islands in the collection of the Centro de Zoología, Lisbon, with comments on taxonomy and distribution. *Bulletin of the British Ornithologists' Club* 119(1): 25-31.
- 6677 Clark, W. S. (1999) Plumage differences and taxonomic status of three similar *Circaetus* snake-eagles. *Bulletin of the British Ornithologists' Club* 119(1): 56-59.
- 6679 Garrido, O. H. (2001) Una nueva subespecie del Sijú de Sabana *Speotyto cunicularia* para Cuba. *Cotinga* 15: 75-78. (Spanish)
- 6680 Begazo, A. J., Valqui, T., Sokol, M. and Langlois, E. (2001) Notes on some birds from central and northern Peru. *Cotinga* 15: 81-87.
- 6681 Begazo, A. J. (2001) Peruvian Pigeon *Columba oenops*. *Cotinga* 15: 95-96.
- 6682 Garrigues, R. L. (2000) Is Marvellous Spatuletail *Loddigesia mirabilis* threatened by hunting? *Cotinga* 14: 13.
- 6683 López-Lanús, B., Salaman, P. G. W., Cowley, T. P., Arrango, S. and Renjifo, L. M. (2000) The threatened birds of the río Toche, Cordillera Central, Colombia. *Cotinga* 14: 17-23.
- 6684 López-Lanús, B. and Sócola, J. (2000) Estudio y conservación del *Ara ambiguus* en la Reserva Cerro Blanco, sudeste de Ecuador. *Cotinga* 14: 24-25.
- 6685 Berg, K. S. (2000) Field notes on the biology of the Long-wattled Umbrellabird *Cephalopterus penduliger* in west Ecuador. *Cotinga* 14: 26-29.
- 6686 Regalado, P. and Cables, E. (2000) Primer hallazgo de *Falco peregrinus* nidificando en Cuba. *Cotinga* 14: 78.
- 6687 Burke, P., Kirkconnell, A. and Whitehouse, S. M. (2000) Franklin's Gull *Larus pipixcan* and Mississippi Kite *Ictinia mississippiensis* new to Cuba. *Cotinga* 14: 101-102.
- 6688 Herzog, S. K. and Kessler, M. (2000) First records of Barred Parakeet *Bolborhynchus lineola* and Roraiman Flycatcher *Myiophobus roraimae* in Bolivia. *Cotinga* 14: 104-105.
- 6690 Kirwan, G. and Barnett, J. M. (2001) New bird records from north-east Brazil. *Cotinga* 15: 67-68.
- 6697 Anon. (1999) Long-billed Starthroat (*Heliodoxa longirostris*) reported by Philip Balderamos. *Belize Audubon Society Newsletter* 31(3): 10.
- 6702 Schuchmann, K.-L., Weller, A.-A. and Heynen, I. (2000) Biogeography and taxonomy of the Andean hummingbird genus *Haplophaedia* Simon (Aves: Trochilidae), with the description of a new subspecies from southern Ecuador. *Orn. Anzeiger* 39: 17-42.
- 6704 Weller, A.-A. (2000) A new hummingbird subspecies from southern Bolívar, Venezuela, with notes on biogeography and taxonomy of the *Saucerottia viridigaster-cupreicauda* species group. *Orn. Neotrop.* 11: 143-154.
- 6706 Dove, C. J. and Banks, R. C. (1999) A taxonomic study of Crested Caracaras (Falconidae). *Wilson Bulletin* 111: 330-339.
- 6707 Weller, A.-A. and Schuchmann, K.-L. (1999) Geographical variation in the southern distributional range of the Rufous-tailed Hummingbird, *Amazilia tzacatl* de la Llave, 1832: a new subspecies from Nariño, southwestern Colombia. *J. Orn.* 140: 457-466.
- 6708 Eitniecear, J. C., Tapia, A. A., González, V., Pedraza, R. and Baccus, J. T. (2000) New Galliformes for the Mexican state of Querétaro. *Cotinga* 13: 10-13.
- 6709 Jones, H. L., McRae, E., Meadows, M. and Howell, S. N. G. (2000) Status updates for selected bird species in Belize, including several species previously undocumented from the country. *Cotinga* 13: 17-31.
- 6711 Becker, D., Agreda, A., Richter, A. and Rodriguez, O. (2000) Interesting bird records from the Colonche Hills, western Ecuador. *Cotinga* 13: 55-58.
- 6712 López-Lanús, B. and Gastezzi, P. (2000) An inventory of the birds of Segua Marsh, Manabí, Ecuador. *Cotinga* 13: 59-64.

- 6714 Rompré, G., Aubry, Y. and Kirkconnell, A. (2000) Recent observations of threatened birds in eastern Cuba. *Cotinga* 13: 66.
- 6716 Norton, R. L. (1999) West Indies region. *North American Birds* 53: 110-111.
- 6720 Nebot, J. C. (1999) First report on the Rose-ringed Parakeet (*Psittacula krmarri*) in Venezuela and preliminary observations on its behavior. *Orn. Neotrop.* 10: 115-117.
- 6724 Hornbuckle, J. (1999) The birds of Abra Patricia and the upper río Mayo, San Martin, north Peru. *Cotinga* 12: 11-28.
- 6728 Maijer, S., Herzog, S. K., Kessler, M., Friggins, M. T. and Fjeldsa, J. (1998) A distinctive new subspecies of the Green-cheeked Parakeet (*Pyrrhura molinae*, Psittacidae) from Bolivia. *Orn. Neotrop.* 9: 185-191.
- 6730 Donegan, T. M. and Dávalos, L. M. (1999) Ornithological observations from Reserva Natural Tambito, Caucá, south-west Colombia. *Cotinga* 12: 48-55.
- 6734 Fraga, R. M. and Clark, R. (1999) Notes on the avifauna of the upper Bermejo River (Argentina and Bolivia) with a new species for Argentina. *Cotinga* 12: 77-78.
- 6735 ffrench, R. and White, G. (1999) Verification of rare bird records from Trinidad & Tobago. *Cotinga* 12: 80-82.
- 6740 Sánchez, J. E., Naoki, K. and Zook, J. (1998) New information about Costa Rican birds. *Orn. Neotrop.* 9: 99-102.
- 6741 Angehr, G. (1999) The FieldEditor's report(s). *El Tucán* 25: 3-4.
- 6742 Angehr, G. (1999) Rapid long-distance colonization of Lake Gatún, Panama, by Snail Kites. *Wilson Bulletin* 111: 265-268.
- 6745 Robbins, M. B., Faucett, R. C. and Rice, N. H. (1999) Avifauna of a Paraguayan cerrado locality: Parque Nacional Serranía San Luis, depto. Concepción. *Wilson Bulletin* 111: 216-228.
- 6746 Carriquiry, A. (1998) Aguilu de cola blanca (*Buteo albicaudatus*). Nuevas citas para varios departamentos. *Achará* 1: 15.
- 6753 Clay, R. P. (1999) A record of the *belizensis* subspecies of Yellow-headed Amazon *Amazona oratrix* from the Petén, northern Guatemala. *Cotinga* 11: 20.
- 6754 Kirwan, G. M., Williams, R. S. R. and Bradshaw, C. G. (1999) Interesting avifaunal records from the Dominican Republic. *Cotinga* 11: 27-29.
- 6755 Mazariegos H., L. A. and Salaman, P. G. W. (1999) Rediscovery of the Colourful Puffleg *Eriocnemis mirabilis*. *Cotinga* 11: 34-38.
- 6756 Salaman, P. G. W., López-Lanús, B. and Krabbe, N. (1999) Critically endangered: Yellow-eared Parrot *Ognorhynchus icterotis* in Colombia. *Cotinga* 11: 39-41.
- 6762 Vasconcelos, M. F. de. (1999) Natural history notes and conservation of two species endemic to the Espinhaço Range, Brazil: Hyacinth Visorbearer *Augastes scutatus* and Grey-backed Tachuri *Polystictus superciliaris*. *Cotinga* 11: 75-78.
- 6767 Lars Bodin. (ed.) (2001) Grå Jaco - *Psittacus erithacus*. <http://www.lars-bodin.dk/Fugle/Psittacus/index.html> (Swedish)
- 6768 Hallchurch, T. T. (1982) Exercise King Vulture: Belize: 23 February -16 March 1982. *Adjutant* 12: 3-36.
- 6769 Miller, B. W. and Miller, C. M. (1998) Ornithology in Belize since 1960. *Wilson Bulletin* 110: 544-558.
- 6775 Schuchmann, K.-L. and Züchner, T. (1997) *Coeligena violifer albicaudata* (Aves, Trochilidae): a new hummingbird subspecies from the southern Peruvian Andes. *Orn. Neotropical* 8: 247-253.
- 6776 Olmos, F., Martuscelli, P. and Silva e Silva, R. (1997) Distribution and dry-season ecology of Pfrimer's Conure *Pyrrhura pfrimeri*, with a reappraisal of Brazilian *Pyrrhura leucotis*. *Orn. Neotropical* 8: 121-132.
- 6783 Salaman, P. G. W. and Mazariegos H., L. A. (1998) The hummingbirds of Nariño, Colombia. *Cotinga* 10: 30-36.
- 6784 Herzog, S. K. and Kessler, M. (1998) In search of the last Horned Curassows *Pauxi unicornis* in Bolivia. *Cotinga* 10: 46-48.
- 6785 Bencke, G. A. (1998) Notes on the breeding of Blue-bellied Parrot *Trichilaria malachitacea*. *Cotinga* 10: 71-78.
- 6791 Iliff, M. (1998) Bird observations from a visit to Anguilla, Lesser Antilles, 28 December 1995 to 4 January 1996. *El Pitirre* 11(1): 1-4.
- 6809 Seutin, G. (1998) Two bird species new for Panama and Central America: White-whiskered Hermit *Phaethornis yaruqui* and White-winged Swallow *Tachycineta albiventer*. *Cotinga* 9: 22-23.
- 6810 Boesman, P. (1998) Some new information on the distribution of Venezuelan birds. *Cotinga* 9: 27-39.
- 6812 Mazar Barnett, J., Clark, R., Bodrati, A., Bodrati, G., Pugnali, G. and della Seta, M. (1998) Natural history notes on some little-known birds in north-west Argentina. *Cotinga* 9: 64-75.
- 6819 Erickson, R. A. and Wurster, T. E. (1998) Confirmation of nesting in Mexico for four bird species from the Sierra San Pedro Martir, Baja California. *Wilson Bulletin* 110: 118-120.

- 6827 Becker, C. D. and López-Lanús, B. (1997) Conservation value of a *Garua* forest in the dry season: a bird survey in Reserva Ecológica de Loma Alta, Ecuador. *Cotinga* 8: 66-74.
- 6828 Ryan, R. (1997) First record of Little Egret *Egretta garzetta* for Guyana. *Cotinga* 7: 92.
- 6832 Angehr, G. (1997) The Fieldeditor's report. *El Tucan* 23(8): 4-5.
- 6835 Mazar Barnett, J., Kirwan, G. M. and Williams, R. S. R. (1997) Neotropical Notebook. *Cotinga* 8: 90-97.
- 6841 Arndt, T. (1995) Lexicon of parrots. Part 7. Arndt Verlag. -Bretten, Germany
- 6842 Stotz, D. F., Fitzpatrick, J. W., Parker, T. A. III and Moskovits, D. K. (1996) Neotropical birds: ecology and conservation. University of Chicago Press. -Chicago
- 6845 Sharpe, C., Ascanio, D. and Restall, R. (1997) Three species of exotic passerine in Venezuela. *Cotinga* 7: 43-44.
- 6849 Thorstrom, R. (1997) A description of nests and behavior of the Gray-headed Kite. *Wilson Bulletin* 109: 173-177.
- 6851 Kirwan, G. and Hornbuckle, J. (1997) Neotropical Notebook. *Cotinga* 7: 75-82.
- 6853 Saibene, C. A., Castelino, M. A., Rey, N. R., Herrera, J. and Calo, J. (1996) Inventario de las aves del Parque Nacional "Iguazu", Misiones, Argentina. L.O.L.A. -Buenos Aires.
- 6854 Schulenberg, T. S. and Awbrey, K (eds.) (1997) The Cordillera del Cóndor region of Ecuador and Peru: a biological assessment. Conservation International. - Washington, D.C.
- 6859 Stiles, F. G. (1996) A new species of emerald hummingbird (*Trochilidae, Chlorostilbon*) from the Sierra de Chiribiquete, southeastern Colombia, with a review of the *C. mellisugus* complex. *Wilson Bulletin* 108(1): 1-27.
- 6862 Begazo, A. J. (1996) Ecology and conservation of the Yellow-faced Parrotlet. *Cotinga* 6: 20-23.
- 6863 Krabbe, N. and Molina, F. S. (1996) The last Yellow-eared Parrots *Ognorhynchus icterotis* in Ecuador? *Cotinga* 6: 25-26.
- 6866 Howell, S. N. G. and Robbins, M. B. (1995) Species limits of the Least Pygmy-Owl (*Glaucidium minutissimum*) complex. *Wilson Bulletin* 107: 7-25.
- 6875 Prince, P. A. and Croxall, J. P. (1996) The birds of South Georgia. *Bulletin of the British Ornithologists' Club* 116(2): 81-104.
- 6876 Brown, C. J., Robson, N. and Yates, M. (1995) Distribution, status and first breeding record of the Grey Kestrel in southern Africa. *J. African Raptor Biology* 10: 52-57.
- 6877 Claffey, P. (1997) Western Red-footed Falcon *Falco vespertinus*, a new addition to the Republic of Benin list. *Malimbus* 19: 95-96.
- 6881 Robel, D. (1997) Records of the Grey Hornbill *Tockus nasutus*, Crimson-rumped Waxbill *Estrilda rhodopyga* and African Silverbill *Lonchura cantans* in Egypt. *Zoology in the Middle East* 15: 33-35.
- 6882 Masatomi, H. (1999) A pair of White-naped Cranes nested in Hokkaido in 1985, the first confirmed record for Japan. *Japanese Journal of Ornithology* 47: 69-71.
- 6883 Woo, Y.-T. and Lee, J.-N. (1996) Newly recorded birds of 6 species and subspecies in Korea. *Korean Journal of Ornithology* 3: 59-61.
- 6886 Riley, J., Hicks, D. and Wardill, J. C. (1998) The identity of *Eos histrio challengerii* Salvadori, 1891. *Bulletin of the British Ornithologists' Club* 118: 193-196.
- 6887 Zyskowski, K., Peterson, A. T. and Kluza, D. A. (1998) Courtship behaviour, vocalizations, and species limits in *Atthis* hummingbirds. *Bulletin of the British Ornithologists' Club* 118: 82-90.
- 6888 Gamauf, A. and Preleuthner, M. (1998) A new taxon of the Barred Honeybuzzard *Pernis celebensis* from the Philippines. *Bulletin of the British Ornithologists' Club* 118: 90-101.
- 6892 Mauricio, G. N. and Dias, R. A. (1998) Range extensions and new records for forest birds in southern Rio Grande do Sul, Brazil. *Bulletin of the British Ornithologists' Club* 118: 14-25.
- 6906 Spierenburg, P. (2000) Nouvelles observations de six espèces d'oiseaux au Mali. *Malimbus* 22: 23-28. (French)
- 6907 van der Akker, M. (2000) Red-tailed Greenbul *Criniger calurus* and Chestnut-breasted Negrofinch *Nigrita bicolor*, new to Bénin. *Bulletin of the African Bird Club* 7: 133.
- 6909 Salewski, V., Bobek, M., Peske, L. and Pojer, F. (2000) Status of the Black Stork *Ciconia nigra* in Ivory Coast. *Malimbus* 22: 92-93.
- 6910 Haugaard, J. (1999) The Shoebill *Balaeniceps rex* in Malawi: myth, ghost or grain of truth? *Vocifer* 2(16): 3-4.
- 6911 Pope, R., Pope, J. and Gurney, M. (1999) New to Zambia: Rüpell's Vulture *Gyps rueppellii*. *1998 Zambia Bird Report* 85-86.
- 6913 Le Corre, M. (2000) Le Rossignol du Japon *Leiothrix lutea* (Sylviidés, Timaliinés), nouvelle espèce introduite à la Réunion (Ocean Indien). *Alauda* 68: 58-71.

- 6924 Gregory, P. (1997) Range extensions and unusual sightings from Western Province, Papua New Guinea. *Bulletin of the British Ornithologists' Club* 117(4): 304-311.
- 6925 Barrowclough, G. F., Lentino R., M. and Sweet, P. R. (1997) New records of birds from Auyán-Tepui, Estado Bolívar, Venezuela. *Bulletin of the British Ornithologists' Club* 117: 194-198.
- 6927 Madroño N., A. and Esquivel, E. Z. (1997) Noteworthy records and range extensions of some birds from the Reserva Natural del Bosque Mbaracayú (Mbaracayú Forest Nature Reserve), Departamento de Canindeyú, Paraguay. *Bulletin of the British Ornithologists' Club* 117: 166-176.
- 6929 Brooks, T. and Dutson, G. (1997) Twenty-nine new island records of birds from the Philippines. *Bulletin of the British Ornithologists' Club* 117: 32-37.
- 6930 Frith, C. B. and Frith, D. W. (1997) The taxonomic status of the bird of paradise *Paradigalla carunculata intermedia* (Paradisaeidae) with notes on the other *Paradigalla* taxa. *Bulletin of the British Ornithologists' Club* 117: 38-48.
- 6932 Ericson, P. G. P. and Amarillo, L. A. (1997) First observations and new distributional data for birds in Paraguay. *Bulletin of the British Ornithologists' Club* 117: 60-67.
- 6946 Devillers,P., Ouellet,H., Benito-Espinal,É., Beudels,R., Cruon,R., David,N., Erard,C., Gosselin,M., Seutin,G (comps.)(1993) Noms français des oiseaux du Monde. (French Names of the Birds of the World). (1) Multimondes Inc. eds. -Sainte-Foy, Quebec & Chabaud eds, Bayonne, France (French)
- 6947 Sibley,C. G. and Monroe, B. L (eds.)(1990) Distribution and Taxonomy of Birds of the World. Yale University Press. -New Haven
- 6950 Taylor, R. H., Heatherbell, E. G. and Heatherbell, E. M. (1986) The Orange-fronted Parakeet (*Cyanoramphus malherbi*) is a colour morph of the Yellow-crowned Parakeet (*C. auriceps*). *Notornis* 33: 17-22.
- 6951 Coates, B. J. (1985) Birds of Papua New Guinea. Volume 1. Dove Publications. - Alderley, Australia
- 6985 World Conservation Monitoring Centre. (1992) Global Biodiversity. status of the earth's living resources. 206-214 Chapman & Hall. -London
- 6986 Anon. (1995) Lista de las aves de Bolivia. Asociación Armonía. -Santa Cruz, Bolivia
- 7041 Cruon, R., Erard, C., Lebreton, J-D and Nicolau-Guillaumet, P. (1992) Liste des oiseaux de France. *Oiseau et R.f.O.* 62: 97-116 (French)
- 7046 Zinner, D. (2001) Ornithological notes from a primate survey in Eritrea. *Bulletin of the African Bird Club* 8(2): 95-106.
- 7047 Ottosson, U., Hjort, C. and Hall, P. (2001) The Lake Chad Bird Migration Project: Malamfatori revisited. *Bulletin of the African Bird Club* 8(2): 121-126.
- 7051 Clark, W. S. and Edelstam, C. (2001) First record of Cassin's Hawk-Eagle *Spizaetus africanus* for Kenya. *Bulletin of the African Bird Club* 8(2): 138-139.
- 7054 Toyne, E. P. and Flanagan, J. N. M. (1996) First nest record of Red-faced Parrot *Hapalopsittaca pyrrhops*. *Cotinga* 5: 43-45.
- 7055 Lousada, S. A. and Howell, S. N. G. (1996) Distribution, variation and conservation of Yellow-headed Parrots in northern Central America. *Cotinga* 5: 46-53.
- 7056 Kirwan, G. M. (1996) Records of Amazonian Pygmy-owl *Glaucidium hardyi* from southeast Venezuela. *Cotinga* 5: 71-72.
- 7068 Howell, S. N. G. and Webb, S. (1994) Additional information on the birds of Guerrero, Mexico. *Bulletin of the British Ornithologists' Club* 114(4): 232-243.
- 7070 Dickerman, R. W. (1994) Notes on birds from Africa with descriptions of three new subspecies. *Bulletin of the British Ornithologists' Club* 114(4): 274-278.
- 7072 Davis, S. E., Rocha O., O., Sarmiento, J. and Hanagarth, W. (1994) New departmental records and notes for some Bolivian birds. *Bulletin of the British Ornithologists' Club* 114(2): 73-85.
- 7075 McGowan, P. J. K. and Panchen, A. L. (1994) Plumage variation and geographical distribution in the Kalij and Silver Pheasants. *Bulletin of the British Ornithologists' Club* 114(2): 113-123.
- 7076 Barrowclough, G. F., Escalante-Pliego, P., Aveledo-Hostos, R. and Pérez-Chinchilla, L. A. (1995) An annotated list of the birds of the Cerro Tamacuari region, Serranía de Tapirapecó, Federal Territory of Amazonas, Venezuela. *Bulletin of the British Ornithologists' Club* 115(4): 211-219.
- 7077 Straube, F. C. and Bornschein, M. R. (1995) New or noteworthy records of birds from northwestern Paraná and adjacent areas (Brazil). *Bulletin of the British Ornithologists' Club* 115(4): 219-225.
- 7078 Restall, R. (1995) Proposed additions to the genus *Lonchura* (Estrildinae). *Bulletin of the British Ornithologists' Club* 115(3): 140-157.
- 7079 Pacheco, J. F. and Whitney, B. M. (1995) Range extensions for some birds in northeastern Brazil. *Bulletin of the British Ornithologists' Club* 115(3): 157-163.
- 7087 Gibbs, D. (1996) Notes on Solomon Island birds. *Bulletin of the British Ornithologists' Club* 116(1): 18-25.
- 7090 Krabbe, N., Poulsen, B. O., Frolander, A., Hinojosa B., M. and Quiroga O., C. (1996)

- Birds of montane forest fragments in Chuquisaca Department, Bolivia. *Bulletin of the British Ornithologists' Club* 116(4): 230-243.
- 7092 Helme, N. A. (1996) New departmental records for Dpto. La Paz, Bolivia, from the Pampas del Heath. *Bulletin of the British Ornithologists' Club* 116(3): 175-177.
- 7095 Bornschein, M. R. (1996) Extralimital record of the Spot-winged Falco *Spizapteryx circumcinctus*. *Bulletin of the British Ornithologists' Club* 116(3): 197-198.
- 7097 Waltert, M. and Mühlberg, M. (1999) Notes on the avifauna of the Noyau Central, Forêt Classée de la Lama, Republic of Benin. *Malimbus* 21: 82-92.
- 7098 Waltert, M., Yakokore-Beibro, K. H., Mühlberg, M. and Waitkuwait, W. E. (1999) Preliminary check-list of the birds of the Bossematié area, Ivory Coast. *Malimbus* 21: 93-109.
- 7101 Küngel, T. and Küngel, S. (1999) First Nigerian record of Red-fronted Parrot *Poicephalus gulielmi*, and other notable records from SE Nigeria. *Malimbus* 21(2): 111-113.
- 7106 Cisneros-Palacios, E. and Bonilla-Ruz, C. (1993) New distributional information on Mexican birds. III. Northern Oaxaca. *Bulletin of the British Ornithologists' Club* 113(4): 213-215.
- 7109 Gregory, P. A. and Johnston, G. R. (1993) Birds of the cold tropics: Dokfuma, Star Mountains, New Guinea. *Bulletin of the British Ornithologists' Club* 113(3): 139-145.
- 7110 Walters, R. (1993) Some records of birds from Belize, Central America, including three first records. *Bulletin of the British Ornithologists' Club* 113(3): 145-147.
- 7111 Howell, S. N. G. (1995) A critique of Walters' (1993) new bird records from Belize. *Bulletin of the British Ornithologists' Club* 115(3): 177-180.
- 7113 Wilmé, L. (1993) A recent record of the Madagascar Pochard *Aythya innotata* on Lake Alaotra, Madagascar. *Bulletin of the British Ornithologists' Club* 113(3): 188-189.
- 7118 Willis, E. O. and Oniki, Y. (1993) New and reconfirmed birds from the state of São Paulo, Brazil, with notes on disappearing species. *Bulletin of the British Ornithologists' Club* 113(1): 23-34.
- 7120 Kitchener, A. C., Macdonald, A. A. and Howard, P. (1993) First record of the Blue Crowned Pigeon *Goura cristata* on Seram. *Bulletin of the British Ornithologists' Club* 113(1): 42-43.
- 7121 Schodde, R. (1993) Geographic forms of the Regent Parrot *Polytelis anthopeplus* (Lear), and their type localities. *Bulletin of the British Ornithologists' Club* 113(1): 44-47.
- 7122 Teixeira, D. M., Otoch, R., Luigi, G., Raposo, M. A. and Almeida, A. C. C. de. (1993) Notes on some birds of northeastern Brazil (5). *Bulletin of the British Ornithologists' Club* 113(1): 48-52.
- 7126 Poulsen, B. O. (1992) Range extensions of Orange-cheeked Parrot and White-browed Purple-tuft in Amazonian Venezuela. *Bulletin of the British Ornithologists' Club* 112(4): 276-277.
- 7142 Louette, M. (1991) The red-tailed buzzards of Zaire. *Bulletin of the British Ornithologists' Club* 111(1): 51-55.
- 7144 Lousada, S. (1989) *Amazona europalliata caribaea*: a new subspecies of parrot from the Bay Islands, northern Honduras. *Bulletin of the British Ornithologists' Club* 109: 232-235.
- 7145 Parkes, K. C. (1990) A critique of the description of *Amazona europalliata caribaea* Lousada, 1989. *Bulletin of the British Ornithologists' Club* 110(4): 175-179.
- 7148 Kennedy, R. S. (1990) Notes on Philippine birds, 16. First records of the Red-tailed Tropicbird *Phaethon rubricauda* and Merlin *Falco columbarius* from the Philippines. *Bulletin of the British Ornithologists' Club* 110(2): 107-109.
- 7152 Rinke, D. (1989) The relationships and taxonomy of the Fijian parrot genus *Prosopeia*. *Bulletin of the British Ornithologists' Club* 109(4): 185-195.
- 7154 Holyoak, D. T. and Seddon, M. B. (1989) Distributional notes on the birds of Burkina Faso. *Bulletin of the British Ornithologists' Club* 109(4): 205-216.
- 7158 Teixeira, D. M., Nacinovic, J. B. and Luigi, G. (1989) Notes on some birds of northeastern Brazil (4). *Bulletin of the British Ornithologists' Club* 109(3): 152-157.
- 7161 Wilson, J. D. (1989) Range extensions of some bird species of Cameroon. *Bulletin of the British Ornithologists' Club* 109(2): 110-115.
- 7164 Rasmussen, P. C. and López H., N. (1988) Notes on the status of some birds of Region X, Chile. *Bulletin of the British Ornithologists' Club* 108(4): 154-159.
- 7166 Cabot, J. and Serrano, P. (1988) Distributional data on some non-passerine species in Bolivia. *Bulletin of the British Ornithologists' Club* 108(4): 187-193.
- 7170 Teixeira, D. M., Nacinovic, J. B. and Luigi, G. (1988) Notes on some birds of northeastern Brazil (3). *Bulletin of the British Ornithologists' Club* 108(2): 75-79.

- 7174 Clancey, P. A. (1987) Subspeciation in the Afrotropical Gabar Goshawk *Micronisus gabar*. *Bulletin of the British Ornithologists' Club* 107(4): 173-177.
- 7214 King, B., Buck, H., Ferguson, R., Fisher, T., Goblet, C., Nickel, H. and Suter, W. (2001) Birds recorded during two expeditions to north Myanmar (Burma). *Forktail* 17: 29-40.
- 7217 King, M. (2000) Noteworthy records from Ginak Island, The Gambia. *Malimbus* 22(2): 77-85.
- 7218 Debout, G., Meister, P. and Ventelon, M. (2000) Notes complémentaires sur l'avifaune du Niger. *Malimbus* 22(2): 87-88.
- 7219 King, M. (2000) Breeding of Swallow-tailed Kite *Chelictinia riocourii* in Senegal. *Malimbus* 22(2): 90-91.
- 7262 Riley, J. and Mole, J. (2001) The birds of Gunung Ambang Nature Reserve, North Sulawesi, Indonesia. *Forktail* 17: 57-66.
- 7263 Rasmussen, P. C. (1999) A new species of hawk-owl *Ninox* from North Sulawesi, Indonesia. *Wilson Bulletin* 111(4): 457-464.
- 7264 Anderson, R. C. and Baldock, M. (2001) New records of birds from the Maldives, with notes on other species. *Forktail* 17: 67-73.
- 7265 Choudhury, A. (2001) Some bird records from Nagaland, north-east India. *Forktail* 17: 91-103.
- 7266 Naoroji, R. and Forsman, D. (2001) First breeding record of the Upland Buzzard *Buteo hemilasius* for the Indian subcontinent in Changthang, Ladakh, and identification characters of Upland Buzzard and Long-legged Buzzard *Buteo rufinus*. *Forktail* 17: 105-108.
- 7267 Shankar Raman, T. R. (2001) Observations on the Oriental Bay Owl *Phodilus badius* and range extension in the Western Ghats, India. *Forktail* 17: 110-111.
- 7268 Roadhouse, A. (2001) Merlin *Falco columbarius*, the first record for Thailand. *Forktail* 17: 114.
- 7271 Mauro, I. (2001) Cinnabar Hawk Owl *Ninox ias* at Lore Lindu National Park, Central Sulawesi, Indonesia, in December 1998. *Forktail* 17: 118-119.
- 7325 Juniper, T. and Parr, M. (1998) Parrots, a guide to the parrots of the world. Pica Press. -Sussex
- 7359 Whittaker, A. (2001) Notes on the poorly-known Buckley's Forest Falcon *Micrastur buckleyi* including voice, range and first Brazilian records. *Bulletin of the British Ornithologists' Club* 121(3): 198-208.
- 7416 Davidson, P. (2000) Twenty six further new species for Cambodia. *Cambodia Bird News* 6: 37-43.
- 7417 Anon. (2000) Twelve new species for Cambodia. *Cambodia Bird News* 4: 30-32.
- 7418 Poole, C. (2000) Mountain Hawk-Eagle confirmed in Cambodia. *Cambodia Bird News* 4: 33.
- 7419 Collar, N.J., Andreev, A.V., Chan, S., Crosby, M.J., Subramanya, S., Tobias, J.A (eds.) (2001) Threatened Birds of Asia. The BirdLife International Red Data Book. 3068 BirdLife International. -Cambridge
- 7650 Renner, S. C. and Schuchmann, K.-L. (2001) The Fawn-breasted Brilliant *Heliodoxa rubinoides*, a hummingbird species new to Bolivia. *Bulletin of the British Ornithologists' Club* 121(4): 252-255.
- 7680 Fiebig, J. (1993) Dreijährige ornithologische Studien in Nordkorea. I. Allgemeiner Teil und Non-Passeriformes. *Mitteilungen aus dem Zoologischen Museum in Berlin, Supplement: Annalen für Ornithologie* (17) 93-146.
- 7681 Austin, O. L. Jr. (1948) The birds of Korea. *Bulletin of the Museum of Comparative Zoology* 101: 1-301.
- 7682 O Myong Sok. (1984) Wiederentdeckung der Schopfkasarka, *Tadorna cristata* in der Koreanischen Demokratischen Volksrepublik. *Journal für Ornithologie* 125: 102-103.
- 7683 Fiebig, J. (1995) Dreijährige ornithologische Studien in Nordkorea. Nachtrag zum I. Teil (Non-Passerines) und II. Teil Passeriformes. *Mitteilungen aus dem Zoologischen Museum in Berlin, Suppl.: Annalen für Ornithologie* (19) 43-99.
- 7684 Tomek, T. (1999) The birds of North Korea. Non-Passeriformes. *Acta zool. cracov.* 42(1): 1-217.
- 7701 Schuchmann, K.-L., Weller, A.-A. and Heynen, I. (2001) Systematics and biogeography of the Andean genus *Eriocnemis* (Aves: Trochilidae). *Journal für Ornithologie* 142: 433-481.
- 7702 Weller, A.-A. (2000) Biogeography, geographic variation and habitat preference in the Amazilia Hummingbird, *Amazilia amazilia* Lesson (Aves: Trochilidae), with notes on the status of *Amazilia alticola* Gould. *Journal für Ornithologie* 141: 93-101.
- 7721 Simmons, R. E. (2000) Decline and movements of Lesser Flamingos in Africa. *Waterbirds (Special Publication)* 23(1): 4046.
- 7722 Nasirwa, O. (2000) Conservation status of flamingos in Kenya. *Waterbirds (Special Publication)* 23(1): 47-51.

- 7723 Tuite, C. H. (2000) The distribution and density of Lesser Flamingos in East Africa in relation to food availability and productivity. *Waterbirds (Special Publication)* 23(1): 52-63.
- 7724 Baldassarre, G. A. and Arengo, F. (2000) A review of the ecology and conservation of Caribbean Flamingos in Yucatán, Mexico. *Waterbirds (Special Publication)* 23(1): 70-79.
- 7725 Espinoza, F., Parra, L., Aranguren, J., Martino, A., Quijada, M., Pirela, D., Rivero, R., Gutierrez, T., Jimenez, N., Leal, S. and Leon, E. (2000) Numbers and distribution of the Caribbean Flamingo in Venezuela. *Waterbirds (Special Publication)* 23(1): 80-86.
- 7726 Valqui, M., Caziani, S. M., Rocha O., O. and Rodriguez, R., E. (2000) Abundance and distribution of the South American altiplano flamingos. *Waterbirds (Special Publication)* 23(1): 110-113.
- 7727 The Indonesian Ornithological Society. (2000) The birds of Indonesia. *Kukila* checklist No. 1, additions, corrections and notes - 2. *Kukila* 11: 3-12.
- 7728 Andrew, P. (1993) The birds of Indonesia. *Kukila* checklist No. 1, additions, corrections and notes - 1. *Kukila* 6(2): 47-52.
- 7729 Walters, M. (1998) What is *Psittacus borneus* Linnaeus? *Forktail* 13: 124-125.
- 7735 Wirminghaus, J. O., Downs, C. T., Perrin, M. R. and Symes, C. T. (2002) Taxonomic relationships of the subspecies of the Cape Parrot *Poicephalus robustus* (Gmelin). *Journal of Natural History* 36: 361-378.
- 7774 Penhallurick, J. (2001) *Primolius* Bonaparte, 1857 has priority over *Propyrrhura* Ribeiro, 1920. *Bulletin of the British Ornithologists' Club* 121(1): 38-39.
- 7775 Rasmussen, P. C. and Collar, N. J. (1999) On the hybrid status of Rothschild's Parakeet *Psittacula intermedia* (Aves, Psittacidae). *Bull. nat. Hist. Mus. Lond. (Zool.)* 65(1): 31-50.
- 7776 Boon, W. M., Daugherty, C. H. and Chambers, G. K. (2001) The Norfolk Island Green Parrot and New Caledonian Red-crowned Parakeet are distinct species. *Emu* 101: 113-121.
- 7784 Rasmussen, P. C. (1998) Is the imperial pheasant *Lophura imperialis* a hybrid? Work in progress and a call for information. *Tragopan* 9: 8-10.
- 7806 David, N. and Gosselin, M. (2002) Gender agreement of avian species names. *Bulletin of the British Ornithologists' Club* 122(1): 14-49.
- 7810 Showler, D. A. (2002) Bird observations on the Indian Ocean island of Rodrigues, March-June 1999. *Bulletin of the African Bird Club* 9(1): 17-24.
- 7812 Mikkola, A. and Mikkola, H. (2002) First record of Red-footed Falcon *Falco vespertinus* in The Gambia. *Bulletin of the African Bird Club* 9(1): 45.
- 7813 Ottoson, U., Bengtsson, D., Gustafsson, R., Hall, P., Hjort, C., Leventis, A. P., Neumann, R., Pettersson, J., Rhönstad, P., Rumsey, S. et al. (2002) New birds for Nigeria observed during the Lake Chad Bird Migration Project. *Bulletin of the African Bird Club* 9(1): 52-55.
- 7814 Betts, M. (2002) A systematic list of the birds of Aldabra. *Bulletin of the African Bird Club* 9(1): 32-41.
- 7815 Skerrett, A. (1996) The first report of the Seychelles Bird Records Committee. *Bulletin of the African Bird Club* 3(1): 45-50.
- 7816 Mullié, W. C. and Mullié-Mbékéllé, G. (2001) First breeding record of Hadada *Bostrychia hagedash* from Senegal. *Malimbus* 23: 59-62.
- 7821 Hille, S. and Thiollay, J.-M. (2000) The imminent extinction of the kites *Milvus milvus fasciicauda* and *M. m. migrans* on the Cape Verde Islands. *Bird Conservation International* 10: 361-369.
- 7822 McCann, K. I. (2001) Population status of South Africa's three crane species as of the end of 1999 based on a National Crane Census and regional aerial surveys. *Ostrich Supplement* 15: 126-129.
- 7823 Muheebwa-Muhoozi, J. (2001) The status of the Grey Crowned Crane *Balearica regulorum* in Uganda, with special reference to breeding. *Ostrich Supplement* 15: 122-125.
- 7825 Goar, J.-L. and Rutkowski, T. (2000) Reproduction de l'Aigle royal *Aquila chrysaetos* au Mali. *Alauda* 68: 327-328.
- 7827 McGowan, P. (2001) Status, management and conservation of the African Grey Parrot *Psittacus erithacus* in Nigeria. Prepared for the CITES Secretariat
- 7834 Naurois, R. de. (1969) Peuplements et cycles de reproduction des oiseaux de la côte occidentale d'Afrique, du Cap Barbas, Sahara Espagnol, à la frontière de la République de Guinée. *Mém. Mus. Nat. Hist. Paris sér. A, Zool.* 56: 1-312.
- 7836 Monard, A. (1940) Résultats de la Mission scientifique du Dr Monard en Guinée Portugaise 1937-1938. V Oiseaux. *Arg. Mus. Bocage, Lisboa* 11: 1-75.
- 7847 White, C. M. N. (1963) A revised check list of African flycatchers, tits, tree creepers etc. Govt Printer. -Lusaka
- 7848 Payne, R. B. (1973) Behavior, mimetic songs and song dialects, and relationships

- of the parasitic indigobirds (*Vidua*) of Africa. Ornithological Monographs 11: 333 pp.
- 7849 Rodwell, S. P. (1996) Notes on the distribution and abundance of birds observed in Guinea-Bissau, 21 February to 3 April 1992. *Malimbus* 18: 25-43.
- 7850 Poorter, E. and Zwarts, L. (1984) Résultats d'une première mission ornitho-écologique de l'IUCN/WWF en Guinée-Bissau. Privately published. -Groningen
- 7851 Altenburg, W. and van der Kamp, J. (1986) Oiseaux d'eau dans les zones humides de la Mauritanie du Sud, du Sénégal et de la Guinée-Bissau; octobre-décembre 1983. Research Institute for Nature Management (Contrib. 86-1). -Leersum
- 7852 Altenburg, W., Wymenga, E. and Zwarts, L. (eds.) (1992) Ornithological importance of the coastal wetlands of Guinea-Bissau. Working Group International Wader and Waterfowl Research (Rep. 26). -Zeist
- 7853 Hazeveld, C. J. (1996) Birds observed in Guinea-Bissau, January 1986, with a review of current ornithological knowledge of the country. *Malimbus* 18: 10-24.
- 7854 Bouet, G. (1914) Liste des oiseaux recueillis ou observés au Dahomey de 1908 à 1911. *Rev. fr. Orn.* 3: 265-269, 305-308.
- 7855 Cheke, R. A. (1996) Historical records of birds from the Republic of Benin. *Malimbus* 18: 58-59.
- 7856 Helsens, T. (1996) New information on birds in Ghana, April 1991 to October 1993. *Malimbus* 18: 1-9.
- 7857 Araújo, A. M. P. de. (1994) A importância ornitológica da Região da Cufada na Guiné-Bissau. ICN (Estud. de Biol. e Conserv. da Natureza 13). -Lisbon
- 7859 Ferreira, J. A. (1973) Bichos da Guiné: caça, fauna, natureza.
- 7860 Scott, D. A. and Pineau, O. (1990) Promotion of Ramsar Convention and survey of Lagoa de Cufada, Guinea Bissau. Unpublished report to IUCN. -Bissau
- 7861 Safford, R. J. and Smart, L. M. (1996) The continuing presence of Macgregor's Bird of Paradise *Macgregoria pulchra* on Mount Albert Edward, Papua New Guinea. *Bulletin of the British Ornithologists' Club* 116: 186-188.
- 7862 Bettleja, J. (1996) [First record of Cattle Egret (*Bubulcus ibis*) in Poland.]. *Notatki Orn.* 37: 141-143. (Polish)
- 7863 Clark, W. S. (1995) Specimen of Eurasian Sparrowhawk *Accipiter nisus* from South Africa verified. *Journal of African Raptor Biology* 10: 39.
- 7864 Collar, N. J. and Pitman, A. J. (1996) *Amazona kawalli* is a valid name for a valid species. *Bulletin of the British Ornithologists' Club* 116: 256-265.
- 7865 Djahida, B. (1996) Status and conservation of the White-headed Duck in Algeria. *Oxyura* 8: 21-24.
- 7866 Dodman, T. (1995) A survey to investigate the status and distribution of the Black-cheeked Lovebird *Agapornis nigrigenis* in south-west Zambia. *Bulletin of the African Bird Club* 2: 103-105.
- 7867 Emison, W. B., Beardsell, C. M. and Temby, I. D. (1994) The biology and status of the Long-billed Corella in Australia. *Proc. West. Found. Vert. Zool.* 5: 211-247.
- 7868 Frith, C. B. (1995) Range extension of a Splendid Astrapia *Astrapia splendidissima*, a sighting of an *A. mayeri* x *A. stephaniae* hybrid, or an unidentified *Astrapia* sp. (Paradisaeidae)? *Muruk* 7: 49-52.
- 7869 Galetti, M., Martuscelli, P., Pizo, M. A. and Simão, I. (1997) Records of Harpy and Crested Eagles in the Brazilian Atlantic forest. *Bulletin of the British Ornithologists' Club* 117: 27-?
- 7870 Handrinos, G. I. (1996) The White-headed Duck *Oxyura leucocephala* in Greece. *Oxyura* 8: 31-35.
- 7871 Hays, C. (1995) The Ring-necked Parakeet *Psittacula krameri* in Jordan. *Bulletin of the Ornithological Society of the Middle East* 35: 25-28.
- 7872 Ivanovsky, V. V. and Tischecko, A. K. (1993) Monitoring of Lesser Spotted Eagle (*Aquila pomarina*) in Belorussia. *Ring* 15: 267-273.
- 7873 Kirwan, G. M., Williams, R. S. R. and Bradshaw, C. G. (1996) West Indian Whistling Duck in the Dominican Republic. *Threatened Waterfowl Specialist Group News* 9: 10-11.
- 7874 LeDreff, A. and Raynaud, P. A. (1993) First record of the Eurasian Kestrel (*Falco tinnunculus*) in French Guiana. *Journal of Raptor Research* 27: 125.
- 7875 Manners, G. R. and Diekmann, J. (1996) Long-eared Owl *Asio Otus* breeding in north-west Syria. *Sandgrouse* 18: 62.
- 7876 Mills, E. D. and Rogers, D. T. Jr. (1988) First record of the Blue-throated Goldentail (*Hylocharis eliciae*) in Belize. *Wilson Bulletin* 100: 510.
- 7877 Staus, N. (1994) Observations on the West Indian Whistling-duck in the Bahamas. *IWRB Threatened Waterfowl Research Group Newsletter* 5: 13-14.
- 7878 Hilton, G. M., Williams, E. G., Murray, T. and Cleeves, T. (2000) West Indian Whistling-ducks in the Turks and Caicos Islands. *Threatened Waterfowl Specialist Group News* 12: 9-10.

- 8140 Castell, P., Coburn, J., Pleasance, B., Quittenden, T. and Shobrak, M. (2002) Further notes on the breeding biology of some birds in Saudi Arabia. *Sandgrouse* 24(1): 33-37.
- 8142 Karakas, R. and Kılıç, A. (2002) Birds of Göksu Dam (Diyarbakir) and new records in south-east Turkey. *Sandgrouse* 24(1): 38-43.
- 8143 Ananian, V., Busuttil, S. and Finn, M. (2002) Recent observations of some rare breeding birds in Armenia. *Sandgrouse* 24(1): 46-48.
- 8149 Sultanov, E. H. (2001) Status of White-headed Duck in Azerbaijan. *Threatened Waterfowl Research Group News* 13: 44-45.
- 8150 Kreuzberg-Mukhina, E., Lanovenko, Y., Filatov, A. and Zagrabin, S. (2001) Status and distribution of the White-headed Duck in Uzbekistan. *Threatened Waterfowl Research Group News* 13: 46-48.
- 8151 Drilling, N. (2001) Ecology and conservation of the White-winged Duck in Sumatra. *Threatened Waterfowl Research Group News* 13: 14-15.
- 8152 Zöckler, C. and Syroechkovski, E. E. Jr. (2001) Status of the Baikal Teal in the lower Indigirka basin, Siberia. *Threatened Waterfowl Research Group News* 13: 21-23.
- 8153 Azafzaf, H. (2001) White-headed Ducks in Tunisia. *Threatened Waterfowl Research Group News* 13: 37-42.
- 8154 Torres, J. (2001) New records of White-headed Duck from Morocco. *Threatened Waterfowl Research Group News* 13: 43.
- 8155 Petkov, N. and Mittev, D. (2001) Ferruginous Ducks at Durankulak Lake complex, Bulgaria, 1995-2001. *Threatened Waterfowl Research Group News* 13: 49-55.
- 8156 Trolliet, B. and Girard, O. (2001) Record counts of Ferruginous Duck in Sahelian Africa. *Threatened Waterfowl Research Group News* 13: 56-57.
- 8158 Vasiliev, V. I. and Gauzer, M. (2001) Status of threatened waterfowl in the south-east Caspian region of Turkmenistan. *Threatened Waterfowl Research Group News* 13: 68-71.
- 8159 Vasiliev, V. I. and Gauzer, M. (2001) Status of waterbirds in the Caspian region of Turkmenistan, 1970-2000. *Threatened Waterfowl Research Group News* 13: 72-73.
- 8161 Dimitrov, M., Profirov, L., Nyagolov, K. and Michev, T. (2000) Record counts of White-headed Duck in Bulgaria. *Threatened Waterfowl Research Group News* 12: 18-20.
- 8162 Gustin, M.Rizzi, V. and Gallo-Orsi, U. (2000) White-headed Duck reintroduction in Apulia, southern Italy: 1999 update. *Threatened Waterfowl Research Group News* 12: 21-25.
- 8163 Talukdar, B. K. and Bhattacharjee, P. C. (2000) Status of wintering Ferruginous Duck in the Brahmaputra valley, Assam, India. *Threatened Waterfowl Research Group News* 12: 39-41.
- 8164 Saporetti, F. (2000) Breeding Ferruginous Duck at Palude Brabbia Regional Reserve, northern Italy. *Threatened Waterfowl Research Group News* 12: 42-43.
- 8165 Petkov, N. (2000) Population trends of breeding Ferruginous Duck in Bulgaria. *Threatened Waterfowl Research Group News* 12: 44-48.
- 8167 Gummer, H. (2000) A progress report on the conservation of the Campbell Island Teal in New Zealand. *Threatened Waterfowl Research Group News* 12: 54-56.
- 8168 Kreuzberg-Mukhina, E., Kashkarov, D. Yu., Lanovenko, Y. N., Nazarov, O. P. and Shernazarov, E. S. (2000) Status of threatened Anatidae in Uzbekistan. *Threatened Waterfowl Research Group News* 12: 70-75.
- 8181 Clark, W. S. and Paulson, D. R. (2002) Specimen record of Short-toed Snake Eagle for Kenya is invalid. *Bulletin of the British Ornithologists' Club* 122(2): 156-157.
- 8231 Willard, D. E., Foster, M. S., Barrowclough, G. F., Dickerman, R. W., Cannell, P. F., Coats, S. L., Cracraft, J. L. and O'Neill, J. P. (1991) The birds of Cerro de la Neblina, Territorio Federal Amazonas, Venezuela. *Fieldiana Zoology* (2)(66) 80
- 8615 Barnett, A., Shapley, R., Benjamin, P., Henry, E. and McGarrell, M. (2002) Birds of the Potaro Plateau, with eight new species for Guyana. *Cotinga* 18: 19-36.
- 8616 Walker, B. (2002) Observations from the Tumbes Reserved Zone, dpto. Tumbes, with notes on some new taxa for Peru and a checklist of the area. *Cotinga* 18: 37-43.
- 8617 Howell, S. N. G. (2002) Additional information on the birds of Ecuador. *Cotinga* 18: 62-65.
- 8618 Verhelst, J. C., Pfeifer, A. M., Orrego, O and Botero, J. E. (2002) Observaciones sobre la ecología del Periquito Frentirrufo *Bolborhynchus ferrugineifrons* en zonas cercanas a la Laguna del Otún. *Cotinga* 18: 66-70.
- 8623 Castaño R., A. M. and Colorado Z., G. J. (2002) First records of Red-tailed Hawk *Buteo jamaicensis* in Colombia. *Cotinga* 18: 102.
- 8632 Jones, H. L., Balderamos, P., Caulfield, J., Caulfield, A., Crawford, G., Donegan, T. M., McRae, E., Meadows, M., Muschamp, M.,

- Saqui, P. et al. (2002) Fourteen new bird species for Belize. *Cotinga* 17: 33-42.
- 8634 Ribon, R., Whitney, B. M. and Pacheco, J. F. (2002) Discovery of Bahia Spinetail *Synallaxis cinerea* in north-east Minas Gerais, Brazil, with additional records of some rare and threatened montane Atlantic Forest birds. *Cotinga* 17: 46-50.
- 8636 López-Lanús, B. (2002) Notes on Chestnut-bellied Hummingbird *Amazilia castaneiventris*: a new record for Boyacá, Colombia. *Cotinga* 17: 51-52.
- 8639 Högsås, T. E., Málaga-Arenas, E. and Neyra, J. P. (2002) Noteworthy bird records for south-west Peru. *Cotinga* 17: 60-61.
- 8641 Schuchmann, K. L., Weller, A.-A. and Heynen, I. (2001) Biogeography and geographic variation of the Andean hummingbird taxon *Boissonneaua Reichenbach, 1854* (Aves: Trochilidae). *Orn. Neotrop.* 12: 93-108.
- 8643 Weller, A.-A. and Renner, S. C. (2001) A new subspecies of *Heliodoxa xanthogonys* (Aves: Trochilidae) from the southern Pantepui highlands, with biogeographical and taxonomic notes. *Ararajuba* 9: 1-5.
- 8649 Norton, R. (2000) West Indies region. *North American Birds* 54: 109-111.
- 8654 Kirwan, G. M. (2000) Rose-ringed Parakeet (*Psittacula krameri*) recorded in the West Indies. *El Pitirre* 13: 42.
- 8662 Pérez-Rivera, R. (2001) Comments on Kirwan's first record of the Rose-ringed Parakeet (*Psittacula krameri*) in the West Indies. *El Pitirre* 14: 9.
- 8663 Forcey, J. M. (2001) Breeding of Cooper's Hawk (*Accipiter cooperii*) in Oaxaca. *Huitzil* 2: 21-23.
- 8666 Whitney, B. M. and Oren, D. C. (2001) First record of Amazonian Parrotlet (*Nannopsittaca dachilleae*) in Brazil. *Nattereria* 2: 26.
- 8674 Hayes, F. E. (2001) First sight records of Swainson's Hawk (*Buteo swainsoni*) for Trinidad and Chacachacare Island, with comments on its status and trans-Caribbean migration. *El Pitirre* 14: 63-65.
- 8709 Frade, F. and Bacelar, A. (1959) Catalogo das aves da Guiné Portuguesa. II - Passeres. *Memórias da Junta de Investigações do Ultramar* 7: 116
- 8724 Olsen, J., Wink, M. Sauer-Gurth, H. and Trost, S. (2002) A new *Ninox* owl from Sumba, Indonesia. *Emu* 102: 223-231.
- 8725 Anon. (1993) European News. 33. *British Birds* 86: 278-293.
- 8757 Jones, H. L. (2002) Erroneous and unconfirmed bird records from Belize: setting the record straight. *Bulletin of the British Ornithologists' Club* 122(3): 201-216.
- 8997 Andryushchenko, Y. (2002) Current state of the Great Bustard *Otis tarda* wintering population in south Ukraine. *Sandgrouse* 24(2): 109-116.
- 9115 Gaban-Lima, R., Raposo, M. A. and Hofling, E. (2002) Description of a new species of *Pionopsitta* (Aves: Psittacidae) endemic to Brazil. *Auk* 119: 815-819.
- 9127 Meininger, P. L., Wolf, P. A., Hadoud, D. A. and Essghaier, M. F. A. (1996) Notes on the coastal birds of Libya, July 1993. *Sandgrouse* 18(1): 53-60.
- 9147 Lichard, M., Matousek, B. and Psota, A. (1997) [Houbara Bustard (*Chlamydotis undulata*)---a new species of the bird fauna in Slovakia.]. *Tichodroma* 10: 162-163.
- 9220 Salaman, P., Donegan, T. M. and Cuervo, A. M. (2002) New distributional bird records from Serranía de San Lucas and adjacent Central Cordillera of Colombia. *Bulletin of the British Ornithologists' Club* 122(4): 285-303.
- 9221 Weller, A.-A. (2002) First confirmed record of *Agyrtria versicolor* (Trochilidae) for Peru. *Bulletin of the British Ornithologists' Club* 122(4): 314-317.
- 9222 King, B. (2002) Species limits in the Brown Boobook *Ninox scutulata* complex. *Bulletin of the British Ornithologists' Club* 122(4): 250-257.
- 9223 Anon. (2002) First insights in the ecology and implementation of conservation actions: the El Oro Parakeet. *Cyanopsitta* (66) 20-22.
- 9306 Daugherty, C. H., Williams, M. and Hay, J. M. (1999) Genetic differentiation, taxonomy and conservation of Australasian teals *Anas* spp. *Bird Conserv. Int.* 9: 29-42.
- 9307 Tishechkin, A. K. et al. (1997) Breeding population of the Great Gray Owl (*Strix nebulosa*) in Belarus: summary of recent knowledge. USDA, For. Serv. Gen. Tech. Rep. NC-GTR-190 449--455.
- 9308 Clouet, M., Barrau, C. and Goar, J.-L. (1999) The Golden Eagle (*Aquila chrysaetos*) in the Balé Mountains, Ethiopia. *J. Raptor Res.* 33: 102-109.
- 9309 Bretagnolle, V. et al. (2000) Distribution, population size, and habitat use of the Réunion Marsh Harrier, *Circus m. mailliardi*. *J. Raptor Res.* 34: 8-17.
- 9310 Frith, C. B., and Poulsen, M. K. (1999) Distribution and status of the Paradise Crow *Lycocorax pyrrhocopterus* and Standardwing Bird of Paradise *Semioptera wallacii*, with notes on biology and nidification. *Emu* 99: 229-238.

- 9311 Aguilera, X. G. et al. (1999) Population size of Cuban Parrots *Amazona leucocephala* and Sandhill Cranes *Grus canadensis* and community involvement in their conservation in northern Isla de la Juventud, Cuba. *Bird Conserv. Int.* 9: 97--112.
- 9312 De Juana, E., and Martínez, C. (1996) Distribution and conservation status of the Little Bustard, *Tetrax tetrax*, in the Iberian Peninsula. *Ardeola* 43(2): 157-167.
- 9313 Martín, A. et al. (1997) Distribution, status and conservation of the Houbara Bustard, *Chlamydotis undulata fuertaventurae*, Rothschild & Hartert, 1894, in the Canary Islands, November-December 1994. *Ardeola* 44(1): 61-69.
- 9314 Butynski, T. M., Agenonga, U., Ndera, B. and Hart, J. F. (1997) Rediscovery of the Congo Bay (Itombwe) Owl *Phodilus prigoginei*. *Bull. Afr. Bird Club* 4: 32--35.
- 9315 Rabarisoa, R., Watson, R. T., Thorstrom, R. and Berkelman, J. (1997) Status of the Madagascar Fish Eagle *Haliaeetus vociferoides* in 1995. *Ostrich* 68: 8--12.
- 9316 Lourdes Avila Hernández, M. de. (1998) The Quetzal and its conservation in the Mexican Southeast. *Wilson Bull.* 110: 559.
- 9318 Bahá el Din, S. and Bahá el Din, M. (1997) Crested Honey Buzzard *Pernis ptilorhynchus*, a new species for Egypt and the African continent. *Bull. Afr. Bird Club* 4: 31.
- 9324 Walker, J. S., and Cahill, A. J. (2000) Population size and status of the Yellow-breasted Racquet-tail Parrot *Prioniturus flavicans*. *Bird Conservation International* 10: 131--136.
- 9325 Garnett, S. T. and Crowley, G. M. (2000) Action Plan for Australian Birds 2000: the Psittacids. *Eclectus* 9: 7--38.
- 9326 Garnett, S. T. and Crowley, G. M. (2000) Action Plan for Australian Birds 2000: the Psittacids. (contd.). *Eclectus* 10: 11-20.
- 9327 Hassell, C. J. and Boyle, A. N. (2000) Abbott's Booby: first record for mainland Australia. *Australian Bird Watcher* 18: 255-258.
- 9329 Basnet, S., Holt, P. and Karki, R. (2000) Jerdon's Baza *Aviceda jerdoni*: a new species for Nepal. *Forktail* 16: 170--171.
- 10018 Ridgely, R. S. and Greenfield, P. J. (2001) The birds of Ecuador, status, distribution and taxonomy. Christopher Helm. -London
- 10021 Rodner, C., Lentino, M. and Restall, R. (2000) Checklist of the birds of northern South America. An annotated checklist of the species and subspecies of Ecuador, Colombia, Venezuela, Aruba, Curaçao, Bonaire, Trinidad & Tobago, Guyana, Suriname and French Guiana. Pica Press. - Sussex, U.K.
- 10037 Gilbert, M., Virani, M. Z., Watson, R. T., Oaks, J. L., Benson, P. C., Khan, A. A., Ahmed, S., Chaudhry, J., Arshad, M., Mahmood, S. and Shah, Q. A. (2002) Breeding and mortality of Oriental White-backed Vulture *Gyps bengalensis* in Punjab Province, Pakistan. *Bird Conserv. Internatn.* 12: 311-326.
- 10038 Williams, R. and Santander, T. (2003) Conservation of the Black-breasted Puffleg *Eriocnemis nigrivestis*; a review of the species' range and ecology, mapping of remaining habitat and proposal for the species' conservation. Unpublished.
- 10073 Marín, M. (2000) El aguilucho langostero *Buteo swainsoni* una nueva especie que se debe agregar a la lista de aves Chilenas. *Boletín Chileno de Ornitológia* 7: 26.
- 10078 Akker, M. van den. (2003) Birds of Niaouli forest, southern Benin. *Bulletin of the African Bird Club* 10(1): 16-22.
- 10082 Claffey, P. M. (2003) Parasitic weaver *Anomalospiza imberbis*, new to Benin. *Bulletin of the African Bird Club* 10(1): 49-50
- 10114 Sultanov, E. and Agayeva, N. (2003) The current breeding status of Ferruginous Duck *Aythya nyroca* in Azerbaijan. *Sandgrouse* 25(1): 41-49.
- 10115 Kreuzberg-Mukhina, E. (2003) Some unusual patterns of bird migration in Uzbekistan, spring 2002. *Sandgrouse* 25(1): 59-62.
- 10120 Cuervo, A. M., Stiles, F. G., Cadena, C. D., Toro, J. L. and Londoño, G. A. (2003) New and noteworthy bird records from the northern sector of the Western Andes of Colombia. *Bulletin of the British Ornithologists' Club* 123: 7-24.
- 10121 Braun, M. J., Robbins, M. B., Milensky, C. M., O'Shea, B. J., Barber, B. R., Hinds, W. and Prince, W. S. (2003) New birds for Guyana from Mts Roraima and Ayanganna. *Bulletin of the British Ornithologists' Club* 123: 24-33.
- 10140 Simic, D. (2001) Accepted sightings of the Egyptian Vulture *Neophron percnopterus* in Botswana. *Vulture News* 44: 31-32.
- 10142 Irwin, M. T. and Samonds, K. E. (2002) Range extension of the Madagascar Red Owl *Tyto soumagnei* in Madagascar: the case of a rare widespread species? *Ibis* 144: 680-683.
- 10145 Ostrowski, S., Massalatehi, M. S. and Mamana, M. (2001) Evidence of a dramatic decline of the Red-necked Ostrich *Struthio camelus camelus* in the Aïr and Tenere National Nature Reserve, Niger. *Oryx* 35: 349-352.
- 10146 Warburton, L. (2002) Black-cheeked Lovebird, Africa's most threatened lovebird. *Africa-Birds & Birding* 7(1): 52-59.

- 10152 Alonso, J. C., Palacín, C. and Martín, C. A. (2003) Status and recent trends of the great bustard (*Otis tarda*) population in the Iberian peninsula. *Biol. Conserv.* 110: 185-195.
- 10153 Bueser, G. L. L., Bueser, K. G., Afan, D. S., Salvador, D. I., Grier, J. W., Kennedy, R. S. and Miranda, H. C. (2003) Distribution and nesting density of the Philippine Eagle *Pithecopaga jefferyi* on Mindanao Island, Philippines: what do we know after 100 years. *Ibis* 145: 130-135.
- 10158 Harrison, J. M. (1955) The first occurrence of the Bateleur and Red Kite in Iraq. *Bulletin of the British Ornithologists' Club* 75: 59-60.
- 10161 Al-Dabbagh, K. Y., Mohammed, S. M and Jiad, J. H. (1992) First breeding records of Palm Dove *Streptopelia senegalensis* and Starling *Sturnus vulgaris* in Iraq. *Sandgrouse* 14: 53-54.
- 10169 Georg, P. V. and Vielliard, J. (1970) Midwinter observations on birds of central and south Iraq. *Bull. Iraq Nat. Hist. Mus.* 4(4): 61-85.
- 10170 Scott, D. A. and Carp, E. (1982) A midwinter survey of wetlands in Mesopotamia, Iraq: 1979. *Sandgrouse* 4: 60-69.
- 10172 Ctyroky, P. (1987) Ornithological observations in Iraq. *Beiträge Vogelkundliche* 33: 141-204.
- 10173 Georg, P. V. (1969) Systematic list of Iraqi vertebrates - Aves. *Iraq Nat. Hist. Mus. Publ.* (26) 34-63.
- 10174 Sage, B. L. (1959) Some comments on autumn migration in eastern Iraq. *Bulletin of the British Ornithologists' Club* 79: 132-135.
- 10175 Marchant, S. (1963) Notes on five species of Iraqi birds. *Bulletin of the British Ornithologists' Club* 83: 52-56.
- 10176 Harrison, J. M. (1959) Notes on a collection of birds made in Iraq by Flight Lieutenant David L. Harrison. *Bulletin of the British Ornithologists' Club* 79: 9-13, 31-36, 49-50.
- 10177 Kinzelbach, R. (1986) New records of Alexander's Parrot, *Psittacula krameri*, from Egypt and the Levant countries. *Zoology in the Middle East* 1: 69-72.
- 10249 Mazar Barnett, J. and Pearman, M. (2001) Lista Comentada de las Aves Argentinas/Annotated Checklist of the Birds of Argentina. Lynx Edicions. -Barcelona
- 10250 Barré, N. and Bachy, P. (2003) Compléments à la liste commentée des oiseaux de Nouvelle-Calédonie. *Alauda* 71(1): 31-39.
- 10251 Chammem, M., Khorchani, T., Boukhris, M., Combreau, O., Chiniti, L. and Hammadi, M. (2003) L'Outarde houbara *Chlamydotis undulata undulata* en Tunisie : statut actuel et distribution géographique. *Alauda* 71(1): 41-47.
- 10252 Ingels, J., Cleere, N. and Pelletier, V. (2003) Noteworthy observations on some French Guianan birds. *Alauda* 71(1): 59-67.
- 10289 Imberti, S. (2003) Notes on the distribution and natural history of some birds in Santa Cruz and Tierra del Fuego provinces, Patagonia, Argentina. *Cotinga* 19: 15-24.
- 10290 Hennessey, A. B. and Gomez, M. I. (2003) Four bird species new to Bolivia: an ornithological survey of the Yungas site Tokoaque, Madidi National Park. *Cotinga* 19: 25-33.
- 10292 Cooper, D. S. (2003) New distributional and ecological information on birds in southwestern Guatemala. *Cotinga* 19: 61-63.
- 10293 Williams, R. S. R. and Beadle, D. D. (2003) Eurasian Wigeon *Anas penelope* in Venezuela: a new bird for South America. *Cotinga* 19: 71.
- 10294 ffrench, R. and Kenefick, M. (2003) Verification of rare bird records from Trinidad and Tobago. *Cotinga* 19: 75-79.
- 10295 Navarrete, L. (2003) White-breasted Parakeet *Pyrrhura albipectus*: a new record for Peru. *Cotinga* 19: 79.
- 10297 Wingate, D. B. (2002) Mississippi Kite - new record for Bermuda. *Bermuda Audubon Soc. Newsletter* 13(3): 2-3.
- 10300 Childress, R. B. and Hughes, B. (2001) The status of the West Indian Whistling-duck (*Dendrocygna arborea*) in St. Kitts-Nevis, January-February 2000. *El Pitirre* 14: 107-112.
- 10301 Anon. (2002) Four new bird records for Nicaragua and the rediscovery of the Golden-cheeked Warbler (*Dendroica chrysoparia*). *La Tangara* 40:
- 10302 Pugnali, G. and Pearman, M. (2001) Confirmación de la presencia del Colibrí Rubí (*Chrysolampis mosquitis*) en Argentina. *Hornero* 16: 93-95.
- 10327 Bagyura, J., Szitta, T., Haraszthy, L., Firmánszky, G., Viszló, L., Kovács, A., Demeter, I. and Horváth, M. (2002) Population increase of Imperial Eagle (*Aquila heliaca*) in Hungary between 1980 and 2000. *Aquila* ?: 107-108, 133-144.
- 10333 Pinho, J. B. and Nogueira, F. M. B. (2003) Hyacinth Macaw (*Anodorhynchus hyacinthinus*) reproduction in the Northern Pantanal, Mato Grosso, Brazil. *Orn. Neotrop.* 14(1): 29-38.
- 10364 Brooks, T. (2002) Birds collected in the Philippines by the Noona Dan Expedition, August to December 1961. *Steenstrupia* 27(1): 29-46.

- 10409 Whittaker, A. (2002) A new species of forest-falcon (Falconidae: *Micrastur*) from southeastern Amazonia and the Atlantic rainforests of Brazil. *Wilson Bulletin* 114(4): 421-445.
- 10522 Skerrett, A. and Roest, L. (2003) Pallid Harrier *Circus macrourus*: the first record for Seychelles. *Bulletin of the African Bird Club* 10(2): 126-127.
- 10579 King, J. M. B. (2003) Baillon's Crake *Porzana pusilla*, new to The Gambia, with notes on seven other species. *Malimbus* 25: 59-61.
- 10580 Velmala, W. and Gustafsson, R. (2003) Two new raptors for Nigeria and other raptor observations at Lake Chad. *Malimbus* 25: 52-55.
- 10581 Crisler, T., Jameson, C. and Brouwer, J. (2003) An updated overview of the birds of W National Park, southwest Niger. *Malimbus* 25: 4-30.
- 10590 Nikolaus, J. (2000) The birds of the Parc National du Haut Niger, Guinea. *Malimbus* 22: 1-22.
- 10592 Viäisänen, R.A, Lammi, E., Koskimies, P. (1998) Miuittuva Pesimälinnusto. 567 Otava 1890. -Helsinki (Finnish)
- 11374 Strewe, R. and Navarro, C. (2003) New distributional records and conservation importance of the San Salvador valley, Sierra Nevada de Santa Marta, northern Colombia. *Ornitología Colombiana* 1: 29-41.
- 11378 Hilty, S. L. (2003) Birds of Venezuela. Christopher Helm. -London
- 11382 Steinheimer, F. D., Easton, E. R. and Lewthwaite, R. W. (2003) Rediscovery of John Crampton W. Kershaw's birds from Macau, including his record of Small Niltava *Niltava macgrigoriae*. *Bulletin of the British Ornithologists' Club* 123(4): 220-227.
- 11383 Roda, S. A., Carlos, C. J. and Rodrigues, R. C. (2003) New and noteworthy records for some endemic and threatened birds of the Atlantic forest of north-eastern Brazil. *Bulletin of the British Ornithologists' Club* 123(4): 227-236.
- 11385 Weller, A.-A. and Rengifo G., C. (2003) Notes on the avifauna of the Cordillera de Mérida, Venezuela. *Bulletin of the British Ornithologists' Club* 123(4): 261-270.
- 11386 Woodcock, M. W. (2003) Systematics and confusion in the genus *Parmoptila*. *Bulletin of the British Ornithologists' Club* 123(4): 274-277.
- 11405 Berkelman, J., Fraser, J. D. and Watson, R. T. (2002) Nesting and perching habitat use of the Madagascar Fish-Eagle. *J. Raptor Res.* 36(4): 287-293.
- 11406 Borghesio, L. and Kariuki Ndang'ang'a, P. (2003) Habitat selection and the conservation status of Fischer's turaco *Tauraco fischeri* in Uguja, Tanzania. *Oryx* 37(4): 444-453.
- 11407 Ferreira, S. M. and Taylor, S. (2003) Population decline of brown teal (*Anas chlorotis*) on Great Barrier Island. *Notornis* 50(3): 141-147.
- 11408 Kawakami, K. and Higuchi, H. (2003) Population trend estimation of three threatened bird species in Japanese rural forests: the Japanese Night Heron *Gorsachius goisagi*, Goshawk *Accipiter gentilis* and Grey-faced Buzzard *Butastur indicus*. *J. Yamashina Inst. Ornithol.* 35(1): 19-29.
- 11409 Kearvell, J. C. and Boon, W. M. (2003) The orange-fronted parakeet (*Cyanoramphus malherbi*) is a distinct species: a review of recent research into its taxonomy and systematic relationship within the genus *Cyanoramphus*. *Notornis* 50(1): 27-35.
- 11410 Singha, H., Rahmani, A. R., Coulter, M. C. and Javed, S. (2003) Breeding behaviour of the Greater Adjutant-Stork *Leptoptilos dubius* in Assam, India. *J. Bombay Nat. Hist. Soc.* 100(1): 9-26.
- 11436 Hald-Mortensen, P. (1971) A collection of birds from Liberia and Guinea (Aves). *Steenstrupia* 1: 115-125.
- 11437 Bourronville, D. de. (1967) Notes d'ornithologie guineenne. *Gerfaut* 57: 145-158.
- 11438 de Roo, A. and van Orshoven, J. (1967) Remarques sur une collection d'oiseaux de la République de Guinée. *Rev. Zool. Bot. Afr.* 76: 285-291.
- 11439 Berlioz, J. and Roche, J. (1960) Étude d'une collection d'oiseaux de Guinée. *Bulletin du Muséum National d'Histoire Naturelle* (2)32: 272-283.
- 11440 Berlioz, J. (1958) Étude d'une collection d'oiseaux de Guinée française. *Bulletin du Muséum Nationale d'Histoire Naturelle* (2)30: 490-497.
- 11441 Berlioz, J. (1931) Notes sur quelques oiseaux de la Guinée française. *Bulletin du Muséum National d'Histoire Naturelle* (2)3: 298-301.
- 11442 Klaptoz, A. (1913) Beitrag zur Kenntnis der Ornith Französisch Guineas. *Journal für Ornithologie* 61: 444-455.
- 11443 Altenburg, W. and van der Kamp, W. (1991) Ornithological importance of coastal wetlands in Guinea. ICBP Study Report (38) 104 pp.
- 11445 Schifferli, A. (1967) Vom Zug schweizerischer und deutscher Schwarzer Milane *Milvus migrans* nach Ringfunden. *Orn. Beob.* 64: 34-51.
- 11451 Browne, P. W. P. (1984) Seven new species for Conakry, Guinea. *Malimbus* 6: 74.

- 11455 Halleux, D. (1994) Annotated bird list of Macenta Prefecture, Guinea. *Malimbus* 16: 10-29.
- 11456 Demey, R. (1995) Notes on the birds of the coastal and Kindia areas, Guinea. *Malimbus* 17: 85-99.
- 11457 Hayman, P. V., Prangley, M., Barnett, A. and Diawara, D. (1995) The birds of the Kounounkan Massif, Guinea. *Malimbus* 17: 53-62.
- 11462 Claffey, P. M. (1995) Notes on the avifauna of the Bétérou area, Borgou Province, Republic of Benin. *Malimbus* 17(2): 63-84.
- 11469 Cheke, R. A. (1995) An historical breeding record in Mali and description of the young of the Grasshopper Buzzard *Butastur rufipennis*. *Malimbus* 17(2): 106-107.
- 11475 van den berg, A. B. and Bosman, C. A. W. (1984) Range extensions and rare records of birds in Ecuador. *Bulletin of the British Ornithologists' Club* 104(4): 152-154.
- 11478 Svensson, S., Svensson, M., Tjernberg, M. (1999) Svensk Fagelatlas. 551 Vår Fågelvärld. -Stockholm (Swedish)
- 11883 Prins, T. G., de Freitas, J. A. and Roselaar, C. S. (2003) First specimen record of the Barn Owl *Tyto alba* in Bonaire, Netherlands Antilles. *Caribbean Journal of Science* 39(1): 144-147.
- 11903 Liberotorio, F. and Penteriani, V. (2001) A long-term analysis of the declining population of the Egyptian vulture in the Italian peninsula: distribution, habitat preference, productivity and conservation implications. *Biological Conservation* 101(3): 381-389
- 11905 Prakash, V. et al. (2003) Catastrophic collapse of Indian white-backed *Gyps bengalensis* and long-billed *Gyps indicus* vulture populations. *Biological Conservation* 109(3): 381-390
- 11923 Pérez-Arteaga, A. and Gaston, K.J. (2004) Wildfowl population trends in Mexico, 1961-2000: a basis for conservation planning. *Biological Conservation* 115(3): 343-355
- 11929 Germain, M. and Cornet, J.-P. (1994) Oiseaux nouveaux pour la République Centrafricaine ou dont les notifications de ce pays sont peu nombreuses. *Malimbus* 16: 30-51.
- 12069 Tourenq, C., Combretau, O., Pole, S. B., Lawrence, M., Ageyev, V. S., Karpov, A. A. and Launay, F. (2004) Monitoring of Asian houbara bustard *Chlamydotis macqueenii* populations in Kazakhstan reveals dramatic decline. *Oryx* 38(1): 62-67.
- 12072 Serra, G., Abdallah, M., Assaad, A., Abdallah, A., Al Qaim, G., Fayad, T. and Williamson, D. (2004) Discovery of a relict breeding colony of northern bald ibis *Geronticus eremita* in Syria. *Oryx* 38(1): 106-108.
- 12077 Freile, J. F. and Chaves, J. A. (2004) Interesting distributional records and notes on the biology of bird species from a cloud forest reserve in north-west Ecuador. *Bulletin of the British Ornithologists' Club* 124(1): 6-16.
- 12078 Freile, J., Chaves, J. A., Iturralde, G. and Guevara, E. (2003) Notes on the distribution, habitat and conservation of the Cloud-forest Pygmy-Owl (*Glaucidium nubicola*) in Ecuador. *Ornitología Neotropical* 14: 275-278.
- 12079 Kumar R., S. and Singh, P. (2004) A new subspecies of Slater's Monal *Lophophorus sclateri* from western Arunachal Pradesh, India. *Bulletin of the British Ornithologists' Club* 124(1): 16-28.
- 12080 Strewe, R. and Navarro, C. (2004) New and noteworthy records of birds from the Sierra Nevada de Santa Marta region, north-eastern Colombia. *Bulletin of the British Ornithologists' Club* 124(1): 38-51.
- 12081 Angehr, G. R., Christian, D. G. and Aparicio, K. M. (2004) A survey of the Serranía de Jungurudó, an isolated mountain range in eastern Panama. *Bulletin of the British Ornithologists' Club* 124(1): 51-62.
- 12228 Shirihi, H. (1996) The birds of Israel. Academic Press. - London
- 12247 Rojer, A. (1997) Biological inventory of St. Maarten. <http://www.mina.vomil.an/Pubs/RoyerSXMsurvey.html>
- 12297 Salaman, P., Cortes, A., Borrero, A., Nieto, O., Flórez, P., Castaño, J., Vargas, M. and Suárez, G. (2003) Aspectos sobre la conservación y monitoreos del loro orejiamarillo (*Ognorhynchus icterotis*) en los Andes Colombianos: informe del año 2002. Aleteo No. 6 Fundación Loro Parque. -Bogotá, Colombia
- 12301 Sauer, J. R., Hines, J. E. and Fallon, J. (2003) The North American Breeding Bird Survey, Results and Analysis 1966 - 2002. Survey-wide trend results. <http://www.mbr-pwrc.usgs.gov/cgi-bin/atlas02.pl?SUR> USGS Patuxent Wildlife Research Center. -Laurel, MD
- 12321 Ferrer, M., Penteriani, V., Balbontín, J. and Pandolfi, M. (2003) The proportion of immature breeders as a reliable warning signal of population decline: evidence from the Spanish imperial eagle in Doñana. *Biological Conservation* 114(3): 463-466.
- 12337 Downes, C. M., Collins, B. T. and Damus, M. (2003) Canadian Bird Trends Web site. Version 2.1. http://www.cws-scf.ec.gc.ca/birds/trends/default_e.cfm Migratory Birds Conservation Division, Canadian Wildlife Service. -Hull, Quebec

- 12348 Krueper, D., Bart, J. and Rich, T. D. (2003) Response of vegetation and breeding birds to the removal of cattle on the San Pedro River, Arizona (U.S.A.). *Conservation Biology* 17(2): 606-615.
- 12351 Richardson, C. (2003) Emirates Bird Report. Emirates Bird Records Committee. -Dubai
- 12355 Anon. (2004) Lista Nacional das Espécies da Fauna Brasileira Ameaçadas de Extinção. <http://www.mma.gov.br/port/sbf/fauna/lista.html>
- 12370 Seymour, J., Paton, D. C. and Rogers, D. J. (2003) The conservation status of the Rufous Bristlebird *Dasyornis broadbenti* in South Australia. *Emu* 103: 315-321.
- 12375 Steiof, K and Altenkamp, R. (1999) 20 Jahre Artenschutz für die Großtrappe *Otis tarda* in Brandenburg - eine kritische Bilanz. *Vogelwelt* 120: 163-172.
- 12381 Freile, J. F., Moreano V., M., Bonaccorso, E., Santander, T. and Chaves, J. A. (2004) Notas sobre la historia natural, distribución y conservación de algunas especies de aves amenazadas del suroccidente de Ecuador. *Cotinga* 21: 18-24.
- 12382 Janni, O. (2004) More distributional data on Ecuadorian birds. *Cotinga* 21: 25-26.
- 12383 Figueroa, O. A., Martinez, W., Teul, M., Albanese, G. and Piaskowski, V. D. (2004) Additional notes on eight bird species from Belize. *Cotinga* 21: 31-33.
- 12386 Nemeth, N. M. and Vaughan, C. (2004) Feeding observations on Scarlet Macaw *Ara macao* in Costa Rica. *Cotinga* 21: 71-72.
- 12396 Pacheco, J. F. and Minns, J. (2002) Notes on the Brazilian records of *Campylopterus duidae* Chapman, 1929. *Ararajuba* 10: 269-270.
- 12399 Robbins, M. B., Braun, M. J. and Finch, D. W. (2003) Discovery of a population of the Endangered Red Siskin (*Carduelis cucullata*) in Guyana. *Auk* 120: 291-298.
- 12400 Zyskowski, K., Robbins, M. B., Peterson, A. T., Bostwick, K. S., Clay, R. P. and Amarilla, L. A. (2003) Avifauna of the northern Paraguayan Chaco. *Ornitología Neotropical* 14: 247-262.
- 12404 Carrete, M., Sánchez-Zapata, J. A., Martínez, J. E., Sánchez, M. A. and Calvo, J. F. (2002) Factors influencing the decline of a Bonelli's eagle *Hieraetus fasciatus* population in southeastern Spain: demography, habitat or competition? *Biodiversity and Conservation* 11(6): 975-985.
- 12409 Dickinson, E. C. (2001) The correct scientific name of the Palawan Peacock-pheasant is *Polyplectron napoleonis* Lesson, 1831. *Bulletin of the British Ornithologists' Club* 121(4): 266-272.
- 12474 Birdlife International. (2003) Birdlife's online World Bird Database: the site for bird conservation. <http://www.birdlife.org> Birdlife International. -Cambridge, U.K.
- 12502 IUCN. (2003) 2003 IUCN Red List of Threatened Species. www.redlist.org IUCN.
- 12510 UNEP-WCMC. (2004) Species Database. www.unep-wcmc.org UNEP-WCMC.
- 12513 Anon. (2002) CMS Information System *Chlamydotis undulata*.Information from 2002 National Report, European Community. www.unep-wcmc.org/cms/index.html
- 12514 Birdlife International. (2000) *Chlamydotis undulata*. IUCN (2003). 2003 IUCN Red List of Threatened Species. www.redlist.org IUCN.
- 12515 Heredia, B. (comp.) (1995) Action Plan for the Houbara Bustard in the Canary Islands (*Chlamydotis undulata fuerteventurae*). <http://europa.eu.int/comm/environment/nature/directive/birdactionplan/clamydotisundulata.htm> Birdlife International in behalf of the European Commission.
- 12516 Anon. (2002) Tunisia National Report (2002). National Report to CMS. <http://www.unep-wcmc.org/cms/index.html>
- 12521 Anon. (2002) Chile National Report (2002). National Report to CMS. <http://www.unep-wcmc.org/cms/index.html>
- 12642 Carr, P. (2003) Further bird observations from Diego Garcia 4-5 December 2002. *Sea Swallow* 52: 21-25.
- 12649 Marsden, S. J., Pilgrim, J. D. and Wilkinson, R. (2001) Status, abundance and habitat use of Blue-eyed Cockatoo *Cacatua ophthalmica* on New Britain, Papua New Guinea. *Bird Conservation International* 11: 151-160.
- 12650 Koenig, S. E. (2001) The breeding biology of Black-billed Parrot *Amazona agilis* and Yellow-billed Parrot *Amazona collaria* in Cockpit Country, Jamaica. *Bird Conservation International* 11: 205-225.
- 12651 Riley, J. (2003) Population sizes and the conservation status of endemic and restricted-range bird species on Karakelang, Talaud Islands, Indonesia. *Bird Conservation International* 13: 59-74.
- 12652 Hesse, A. J. and Duffield, G. E. (2000) The status and conservation of the Blue-throated Macaw *Ara glaucogularis*. *Bird Conservation International* 10: 255-275.
- 12653 Eisermann, K. (2003) Status and conservation of Yellow-headed Parrot *Amazona oratrix "guatemalensis"* on the Atlantic coast of Guatemala. *Bird Conservation International* 13: 361-366.

- 12655 Ramadan, E., Al-Nasrallah, K. and Gregory, G. (2004) Bubiyan Island: a rich Kuwait avifauna. *Sandgrouse* 26(1): 23-26.
- 12656 Ramadan-Jaradi, G., Bara, T., Almécija, M. and Ramadan-Jaradi, M. (2004) Significant bird notes from Lebanon during 2002-03. *Sandgrouse* 26(1): 29-34.
- 12669 Vellinga, W.-P., Flanagan, J. N. M. and Mark, T. R. (2004) New and interesting records of birds from Ayabaca province, Piura, north-west Peru. *Bulletin of the British Ornithologists' Club* 124(2): 124-142.
- 12671 Marks, B. D., Weckstein, J. D., Johnson, K. P., Meyer, M. J., Braimah, J. and Oppong, J. (2004) Rediscovery of White-necked Picathartes *Picathartes gymnocephalus* in Ghana. *Bulletin of the British Ornithologists' Club* 124(2): 151-153.
- 12692 Williams, T. C., Beilfuss, R. and Dodman, T. (2003) Status survey and conservation action plan for the Black Crowned Crane *Balearica pavonina*. Wetlands International. -Dakar
- 12695 Yamashita, C. (2003) Field observations in Brazil on the biology and comments on the conservation of the Golden Conure (*Guaruba guarouba*). *AFA Watchbird* 30: 38-40.
- 12699 Gabelli, F. M., Fernández, G. J., Ferretti, V., Posse, G., Coconier, E., Gavieiro, H. J., Llambías, P. E., Peláez, P. I., Vallés, M. L. & Tubaro, P. L. (2004) Range contraction in the pampas meadowlark *Sturnella defilippii* in the southern pampas grasslands of Argentina. *Oryx* 38(2): 164-170.
- 12705 Tella, J. L., Carrete, M., Sánchez-Zapata, J. A., Serrano, D., Gavrillov, A., Sklyarenko, S., Ceballos, O., Donázar, J. A. and Hiraldo, F. (2004) Effects of land use, nesting-site availability, and the presence of larger raptors on the abundance of Vulnerable lesser kestrels *Falco naumanni* in Kazakhstan. *Oryx* 38(2): 224-227.
- 12710 Foster, J. T., Tweed, E. J., Camp, R. J., Woodworth, B. L., Adler, C. D. and Telfer, T. (2004) Long-Term population changes of native and introduced birds in the Alaka'i Swamp, Kaua'i. *Conservation Biology* 18(3): 716-725.
- 12715 Liven-Schulman, I., Leshem, Y., Alon, D., and Yom-Tov, Y. (2004) Causes of population declines of the Lesser Kestrel *Falco naumanni* in Israel. *Ibis* 146: 145-152.
- 12757 BirdLife International. (2000) *Phoenicoparrus andinus*. In: 2003 IUCN Red List of Threatened Species. IUCN.
- 12758 IUCN. (1996) Red List 1996 Information on *Phoenicopterus andinus*. In: UNEP-WCMC Species Database. IUCN.
- 12877 Eberhard, J. R. and Bermingham, E. (2004) Phylogeny and biogeography of the *Amazona ochrocephala* (Aves: Psittacidae) complex. *Auk* 121(2): 318-332.
- 12878 Clouet, M. and Goar, J. L. (2004) L'aigle royal *Aquila chrysaetos* au Niger. *Alauda* 72(2): 151-152.
- 12883 Claffey, P. M. (1999) Crowned Eagle *Stephanoaetus coronatus* and White-breasted Negro-Finch *Nigrita fusconota*, new to the Benin list. *Malimbus* 21: 51-53.
- 12884 Claffey, P. M. (1999) Sharp decline in the population of Pin-tailed Whydah *Vidua macroura* in Benin. *Malimbus* 21: 53-54.
- 12885 Claffey, P. M. (1997) The status of Pel's Fishing Owl *Scotopelia peli* in the Togo-Bénin Gap. *Bulletin of the African Bird Club* 4: 135-136.
- 12887 Claffey, P. (1998) New breeding records of Verreaux's Eagle Owl *Bubo lacteus* in Bénin, West Africa. *Bulletin of the African Bird Club* 5: 127.
- 12895 Payne, R. B., Payne, L. L. and Barlow, C. R. (1997) Observation of Savile's Bustard *Eupodotis savilei* in The Gambia. *Malimbus* 19: 97-99.
- 12904 Clemmons, J. R. (2003) Status survey of the African Grey Parrot (*Psittacus erithacus timneh*) and development of a management program in Guinea and Guinea-Bissau. Prepared for the CITES Secretariat.
- 12905 Dändliker, G. (1992) Le Perroquet gris (*Psittacus erithacus*) en Guinée, evaluation des populations, contribution à la biologie, étude de l'exploitation commerciale et recommandations pour la gestion. Prepared for CITES.
- 12906 Fotso, R. (1998) Survey status of the distribution and utilization of the Grey Parrot (*Psittacus erithacus*) in Cameroon. Prepared for CITES.
- 12907 Fotso, R. (1998) Etude sur l'état, la répartition géographique et l'utilisation du perroquet gris (*Psittacus erithacus*) dans la République démocratique du Congo. Prepared for CITES.
- 12931 Salewski, V. (1998) A record of an immature Ovambo Sparrowhawk *Accipiter ovampensis* from Ivory Coast. *Bulletin of the African Bird Club* 5: 120-121.
- 12972 Stepanyan, L. S. (1998) {Materials to the ornithological fauna of the Korean peninsula.}. *Ornithologia* 28: 114-119. (Russian)
- 13048 Gratto-Trevor, C. L. (2001) Current status of the Eskimo Curlew in Canada. *Bird Trends* 44-45.
- 13071 Fredriksson, G. M. and Nijman, V. (2004) Habitat use and conservation status of two elusive ground birds (*Carpococcyx radiatus* and *Polyplectron schleiermacheri*) in the Sungai Wain Protection Forest, East

- Kalimantan, Indonesian Borneo. *Oryx* 38(3): 297-303.
- 13072 Bellis, L. M., Martella, M. B. and Navarro, J. L. (2004) Habitat use by wild and captive-reared greater rheas *Rhea americana* in agricultural landscapes in Argentina. *Oryx* 38(3): 304-310.
- 13096 Demey, R. and Rainey, H. J. (2004) The birds of Pic de Fon Forest Reserve, Guinea: a preliminary survey. *Bulletin of the African Bird Club* 11(2): 126-138.
- 13098 Borghesio, L., Giannetti, F., Ndang'ang'a, K., Shimelis, A., Borghesio, A., Rizzo, D. and Fufa, K. (2004) A reassessment of the conservation status of Prince Ruspoli's Turaco *Tauraco ruspolii*. *Bulletin of the African Bird Club* 11(2): 105-111.
- 13108 McGowan, P. J. K., Duckworth, J. W., Xianji, W., van Balen, B., Xiaojun, Y., Khan, M. K. M., Yatim, S. H., Thanga, L., Setiawan, I. and Kaul, R. (1999) A review of the status of the Green Peafowl *Pavo muticus* and recommendations for future action. *Bird Conservation International* 9: 331-348.
- 13109 van Balen, S., Nijman, V. and Sözer, R. (1999) Distribution and conservation of the Javan Hawk-eagle *Spizaetus bartelsi*. *Bird Conservation International* 9: 333-349.
- 13112 Eriksen, J., Sargeant, D. E. and Victor, R. (2003) Oman bird list, the official list of the birds of the Sultanate of Oman. (6) Centre for Environmental Studies and Research, Sultan Qaboos University. -Oman
- 13119 Kratter, A. W., Steadman, D. W., Smith, C. E., Filardi, C. E. and Webb, H. P. (2001) Avifauna of a lowland forest site on Isabel, Solomon Islands. *Auk* 118(2): 472-483.
- 13131 Mayr, E. (1944) The birds of Timor and Sumba. *Bulletin of the American Museum of Natural History* 83(2): 127-194.
- 13140 Freile, J. F. (2004) Range extensions and other noteworthy and new bird records from mainland Ecuador. *Bulletin of the British Ornithologists' Club* 124(3): 188-202.
- 13142 Kirwan, G. M., Mazar Barnett, J., Vasconcelos, M. F., Raposo, M. A., D'Angelo Neto, S. and Roesler, I. (2004) Further comments on the avifauna of the middle São Francisco Valley, Minas Gerais, Brazil. *Bulletin of the British Ornithologists' Club* 124(3): 207-220.
- 13143 Neumann-Denzau, G. and Denzau, H. (2003) Buffy Fish-owl (*Ketupa ketupu*) in Sundarbans, Bangladesh. *Journal of the Bombay Natural History Society* 100(1): 138-141.
- 13144 Trainor, C. R. and Soares, T. (2004) Birds of Atauro Island, Timor-Leste (East Timor). *Forktail* 20: 41-48.
- 13162 Iezekiel, S., Bakaloudis, D. E. and Vlachos, C. G. (2004) The status and conservation of Griffon Vulture *Gyps fulvus* in Cyprus. Pp. 67-73 in R. D. Chancellor & B.-U. Meyburg, eds., *Raptors worldwide. Proceedings of the VI World Conference on Birds of Prey and Owls*, Budapest 18-23 May 2003 World Working Group on Birds of Prey and Owls & MME/BirdLife Hungary. - Berlin & Budapest
- 13163 Bagyura, J. and Haraszthy, L. (2004) The status of birds of prey and owls in Hungary. Pp. 3-8 in R. D. Chancellor & B.-U. Meyburg, eds., *Raptors worldwide. Proceedings of the VI World Conference on Birds of Prey and Owls*, Budapest 18-23 May 2003 World Working Group on Birds of Prey and Owls & MME/BirdLife Hungary. - Berlin & Budapest
- 13164 Schlee, M. A., Pérez León, R. A., Campos, V., Sandoval, J. E., Catalán, M., Martínez, O. and Fuentes, E. (2004) The King Vulture *Sarcophagus papa* in El Salvador: an endangered species. Pp. 93-109 in R. D. Chancellor & B.-U. Meyburg, eds., *Raptors worldwide. Proceedings of the VI World Conference on Birds of Prey and Owls*, Budapest 18-23 May 2003 WWGBP & MME/BirdLife Hungary. - Berlin & Budapest
- 13165 Terrasse, M., Sarrazin, F., Choisy, J.-P., Clément, C., Henriet, S., Lécuyer, P., Pinna, J. L. and Tessier, C. (2004) A success story: the reintroduction of Eurasian Griffon *Gyps fulvus* and Black *Aegypius monachus* Vultures to France. Pp. 127-145 in R. D. Chancellor & B.-U. Meyburg, eds., *Raptors worldwide. Proceedings of the VI World Conference on Birds of Prey and Owls*, Budapest 18-23 May 2003 WWGBP & MME/BirdLife Hungary.
- 13166 Tewes, E., Sánchez, J. J. and Ramirez, P. (2004) Status and conservation of the European Black Vulture *Aegypius monachus* in Europe. Pp. 177-184 in R. D. Chancellor & B.-U. Meyburg, eds., *Raptors worldwide. Proceedings of the VI World Conference on Birds of Prey and Owls*, Budapest 18-23 May 2003 WWGBP & MME/BirdLife Hungary. - Berlin & Budapest
- 13167 Risebrough, R. W. (2004) Population collapses of three species of *Gyps* vultures in the Indian subcontinent: an overview. Pp. 197-214 in R. D. Chancellor & B.-U. Meyburg, eds., *Raptors worldwide. Proceedings of the VI World Conference on Birds of Prey and Owls*, Budapest 18-23 May 2003 WWGBP & MME/BirdLife Hungary. - Berlin & Budapest
- 13169 Baral, H. S., Giri, J. B. and Virani, M. Z. (2004) On the decline of Oriental White-backed Vultures *Gyps bengalensis* in lowland Nepal. Pp. 215-219 in R. D. Chancellor & B.-U. Meyburg, eds., *Raptors worldwide. Proceedings of the VI World Conference on Birds of Prey and Owls*, Budapest 18-23 May 2003 WWGBP & MME/BirdLife Hungary. - Berlin & Budapest
- 13170 Gilbert, M., Oaks, J. L., Virani, M. Z., Watson, R. T., Ahmed, S., Chaudhry, M. J.

- I., Arshad, M., Mahmood, S., Ali, A., Khattak, R. M. and Khan, A. A (2004) The status and decline of vultures in the provinces of Punjab and Sind, Pakistan: a 2003 update. Pp. 221-234 in R. D. Chancellor & B.-U. Meyburg, eds., *Raptors worldwide. Proceedings of the VI World Conference on Birds of Prey and Owls*, Budapest 18-23 May 2003 WWGBP & MME/BirdLife Hungary. -Berlin & Budapest
- 13171 Katzner, T., Gavashelishvili, A., Sklyarenko, S., McGrady, M., Shergalin, J. and Bildstein, K. (2004) Population and conservation status of griffon vultures in the former Soviet Union. Pp. 235-240 in R. D. Chancellor & B.-U. Meyburg, eds., *Raptors worldwide. Proceedings of the VI World Conference on Birds of Prey and Owls*, Budapest 18-23 May 2003 WWGBP & MME/BirdLife Hungary.
- 13179 Brooke, M. de L., Hepburn, I. and Trevelyan, R. J. (2004) Henderson Island, World Heritage site: management plan 2004-2009. Foreign and Commonwealth Office, Pitcairn Islands Administration and the Royal Society for the Protection of Birds. -London
- 13184 Birds Australia Rarities Committee. (2004) Rare birds in 2003. *Wingspan* 14(3): 38-39.
- 13186 Birds Australia Rarities Committee. (2004) Index of Case Summaries: Volume Two. <http://users.bigpond.net.au/palliser/barc/vol2.htm>
- 13187 Birds Australia Rarities Committee. (2004) Index of Case Summaries: Volume Three. <http://users.bigpond.net.au/palliser/barc/vol3.htm>
- 13189 Trainor, C. R., Santana, F., Xavier, A., Xavier, F. and Da Silva, A. (2004) Status of globally threatened birds and internationally significant sites in East Timor based on rapid participatory biodiversity assessments. Report to BirdLife International - Asia Programme.
- 25177 Salewski, V. (2004) Zebra Waxbill *Amandava subflava*, new to Mauritania. *Malimbus* 26: 40
- 25178 Mills, M., Hoff, R. and Myers, D. (2003) First breeding record of Ovambo Sparrowhawk *Accipiter ovampensis* in West Africa. *Malimbus* 25: 104-106
- 25179 Lantermann, W. (2004) Verbreitung und Status der ostafrikanischen Papageien *Agapornis personatus* Reichenow, 1887 und *Agapornis fischeri* Reichenow, 1997 (Aves, Psittaciformes). *Bonner Zoologische Beitraege* 52(1/2): 95-100 (German)
- 25180 Dowsett-Lemaire, F. and Dowsett, R. J. (2000) Birds of the Lobeke faunal reserve, Cameroon, and its regional importance for conservation. *Bird Conservation International* 10: 67-87
- 25182 Brickell, N. (2001) Collated data on the Timor Sparrow *Padda* or *Lonchura fuscata*. *Avicultural Magazine* 107(3): 121-124
- 25183 Boon, W. M., Kearwell, J. C., Daugherty, C. H. and Chambers, G. K. (2000) Molecular systematics of New Zealand *Cyanoramphus* parakeets: conservation of Orange-fronted and Forbes' Parakeets. *Bird Conservation International* 10: 211-239
- 25228 Symes, C. T. and Perrin, M. R. (2004) Breeding biology of the Greyheaded Parrot (*Poicephalus fuscicollis suahelicus*) in the wild. *Emu* 104: 45-57.
- 25249 Guyra Paraguay. (2004) Lista comentada de las Aves de Paraguay / Annotated checklist of the Birds of Paraguay. Asociación Guyra Paraguay. -Asunción, Paraguay
- 25261 BirdLife International. (2004) Birds in Europe: population estimates, trends and conservation status. (BirdLife Conservation Series No. 12). BirdLife International. - Cambridge, U.K.
- 25262 Heredia, B., Rose, L. and Painter, M (eds.) (1996) Globally threatened birds in Europe: action plans. Council of Europe Publishing. -Strasbourg
- 25264 Weller, A.-A. (2005) A hummingbird species new to Peru: range extension for the Greenish Puffleg *Haplophaedia aureliae*. *Bulletin of the British Ornithologists's Club* 125(2): 136-140.
- 25266 Eisermann, K. (2005) Noteworthy bird observations in Alta Verapaz, Guatemala. *Bulletin of the British Ornithologists's Club* 125(1): 3-11.
- 25267 Córdoba, S. and Ahumada, J. A. (2005) Confirmation of Buff-fronted Owl *Aegolius harrisii* for the Cordillera Oriental of Colombia. *Bulletin of the British Ornithologists's Club* 125(1): 56-58.
- 25268 Santos, M. P. D. (2004) New records of birds from the Brazilian state of Roraima. *Bulletin of the British Ornithologists's Club* 124(4): 223-226
- 25271 Whittaker, A. (2004) Noteworthy ornithological records from Rondônia, Brazil, including a first country record, comments on austral migration, life history, taxonomy and distribution, with relevant data from neighbouring states, and a first record for Bolivia. *Bulletin of the British Ornithologists's Club* 124(4): 239-271
- 25278 Downing, C. (2005) New distributional information for some Colombian birds, with a new species for South America. *Cotinga* 24: 13-15
- 25280 Silveira, L. F., Develey, P. F., Pacheco, J. F. and Whitney, B. M. (2005) Avifauna of the Serra das Lontras-Javi montane complex, Bahia, Brazil. *Cotinga* 24: 45-54

- 25282 Bianchi, C. A., Brant, S., Brandão, R. A. and Brito, B. F. (2005) New records of Brazilian Merganser *Mergus octosetaceus* in the rio das Pedras, Chapada dos Veadeiros, Brazil. *Cotinga* 24: 72-74.
- 25283 Olmos, F., Silva, W. A. G. and Albano, C. (2005) Grey-breasted Conure *Pyrrhura griseipectus*, an overlooked endangered species. *Cotinga* 24: 77-83
- 25286 Dallimer, M., Cosgrove, P., Cosgrove, R. and French, V. (2005) New records of Wedge-tailed Sabrewing *Campylopterus curvipennis* and Blue-black Grosbeak *Cyanocompsa cyanoides* in Cusuco National Park, Honduras. *Cotinga* 24: 108-109
- 25288 Kjeldsen, J. P. (2004) Aves del municipio de Prinzapolka. *Wani (Revista Caribe nicaragüense)* 38: 56-74
- 25289 Cortes-Herrera, O., Hernández-Jaramillo, A. and Briceño-Buitrago, E. (2004) Redescubrimiento del Colibri *Amazilia castaneiventris*, una especie endémica y amenazada del Colombia. *Orn. Colombiana* 2: 47-49.
- 25290 Robbins, M. B., Braun, M. J. and Finch, D. W. (2004) Avifauna of the Guyana southern Rupununi, with comparisons to other savannas of northern South America. *Orn. Neotrop.* 15: 173-200.
- 25291 Aspinall, S. (2005) Azerbaijan: a miscellany of recent bird observations (status and occurrence of selected visiting species and amending known breeding ranges). *Sandgrouse* 27(1): 46-52
- 25292 Roth, T., Aye, R., Burri, R. and Schweizer, M. (2005) Bird observations from Iran in February-March 2001, including a new species for the Middle East. *Sandgrouse* 27(1): 63-68
- 25293 Ramadan-Jaradi, G., Waterbury, S. P. and Ramadan-Jaradi, M. (2005) Ornithological observations from Lebanon during 2003-4. *Sandgrouse* 27(1): 69-73
- 25301 Baker, A. J., Whitacre, D. F., Aguirre-Barrera, O. A. and White, C. M. (2000) The Orange-breasted Falcon *Falco deiroleucus* in Mesoamerica: a vulnerable, disjunct population? *Bird Conservation International* 10: 29-40
- 25311 Sørensen, U. G., Bech, J. and Krabbe, E. (1996) New and unusual records of birds in Cameroon. *Bulletin of the British Ornithologists' Club* 116: 145-155
- 25314 Robertson, I. (1992) New information on birds in Cameroon. *Bulletin of the British Ornithologists' Club* 112: 36-42
- 25315 Scholte, P., de Kort, S. and van Weerd, M. (1999) The birds of Waza-Logone area, Far-North Province, Cameroon. *Malimbus* 21: 16-50
- 25316 Holyoak, D. T. and Seddon, M. B. (1990) Notes on some birds of western Cameroon. *Malimbus* 11: 123-127
- 25329 Fotso, R. C. (2001) A contribution to the ornithology of Mount Oku forest, Cameroon. *Malimbus* 23: 1-12
- 25331 Rodewald, P. G., Dejaifve, P.-A. and Green, A. A. (1994) The birds of Korup National Park and Korup Project Area, Southwest Province, Cameroon. *Bird Conservation International* 4: 1-68
- 25339 Greling, C. de. (1972) New records from northern Cameroun. *Bulletin of the British Ornithologists' Club* 92(1): 24-27
- 25370 Smith, T. B., Rasmussen, K. K., Whitney, K. D. and Fogiel, M. K. (1996) A preliminary survey of birds from the Lac Lobeke Reserve, south-eastern Cameroon. *Bird Conservation International* 6: 167-174
- 25371 Smith, T. B. and McNiven, D. (1993) Preliminary survey of the avifauna of Mt Tchabal Mbabo, west-central Cameroon. *Bird Conservation International* 3: 13-19
- 25374 Languy, M. and Motombe, F. N. (2003) Birds of Takamanda Forest Reserve, Cameroon. Comiskey, J. A., Sunderland, T. C. H. and Sunderland-Groves, J. L. (eds.) *Takamanda: the biodiversity of an African rainforest* 95-110 Charter Printing. - Alexandria (VA)
- 25375 Thiollay, J.-M. (1978) Les plaines du Nord Cameroun, centre d'hivernage de rapaces palearctiques. *Alauda* 46(4): 319-326 (French)
- 25376 Dowsett-Lemaire, F. and Dowsett, R. J. (2000) Further biological surveys of Manenguba and Central Bakossi in March 2000, and an evaluation of the conservation importance of Manenguba, Bakossi, Kupe and Nlonako Mts, with special reference to birds. Final Report. 1-45 Tauraco a. s. b. l., for WWF-Cameroun. -Liège (Belgium)
- 25382 Dowsett-Lemaire, F. and Dowsett, R. J. (1999) Zoological survey (birds, amphibians) of Lobéké Faunal Reserve in April 1999, with special reference to the Dja River Warbler *Bradypterus grandis*. Final Report. 1-25 Tauraco a. s. b. l., for WWF-Cameroun. -Liège (Belgium)
- 25443 Fa, J. E. and García Yuste, J. E. (2001) Commercial bushmeat hunting in the Monte Mitra forests, Equatorial Guinea: extent and impact. *Animal Biodiversity and Conservation* 24(1): 31-52
- 25464 Gauthier-Clerc, M., Jiguet, F. and Lambert, N. (2002) Vagrant birds at Possession Island, Crozet Islands and Kerguelen Island from December 1995 to December 1997. *Marine Ornithology* 30: 38-39
- 25466 Schouteden, H. (1948) De Vogels van Belgisch Congo en van Ruanda-Urundi. Vol. 1. *Annalen van het Museum van Belgisch*

- Congo C. Dierkunde Reeks IV 2(1-3): 1-564 (Dutch)
- 25469 Thiollay, J.-M. (1971) L'avifaune de la région de Lamto. Annales de l'Université d'Abidjan, Serie E. Ecologie 4(1): 7-128 (French)
- 25470 Walsh, J. F. (1986) Notes on the birds of Ivory Coast. Malimbus 8: 89-91
- 25471 Borrow, N. (1998) The Ivory Coast 20 Dec 1997 - 11 Jan 1998. Tour Report. Birdquest.
- 25475 Leito, A. and Ojaste, I. (2001) Migration routes of the Common Cranes breeding in Estonia: first results of colour-marking and radio- and satellite tracking. Hirundo 14: 85-96
- 25476 Georgiev, A. (2003) Democratic Republic of the Congo, November 24th 2002 - June 26th 2003. A report from birdtours.co.uk. <http://www.birdtours.co.uk>
- 25478 Diagana, C. H. and Sylla, S. I. (2004) Status of the Black Stork *Ciconia nigra* in Africa. Synthesis of the waterbird census data (1991-2000). <http://www.wetlands.org> Wetlands International.
- 25479 Ottosson, U., Hjort, C., Hall, P., Velmala, W. and Wilson, J. M. (2003) On the occurrence of the Black Stork *Ciconia nigra* in Nigeria. Malimbus 25: 96-97
- 25480 Procter, D. and Fleming, L. V (eds.) (1999) Biodiversity: the UK Overseas Territories. Joint Nature Conservation Committee. - Peterborough
- 25484 Wiles, G. J., Johnson, N. C., De Cruz, J. B., Dutson, G., Camacho, V. A., Kepler, A. K., Vice, D. S., Garrett, K. L., Kessler, C. C. and Pratt, H. D. (2004) New and noteworthy bird records for Micronesia, 1986-2003. Micronesica 37(1): 69-96
- 25488 Prigogine, A. (1971) Les oiseaux de l'Itombwe et de son hinterland. Annales du Musée Royal de l'Afrique Centrale Serie In-8 Sciences Zoologiques (185) 28-66 (French)
- 25489 Pedersen, T. (2005) Democratic Republic of Congo - a bird checklist. <http://www.tommypedersen.com>
- 25523 Anonymous. (2004) Données statistiques des produits forestiers non-ligneux du Burundi. 3. Impacts de la consommation, la commercialisation et exportation des PFNL et les perspectives d'avenir. <http://www.fao.org/Docrep/003/X6698F/X6698F04.htm> FAO. (French)
- 25530 Weller, A.-A. and Schuchmann, K.-L. (2004) Biogeographic and taxonomic revision of the trainbearers *Lesbia* (Trochilidae), with the description of two new subspecies. Ornithologischer Anzeiger 43(2): 115-136
- 25532 Maisels, F. G., Gautier, J.-P., Cruickshank, A. and Bosefe, J.-P. (1993) Attacks by Crowned Hawk Eagles (*Stephanoaetus coronatus*) on monkeys in Zaire. Folia Primatologica 61: 157-159
- 25533 Demey, R., Dowsett-Lemaire, F. and Dowsett, R. J. (2003) Notable bird observations from Nigeria, including the first records of Spot-breasted Ibis *Bostrychia rara* and Yellow Longbill *Macrosphenus flavicans*. Malimbus 25: 85-93
- 25534 Claramunt, S. and Cuello, J. P. (2004) Diversidad de la biota Uruguaya. Aves. Anales Museo Nacional de Historia Natural y Antropología 10(6): 1-31 (Spanish)
- 25536 Dementjev, D. P. and Gladkov, N. A (eds.) (1966) Birds of the Soviet Union. Volume I. -Jerusalem
- 25537 Braun, M. J., Finch, D. W., Robbins, M. B. and Schmidt, B. K. (2000) A field checklist of the birds of Guyana. Publication 41 of the Biological Diversity of the Guianas Program. Smithsonian Institution. - Washington, D. C.
- 25614 Mobakken, G. (2005) Lesser Kestrel at sea off Svalbard. Dutch Birding 27(3): 206
- 25615 Duriez, O., Jornvall, H. and Shirihai, H. (2005) Birds and wildlife of the French subantarctic islands: Crozet, Kerguelan and Amsterdam & St Paul. Dutch Birding 27: 87-115
- 25650 Saggesé, M. D., Krapovickas, S. F., Haene, E. H. and De Lucca, E. R. (1996) Presencia del Aguila Pescadora (*Pandion haliaetus*) en Argentina y Uruguay. El Hornero 14(3): 44-49
- 25651 Marineros, L. (1996) Registros de *Jabiru mycteria* en la costa pacífica de Honduras. El Hornero 14(3): 68-69
- 25652 De Lucca, E. R. (1996) Observaciones de un nido exitoso de Harpia (*Harpia harpyja*) en Argentina. El Hornero 14(3): 70-72
- 25653 De Lucca, E. R. (1996) Censos de Choiques (*Pterocnemia p. pennata*) en el sur patagonico. El Hornero 14(3): 74-77
- 25654 Navas, J. R. and Bó, N. A. (1996) Distribución geográfica y situación actual de *Brotogeris versicolurus* en la Argentina. El Hornero 14(3): 90-92
- 25655 Peña, M. R. de la. (1996) Nuevos registros de aves poco citadas para las provincias de Santa Fe y Entre Ríos, Argentina. El Hornero 14(3): 87-89
- 25656 Renner, S. C. (2005) The Resplendent Quetzal (*Pharomachrus mocinno*) in the Sierra Yalijux, Alta Verapaz, Guatemala. Journal of Ornithology 146(1): 79-84
- 25657 Komisja Faunistyczna. (2004) Rzadkie ptaki obserwowane w Polsce w roku 2003. Notatki Ornitologiczne 45: 169-194

Index

A

abbotti, Papasula 3
abbotti, Spilornis 53
abbotti, Sula 3
Abbott's Booby 3
abeillei, Abeillia 150
abeillei, Ornismya 150
Abeillia 150
Abeillia abeillei 150
Abejero colilargo 45
Abejero europeo 51
Abejero negro 44
Abejero oriental 51
Aburria jacutinga 70
aburria pipile 70
Abyssinian Long-eared Owl 129
Abyssinian Lovebird 97
Abyssinian Owl 129
abyssinica, Chalcopelia 89
abyssinicus, Asio 129
abyssinicus, Otus 129
abyssinicus, Turtur 89
acadica, Strix 128
academicus, Aegolius .. 128
Accipiter 19, 20, 21, 22, 23, 24, 25, 40, 48
Accipiter albogularis . 19
Accipiter badius 19
Accipiter bicolor 20
Accipiter brachyurus . 20
Accipiter brevipes 20
Accipiter buergersi ... 40
Accipiter butleri 20
Accipiter castanilius .. 20
Accipiter chilensis 20
Accipiter chionogaster 20
Accipiter cirrhocephalus 21
Accipiter cirrocephalus .. 20
Accipiter collaris 21
Accipiter cooperii 21
Accipiter doriae 48
accipiter eichhorni 22
Accipiter erythrauchen .. 21
Accipiter erythronemius 21
Accipiter erythropus .. 21
Accipiter fasciatus 21
Accipiter francesii 21

Accipiter gentilis 21
Accipiter griseiceps .. 22
Accipiter griseogularis 23
Accipiter gularis 22
Accipiter gundlachi ... 22
Accipiter haplochrous 22
Accipiter henicogrammus 22
Accipiter henstii 22
Accipiter hiogaster ... 23
Accipiter imitator 22
Accipiter luteoschistaceus 22
Accipiter 22
 madagascariensis .. 22
Accipiter melanochlamys 22
Accipiter melanoleucus 22
Accipiter meyerianus 23
Accipiter minullus 23
Accipiter nanus 23
Accipiter nisus 23
Accipiter novaehollandiae 23
Accipiter ovampensis 23
Accipiter poliocephalus .. 24
Accipiter poliogaster . 24
Accipiter princeps 24
Accipiter radiatus 40
Accipiter rhodogaster 24
Accipiter rufitorques . 24
Accipiter rufiventris .. 24
Accipiter soloensis 24
Accipiter striatus 20, 21, 24, 25
Accipiter superciliosus 24
Accipiter tachiro 25
Accipiter toussenelii .. 25
Accipiter trinotatus ... 25
Accipiter trivirgatus .. 25
Accipiter ventralis 25
Accipiter virgatus 22, 25
ACCIPITRIDAE 19
accipitrinus, Deroptyus 107
accipitrinus, Psittacus 107
Aceros 179, 180
Aceros cassidix 179
Aceros comatus 179
Aceros corrugatus .. 179
Aceros everetti 179
Aceros leucocephalus 179, 180
Aceros narcondami .. 179
Aceros nipalensis 179
Aceros plicatus 180
Aceros subruficollis .. 180
Aceros undulatus 180
Aceros waldeni 180
Acestrura astreans .. 156
Acestrura berlepschi 156
Acestrura bombus .. 156
Acestrura heliodor .. 156
Acestrura mulsant .. 157
Acomus inornatus 73
Acrocephalus rodericanus 185
acuta, Anas 10
acuticaudata, Aratinga 103
acuticaudatus, Psittacus 103
acuticaudatus, 103
 Thectocercus 103
adalberti, Aquila 26
Adalbert's Eagle 26
adela, Oreotrochilus 171
adela, Trochilus 171
adelaidea, Platycercus 114
Adelaide Parakeet 114
Adelaide Rosella 114
Adelomyia 150
Adelomyia melanogenys 150
Admiralty Hawk-Owl 138
Admiralty Islands Hawk-Owl 138
adorabilis, Lophornis 169
adorabilis, Paphosia 169
Adorable Coquette .. 169
adscitus, Platycercus 114
adscitus, Psittacus .. 114
Aegolius 128, 129
Aegolius acadicus ... 128
Aegolius funereus ... 128
Aegolius harrisii 129
Aegolius ridgwayi ... 129
Aegypius 25, 52, 55, 56
Aegypius calvus 52
Aegypius monachus .. 25
Aegypius occipitalis .. 56
Aegypius tracheliotus 55
aegyptiaca, Anas 10
aegyptiacus, Alopochen 10
 aenea, Glaucis 163
aeneocauda, Metallura 170
aeneocauda, Trochilus 170
aequatorialis, Androdon 152
aequinoctialis, 152

Aigle de Gurney 27
 Aigle de Java 54
 Aigle de Verreaux 28
 Aigle de Wahlberg 28
 Aigle de Wallace 54
 Aigle des Philippines 52,
 54
 Aigle des singes 52
 Aigle des steppes 27
 Aigle d'Isidore 51
 Aigle harpie 44
 Aigle huppard 48
 Aigle mangeur de singes
 52
 Aigle martial 52
 Aigle montagnard 54
 Aigle nain 45
 Aigle noir 46, 55
 Aigle noir et blanc 55
 Aigle pomarin 27
 Aigle ravisseur 28
 Aigle royal 26
 Aigle serpentaire .39, 40
 Aigle tyran 55
 Aigrette garzette 5
Aithurus scitulus 178
 Akun Eagle-Owl 132
 Ala de sable anteado 155
 Ala de sable gris 156
 Ala de sable pechivioleta
 156
 Ala de sable rufo 156
 Ala de sable verde .. 155
 Alagoas Curassow 69
 Alasable azulino 156
 Alasable del Napo .. 156
 Alazafiro grande 175
alba, *Ardea* 4
alba, *Cacatua* 94
alba, *Egretta* 4
alba, *Kakatoe* 94
alba, *Strix* 126
alba, *Tyto* 126, 127
 Albatros 2
 Albatros colicorto 2
 Albatros de Steller 2
albatrus, *Diomedea* 2
albatrus, *Phoebastria* .. 2
alberti, *Crax* 68
alberti, *Pteridophora* 206
 Albertine Owlet 133
albertinum, *Glaucidium*
 133
albertisi, *Drepanornis* ...
 203
albertisi, *Epimachus* 203
 Albert's Curassow 68
albicaudatus, *Buteo* .. 30
albicilla, *Falco* 42

albicilla, *Haliaeetus* .. 42
albicollis, *Falco* 47
albicollis, *Leucochloris*
 169
albicollis, *Leucopternis* ..
 47
albicollis, *Trochilus* ..169
albidinucha, *Domicella*...
 92
albidinuchus, *Lorius* . 92
albibacles, *Athene* ...146
albibacles, *Sceloglaux* ...
 146
albifrons, *Amazona* .. 97
albifrons, *Amblyospiza*
 196
albifrons, *Psittacus* ... 97
albigula, *Buteo* 30
albinucha, *Ploceus* ..198
albipectus, *Pyrrhura* 121
albipennis, *Penelope* . 69
albirostris, *Anthracoceros*
 180
albirostris, *Bubalornis*
 196
albitarse, *Syrnium* ..147
albitarsus, *Ciccaba* ..147
albitarsus, *Strix*147
albocoronata, *Mellisuga*
 170
albocoronata, *Microchera*
 170
albogularis, *Accipiter* 19
albogularis, *Megascops*
 140
albogularis, *Otus*140
albogularis, *Phalcoboenus*
 67
albogularis, *Polyborus* ..
 67
albogularis, *Zosterops*
 187
alboniger, *Nisaetus* .. 54
alboniger, *Spizaetus* . 54
albonotatus, *Buteo* ... 30
albus, *Casmerodius* 4
albus, *Psittacus* 94
 Alcatraz de Abbott 3
alcinus, *Machaerhamphus*
 48
alcinus, *Macheiramphus*
 48
 Alder Parrot 100
alector, *Crax* 68
 Aleutian Canada Goose
 14
 Aleutian Goose 14
alexanderi, *Falco* 64
alexandrae, *Polytelis* 116
alexandrae, *Spathopterus*
 116
 Alexandra's Parrot ..116
alexandri, *Archilochus*
 153
alexandri, *Psittacula* 118
alexandri, *Psittacus* .118
alexandri, *Trochilus* .153
 Alexandrine Parakeet ...
 119
alfredi, *Otus* 143
alfredi, *Pisorhina*143
alice, *Chlorostilbon* . 157
alice, *Trochilus* 157
aliciae, *Aglaeactis* ... 150
 Alimoche 50
alinae, *Eriocnemis* ..161
alinae, *Ornismya*161
Alisterus 97
Alisterus amboinensis 97
Alisterus chloropterus 97
Alisterus scapularis ...97
alius, *Otus* 140
 Allen's Hummingbird ...
 176
alopex, *Falco*56
alopex, *Tinnunculus* ..56
Alopochen 10
Alopochen aegyptiacus
 10
altaicus, *Falco*58
alticola, *Amazilia*152
aluco, *Strix* 147
amabilis, *Amazilia* ... 174
amabilis, *Charmosyna* 90
amabilis, *Domicella* ...92
amabilis,
 90
amabilis, *Loriculus* ..110
amabilis, *Lorius*92
amabilis, *Polyerata* .174
amabilis, *Trochilus* ..174
Amadina 190
Amadina fasciata190
Amadina gorgirroja .190
Amandava 190
Amandava amandava
 190
Amandava formosa .190
Amandava subflava 190
amandava, *Amandava*
 190
 Amani Sunbird 187
 Amapola 101
 Amarante commun .192
 Amarante rare 192
 Amarante vineux192
amauropteryx, *Vidua* ...
 200

<i>Amazilia</i>	151, 152, 154, 168, 174, 175, 176	175
<i>Amazilia alticola</i>	152
<i>Amazilia amabilis</i>	...	174
<i>Amazilia amable</i>	174
<i>Amazilia amazilia</i>	...	152
<i>Amazilia andina</i>	151
<i>Amazilia berilina</i>	175
<i>Amazilia beryllina</i>	...	175
<i>Amazilia boucardi</i>	...	174
<i>Amazilia brevirostris</i>	151	
<i>Amazilia bronzeada</i>		
<i>coliazul</i>	176
<i>Amazilia candida</i>	151
<i>Amazilia canela</i>	152
<i>Amazilia capiazul</i>	176
<i>Amazilia castaneiventris</i>	152
<i>Amazilia chionogaster</i>	168
<i>Amazilia chionopectus</i>	151
<i>Amazilia coliazul</i>	176
<i>Amazilia colimorada</i>	176	
<i>Amazilia colirufa</i>	...	152
<i>Amazilia coroniazul</i>	.	151
<i>Amazilia coronivioleta</i>	152
<i>Amazilia cupreicauda</i>	176
<i>Amazilia cyanifrons</i>	176	
<i>Amazilia cyanocephala</i>	151
<i>Amazilia cyanura</i>	176
<i>Amazilia de Edward</i>	176	
<i>Amazilia de manglar</i>	174	
<i>Amazilia de Rosenberg</i>	175
<i>Amazilia de Tobago</i>	176	
<i>Amazilia decora</i>	174
<i>Amazilia edward</i>	176
<i>Amazilia fimbriata</i>	..	174
<i>Amazilia franciae</i>	151
<i>Amazilia frentiverde</i>	152	
<i>Amazilia gorjibrillante</i>	174
<i>Amazilia handleyi</i>	... 152	
<i>Amazilia hollandi</i>	152
<i>Amazilia Hummingbird</i>	152
<i>Amazilia lactea</i>	174
<i>Amazilia leucogaster</i>	151	
<i>Amazilia listada</i>	174
<i>Amazilia luciae</i>	174
<i>Amazilia microrhyncha</i>	151
<i>Amazilia pechiazul</i>	..	174
<i>Amazilia pechiblanca</i>	151	
<i>Amazilia pechimorada</i>		
<i>Amazilia rondoniae</i>	..	152
<i>Amazilia rosenbergi</i>	.	174
<i>Amazilia rutila</i>	152
<i>Amazilia saucerrottei</i>	176
<i>Amazilia tobaci</i>	176
<i>Amazilia tzacatl</i>	152
<i>Amazilia ventriblanca</i>	...	
.....	151	
<i>Amazilia ventrirufa</i>	.	152
<i>Amazilia verdiazul</i>	...	176
<i>Amazilia versicolor</i>	..	152
<i>Amazilia violiceps</i>	152
<i>Amazilia viridicauda</i>	168	
<i>Amazilia viridifrons</i>	..	152
<i>Amazilia viridigaster</i>	176	
<i>Amazilia wagneri</i>	152
<i>Amazilia xantusii</i>	154
<i>Amazilia yucatanensis</i>	152
<i>Amazilia yucateca</i>	...	152
<i>Amazilia zafirina</i>	174
<i>amazilia, Amazilia</i>	..	152
<i>amazilia, Ornithya</i>	.	152
<i>Amazilius castaneiventris</i>	152
<i>Amazona</i>	97, 98, 99, 100, 101, 146
<i>Amazona aestiva</i>	97
<i>Amazona agilis</i>	97
<i>Amazona albifrons</i>	...	97
<i>Amazona alinaranja</i>	.	97
<i>Amazona amazonica</i>	.	97
<i>Amazona arausiaca</i>	..	98
<i>Amazona europalliata</i>	100
<i>Amazona autumnalis</i>	98	
<i>Amazona barbadensis</i>	98	
<i>Amazona brasiliensis</i>	98	
<i>Amazona cabecirroja</i>	100	
<i>Amazona cabenazul</i>	.	98
<i>Amazona cabeza azul</i>	98	
<i>Amazona cariazul</i>	98
<i>Amazona charao</i>	100
<i>Amazona colirroja</i>	...	98
<i>Amazona collaria</i>	98
<i>Amazona coronirroja</i>	100
<i>Amazona crestirroja</i>	100	
<i>Amazona cubana</i>	99
<i>Amazona de cara amarilla</i>	101
<i>Amazona de Cuba</i>	99
<i>Amazona de espalda</i>		
<i>amarilla</i>	98
<i>Amazona de Kawall</i>	..	99
<i>Amazona de Puerto Rico</i>	101
<i>Amazona de San Vicente</i>		
.....	99	
<i>Amazona del cerrado</i>	101	
<i>Amazona dufresniana</i>	
.....	98, 100	
<i>Amazona farinosa</i>	98
<i>Amazona festiva</i>	99
<i>Amazona finschi</i>	99
<i>Amazona frentialba</i>	...	97
<i>Amazona frentiazul</i>	...	97
<i>Amazona frentirroja</i>	..	98
<i>Amazona gorgirroja</i>	..	98
<i>Amazona guayabera</i>	.	99
<i>Amazona guildingii</i>	99
<i>Amazona harinosa</i>	98
<i>Amazona hombrogualda</i>	98
<i>Amazona imperial</i>	99
<i>Amazona imperialis</i>	...	99
<i>Amazona jamaicana</i>		
<i>piquiclara</i>	98
<i>Amazona jamaicana</i>		
<i>piquioscura</i>	97
<i>Amazona kawalli</i>	99
<i>Amazona leucocephala</i>	.	
.....	99	
<i>Amazona mercenaria</i>	99	
<i>Amazona ochrocephala</i>	99, 100
<i>Amazona ochrocephala</i>		
<i>europalliata</i>	100
<i>Amazona ochrocephala</i>		
<i>belizensis</i>	100
<i>Amazona ochrocephala</i>		
<i>caribaea</i>	100
<i>Amazona ochrocephala</i>		
<i>oratrix</i>	100
<i>Amazona ochrocephala</i>		
<i>parvipes</i>	100
<i>Amazona ochrocephala</i>		
<i>tresmariae</i>	100
<i>Amazona oratrix</i>	100
<i>Amazona pechivinosa</i>	101
<i>Amazona pretrei</i>	100
<i>Amazona real</i>	99
<i>Amazona rhodocorytha</i>	100
<i>Amazona tamaulipecae</i>	101
<i>Amazona tucumana</i>	100	
<i>Amazona ventralis</i>	..	100
<i>Amazona versicolor</i>	..	101
<i>Amazona vinacea</i>	...	101
<i>Amazona vinosa</i>	101
<i>Amazona viridigenalis</i>	101
<i>Amazona vittata</i>	101
<i>Amazona xantholora</i>	101	

<i>Amazona xanthops</i>	101
<i>Amazona yucateca</i>	101
Amazone agile	97
Amazone aourou	97
Amazone bourgogne	101
Amazone de Bouquet	98
Amazone de Cuba	99
Amazone de Dufresne	98
Amazone de Finsch ..	99
Amazone de Guilding	99
Amazone de Kawall ..	99
Amazone de la Barbade	98
Amazone de Porto Rico	101
Amazone de Sainte-Lucie	101
Amazone de Saint-Vincent	99
Amazone de San Domingo	100
Amazone de Tucuman	100
Amazone d'Hispaniola	100
Amazone du Yucatan	101
Amazone farineuse ...	98
Amazone festive	99
Amazone mercenaire	99
Amazone tavoua	99
Amazone versicolore	101
Amazone verte	97
Amazone vineuse ...	101
Amazonian Parakeet	111
Amazonian Parrotlet	111
Amazonian Pygmy-Owl	135
Amazonian Umbrellabird	184
<i>amazonica, Amazona</i>	97
<i>amazonicus, Psittacus</i>	97
<i>amazonina, Hapalopsittaca</i>	109
<i>amazoninus, Psittacus</i>	109
<i>amazonum, Pyrrhura</i>	122
<i>ambigua, Ara</i>	102
<i>ambigua, Carduelis</i>	189
<i>ambiguus, Psittacus</i>	102
<i>Amblyospiza</i>	196
<i>Amblyospiza albifrons</i>	196
<i>amboinensis, Alisterus</i>	97
<i>amboinensis, Psittacus</i>	97
Ambon King-Parrot	97
American Flamingo	9
American Harpy Eagle ..	
.....	44
American Kestrel	63
American Swallow-tailed Kite	39
<i>americana, Ardea</i>	76
<i>americana, Grus</i>	76
<i>americana, Rhea</i>	1
<i>americanus, Daptrius</i>	56
<i>americanus, Falco</i>	56
<i>americanus, Ibycter</i> .	56
<i>americanus, Struthio</i> ..	1
Amethyst Woodstar	.154
<i>amethysticollis, Heliangelus</i>	164
<i>amethysticollis, Ornismya</i>	164
<i>amethystina, Calliphlox</i>	154
<i>amethystinus, Lampornis</i>	167
<i>amethystinus, Trochilus</i>	154
Amethyst-throated Hummingbird	167
Amethyst-throated Sunangel	164
<i>Amoropsittaca aymara</i>	118
Amur Falcon	57
<i>amurensis, Falco</i>	57
<i>anaca, Pyrrhura</i>	122
Anade malgache	12
<i>Anaplectes</i>	196
<i>Anaplectes melanotis</i>	196
<i>Anaplectes rubriceps</i>	196
<i>Anas</i> 10, 11, 12, 13, 14, 15, 16, 17, 18	
<i>Anas acuta</i>	10
<i>Anas aegyptiaca</i>	10
<i>Anas arborea</i>	15
<i>Anas aucklandica</i>	11
<i>Anas aurita</i>	17
<i>Anas autumnalis</i>	16
<i>Anas bernieri</i>	11
<i>Anas bicolor</i>	16
<i>Anas canadensis</i>	14
<i>Anas capensis</i>	11
<i>Anas carolinensis</i>	12
<i>Anas caryophyllacea</i> .	18
<i>Anas clypeata</i>	11
<i>Anas coscoroba</i>	15
<i>Anas crecca</i>	12
<i>Anas formosa</i>	12
<i>Anas gambensis</i>	17
<i>Anas jamaicensis</i>	17
<i>Anas laysanensis</i>	12
<i>Anas leucocephala</i> ...	17
<i>Anas melanocorypha</i> .	15
<i>Anas melleri</i>	12
<i>Anas moschata</i>	15
<i>Anas nyroca</i>	14
<i>Anas oustaleti</i>	13
<i>Anas penelope</i>	13
<i>Anas platyrhynchos</i> ..	12,
.....	13
<i>Anas querquedula</i>	13
<i>Anas scutulata</i>	15
<i>Anas viduata</i>	16
ANATIDAE	10
Andaman Boobook	..137
Andaman Dark Serpent-Eagle	53
Andaman Hawk-Owl	137
Andaman Scops-Owl	141
Andaman Serpent-Eagle	53
Andean Cock-of-the-rock	184
Andean Condor	18
Andean Emerald	151
Andean Flamingo	9
Andean Hillstar	171
Andean Parakeet	105
Andean Pygmy-Owl	.135
<i>andicola, Psittacula</i> .	105
<i>andicolus, Bolborhynchus</i>	105
<i>Andigena baillonii</i>	182
<i>andinus, Phoenicoparrus</i>	9
<i>andinus, Phoenicopterus</i>	9
Andrews' Frigatebird ..	3
<i>andrewsi, Fregata</i>	3
<i>Androdon</i>	152
<i>Androdon aequatorialis</i>	152
Angel de sol amatista	164
Angel de sol cuelliocre	164
angelinae, <i>Otus</i>	140
angelinae, <i>Pisorhina</i>	140
<i>angolensis, Falco</i> 40, 41	
<i>angolensis, Gypohierax</i>	40
<i>anna, Archilochus</i> ...	155
<i>anna, Calypte</i>	155
<i>anna, Ornismya</i>	155
Anna's Hummingbird	
.....	155
<i>Anodorhynchus</i> 101, 102	
<i>Anodorhynchus glaucus</i>	101
<i>Anodorhynchus</i>	

hyacinthinus 101
Anodorhynchus leari 101,
 102
Anomalospiza 196
Anomalospiza imberbis
 196
Anomalospize parasite
 196
Anopetia 152
Anopetia gounellei .. 152
Anorrhinus 180
Anorrhinus austeni . 180
Anorrhinus galeritus 180
Anorrhinus tickelli .. 180
Anser melanotos 18
Anser ruficollis 14
Anser sandvicensis ... 15
Anserelle naine 17
ANSERIFORMES 10
Anthocephala 153
Anthocephala floriceps
 153
anthopeplus, *Palaeornis*
 116
anthopeplus,
Polytelis 116
anthopeplus,
Spathopterus 116
anthophilus, *Phaethornis*
 172
anthophilus, *Trochilus*
 172
anthracinus, *Buteogallus*
 34
anthracinus, *Falco* 34
Anthracoceros 180, 181
Anthracoceros albirostris
 180
Anthracoceros convexus
 180
Anthracoceros coronatus
 181
Anthracoceros
malabaricus 181
Anthracoceros malayanus
 181
Anthracoceros marchei
 181
Anthracoceros montani
 181
Anthracothorax 153
Anthracothorax
dominiculus 153
Anthracothorax mango
 153
Anthracothorax nigricollis
 153
Anthracothorax prevostii
 153

Anthracothorax
recurvirostris 153
Anthracothorax
veraguensis 153
Anthracothorax viridigula
 153
Anthracothorax viridis
 153
Anthreptes 187
Anthreptes pallidigaster
 187
Anthreptes rectirostris
 187
Anthreptes rubritorques
 187
Anthropoides paradisea
 78
Anthropoides regulorum
 76
Anthropoides virgo ... 78
antigone, *Ardea* 77
antigone, *Grus* 77
Antillean Crested
 Hummingbird 172
Antillean Mango 153
Antipodes Green
 Parakeet 107
Antipodes Parakeet . 107
Aphantochroa cirrochloris
 155
Aphantochroa gularis 165
Aphantochroa hyposticta
 168
apivorus, *Falco* 51
apivorus, *Pernis* 51
Aplomado Falcon 60
apoda, *Paradisaea* .. 204
APODIFORMES.....150
approximans, *Circus* . 36
Aprosmictus 97, 102
Aprosmictus chloropterus
 97
Aprosmictus
erythropterus 102
Aprosmictus jonquillaceus
 102
Aquila 26, 27, 28, 43, 45,
 67
Aquila adalberti 26
Aquila audax 26
Aquila chrysaetos 26
Aquila clanga 26
Aquila fasciata 45
Aquila gurneyi 27
Aquila hastata 27
Aquila heliaca 26, 27
Aquila imperiale iberica
 26
Aquila leucorypha 43
Aquila megaloptera ...67
Aquila morphnoides ..45
Aquila nipalensis27
Aquila orientalis27
Aquila pelagica43
Aquila pomarina27
Aquila rapax 27, 28
Aquila verreauxii28
Aquila vindhiana28
Aquila wahlbergi28
aquila, *Eutoxeres* 163
aquila, *Trochilus* 163
Ara 102
Ara ambiguia 102
Ara ararauna 102
Ara auricollis 117
Ara azul 101
Ara bleu 101, 102
Ara caninde 102
Ara chloroptera 102, 103
Ara cobalt 102
Ara couloni 117
Ara de Buffon 102
Ara de Coulon 117
Ara de Fresnaye 102
Ara de Lafresnaye .. 102
Ara de Lear 102
Ara de Spix 106
Ara d'Illiger 117
Ara glaucogularis ... 102
Ara glauque 101
Ara hyacinthe 101
Ara jacinthe 101
Ara macao 102
Ara macavouanne .. 113
Ara manilata 113
Ara maracana 117
Ara militaire 102
Ara militaris 102
Ara miracana 117
Ara nobilis 107
Ara noble 107
Ara rouge 102
Ara rubrogenys 102
Ara severa 103
Ara spixii 106
Ara vert 103
Arabian Bustard 79
arabs, *Ardeotis* 79
arabs, *Choriotis* 79
arabs, *Otis* 79
aracari, *Pteroglossus* 182
aracari, *Ramphastos* 182
araea, *Cerchneis*57
araea, *Falco* 57
Arara aymara 118
ararauna, *Ara* 102
ararauna, *Psittacus* . 102
Aratinga .103, 104, 109,

111, 112, 122	
<i>Aratinga acuticaudata</i>	103
<i>Aratinga aurea</i>	103
<i>Aratinga auricapilla</i> 103	
<i>Aratinga brevipes</i> ... 103	
<i>Aratinga cabeciazul</i> 103	
<i>Aratinga cabecifusca</i> 104	
<i>Aratinga cactorum</i> . 103	
<i>Aratinga canicularis</i> 103	
<i>Aratinga chloroptera</i> 103	
<i>Aratinga cubana</i> 103	
<i>Aratinga de Finsch</i> . 104	
<i>Aratinga de Guayaquil</i>	103
<i>Aratinga de pinceles</i> 109	
<i>Aratinga de Socorro</i> 103	
<i>Aratinga de Wagler</i> 104	
<i>Aratinga erythrogenys</i>	103
<i>Aratinga euops</i> 103	
<i>Aratinga finschi</i> 103	
<i>Aratinga frentidorada</i>	103
<i>Aratinga frentinaranja</i>	103
<i>Aratinga guarouba</i> . 109	
<i>Aratinga guaruba</i> ... 109	
<i>Aratinga holochlora</i> 103, 104	
<i>Aratinga jandaya</i> ... 104	
<i>Aratinga leucophthalmus</i>	104
<i>Aratinga melanurus</i> 122	
<i>Aratinga mitrada</i> 104	
<i>Aratinga mitrata</i> 104	
<i>Aratinga nana</i> 104	
<i>Aratinga ojiblanca</i> .. 104	
<i>Aratinga orejigualda</i> 112	
<i>Aratinga pechisucia</i> 104	
<i>Aratinga perlatus</i> ... 122	
<i>Aratinga pertinax</i> ... 104	
<i>Aratinga pertinaz</i> ... 104	
<i>Aratinga rubritorquis</i> 104	
<i>Aratinga sol</i> 104	
<i>Aratinga solstitialis</i> . 104	
<i>Aratinga strenua</i> 104	
<i>Aratinga testadorada</i>	
<i>Aratinga verde</i> 104	
<i>Aratinga wagleri</i> 104	
<i>Aratinga weddellii</i> .. 104	
<i>arausiaca, Amazona</i> . 98	
<i>arausiacus, Psittacus</i> 98	
<i>arborea, Anas</i> 15	
<i>arborea, Dendrocygna</i> 15	
<i>Arborophila</i> 70	
<i>Arborophila campbelli</i> 70	
<i>Arborophila charltonii</i> 70	
<i>Arborophila gingica</i> .. 70	
<i>Arborophila orientalis</i> 70	
<i>Arborophila rolli</i> 70	
<i>Arborophila sumatrana</i>	70
<i>archeri, Buteo</i> 30	
<i>Archer's Buzzard</i> 30	
<i>Archibebe manchado</i> 84	
<i>Archibebe moteado</i> .. 84	
<i>Archibuteo regalis</i> 33	
<i>Archilochus</i> ... 153, 154, 155, 177	
<i>Archilochus alexandri</i> 153	
<i>Archilochus anna</i>155	
<i>Archilochus calliope</i> .177	
<i>Archilochus colubris</i> 154	
<i>Ardea</i> . 3, 4, 5, 6, 7, 76, 77, 78	
<i>Ardea alba</i>	4
<i>Ardea americana</i> 76	
<i>Ardea antigone</i> 77	
<i>Ardea canadensis</i> 77	
<i>Ardea carunculata</i> ... 77	
<i>Ardea dubia</i>	7
<i>Ardea garzetta</i>	5
<i>Ardea goliath</i>	3
<i>Ardea grus</i>	77
<i>Ardea ibis</i>	3
<i>Ardea japonensis</i> 78	
<i>Ardea nigra</i>	6
<i>Ardea paradisea</i> 78	
<i>Ardea pavonina</i>	76
<i>Ardea rubicunda</i> 78	
<i>Ardea virgo</i>	78
ARDEIDAE	3
<i>ardens, Coliuspasser</i> 197	
<i>ardens, Euplectes</i> ...197	
<i>ardens, Selasphorus</i> 176	
<i>Ardeola ibis</i>	3
<i>Ardeotis</i>	79
<i>Ardeotis arabs</i>	79
<i>Ardeotis australis</i> 79	
<i>Ardeotis kori</i>	79
<i>Ardeotis nigriceps</i> 79	
<i>ardosiaceus, Falco</i> ... 57	
<i>Arena boucardi</i>	174
<i>Arfak Astrapia</i>	202
<i>Arfak Parotia</i>	205
<i>arfaki, Oreopsittacus</i> 92	
<i>arfaki, Trichoglossus</i> 92	
<i>argentauris, Leiothrix</i>	186
<i>Argos gigante</i>	71
<i>Argos real</i>	71
<i>Argus ocellatus</i>	74
<i>Argus Pheasant</i>	71
<i>argus, Argusianus</i> 71	
<i>argus, Phasianus</i> 71	
<i>Argusianus</i>	71
<i>Argusianus argus</i>	71
<i>Ariane aimable</i>	174
<i>Ariane candide</i>	151
<i>Ariane cannelle</i>	152
<i>Ariane de Boucard</i> .. 174	
<i>Ariane de Francia</i> ... 151	
<i>Ariane de Lesson</i> 152	
<i>Ariane de Lucy</i>	174
<i>Ariane de Rosenberg</i> 175	
<i>Ariane de Sophie</i> 176	
<i>Ariane d'Edward</i>	176
<i>Ariane du Yucatan</i> .. 152	
<i>Ariane saphirine</i> 174	
<i>Ariane versicolore</i> ... 152	
<i>Asarcornis scutulata</i> .15	
<i>ascalaphus, Bubo</i> ..131,	
132	
<i>Ashy-faced Owl</i>	127
<i>Asian Barred Owlet</i> .134	
<i>Asian Baza</i>	29
<i>Asian Black Eagle</i>46	
<i>Asian Black Hornbill</i> 181	
<i>Asian Black Vulture</i> ...52	
<i>Asian Crested Goshawk</i>	
.....25	
<i>Asian King Vulture</i>52	
<i>Asian White-backed</i>	
<i>Vulture</i>	41
<i>Asian White-crested</i>	
<i>Hornbill</i>	179
<i>Asio</i>129, 130, 148	
<i>Asio abyssinicus</i> 129	
<i>Asio butleri</i>	148
<i>Asio capensis</i>	129
<i>Asio clamator</i>	129
<i>Asio flammeus</i>	129
<i>Asio madagascariensis</i>	
.....130	
<i>Asio otus</i>	129, 130
<i>Asio stygius</i>	130
<i>asio, Megascops</i> 140	
<i>asio, Otus</i>140, 142	
<i>asio, Strix</i>	140
<i>Assam Brown-backed</i>	
<i>Hornbill</i>	180
<i>assimilis, Chlorostilbon</i>	
.....158	
<i>assimilis, Circus</i>	36
<i>assimilis, Eriocnemis</i> 164	
<i>assimilis, Haplophaedia</i>	
.....164	
<i>Astrapia</i>	202
<i>Astrapia mayeri</i>	202
<i>Astrapia nigra</i>	202
<i>Astrapia rothschildi</i> . 202	
<i>Astrapia splendidissima</i>	
.....202	
<i>Astrapia stephaniae</i> 202	
<i>astreans, Acestrura</i> 156	

<i>astreans</i> , <i>Chaetocercus</i>	156
Astrild caille	194
Astrild fourmilier	195
Astrild queue-de-vinaigre	191
<i>astrild</i> , <i>Estrilda</i>	191
Astrilda aperdizada	194
Astrilda carirroja	191
Astrilda ceniza del Senegal	191
Astrilda culinegra ...	191
Astrilda pechigualda	190
<i>Astur brachyurus</i>	20
<i>Astur brevipes</i>	20
<i>Astur buergersi</i>	40
<i>Astur butleri</i>	20
<i>Astur fasciatus</i>	21
<i>Astur griseiceps</i>	22
<i>Astur gularis</i>	22
<i>Astur henicogrammus</i>	22
<i>Astur henstii</i>	22
<i>Astur kienerii</i>	45
<i>Astur macrourus</i>	56
<i>Astur meyerianus</i>	23
<i>Astur mirandollei</i>	65
<i>Astur rufitorques</i>	24
<i>Astur spectabilis</i>	39
<i>astur</i> , <i>Eutriorchis</i>	40
<i>Asturina</i>	28, 48
<i>Asturina nitida</i>	28
<i>Asturina plagiata</i>	28
<i>Asturina schistacea</i>	48
<i>asturinus</i> , <i>Spilornis</i>	53
<i>ater</i> , <i>Daptrius</i>	56
<i>ater</i> , <i>Psittacus</i>	89, 96
<i>aterrimus</i> , <i>Probosciger</i>	96
<i>aterrimus</i> , <i>Psittacus</i>	96
<i>Athene</i>	131, 134, 137, 138, 139, 146, 147, 150
<i>Athene albifacies</i>	146
<i>Athene blewitti</i>	131
<i>Athene brama</i>	131
<i>Athene castanonota</i>	134
<i>Athene cunicularia</i>	147
<i>Athene dimorpha</i>	150
<i>Athene jacquinoti</i>	138
<i>Athene noctua</i>	131
<i>Athene rufa</i>	139
<i>Athene squamipila</i>	139
<i>Athene strenua</i>	139
<i>Athene whitneyi</i>	137
<i>Atitlan Grebe</i>	2
<i>atra</i> , <i>Afrrotis</i>	80
<i>atra</i> , <i>Chalcopsitta</i>	89
<i>atra</i> , <i>Manucodia</i>	204
<i>atra</i> , <i>Otis</i>	80
<i>atrata</i> , <i>Carduelis</i>	189
<i>atratus</i> , <i>Spinus</i>	189
<i>atricapilla</i> , <i>Megascops</i>	140
<i>atricapilla</i> , <i>Strix</i>	140
<i>atricapillus</i> , <i>Otus</i>	140
<i>Atrichorne bruyant</i>	185
<i>Atrichornis</i>	185
<i>Atrichornis clamosus</i>	185
ATRICHORNITHIDAE	185
<i>atricollis</i> , <i>Ortygospiza</i>	194
<i>atrimonialis</i> , <i>Phaethornis</i>	172
<i>atrogularis</i> , <i>Textu</i>	199
<i>atropurpurea</i> , <i>Xipholena</i>	184
<i>Atthis</i>	154
<i>Atthis ellioti</i>	154
<i>Atthis heloisa</i>	154
<i>Attwater's Prairie-chicken</i>	76
<i>aucklandica</i> , <i>Anas</i>	11
<i>aucklandica</i> , <i>Nesonetta</i>	11
<i>audax</i> , <i>Aquila</i>	26
<i>audax</i> , <i>Vultur</i>	26
<i>Augastes</i>	154
<i>Augastes geoffroyi</i>	154
<i>Augastes lumachella</i>	154
<i>Augastes scutatus</i>	154
<i>Augur Buzzard</i>	30
<i>augur</i> , <i>Buteo</i>	30
<i>augur</i> , <i>Falco</i>	30
<i>auguralis</i> , <i>Buteo</i>	30
<i>augusti</i> , <i>Phaethornis</i>	172
<i>augusti</i> , <i>Trochilus</i>	172
<i>aurantia</i> , <i>Strix</i>	127
<i>aurantia</i> , <i>Tyto</i>	127
<i>aurantiifrons</i> , <i>Loriculus</i>	110
<i>aurantiirostris</i> , <i>Ramphastos</i>	183
<i>aurantiocephala</i> , <i>Pionopsitta</i>	113
<i>aurantius</i> , <i>Ploceus</i>	199
<i>aurata</i> , <i>Panychloris</i>	158
<i>auratus</i> , <i>Chlorostilbon</i>	158
<i>aurea</i> , <i>Aratinga</i>	103
<i>aurea</i> , <i>Eupsittula</i>	103
<i>aureicincta</i> , <i>Charmosyna</i>	90
<i>aureicinctus</i> , <i>Trichoglossus</i>	90
<i>aureliae</i> , <i>Haplophaedia</i>	164
<i>aureliae</i> , <i>Trochilus</i>	164
<i>aureoventris</i> , <i>Chlorostilbon</i>	157
<i>aureoventris</i> , <i>Ornismya</i>	157
<i>aurescens</i> , <i>Heliodoxa</i>	165
<i>aurescens</i> , <i>Polyplancta</i>	165
<i>aurescens</i> , <i>Trochilus</i>	165
<i>aureus</i> , <i>Psittacus</i>	103
<i>auricapilla</i> , <i>Aratinga</i>	103
<i>auricapillus</i> , <i>Psittacus</i>	103
<i>auriceps</i> , <i>Chlorostilbon</i>	158
<i>auriceps</i> , <i>Cyanoramphus</i>	106
<i>auriceps</i> , <i>Psittacus</i>	106
<i>auricollis</i> , <i>Ara</i>	117
<i>auricollis</i> , <i>Primolius</i>	117
<i>auricollis</i> , <i>Propyrrhura</i>	117
<i>aurifrons</i> , <i>Bolborhynchus</i>	118
<i>aurifrons</i> , <i>Psilopsiagon</i>	105, 118
<i>aurifrons</i> , <i>Psittacus</i>	118
<i>aurita</i> , <i>Anas</i>	17
<i>aurita</i> , <i>Heliothryx</i>	166
<i>auritus</i> , <i>Nettapus</i>	17
<i>auritus</i> , <i>Trochilus</i>	166
<i>europalliata</i> , <i>Amazona</i>	100
<i>europalliatius</i> , <i>Psittacus</i>	100
<i>Aurora Finch</i>	195
<i>austeni</i> , <i>Anorrhinus</i>	180
<i>Austral Conure</i>	108
<i>Austral Parakeet</i>	108
<i>Austral Pygmy-Owl</i>	135
<i>Australasian Goshawk</i>	21
<i>Australasian Harrier</i>	36
<i>Australian Black-shouldered Kite</i>	39
<i>Australian Bustard</i>	79
<i>Australian Hobby</i>	60
<i>Australian Kestrel</i>	58
<i>Australian King-Parrot</i>	97
<i>Australian Masked-Owl</i>	128
<i>Australian Ringneck</i>	105
<i>australis</i> , <i>Ardeotis</i>	79
<i>australis</i> , <i>Choriotis</i>	79
<i>australis</i> , <i>Falco</i>	67
<i>australis</i> , <i>Otis</i>	79
<i>australis</i> , <i>Phalcoboenus</i>	67
<i>australis</i> , <i>Psittacus</i>	93
<i>australis</i> , <i>Treron</i>	88

australis, *Vini* 93
 Autillo africano 145
 Autillo barbudo 141
 Autillo bigotudo 146
 Autillo californiano 142
 Autillo capirotado 140
 Autillo cariblanco 143
 Autillo chino 141
 Autillo cubano 143
 Autillo de Guerney 137
 Autillo de Java 140
 Autillo de Koepcke 142,
 143
 Autillo de la Mantanani 143
 Autillo de la Sangihe 142
 Autillo de la Simeulue 146
 Autillo de la Sonda 141
 Autillo de las Comores 144
 Autillo de las Mentawai 144
 Autillo de las Palau 144
 Autillo de Marshall 143
 Autillo de Mindanao 144
 Autillo de Mindoro 144
 Autillo de Moheli 144
 Autillo de Nicobar 140
 Autillo de Palawan 142
 Autillo de Santa Catalina 145
 Autillo de Sokoke 142
 Autillo de Wallace 145
 Autillo del Amazonas 146
 Autillo elegante 142
 Autillo europeo 145
 Autillo filipino 144
 Autillo flamulado 142
 Autillo frentiblanco 145
 Autillo gorgiblanco 140
 Autillo indio 141
 Autillo malgache 144
 Autillo montano 145
 Autillo oriental 145
 Autillo persa 141
 Autillo peruano 144
 Autillo piquigualdo 142
 Autillo roborado 144
 Autillo rojizo 144
 Autillo serrano 141
 Autillo vermiculado 146
 Autillo yanqui 140
 Autour australien 21
 Autour blanc 23
 Autour bleu et gris 22
 Autour chanteur 48, 49
 Autour de Doria 48
 Autour de Henst 22

Autour de Mayr 24
 Autour de Meyer 23
 Autour de Toussenel 25
 Autour des Fidji 24
 Autour des Moluques 22
 Autour des palombes 21
 Autour gabar 49
 Autour imitateur 22
 Autour minulle 21
 Autour noir 22, 23
 Autour pie 19
 Autour rouge 40
 Autour sombre 49
 Autour tachiro 25
 Autour unibande 47
 Autruche d'Afrique 1
autumnalis, *Amazona* 98
autumnalis, *Anas* 16
autumnalis, *Dendrocygna* 16
autumnalis, *Psittacus* 98
 Avadavat 190
 Ave de anteojos de pecho blanco 187
AVES 1
 Avestruz 1
 Avestruz de Magallanes 1
Aviceda 28, 29
Aviceda cuculoides 28
Aviceda jerdoni 29
Aviceda leuphotes 29
Aviceda madagascariensis 29
Aviceda subcristata 29
Avocettula recurvirostris 153
 Avutarda australiana 79
 Avutarda cafre 82
 Avutarda de Bengala 80
 Avutarda de Burchell 82
 Avutarda de Denham 82
 Avutarda de Heuglin 82
 Avutarda de la India 80
 Avutarda de Ludwig 82
 Avutarda de Namibia 82
 Avutarda de Savile 81
 Avutarda hubara 80
 Avutarda india 80
 Avutarda kori 79
axillaris, *Elanus* 39
aymara, *Amoropsittaca* 118
aymara, *Arara* 118
aymara, *Bolborhynchus* 118
aymara, *Psilopsiagon* 118
ayresii, *Hieraetus* 45
 Ayres's Eagle 45
 Ayres's Hawk-Eagle 45
Aythya 14
Aythya innotata 14
Aythya nyroca 14
 Azer semicollarejo 21
 Azor 20, 21, 22, 23, 24,
 25, 31, 36, 40, 48, 49,
 52, 56
 Azor australiano 21
 Azor bicolor 20
 Azor blanquinegro 23
 Azor chico 24
 Azor culebrero 52
 Azor de Doria 48
 Azor de Meyer 23
 Azor de Toussenel 25
 Azor gris 25
 Azor lagartijero oscuro 49
 Azor malgache 22
 Azor pechillano 25
 Azor rabilargo 56
 Azor rojo 40
 Azor tachiro 25
 Azor variable 23, 54
 Azor-lagartijero claro 48,
 49
 Aztec Parakeet 104
 Azure Jay 206
azurea, *Cochoa* 185
 Azurebreasted pitta 185
 Azure-breasted Pitta 185
 Azure-crowned Hummingbird 151
 Azure-rumped Parrot 123

B

badia, *Strix* 126
badius, *Accipiter* 19
badius, *Falco* 19
badius, *Phodilus* 126
baeri, *Leucippus* 168
 Bahama Woodstar 155
 Bahamas Parrot 99
 Baikal Teal 12
bailloni, *Andigena* 182
bailloni, *Baillonius* 182
bailloni, *Ramphastos* 182
Baillonius 182
Baillonius bailloni 182
 Baka Indigobird 201
bakkamoena, *Otus* 141,
 142, 143, 144
Balaeniceps 5
Balaeniceps rex 5
BALAEINICIPITIDAE 5

Balbugard fluviatile	19	Barnacla cuellirroja	14	Baza negro	29
Bald Eagle	42	Barnacla de las Aleutianas	14	Baza oriental	29
Bald Ibis	7, 8	Barnacla hawaiana	15	Bearded Helmetcrest	172
Bald Parrot	113	Barnacla nene	15	Bearded Mountaineer	171
<i>Balearica</i>	76	<i>barnardi</i> , <i>Barnardius</i>	105	Bearded Screech-Owl	141
<i>Balearica pavonina</i>	76	<i>barnardi</i> , <i>Platycercus</i>	105	Bearded Vulture	40
<i>Balearica regulorum</i>	76	<i>Barnardius</i>	105	<i>beaudouini</i> , <i>Circaetus</i>	35
Bali Myna	202	<i>Barnardius barnardi</i>	105	Beaudouin's Snake-Eagle	35
Bali Starling	202	<i>Barnardius zonarius</i>	105	Beaumarquet	195
<i>balli</i> , <i>Ephialtes</i>	141	<i>Barnard's Parakeet</i>	105	Beaumarquet aurore	195
<i>balli</i> , <i>Otus</i>	141	<i>baroni</i> , <i>Metallura</i>	170	Beautiful Hummingbird	155
Band-bellied Owl	146	Bar-pouched Wreathed Hornbill	180	Beautiful Parakeet	118
Banded Cotinga	184	Barraband Parakeet	116	Beautiful Parrot	113
Banded Eagle-Owl	133	<i>barrabandi</i> , <i>Gypopsitta</i>	113	<i>Bebrornis</i>	185
Banded Kestrel	65	<i>barrabandi</i> , <i>Pionopsitta</i>	113	<i>Bebrornis rodericanus</i>	185
Banded Pitta	184	<i>barrabandi</i> , <i>Psittacus</i>	113	<i>beccarii</i> , <i>Otus</i>	143
Banded Snake-Eagle	35	Barraband's Parrot	113	<i>beccarii</i> , <i>Scops</i>	143
Banded Sunbird	187	Barred Eagle-Owl	133	Bec-d'argent	193
Band-tailed Barbetthroat	178	Barred Forest-Falcon	65	Bec-en-faucille aigle	163
Band-tailed Fish-Eagle	43	Barred Hawk	48	Bec-en-faucille de la Condamine	163
Band-tailed Owl	146	Barred Honey-buzzard	51	Bec-en-sabot	5
<i>Banksianus fulgidus</i>	121	Barred Jungle Owlet	136	Bec-en-sabot du Nil	5
<i>banksii</i> , <i>Calyptorhynchus</i>	95	Barred Kestrel	65	Bee Hummingbird	154, 170
<i>banksii</i> , <i>Psittacus</i>	95	Barred Owl	134, 146, 148, 149	<i>bella</i> , <i>Goethalsia</i>	164
<i>bannermani</i> , <i>Buteo</i>	31	Barred Owlet	134	<i>bellicosus</i> , <i>Falco</i>	52
<i>bannermani</i> , <i>Proturacus</i>	124	Barred Parakeet	105	<i>bellicosus</i> , <i>Hieraetus</i>	52
<i>bannermani</i> , <i>Tauraco</i>	124	<i>barroti</i> , <i>Heliothryx</i>	166	<i>bellicosus</i> , <i>Polemaetus</i>	52
Bannerman's Turaco	125	<i>barroti</i> , <i>Trochilus</i>	166	Bengal Bustard	80
Bar-backed Partridge	71	<i>bartelsi</i> , <i>Spizaetus</i>	54	Bengal Florican	80
<i>barbadensis</i> , <i>Amazona</i>	98	Bar-throated Wreathed Hornbill	180	<i>bengala</i> , <i>Estrilda</i>	196
<i>barbadensis</i> , <i>Psittacus</i>	98	<i>Basilinna</i>	154	<i>bengalensis</i> , <i>Bubo</i>	132
<i>barbarus</i> , <i>Megascops</i>	141	<i>Basilinna leucotis</i>	154	<i>bengalensis</i> , <i>Eupodotis</i>	80
<i>barbarus</i> , <i>Otus</i>	141	<i>Basilinna xantusii</i>	154	<i>bengalensis</i> , <i>Gyps</i>	41
<i>barbarus</i> , <i>Scops</i>	141	Bat Falcon	62	<i>bengalensis</i> , <i>Houbaropsis</i>	80
Barbary Falcon	61	Bat Hawk	48	<i>bengalensis</i> , <i>Otis</i>	80
<i>barbatus</i> , <i>Gypaetus</i>	40	Bat Kite	48	<i>bengalensis</i> , <i>Otus</i>	132
<i>barbatus</i> , <i>Vultur</i>	40	<i>batavica</i> , <i>Psittaca</i>	123	<i>bengalensis</i> , <i>Vultur</i>	41
Barbita colibandeada	178	<i>batavica</i> , <i>Touit</i>	123	Bengali rouge	190
Barbita colipalida	178	Bateleur	55	Bengali vert	190
Bar-breasted Firefinch	192	Bateleur des savanes	55	<i>bengalus</i> , <i>Uraeginthus</i>	196
Bar-breasted Waxbill	192	Bateleur Eagle	55	<i>benjamini</i> , <i>Trochilus</i>	178
Bare-eyed Cockatoo	95	<i>baudinii</i> , <i>Calyptorhynchus</i>	95	<i>benjamini</i> , <i>Urosticte</i>	178
Bare-headed Rockfowl	186	<i>baweanus</i> , <i>Spilornis</i>	53	<i>Berenicornis comatus</i>	179
Bare-legged Owl	143	Bay Owl	126	<i>berigora</i> , <i>Falco</i>	57
Bare-shanked Screech-Owl	141	Bay-winged Hawk	51	<i>berlepschi</i> , <i>Acestrura</i>	156
Bare-throated Bellbird	184	Baza africano	29	<i>berlepschi</i> , <i>Aglaiocercus</i>	151
Barking Owl	138	Baza australiano	29	<i>berlepschi</i> , <i>Chaetocercus</i>	156
<i>barklyi</i> , <i>Coracopsis</i>	106	Baza coucou	29	<i>berlepschi</i> , <i>Cyanolesbia</i>	156
Barn Owl	126	Baza de Jerdon	29		
Barnacla Canadiense	14	Baza huppard	29		
		Baza malgache	29		

.....	151
Bernache des Iles	
Sandwich	15
Bernache du Canada	14
<i>bernieri, Anas</i>	11
<i>bernieri, Querquedula</i>	11
Bernier's Teal	11
<i>beryllina, Amazilia</i>	175
<i>beryllina, Saucerottia</i>	175
Berylline Hummingbird	175
<i>beryllinus, Loriculus</i>	110
<i>beryllinus, Psittacus</i>	110
<i>beryllinus, Trochilus</i>	175
besra	25
Besra Sparrowhawk	25
Biak Red Lory	91
<i>biarmicus, Falco</i>	57
<i>bicalcaratum, Polypectron</i>	74
<i>bicalcaratus, Pavo</i>	74
<i>bicolor, Accipiter</i>	20
<i>bicolor, Anas</i>	16
<i>bicolor, Cyanophrys</i>	160
<i>bicolor, Dendrocygna</i>	16
<i>bicolor, Lonchura</i>	192
<i>bicolor, Nigrata</i>	194
<i>bicolor, Sparvius</i>	20
<i>bicolor, Spermestes</i>	192
<i>bicolor, Trochilus</i>	160
Bicolored Hawk	20
Bicolored Sparrowhawk	20
<i>bicornis, Buceros</i>	181
<i>bidentatus, Falco</i>	44
<i>bidentatus, Harpagus</i>	44
<i>bilophia, Heliactin</i>	164
Bismarck Boobook	140
Bismarck Hawk-Owl	140
Bismarck Masked-Owl	127
<i>bistriatus, Burhinus</i>	83
<i>bistriatus, Charadrius</i>	83
Black Baza	29
Black Bustard	80
Black Caracara	56
Black Chachalaca	70
Black Crowned-Crane	76
Black Cuckoo-dove	89
Black Curassow	68
Black Eagle	28, 46
Black Falcon	64
Black Goshawk	22, 23
Black Harrier	38
Black Hawk-Eagle	55
Black Honey-buzzard	44
Black Hornbill	181
Black Inca	159
Black Jacobin	163
Black Kite	49
Black Korhaan	80
Black Lory	89
Black Metaltail	170
Black Munia	193
Black Pajuil	70
Black parrot	106
Black Partridge	73
Black Penelopina	70
Black Sicklebill	203
Black Siskin	189
Black Solitary Eagle	44
Black Sparrowhawk	22, 23
Black Stork	6
Black Vulture	25, 52
Black Wood-Partridge	73
Black-and-chestnut Eagle	51
Black-and-white Hawk-Eagle	55
Black-and-white Mannikin	192
Black-and-white Munia	192
Black-and-white Owl	149
Black-backed Thornbill	175
Black-banded Owl	148
Black-bellied Bustard	81
Black-bellied Firefinch	192
Black-bellied Hummingbird	163
Black-bellied Korhaan	81
Black-bellied Seedcracker	195
Black-bellied Thorntail	161
Black-bellied Waxbill	192
Black-bellied Whistling-Duck	16
Black-billed Amazon	97
Black-billed Hanging-Parrot	110
Black-billed Parrot	97
Black-billed Sicklebill	203
Black-billed Streamertail	178
Black-billed Turaco	126
Black-billed Wood-Dove	89
Black-billed Wood-Duck	15
Black-breasted Buzzard	44
Black-breasted Buzzard-Kite	44
Black-breasted Harrier-Eagle	36
Black-breasted Hillstar	171
Black-breasted Kite	44
Black-breasted Pitta	184
Black-breasted Puffleg	162
Black-breasted Snake-Eagle	36
Black-breasted Thrush	187
Black-capped Conure	122
Black-capped Lory	92
Black-capped Parakeet	122
Black-capped Screech-Owl	140
Black-cheeked Lovebird	96
Black-chested Buzzard-Eagle	40
Black-chested Eagle	40
Black-chested Hawk	48
Black-chested Snake-Eagle	36
Black-chinned Hummingbird	153
Black-collared Hawk	29
Black-collared Lovebird	97
Black-crested Coquette	169
Black-eared Fairy	166
Black-eared Kite	49
Black-eared Parrot	109, 123
Black-eared Parrotlet	123
Black-faced Firefinch	192, 201
Black-faced Firefinch	201
Black-faced Hawk	47
Black-footed Penguin	2
Black-fronted Curassow	70
Black-fronted Hummingbird	154
Black-fronted Piping-Guan	70
Black-headed Caique	113
Black-headed Conure	111
Black-headed Greenfinch	189
Black-headed Parakeet	111

Black-headed Parrot	113
Black-headed Tragopan	76
Black-headed Weaver	199
Black-hooded Sunbeam	151
Black-legged Dacnis	188
Black-legged Falconet	66
Black-lored Parrot	123
Black-mantled Goshawk	22
Black-mantled Hawk	22
Black-masked Lovebird	96
Black-masked Nuthatch	187
Black-necked Aracari	182
Black-necked Crane	78
Black-necked Swan	15
Black-necked Weaver	200
Black-rumped Waxbill	191
Black-shouldered Kite	39
Black-sided Falconet	66
Black-tailed Trainbearer	168
Black-thighed Falconet	66
Black-thighed Puffleg	162
Black-throated Brilliant	165
Black-throated Finch	195
Black-throated Hermit	172
Black-throated Malimbe	197
Black-throated Mango	153
Black-tip Crested Turaco	125
Black-winged Bishop	197
Black-winged Kite	39
Black-winged Lory	91
Black-winged Lovebird	97
Black-winged Parrot	109
<i>blakistoni, Bubo</i>	136
<i>blakistoni, Ketupa</i>	136
Blakiston's Fish-owl	136
Blaze-winged Conure	121
Blaze-winged Parakeet	121
Bleeding-heart Dove	86
Bleeding-heart Pigeon	86
<i>blewitti, Athene</i>	131
<i>blewitti, Heteroglaux</i>	131
Blood Pheasant	72
Blood-eared Parakeet	121
Blossomcrown	153
Blossom-headed Parakeet	120
Blue Bird-of-paradise	205
Blue Bustard	80
Blue Crane	78
Blue Crowned-Pigeon	86
Blue Korhaan	80
Blue Lorikeet	94
Blue Plantain-eater	124
Blue-and-gold Macaw	102
Blue-and-grey Sparrowhawk	22
Blue-and-yellow Macaw	102
Blue-backed Parrot	123
Blue-bellied Parrot	124
Blue-billed Curassow	68
Blue-billed Firefinch	192
Blue-billed Malimbe	198
Blue-billed Mannikin	192
Blue-billed Weaver	195
Bluebonnet	112
Blue-capped Hummingbird	163
Blue-capped Puffleg	162
Blue-cheeked Amazon	98
Blue-cheeked Parrot	98
Blue-Chested Hummingbird	174
Blue-chested Parakeet	121
Blue-chinned Sapphire	158
Blue-collared Parrot	109
Blue-crowned Conure	103
Blue-crowned Hanging-Parrot	110
Blue-crowned Lorikeet	93
Blue-crowned Parakeet	103
Blue-crowned Racquet-tail	116
Blue-crowned Woodnymph	177
Blue-eared Lory	91
Blue-eyed Cockatoo	95
Blue-fronted Amazon	97
Blue-fronted Lancebill	161
Blue-fronted Lorikeet	91
Blue-fronted Parrot	97, 123
Blue-fronted Parrotlet	123
Blue-headed Dove	89
Blue-headed	
Hummingbird	160
Blue-headed Macaw	117
Blue-headed Parrot	114
Blue-headed Racquet-tail	
.....	117
Blue-headed Sapphire	166
Blue-headed Wood-Dove	89
Blue-knobbed Curassow	68
Blue-mantled Thornbill	157
Blue-naped Parrot	123
Blue-naped Pitta	184
Blue-rumped Parrot	108, 120
Blue-rumped Parrotlet	108
Blue-spotted Wood-Dove	89
Blue-streaked Lory	91
Blue-tailed Emerald	158
Blue-tailed Hummingbird	176
Blue-tailed Pitta	184
Blue-throated Goldtail	166
Blue-throated Hummingbird	167
Blue-throated Macaw	102
Blue-throated Parakeet	121
Blue-throated Starfrontlet	159
Blue-topped Hanging-Parrot	110
Blue-tufted Starthroat	166
Blue-vented Hummingbird	176
Blue-winged Grass-Parakeet	112
Blue-winged Macaw	117
Blue-winged Parrot	108, 112
Blue-winged Parrotlet	108
Blue-winged Racquet-tail	117
<i>blumenbachii, Crax</i>	68
Blumenbach's Curassow	68
<i>blythii, Ceriornis</i>	75
<i>blythii, Tragopan</i>	75
Blyth's Hawk-Eagle	54
Blyth's Hornbill	180
Blyth's Parakeet	119
Blyth's Tragopan	75
Blyth's Wreathed Hornbill	180
Bobwhite Quail	71
<i>Boissonneaua</i>	154

<i>Boissonneaua flavesiens</i>	187
<i>bourbonnensis</i> ,		
<i>Terpsiphone</i>	187	
<i>Boissonneaua jardini</i>	154	
<i>Boissonneaua matthewsii</i>	154
<i>Bolbopsittacus</i>	105	
<i>Bolbopsittacus lunulatus</i>	105
<i>Bolborhynchus</i> 105, 111,		
118		
<i>Bolborhynchus andiculus</i>	105
<i>Bolborhynchus aurifrons</i>	118
<i>Bolborhynchus aymara</i>	118
<i>Bolborhynchus ferrugineifrons</i>	105
<i>Bolborhynchus lineola</i>	105
<i>Bolborhynchus luchsi</i>	111	
<i>Bolborhynchus orbygnesius</i>	105
<i>bolivianum, Glaucidium</i>	134
<i>bolivianus, Oreotrochilus</i>	171
<i>bombus, Acestrura</i>	. 156	
<i>bombus, Chaetocercus</i>	156
<i>Bombycilla</i>	185	
<i>Bombycilla japonica</i>	185	
BOMBYCILLIDAE ..	185	
<i>bonapartei, Coeligena</i>	159
<i>bonapartei, Ornismya</i>	159
<i>Bonelli's Eagle</i>	45	
<i>boobook, Ninox</i> 137, 138		
<i>boobook, Strix</i>	138	
<i>Booted Eagle</i>	45	
<i>Booted Racket-tail</i> ..	171	
<i>Boreal Owl</i>	128	
<i>borealis, Numenius</i> ... 83		
<i>borealis, Scolopax</i> 83		
<i>bornea, Eos</i>	91	
<i>Bornean Falconet</i>	66	
<i>Bornean Peacock-pheasant</i>	74
<i>borneus, Psittacus</i> 91		
<i>Bostrychia</i>	7	
<i>Bostrychia hagedash</i> .. 7		
<i>Bostrychia rara</i>	7	
<i>boucardi, Amazilia</i> .. 174		
<i>boucardi, Arena</i>	174	
<i>boucardi, Polyerata</i> .. 174		
<i>bougueri, Trochilus</i> .. 178		
<i>bougueri, Urochroa</i> .. 178		
<i>bourbonnensis, Tchitrea</i>		
<i>Brillant fer-de-lance</i>	165	
<i>Brillante alicanelia</i> ... 165		
<i>Brillante coroniverde</i> 165		
<i>Brillante de Tepui</i> ... 165		
<i>Brillante emperador</i> 165		
<i>Brillante frentivioleta</i> 165		
<i>Brillante gorgirrosado</i>	165
<i>Brillante gorjinegro</i> .. 165		
<i>Brillante pechianteado</i>	165
<i>Brillante pechigamuza</i>	165
<i>Brillante ventinegro</i> 165		
<i>broadbenti litoralis, Dasyornis</i>	186
<i>broadbenti, Dasyornis</i>	186
<i>Broad-billed Hummingbird</i>	160
<i>Broad-tailed Hummingbird</i>	176
<i>Broad-tipped Hermit</i>	153	
<i>Broad-winged Hawk</i> .. 32		
<i>brodlei, Glaucidium</i> .. 134		
<i>brodlei, Noctua</i>	134	
<i>Brolga</i>	78	
<i>Bronze Mannikin</i>	193	
<i>Bronze Munia</i>	193	
<i>Bronze-tailed Barbthroat</i>	178
<i>Bronze-tailed Comet</i>	175	
<i>Bronze-tailed Plumeleteer</i>	157
<i>Bronze-tailed Thornbill</i>	157
<i>Bronze-winged Mannikin</i>	193
<i>Bronze-winged Parrot</i>	114
<i>Bronzy Hermit</i>	163	
<i>Bronzy Inca</i>	159	
<i>brookii, Otus</i>	141	
<i>brookii, Scops</i>	141	
<i>Brotogeris</i> 105, 106, 112		
<i>Brotogeris chiriri</i>	105	
<i>Brotogeris chrysopterus</i>	105
<i>Brotogeris cyanoptera</i>	105
<i>Brotogeris ferrugineifrons</i>	105
<i>Brotogeris gustavi</i> .. 105		
<i>Brotogeris jugularis</i> .. 105		
<i>Brotogeris panychlorus</i>	112
<i>Brotogeris pyrrhopterus</i>	105
<i>Brotogeris sanctithomae</i>		

.....	106	<i>Bubo lacteus</i>	132	<i>buffoni</i> , <i>Circus</i>	36
<i>Brotogeris tirica</i>	106	<i>Bubo lettii</i>	136	<i>buffoni</i> , <i>Falco</i>	36
<i>Brotogeris versicolorus</i>	105, 106	<i>Bubo leucostictus</i>	132	<i>buffonii</i> , <i>Chalybura</i> ..	157
Brown Boobook	139	<i>Bubo magellanicus</i> ..	133	<i>buffonii</i> , <i>Trochilus</i> ...	157
Brown Eared-pheasant	71	<i>Bubo nipalensis</i>	133	Buffon's Macaw	102
Brown Falcon	57	<i>Bubo philippensis</i>	133	Buff-tailed Coronet	154
Brown Fish-Owl	137	<i>Bubo poensis</i>	133	Buff-tailed Sicklebill	163,
Brown Goshawk	21	<i>Bubo scandiacus</i>	140	203	
Brown Harrier-Eagle ..	35	<i>Bubo shelleyi</i>	133	Buff-thighed Puffleg ..	164
Brown Hawk-Owl	139	<i>Bubo sumatranaus</i>	133	Buff-winged Starfrontlet	159
Brown Hornbill	180	<i>Bubo virginianus</i>	133	Buffy Fish-Owl	137
Brown Inca	160	<i>Bubo vosseleri</i>	133	Buffy Hummingbird ..	168
Brown Lory	90	<i>Bubo zeylonensis</i>	137	Buffy-fronted Seedeater	188
Brown Parrot	115	<i>bubo</i> , <i>Bubo</i>	131, 132	Buffy-throated Seedeater	188
Brown Sicklebill	203	<i>bubo</i> , <i>Strix</i>	132	<i>Bugeranus carunculatus</i>	77
Brown Snake-Eagle ..	35	<i>Bubulcus</i>	3	Buhito en Pernetas ..	141
Brown Teal	11	<i>Bubulcus ibis</i>	3	Buitre cabeciblanco ..	56
Brown Violet-ear	160	<i>Buceros</i>		Buitre cabecirrojo	52
Brown Wood-Owl	148 179, 180, 181, 182		Buitre del Himalaya ..	41
Brown-backed Firefinch	192	<i>Buceros bicornis</i>	181	Buitre dorsiblanco	
Brown-backed Parrotlet	123	<i>Buceros cassidix</i>	179	africano	41
Brown-breasted Parakeet	121	<i>Buceros comatus</i>	179	Buitre el cabo	41
Brown-headed Parrot ..	115	<i>Buceros coronatus</i>	181	Buitre Leonado	41
Brown-hooded Parrot ..	113	<i>Buceros corrugatus</i> ..	179	Buitre moteado	42
Brown-necked Parrot ..	116	<i>Buceros exarhatus</i> ..	181	Buitre negro	25
Brown-throated Conure	104	<i>Buceros galeritus</i>	180	Buitre orejudo	55
Brown-throated Parakeet	104	<i>Buceros hydrocorax</i> ..	181	Buitre palmero	41
<i>brucei</i> , <i>Ephialtes</i>	141	<i>Buceros leucocephalus</i>	179	Buitre picofino	42
<i>brucei</i> , <i>Otus</i>	141	<i>Buceros malabaricus</i> ..	180	Buitre piquirrojo	56
Bruce's Green-Pigeon ..	88	<i>Buceros malayanus</i> ..	181	Bulbul bigotudo	185
<i>bruijnii</i> , <i>Drepanornis</i> ..	203	<i>Buceros manillae</i> ..	182	<i>bulweri</i> , <i>Lobiophasis</i> ..	72
<i>bruijnii</i> , <i>Epimachus</i> ..	203	<i>Buceros montani</i> ..	181	<i>bulweri</i> , <i>Lophura</i> ..	72
<i>bruijnii</i> , <i>Micropsitta</i> ..	111	<i>Buceros nipalensis</i> ..	179	Bulwer's Pheasant	72
<i>bruijnii</i> , <i>Nasiterna</i> ..	111	<i>Buceros panini</i>	182	Bumblebee Hummingbird	154
<i>bryantae</i> , <i>Calliphlox</i> ..	155	<i>Buceros plicatus</i> ..	180	<i>burchellii</i> , <i>Eupodotis</i> ..	82
<i>bryantae</i> , <i>Doricha</i> ..	155	<i>Buceros rhinoceros</i> ..	181	<i>burchellii</i> , <i>Neotis</i>	82
<i>bryantae</i> , <i>Philodice</i> ..	155	<i>Buceros subruficollis</i> ..	180	BURHINIDAE	83
<i>Bubalornis</i>	196	<i>Buceros tickelli</i>	180	<i>Burhinus</i>	83
<i>Bubalornis albirostris</i> ..	196	<i>Buceros undulatus</i> ..	180	<i>Burhinus bistriatus</i> ..	83
<i>Bubo</i>	129, 131, 132, 133, 136, 137, 140	<i>Buceros vigil</i>	181	<i>burmeisteri</i> , <i>Chaetocercus</i>	170
<i>Bubo africanus</i>	131	BUCEROTIDAE	179	<i>burmeisteri</i> , <i>Microstilbon</i>	170
<i>Bubo ascalaphus</i>	131, 132	<i>buckleyi</i> , <i>Micrastur</i> ..	65	Burmese Hornbill	180
<i>Bubo bengalensis</i>	132	<i>Buckley's Forest-Falcon</i>	65	Burrowing Owl	147
<i>Bubo blakistoni</i>	136	<i>buergersi</i> , <i>Accipiter</i> ..	40	Burrowing Parakeet ..	106
<i>Bubo bubo</i>	131, 132	<i>buergersi</i> , <i>Astur</i>	40	Buru Racquet-tail	117
<i>Bubo capensis</i>	132	<i>buergersi</i> , ..		Busard de Buffon	36
<i>Bubo cinerascens</i>	131	<i>Erythrorhynchus</i> ..	40	Busard de Gould	36
<i>Bubo clamator</i>	129	Buff-backed Heron	3	Busard de Maillard ..	38
<i>Bubo coromandus</i> ..	132	Buff-bellied Hermit ..	174	Busard de montagne ..	38
<i>Bubo flavipes</i>	137	Buff-bellied Hummingbird	152	Busard de Wilson	35
<i>Bubo ketupu</i>	137	Buff-breasted Sabrewing	155	Busard des roseaux ..	36
		Buff-crested Bustard ..	80	Busard d'Orient	38
		Buff-faced Pygmy-Parrot	111		
		Buff-fronted Owl	129		

Busard grenouillard ... 38
 Busard maure 38
 Busard Saint-Martin . 37
 Busard tchoug 38
 Busardo aliancho 32
 Busardo alirrufo 29
 Busardo augur meridional 33
 Busardo augur oriental 30
 Busardo augur somali 30
 Busardo aura 30
 Busardo blanco 47
 Busardo blanquinegro 48
 Busardo calzado 32
 Busardo caminero 32
 Busardo carinegro 47
 Busardo cejiblanco ... 47
 Busardo chapulinero . 33
 Busardo coliblanco ... 30
 Busardo colicorto 31
 Busardo colirrojo 31
 Busardo colorado 29
 Busardo cuelliblanco . 47
 Busardo cuellirrojo ... 30
 Busardo culiblanco ... 32
 Busardo de Wilson 35
 Busardo dorsi 33, 47
 Busardo dorsirrojo 33
 Busardo gorgiblanco . 30
 Busardo gris 28
 Busardo hawaiano 33
 Busardo herrumbroso 33
 Busardo hombrorrojo 32
 Busardo langostero .. 30
 Busardo malgache 31
 Busardo mixto 51
 Busardo mongol 31
 Busardo Moro 33
 Busardo pizarroso 48
 Busardo plomizo 47
 Busardo Ratonero 31
 Busardo sabanero 34
 Busardo semiplomizo 48
 Busardo tisa 30
 Busardo-negro urubitinga 34
Busarellus 29
Busarellus nigricollis . 29
 Busautour aux yeux blancs 30
 Busautour des sauterelles 30
 Buse aguia 40
 Buse augure 30
 Buse blanche 47
 Buse buson 34
 Buse cul-blanc 32
 Buse d'Afrique 30

Buse d'Archer 30
 Buse de Chine 31
 Buse de Harris 51
 Buse de Madagascar 31
 Buse de Patagonie ... 33
 Buse de Ridgway 33
 Buse de Swainson 33
 Buse des Galapagos . 31
 Buse des mangroves 34
 Buse du puna 32
 Buse grise 28
 Buse montagnarde ... 32
 Buse noire 34
 Buse pattue 32
 Buse rouilleuse 33
 Buse rounoir 33
 Buse solitaire 44
 Buse tricolore 33
 Buse urubu 34
 Buse variable 31
 Bush Petronia 198
 Bush Sparrow 198
 Bushy-crested Hornbill 180
Butastur 29, 30
Butastur indicus 29
Butastur liventer 29
Butastur rufipennis .. 29
Butastur teesa 30
Buteo 28, 30, 31, 32, 33, 44, 48, 55
Buteo albicaudatus ... 30
Buteo albigula 30
Buteo albonotatus ... 30
Buteo archeri 30
Buteo augur 30
Buteo auguralis 30
Buteo bannermani ... 31
Buteo brachypterus .. 30
Buteo brachyurus 30, 31
Buteo buteo 31
Buteo galapagoensis 31
Buteo hemilasius 31
 buteo jakal 30
Buteo jamaicensis 31
Buteo lagopus 32
Buteo leucorrhous 32
Buteo lineatus 32
Buteo magnirostris ... 32
Buteo melanoleucus . 55
Buteo melanosternon 44
Buteo nitidus 28
Buteo oreophilus 32
Buteo platypterus 32
Buteo poecilochrous . 32
Buteo polionotus 48
Buteo polyosoma 33
Buteo regalis 33
Buteo ridgwayi 33
Buteo rufinus 33
Buteo rufofuscus 30, 33
Buteo solitarius 33
Buteo swainsoni 33
Buteo tachardus 32
Buteo ventralis 33
 buteo, *Buteo* 31
 buteo, *Falco* 31
Buteogallus 33, 34
Buteogallus aequinoctialis 33, 34
Buteogallus anthracinus 34
Buteogallus meridionalis 34
Buteogallus subtilis ... 34
Buteogallus urubitinga 34
butleri, Accipiter 20
butleri, Asio 148
butleri, Astur 20
butleri, Strix 148
 Buton Hornbill 179
 Buzzard 29, 30, 31, 32, 33, 40, 44, 45, 47, 51
byroni, Psittacus 108

C

Caatinga Parakeet ... 103
caboti, Ceriornis 75
caboti, Tragopan 75
 Cabot's Tragopan 75
 Cacapo 123
Cacatua 94, 95, 96
Cacatua alba 94
Cacatua ducorpsii 94
Cacatua galerita 94
Cacatua goffini 94
Cacatua haematuropygia 94
Cacatua leadbeateri .. 94
Cacatua moluccensis . 95
Cacatua ophthalmica . 95
Cacatua pastinator 95
Cacatua roseicapilla .. 96
Cacatua sanguinea ... 95
Cacatua sulphurea ... 95
Cacatua tenuirostris .. 95
CACATUIDAE 94
cachinnans, Falco 65
cachinnans,
Herpetotheres 65
cactorum, Aratinga . 103
cactorum, Eupsittula 103
cactorum, Psittacus 103
 Cactus Conure 103
 Cactus Parakeet 103

<i>caeruleiceps</i> , <i>Pyrrhura</i>177	Calzadito canoso164
.....	122	Calzadito cobrizo162
<i>caerulescens</i> , <i>Estrilda</i>191	Calzadito de Mosquera
.....	162
<i>caerulescens</i> , <i>Eupodotis</i>80	Calzadito frentiazul .162
.....		Calzadito patinegro .162
<i>caerulescens</i> , <i>Falco</i> ..66		Calzadito pechiblanco
<i>caerulescens</i> ,	161
<i>Geranospiza</i>	40	Calzadito pechinegro 162
<i>caerulescens</i> , <i>Microhierax</i>66	Calzadito reluciente 162
.....		Calzadito turquesa ..162
<i>caerulescens</i> , <i>Otis</i>80		Calzonario colibronceado
<i>caerulescens</i> , <i>Sparvius</i>40157
.....		<i>camelus</i> , <i>Struthio</i>1
<i>caeruleus</i> , <i>Cyanocorax</i>206	<i>campbelli</i> , <i>Arborophila</i> 70
.....		<i>Campephilus</i>183
<i>caeruleus</i> , <i>Elanus</i>39		<i>Campephilus imperialis</i>
.....	183
<i>caeruleus</i> , <i>Falco</i>	39	<i>Campylopterus</i> 155, 156
<i>cafra</i> , <i>Neotis</i>81, 82		<i>Campylopterus</i>
<i>cafra</i> , <i>Otis</i>	81, 82	<i>cirrochloris</i>155
<i>Caica Parrot</i>	113	<i>Campylopterus</i>
<i>caica</i> , <i>Gypopsitta</i> ...113		<i>curvipennis</i>155
<i>caica</i> , <i>Pionopsitta</i> ...113		<i>Campylopterus</i>
<i>caica</i> , <i>Psittacus</i>113		<i>cuvieri</i>
<i>Cairina</i>15, 17	155
<i>Cairina hartlaubii</i>	17	<i>Campylopterus</i>
<i>Cairina moschata</i>	15	<i>duidae</i>
<i>Cairina scutulata</i>	15155
<i>Calao bicorne</i>	181	<i>Campylopterus</i>
<i>Calao brun</i>	180	<i>ensipennis</i>155
<i>Calao charbonnier</i> ..	181	<i>Campylopterus</i>
<i>Calao de Malabar</i>	181155
<i>Calao de Manille</i>	182	<i>Campylopterus</i>
<i>Calao de Mindanao</i> .181	156
<i>Calao de Mindoro</i> ...182		<i>Campylopterus</i>
<i>Calao de montagne</i> 179		<i>hemileucus</i>156
<i>Calao de Narcondam</i> 179		<i>Campylopterus</i>
<i>Calao de Palawan</i> ...181		<i>hyperiurus</i>156
<i>Calao de Samar</i>	182	<i>Campylopterus</i>
<i>Calao de Sumba</i>	179156
<i>Calao de Vieillot</i>	179	<i>Campylopterus</i>
<i>Calao de Walden</i>180	156
<i>Calao des Philippines</i> 181		<i>Campylopterus</i>
<i>Calao des Sulu</i>	181156
<i>Calao largup</i>	180	<i>Campylopterus</i>
<i>Calao papou</i>	180156
<i>Calao pie</i>	180	<i>Campylopterus</i>
<i>Calao tarictic</i>	182156
<i>caledonicus</i> , <i>Platycercus</i>114, 115	<i>Campylopterus</i>
.....	156
<i>caledonicus</i> , <i>Psittacus</i>114	<i>Campylopterus</i>
.....	156
<i>California Condor</i>18		<i>Campylopterus</i>
<i>californianus</i> , <i>Gymnogyps</i>18156
.....		<i>Campylopterus rufus</i> 156
<i>californianus</i> , <i>Vultur</i> .18		<i>Campylopterus</i>
<i>californicum</i> , <i>Glaucidium</i>134156
.....		<i>canadensis leucopareia</i> ,
<i>Calliope Hummingbird</i>		<i>Branta</i>
		14
		<i>canadensis nesiotes</i> ,
	14
		<i>Grus</i>
		77
		<i>canadensis pulla</i> , <i>Grus</i> 77
		<i>canadensis</i> , <i>Anas</i>
		14
		<i>canadensis</i> , <i>Ardea</i>
		77
		<i>canadensis</i> , <i>Branta</i>
		14
		<i>canadensis</i> , <i>Grus</i>
		77
		<i>Canard aberrant</i>
		13
		<i>Canard de Barbarie</i> ...15
		<i>Canard de Bernier</i>11

Canard de Hartlaub	17	Caribbean Amazon	99
Canard de Laysan	12	Caribbean Flamingo	9
Canard de Meller	12	Caricare encrestado	67
Canard des Mariannes ..		Caricare sabanero	66
.....	13	Carnifex de Buckley	65
Canard d'Oustalet	13	Carnifex de Traylor	65
Canard du Cap	11	<i>carolae</i> , <i>Parotia</i>	205
Canard pilet	10	Carola's Parotia	205
Canard siffleur	13	<i>caroli</i> , <i>Polyonymus</i> ..	175
Canard souchet	11	<i>caroli</i> , <i>Trochilus</i>	175
Canario de Mozambique ..		<i>carolinensis</i> , <i>Anas</i>	12
.....	190	Carouge safran	188
Canary-winged Parakeet ..		Carpintero gigante ..	183
.....	106	<i>Carpodacus</i>	189
<i>candida</i> , <i>Agyrtria</i>	151	<i>Carpodacus roborowskii</i> ..	189
<i>candida</i> , <i>Amazilia</i>	151	<i>Carpophaga mindorensis</i> ..	86
<i>candidus</i> , <i>Trochilus</i> ..	151	<i>Carpophaga pickeringii</i> ..	86
<i>canicapilla</i> , <i>Nigrita</i> ..	194	Carpophage de Mindoro ..	86
<i>canicapillus</i> , <i>Serinus</i> ..	189	Carpophage de Pickering ..	86
<i>caniceps</i> , <i>Palaeornis</i> ..	119	<i>carunculata</i> , <i>Ardea</i> ..	77
<i>caniceps</i> , <i>Psittacula</i> ..	119	<i>carunculata</i> , <i>Paradigalla</i> ..	204
<i>canicollis</i> , <i>Serinus</i> ..	189	Carunculated Caracara ..	67
<i>canicularis</i> , <i>Aratinga</i> ..	103	<i>carunculus</i> , <i>Bugeranus</i> ..	77
<i>canicularis</i> , <i>Eupsittula</i> ..		<i>carunculus</i> , <i>Grus</i> ..	77
.....	103	<i>carunculus</i> ,	
<i>canicularis</i> , <i>Psittacus</i> ..	103	<i>Phalcoboenus</i> ..	67
<i>caninde</i> , <i>Ara</i>	102	<i>caryophyllacea</i> , <i>Anas</i> ..	18
<i>caninde</i> , <i>Sittace</i>	102	<i>caryophyllacea</i> ,	
<i>canivetii</i> , <i>Chlorostilbon</i> ..		<i>Rhodonessa</i> ..	18
.....	158	<i>Casmerodius</i>	4
<i>canivetii</i> , <i>Ornismya</i> ..	158	<i>Casmerodius albus</i> ..	4
<i>canorus</i> , <i>Falco</i>	48	Caspian Snowcock ..	75
<i>canorus</i> , <i>Garrulax</i> ..	186	<i>casipli</i> , <i>Tetrao</i> ..	75
<i>canorus</i> , <i>Melierax</i> ..	48, 49	<i>casipli</i> , <i>Tetraogallus</i> ..	75
<i>cantans</i> , <i>Euodice</i>	193	<i>cassidix</i> , <i>Aceros</i> ..	179
<i>cantans</i> , <i>Lonchura</i> ..	193	<i>cassidix</i> , <i>Buceros</i> ..	179
<i>canus</i> , <i>Agapornis</i> ..	96	<i>cassidix</i> , <i>Lichenostomus</i> ..	188
<i>canus</i> , <i>Psittacus</i> ..	96	<i>cassidix</i> , <i>Meliphaga</i> ..	188
Cape Canary	189	<i>cassidix</i> , <i>Rhyticeros</i> ..	179
Cape Eagle-Owl	132	<i>cassini</i> , <i>Malimbus</i> ..	197
Cape Griffon	41	Cassin's Hawk-Eagle ..	53
Cape Parrot	116	Cassin's Malimbe ..	197
Cape Teal	11	<i>castaneiventris</i> , <i>Amazilia</i> ..	152
Cape Vulture	41	<i>castaneiventris</i> , <i>Amazilius</i> ..	152
Cape Wigeon	11	<i>castaneoventris</i> ,	
<i>capense</i> , <i>Glaucidium</i> ..	134,	<i>Lampornis</i>	167
135, 136		<i>castaneoventris</i> ,	
<i>capensis</i> , <i>Anas</i>	11	<i>Trochilus</i>	167
<i>capensis</i> , <i>Asio</i>	129		
<i>capensis</i> , <i>Bubo</i>	132		
<i>capensis</i> , <i>Columba</i> ..	86		
<i>capensis</i> , <i>Noctua</i>	134		
<i>capensis</i> , <i>Oena</i>	86		
<i>capensis</i> , <i>Otus</i>	129		
<i>capensis</i> , <i>Strix</i>	127		
<i>capensis</i> , <i>Tyto</i>	127		
<i>capistrata</i> , <i>Nesocharis</i> ..			
.....	193		
<i>capistratus</i> , <i>Trichoglossus</i> ..			

<i>castaneum</i> , <i>Glaucidium</i>	134
<i>castanilius</i> , <i>Accipiter</i>	20
<i>castanonota</i> , <i>Athene</i>	134
<i>castanonotum</i> , <i>Glaucidium</i>	134
<i>castanops</i> , <i>Strix</i>	127
<i>castanops</i> , <i>Tyto</i>	127
<i>castanoptera</i> , <i>Strix</i>	134
<i>castanopterum</i> , <i>Glaucidium</i>	134
<i>castanotis</i> , <i>Pteroglossus</i>	182
<i>castelnauddii</i> , <i>Aglaeactis</i>	150, 151
<i>castelnauddii</i> , <i>Trochilus</i>	151
<i>catahoula</i> , <i>Loriculus</i>	110
<i>Cathartes monachus</i>	50
CATHARTIDAE	18
<i>Catita aliamarilla</i>	106
<i>Catita aliazul</i>	105
<i>Catita alidorada</i>	105
<i>Catita andina</i>	105
<i>Catita barrada</i>	105
<i>Catita chiriri</i>	105
<i>Catita churica</i>	105
<i>Catita enana</i>	108
<i>Catita frentidorada</i>	118
<i>Catita frentigualda</i>	106
<i>Catita frentirrufa</i>	105
<i>Catita serrana verde</i>	118
<i>Catita tirica</i>	106
<i>Catita versicolor</i>	106
<i>Catreus</i>	71
<i>Catreus wallichii</i>	71
<i>Cattle Egret</i>	3
<i>cayanensis</i> , <i>Falco</i>	47
<i>cayanensis</i> , <i>Leptodon</i>	47
<i>Cayenne Kite</i>	47
<i>celebensis</i> , <i>Pernis</i>	51
<i>Celebes Crested Goshawk</i>	22
<i>Celebes Hornbill</i>	179, 182
<i>Celebes Maleo</i>	68
<i>Celebes Scops-Owl</i>	143
<i>Celebes Serpent-Eagle</i>	53
<i>Celebes Sparrowhawk</i>	23
<i>Celebes Tarictic Hornbill</i>	182
<i>Celestial Parrotlet</i>	108
<i>cenchroides</i> , <i>Falco</i>	58
<i>centralis</i> , <i>Vidua</i>	200
<i>Cephalopterus</i>	183, 184
<i>Cephalopterus ornatus</i>	183, 184
<i>Cephalopterus penduliger</i>	184
<i>Cerceta alicorta de</i>	
<i>Auckland</i>	11
<i>Cerceta aliverde</i>	12
<i>Cerceta Carretona</i>	13
<i>Cerceta cejiblanca</i>	13
<i>Cerceta de Madagascar</i>	11
<i>Cerceta del Baikal</i>	12
<i>Cerceta del Cabo</i>	11
<i>Cerceta malgache</i>	11
<i>Cerceta malgache de Bernier</i>	11
<i>Cerchneis araea</i>	57
<i>Ceriornis blythii</i>	75
<i>Ceriornis caboti</i>	75
<i>Cerise-throated Hummingbird</i>	176
<i>Ceylon Hanging-Parrot</i>	110
<i>Chacaraco</i>	104
<i>Chachalaca</i>	69, 70
<i>Chachalaca cornuta</i>	69
<i>Chachalaca de la Trinidad</i>	70
<i>Chachalaca de los Llenos</i>	69
<i>Chachalaca de remiges blancas</i>	69
<i>Chachalaca manchada</i>	70
<i>Chachalaca negra</i>	70
<i>chacoensis</i> , <i>Strix</i>	149
<i>Chaetocercus</i>	156, 157, 170
<i>Chaetocercus astreans</i>	156
<i>Chaetocercus berlepschi</i>	156
<i>Chaetocercus bombus</i>	156
<i>Chaetocercus burmeisteri</i>	170
<i>Chaetocercus heliodor</i>	156
<i>Chaetocercus jourdanii</i>	157
<i>Chaetocercus mulsant</i>	157
<i>Chalcopelia abyssinica</i>	89
<i>Chalcopelia brehmeri</i>	89
<i>Chalcopsitta</i>	89, 90, 93
<i>Chalcopsitta atra</i>	89
<i>Chalcopsitta cardinalis</i>	90
<i>Chalcopsitta duivenbodei</i>	90
<i>Chalcopsitta rubiginosa</i>	93
<i>Chalcopsitta sintillata</i>	90
<i>Chalcopsittacus</i>	
<i>duivenbodei</i>	90
<i>chalcopterus</i> , <i>Pionus</i>	114
<i>chalcopterus</i> , <i>Psittacus</i>	114
<i>Chalcostigma</i>	157
<i>Chalcostigma herrani</i>	157
<i>Chalcostigma heteropogon</i>	157
<i>Chalcostigma olivaceum</i>	157
<i>Chalcostigma ruficeps</i>	157
<i>Chalcostigma stanleyi</i>	157
<i>Chalcurus inopinatus</i>	74
<i>chalybata</i> , <i>Manucodia</i>	204
<i>chalybea</i> , <i>Polemistris</i>	169
<i>chalybeata</i> , <i>Hypochera</i>	200
<i>chalybeata</i> , <i>Vidua</i>	200
<i>chalybeus</i> , <i>Lophornis</i>	169
<i>chalybeus</i> , <i>Trochilus</i>	169
<i>Chalybura</i>	157
<i>Chalybura buffonii</i>	157
<i>Chalybura urochrysia</i>	157
<i>Changeable Hawk-Eagle</i>	54
<i>Channel-billed Toucan</i>	183
<i>Chanteur d'Afrique</i>	190
CHARADRIIFORMES	83
<i>Charadrius bistriatus</i>	83
<i>Chardonneret de Yarrell</i>	189
<i>Chardonneret noir</i>	189
<i>Chardonneret rouge</i>	189
<i>charltonii</i> , <i>Arborophila</i>	70
<i>charltonii</i> , <i>Perdix</i>	70
<i>charltonii</i> , <i>Tropicoperdix</i>	70
<i>Charmosyna</i>	90, 91
<i>Charmosyna amabilis</i>	90
<i>Charmosyna aureicincta</i>	90
<i>Charmosyna diadema</i>	90
<i>Charmosyna josefinae</i>	90
<i>Charmosyna margarethae</i>	90
<i>Charmosyna meeki</i>	90
<i>Charmosyna multistriata</i>	90
<i>Charmosyna palmarum</i>	90
<i>Charmosyna papou</i>	90
<i>Charmosyna placentis</i>	90
<i>Charmosyna pulchella</i>	90, 91

<i>Charmosyna rubrigrularis</i>	91
<i>Charmosyna rubronotata</i>	91
<i>Charmosyna toxopei</i>	..	91
<i>Charmosyna wilhelminae</i>	91
<i>Charmosynopsis multistriata</i>	90
Chatham Island Yellow-fronted Parakeet	..	106
Chattering Lory	92
<i>cheela, Falco</i>	53
<i>cheela, Spilornis</i>	53
Cheer Pheasant	71
<i>Chelictinia</i>	34
<i>Chelictinia riocourii</i>	..	34
<i>cheriway, Caracara</i>	..	67
<i>cheriway, Falco</i>	67
<i>cherrug, Falco</i>	58
Chestnut Hawk-Owl	140	
Chestnut Owlet	134
Chestnut-backed Owlet	134
Chestnut-bellied Hawk-Eagle	45
Chestnut-bellied Hummingbird	152
Chestnut-bellied Sparrowhawk	20
Chestnut-breasted Coronet	154
Chestnut-breasted Negrofinch	194
Chestnut-breasted Tree-Partridge	70
Chestnut-crowned Sparrow-Weaver	..	198
Chestnut-eared Aracari	182
Chestnut-faced Babbler	187
Chestnut-flanked Sparrowhawk	20
Chestnut-fronted Macaw	103
Chestnut-mantled Goshawk	40
Chestnut-necklaced Hill Partridge	70
Chestnut-necklaced Partridge	70
Chestnut-shouldered Goshawk	40
Chestnut-shouldered Hawk	40
<i>chicquera, Falco</i>	58
Chilean Flamingo	9
Chilean Woodstar	..	171
<i>chilensis, Accipiter</i>	...	20
<i>chilensis, Phoenicopterus</i>	9
chimachima	66
<i>chimachima, Milvago</i>	66	
<i>chimachima, Polyborus</i>	66
chimango	66
Chimango Caracara	..	66
<i>chimango, Milvago</i>	...	66
<i>chimango, Polyborus</i>	66	
chimborazo,		
<i>Oreotrochilus</i>	171
<i>chimborazo, Trochilus</i>	171
Chinalinda	67
Chinese Barred-backed Pheasant	75
Chinese Goshawk	24
Chinese Impeyan	72
Chinese Monal	72
Chinese Sparrowhawk	24	
<i>chionogaster, Accipiter</i>	20
<i>chionogaster, Amazilia</i>	168
<i>chionogaster, Leucippus</i>	168
<i>chionogaster, Nisus</i>	..	20
<i>chionogaster, Trochilus</i>	168
<i>chionopectus, Amazilia</i>	151
<i>chionopectus, Thaumatias</i>	151
<i>chionura, Elvira</i>	161
<i>chionura, Trochilus</i>	..	161
Chir Pheasant	71
Chiribiquete Emerald	158	
Chirica	112
<i>chiriri, Brotogeris</i>	...	105
<i>chiriri, Psittacus</i>	105
<i>Chlamydotis</i>	80
<i>Chlamydotis macqueenii</i>	80
<i>Chlamydotis undulata</i>	80	
<i>Chlorestes euchloris</i>	158	
<i>Chlorestes notatus</i>	..	158
<i>chlorocercus, Domicella</i>	92
<i>chlorocercus, Leucippus</i>	168
<i>chlorocercus, Loriculus</i>	.	92
<i>chlorocercus, Talaphorus</i>	168
<i>chlorolepidotus, Psittacus</i>	93
<i>chlorolepidotus, Trichoglossus</i>	93
<i>chloroptera, Ara</i>	102, 103	
<i>chloroptera, Aratinga</i>	103
<i>chloroptera, Psittacara</i>	103
<i>chloropterus, Alisterus</i>	..	97
<i>chloropterus, Aprosmictus</i>	97
<i>Chlorostilbon</i>	..	157, 158
<i>Chlorostilbon alice</i>	..	157
<i>Chlorostilbon assimilis</i>	158
<i>Chlorostilbon auratus</i>	158	
<i>Chlorostilbon aureoventris</i>	157
<i>Chlorostilbon auriceps</i>	158
<i>Chlorostilbon canivetii</i>	158
<i>Chlorostilbon euchloris</i>	158
<i>Chlorostilbon forficatus</i>	158
<i>Chlorostilbon gibsoni</i>	158	
<i>Chlorostilbon inexpectatus</i>	158
<i>Chlorostilbon maugaeus</i>	157
<i>Chlorostilbon melanorhynchus</i>	..	158
<i>Chlorostilbon mellisugus</i>	158
<i>Chlorostilbon notatus</i>	158
<i>Chlorostilbon olivaresi</i>	158
<i>Chlorostilbon poortmani</i>	158
<i>Chlorostilbon prasinus</i>	158
<i>Chlorostilbon ricordii</i>	158	
<i>Chlorostilbon russatus</i>	158
<i>Chlorostilbon salvini</i>	158	
<i>Chlorostilbon stenurus</i>	158
<i>Chlorostilbon swainsonii</i>	158
<i>Chlorostilbon vitticeps</i>	158
<i>choliba, Megascops</i>	141	
<i>choliba, Otus</i>	141
<i>choliba, Strix</i>	141
<i>Chondrohierax</i>	..	34, 35
<i>Chondrohierax uncinatus</i>	34, 35
<i>Chondrohierax uncinatus wilsonii</i>	35

<i>Chondrohierax wilsonii</i>	35	
<i>Choriotis arabs</i>	79	
<i>Choriotis australis</i>	79	
<i>Choriotis kori</i>	79	
<i>Choriotis nigriceps</i>	80	
<i>Chorlito esquimal</i>	83	
<i>Chorlo polar</i>	83	
<i>Chouette africaine</i>	150	
<i>Chouette baie</i>	126	
<i>Chouette boobok</i>	138	
<i>Chouette coucou</i>	138	
<i>Chouette de Butler</i>	148	
<i>Chouette de Cuba</i>	143	
<i>Chouette de Harris</i>	129	
<i>Chouette de Koeniswald</i>	146	
<i>Chouette de l'Oural</i>	149	
<i>Chouette de Sitchouan</i>	148	
<i>Chouette de Tengmalm</i>	128	
<i>Chouette de terrier</i>	147	
<i>Chouette des Moluques</i>	139	
<i>Chouette des pagodes</i>	149	
<i>Chouette dryade</i>	148	
<i>Chouette du Sitchouan</i>	148	
<i>Chouette d'Ussher</i>	147	
<i>Chouette effraie</i>	126	
<i>Chouette fauve</i>	148	
<i>Chouette harfang</i>	140	
<i>Chouette huhul</i>	148	
<i>Chouette hulotte</i>	147, 148	
<i>Chouette hulotte de Hume</i>	148	
<i>Chouette lapone</i>	148	
<i>Chouette leptogramme</i>	148	
<i>Chouette noire et blanche</i>	149	
<i>Christmas Frigatebird</i>	3	
<i>Christmas Hawk-Owl</i>	139	
<i>Christmas Island Frigatebird</i>	3	
<i>Christmas Island Hawk-Owl</i>	139	
<i>chrysaetos, Aquila</i>	26	
<i>chrysaetos, Falco</i>	26	
<i>chrysogaster, Neophema</i>	112	
<i>chrysogaster, Psittacus</i>	112	
<i>Chrysolampis</i>	158	
<i>Chrysolampis mosquitus</i>	158	
<i>chrysopterus, Brotogeris</i>		
	105	
<i>chrysopterus, Psittacus</i>		
	105	
<i>chrysopterygius, Psephotus</i>		
	118	
<i>chrysostoma, Neophema</i>		
	112	
<i>chrysostomus, Psittacus</i>		
	112	
<i>Chrysotis finschi</i>	99	
<i>Chrysotis rhodocorytha</i>		
	100	
<i>Chrysotis tucumana</i>	100	
<i>Chrysotis viridigenalis</i>		
	101	
<i>Chrysotis xantholora</i>	101	
<i>chrysura, Hylocharis</i>	166	
<i>Chrysuronia</i>	159	
<i>Chrysuronia oenone</i>	159	
<i>chrysurus, Trochilus</i>	166	
<i>Chupacacao negro</i>	56	
<i>Chupacacao ventriblanco</i>	56	
<i>Churica</i>	105	
<i>Churiquita</i>	123	
<i>Ciccaba albifrons</i>	147	
<i>Ciccaba huhula</i>	148	
<i>Ciccaba minima</i>	142	
<i>Ciccaba nigrolineata</i>	149	
<i>Ciccaba virgata</i>	149	
<i>Ciccaba woodfordii</i>	150	
<i>Cicinnurus</i>	202, 203	
<i>Cicinnurus magnificus</i>		
	202	
<i>Cicinnurus regius</i>	203	
<i>Cicinnurus respublica</i>	203	
<i>Ciconia</i>	5, 6	
<i>Ciconia boyciana</i>	5	
<i>Ciconia ciconia</i>	5	
<i>Ciconia crumenifera</i>	6	
<i>Ciconia episcopus</i>	6	
<i>Ciconia myceria</i>	6	
<i>Ciconia nigra</i>	6	
<i>Ciconia stormi</i>	6	
<i>ciconia, Ciconia</i>	5	
CICONIIDAE	5	
CICONIIFORMES	3	
<i>Cicupa</i>	146	
<i>Cigogne blanche du Japon</i>	5	
<i>Cigogne blanche orientale</i>	5	
<i>Cigogne de Storm</i>	6	
<i>Cigogne noire</i>	6	
<i>Cigogne orientale</i>	5	
<i>cincta cincta, Poephila</i>		
	195	
<i>cincta, Poephila</i>	195	
<i>cinerascens, Bubo</i>	131	
<i>cinerascens, Circaetus</i>	35	
<i>cinerea, Mycteria</i>	7	
<i>cinereicauda, Lampornis</i>		
	167	
<i>cinereicauda, Oreopyra</i>		
	167	
<i>Cinereous Harrier</i>	37	
<i>Cinereous Vulture</i>	25	
<i>cinerereus, Circaetus</i>	35	
<i>cinerereus, Circus</i>	37	
<i>cinerereus, Tantalus</i>	7	
<i>Cinnabar Hawk-Owl</i>	138	
<i>Cinnamon Hummingbird</i>		
	152	
Cinnamon-throated		
<i>Hermit</i>	173	
<i>Circaetus</i>	35, 36, 44	
<i>Circaetus beaudouini</i>	35	
<i>Circaetus cinerascens</i>	35	
<i>Circaetus cinereus</i>	35	
<i>Circaetus fasciolatus</i>	35	
<i>Circaetus gallicus</i>	35, 36	
<i>Circaetus pectoralis</i>	36	
<i>Circaetus solitarius</i>	44	
<i>circumcinctus, Harpagus</i>		
	68	
<i>circumcinctus, Spizapteryx</i>	68	
<i>Circus</i>	30, 36, 37, 38	
<i>Circus aeruginosus</i>	36, 38	
<i>Circus approximans</i>	36	
<i>Circus assimilis</i>	36	
<i>Circus buffoni</i>	36	
<i>Circus cinereus</i>	37	
<i>Circus cyaneus</i>	37	
<i>Circus macrosceles</i>	38	
<i>Circus macrourus</i>	37	
<i>Circus maillardi</i>	37	
<i>Circus maurus</i>	38	
<i>Circus melanoleucus</i>	38	
<i>Circus pygargus</i>	38	
<i>Circus ranivorus</i>	38	
<i>Circus spilonotus</i>	38	
<i>Circus teesa</i>	30	
<i>cirrhatus, Falco</i>	54	
<i>cirrhatus, Spizaetus</i>	54	
<i>cirrhocephalus, Accipiter</i>		
	21	
<i>cirrhocephalus, Sparvius</i>		
	21	
<i>cirrocephalus, Accipiter</i>		
	20	
<i>cirrochloris, Aphantochroa</i>	155	
<i>cirrochloris, Campylopterus</i>	155	
<i>cirrochloris, Trochilus</i>	155	
<i>Cisne coscoroba</i>	15	

Cisne cuellinegro 15
clamator, Asio 129
clamator, Bubo 129
clamator, Pseudoscops 129
clamator, Rhinoptynx 129
clamosus, Atrichornis 185
clanga, Aquila 26
Claravis 84
Claravis godefrida 84
clarisse, Heliangelus 164
clarisse, Ornismya .. 164
clarkii, Megascops .. 141
clarkii, Otus 141
clemenciae, Lampornis 167
clemenciae, Ornismya 167
Cliff Parakeet 111
Cloud-forest Pygmy-Owl 135
Cloud-forest Screech-Owl 143
clypeata, Anas 11
clypeata, Spatula 11
Clytolaema 159
Clytolaema rubricauda 159
Cnemophilus 203
Cnemophilus loriae . 203
Cnemophilus macgregorii 203
Cobalt-winged Parakeet 105
Cochoa 185
Cochoa azurea 185
Cochoa purpurea 185
Codorniz 71
coelestis, Agapornis 108
coelestis, Aglaiocercus 151
coelestis, Cynanthus 151
coelestis, Forpus 108
Coeligena 159, 160
Coeligena bonapartei 159
Coeligena coeligena 159
Coeligena eos 159
Coeligena helianthea 159
Coeligena inca 159
Coeligena iris 159
Coeligena lutetiae .. 159
Coeligena orina 159
Coeligena phalerata 159
Coeligena prunellei . 159
Coeligena torquata . 159
Coeligena violifer ... 159
Coeligena wilsoni ... 160
coeligena, Coeligena 159
coeligena, Ornismya 159

coeruleogularis,
Lepidopyga 168
coeruleogularis, Trochilus 168
Colacerda crestuda . 161
Colacerda ventrinegra 161
Colacerda verde 160
Colacinta colinegra .. 168
Colacinta coliverde .. 168
Colaespatula zamarrito 171
Colapinto ecuatoriano 174
Colasisi 110
Colibri 160
Colibri ardent 176
Colibri aux huppes d'or 164
Colibri avocette 153
Colibri avocettin 171
Colibri bourdon 156
Colibri calliope 177
Colibri charmant 155
Colibri cora 178
Colibri corinne 166
Colibri coruscans 160
Colibri d'Alice 150
Colibri d'Allen 176
Colibri d'Anna 155
Colibri d'Arica 171
Colibri de Benjamin . 178
Colibri de Berlepsch 156
Colibri de Bouguer .. 178
Colibri de Bourcier .. 175
Colibri de Buffon 157
Colibri de Burmeister 170
Colibri de Castelnau 151
Colibri de Constant .. 166
Colibri de Costa 155
Colibri de Cuvier 155
Colibri de Delalande 177
Colibri de Delphine .. 160
Colibri de Dohrn 164
Colibri de Geoffroy .. 154
Colibri de Goudot 168
Colibri de Hartert 174
Colibri de Jardine 154
Colibri de Jourdan .. 157
Colibri de Lafresnaye 167
Colibri de Lillian 168
Colibri de Matthews . 154
Colibri de Mitchell ... 155
Colibri de Mulsant ... 157
Colibri de Rivoli 162
Colibri de Sybil 167
Colibri de Taczanowski 168
Colibri de Tumbes ... 168

Colibri d'Elliot 154
Colibri delphinae 160
Colibri demi-deuil ... 163
Colibri d'Equateur ... 152
Colibri des Bahamas 155
Colibri des Santa Marta 156
Colibri d'Helen 170
Colibri d'Oaxaca 163
Colibri du Chili 177
Colibri du Chimborazo 171
Colibri du Guerrero . 163
Colibri elvire 161
Colibri estelle 171
Colibri falle-vert 162
Colibri fanny 171
Colibri faux-saphir .. 168
Colibri flammule 176
Colibri flavescent 154
Colibri hirondelle 156
Colibri insigne 172
Colibri jacobin 163
Colibri julie 160
Colibri lucifer 155
Colibri lumachelle ... 154
Colibri magenta 155
Colibri nain 170
Colibri noble 171
Colibri oreillard 166
Colibri piquicorto
dorsinegro 175
Colibri robinson 177
Colibri roux 176
Colibri rubis-topaze . 158
Colibri sapho 175
Colibri scintillant 177
Colibri serirostris ... 160
Colibri sombre 160
Colibri superbe 154
Colibri thalassin 160
Colibri thalassinus .. 160
Colibri topaze 178
Colibri tout-vert 175
Colibri trompeur 168
Colibri vert et gris ... 155
Colibri vert-d'eau 167
Colibri vesper 175
Colin de Ridgway 71
Colin de Virginie 71
Colinus 71
Colinus virginianus 71
Colinus virginianus
ridgwayi 71
Coliuspasser ardens 197
Coliuspasser macrourus 197
Collared Falconet 66
Collared Fishing Hawk 29

Collared Forest-Falcon 65, 66
 Collared Hill Partridge 70
 Collared Inca 159
 Collared Lory 92
 Collared Owlet 134
 Collared Pygmy-Owl 134
 Collared Scops-Owl 141
 Collared Sparrowhawk 20, 21
collari, *Otus* 141
collaria, *Amazona* 98
collaris, *Accipiter* 21
collarius, *Psittacus* 98
 Colombar waalia 88
 Colombe de Geoffroy 84
 Colombe de Grenade 86
 Colombian Screech-owl 142
colombianus, *Megascops* 142
colombianus, *Otus* 142
colombica, *Ornismya* 177
colombica, *Thalurania* 177, 178
coloria, *Erythrura* 191
 Colourful Puffleg 162
columbris, *Archilochus* 154
columbris, *Trochilus* 154
Columba 84, 85, 86, 87, 88, 89
Columba afra 89
Columba calva 88
Columba capensis 86
Columba caribaea 84
Columba cristata 86
Columba domestica 84
Columba gedefrida 84
Columba guinea 84
Columba iriditorques 84
Columba livia 84
Columba luzonica 86
Columba mayeri 85
Columba modesta 89
Columba nicobarica 84
Columba oenops 85
Columba roseogrisea 87
Columba semitorquata 87
Columba senegalensis 87
Columba turtur 88
Columba tympanistria 89
Columba unicincta 85
Columba vinacea 88
Columba waalia 88
columbarius, *Falco* 58
COLUMBIIDAE 84
COLUMBIIFORMES 84
columboides, *Palaeornis* 119

columboides, *Psittacula* 119
comatus, *Aceros* 179
comatus, *Berenicornis* 179
comatus, *Buceros* 179
 Comb Duck 18
 Combassou de Baka 201
 Combassou de Jambandu 201
 Combassou de Wilson 201
 Combassou noir 201
 Common Barn-Owl 126
 Common Bay-Owl 126
 Common Black-Hawk 34
 Common Buzzard 31
 Common Caracara 67
 Common Chachalaca 69
 Common Cock-of-the-Rock 184
 Common Crane 77
 Common Crowned Pigeon 86
 Common Hill Myna 202
 Common Kestrel 64
 Common Peacock-Pheasant 74
 Common Pigeon 85
 Common Pintail 10
 Common Rhea 1
 Common Scops-Owl 145
 Common Teal 12
 Common Waxbill 191
 Comoro Scops-Owl 144
 Compact Weaver 198
comrii, *Manucodia* 204
 Concave-casqued Hornbill 181
concinna, *Glossopsitta* 91
concinnus, *Psittacus* 91
concolor, *Falco* 59
condamini, *Eutoxeres* 163
condamini, *Trochilus* 163
conditicius, *Tricholimnas* 79
 Condor de Californie 18
 Condor des Andes 18
 Congo Bay-owl 126
 Congo Serpent-Eagle 39
connivens, *Falco* 138
connivens, *Ninox* 138
conspicillata, *Psittacula* 108
conspicillatus, *Forpus* 108
constantii, *Heliomaster* 166
constantii, *Ornismya* 166
 Conure aile-de-feu 121
 Conure de Cuba 103
 Conure de Deville 121
 Conure de Finsch 104
 Conure de Hoffmann 121
 Conure de Molina 122
 Conure de Patagonie 106
 Conure de Socorro 103
 Conure de Vieillot 121
 Conure de Wagler 104
 Conure de Weddell 104
 Conure des cactus 103
 Conure des rochers 111
 Conure des Santa Marta 122
 Conure emma 122
 Conure jandaya 104
 Conure magellanique 108
 Conure nanday 111
 Conure pavouane 104
 Conure soleil 104
 Conure tiriba 121
 Conure versicolore 122
 Conure verte 104
 Conure veuve 111
Conurus callipterus 121
Conurus devillei 121
Conurus egregius 121
Conurus finschi 103
Conurus hoffmanni 121
Conurus holochlorus 103, 104
Conurus icterotis 112
Conurus mitratus 104
Conurus molinae 122
Conurus rhodopecephalus 122
Conurus rhodogaster 121
Conurus rubritorquis 104
Conurus rupicola 122
Conurus wagleri 104
Conurus weddellii 104
conversii, *Discosura* 160
conversii, *Popelairia* 160
conversii, *Trochilus* 160
convexus, *Anthracoceros* 180
cookii, *Cyanoramphus* 107
cookii, *Platycercus* 107
cooperi, *Megascops* 142
cooperi, *Otus* 142
cooperi, *Scops* 142
cooperii, *Accipiter* 21
cooperii, *Falco* 21
 Cooper's Hawk 21
 Copper-rumped Hummingbird 176
 Copper-tailed

Hummingbird	176
Coppery Emerald ...	158
Coppery Metaltail ...	170
Coppery Thorntail ..	161
Coppery-bellied Puffleg	162
Coppery-headed Emerald	161
Coppery-naped Puffleg	162
<i>coprotheres</i> , <i>Gyps</i>	41
<i>coprotheres</i> , <i>Vultur</i> ..	41
Coq de Bois	187
Coq de Sonnerat	72
Coq-de-roche de Guyane	184
Coq-de-roche orange	184
Coqueta abanico canela	169
Coqueta abanico pavo real	169
Coqueta abanico puntiblanco	169
Coqueta adorable ...	169
Coqueta adornada ..	169
Coqueta cola de Lira	161
Coqueta cola raqueta	161
Coqueta coronada ..	169
Coqueta cresticorta	169
Coqueta cretinegra	169
Coqueta crestirrufa .	169
Coqueta de Guerrero	169
Coqueta festiva	169
Coqueta lentejuelada	169
Coqueta magnifica .	169
Coqueta moteada ...	169
Coqueta pavonina ..	169
Coqueta verde	169
Coquette adorable ..	169
Coquette de Delattre	169
Coquette de Gould .	169
Coquette de Langsdorff	161
Coquette de Popelaire	161
Coquette du Guerrero	169
Coquette huppe-col	169
Coquette magnifique	169
Coquette paon	169
<i>cora</i> , <i>Orthorhynchus</i> .	178
<i>cora</i> , <i>Thaumastura</i> .	178
CORACIFORMES..	179
<i>Coracopsis</i>	106, 117
<i>Coracopsis barklyi</i> ..	106
<i>Coracopsis nigra</i>	106
<i>Coracopsis personata</i>	117
<i>Coracopsis vasa</i>	106
Corcovado gorgiblanco	73
Cordonbleu	184, 196
<i>Coriphilus rubronotatus</i>	91
Corneille de paradis	204
<i>cornuta</i> , <i>Heliactin</i>	164
<i>cornutus</i> , <i>Eunymphicus</i>	108
<i>cornutus</i> , <i>Psittacus</i>	108
<i>cornutus</i> , <i>Trochilus</i>	164
Corocoro colorado	7
Corocoro rojo	7
<i>coromanda</i> , <i>Strix</i>	132
<i>coromandus</i> , <i>Bubo</i>	132
<i>coronata</i> , <i>Harpyia</i>	44
<i>coronata</i> , <i>Paroaria</i>	188
<i>coronatus</i> , <i>Anthracoceros</i>	181
<i>coronatus</i> , <i>Buceros</i>	181
<i>coronatus</i> , <i>Falco</i>	55
<i>coronatus</i> , <i>Harpyhaliaetus</i>	44
<i>coronatus</i> , <i>Spizaetus</i>	55
<i>coronatus</i> , <i>Stephanoaetus</i>	55
Coronita aterciopelada	154
Coronita colihabana	154
<i>corrugatus</i> , <i>Aceros</i>	179
<i>corrugatus</i> , <i>Buceros</i>	179
<i>corrugatus</i> , <i>Rhyticeros</i>	179
<i>coruscans</i> , <i>Colibri</i>	160
<i>coruscans</i> , <i>Trochilus</i>	160
CORVIDAE	206
Coryllis de Ceylan	110
Coryllis de Wallace	110
Coryllis del Sula	110
Coryllis des Bismarck	110
Coryllis des Moluques	110
Coryllis des Philippines	110
Coryllis des Sangi	110
Coryllis vernal	111
Coryllis vert	110
<i>Corythaeola</i>	124
<i>Corythaeola cristata</i>	124
<i>Corythaix fischeri</i>	125
<i>Corythaix hartlaubi</i>	125
<i>Corythaix leucolophus</i>	125
<i>Corythaix leucotis</i>	125
<i>Corythaix macrorhynchus</i>	125
<i>Corythaix porphyreolopha</i>	124
<i>Corythaix schalowi</i>	126
<i>Corythaix schuettii</i>	126
<i>corythaix</i> , <i>Spelectos</i>	125
<i>corythaix</i> , <i>Tauraco</i>	125, 126
<i>Coscoroba</i>	15
Coscoroba blanc	15
<i>Coscoroba coscoroba</i>	15
Coscoroba Swan	15
<i>coscoroba</i> , <i>Anas</i>	15
<i>coscoroba</i> , <i>Coscoroba</i>	15
<i>Cosmopsarus</i>	202
<i>Cosmopsarus regius</i>	202
<i>costae</i> , <i>Calypte</i>	155
<i>costae</i> , <i>Ornithomya</i>	155
<i>costaricanum</i> , <i>Glaucidium</i>	135
<i>costaricensis</i> , <i>Touit</i>	123
<i>costaricensis</i> , <i>Urochroma</i>	123
Costa's Hummingbird	155
<i>Cotinga</i>	184
<i>Cotinga aliblanca</i>	184
<i>Cotinga cordonbleu</i>	184
<i>Cotinga de corbata</i>	184
<i>Cotinga maculata</i>	184
<i>Cotinga manchado</i> ..	184
<i>Cotinga porphyron</i>	184
COTINGIDAE	183
Cotorra 98, 99, 100, 103, 104, 108, 109, 111, 114, 118, 119, 120, 121, 122, 123	
Cotorra alejandrina	119
Cotorra amarilla	109
Cotorra argentina	111
Cotorra austral	108
Cotorra boliviana	111
Cotorra cabeciamarilla	98
Cotorra cabeciazul	114
Cotorra cabeciblanca	114
Cotorra cabecinegra	111
Cotorra capirotada	122
Cotorra cariparda	122
Cotorra carirroja	104
Cotorra carirrosa	120
Cotorra catana	121
Cotorra choroy	108
Cotorra ciruela	119
Cotorra colilarga	120
Cotorra colinegra	122
Cotorra colirroja	121
Cotorra coronirroja	122
Cotorra cucha	98
Cotorra cuelliblanca	121
Cotorra de Derby	119
Cotorra de Deville	121
Cotorra de El Oro	122
Cotorra de Finsch	119
Cotorra de Kramer	120
Cotorra de los Palos	103

Cotorra de Malabar	119
Cotorra de Mauricio	119
Cotorra de Molina	122
Cotorra de Nicobar	119
Cotorra de Santa Marta	122
Cotorra del Himalaya	119
Cotorra egregia	121
Cotorra frente roja	99
Cotorra frentidorada	103
Cotorra intermedia	119
Cotorra morada	114
Cotorra negra	114
Cotorra pechiparda	121
Cotorra pechirroja	118
Cotorra perlada	122
Cotorra pintada	122
Cotorra tiriba	121
Cotorra ventrirroja	122
Cotorra verde	104
Cotorra-serrana	
occidental	122
Cotorra-serrana oriental	123
Cotorrita aliazul	108
Cotorrita alipinta	124
Cotorrita alirroja	123
Cotorrita cariazul	123
Cotorrita carigualda	108
Cotorrita costarricense	123
Cotorrita culiverde	108
Cotorrita de anteojos	108
Cotorrita de Piura	108
Cotorrita de Slater	108
Cotorrita dorsinegra	123
Cotorrita mexicana	108
Cotorrita purpurada	124
Cotorrita sietecolores	123
Cotorrita sorda	124
Cotunto	143
couloni, Ara	117
couloni, Primolius	117
couloni, Propyrrhura	117
Count Raggi's Bird-of-paradise	205
Courlis esquimau	83
Coxen's Blue-browed Fig Parrot	107
Coxen's Double-eyed Fig Parrot	107
Coxen's Two-eyed Fig Parrot	107
CRACIDAE	68
Crane	76, 77, 78
Crane Hawk	40
<i>Cranorhinus waldeni</i>	180
<i>crassirostris, Forpus</i>	108
<i>crassirostris, Psittacula</i>	
.....	108
<i>crassus, Pionias</i>	115
<i>crassus, Poicephalus</i>	115
<i>Crax</i>	68, 69, 70
<i>alberti</i>	68
<i>alector</i>	68
<i>blumenbachii</i>	68
<i>daubentoni</i>	68
<i>globulosa</i>	68
<i>mitu</i>	69
<i>pauxi</i>	69
<i>pipile</i>	70
<i>rubra</i>	69
<i>unicornis</i>	69
<i>crecca, Anas</i>	12
Crested Argus	74
Crested Baza	29
Crested Bird-of-paradise	203
Crested Caracara	67
Crested Eagle	48, 50
Crested Fireback	73
Crested Goshawk	22, 25
Crested Guan	69
Crested Hawk-Eagle	54
Crested Ibis	8
Crested Korhaan	81
Crested Malimbe	197
Crested Owl	137
Crested Partridge	75
Crested Peacock-Pheasant	74
Crested Serpent-Eagle	53
Crested Shelduck	18
Crested Turaco	124, 125
Crestless Fireback	72
Crestless Monal	72
Crimson Horned-Pheasant	76
Crimson Rosella	115
Crimson Shining-Parrot	117
Crimson Topaz	178
Crimson-bellied Conure	122
Crimson-bellied Parakeet	122
Crimson-fronted Conure	104
Crimson-fronted Parakeet	104
Crimson-winged Pytilia	195
<i>Crinifer</i>	124
<i>africanus</i>	124
<i>piscator</i>	124
<i>criniger, Gallicolumba</i>	86
<i>criniger, Pampusanna</i>	86
Crinkle-collared	
Manucode	204
<i>crispus, Pelecanus</i>	2
<i>cristata, Columba</i>	86
<i>cristata, Corythaeola</i>	124
<i>cristata, Goura</i>	86
<i>cristata, Gubernatrix</i>	188
<i>cristata, Lophostrix</i>	137
<i>cristata, Musophaga</i>	124
<i>cristata, Pseudotadorna</i>	18
<i>cristata, Strix</i>	137
<i>cristata, Tadorna</i>	18
<i>cristatus, Orthorhyncus</i>	171
<i>cristatus, Trochilus</i>	171, 172
<i>cristinae, Threnetes</i>	178
<i>Crossoptilon</i>	71
<i>Crossoptilon crossoptilon</i>	71
<i>Crossoptilon harmani</i>	71
<i>Crossoptilon mantchuricum</i>	71
<i>crossoptilon, Crossoptilon</i>	71
<i>crossoptilon, Phasianus</i>	71
Crowned Eagle	44, 55
Crowned Hawk-Eagle	55
Crowned Solitary Eagle	44
<i>cruentata, Pyrrhura</i>	121
<i>cruentatus, Psittacus</i>	121
<i>cruentus, Ithaginis</i>	72
<i>cruentus, Phasianus</i>	72
<i>crumenifera, Ciconia</i>	6
<i>crumeniferus, Leptoptilos</i>	6
Cryptic Forest-Falcon	65
<i>Cryptoglaux ridgwayi</i>	129
<i>Cryptonyx niger</i>	73
<i>Cryptospiza</i>	190
<i>Cryptospiza reichenovii</i>	190
<i>cryptoxanthus, Poicephalus</i>	115
<i>cryptoxanthus, Psittacus</i>	115
<i>Cryptura solitaria</i>	2
Cuban Amazon	99
Cuban Black Hawk	34
Cuban Conure	103
Cuban Emerald	158
Cuban Hook-billed Kite	35
Cuban Parakeet	103
Cuban Parrot	99
Cuban Pygmy-Owl	136
Cuban Sandhill Crane	77

Cuban Screech-Owl 143
 Cuban Tree-Duck 15
 Cuckoo Owlet 134
 Cuckoo Weaver 196
 Cuco 143
CUCULIFORMES.... 124
cucullata, *Carduelis* 189
cucullata, *Lonchura* 193
cucullatus, *Ploceus* . 199
cucullatus, *Spermestes*
 193
cucullatus, *Spinus* .. 189
cuculoides, *Aviceda* .. 28
cuculoides, *Glaucidium*
 134
cuculoides, *Noctua* . 134
Cuculus persa 125
 Cuervo calvo de cuello
 blanco 186
 Cuervo calvo de cuello
 gris 187
 Culebrera azor 40
 Culebrera barreada .. 35
 Culebrera coliblanca . 35
 Culebrera de Nicobar 53
 Culebrera del Kinabalu 53
 Culebrera europea 35
 Culebrera filipina 53
 Culebrera pechinegra 36
Cultrunguis flavipes 137
cunicularia, *Athene* . 147
cunicularia, *Speotyto* 147
cunicularia, *Strix* 147
cupido attwateri,
Tympanuchus 76
cupido, *Tetrao* 76
cupido, *Tympanuchus* 76
cupreicauda, *Amazilia*
 176
cupreicauda, *Saucerottia*
 176
cupreiceps, *Elvira* ... 161
cupreiceps, *Eupherusa*
 161
cupreoventris, *Eriocnemis*
 162
cupreoventris, *Trochilus*
 162
cupripennis, *Aglaeactis*
 151
cupripennis, *Trochilus*
 151
 Curl-crested Manucode
 204
 Curruca bigotuda
 piquilarga 186
 Curruca bigotuda rojiza
 186
curvipennis,

Campylopterus 155
curvipennis, *Trochilus*
 155
 Cut-throat 190
cuvierii, *Campylopterus*
 155
cuvierii, *Falco* 59
cuvierii, *Phaeochroa* 155
cuvierii, *Trochilus* 155
cyaneus, *Circus* 37
cyaneus, *Falco* 37
cyanifrons, *Amazilia* .176
cyanifrons, *Saucerottia*
 176
cyanifrons, *Trochilus* 176
cyanocephala, *Agyrtria*
 151
cyanocephala, *Amazilia*
 151
cyanocephala, *Ornithya*
 151
cyanocephala, *Psittacula*
 119
cyanocephalus, *Psittacus*
 119
Cyanocorax 206
Cyanocorax caeruleus
 206
Cyanocorax dickeyi .206
cyanogenia, *Eos* 91
Cyanolesbia berlepschi
 151
Cyanolesbia emmae 151
Cyanoliseus ... 106, 108
Cyanoliseus patagonus
 106, 108
Cyanomyia microrhyncha
 151
Cyanomyia sordida .160
Cyanomyia violiceps 152
cyanopectus, *Sternoclyta*
 177
cyanopectus, *Trochilus*
 177
Cyanophala 160
Cyanophala bicolor ..160
cyanophrys, *Eupherusa*
 163
Cyanopsitta106
Cyanopsitta spixii ...106
cyanoptera, *Brotogeris*
 105
cyanoptera, *Sittace* .105
cyanopterus,
Pterophanes 175
cyanopterus, *Trochilus*
 175
cyanopygia, *Psittacula*
 108
cyanopygius, *Forpus* 108
Cyanoramphus 106, 107
Cyanoramphus auriceps
 106
Cyanoramphus cookii 107
Cyanoramphus forbesi
 106
Cyanoramphus malherbi
 106
Cyanoramphus
novaehollandiae 107
Cyanoramphus saisseti
 107
Cyanoramphus unicolor
 107
cyanura, *Amazilia* ... 176
cyanura, *Saucerottia* 176
cyanurus, *Psittacus* .120
cyanurus, *Psittinus* .120
cyanus, *Hylocharis* .. 166
cyanus, *Trochilus* 166
Cyclopsitta 107
Cyclopsitta diophthalma
 107
Cyclopsitta diophthalma
coxeni 107
Cyclopsitta guilielmertii
 107
Cyclopsittacus edwardsii
 120
Cyclopsittacus salvadorii
 120
 Cygne chanteur 15
 Cygne coscoroba 15
Cygnus 15
Cygnus melanocorypha
 15
Cymindis wilsonii35
Cynanthus151, 155,
 160, 177
Cynanthus coelestis 151
Cynanthus doubledayi
 160
Cynanthus griseiventris
 177
Cynanthus latirostris 160
Cynanthus lawrencei 160
Cynanthus lucifer ... 155
Cynanthus sordidus 160
Cyornis 185
Cyornis ruckii 185

D

dachilleae, *Nannopsittaca*
 111
Dacnis 188

<i>Dacnis nigripes</i>	188
Dalmatian Pelican	2
Damara Korhaan	81
<i>Damophila</i>	160
<i>Damophila julie</i>	160
<i>Daptrius</i>	56
<i>Daptrius americanus</i> .	56
<i>Daptrius ater</i>	56
Dara	83, 118
Dark Chanting-Goshawk	49
Dark Serpent-Eagle ..	53
Darwin's Rhea	1
Dasyorne roux	186
Dasyornerousse de l'ouest	186
<i>Dasyornis</i>	186
<i>Dasyornis brachypterus</i>	186
<i>Dasyornis broadbenti</i> 186	
<i>Dasyornis broadbenti litoralis</i>	186
<i>Dasyornis longirostris</i>	186
<i>daubentoni, Crax</i>	68
Daubenton's Curassow 68	
<i>davidi, Niltava</i>	186
<i>davidi, Strix</i>	148
<i>davidi, Syrnium</i>	148
David's Owl	148
<i>decipiens, Streptopelia</i>	87
<i>decipiens, Turtur</i>	87
<i>decora, Amazilia</i>	174
<i>decora, Paradisaea</i> .	205
<i>defilippii, Sturnella</i> .	189
<i>deiroleucus, Falco</i>	59
<i>delalandii, Phalacrotreron</i>	88
<i>delalandii, Treron</i>	88
<i>delattrei, Lophornis</i> 169	
<i>delattrei, Ornismya</i> 169	
<i>Delattria sybillae</i>	167
<i>delphinae, Colibri</i> ...	160
<i>delphinae, Ornismya</i> 160	
<i>demersa, Diomedea</i>	2
<i>demersus, Spheniscus</i> 2	
Demoiselle Crane	78
Demoiselle de Numidie	78
<i>Dendrocygna</i>	15, 16
<i>Dendrocygna arborea</i> 15	
<i>Dendrocygna autumnalis</i>	16
<i>Dendrocygna bicolor</i> .	16
<i>Dendrocygna fulva</i> ...	16
<i>Dendrocygna viduata</i> 16	
Dendrocygne des Antilles	15
Dendrocygne fauve ..	16
Dendrocygne veuf	16
<i>denhami, Neotis</i>	82
Denham's bustard	82
<i>dentata, Gymnoris</i> ..	198
<i>dentata, Petronia</i>	198
<i>derbiana, Psittacula</i> .	119
<i>derbianus, Oreophasis</i> 69	
<i>derbianus, Palaeornis</i> 119	
Derbyan Parakeet	119
<i>derbyi, Eriocnemis</i> ..	162
<i>derbyi, Trochilus</i>	162
Derby's Guan	69
<i>Deroptyus</i>	107
<i>Deroptyus accipitrinus</i>	107
Desert Owl	148
<i>desmarestii,</i> <i>Psittaculirostris</i>	120
<i>desmarestii, Psittacus</i>	120
Desmarest's Fig-Parrot	120
<i>detorta, Tyto</i>	126
<i>devillei, Conurus</i>	121
<i>devillei, Pyrrhura</i>	121
<i>diadema, Charmosyna</i> ...	90
<i>diadema,</i> <i>Hypocharmosyna</i> ...	90
<i>diadema, Psitteuteles</i> 90	
diamant aurore	195
Diamant de Mindanao	191
Diamante colidorado 151	
Diamante de pecho negro	195
Diamante gargantiverde	174
Diamante multicolor 152	
Diamante pechizafiro 174	
Diamante ventriblanco	151
<i>diardi, Diardigallus</i> ...	72
<i>diardi, Euplocomus</i> ...	72
<i>diardi, Lophura</i>	72
<i>Diardigallus diardi</i>	72
Diard's Fireback	72
<i>dickeyi, Cyanocorax</i> 206	
<i>dickinsoni, Falco</i>	59
Dickinson's Kestrel ...	59
<i>dicolorus, Ramphastos</i>	182
Diduncule strigirostre 85	
<i>Didunculus</i>	85
<i>Didunculus strigirostris</i>	85
<i>dilectissima, Touit</i> ...	123
<i>dilectissima, Urochroma</i>	123
<i>dimorpha, Athene</i> ...	150
<i>dimorpha, Uroglaux</i> 150	
<i>diodon, Falco</i>	44
<i>diodon, Harpagus</i>	44
<i>Diomedea</i>	2
<i>Diomedea albatrus</i>	2
<i>Diomedea demersa</i>	2
DIOMEDEIDAE	2
<i>diophtalma coxeni,</i> <i>Cyclopsitta</i>	107
<i>diophtalma, Cyclopsitta</i>	107
<i>diophtalma, Opopitta</i>	107
<i>diophtalma, Psittacula</i>	107
<i>diophtalma,</i> <i>Psittaculirostris</i>	107
<i>Diopsittaca</i>	107
<i>Diopsittaca nobilis</i> ..	107
<i>Diphyllodes magnificus</i>	203
<i>Diphyllodes respublica</i>	203
<i>discolor, Lathamus</i> .	109
<i>discolor, Psittacus</i> ...	109
<i>Discosura</i>	160, 161
<i>Discosura conversii</i> .	160
<i>Discosura langsdorffi</i> 160	
<i>Discosura letitiae</i>	161
<i>Discosura longicauda</i>	161
<i>Discosura popelairii</i> .	161
<i>discurus, Prioniturus</i> 116,	117
<i>discurus, Psittacus</i> ..	116
<i>dissimilis, Psephotus</i> 118	
<i>dissimilis, Turdus</i>	187
<i>dohrnii, Glaucis</i>	163
<i>dohrnii, Ramphodon</i> 163	
<i>dohrnii, Trochilus</i>	163
<i>Domicella albidiinucha</i> 92	
<i>Domicella amabilis</i>	92
<i>Domicella chlorocercus</i>	92
<i>Domicella domicella</i> ..	92
<i>Domicella garrula</i>	92
<i>Domicella hypoinochroa</i>	92
<i>Domicella lory</i>	92
<i>Domicella tibialis</i>	92
<i>domicella, Domicella</i> .	92
<i>domicella, Lorius</i>	92
<i>domicella, Psittacus</i> ..	92
Dominican Mango ...	153
<i>dominicuschlorocercus</i> , <i>Anthracocephorus</i>	153
<i>dominicuschlorocercus</i> , <i>Trochilus</i> 153	

<i>doriae</i> , <i>Accipiter</i>	48
<i>doriae</i> , <i>Megatriorchis</i>	48
Doria's Goshawk	48
<i>Doricha</i>	155, 161
<i>Doricha bryantae</i>	155
<i>Doricha eliza</i>	161
<i>Doricha enicura</i>	161
<i>dorsale</i> , <i>Ramphomicron</i>	175
<i>Doryfera</i>	161
<i>Doryfera johannae</i>	161
<i>Doryfera ludovicae</i>	161
Dot-eared Coquette	169
<i>doubledayi</i> , <i>Cynanthus</i>	160
Double-eyed Fig-Parrot	107
Double-striped Thick-knee	83
Double-toothed Kite	44
<i>Drepanornis albertisi</i>	203
<i>Drepanornis bruijnii</i>	203
Dryade de Fanny	177
Dryade de Waterton	178
Dryade du Mexique	178
Dryade glaucope	177
<i>Dryocopus</i>	183
<i>Dryocopus javensis</i>	183
<i>Dryocopus javensis richardsi</i>	183
<i>Dryotriorchis</i>	39
<i>Dryotriorchis spectabilis</i>	39
<i>dubia</i> , <i>Ardea</i>	7
<i>dubius</i> , <i>Hieraetus</i>	45
<i>dubius</i> , <i>Leptoptilos</i>	7
Duchess Lorikeet	90
Duck Hawk	61
<i>ducrops</i> , <i>Cacatua</i>	94
Ducorps's Cockatoo	94
<i>ducrops</i> , <i>Kakatoe</i>	94
<i>ducrops</i> , <i>Plyctolophus</i>	94
<i>Ducula</i>	86
<i>Ducula mindorensis</i>	86
<i>Ducula pickeringii</i>	86
<i>dufresniana</i> , <i>Amazona</i>	98, 100
<i>dufresnianus</i> , <i>Psittacus</i>	98
<i>duidae</i> , <i>Campylopterus</i>	155
<i>duivenbodei</i> , <i>Chalcopsitta</i>	90
<i>duivenbodei</i> , <i>Chalcopsittacus</i>	90
<i>dullitensis</i> , <i>Rhizothera</i>	74
<i>dumontii</i> , <i>Mino</i>	202
<i>dupontii</i> , <i>Ornismya</i>	178
<i>dupontii</i> , <i>Philodice</i>	178

<i>dupontii</i> , <i>Tilmatura</i>	178
Dusky Eagle-Owl	132
Dusky Hummingbird	160
Dusky Lory	92
Dusky Parrot	114
Dusky-billed Parrotlet	108
Dusky-headed Conure	104
Dusky-headed Parakeet	104
Dusky-throated Hermit	173
Duyvenbode's Lory	90
Dwarf Fig-Parrot	107

E

Eagle Owl	132
East African Citril	189
Eastern Black-capped Lory	92
Eastern Chanting-Goshawk	49
Eastern Grass-Owl	127
Eastern Imperial Eagle	27
Eastern Long-tailed Hermit	174
Eastern Marsh-Harrier	38
Eastern Parotia	205
Eastern Red-footed Falcon	57
Eastern Riflebird	206
Eastern Rosella	115
Eastern Screech-Owl	140
<i>ecaudatus</i> , <i>Falco</i>	55
<i>ecaudatus</i> , <i>Terathopius</i>	55
<i>echo</i> , <i>Palaeornis</i>	119
<i>echo</i> , <i>Psittacula</i>	119
<i>Eclectus</i>	107
Eclectus Parrot	107
<i>Eclectus roratus</i>	107
Ecuadorian Hillstar	171
Ecuadorian Piedtail	174
<i>edward</i> , <i>Amazilia</i>	176
<i>edward</i> , <i>Saucerottia</i>	176
<i>edward</i> , <i>Trochilus</i>	176
<i>edwardsi</i> , <i>Gennaeus</i>	72
<i>edwardsi</i> , <i>Hierophasis</i>	72
<i>edwardsi</i> , <i>Lophura</i>	72
<i>edwardsii</i> , <i>Cyclopsittacus</i>	120
<i>edwardsii</i> , <i>Psittaculirostris</i>	120
Edwards's Fig-Parrot	120
Edwards's Pheasant	72
Effraie africaine	126
Effraie de Manus	128
Effraie de Minahassa	127
Effraie de prairie	127
Effraie de Soumagne	128
Effraie de Taliabu	128
Effraie de Tasmanie	127
Effraie des clochers	126
Effraie des Tanimbar	128
Effraie d'Hispaniola	127
Effraie du Cap	127
Effraie rousse de Madagascar	128
<i>egregia</i> , <i>Pyrrhura</i>	121
<i>egregius</i> , <i>Conurus</i>	121
<i>Egretta</i>	4, 5
<i>Egretta alba</i>	4
<i>Egretta garzetta</i>	5
Egyptian Goose	10
Egyptian Vulture	50
<i>eisenmanni</i> , <i>Pyrrhura</i>	122
El Oro Conure	122
El Oro Parakeet	122
Elanio australiano	39
Elanio azul	39
Elanio bidentado	44
Elanio blanco	39
Elanio chico	40
Elanio enano	40
Elanio escrito	40
Elanio golondrina	34
Elanio maromero	39
Elanio muslirrufo	44
Elanio plomizo	46
Elanio tijereta	39
<i>Elanoides</i>	34, 39
<i>Elanoides forficatus</i>	39
<i>Elanoides riocourii</i>	34
<i>Elanus</i>	34, 39, 40
<i>Elanus axillaris</i>	39
<i>Elanus caeruleus</i>	39
<i>Elanus leucurus</i>	39
<i>Elanus notatus</i>	39
<i>Elanus riocourii</i>	34
<i>Elanus scriptus</i>	40
<i>elegans</i> , <i>Ephialtes</i>	142
<i>elegans</i> , <i>Nanodes</i>	112
<i>elegans</i> , <i>Neophema</i>	112
<i>elegans</i> , <i>Otus</i>	142
<i>elegans</i> , <i>Platycercus</i>	114, 115
<i>elegans</i> , <i>Psittacus</i>	115
Elegant Grass-Parakeet	112
Elegant Parrot	112
Elegant Scops-Owl	142
<i>eleonorae</i> , <i>Falco</i>	59
Eleonora's Falcon	59
Elf Owl	137

<i>elgini</i> , <i>Spilornis</i>	53	<i>Eos cyanogenia</i>	91	Ermite de Natterer ..	173
<i>eliciae</i> , <i>Hylocharis</i> ..	166	<i>Eos fuscata</i>	92	Ermite de Rucker	178
<i>eliciae</i> , <i>Trochilus</i>	166	<i>Eos goodfellowi</i>	91	Ermite de Stuart	174
<i>eliza</i> , <i>Calothorax</i>	161	<i>Eos histrio</i>	91	Ermite d'Idalie	173
<i>eliza</i> , <i>Doricha</i>	161	<i>Eos reticulata</i>	91	Ermite d'Osery	172
<i>eliza</i> , <i>Trochilus</i>	161	<i>Eos rubra</i>	91	Ermite eurynome	172
<i>elliotti</i> , <i>Atthis</i>	154	<i>Eos semilarvata</i>	91	Ermite hirsute	164
<i>elliotti</i> , <i>Phasianus</i>	75	<i>Eos squamata</i>	91	Ermite nain	173
<i>elliotti</i> , <i>Selasphorus</i> .	154	<i>eos</i> , <i>Coeligena</i>	159	Ermite terne	173
<i>elliotti</i> , <i>Syrmaticus</i>	75	<i>eos</i> , <i>Helianthea</i>	159	Ermite vert	172
Elliot's Pheasant	75	<i>Ephialtes balli</i>	141	Ermite yaruqui	174
<i>Elvira</i>	161	<i>Ephialtes brucei</i>	141	<i>erythaca</i> , <i>Pyrrhula</i> ..	189
<i>Elvira chionura</i>	161	<i>Ephialtes elegans</i>	142	<i>erythrauchen</i> , <i>Accipiter</i>	21
<i>Elvira cupreiceps</i>	161	<i>Ephialtes grammicus</i> 146		<i>erythrogenys</i> , <i>Aratinga</i>	103
EMBERIZIDAE	188	<i>Ephialtes sagittatus</i> .145		<i>erythrogenys</i> , <i>Hierax</i> 66	
Emei Shan Liocichla	186	<i>Ephialtes spilocephalus</i>	145	<i>erythrogenys</i> , <i>Microhierax</i>	66
Emerald Lorikeet	92	<i>Ephialtes watsonii</i> ...146		<i>erythrogenys</i> , <i>Psittacara</i>	103
Emerald-bellied Puffleg	161	<i>Ephippiorhynchus</i>	6	<i>erythrolophus</i> , <i>Opaethus</i>	125
Emerald-chinned Hummingbird	150	<i>Ephippiorhynchus</i>		<i>erythrolophus</i> , <i>Tauraco</i>	125
Emerald-collared Parakeet	119	<i>senegalensis</i>	6	<i>erythronemius</i> , <i>Accipiter</i>	21
<i>emma</i> , <i>Pyrrhura</i>	122	<i>Epimachus</i>	203	<i>erythrophthalma</i> , <i>Lophura</i>	72
<i>emmae</i> , <i>Aglaicercus</i> 151		<i>Epimachus albertisi</i> .203		<i>erythrophthalmus</i> , <i>Houppifer</i>	72
<i>emmae</i> , <i>Cyanolesbia</i> 151		<i>Epimachus bruijnii</i> ..203		<i>erythrophthalmus</i> , <i>Phasianus</i>	72
Emouchel des Seychelles	57	<i>Epimachus fastuosus</i> 203		<i>erythrops</i> , <i>Quelea</i> ...200	
Emperor Bird-of-paradise	205	<i>Epimachus meyeri</i> ..203		<i>erythropterus</i> , <i>Aprosmictus</i>	102
Emperor of Germany's Bird-of-paradise ..	205	Epimaque de Mayer .203		<i>erythropterus</i> , <i>Psittacus</i>	102
<i>emphanum</i> , <i>Polyplectron</i>	74	Epimaque fastueux .203		<i>erythropus</i> , <i>Accipiter</i> .21	
Empress Brilliant	165	<i>episcopus</i> , <i>Ciconia</i>6		<i>erythropus</i> , <i>Nisus</i>21	
<i>enganensis</i> , <i>Gracula</i> 202		<i>eques</i> , <i>Psittacula</i>119		<i>erythropygia</i> , <i>Sturnia</i> 202	
<i>enganensis</i> , <i>Otus</i> ...	143	<i>eremita</i> , <i>Geronticus</i> ...8		<i>erythropygius</i> , <i>Sturnus</i>	202
Engoulevent d'Europe	128	<i>eremita</i> , <i>Upupa</i>8		<i>erythospizias</i> <i>trinotatus</i>	23
<i>Engyptila wellsi</i>	86	<i>Eriocnemis</i> 161, 162, 164		<i>Erythrotriorchis</i>	40
<i>Enicognathus</i>	108	<i>Eriocnemis alinae</i>161		<i>Erythrotriorchis buergersi</i>	40
<i>Enicognathus ferrugineus</i>	108	<i>Eriocnemis assimilis</i> 164		<i>Erythrotriorchis radiatus</i>	40
<i>Enicognathus leptorhynchus</i>	108	<i>Eriocnemis cupreoventris</i>	162	<i>Erythrura</i>	191
<i>enicura</i> , <i>Calothorax</i> 161		<i>Eriocnemis derbyi</i> ...162		<i>Erythrura coloria</i>191	
<i>enicura</i> , <i>Doricha</i>	161	<i>Eriocnemis glaucopoides</i>	162	<i>Erythrura viridifacies</i> 191	
<i>enicurus</i> , <i>Trochilus</i> .161		<i>Eriocnemis godini</i>162		Eskimo Curlew	83
<i>Ensifera</i>	161	<i>Eriocnemis luciani</i> ...162		Esmeralda bronzeada	158
<i>Ensifera ensifera</i>	161	<i>Eriocnemis mirabilis</i> 162		Esmeralda capirotada	161
<i>ensifera</i> , <i>Ensifera</i> ...	161	<i>Eriocnemis mosquera</i> 162		Esmeralda cola de	
<i>ensifera</i> , <i>Ornismya</i> .161		<i>Eriocnemis nigrivestis</i>	162		
<i>ensipennis</i> , <i>Campylopterus</i>	155	<i>Eriocnemis sapphiropygia</i>	162		
<i>ensipennis</i> , <i>Trochilus</i> 155		<i>Eriocnemis vestitus</i> .162			
<i>Eolophus</i>	96, 124	<i>Eriopus lugens</i>	164		
<i>Eolophus roseicapillus</i> 96		Erismature rousse	17		
<i>Eos</i>	91, 92	<i>erithacus</i> , <i>Psittacus</i> .120			
<i>Eos bornea</i>	91	Ermite anthophile ...172			

alambre	158	<i>euchloris</i> , <i>Chlorestes</i> 158	<i>Eupodotis afra</i>	80
Esmeralda coliazul ..	158	<i>euchloris</i> , <i>Chlorostilbon</i>	<i>Eupodotis afraoides</i> ..	80
Esmeralda colicorta ..	158	<i>Eudocimus</i>	<i>Eupodotis bengalensis</i> 80	
Esmeralda colifina ..	158	<i>Eudocimus ruber</i>	<i>Eupodotis burchellii</i> ..	82
Esmeralda coliverde 157		<i>Eugenès</i>	<i>Eupodotis caerulescens</i> ..	80
Esmeralda del Chiribiquete ..	158	<i>Eugenès fulgens</i>	<i>Eupodotis gindiana</i> ..	80
Esmeralda elvira	161	<i>Eugenia imperatrix</i> ..	<i>Eupodotis hartlaubii</i> ..	80
Esmeralda gorgiazul 158		<i>Eulampis</i>	<i>Eupodotis humilis</i>	81
Esmeralda hondurena ..	174	<i>Eulampis holosericeus</i> ..	<i>Eupodotis indica</i>	81
Esmeralda ventridorada ..	157	<i>Eulampis jugularis</i> ..	<i>Eupodotis melanogaster</i> ..	81
Esmeralda viente-blanco ..	151	<i>Eulidia yarrellii</i> ..	<i>Eupodotis rueppellii</i> ..	81
Esmeraldas Woodstar ..	156	<i>Eulipoa wallacei</i> ..	<i>Eupodotis ruficrista</i> ..	80,
Esparvero bicolor	20	<i>Eunymphicus</i>	81	
Esparvero chico	24	<i>Eunymphicus cornutus</i> ..	<i>Eupodotis savilei</i>	81
Esparvero gris	25	<i>Eunymphicus uvaensis</i> ..	<i>Eupodotis senegalensis</i> ..	81
Espolonero chinquis ..	74	<i>Euodice cantans</i>	<i>Eupodotis vigorsii</i>	82
Espolonero de Borneo 74		<i>euops</i> , <i>Aratinga</i>	<i>eupogon</i> , <i>Metallura</i> .	170
Espolonero de Germain ..	74	<i>euops</i> , <i>Psittacara</i>	<i>eupogon</i> , <i>Urolampra</i> 170	
Espolonero de Palawan ..	74	<i>euops</i> , <i>Sittace</i>	<i>Eupsittula aurea</i>	103
Espolonero de Rothschild ..	74	<i>eupatria</i> , <i>Psittacula</i> .119	<i>Eupsittula cactorum</i> 103	
Espolonero malayo ...	74	<i>eupatria</i> , <i>Psittacus</i> ..119	<i>Eupsittula canicularis</i> 103	
Espulgabueyes	3	<i>Eupetomena macroura</i> ..	<i>Eupsittula nana</i>	104
<i>estella</i> , <i>Oreotrochilus</i> 171		<i>Euphema bourkii</i>112	<i>Eupsittula pertinax</i> ..	104
<i>estella</i> , <i>Trochilus</i>	171	<i>Euphema petrophila</i> 112	<i>Eupsittula weddellii</i> .104	
Estornino de Rothschild ..	202	<i>Euphema splendida</i> .112	Eurasian Buzzard	31
Estrella coliblanca ..	178	<i>Euperusa</i> 161, 163	Eurasian Eagle-Owl .132	
Estrella cuellirrojo ..	156	<i>Euperusa cupreiceps</i> ..	Eurasian Griffon	41
Estrella ecuatoriana 171		<i>Euperusa cyanophrys</i> ..	Eurasian Griffon Vulture ..	41
Estrellita amatista ..	154	<i>Euperusa eximia</i> ..163	Eurasian Hobby	63
Estrellita chica	156	<i>Euperusa nigripectus</i> ..	Eurasian Kestrel	64
Estrellita colicorta ..	171	<i>Euperusa poliocerca</i> 163	Eurasian Marsh-Harrier ..	36
Estrellita de gorguera ..	156	<i>Euplecte franciscain</i> 197	Eurasian Pygmy-Owl 135	
Estrellita gargantillada ..	171	<i>Euplecte monseigneur</i> ..	Eurasian Scops-Owl 145	
Estrellita gorjipurpura ..	155	<i>Euplecte veuve-noire</i>	Eurasian Sparrowhawk ..	23
Estrellita ventriblanca ..	157	<i>Euplectes</i>	Eurasian Spoonbill	8
<i>Estrilda</i> ... 190, 191, 196		<i>Euplectes afer</i>	Eurasian Wigeon	13
<i>Estrilda astrild</i>	191	<i>Euplectes alinegro</i> ..197	European Honey-buzzard ..	51
<i>Estrilda bengala</i>	196	<i>Euplectes amarillo</i> ...196	European Turtle-Dove 88	
<i>Estrilda caeruleascens</i> 191		<i>Euplectes ardens</i>197	<i>Erychelidon sirintarae</i> ..	185
<i>Estrilda formosa</i>	190	<i>Euplectes franciscanus</i> ..	<i>eyrynome</i> , <i>Phaethornis</i> ..	172
<i>Estrilda melpoda</i>	191	<i>Euplectes hordeaceus</i> ..	<i>eyrynome</i> , <i>Trochilus</i> 172	
<i>Estrilda quartinla</i>	191	<i>Euplectes macrourus</i> 197	<i>eyryptera</i> , <i>Opisthoprorra</i> ..	171
<i>Estrilda subflava</i>	190	<i>Euplectes orix</i>	<i>eyrypterus</i> , <i>Trochilus</i> 171	
<i>Estrilda troglodytes</i> 191		<i>Euplectes rojo</i>	<i>euteles</i> , <i>Psittacus</i>93	
Estrilda verde	190	<i>Euplocomus diardi</i>72	<i>euteles</i> , <i>Trichoglossus</i> 93	
ESTRILDIDAE	190	<i>Euplocomus swinhonis</i> 73	<i>Eutoxeres</i>	163
		<i>Eupodotis</i> 80, 81, 82	<i>Eutoxeres aquila</i> 163	
			<i>Eutoxeres condamini</i> 163	
			<i>Eutriorchis</i>	40

<i>Eutriorchis astur</i>	40
<i>evelynae, Calliphlox</i>	155
<i>evelynae, Philodice</i>	. 155
<i>evelynae, Trochilus</i>	155
<i>everetti, Aceros</i> 179
<i>everetti, Rhyticeros</i>	179
<i>everetti, Rhytidoceros</i> 179
Everglade Kite 52
<i>exarhatus, Buceros</i>	181
<i>exarhatus, Penelopides</i> 181
<i>excelsus, Campylopterus</i> 155
<i>exillis, Lorucus</i> 110
<i>eximia, Eupherusa</i>	. 163
<i>eximia, Ornithya</i>	... 163
<i>eximus, Platycercus</i>	115
<i>eximus, Psittacus</i>	.. 115
<i>exortis, Heliangelus</i>	164
<i>exortis, Trochilus</i>	... 164

F

Fairy Lrikeet 91
Fairy Pitta 184, 185
Faisan de Birmanie	... 75
Faisan de Bulwer 72
Faisan de cuerno rojo	69
Faisan de Formose	... 73
Faisan de Hume 75
Faisan de l'Himalaya	. 71
Faisan de Salvadori	.. 73
Faisan de Sumatra	... 73
Faisan de Swinhoe	... 73
Faisan de Wallich 71
Faisan d'Edwards 72
Faisan d'Elliot 75
Faisan du Vietnam	... 73
Faisan mikado 75
Faisan noble 73
Faisan oreillard blanc	71
Faisan oreillard brun	. 71
Faisan sanguin 72
<i>falcatus, Campylopterus</i> 156
<i>falcatus, Trochilus</i>	.. 156
<i>falcrostris, Sporophila</i> 188
Falco
19, 21, 23, 24, 25, 26,	
28, 29, 30, 31, 32, 33,	
34, 35, 36, 37, 38, 39,	
40, 41, 42 , 43, 44, 45,	
46, 47, 48, 49 , 50, 51,	
52, 53, 54, 55, 56 , 57,	
58, 59, 60, 61, 62, 63 ,	

138	
<i>aequinoctialis</i>	.. 33
<i>aeruginosus</i> 36
<i>albicilla</i> 42
<i>albicollis</i> 47
<i>alexanderi</i> 64
<i>alopex</i> 56
<i>altaicus</i> 58
<i>americanus</i> 56
<i>amurensis</i> 57
<i>angolensis</i>	. 40, 41
<i>anthracinus</i> 34
<i>apivorus</i> 51
<i>araea</i> 57
<i>ardosiaceus</i> 57
<i>augur</i> 30
<i>australis</i> 67
<i>badius</i> 19
<i>bellicosus</i> 52
<i>berigora</i> 57
<i>biarmicus</i> 57
<i>bidentatus</i> 44
<i>buffoni</i> 36
<i>buteo</i> 31
<i>cachinnans</i> 65
<i>caerulescens</i>	... 66
<i>caeruleus</i> 39
<i>canorus</i> 48
<i>cayanensis</i> 47
<i>cenchorides</i> 58
<i>cheela</i> 53
<i>cheriway</i> 67
<i>cherrug</i> 58
<i>chicquera</i> 58
<i>chrysaeos</i> 26
<i>cirrhatus</i> 54
<i>columbarius</i> 58
<i>concolor</i> 59
<i>connivens</i> 138
<i>cooperii</i> 21
<i>coronatus</i> 55
<i>cuvieri</i> 59
<i>cyaneus</i> 37
<i>deiroleucus</i> 59
<i>dickinsoni</i> 59
<i>diodon</i> 44
<i>ecaudatus</i> 55
<i>eleonorae</i> 59
<i>fasciinucha</i>	59, 60
<i>femoralis</i> 60
<i>forficatus</i> 39
<i>fringillarius</i> 66
<i>gabar</i> 49
<i>gallicus</i> 35
<i>gentilis</i> 21
<i>guianensis</i> 50
<i>haliaeetus</i> 19
<i>hamatus</i> 52
<i>humilis</i> 46
<i>hypoleucus</i> 60
<i>ichthaetus</i> 46
<i>indicus</i> 29
<i>indus</i> 43
<i>isidori</i> 51
<i>jamaicensis</i> 31
<i>jugger</i> 60
<i>kreyenborgi</i> 61
<i>lacernulatus</i> 47
<i>lagopus</i> 32
<i>leucocephalus</i>	..42
<i>leucogaster</i> 42
<i>leucorrhous</i> 32
<i>leuphotes</i> 29
<i>lineatus</i> 32
<i>liventer</i> 29
<i>longicauda</i> 45
<i>longipennis</i> 60
<i>macrourus</i> 37
<i>madens</i> 61
<i>magnirostris</i> 32
<i>malayensis</i> 46
<i>maurus</i> 38
<i>melanoleucus</i>	...38
<i>melanops</i> 47
<i>meridionalis</i> 34
<i>mexicanus</i> 60
<i>migrans</i> 49
<i>milvus</i> 50
<i>minullus</i> 23
<i>mississippiensis</i>	46
<i>moluccensis</i> 60
<i>monogrammicus</i>	47
<i>naumanni</i> 60
<i>neglectus</i> 64
<i>newtoni</i> 61
<i>nigricollis</i> 29
<i>ninus</i> 23
<i>nitidus</i> 28
<i>novaehollandiae</i>	23
<i>novaeseelandiae</i>	61
<i>occipitalis</i> 48
<i>ornatus</i> 54
<i>pelegrinoides</i>	...61
<i>pennatus</i> 45
<i>peregrinus</i> 61
<i>piscator</i> 124
<i>plancus</i> 67
<i>plumbeus</i> 46
<i>poliogaster</i>24
<i>polyosoma</i>33
<i>ptilorhyncus</i>51
<i>punctatus</i>62
<i>pygargus</i>38
<i>radiatus</i>40
<i>ranivorus</i>38
<i>rapax</i> 28
<i>rufigularis</i>62

<i>Falco rufinus</i>	33
<i>Falco rufofuscus</i>	33
<i>Falco rupicoloides</i>	62
<i>Falco rusticolus</i>	62
<i>Falco semitorquata</i>	67
<i>Falco serpentarius</i>	56
<i>Falco severus</i>	63
<i>Falco soloensis</i>	24
<i>Falco sparverius</i>	63
<i>Falco subbuteo</i>	63
<i>Falco subniger</i>	64
<i>Falco superciliosus</i>	24
<i>Falco tachiro</i>	25
<i>Falco tinnunculus</i>	64
<i>Falco trivirgatus</i>	25
<i>Falco tytannus</i>	55
<i>Falco uncinatus</i>	34
<i>Falco unicinctus</i>	51
<i>Falco urubitinga</i>	34
<i>Falco vespertinus</i>	57, 64
<i>Falco virgatus</i>	25
<i>Falco vocifer</i>	43
<i>Falco zoniventris</i>	65
Falconete acollarado	66
Falconete de Borneo	66
Falconete filipino	66
Falconete indonesio	66
FALCONIDAE	56
FALCONIFORMES	18
<i>fallax, Leucippus</i>	168
<i>fallax, Trochilus</i>	168
Falsa viuda dorsigualda	197
Falsa viuda pechirroja	197
Fandangero colicuna	155
Fandangero morado	156
Fandangero	
<i>pechiescamosa</i>	155
Fandangero rufo	156
<i>fanny, Myrtis</i>	171
<i>fanny, Ornismya</i>	171
<i>fannyi, Thalurania</i>	177
<i>fannyi, Trochilus</i>	177
<i>farinosa, Amazona</i>	98
<i>farinosus, Psittacus</i>	98
<i>fasciata, Amadina</i>	190
<i>fasciata, Aquila</i>	45
Fasciated Snake-Eagle	35
<i>fasciatus, Accipiter</i>	21
<i>fasciatus, Astur</i>	21
<i>fasciatus, Hieraaetus</i>	45, 46
<i>fasciicauda, Milvus</i>	50
<i>fasciinucha, Falco</i>	59, 60
<i>fasciolatus, Circaetus</i>	35
<i>fastuosa, Tangara</i>	188
<i>fastuosus, Epimachus</i>	
	203

Faucon aldrovandin	63
Faucon aplomado	60
Faucon chicquera	58
Faucon concolore	59
Faucon de Barbarie	61
Faucon de Cuvier	59
Faucon de Dickinson	59
Faucon de l'Amour	57
Faucon de Newton	
<i>d'Alabdra</i>	61
Faucon des chauves-souris	62
Faucon des prairies	60
Faucon gerfaut	62
Faucon gris	60
Faucon hobereau	63
Faucon kobelz	64
Faucon laggar	60
Faucon lanier	57
Faucon noir	64
Faucon sacre	58
Faucon taita	60
Faucon-coucou	29
Fauconnet d'Afrique	67
Fauconnet des Philippines	
<i>.....</i>	66
Fauconnet moineau	66
Fauconnet noir-et-blanc	
<i>.....</i>	66
Faucon-renard	56
Fauvette rousse de l'Ouest	186
Fawn-breasted Brilliant	
<i>.....</i>	165
Fawn-breasted Hummingbird	152
Fearful Owl	137
Feather-toed Hawk-Eagle	
<i>.....</i>	54
<i>femoralis, Falco</i>	60
Feral Pigeon	85
<i>fernandensis,</i>	
<i>Sephanoides</i>	177
<i>fernandensis, Trochilus</i>	
<i>.....</i>	177
<i>ferruginea, Micrasturace</i>	
<i>.....</i>	108
<i>ferrugineifrons,</i>	
<i>Bolborhynchus</i>	105
<i>ferrugineifrons,</i>	
<i>Brotogeris</i>	105
<i>ferrugineus,</i>	
<i>Enicognathus</i>	108
<i>ferrugineus, Psittacus</i>	
<i>.....</i>	108
Ferruginous Duck	14
Ferruginous Hawk	33
Ferruginous Partridge	71
Ferruginous Pochard	14
Ferruginous Pygmy-Owl	
<i>.....</i>	134
Ferruginous Wood-Partridge	
<i>.....</i>	71
<i>festiva, Amazona</i>	99
Festive Amazon	99
Festive Coquette	169
Festive Parrot	99
<i>festivus, Psittacus</i>	99
Fielden's Falconet	67
Fiery-shouldered Conure	
<i>.....</i>	121
Fiery-shouldered Parakeet	
<i>.....</i>	121
Fiery-tailed Awlbill	153
Fiery-throated Hummingbird	
<i>.....</i>	172
Fiji Goshawk	24
Fiji Sparrowhawk	24
<i>fimbriata, Amazilia</i>	174
<i>fimbriata, Polyerata</i>	174
<i>fimbriatum,</i>	
<i>Callocephalon</i>	95
<i>fimbriatus, Psittacus</i>	95
<i>fimbriatus, Trochilus</i>	174
<i>finschi, Amazona</i>	99
<i>finschi, Aratinga</i>	103
<i>finschi, Chrysotis</i>	99
<i>finschi, Conurus</i>	103
<i>finschi, Psittacara</i>	103
<i>finschii, Micropsitta</i>	111
<i>finschii, Nasiterna</i>	111
<i>finschii, Palaeornis</i>	119
<i>finschii, Psittacula</i>	119
Finsch's Conure	104
Finsch's Pygmy-Parrot	
<i>.....</i>	111
Fire-crowned Bishop	197
Fire-throated Metaltail	
<i>.....</i>	170
<i>fischeri, Agapornis</i>	96
<i>fischeri, Corythaix</i>	125
<i>fischeri, Tauraco</i>	125
Fischer's Lovebird	96
Fischer's Turaco	125
Flamant de Cuba	9
Flamant de James	9
Flamant des Andes	9
Flamant du Chili	9
Flamant nain	9
Flamant rose	9
Flamant rouge	9
Flame-breasted Fruit-dove	87
Flamenco	9
Flamenco andino	9
Flamenco andino chico	9
Flamenco chileno	9
Flamenco de Cuba	9

Flamenco de James 9
 Flamenco enano 9
 Flamenco rojo 9
 Flame-winged Conure 121
 Flame-winged Parakeet 121
flammea, *Strix* 129
flammeola, *Scops* ... 142
flammeolus, *Otus* ... 142
flammeus, *Asio* 129
flammula, *Selasphorus* 176
 Flammulated Owl ... 142
flaveolus, *Platycercus* 115
flavescens, *Boissonneaua* 154
flavescens, *Trochilus* 154
flavicans, *Prioniturus* 116, 117
flavifrons, *Pionus* ... 115
flavifrons, *Poicephalus* 115
flavipes, *Bubo* 137
flavipes, *Cultrunguis* 137
flavipes, *Ketupa* 136, 137
flavoviridis, *Psitteuteles* 93
flavoviridis, *Trichoglossus* 93
flavus, *Agelaius* 188
flavus, *Xanthopsar* . 188
 Flightless Teal 11
 Flores Hanging-Parrot 110
floriceps, *Anthocephala* 153
floriceps, *Trochilus* . 153
floris, *Spizaetus* 54
Florisuga 163
Florisuga fusca 163
Florisuga mellivora . 163
flosculus, *Loriculus* . 110
forbesi, *Cyanoramphus* 106
forbesi, *Leptodon* 47
forbesi, *Odontorchis* 47
 Forbes's Kakariki 106
 Forbes's Parakeet ... 106
 Forest Buzzard 32
 Forest Eagle-Owl 133
 Forest Little Owl 131
 Forest Owlet 131
 Forest Spotted Owlet 131
forficatus, *Chlorostilbon* 158
forficatus, *Elanoïdes* . 39
forficatus, *Falco* 39

Fork-tailed Woodnymph 177
formosa, *Amandava* 190
formosa, *Anas* 12
formosa, *Estrilda*190
formosus, *Garrulax* .186
Forpus108
Forpus coelestis108
Forpus conspicillatus 108
Forpus crassirostris .108
Forpus cyanopygius 108
Forpus passerinus ...108
Forpus sclateri108
Forpus xanthops108
Forpus xanthopterygius108
forsteni, *Trichoglossus* 93
 Forster's Caracara 67
 Fou d'Abbott 3
 Fox Kestrel 56
 Fragata de las islas
 Christmas 3
francesii, *Accipiter* ... 21
 Frances's Goshawk ... 21
 Frances's Sparrowhawk 21
franciae, *Agyrtzia*151
franciae, *Amazilia*151
franciae, *Trochilus* ..151
franciscanus, *Euplectes*197
 Fraser's Eagle-Owl ..133
Fregata 3
Fregata andrewsi 3
FREGATIDAE 3
 Frentiestrella alihabano 159
 Frentiestrella arcoiris 159
 Frentijoya 165
 Frilled Coquette169
fringillarius, *Falco* 66
fringillarius, *Microhierax* 66
FRINGILLIDAE189
fringilloides, *Lonchura*193
fringilloides, *Spermestes*193
frommi, *Pyrenestes* .195
frontalis, *Psittacus* ..121
frontalis, *Pyrrhura* ...121
frontalis, *Sporophila* 188
frontalis, *Sporopipes* 200
fuertesi, *Hapalopsittaca*109
fuertesi, *Pionopsitta* 109
 Fuertes's Parrot109
 Fujian Niltava186
fulgens, *Eugenys*162
fulgens, *Trochilus* ... 162
fulgidus, *Banksianus* 121
fulgidus, *Psittrichas* .121
fuliginosus, *Otus*142
 Fuligule de Madagascar 14
 Fuligule nyroca14
fulva, *Dendrocygna* ...16
fulvescens, *Strix* 148
fulvopectoralis,
Streptopelia87
 Fulvous Owl 148
 Fulvous Tree-Duck16
 Fulvous Whistling-Duck 16
fulvus, *Gyps*41
fulvus, *Vultur*41
funerea, *Strix* 128
funereus, *Aegolius* ..128
funereus,
Calyptorhynchus95
funereus, *Psittacus* ..95,
 96
furcata, *Thalurania* 177,
 178
furcatus, *Trochilus* ..177
furcifer, *Heliomaster* 166
furcifer, *Trochilus* ...166
fusca, *Florisuga*163
fuscata, *Eos*92
fuscata, *Lonchura* ...194
fuscata, *Padda*194
fuscata, *Pseudeos*92
fuscicollis, *Poicephalus*116
fusconota, *Nigrita* ...194
fuscus, *Melanotrochilus*163
fuscus, *Pionus*114
fuscus, *Psittacus*114
fuscus, *Trochilus*163

G

Gabar Goshawk49
garbar, *Falco*49
garbar, *Melierax*49
garbar, *Micronisus*49
 Gafudo gorgiblanco . 187
 Galah 96
galapagoensis, *Buteo* 31
galapagoensis, *Polyborus*31
 Galapagos Hawk31
galbanus, *Garrulax* .186
galerita, *Cacatua*94
galerita, *Kakatoe* 94, 95

<i>galeritus</i> , <i>Anorrhinus</i>	180	Garganta de oro coliverde	62
<i>galeritus</i> , <i>Buceros</i>	180	175
<i>galeritus</i> , <i>Psittacus</i>	94	Garganta lanza coliblanca	germaini, <i>Polyplectron</i>
<i>galgulus</i> , <i>Loriculus</i>	110	74
<i>galgulus</i> , <i>Psittacus</i>	110	Gernain's Peacock-	
Gallicolombe de Barlett	Pheasant
.....	86	74	
Gallicolombe de Bartlett	<i>Geronticus</i>	7, 8
.....	86	<i>Geronticus calvus</i>	7
<i>Gallicolumba</i>	86	<i>Geronticus eremita</i>	8
<i>Gallicolumba criniger</i>	86	Giant Eagle-Owl	132
<i>Gallicolumba luzonica</i>	86	Giant Grebe
<i>gallicus</i> , <i>Circaetus</i>	35, 36	Giant Hummingbird	172
<i>gallicus</i> , <i>Falco</i>	35	Giant Ibis
GALLIFORMES	68	Giant Nuthatch	187
Gallinazo rey	Giant Pied-billed Grebe	2
<i>Gallirallus</i>	18	Giant Scops-Owl
<i>Gallirallus sylvestris</i>	79	<i>gibsoni</i> , <i>Chlorostilbon</i>	137
<i>Gallirex porphyreolophus</i>	158
.....	124	<i>gibsoni</i> , <i>Trochilus</i>	158
Gallito de las rocas	184	<i>gigantea</i> , <i>Ibis</i>
Gallito de las sierras	184	<i>gigantea</i> , <i>Melampitta</i>	204
Gallito de pradera 76	<i>gigantea</i> , <i>Pseudibis</i>	8
Gallito de roca	<i>gigantea</i> , <i>Thaumatibis</i>	8
anaranjado	<i>gigas</i> , <i>Patagona</i>	172
Gallito de roca peruano	<i>gigas</i> , <i>Podilymbus</i>
.....	184	<i>gigas</i> , <i>Trochilus</i>	172
Gallo de las praderas	Gilded Hummingbird	166
grande 76	<i>gilvicollis</i> , <i>Micrastur</i>	..65
Gallo de Sonnerat 72	<i>gilvicollis</i> , <i>Sparvius</i>	..65
Gallo gris 72	<i>gindiana</i> , <i>Eupodotis</i>	..80
Gallo lira 75, 83	<i>gindiana</i> , <i>Lophotis</i>80
Gallo lira del Caspio	.. 75	<i>gingica</i> , <i>Arborophila</i>	..70
Gallo salvaje del Caspio	<i>gingicus</i> , <i>Tetrao</i>70
.....	75	<i>Glaucidium</i>133, 134,
Gallo salvaje del Tibet	75	135, 136
<i>Gallus</i>	72	<i>Glaucidium albertinum</i>
<i>Gallus sonneratii</i>	72	133
<i>gambensis</i> , <i>Anas</i>	17	<i>Glaucidium bolivianum</i>
<i>gambensis</i> , <i>Plectropterus</i>	134
.....	17	<i>Glaucidium brasiliandum</i>
<i>Gampsonyx</i>	40	134
<i>Gampsonyx swainsonii</i>	40	<i>Glaucidium brodiei</i>	.. 134
Gan-Gan	<i>Glaucidium californicum</i>
.....	95	134
Gang-gang Cockatoo	95	<i>Glaucidium capense</i>	134,
Gansito africano 17	135, 136
Ganso blanco 15	<i>Glaucidium castaneum</i>
Ganso canadiense	134
aleutiana 14	<i>Glaucidium castanopterum</i>134
Ganso de Gambia 17	<i>Glaucidium costaricanum</i>
Ganso del Nilo 10	135
Ganso espolonado 17	<i>Glaucidium cuculoides</i>
Ganso nene 15	134
Garceta Grande 4	<i>Glaucidium gnoma</i>	.. 134
Garcilla Bueyera 3	<i>Glaucidium griseiceps</i>
Garcilla grande 4	135
Garcita resnera 3	<i>Glaucidium hardyi</i>	... 135
Garganey 13	<i>Glaucidium hoskinsii</i>	134
Garganey Teal 13		

<i>Glaucidium jardinii</i>	135	
<i>Glaucidium minutissimum</i>	135	
<i>Glaucidium mooreorum</i>	135	
<i>Glaucidium nanum</i>	135	
<i>Glaucidium ngamiense</i>	135	
<i>Glaucidium nubicola</i>	135	
<i>Glaucidium palmarum</i>	135	
<i>Glaucidium parkeri</i>	135	
<i>Glaucidium passerinum</i>	135	
<i>Glaucidium perlatum</i>	135	
<i>Glaucidium peruanum</i>	136	
<i>Glaucidium radiatum</i>	134, 136	
<i>Glaucidium sanchezi</i>	135	
<i>Glaucidium scheffleri</i>	136	
<i>Glaucidium siju</i>	136	
<i>Glaucidium sjostedti</i>	136	
<i>Glaucidium tephronotum</i>	136	
<i>Glaucis</i>	163, 164	
<i>Glaucis aenea</i>	163	
<i>Glaucis dohrnii</i>	163	
<i>Glaucis hirsuta</i>	163, 164	
<i>glaucogularis</i> , <i>Ara</i>	102	
<i>glaucopis</i> , <i>Thalurania</i>	177	
<i>glaucopis</i> , <i>Trochilus</i>	177	
<i>glaucopoides</i> , <i>Eriocnemis</i>	162	
<i>glaucopoides</i> , <i>Ornismya</i>	162	
<i>glaucops</i> , <i>Tyto</i>	127	
<i>Glaucous Macaw</i>	101	
<i>glaucus</i> , <i>Anodorhynchus</i>	101	
<i>glaucus</i> , <i>Macrocerus</i>	101	
<i>Glittering-bellied Emerald</i>	157	
<i>Glittering-throated Emerald</i>	174	
<i>Globose Curassow</i>	69	
<i>globulosa</i> , <i>Crax</i>	68	
<i>Glossopsitta</i>	91, 92	
<i>Glossopsitta concinna</i>	91	
<i>Glossopsitta porphyrocephala</i>	91	
<i>Glossopsitta pusilla</i>	92	
<i>Glossy Black-cockatoo</i>	96	
<i>Glossy-mantled Manucode</i>	204	
<i>Glowing Puffleg</i>	162	
<i>Glow-throated Hummingbird</i>	176	
<i>Gnathodon strigirostris</i>		
	85
	<i>gnoma</i> , <i>Glaucidium</i>	134
	<i>Gobemouche bleu de Rueck</i>	185
	<i>Gobemouche de David</i>	186
	<i>Gobemouche de Rueck</i>	185
	<i>godefrida</i> , <i>Claravis</i>	84
	<i>godefrida</i> , <i>Columba</i>	84
	<i>godini</i> , <i>Eriocnemis</i>	162
	<i>godini</i> , <i>Trochilus</i>	162
	<i>Goethalsia</i>	164
	<i>Goethalsia bella</i>	164
	<i>goftini</i> , <i>Cacatua</i>	94
	<i>goftini</i> , <i>Lophochroa</i>	94
	<i>Goffin's Cockatoo</i>	94
	<i>Goldbreast Indigobird</i>	201
	<i>Golden Bishop</i>	196
	<i>Golden Conure</i>	109
	<i>Golden Eagle</i>	26
	<i>Golden Owl</i>	127
	<i>Golden Parakeet</i>	109
	<i>Golden Starfrontlet</i>	159
	<i>Golden-backed Weaver</i>	200
	<i>Golden-bellied Starfrontlet</i>	159
	<i>Golden-breasted Puffleg</i>	162
	<i>Golden-breasted Starling</i>	202
	<i>Golden-breasted Waxbill</i>	190
	<i>Golden-capped Conure</i>	103
	<i>Golden-capped Parakeet</i>	103
	<i>Golden-collared Macaw</i>	117
	<i>Golden-crowned Conure</i>	103
	<i>Golden-fronted Parakeet</i>	118
	<i>Golden-headed Fig-Parrot</i>	120
	<i>Golden-mantled Racquet-tail</i>	117
	<i>Golden-mantled Rosella</i>	115
	<i>Golden-plumed Conure</i>	109
	<i>Golden-plumed Parakeet</i>	109
	<i>Golden-shouldered Parrot</i>	118
	<i>Golden-tailed Parrotlet</i>	124
	<i>Golden-tailed Sapphire</i>	159
	<i>Golden-winged Parakeet</i>	105
	<i>goldiei</i> , <i>Psitteuteles</i>	92
	<i>goldiei</i> , <i>Trichoglossus</i>	92, 93
	<i>Goldie's Bird-of-paradise</i>	205
	<i>Goldie's Lorikeet</i>	93
	<i>goldii</i> , <i>Ninox</i>	140
	<i>Goldmania</i>	164
	<i>Goldmania violiceps</i>	164
	<i>Goliath Heron</i>	3
	<i>goliath</i> , <i>Ardea</i>	3
	<i>Golondrina de anteojos</i>	185
	<i>goodfellowi</i> , <i>Eos</i>	91
	<i>Gorgeted Sunangel</i>	165
	<i>Gorgeted wood-quail</i>	73
	<i>Gorgeted Woodstar</i>	156
	<i>Goshawk</i>	19, 21, 22, 23, 24, 25, 40, 48, 49
	<i>goudoti</i> , <i>Lepidopyga</i>	168
	<i>goudoti</i> , <i>Trochilus</i>	168
	<i>gouldii</i> , <i>Lesbia</i>	168
	<i>gouldii</i> , <i>Lophornis</i>	169
	<i>gouldii</i> , <i>Ornismya</i>	169
	<i>Gould's Inca</i>	159
	<i>Gould's Jewelfront</i>	165
	<i>gounellei</i> , <i>Anopetia</i>	152
	<i>gounellei</i> , <i>Phaethornis</i>	152
	<i>Goura</i>	86
	<i>Goura cristata</i>	86
	<i>Goura de Scheepmaker</i>	86
	<i>Goura de Slater</i>	86
	<i>Goura de Victoria</i>	86
	<i>Goura scheepmakeri</i>	86
	<i>Goura victoria</i>	86
	<i>Gracula</i>	202
	<i>Gracula enganensis</i>	202
	<i>Gracula indica</i>	202
	<i>Gracula religiosa</i>	202
	<i>Gracula robusta</i>	202
	<i>gramineus</i> , <i>Psittacus</i>	123
	<i>gramineus</i> , <i>Tanygnathus</i>	123
	<i>grammicus</i> , <i>Ephialtes</i>	146
	<i>grammicus</i> , <i>Pseudoscops</i>	146
	<i>Gran autillo veliblanco</i>	143
	<i>Grand Comoro Scops-owl</i>	144
	<i>Grand hocco</i>	69
	<i>Grand paradisier</i>	204

Grand-duc africain	131
Grand-duc ascalaphe	132
Grand-duc bruyant	133
Grand-duc de Blakiston	136
Grand-duc de Coromandel	132
Grand-duc de Shelley	133
Grand-duc de Verreaux	132
Grand-duc des Philippines	133
Grand-duc des Usambara	133
Grand-duc d'Europe	132
Grand-duc du Cap	132
Grand-duc indien	132
Grande Aigrette	4
Grande Outarde	79, 82
Grande outarde arabe	79
<i>granti, Ptilopsis</i>	143
Grass Owl	127, 128
Grasshopper Buzzard	30
Grasshopper Buzzard-Eagle	30
<i>Graydidascalus</i>	109
<i>Graydidascalus brachyurus</i>	109
<i>grayi, Hylocharis</i>	166
<i>grayi, Trochilus</i>	166
Gray's Brush-turkey	68
Gray's Goshawk	22
Gray's Malimbe	198
Great Argus	71
Great Black-Hawk	34
Great Blue Turaco	124
Great Bustard	82
Great Curassow	69
Great Egret	4
Great Goura	86
Great Green Macaw	102
Great Grey Owl	148
Great Hornbill	181
Great Horned Owl	133
Great Indian Bustard	80
Great Indian Hornbill	181
Great Philippine Eagle	52
Great Pied Hornbill	181
Great Sapphirewing	175
Great Sparrowhawk	22, 23
Great white egret	4
Great-billed Hermit	173
Great-billed Parrot	123
Greater Adjutant	7
Greater adjutant stork	7
Greater Bird-of-paradise	204
Greater Flamingo	9
Greater Kestrel	62
Greater Melampitta	204
Greater Prairie-chicken	76
Greater Rhea	1
Greater Sooty-Owl	128
Greater Spotted Eagle	26
Greater Streaked Lory	90
Greater Sulawesi Hornbill	179
Greater Sulphur-crested Cockatoo	94
Green Aracari	182
Green Avadavat	190
Green Conure	104
Green Hanging-Parrot	110
Green Hermit	172
Green Indigobird	201
Green Leek Parrot	116
Green Mango	153
Green Parakeet	104, 107
Green Peafowl	73
Green Racquet-tail	116
Green Rosella	114, 115
Green Singing Finch	190
Green Thorntail	160
Green Twinspot	193
Green Violet-ear	160
Green-and-white Hummingbird	168
Green-backed Firecrown	177
Green-backed Twinspot	193
Green-bellied Hummingbird	176
Green-breasted Mango	153
Green-breasted Mountain-gem	167
Green-cheeked Amazon	101
Green-cheeked Conure	122
Green-cheeked Parakeet	122
Green-cheeked Parrot	101
Green-crowned Brilliant	165
Green-crowned Racket-tailed Parrot	116
Green-crowned Woodnymph	177
Green-faced Parrotfinch	191
Green-fronted Hanging-parrot	110
Green-fronted Hummingbird	152
Green-fronted Lancebill	161
Green-headed Hillstar	171
Green-headed Racket-tailed Parrot	116
Greenish Puffleg	164
Green-naped Lorikeet	93
Green-necked Peafowl	73
Green-rumped Parrotlet	108
Green-tailed Emerald	157
Green-tailed Goldenthroat	175
Green-tailed Trainbearer	168
Green-throated Carib	162
Green-throated Mango	153
Green-throated Mountain-gem	167
Green-winged King-Parrot	97
Green-winged Macaw	102
Green-winged Teal	12
Grenada Dove	86
Grenedera	69
Grey Buzzard-Eagle	40
Grey Canary	190
Grey Crowned-Crane	76
Grey Falcon	60
Grey Frog Hawk	24
Grey Goshawk	23
Grey Hawk	28
Grey Imperial-pigeon	86
Grey Junglefowl	72
Grey Kestrel	57
Grey Owl	148
Grey Parrot	120
Grey Peacock-Pheasant	74
Grey Plantain-eater	124
Grey Sea Eagle	42
Grey Singing Finch	190
Grey Wood-Pigeon	85
Grey-and-chestnut Seedeater	188
Grey-backed Hawk	47
Grey-bellied Comet	177
Grey-bellied Goshawk	24
Grey-bellied Hawk	24
Grey-bellied Tragopan	75
Grey-breasted Parakeet	111
Grey-breasted Partridge	71

Grey-breasted Sabrewing	156
Grey-cheeked Parakeet	106
Grey-chinned Hermit	172
Grey-chinned Sunbird	187
Grey-crowned Negrofinch	194
Grey-faced Buzzard ..	29
Grey-faced Buzzard-Eagle	29
Grey-headed Bullfinch	189
Grey-headed Fish-Eagle	46
Grey-headed Fishing Eagle	46
Grey-headed Goshawk	24
Grey-headed Kite	47
Grey-headed Lovebird	96
Grey-headed Negrofinch	194
Grey-headed Oliveback	193, 194
Grey-headed Parakeet	119
Grey-headed Silverbill	193
Grey-headed Sparrow	198
Grey-headed Sparrowhawk	24
Grey-hooded Parakeet	118
Grey-lined Hawk	28
Grey-necked Picathartes	187
Grey-necked Rockfowl	187
Grey-throated Goshawk	23
Griffon Vulture	41, 42
<i>griseicapilla, Lonchura</i>	193
<i>griseiceps, Accipiter</i> ..	22
<i>griseiceps, Astur</i>	22
<i>griseiceps, Glaucidium</i>	135
<i>griseipectus, Pyrrhura</i>	122
<i>griseiventris, Cynanthus</i>	177
<i>griseiventris, Taphrolesbia</i>	177
<i>griseogularis, Accipiter</i> ..	23
<i>griseogularis, Phaethornis</i>	172
<i>griseus, Passer</i>	198
Grosbeak Weaver	196
Gros-bec sanguin	195
Grosse cateau verte de Maurice	119
Ground Parakeet	113
Ground Parrot	113
Grue antigone	77
Grue antigone tropicale	77
Grue blanche	76, 78
Grue blanche asiatique	78
Grue blanche d'Asie ..	78
Grue blanche du Japon	78
Grue bleue	78
Grue brolga	78
Grue canadienne	77
Grue canadienne de Cuba	77
Grue canadienne du Mississippi	77
Grue d'Australie	78
Grue de Mandchourie	78
Grue de paradis	78
Grue demoiselle	78
Grue du Canada	77
Grue du Japon	78
Grue grise	77
Grue moine	78
Grue royale	76
GRUIDAE	76
GRUIFORMES	76
Grulla americana	76
Grulla australiana	78
Grulla azul	78
Grulla blanco cuello ..	77
Grulla brolga	78
Grulla canadiense	77
Grulla carunculada	77
Grulla cenicienta	77
Grulla cenicienta de Cuba	77
Grulla coronada	76
Grulla coronada cuelligris	76
Grulla coronada cuellinegra	76
Grulla coronada sudafricana	76
Grulla cuelliblanca	78
Grulla cuellinegra	78
Grulla Damisela	78
Grulla de Cuba	77
Grulla de Manchuria ..	78
Grulla gritona	76
Grulla monje	78
Grulla monjita	78
Grulla moruna	78
Grulla sarus	77
Grulla siberiana	78
Grulla siberiana blanca	78
Grulla trompetera	76
Grulla zarzo	77
<i>Grus</i>	76, 77, 78
<i>Grus americana</i>	76
<i>Grus antigone</i>	77
<i>Grus canadensis</i>	77
<i>Grus canadensis nesiotes</i>	77
<i>Grus canadensis pulla</i>	77
<i>Grus carunculatus</i>	77
<i>Grus grus</i>	77
<i>Grus japonensis</i>	78
<i>Grus leucogeranus</i>	78
<i>Grus monacha</i>	78
<i>Grus nesiotes</i>	77
<i>Grus nigricollis</i>	78
<i>Grus paradisea</i>	78
<i>Grus rubicunda</i>	78
<i>Grus vipsio</i>	78
<i>Grus virgo</i>	78
<i>grus, Ardea</i>	77
<i>grus, Grus</i>	77
<i>gryphus, Vultur</i>	18
<i>grzimeki, Threnetes</i>	164
Guacamayito azul	106
Guacamayo acollarado	117
Guacamayo aliverde	102
Guacamayo amarillo	102
Guacamayo ambiguo	102
Guacamayo azul	101
Guacamayo azul y amarillo	102
Guacamayo azulamarillo	102
Guacamayo bandera	102
Guacamayo barbazul	102
Guacamayo barriga roja	113
Guacamayo cabeciazul	117
Guacamayo caninde	102
Guacamayo cobalto	102
Guacamayo de Cochabamba	102
Guacamayo de Illiger	117
Guacamayo de Lear	102
Guacamayo de Spix	106
Guacamayo enano ..	107
Guacamayo frentirroja	102
Guacamayo glauco	101
Guacamayo jacinto	101
Guacamayo macao	102
Guacamayo militar ..	102

Guacamayo noble .. 107
 Guacamayo rojo 102
 Guacamayo severo . 103
 Guacamayo ventrirrojo
 113
 Guacamayo verde .. 102
 Guacamayo verde mayor
 102
 Guadalupe Caracara . 67
 guaiabero 105
guainumbi, *Polytmus* 175
guainumbi, *Trochilus* 175
guajana, *Pitta* 184
 Guajolote ocelado 70
 Guan aliblanco 69
 Guan cornudo 69
 Guan de frente negra 70
 Guan negro 70
 Guaraguao 31
 Guarahuau cordillerano
 67
 Guarouba 109
Guarouba guarouba 109
guarouba, *Aratinga* 109
guarouba, *Guarouba* 109
guarouba, *Psittacus* 109
guatemalae, *Megascops*
 140
guatemalae, *Otus* .. 140,
 146
Gubernatrix 188
Gubernatrix cristata 188
guerinii, *Ornismya* .. 172
guerinii, *Oxypogon* . 172
 Guianan Cock-of-the-rock
 184
 Guianan Crested Eagle 50
guianensis, *Falco* 50
guianensis, *Morphnus* 50
guildingii, *Amazona* .. 99
guildingii, *Psittacus* ... 99
guillelmi, *Paradisaea* 205
guimeti, *Klais* 167
guimeti, *Trochilus* .. 167
 Guincho 19
 Guinea Turaco 125
guinea, *Columba* 84
gularis, *Accipiter* 22
gularis, *Agapeta* 165
gularis, *Aphantochroa*
 165
gularis, *Astur* 22
gularis, *Heliodoxa* .. 165
gularis, *Serinus* 189
gulielmi, *Pionus* 115
gulielmi, *Poicephalus* 115
gulielmitertii, *Cyclopsitta*
 107
gulielmitertii,

Nannopsittacus107
gulielmitertii, *Oropsitta*
 107
gulielmitertii, *Psittacula*
 107
gundlachi, *Accipiter* .. 22
 Gundlach's Hawk 22
 Gundlach's Sparrowhawk
 22
 Gura occidental 86
 Gura Victoria 86
gurneyi, *Aquila* 27
gurneyi, *Mimizuku* ..137
gurneyi, *Otus*137
gurneyi, *Pitta*184
gurneyi, *Pseudoptynx*
 137
 Gurney's Eagle 27
 Gurney's Hawk 32
 Gurney's pitta184
gustavi, *Brotogeris* ..105
guttifer, *Pseudototanus*
 84
guttifer, *Totanus* 84
guttifer, *Tringa* 83
guy, *Phaethornis*172
guy, *Trochilus*172
gymnocephalus,
 Picathartes186
 Gymnogene 52
Gymnoglaux lawrencii
 143
Gymnogyps 18
Gymnogyps californianus
 18
Gymnoris dentata ...198
Gymnoscops insularis
 144
Gypaetus 40
Gypaetus barbatus ... 40
Gypohierax 40
Gypohierax angolensis 40
Gypopsitta barrabandi
 113
Gypopsitta caica113
Gypopsitta haematotis
 113
Gypopsitta pulchra ..113
Gypopsitta pyrilia114
Gypopsitta vulturina 114
Gyps41, 42
Gyps africanus 41
Gyps africanus 41
Gyps bengalensis 41
Gyps coprotheres 41
Gyps fulvus 41
Gyps himalayensis ... 41
Gyps indicus 42
Gyps rueppellii 42
Gyps tenuirostris42
Gyr Falcon62
Gyrfalcon62

H

habroptilus, *Strigops* 123
 Hada coronimorada . 166
 Hada gorrímorada ... 166
 Hada orejinegro 166
 Hadada ibis 7
haematina, *Spermophaga*
 195
haematodus, *Psittacus* 93
haematodus,
 Trichoglossus93
haematogaster,
 Northiella 112
haematogaster,
 Platycercus 112
haematogaster,
 Psephotus 112
haematonotus,
 Platycercus 118
haematonotus, *Psephotus*
 118
haematotis, *Gypsitta*
 113
haematotis, *Pionopsitta*
 113
haematotis, *Pionus* . 113
haematuropygia, *Cacatua*
 94
haematuropygia, *Kakatoe*
 94
haematuropygius,
 Psittacus94
hagedash, *Bostrychia* . 7
hagedash, *Hagedashia* 7
hagedash, *Tantalus* 7
Hagedashia hagedash 7
 Hahn's Macaw 107
 Halconcito ...60, 63, 66,
 67, 68
 Halconcito africano ...67
 Halconcito argentino .68
 Halconcito australiano 60
 Halconcito colilargo de
 Asia 67
 Halconcito de Borneo 66
 Halconcito de las Filipinas
 66
 Halconcito gris68
 Halconcito gris americano
 68
 Halconcito malayo66
Haliaeetus42, 43, 49

<i>Haliaeetus albicilla</i>	42
<i>Haliaeetus leucocephalus</i>	42
<i>Haliaeetus leucogaster</i>	42
<i>Haliaeetus leucoryphus</i>	43
<i>Haliaeetus lineatus</i> ...	49
<i>Haliaeetus pelagicus</i> .	43
<i>Haliaeetus sanfordi</i> ...	43
<i>Haliaeetus vocifer</i>	43
<i>Haliaeetus vociferoides</i>	43
<i>haliaetus</i> , <i>Falco</i>	19
<i>haliaetus</i> , <i>Pandion</i>	19
<i>Haliastur</i>	43, 44
<i>Haliastur indus</i>	43
<i>Haliastur sphenurus</i> ..	44
<i>hamatus</i> , <i>Falco</i>	52
<i>hamatus</i> , <i>Helicolestes</i>	52
<i>hamatus</i> , <i>Rostrhamus</i>	52
<i>Hamirostra</i>	44
<i>Hamirostra</i> <i>melanosternon</i>	44
<i>handleyi</i> , <i>Amazilia</i> ..	152
<i>Hapalopsittaca</i>	109
<i>Hapalopsittaca</i> <i>amazonina</i>	109
<i>Hapalopsittaca fuertesi</i>	109
<i>Hapalopsittaca melanotis</i>	109
<i>Hapalopsittaca pyrrhops</i>	109
<i>haplochrous</i> , <i>Accipiter</i>	22
<i>Haplophaedia</i>	164
<i>Haplophaedia assimilis</i>	164
<i>Haplophaedia aureliae</i>	164
<i>Haplophaedia lugens</i>	164
<i>hardyi</i> , <i>Glaucidium</i> .	135
<i>Hardy's Pygmy-Owl</i>	135
<i>Harfang des neiges</i> .	140
<i>Harle huppard</i>	16
<i>harmani</i> , <i>Crossoptilon</i>	71
<i>Harpagus</i>	44, 68
<i>Harpagus bidentatus</i>	44
<i>Harpagus circumcinctus</i>	68
<i>Harpagus diodon</i>	44
<i>Harpia</i>	44
<i>Harpia harpyja</i>	44
<i>Harpie</i>	44, 50
<i>Harpy Eagle</i>	44
<i>Harpyhaliaetus</i>	44
<i>Harpyhaliaetus coronatus</i>	44
<i>Harpyhaliaetus solitarius</i>	44
<i>Harpyia coronata</i>	44
<i>harpyja</i> , <i>Harpia</i>	44
<i>harpyja</i> , <i>Vultur</i>	44
<i>Harpyopsis</i>	44
<i>Harpyopsis novaeguineae</i>	44
<i>harrisii</i> , <i>Aegolius</i>	129
<i>harrisii</i> , <i>Nyctale</i>	129
<i>Harris's Hawk</i>	51
<i>hartteri</i> , <i>Phlogophilus</i>	174
<i>hartlaubi</i> , <i>Corythaix</i>	125
<i>hartlaubi</i> , <i>Noctua</i>	142
<i>hartlaubi</i> , <i>Otus</i>	142
<i>hartlaubi</i> , <i>Tauraco</i>	125
<i>hartlaubii</i> , <i>Cairina</i>	17
<i>hartlaubii</i> , <i>Eupodotis</i>	80
<i>hartlaubii</i> , <i>Lissotis</i>	80
<i>hartlaubii</i> , <i>Otis</i>	80
<i>hartlaubii</i> , <i>Pteronetta</i>	17
<i>hartlaubii</i> , <i>Querquedula</i>	17
<i>Hartlaub's Bustard</i> ...	80
<i>Hartlaub's Duck</i>	17
<i>Hartlaub's Turaco</i> ...	125
<i>hastata</i> , <i>Aquila</i>	27
<i>hastatus</i> , <i>Morphnus</i> ..	27
<i>hatinhensis</i> , <i>Lophura</i>	72, 73
<i>Hausse-col de Rothschild</i>	202
<i>Hausse-col splendide</i>	202
<i>Hawaiian Goose</i>	15
<i>Hawaiian Hawk</i>	33
<i>Hawk Owl</i>	150
<i>Hawk-headed Parrot</i>	107
<i>Hedydipna pallidigaster</i>	187
<i>helenae</i> , <i>Calypte</i>	170
<i>helenae</i> , <i>Lophornis</i> ..	169
<i>helenae</i> , <i>Mellisuga</i> ..	170
<i>helenae</i> , <i>Ornismya</i> ..	169
<i>helenae</i> , <i>Orthorhyncus</i>	170
<i>helenae</i> , <i>Paphosia</i> ..	169
<i>helenae</i> , <i>Parotia</i>	205
<i>heliaca</i> , <i>Aquila</i>	26, 27
<i>Heliaictin</i>	164
<i>Heliaictin bilopha</i>	164
<i>Heliaictin cornuta</i>	164
<i>Heliangelus</i>	164, 165
<i>Heliangelus</i> <i>amethysticollis</i>	164
<i>Heliangelus clarisse</i>	.164
<i>Heliangelus exortis</i> ..	164
<i>Heliangelus mavors</i> ..	164
<i>Heliangelus micraster</i>	164
<i>Heliangelus regalis</i> ..	165
<i>Heliangelus spencei</i>	164
<i>Heliangelus strophianus</i>	165
<i>Heliangelus viola</i>	165
<i>Helianthea eos</i>	159
<i>Helianthea iris</i>	159
<i>helianthea</i> , <i>Coeligena</i>	159
<i>helianthea</i> , <i>Ornismya</i>	159
<i>Helicolestes hamatus</i>	.52
<i>Heliodilus soumagnei</i>	128
<i>heliodor</i> , <i>Acestrura</i> .	156
<i>heliodor</i> , <i>Chaetocercus</i>	156
<i>heliodor</i> , <i>Ornismya</i> ..	156
<i>Heliodoxa</i>	165
<i>Heliodoxa aurescens</i>	165
<i>Heliodoxa branickii</i>	.165
<i>Heliodoxa frentiazul</i>	165
<i>Heliodoxa gularis</i>	165
<i>Heliodoxa imperatrix</i>	165
<i>Heliodoxa jacula</i>	165
<i>Heliodoxa leadbeateri</i>	165
<i>Heliodoxa rubinoides</i>	165
<i>Heliodoxa schreibersii</i>	165
<i>Heliodoxa xanthogonyx</i>	165
<i>Heliomaster</i>	166
<i>Heliomaster constantii</i>	166
<i>Heliomaster furcifer</i>	166
<i>Heliomaster longirostris</i>	166
<i>Heliomaster piquilargo</i>	166
<i>Heliomaster squamosus</i>	166
<i>Heliothryx</i>	166
<i>Heliothryx aurita</i>	166
<i>Heliothryx barroti</i> ...	166
<i>Heliotrope-throated Hummingbird</i>	176
<i>Heliotrypha viola</i>	165
<i>Helmeted Curassow</i> ..	69
<i>Helmeted Honeyeater</i>	188
<i>Helmeted Hornbill</i> ...	181
<i>Helmeted Turaco</i>	125
<i>heloisa</i> , <i>Atthis</i>	154
<i>heloisa</i> , <i>Ornismya</i> ..	154
<i>heloisa</i> , <i>Selasphorus</i>	154
<i>hemilasius</i> , <i>Buteo</i>	31
<i>hemileuca</i> , <i>Oreopyra</i>	167
<i>hemileucurus</i> , <i>Campylopterus</i>	156

<i>hemileucurus</i> ,	
<i>Phlogophilus</i>	174
<i>hemileucurus</i> , <i>Trochilus</i>	
.....	156
<i>hemileucus</i> , <i>Lampornis</i>	
.....	167
Hen Harrier	37
Henderson Lorikeet ..	94
<i>henicogrammus</i> , <i>Accipiter</i>	
.....	22
<i>henicogrammus</i> , <i>Astur</i> ...	
.....	22
<i>Henicopernis</i>	44, 45
<i>Henicopernis infuscatus</i>	
.....	44
<i>Henicopernis longicauda</i>	
.....	44, 45
<i>henstii</i> , <i>Accipiter</i>	22
<i>henstii</i> , <i>Astur</i>	22
Henst's Goshawk	22
Hermit Ibis	8
<i>Herpetotheres</i>	52, 65
<i>Herpetotheres cachinnans</i>	
.....	65
<i>Herpetotheres sociabilis</i>	
.....	52
<i>herrani</i> , <i>Chalcostigma</i>	
.....	157
<i>herrani</i> , <i>Trochilus</i> ...	157
<i>heteroclitus</i> , <i>Geoffroyus</i>	
.....	109
<i>Heteroglaux blewitti</i>	131
<i>heteropogon</i> ,	
<i>Chalcostigma</i>	157
<i>heteropogon</i> , <i>Ornismya</i>	
.....	157
<i>Heterospizias</i>	
<i>meridionalis</i>	34
<i>heterurus</i> , <i>Tanygnathus</i>	
.....	123
<i>heuglini</i> , <i>Ploceus</i>	199
<i>heuglinii</i> , <i>Neotis</i>	82
<i>heuglinii</i> , <i>Otis</i>	82
Heuglin's Bustard	82
Heuglin's Masked-Weaver	
.....	199
Hibou brachyote	129
Hibou criard	129
Hibou d'Abyssinie	129
Hibou de Madagascar ..	130
Hibou de Tweeddale ..	137
Hibou des marais	129
Hibou du Cap	129
Hibou grand-duc	132
Hibou malgache	130
Hibou moyen-duc	130
Hibou petit-duc	145
Hibou redoutable	137
<i>Hieraetus</i> 28, 45, 46, 52	
<i>Hieraetus ayresii</i>	45
<i>Hieraetus bellicosus</i>	52
<i>Hieraetus dubius</i>	45
<i>Hieraetus fasciatus</i> 45,	
46	
<i>Hieraetus kienerii</i> ...	45
<i>Hieraetus morphnoides</i>	
.....	45
<i>Hieraetus pennatus</i> 45	
<i>Hieraetus spilogaster</i> ...	
.....	46
<i>Hieraetus wahlbergi</i>	28
<i>Hierax erythrogenys</i> .	66
<i>Hierophasis edwardsi</i>	72
<i>Hierophasis imperialis</i>	73
<i>Hierophasis swinhonis</i> .	73
Highland Guan	70
Hill Myna	202
Himalayan Griffon	41
Himalayan Griffon Vulture	
.....	41
Himalayan Monal	72
Himalayan Quail	73
<i>himalayana</i> , <i>Psittacula</i>	
.....	119
<i>himalayanus</i> , <i>Psittacus</i>	
.....	119
<i>himalayensis</i> , <i>Gyps</i> ..	41
<i>hiogaster</i> , <i>Accipiter</i> ..	23
<i>hirsuta</i> , <i>Glaucis</i> 163, 164	
<i>hirsutus</i> , <i>Trochilus</i> ..	164
HIRUNDINIDAE	185
Hispaniolan Amazon ..	100
Hispaniolan Conure ..	103
Hispaniolan Emerald ..	158
Hispaniolan Hawk	33
Hispaniolan Parakeet ..	103
Hispaniolan Parrot ...	100
<i>hispidus</i> , <i>Phaethornis</i> 172	
<i>hispidus</i> , <i>Trochilus</i> ..	172
<i>histrio</i> , <i>Eos</i>	91
<i>histrio</i> , <i>Psittacus</i>	91
Hoary Puffleg	164
Hobby	59, 60, 63
Hobereau africain	59
Hocco alector	68
Hocco d'Albert	68
Hocco de Blumenbach ..	68
Hocco de Daubenton ..	68
Hocco globuleux	68
Hocco mitou	69
Hocco piguiazul	68
Hocco unicorn	69
Hoco barbado	68
Hoco caroncule	68
Hoco de casco	69
Hoco de Daubenton ..	68
Hoco de pico navaja ..	69
Hoco grande	69
Hoco mitu	69
Hoco piguirojo	68
Hodgson's Hawk-Eagle .	
.....	54
<i>hoematotis</i> , <i>Pyrrhura</i> 121	
<i>hoffmanni</i> , <i>Conurus</i> 121	
<i>hoffmanni</i> , <i>Pyrrhura</i> 121	
Hoffmann's Conure ..	121
Hoki blanco	71
Hoki pardo	71
Hokki blanc	71
Hokki brun	71
Hokki de Harman	71
Hokki du Tibet	71
<i>hollandi</i> , <i>Agyrtria</i>	152
<i>hollandi</i> , <i>Amazilia</i> ...	152
<i>holochlora</i> , <i>Aratinga</i> 103,	
104	
<i>holochlora</i> , <i>Psittacara</i>	
.....	104
<i>holochlorus</i> , <i>Conurus</i>	
.....	103, 104
<i>holosericeus</i> , <i>Eulampis</i>	
.....	162
<i>holosericeus</i> , <i>Sericotes</i>	
.....	162
<i>holosericeus</i> , <i>Trochilus</i>	
.....	162
<i>holospilus</i> , <i>Spilornis</i> ..	53
Honduran Emerald ..	174
Honey Buzzard	51
Hooded Crane	78
Hooded Parrot ..	113, 118
Hooded Visorbearer ..	154
Hooded Vulture	50
<i>hoogerwerfi</i> , <i>Lophura</i> 73	
Hoogerwerf's Pheasant	73
Hook-billed Hermit ..	164
Hook-billed Kite ..	34, 35
<i>hordeaceus</i> , <i>Euplectes</i>	
.....	197
Horned Curassow	69
Horned Guan	69
Horned Parakeet	108
Horned Sungem	164
Horsfield's Hill Partridge	
.....	71
<i>hoskinsii</i> , <i>Glaucidium</i> 134	
Houbara	80
Houbara Bustard	80
<i>Houbaropsis bengalensis</i>	
.....	80
<i>Houppifer</i>	
<i>erythrophthalmus</i> ...	72
<i>Houppifer inornatus</i> ..	73
<i>hoyi</i> , <i>Megascops</i>	140
<i>hoyi</i> , <i>Otus</i>	140
Hubara	80

huetii, *Psittacus* 123
huetii, *Touit* 123
Huhua shelleyi 133
huhula, *Ciccaba* 148
huhula, *Strix* 148
 Hulotte africaine 150
 Hulotte chat-huant 147
 Humboldt Penguin 2
humboldti, *Spheniscus* 2
humboldtii, *Hylocharis* 166
 Hume's Bar-tailed Pheasant 75
 Hume's Owl 148
 Hume's Pheasant 75
 Hume's Tawny Owl 148
 Hume's Wood-Owl 148
humiae, *Calophasis* .. 75
humiae, *Syrmaticus* .. 75
humilis, *Eupodotis* 81
humilis, *Falco* 46
humilis, *Ichthyophaga* 46
humilis, *Sypheotides* 81
 Huon Astrapia 202
 Hwamei 186
 Hyacinth Macaw 101
 Hyacinth Visorbearer 154
hyacinthinus,
 Anodorhynchus ... 101
hyacinthinus, *Psittacus* 101
hydrocorax, *Buceros* 181
Hylocharis 154, 166, 167
Hylocharis chrysura 166
Hylocharis cyanus .. 166
Hylocharis eliciae ... 166
Hylocharis grayi 166
Hylocharis humboldtii 166
Hylocharis leucotis . 154
Hylocharis sapphirina 167
Hylocharis xantusii . 154
Hylonympha 167
Hylonympha macrocerca 167
hylophila, *Strix* 148
Hypargos 191, 193
Hypargos nitidula ... 193
Hypargos niveoguttatus 191
hyperythrus,
 Campylopterus 156
Hypocharmosyna
 amabilis 90
Hypocharmosyna
 diadema 90
Hypocharmosyna meeki 90
Hypocharmosyna

multistriata 90
Hypocharmosyna
 palmarum 90
Hypocharmosyna
 placentis 90
Hypocharmosyna
 rubrigularis 91
Hypocharmosyna
 rubronotata 91
Hypocharmosyna toxopei 91
Hypocharmosyna
 wilhelminae 91
Hypochera chalybeata 200
Hypochera wilsoni ...201
hypochroma, *Sporophila* 188
hypogrammica, *Ptyilia* 195
hypoinochroa, *Domicella* 92
hypoinochrous, *Lorius* 92
hypoleucus, *Falco* 60
hyposticta, *Aphantochroa* 168
hypostictus, *Leucippus* 168
hypostictus, *Serinus* 189
hypostictus, *Talaphorus* 168
hypostictus, *Taphrospilus* 168
hypoxantha, *Pyrrhura* 122
Hypuroptila urochrysa 157

I

Ibis blanc 8
 Ibis blanc du Japon 8
 Ibis calvo 7
 Ibis chauve 8
 Ibis chauve de l'Afrique du Sud 7
 Ibis du Cap 7
 Ibis eremita 8
 Ibis escarlata 7
 Ibis gigante 8
Ibis gigantea 8
 Ibis hadada 7
 Ibis hagedash 7
 Ibis moteado 7
Ibis nippon 8
 Ibis noir 7
 Ibis rara 7

Ibis rouge 7
 Ibis sagrado 8
ibis, *Ardea* 3
ibis, *Ardeola* 3
ibis, *Bubulcus* 3
Ibycter americanus ...56
Ichthaetus nanus46
ichthaetus, *Falco*46
ichthaetus,
 Ichthyophaga46
Ichthyophaga46
Ichthyophaga humilis 46
Ichthyophaga ichthaetus 46
Ichthyophaga nana ...46
ICTERIDAE 188
icterorhynchus, *Otus*.... 142
icterorhynchus, *Scops* 142
icterotis, *Conurus* ...112
icterotis, *Ognorhynchus* 112
icterotis, *Platycercus* 115
icterotis, *Psittacus* ..115
Icterus xantholaemus 188
Ictinaetus 46
Ictinaetus malayensis 46
Ictinia 46
Ictinia mississippiensis 46
Ictinia plumbea 46
idaliae, *Phaethornis* 173
Ierax melanoleucus ...66
Ignicolor 197
Ignicolore 197
ignita, *Lophura*73
ignitus, *Phasianus*73
 Illiger's Macaw 117
imberbis, *Anomalospiza* 196
 Imitator Sparrowhawk .. 22
imitator, *Accipiter*22
impejanus, *Lophophorus* 72
impejanus, *Phasianus* 72
imperatrix, *Eugenia* 165
imperatrix, *Heliodoxa* 165
 Imperial Amazon99
 Imperial Eagle 26, 27
 Imperial Parrot99
 Imperial Pheasant73
 Imperial Woodpecker 183
imperialis, *Amazona* ..99
imperialis, *Campephilus* 183

imperialis, *Hierophasis* 73
imperialis, *Lophura* 73
 Impeyan Pheasant 72
 Inca acollarado 159
 Inca alihabano 159
 Inca arcoiris 159
 Inca bronzeado 159
 Inca brun 160
 Inca coliblanco 159
 Inca de Bonaparte .. 159
 Inca de Gould 159
 Inca gorgimorado ... 160
 Inca iris 159
 Inca negro 159
 Inca noir 159
 Inca pardo 160
 Inca porphyre 159
 Inca ventridorado ... 159
 Inca ventrивioleta ... 159
inca, *Bourcieria* 159
inca, *Coeligena* 159
inca, *Ramphastos* ... 183
incognita, *Vidua* 201
 Indian Black Eagle 46
 Indian Black Vulture . 52
 Indian Bustard 80
 Indian Concave-casqued
Hornbill 181
 Indian Hornbill 181
 Indian King Vulture .. 52
 Indian Pied Hornbill 180
 Indian Scops-Owl ... 141
 Indian Tragopan 76
indica, *Eupodotis* 81
indica, *Gracula* 202
indica, *Syphoetides* .. 81
indicus, *Butastur* 29
indicus, *Falco* 29
indicus, *Gyps* 42
indicus, *Vultur* 42
 Indigo Macaw 102
 Indigo-capped
Hummingbird 176
 Indigo-winged Parrot.....
..... 109
indus, *Falco* 43
indus, *Haliastur* 43
inexpectata, *Pancyhloraa*
..... 158
inexpectatus,
Chlorostilbon 158
inxpectata, *Strix* . 127
inxpectata, *Tyto* .. 127
infuscatus, *Henicopernis*
..... 44
ingens, *Megascops* . 142
ingens, *Otus* 142
ingens, *Scops* 142

innotata, *Aythya* 14
innotata, *Nyroca* 14
inopinatum, *Polyplectron*
..... 74
inopinatus, *Chalcurus* 74
inornata, *Lophura* 73
inornatus, *Acomus* ... 73
inornatus, *Houppifer* 73
 Inseparable abisinio . 97
 Inseparable acollarado 97
 Inseparable cabecinegro
..... 96
 Inseparable carirrojo 97
 Inseparable de collera 97
 Inseparable de Fischer 96
 Inseparable del-Nyasa 96
 Inseparable malgache 96
insignis, *Panterpe* ...172
insignis, *Polihierax* ... 67
insularis, *Gymnoscops*
..... 144
insularis, *Otus*143
intercedens, *Ptiloris* .206
interjecta, *Vidua*201
intermedia, *Palaeornis*
..... 119
intermedia, *Psittacula*
..... 119
 Intermediate Parakeet
..... 119
ionolaima schreibersii
..... 165
ios, *Ninox*138
iracunda, *Metallura* .170
ireneae, *Otus*142
iriditorques, *Columba* 84
iriditorques, *Turturoena*
..... 84
 Iris Lorikeet 93
 Iris Lory 93
 Iris Peacock-Pheasant 74
iris, *Coeligena*159
iris, *Helianthea*159
iris, *Psittacus* 93
iris, *Psitteuteles* 93
iris, *Trichoglossus* 93
isidori, *Falco* 51
isidori, *Oraetus* 51
isidori, *Spizaetus* 51
 Isidor's Eagle 51
isura, *Lophoictinia* 48
isurus, *Milvus* 48
 Ithagines 72
Ithaginis 72
Ithaginis cruentus 72
 Itombwe Owl126

J

Jabiru 6
 Jabiru africain 6
 Jabiru d'Afrique 6
Jabiru mycteria 6
 Jackal Buzzard33
 Jackass Penguin 2
 Jacko 120
 Jacobino collarejo ... 163
 Jacobino nuquiblanco 163
 Jacutinga 70
jacquinoti, *Athene* ..138
jacquinoti, *Ninox*138
 Jacquot 98, 120
jacula, *Heliodoxa*165
jacutinga, *Aburria*70
jacutinga, *Penelope* ..70
jacutinga, *Pipile*70
 Jamaican Mango 153
 Jamaican Owl 146
jamaicensis, *Anas*17
jamaicensis, *Buteo* ...31
jamaicensis, *Falco*31
jamaicensis, *Oxyura* ..17
 Jambandu Indigobird 201
jamesi, *Phoenicoparrus* 9
jamesi, *Phoenicopterus* 9
jamesoni, *Parmoptila* 195
 Jameson's Antpecker 195
 James's Flamingo 9
 Jandaya Conure 104
 Jandaya Parakeet ... 104
jandaya, *Aratinga* ...104
jandaya, *Psittacus* ..104
 Japanese Crane 78
 Japanese Crested Ibis 8
 Japanese Lesser
Sparrowhawk22
 Japanese Sparrowhawk
..... 22
 Japanese Waxwing . 185
 Japanese White Stork . 5
japonensis, *Ardea*78
japonensis, *Grus*78
japonica, *Bombycilla* 185
japonica, *Ninox*139
 Jardine's Parrot 115
jardini, *Boissonneaua* 154
jardini, *Trochilus*154
jardini, *Glaucidium* .135
jardini, *Phalaenopsis*
..... 135
 Jaseur du Japon 185
 Java Sparrow 194
 Javan Cochua 185
 Javan Hawk-Eagle54
 Javan Owlet134

Javan Scops-owl	140
javensis richardsi,	
<i>Dryocopus</i>	183
javensis, <i>Dryocopus</i> ..	183
jefferyi, <i>Pithecopaga</i> ..	52
jerdoni, <i>Aviceda</i>	29
jerdoni, <i>Pernis</i>	29
Jerdon's Baza	29
Jilguero cara amarilla....	
.....	189
Jilguero de Yarrell ..	189
Jilguero rojo	189
Jobi Manucode	204
jobiensis, <i>Manucodia</i> ..	204
johannae, <i>Doryfera</i> ..	161
johannae, <i>Trochilus</i> ..	161
Johnstone's Lorikeet ..	93
johnstoniae, <i>Psitteuteles</i>	
.....	93
<i>johnstoniae</i> ,	
<i>Trichoglossus</i>	93
<i>jonquillaceus</i> ,	
<i>Aprosmictus</i>	102
<i>jonquillaceus</i> , <i>Psittacus</i>	
.....	102
<i>josefinae</i> , <i>Charmosyna</i>	
.....	90
<i>josefinae</i> , <i>Trichoglossus</i>	
.....	90
Josephine's Lorikeet ..	90
Josephine's Lory	90
Jote real	18
Joues-oranges	191
jourdanii, <i>Chaetocercus</i>	
.....	157
jourdanii, <i>Ornismya</i> ..	157
jubatus, <i>Rhynochetos</i> ..	79
Jubula	136
Jubula lettii	136
jugger, <i>Falco</i>	60
jugularis, <i>Brotogeris</i> ..	105
jugularis, <i>Eulampis</i> ..	163
jugularis, <i>Psittacus</i> ..	105
jugularis, <i>Trochilus</i> ..	163
Julie, <i>Damophila</i>	160
Julie, <i>Ornismya</i>	160
Jungle Boobook	140
Jungle Hawk-Owl ...	140
Jungle Owlet	136

K

Kagou	79
kagu	79
kaka	112
kakapo	123
Kakatoe alba	94

Kakatoe ducrops	94
Kakatoe galerita ..	94, 95
Kakatoe haematuropygia	
.....	94
Kakatoe leadbeateri ..	94
Kakatoe moluccensis ..	95
Kakatoe roseicapilla ..	96
Kakatoe sanguinea ..	94, 95
Kakatoe sulphurea ..	95
Kakatoe tenuirostris ..	95
Kalij Pheasant	73
Karoo Bustard	82
Karoo Korhaan	82
katsumatae, <i>Polyplectron</i>	
.....	74
Kaupifalco	47
Kaupifalco	
<i>monogrammicus</i> ..	47
kawalli, <i>Amazona</i>	99
Kawall's Amazon	99
Kawall's Parrot	99
kea	112
Keel-billed Toucan ..	183
keiensis, <i>Micropsitta</i> ..	111
keiensis, <i>Nasiterna</i> ..	111
kennicotti, <i>Megascops</i>	
.....	142
kennicottii, <i>Otus</i>	142
kennicottii, <i>Scops</i> ..	142
keraudrenii, <i>Manucodia</i>	
.....	204
keraudrenii,	
<i>Phonygammus</i>	204
Kestrel ..	56, 57, 58, 59, 60, 61, 62, 63, 64, 65
Ketupa	136, 137
Ketupa blakistoni ..	136
Ketupa flavipes ..	136, 137
Ketupa ketupu	137
Ketupa zeylonensis ..	137
ketupu, <i>Bubo</i>	137
ketupu, <i>Ketupa</i>	137
ketupu, <i>Strix</i>	137
kienerii, <i>Astur</i>	45
kienerii, <i>Hieraetus</i> ..	45
Kinabalu Serpent-Eagle	
.....	53
kinabaluensis, <i>Spilornis</i>	
.....	53
King Bird-of-paradise ..	203
King Vulture	18, 52
kingi, <i>Aglaioocercus</i> ..	151
kingi, <i>Trochilus</i>	151
King-of-Saxony Bird-of-paradise	206
Klais	167
Klais guimeti	167
klossi, <i>Spilornis</i>	53
Knobbed Hornbill	179
Knob-billed Goose	18
Knysna Turaco	125
kochi, <i>Pitta</i>	184
Koch's Pitta	184
koeniswaldiana, <i>Pulsatrix</i>	
.....	146
koeniswaldianum,	
<i>Syrnium</i>	146
koepckeae, <i>Megascops</i>	
.....	142
koepckeae, <i>Otus</i>	142
koepckeae, <i>Phaethornis</i>	
.....	173
Koepcke's Hermit ..	173
Koepcke's Screech-Owl	
.....	142, 143
Kokomo	180
Kori Bustard	79
kori, <i>Ardeotis</i>	79
kori, <i>Choriotis</i>	79
kori, <i>Otis</i>	79
krameri, <i>Psittacula</i> ..	119
krameri, <i>Psittacus</i> ..	120
kreffti, <i>Mino</i>	202
kreyenborgi, <i>Falco</i> ..	61
kuhli, <i>Leucopternis</i> ..	47
kuhlii, <i>Psittacula</i>	93
kuhlii, <i>Vini</i>	93
Kuhl's Lorikeet	93

L

Laborioso cabecirrojo ..	200
lacernulata, <i>Leucopternis</i>	
.....	47
lacernulatus, <i>Falco</i>	47
lactea, <i>Amazilia</i>	174
lactea, <i>Ornismya</i>	174
lactea, <i>Polyerata</i>	174
lactea, <i>Strix</i>	132
lacteus, <i>Bubo</i>	132
Lafresnaya	167
Lafresnaya lafresnayi ..	167
lafresnayi, <i>Lafresnaya</i>	
.....	167
lafresnayi, <i>Trochilus</i> ..	167
Laggar Falcon	60
Lagonosticta	192
Lagonosticta larvata ..	192
Lagonosticta rara ..	192
Lagonosticta rubricata	
.....	192
Lagonosticta rufopicta	
.....	192
Lagonosticta senegala	
.....	192

<i>Lagonosticta vinacea</i>	192
<i>lagopus</i> , <i>Buteo</i>	32
<i>lagopus</i> , <i>Falco</i>	32
<i>lalandi</i> , <i>Stephanoxis</i>	177
<i>lalandi</i> , <i>Trochilus</i>	177
Lammergeier	40
<i>Lampornis</i>	167
<i>Lampornis amethystinus</i>	167
<i>Lampornis calolaema</i>	167
<i>Lampornis</i>	
<i>castaneoventris</i>	167
<i>Lampornis cinereicauda</i>	167
<i>Lampornis clemenciae</i>	167
<i>Lampornis hemileucus</i>	167
<i>Lampornis sybillae</i>	167
<i>Lampornis viridipallens</i>	167
<i>Lampraster branickii</i>	165
<i>Lampribis rara</i>	7
<i>Lamprolaima</i>	167
<i>Lamprolaima rhami</i>	167
<i>lanceolatus</i> , <i>Spizaetus</i>	54
<i>langsdorffi</i> , <i>Discosura</i>	160
<i>langsdorffi</i> , <i>Popelairia</i>	160
<i>langsdorffi</i> , <i>Trochilus</i>	160
Lanner	57
Lanner Falcon	57
Lapa azul	102
Lapland Owl	148
Lapp Owl	148
Lappet-faced Vulture	55
Large Fig-Parrot	120
<i>largipennis</i> ,	
<i>Campylopterus</i>	156
<i>largipennis</i> , <i>Trochilus</i>	156
LARIDAE	84
<i>Larus</i>	84
<i>Larus melanocephalus</i>	84
<i>Larus relictus</i>	84
<i>larvata</i> , <i>Lagonosticta</i>	192
<i>larvaticola</i> , <i>Vidua</i>	201
<i>lathami</i> , <i>Calyptorhynchus</i>	96
<i>lathami</i> , <i>Psittacus</i>	96
<i>Lathamus</i>	109
<i>Lathamus discolor</i>	109
<i>latifrons</i> , <i>Microhierax</i>	66
<i>latirostris</i> ,	
<i>Calyptorhynchus</i>	96
<i>latirostris</i> , <i>Cynanthus</i>	160
Laughing Dove	87
Laughing Falcon	65
Laughing Owl	146, 147
Lavender Firefinch	191
Lavender Waxbill	191
<i>lawesii</i> , <i>Parotia</i>	205
Lawes's Parotia	205
<i>lawrencei</i> , <i>Cynanthus</i>	160
<i>lawrencii</i> , <i>Gymnoglaux</i>	143
<i>lawrencii</i> , <i>Otus</i>	143
<i>Layardiella tabuensis</i>	117
Layard's Black-headed Weaver	199
Layard's Parakeet	119
Laysan Duck	12
Laysan Teal	12
<i>laysanensis</i> , <i>Anas</i>	12
Lazuline Sabrewing	156
<i>leadbeateri</i> , <i>Cacatua</i>	94
<i>leadbeateri</i> , <i>Heliodoxa</i>	165
<i>leadbeateri</i> , <i>Kakatoe</i>	94
<i>leadbeateri</i> , <i>Plyctolophus</i>	94
<i>leadbeateri</i> , <i>Trochilus</i>	165
Leadbeater's Cockatoo	94
<i>leari</i> , <i>Anodorhynchus</i>	101, 102
Lear's Macaw	102
Least Pygmy-Owl	135
Lechucita acanelada	129
Lechucita de las viscacheras	147
Lechucita rojiza	140
Lechuza australiana	128
Lechuza bataraz	149
Lechuza baya de Madagascar	126
Lechuza blanquinegra	149
Lechuza campestre	129
Lechuza colilarga	147, 149
Lechuza copetona	137
Lechuza cornuda	126
Lechuza de campanario	126
Lechuza de El Cabo	127
Lechuza de la Manus	128
Lechuza de la Taliabu	128
Lechuza de las Tanimbar	128
Lechuza de Madagascar	128
Lechuza de Minahassa	127
Lechuza de Tengmalm	128
Lechuza del Congo	126
Lechuza dorada	127
Lechuza estigia	131
Lechuza gavilana	150
Lechuza gavilana de las Molucas	139
Lechuza gavilana de Norfolk	138
Lechuza listada	129, 148
Lechuza malgache	128
Lechuza mora	129
Lechuza moteada	128
Lechuza negra	148
Lechuza orejicorta	129
Lechuza orejita de Madagascar	130
Lechuza patiblanca	147
Lechuza patilarga	127
Lechuza pescadora	147
Lechuza tenebrosa	128
<i>Leiothrix</i>	186
<i>Leiothrix argentauris</i>	186
<i>Leiothrix lutea</i>	186
<i>lempiji</i> , <i>Otus</i>	141
<i>Lempijius megalotis</i>	143
<i>lepidia</i> , <i>Pyrrhura</i>	121
<i>lepidia</i> , <i>Sittace</i>	121
<i>Lepidogenys subcristatus</i>	29
<i>Lepidopyga</i>	168
<i>Lepidopyga</i>	
<i>coeruleogularis</i>	168
<i>Lepidopyga goudoti</i>	168
<i>Lepidopyga lilliae</i>	168
<i>Lepidopyga luminosa</i>	168
<i>Leptodon</i>	47
<i>Leptodon cayanensis</i>	47
<i>Leptodon forbesi</i>	47
<i>leptogrammica</i> , <i>Strix</i>	148
<i>Leptoptilos</i>	6, 7
<i>Leptoptilos crumeniferus</i>	6
<i>Leptoptilos dubius</i>	7
<i>leptorhyncha</i> , <i>Psittacara</i>	108
<i>leptorhynchus</i> ,	
<i>Ericognathus</i>	108
<i>Leptosittaca</i>	109
<i>Leptosittaca branickii</i>	109
<i>Leptotila</i>	86
<i>Leptotila wellsi</i>	86
<i>Lesbia</i>	168
<i>Lesbia gouldii</i>	168
<i>Lesbia nuna</i>	168
<i>Lesbia victoriae</i>	168
Lesser Bird-of-paradise	205
Lesser Black-Hawk	34
Lesser Collared Forest-Falcon	65

Lesser Eagle-Owl	... 137
Lesser Fish-Eagle 46
Lesser Fishing Eagle	. 46
Lesser Flamingo 9
Lesser Florican 81
Lesser Kestrel 60
Lesser Masked-Owl	. 128
Lesser Melampitta	.. 204
Lesser Red-breasted Meadowlark 189
Lesser Rhea 1
Lesser Rufous Bristlebird 186
Lesser Sooty-Owl	... 128
Lesser Spotted Eagle	27
Lesser Sulphur-crested Cockatoo 95
Lesser Sunda Scops-Owl 145
<i>letitia</i> , <i>Discosura</i>	.. 161
<i>letitia</i> , <i>Popelairia</i>	.. 161
<i>letitia</i> , <i>Trochilus</i>	... 161
Letter-winged Kite 40
<i>lettii</i> , <i>Bubo</i> 136
<i>lettii</i> , <i>Jubula</i> 136
<i>lettii</i> , <i>Lophostrix</i> 136
<i>Leucippus</i> 168
<i>Leucippus baeri</i> 168
<i>Leucippus chionogaster</i> 168
<i>Leucippus chlorocercus</i> 168
<i>Leucippus fallax</i> 168
<i>Leucippus hypostictus</i> 168
<i>Leucippus taczanowskii</i> 168
<i>Leucippus viridicauda</i>	168
<i>leucocephala</i> , <i>Amazona</i> 99
<i>leucocephala</i> , <i>Anas</i>	... 17
<i>leucocephala</i> , <i>Oxyura</i>	17
<i>leucocephalus</i> , <i>Aceros</i> 179, 180
<i>leucocephalus</i> , <i>Buceros</i> 179
<i>leucocephalus</i> , <i>Falco</i>	. 42
<i>leucocephalus</i> , <i>Haliaeetus</i> 42
<i>leucocephalus</i> , <i>Psittacus</i> 99
<i>leucocephalus</i> , <i>Rhyticeros</i> 179, 180
<i>Leucochloris</i> 169
<i>Leucochloris albicollis</i>	169
<i>leucogaster</i> , <i>Agyrtria</i>	151
<i>leucogaster</i> , <i>Amazilia</i>	151
<i>leucogaster</i> , <i>Falco</i> 42
<i>leucogaster</i> , <i>Haliaeetus</i> 42
<i>leucogaster</i> , <i>Pionites</i>	113
<i>leucogaster</i> , <i>Psittacus</i> 113
<i>leucogaster</i> , <i>Trochilus</i> 151
<i>leucogeranus</i> , <i>Grus</i>	.. 78
<i>leucolophus</i> , <i>Corythaix</i> 125
<i>leucolophus</i> , <i>Tauraco</i>	125
<i>leucomelanos</i> , <i>Gennaeus</i> 73
<i>leucomelanos</i> , <i>Lophura</i> 73
<i>leucomelanos</i> , <i>Phasianus</i> 73
<i>leucophthalma</i> , <i>Psittacara</i> 104
<i>leucophthalmus</i> , <i>Aratinga</i> 104
<i>leucophthalmus</i> , <i>Psittacus</i> 104
<i>leucopleurus</i> , <i>Oreotrochilus</i> 171
<i>Leucopsar</i> 202
<i>Leucopsar rothschildi</i>	202
<i>Leucopternis</i> 47, 48
<i>Leucopternis albicollis</i>	47
<i>Leucopternis kuhli</i> 47
<i>Leucopternis lacernulata</i> 47
<i>Leucopternis melanops</i> 47
<i>Leucopternis occidentalis</i> 47
<i>Leucopternis plumbea</i>	47
<i>Leucopternis polionota</i> 48
<i>Leucopternis princeps</i>	48
<i>Leucopternis schistacea</i> 48
<i>Leucopternis semiplumbea</i> 48
<i>leucopygius</i> , <i>Serinus</i>	190
<i>leucorodia</i> , <i>Platalea</i> 8
<i>leucorrhous</i> , <i>Buteo</i>	... 32
<i>leucorrhous</i> , <i>Falco</i> 32
<i>leucorypha</i> , <i>Aquila</i>	... 43
<i>leucoryphus</i> , <i>Haliaeetus</i> 43
<i>leucostictus</i> , <i>Bubo</i>	... 132
<i>leucotis</i> , <i>Basilinna</i>	... 154
<i>leucotis</i> , <i>Corythaix</i>	.. 125
<i>leucotis</i> , <i>Hylocharis</i>	. 154
<i>leucotis</i> , <i>Otus</i> 143
<i>leucotis</i> , <i>Psittacus</i>	... 122
<i>leucotis</i> , <i>Ptilopsis</i> 143
<i>leucotis</i> , <i>Pyrrhura</i>	... 122
<i>leucotis</i> , <i>Strix</i> 143
<i>leucotis</i> , <i>Tauraco</i> 125
<i>leucotis</i> , <i>Trochilus</i>	... 154
<i>Leucotreron marchei</i>	. 87
<i>Leucuria phalerata</i>	.. 159
<i>leucus</i> , <i>Elanus</i> 39
<i>leucus</i> , <i>Milvus</i> 39
<i>leucus</i> , <i>Threnetes</i>	178
<i>leucus</i> , <i>Trochilus</i>	.. 178
<i>leuphotes</i> , <i>Aviceda</i>	... 29
<i>leuphotes</i> , <i>Falco</i> 29
Levant Sparrowhawk	. 20
<i>lhuyssi</i> , <i>Lophophorus</i>	. 72
<i>Lichenostomus</i>	187, 188
<i>Lichenostomus cassidix</i> 188
<i>Lichenostomus melanops</i> 187, 188
<i>Lichenostomus melanops</i> , <i>cassidix</i> 188
<i>Licmetis pastinator</i>	... 95
Likh 81
Lilac-crowned Amazon	99
Lilac-crowned Parrot	. 99
Lilac-tailed Parrotlet	123
<i>lilliae</i> , <i>Agapornis</i> 96
Lilian's Lovebird 96
<i>lilliae</i> , <i>Lepidopyga</i>	... 168
<i>Limnaetus africanus</i>	.. 53
Limpiacasa 172
<i>lineatus</i> , <i>Buteo</i> 32
<i>lineatus</i> , <i>Falco</i> 32
<i>lineatus</i> , <i>Haliaeetus</i>	.. 49
<i>lineatus</i> , <i>Milvus</i> 49
Lined Forest-Falcon	... 65
<i>lineola</i> , <i>Bolborhynchus</i> 105
<i>lineola</i> , <i>Psittacula</i>	... 105
<i>Liocichla</i> 186
<i>Liocichla omeiensis</i>	. 186
Liocicla del monte Omei 186
<i>Lissotis hartlaubii</i> 80
<i>Lissotis melanogaster</i>	81
Little Banded Sparrowhawk 19
Little Blue Macaw	... 106
Little Brown Bustard	. 81
Little Bustard 83
Little Cockatoo 95
Little Corella 95
Little Eagle 45
Little Egret 5
Little Falcon 60
Little Guan 70
Little Hermit 173
Little Lorikeet 92
Little Owl 131
Little Red Lorikeet 91
Little Sparrowhawk	... 23

Little Sumba Hawk-Owl	139
Little Sunangel	164
Little Weaver	199
Little Woodstar	156
<i>liventer</i> , <i>Butastur</i>	29
<i>liventer</i> , <i>Falco</i>	29
<i>livia</i> , <i>Columba</i>	84
Livingstone's Turaco	125
<i>livingstonii</i> , <i>Tauraco</i> 125,	126
<i>livingstonii</i> , <i>Turacus</i> 125	
Lizard Buzzard	47
<i>Lobiophasis bulweri</i> ..	72
<i>Loboparadisea</i>	203
<i>Loboparadisea sericea</i>	
.....	203
<i>Loddigesia</i>	169
<i>Loddigesia mirabilis</i> 169	
<i>loehkeni</i> , <i>Threnetes</i> 178	
Loja Hummingbird ..	152
<i>Lonchura</i> 192, 193, 194	
<i>Lonchura bicolor</i>	192
<i>Lonchura cantans</i> ...	193
<i>Lonchura cucullata</i> .	193
<i>Lonchura fringilloides</i> 193	
<i>Lonchura fuscata</i> ...	194
<i>Lonchura griseicapilla</i>	
.....	193
<i>Lonchura malabarica</i> 193	
<i>Lonchura oryzivora</i> .	194
<i>Lonchura punctulata</i> 193	
<i>Lonchura stygia</i>	193
Long-billed Black-	
Cockatoo	95
Long-billed Bristlebird	
.....	186
Long-billed Corella ...	95
Long-billed Griffon	42
Long-billed Partridge	74
Long-billed Starthroat	
.....	166
Long-billed Vulture ...	42
Long-crested Eagle ...	48
Long-crested Hornbill	179
Long-eared Owl 129, 130	
<i>longicauda</i> , <i>Discosura</i>	
.....	161
<i>longicauda</i> , <i>Falco</i>	45
<i>longicauda</i> , <i>Henicoperinis</i>	
.....	44, 45
<i>longicauda</i> , <i>Psittacula</i>	
.....	120
<i>longicauda</i> , <i>Psittacus</i> 120	
<i>longicaudus</i> , <i>Trochilus</i>	
.....	161
<i>longicornis</i> , <i>Otus</i>	143
<i>longicornis</i> , <i>Scops</i> ..	143
<i>longimembris</i> , <i>Strix</i> 127	
<i>longimembris</i> , <i>Tyto</i> .	127
<i>longipennis</i> , <i>Falco</i>	60
<i>longirostris</i> , <i>Dasyornis</i>	
.....	186
<i>longirostris</i> , <i>Heliomaster</i>	
.....	166
<i>longirostris</i> , <i>Perdix</i> ...	74
<i>longirostris</i> , <i>Phaethornis</i>	
.....	173
<i>longirostris</i> , <i>Rhizothera</i>	
.....	74
<i>longirostris</i> , <i>Trochilus</i> 166	
Long-legged Buzzard	33
Long-tailed Dove	86
Long-tailed Hawk	56
Long-tailed Hermit .	173,
174	
Long-tailed Honey-	
buzzard	45
Long-tailed Paradigalla	
.....	204
Long-tailed Paradise-	
Whydah	201
Long-tailed Parakeet	120
Long-tailed Sylph	151
Long-tailed Woodnymph	
.....	178
Long-tufted Screech-Owl	
.....	145
Longuemare's Sunangel	
.....	164
<i>longuemareus</i> ,	
<i>Phaethornis</i>	173
<i>longuemareus</i> , <i>Pygmornis</i>	
.....	173
<i>longuemareus</i> , <i>Trochilus</i>	
.....	173
Long-wattled	
Umbrellabird	184
Long-whiskered Owl	
.....	150
Long-winged Harrier .	36
<i>Lophaetus</i>	48
<i>Lophaetus occipitalis</i> 48	
<i>Lophochroa goffini</i> ...	94
<i>Lophoictinia</i>	48
<i>Lophoictinia isura</i>	48
Lophophore de Lhuys	72
Lophophore de Slater	72
Lophophore	
resplendissant	72
<i>Lophophorus</i>	71, 72
<i>Lophophorus impejanus</i>	
.....	72
<i>Lophophorus lhuysii</i> .	72
<i>Lophophorus sclateri</i> 72	
<i>Lophophorus wallichii</i> 71	
<i>Lophorina</i>	203
<i>Lophorina superba</i> ..	203
<i>Lophornis</i>	169
<i>Lophornis adorabilis</i> 169	
<i>Lophornis brachylophus</i>	
.....	169
<i>Lophornis chalybeus</i> 169	
<i>Lophornis delattrei</i> ..	169
<i>Lophornis gouldii</i>	169
<i>Lophornis helenae</i> ..	169
<i>Lophornis magnificus</i> 169	
<i>Lophornis melaniae</i> .	169
<i>Lophornis ornatus</i> ...	169
<i>Lophornis pavoninus</i> 169	
<i>Lophornis stictolophus</i>	
.....	169
<i>Lophostrix</i>136, 137	
<i>Lophostrix cristata</i> ..	137
<i>Lophostrix lettii</i> ..	136
<i>Lophotis gindiana</i> ..	80
<i>Lophotis ruficrista</i> 80, 81	
<i>Lophotis savilei</i> ..	81
<i>Lophura</i>	72, 73
<i>Lophura bulweri</i>	72
<i>Lophura diardi</i>	72
<i>Lophura edwardsi</i> ..	72
<i>Lophura erythrophthalma</i>	
.....	72
<i>Lophura hatinhensis</i> .72,	
73	
<i>Lophura hoogerwerfi</i> .73	
<i>Lophura ignita</i>	73
<i>Lophura imperialis</i>	73
<i>Lophura inornata</i>	73
<i>Lophura leucomelanos</i> 73	
<i>Lophura rufa</i>	73
<i>Lophura swinhoii</i>	73
<i>Lophyrus victoria</i>	86
Lora de cara roja	100
Lord Derby's Mountain	
Pheasant	69
Lord Howe Island Rail	79
Lord Howe Island	
Woodhen	79
Lord Howe Rail	79
<i>lorenzi</i> , <i>Vidua</i>	201
Lori acollarado	92
Lori adornado	93
Lori alinegro	91
Lori almiclero	91
Lori arcoiris	93
Lori arlequin	91
Lori barbirrojo	91
Lori bigotudo	92
Lori cardenal	90
Lori cardinal	90
Lori carirrojo	92
Lori chispeado	90
Lori coquet	90
Lori damisela	92
Lori de Buru	91

Lori de Duyvenbode	90	Lori ventrивинoso	92	Lorito pechinaranja	107
Lori de Goldie	93	Lori verdigualdo	93	Lorito pileado	113
Lori de Josefina	90	Lori versicolor	93	Lorito robusto	116
Lori de Kuhl	93	<i>Loria loriae</i>	203	Lorito rubio	113
Lori de las Tanimbar	91	<i>loriae, Cnemophilus</i> 203		Lorito ventrirrojo	116
Lori de Margaret	90	<i>loriae, Loria</i>	203	Lorito vulturino	114
Lori de Margarita	90	Loria's Bird-of-paradise	203	Lorito-momoto	
Lori de Marguerite	90	<i>Loriculus</i>	110, 111	amarillento	116
Lori de Meek	90	<i>Loriculus amabilis</i> ...110		Lorito-momoto coroniazul	116
Lori de Mindanao	93	<i>Loriculus aurantiifrons</i>	110	Lorito-momoto de Buru	117
Lori de Musschenbroek	92	<i>Loriculus beryllinus</i> .110		Lorito-momoto de las Sulu	117
Lori de Papouasie	90	<i>Loriculus catamene</i> .110		Lorito-momoto de Mindanao	117
Lori de Rimitara	93	<i>Loriculus exilis</i>	110	Lorito-momoto de Palawan	117
Lori de Samoa	93	<i>Loriculus flosculus</i> ...110		Lorito-momoto dorsidorado	117
Lori de Sangir	91	<i>Loriculus galgulus</i> ...110		Lorito-momoto montano	117
Lori de Seram	91	Loriculus malais	110	Lorito-tigre de Brehm	118
Lori de Stephen	94	<i>Loriculus philippensis</i> 110		Lorito-tigre de Madarasz	118
Lori de Wilhelmina	91	<i>Loriculus pusillus</i>110		Lorito-tigre modesto 118	
Lori des dames	92	<i>Loriculus sclateri</i>110		Lorito-tigre pintado .118	
Lori des Fidji	92	<i>Loriculus stigmatus</i> .110		<i>Lorius</i>	90, 92, 107
Lori des Moluques	92	<i>Loriculus tener</i>	110	<i>Lorius albidiinuchus</i> ...92	
Lori des montagnes	92	<i>Loriculus vernalis</i> ...110,	111	<i>Lorius amabilis</i>	92
Lori des palmiers	90	LORIIDAE	89	<i>Lorius cardinalis</i>	90
Lori diadema	90	Loriquet de Goldie	93	<i>Lorius chlorocercus</i> ...92	
Lori escamoso	91	Loriquet de Johnstone 93		<i>Lorius domicella</i>	92
Lori escuamiverde	93	Loriquet iris	93	<i>Lorius garrulus</i>	92
Lori estriado	90	Loriquet jaune et vert 93		<i>Lorius hypoinochrous</i> 92	
Lori flanquirrojo	90	Loriquet versicolore ..	93	<i>Lorius lory</i>	92
Lori frentirrojo	91	Loriquet vert	93	<i>Lorius roratus</i>	107
Lori fringillaire	93	Lorito acollarado	109	<i>Lorius tibialis</i>	92
Lori gorgirrojo	90	Lorito alinegro	109	Loro alibronceado ...	114
Lori humilde	93	Lorito amazonino109		Loro alisero	100
Lori iris	93	Lorito cabecigualdo .114		Loro barranquero	106
Lori lindo	91	Lorito cabecipardo ..115		Loro cabeciamarillo .100	
Lori monjita	94	Lorito caica	113	Loro cabeciazul	114
Lori montano chico ...	92	Lorito carigualdo	115	Loro cabecirrojo	100
Lori montano grande	92	Lorito carinaranja	113	Loro cabeza amarilla .99	
Lori musc	91, 92	Lorito carirrojo 108, 113		Loro cabeza azul	98
Lori negro	89	Lorito carirrosado	113	Loro cabeza roja	101
Lori noir	89, 92	Lorito colicorto	109	Loro cachirrosa	113
Lori noira	92	Lorito de Coxen	107	Loro cacique	107
Lori nonnette	94	Lorito de Desmarest 120		Loro cariazul	98
Lori nuquiblanco	92	Lorito de Edwards ..120		Loro caroniblanco ...114	
Lori orange sombre ..	92	Lorito de Fuertes109		Loro choclero	114
Lori palmero	90	Lorito de Meyer	115	Loro colicorto	109
Lori papou	90	Lorito de Salvadori ..120		Loro corona-violeta ...99	
Lori pardo	90	Lorito dobleojo	107	Loro de banda roja .101	
Lori pigmeo	91	Lorito dorsiazul	120	Loro de Barbados98	
Lori rabilargo	90	Lorito ecuatoriano ...109		Loro de Buru	123
Lori rojo	91	Lorito emmascarado de Coxen	107	Loro de cabeza blanca 99	
Lori solitario	92	Lorito encapuchado ..113			
Lori sombre	92	Lorito frentirrojo	115		
Lori sombrio	92	Lorito guayabero105			
Lori splendide	90	Lorito niam-niam115			
Lori tricolor	92	Lorito orejudo	113		
Lori tricolore	92				
Lori ultramar	94				
Lori ultramarin	94				

Loro de cabeza roja 100
 Loro de Jamaica 98
 Loro de mejillas azules 100
 Loro de San Vicente 99
 Loro famaulipeco 101
 Loro frente blanca 97
 Loro frente roja 98
 Loro frentirrojo 98
 Loro guaro 97
 Loro hablador 97
 Loro hombroamarillo 118
 Loro imperial 99
 Loro lomirrojo 99
 Loro malva 101
 Loro mona amarilla .. 99
 Loro morado 114
 Loro multicolor 101
 Loro negro 106
 Loro nocturno 109
 Loro nuca amarilla 99
 Loro nuquiamarillo . 100
 Loro nuquiazul 123
 Loro orejirrojo 113
 Loro pechivinoso 101
 Loro pecho vinoso .. 101
 Loro picogordo 123
 Loro piquigordo 122
 Loro piquirrojo 114
 Loro rabudo collar .. 120
 Loro real 99
 Loro senil 114
 Loro tumultuoso 114
 Loro vasa 106
 Loro ventriazul 124
 Loro ventrinaranja .. 112
 Loro verde 98, 99
 Loro yaco 120
 Loro yucateco 101
Iory, Domicella 92
Iory, Lorio 92
Iory, Psittacus 92
loweryi, Xenoglaux . 150
luchsi, Bolborhynchus 111
luchsi, Myiopsitta ... 111
luciae, Amazilia 174
luciae, Polyerata 174
luciae, Thaumatias . 174
luciani, Eriocnemis . 162
luciani, Trochilus 162
 Lucifer Hummingbird 155
lucifer, Calothorax .. 155
lucifer, Cynanthus .. 155
lucionensis, Psittacus 123
lucionensis, Tanygnathus 123
luconensis, Prioniturus 116

Iudovicae, Doryfera .161
Iudovicae, Trochilus.161
Ludwigii, Neotis 82
Ludwigii, Otis 82
 Ludwig's Bustard 82
lugens, Eriopus164
lugens, Haplophaedia 164
lugubris, Melampitta 204
lumachella, Augastes 154
lumachella, Ornismya154
luminosa, Lepidopyga168
luminosa, Sapphironia168
Iunulatus, Bolbopsittacus105
Iunulatus, Psittacus .105
Iutea, Leiothrix186
Iuteifrons, Nigrita194
Iuteola, Sitagra199
Iuteolus, Ploceus199
Iuteoschistaceus,
 Accipiter 22
Iutetiae, Coeligena ..159
Iutetiae, Trochilus ...159
Iutosus, Caracara 67
Iutosus, Polyborus 67
 Luzon Bleeding-heart 86
 Luzon Hornbill182
 Luzon Racquet-tail ..117
 Luzon Scops-owl143
 Luzon Tarictic Hornbill182
Iuzonica, Columba 86
Iuzonica, Gallicolumba 86
Lycocorax204
Lycocorax pyrrhopterus204

M

Macagua rieur 65
macao, Ara102
macao, Psittacus102
Macgregoria204
Macgregoria pulchra 204
macgregorii,
 Cnemophilus203
 Macgregor's Bird-of-paradise204
Machaerhamphus alcinus 48
Macheiramphus 48
Macheiramphus alcinus 48
 Mackinder's Eagle-Owl

..... 132
macqueenii, Chlamydotis 80
macqueenii, Otis80
Macrocephalon68
Macrocephalon maleo 68
macrocerca, Hylonympha 167
Macro cercus glaucus 101
Macro cercus maracana 117
Macro cercus
 pachyrhynchus122
macrorhynchus,
 Corythaix125
macrorhynchus, Tauraco 125
macrosceles, Circus ..38
macroura, Eupetomena 156
macroura, Vidua201
macrourus, Astur56
macrourus,
 Campylopterus156
macrourus, Circus37
macrourus, Coliuspasser 197
macrourus, Euplectes 197
macrourus, Falco37
macrourus, Trochilus 156
macrourus, Urotriorchis 56
 Macuco 2
maculata, Cotinga ..184
maculirostris,
 Pteroglossus 183
maculirostris, Selenidera 183
mada, Prioniturus ...117
 Madagascar Baza29
 Madagascar Buzzard .31
 Madagascar Cuckoo-Falcon29
 Madagascar Cuckoo-Hawk29
 Madagascar Fish-eagle 43
 Madagascar Grass Owl 128
 Madagascar Gymnogene 52
 Madagascar Harrier ..38, 52
 Madagascar Harrier-Hawk 52
 Madagascar Hawk-Owl 140
 Madagascar Kestrel ...61
 Madagascar Lovebird 96

Madagascar Marsh-Harrier 38
 Madagascar Owl 128, 130
 Madagascar Pochard . 14
 Madagascar Red Owl 128
 Madagascar Scops-Owl 144
 Madagascar Serpent-Eagle 40
 Madagascar Sparrowhawk 22
 Madagascar Teal 11
madagascariensis,
 Accipiter 22
madagascariensis, Asio 130
madagascariensis,
 Aviceda 29
madagascariensis, Otus 130, 144
madagascariensis, Otus 130, 144
madagascariensis, Pernis 29
madaraszi, Psittacula 118
 Madarasz's Tiger-Parrot 118
madens, Falco 61
magellanicus, Bubo 133
 Magenta-throated Woodstar 155
magica, Strix 143
magicus, Otus 143
magna, Sitta 187
 Magnificent Bird-of-paradise 203
 Magnificent Hummingbird 162
 Magnificent Quetzal 179
 Magnificent Riflebird 206
magnificus,
 Calyptorhynchus 95
magnificus, Cicinnurus 202
magnificus, Diphylloides 203
magnificus, Lophornis 169
magnificus, Psittacus 95
magnificus, Ptiloris . 206
magnificus, Trochilus 169
magnirostris, Buteo .. 32
magnirostris, Falco ... 32
 Magpie Mannikin 193
 Magpie Munia 193
maillardi, Circus 37
 Mailmbo capirotado 196
 Mainate 202

Mainate de Rothschild 202
 Mainate religieux 202
 Major Mitchell's Cockatoo 94
 Malabar Parakeet 119
 Malabar Pied-Hornbill 181
malabarica, Lonchura 193
malabaricus,
 Anthracoceros 181
malabaricus, Buceros 180
malacense, Polyplectron 74
malacensis, Pavo 74
malachitacea, Trichilaria 124
malachitaceus, Psittacus 124
malagae, Metallura . 170
 Malagasy Marsh-Harrier 38
 Malagasy Scops-Owl 144
malaris, Phaethornis 173
malaris, Trochilus ... 173
 Malay Fish-Owl 137
 Malayan Peacock-Pheasant 74
malayanus,
 Anthracoceros 181
malayanus, Buceros 181
malayensis, Falco 46
malayensis, Ictinaetus 46
 Malaysian Black Hornbill 181
 Malaysian Pied-Hornbill 180
 Malee Fowl 68
 Maleo 68
 Maleo Fowl 68
 Maleo Megapode 68
maleo, Macrocephalon 68
 Malherbe's Parakeet 106
malherbi, Cyanoramphus 106
 Malimbe de Cassin .. 197
malimbicus, Malimbus 197
 Malimbo cabecinegro 198
 Malimbo cuellirrojo .. 198
 Malimbo culirrojo 198
Malimbus 196, 197, 198
Malimbus cassini 197
Malimbus malimbicus 197
Malimbus nitens 198
Malimbus rubriceps . 196
Malimbus rubricollis . 198
Malimbus scutatus .. 198
 Mallee Ringneck 105
 Malure occidental 186
manadensis, Otus ... 143
manadensis, Scops . 143
 Manchot de Humboldt 2
 Manchot du Cap 2
 Manchurian Crane 78
 Manchurian Eared-Pheasant 71
 Manchurian Red-footed Falcon 57
Mandingoa 193
Mandingoa nitidula . 193
 Maned Owl 136
 Mango 153
 Mango antillano 153
 Mango de Veragua .. 153
 Mango gargantiverde 153
 Mango gorginegro ... 153
 Mango gorgiverde ... 153
 Mango jamaicano ... 153
 Mango pechinegro .. 153
 Mango pechiverde .. 153
 Mango picolezna 153
 Mango vert 153
mango, Anthracothorax 153
mango, Trochilus 153
 Mangrove Black-Hawk 34
 Mangrove Hummingbird 174
manilata, Ara 113
manilata, Orthopsittaca 113
manilatus, Psittacus 113
manillae, Buceros ... 182
manillae, Penelopides 182
mantananensis, Otus 143
mantananensis, Scops 143
 Mantanani Scops-Owl 143
mantchuricum, Crossoptilon 71
 Mantled Hawk 22, 48
 Manucaude de Comrie 204
 Manucaude de Jobi . 204
 Manucaude de Keraudren 204
 Manucaude noir 204
 Manucaude vert 204
Manucodia 204
Manucodia atra 204
Manucodia chalybata 204
Manucodia comrii ... 204
Manucodia jobiensis 204
Manucodia keraudrenii 204
 Manus Boobook 138

Manus Hawk-Owl ... 138
 Manus Masked-Owl 128
manusi, *Tyto* 128
 Many-coloured Parakeet 118
 Many-spotted
 Hummingbird 168
 Marabou Stork 6
 Marabout 6, 7
 Marabout africain 6
 Marabout argala 7
 Marabout d'Afrique 6
 Maracana cuellidorada 117
 Maracana dorsirroja 117
maracana, *Ara* 117
maracana, *Macrocercus* 117
maracana, *Primolius* 117
maracana, *Propyrrhura* 117
maranhaoensis,
 Phaethornis 173
marchei, *Anthracoboceros* 181
marchei, *Leucotreron* 87
marchei, *Ptilinopus* ... 87
marchei, *Ptilopus* 87
margarethae,
 Charmosyna 90
margarettae, *Phaethornis* 173
 Margaretta's Hermit 173
 Marianas Island Duck 13
 Marianas Mallard 13
 Maroon-bellied Parakeet 121
 Maroon-breasted
 Crowned-Pigeon 86
 Maroon-faced Parakeet 122
 Maroon-fronted Parrot 123
 Maroon-rumped Hanging-Parrot 110
 Maroon-tailed Conure 122
 Maroon-tailed Parakeet 122
 Marsh Harrier 36
 Marsh Hawk 37
 Marsh Owl 129
 Marsh Seedeater 188
marshalli, *Megascops* 143
marshalli, *Otus* 143
 Martial Eagle 52
 Martin de Rothschild 202
 Marvelous Spatuletail 169

Mascarene Paradise-Flycatcher 187
 Masked Bobwhite 71
 Masked Dove 86
 Masked Goura 86
 Masked Hawk 47
 Masked Lovebird 96
 Masked Owl 128
 Masked Shining-Parrot 117
 Matamico blanco 67
 Matamico cordillerano 67
 Matamico estriado 67
 Matamico grande 67
matthewsi,
 Boissonneaua 154
matthewsi, *Trochilus* 154
maugaeus, *Chlorostilbon* 157
maugaeus, *Trochilus* 158
 Mauritius Kestrel 62
 Mauritius Parakeet .. 119
 Mauritius Ring-necked Parakeet 119
maurus, *Circus* 38
maurus, *Falco* 38
mavors, *Heliangelus* 164
maximiliani, *Pionus* .114
maximiliani, *Psittacus* 114
maximus, *Pyrenestes* 195
 Maxwell's Black Weaver 198, 199
mayeri, *Astrapia* 202
mayeri, *Columba* 85
mayeri, *Nesoenas* 85
mayottensis, *Otus* ... 144
 Mealy Amazon 98
 Mealy Parrot 98
 Mealy Rosella 114
meeki, *Charmosyna* . 90
meeki, *Hypocharmosyna* 90
meeki, *Micropsitta* ..111
meeki, *Ninox* 138
 Meek's Lorikeet 90
 Meek's Pygmy-Parrot 111
megaloptera, *Aquila* . 67
megalopterus,
 Phalcoboenus 67
megalorynchos, *Psittacus* 123
megalorynchos,
 Tanygnathus 123
megalotis, *Lempijiua* 143
megalotis, *Otus* 143
MEGAPODIIDAE 68
 Megapodio maleo 68
Megapodius 68
Megapodius wallacei .68
Megascops albogularis 140
Megascops asio 140
Megascops atricapilla 140
Megascops barbarus 141
Megascops choliba .. 141
Megascops clarkii ... 141
Megascops columbianus 142
Megascops cooperi .. 142
Megascops guatemalae 140
Megascops hoyi 140
Megascops ingens ... 142
Megascops kennicotti 142
Megascops koepckeae 142
Megascops marshalli 143
Megascops napensis 146
Megascops nudipes . 144
Megascops petersoni 143
Megascops roboratus 144
Megascops roraimae 146
Megascops
 sanctaecatarinae .. 145
Megascops seductus 142
Megascops trichopsis 146
Megascops vermiculatus 146
Megascops watsonii 146
Megatriorchis 48
Megatriorchis doriae .48
Melampitta 204
Melampitta gigantea 204
Melampitta lugubris 204
melaniae, *Lophornis* 169
melanocephala, *Pionites* 113
melanocephala, *Sitagra* 199
melanocephalus, *Larus* 84
melanocephalus,
 Phasianus 76
melanocephalus, *Ploceus* 199
melanocephalus,
 Psittacus 113
melanocephalus,
 Tragopan 76
melanochlamys, *Accipiter* 22
melanochlamys,
 Urospizias 22
melanocorypha, *Anas* 15
melanocorypha, *Cygnus* 15
melanogaster, *Eupodotis*

.....	81
<i>melanogaster</i> , <i>Lissotis</i>	81
<i>melanogaster</i> ,	
<i>Oreotrochilus</i>	171
<i>melanogaster</i> , <i>Otis</i>	81
<i>melanogenys</i> , <i>Adelomyia</i>	150
<i>melanogenys</i> , <i>Trochilus</i>	150
<i>melanoleuca</i> , <i>Seleucidis</i>	206
<i>melanoleucus</i> , <i>Circus</i>	38
<i>melanoleucus</i> , <i>Falco</i>	38
<i>melanoleucus</i> , <i>Ierax</i>	66
<i>melanoleucus</i> ,	
<i>Microhierax</i>	66
<i>melanoleucus</i> , <i>Accipiter</i>	22
<i>melanoleucus</i> , <i>Buteo</i>	55
<i>melanoleucus</i> ,	
<i>Geranoaetus</i>	40
<i>melanoleucus</i> ,	
<i>Microhierax</i>	66
<i>melanoleucus</i> , <i>Spizaetus</i>	40
<i>melanoleucus</i> , <i>Spizastur</i>	55
<i>melanonota</i> , <i>Touit</i>	123
<i>melanonotus</i> , <i>Psittacus</i>	123
<i>melanopelargus</i> <i>episcopus</i>	6
<i>Melanoperdix</i>	73
<i>Melanoperdix nigra</i>	73
<i>melanops cassidix</i> , <i>Lichenostomus</i>	188
<i>melanops</i> , <i>Falco</i>	47
<i>melanops</i> , <i>Leucopternis</i>	47
<i>melanops</i> , <i>Lichenostomus</i>	187, 188
<i>melanorhynchus</i> , <i>Chlorostilbon</i>	158
<i>melanosternon</i> , <i>Buteo</i>	44
<i>melanosternon</i> ,	
<i>Hamirostra</i>	44
<i>melanota</i> , <i>Noctua</i>	146
<i>melanota</i> , <i>Pulsatrix</i>	146
<i>melanotis</i> , <i>Anaplectes</i>	196
<i>melanotis</i> , <i>Hapalopsittaca</i>	109
<i>melanotis</i> , <i>Pionus</i>	109
<i>melanotos</i> , <i>Anser</i>	18
<i>melanotos</i> , <i>Sarkidiornis</i>	18
<i>Melanotrochilus fuscus</i>	163
<i>melanura</i> , <i>Pyrrhura</i>	122
<i>melanurus</i> , <i>Aratinga</i>	122
<i>meleagrides</i> , <i>Agelastes</i>	70
<i>Meleagris ocellata</i>	70
<i>Meleagris satyra</i>	76
<i>Melero de casco</i>	188
<i>Melierax</i>	48, 49
<i>Melierax canorus</i>	48, 49
<i>Melierax gabar</i>	49
<i>Melierax metabates</i>	49
<i>Melierax poliopterus</i>	49
<i>Meliphaga cassidix</i>	188
MELIPHAGIDAE	187
<i>melleri</i> , <i>Anas</i>	12
<i>Meller's Duck</i>	12
<i>Mellisuga</i>	170
<i>Mellisuga albocoronata</i>	170
<i>Mellisuga helena</i>	170
<i>Mellisuga minima</i>	170
<i>mellisugus</i> , <i>Chlorostilbon</i>	158
<i>mellivora</i> , <i>Florisuga</i>	163
<i>mellivorus</i> , <i>Trochilus</i>	163
<i>Melodious</i> <i>Laughingthrush</i>	186
<i>melpoda</i> , <i>Estrilda</i>	191
<i>menstruus</i> , <i>Pionus</i>	114
<i>menstruus</i> , <i>Psittacus</i>	114
<i>Mentaur Scops-Owl</i>	146
<i>Mentawai Scops-Owl</i>	144
<i>Mentawai Serpent-Eagle</i>	53
<i>mentawi</i> , <i>Otus</i>	144
<i>mercenaria</i> , <i>Amazona</i>	99
<i>mercenarius</i> , <i>Psittacus</i>	99
<i>Mergus</i>	16
<i>Mergus octosetaceus</i>	16
<i>meridionalis</i> , <i>Buteogallus</i>	34
<i>meridionalis</i> , <i>Falco</i>	34
<i>meridionalis</i> ,	
<i>Heterospizias</i>	34
<i>meridionalis</i> , <i>Nestor</i>	112
<i>meridionalis</i> , <i>Psittacus</i>	112
<i>Merle des Indes</i>	202
<i>Merlin</i>	58, 70
<i>Messager sagittaire</i>	56
<i>metabates</i> , <i>Melierax</i>	49
<i>Metallura</i>	157, 170
<i>Metallura aeneocauda</i>	170
<i>Metallura baroni</i>	170
<i>Metallura eupogon</i>	170
<i>Metallura iracunda</i>	170
<i>Metallura malagae</i>	170
<i>Metallura odoma</i>	170
<i>Metallura phoebe</i>	170
<i>Metallura ruficeps</i>	157
<i>Metallura theresiae</i>	170
<i>Metallura tyrianthina</i>	170
<i>Metallura williami</i>	170
<i>Metalura barbafuego</i>	170
<i>Metalura de Azuay</i>	170
<i>Metalura de Teresa</i>	170
<i>Metalura del Chinguela</i>	170
<i>Metalura escamosa</i>	170
<i>Metalura gorjivioleta</i>	170
<i>Metalura iracunda</i>	170
<i>Metalura negra</i>	170
<i>Metalura tiria</i>	170
<i>Metalura verde</i>	170
<i>Mexican Chachalaca</i>	69
<i>Mexican Curassow</i>	69
<i>Mexican Parrotlet</i>	108
<i>Mexican Sheartail</i>	161
<i>Mexican Woodnymph</i>	178
<i>mexicanus</i> , <i>Falco</i>	60
<i>mexicanus</i> , <i>Phaethornis</i>	174
<i>meyeri</i> , <i>Epimachus</i>	203
<i>meyeri</i> , <i>Pocephalus</i>	115
<i>meyeri</i> , <i>Psittacus</i>	115
<i>meyerianus</i> , <i>Accipiter</i>	23
<i>meyerianus</i> , <i>Astur</i>	23
<i>Meyer's Goshawk</i>	23
<i>Meyer's Hawk</i>	23
<i>Meyer's Lorikeet</i>	93
<i>Meyer's Parrot</i>	115
<i>micraster</i> , <i>Heliangelus</i>	164
<i>Micrastur</i>	65, 66
<i>Micrastur buckleyi</i>	65
<i>Micrastur gilvicollis</i>	65
<i>micrastur melanoleucus</i>	65
<i>Micrastur mintoni</i>	65
<i>Micrastur mirandollei</i>	65
<i>Micrastur plumbeus</i>	65
<i>Micrastur ruficollis</i>	65
<i>Micrastur semitorquatus</i>	66
<i>Micrathene</i>	137
<i>Micrathene whitneyi</i>	137
<i>Microchera</i>	170
<i>Microchera albocoronata</i>	170
<i>Microglosse noir</i>	96
<i>Microhierax</i>	66
<i>Microhierax caerulescens</i>	66
<i>Microhierax erythrogenys</i>	66
<i>Microhierax fringillarius</i>	66
<i>Microhierax latifrons</i>	66

<i>Microhierax melanoleucus</i> 66
<i>Microhierax melanoleucus</i> 66
Microloro de Finsch	. 111
Microloro de Geelvink 111
Microloro de las Kai	111
Microloro de Meek	.. 111
Microloro pechirrojo	111
Microloro pusio 111
<i>Micronisus gabar</i> 49
<i>Micropsitta</i> 111
<i>Micropsitta bruijnii</i>	.. 111
<i>Micropsitta finschii</i>	.. 111
<i>Micropsitta geelvinkiana</i> 111
<i>Micropsitta keiensis</i>	111
<i>Micropsitta meeki</i>	... 111
<i>Micropsitta pusio</i> 111
Micropitite de Bruijn	111
Micropitite de Finsch	111
Micropitite de Geelvink 111
Micropitite de Meek	111
<i>microrhyncha, Amazilia</i> 151
<i>microrhyncha,</i>	
<i>Cyanoxyia</i> 151
<i>microrhyncha, Ornithya</i> 175
<i>microrhynchum,</i>	
<i>Ramphomicron</i> 175
<i>Microsittace ferruginea</i> 108
<i>Microstilbon</i> 170
<i>Microstilbon burmeisteri</i> 170
<i>micrura, Myrmia</i> 171
<i>micrurus, Calothorax</i>	171
<i>migrans, Falco</i> 49
<i>migrans, Milvus</i> 49
Mikado Pheasant 75
<i>mikado, Calophasis</i>	.. 75
<i>mikado, Syrmaticus</i>	.. 75
Milan bec-en-croc 34
Milan brun 49
Milan de Cayenne 47
Milan de Cuba 35
Milan de Forbes 47
Milan de Wilson 35
Milan des chauves-souris 48
Milan des marais 52
Milan diodon 44
Milan du Mississippi	.. 46
Milan noir 49
Milan royal 50
Milan siffleur 44
Milano acollarado 47
Milano bidentado 44
Milano cabecigris 47
Milano caracolero 52
Milano coliblanco 39
Milano colicuadrado	.. 48
Milano del Misisipi 46
Milano dentado 44
Milano misisipero 46
Milano murcielaguero	48
Milano muslirrufo 44
Milano negro 49
Milano pechinegro 44
Milano picogarfio 34
Milano plomizo 46
Milano real 50
Milano silbador 44
Milano tijereta 39
Milanus nigro 49
<i>militaris, Ara</i> 102
<i>militaris, Psittacus</i>	.. 102
<i>militaris, Sturnella</i>	.. 189
Military Macaw 102
Milky Eagle-Owl 132
Milky Stork 7
<i>milleri, Polytmus</i> 175
<i>milleri, Waldronia</i> 175
<i>milnei, Garrulax</i> 186
<i>Milvago</i> 66
<i>Milvago chimachima</i>	.. 66
<i>Milvago chimango</i> 66
<i>Milvus</i> 39, 44, 48, 49, 50	
<i>Milvus fasciicauda</i> 50
<i>Milvus isurus</i> 48
<i>Milvus leucurus</i> 39
<i>Milvus lineatus</i> 49
<i>Milvus migrans</i> 49
<i>Milvus milvus</i> 50
<i>Milvus sphenuroides</i> 44
<i>milvus, Falco</i> 50
<i>milvus, Milvus</i> 50
<i>Mimizuku</i> 137
<i>Mimizuku gurneyi</i> 137
Minahassa Barn-Owl	127
Minahassa Masked-Owl 127
Minahassa Owl 127
Mindanao Bleeding-heart 86
Mindanao Eagle-Owl	137
Mindanao Hornbill	.. 181
Mindanao Lorikeet 93
Mindanao Parrotfinch	191
Mindanao Racquet-tail 117
Mindanao Scops-owl	144
Mindanao Tarictic Hornbill 181
Mindanao Wrinkled	
Hornbill 179
<i>mindorensis, Carpophaga</i> 86
<i>mindorensis, Ducula</i>	. 86
<i>mindorensis, Otus</i>	.. 144
<i>mindorensis, Penelopides</i> 182
<i>mindorensis, Scops</i>	. 144
Mindoro Hornbill 182
Mindoro Imperial-Pigeon 86
Mindoro Scops-owl	.. 144
Mindoro Zone-tailed Pigeon 86
<i>minima, Ciccaba</i> 142
<i>minima, Mellisuga</i>	... 170
<i>minimus, Otus</i> 142
<i>minimus, Spilornis</i> 53
<i>minimus, Trochilus</i>	.. 170
<i>Mino</i> 202
Mino de Dumont 202
<i>Mino dumontii</i> 202
<i>Mino kreffti</i> 202
<i>minor, Paradisaea</i>	... 205
<i>minor, Phoeniconasus</i>	. 9
<i>minor, Phoenicopterus</i>	9
<i>mintoni, Micrastur</i>65
<i>minullus, Accipiter</i>23
<i>minullus, Falco</i>23
Minute Hermit 173
<i>minutissima, Strix</i>	.. 135
<i>minutissimum,</i>	
<i>Glaucidium</i> 135
<i>mirabilis, Eriocnemis</i>	162
<i>mirabilis, Loddigesia</i>	169
<i>mirabilis, Trochilus</i>	.. 169
<i>mirandollei, Astur</i>65
<i>mirandollei, Micrastur</i>	65
Mirlo americano	
<i>pechiamarillo</i> 188
<i>mirus, Otus</i> 144
Mississippi Kite 46
Mississippi Sandhill Crane 77
<i>mississippiensis, Falco</i>	46
<i>mississippiensis, Ictinia</i> 46
<i>mitchellii, Calliphlox</i>	155
<i>mitchellii, Philodice</i>	. 155
<i>mitchellii, Trochilus</i>	. 155
<i>mitrata, Aratinga</i> 104
<i>mitrata, Psittacara</i>	.. 104
<i>mitratus, Conurus</i>	... 104
Mitred Conure 104
Mitred Parakeet 104
<i>Mitu</i> 69
<i>Mitu mitu</i> 69
<i>mitu, Mitu</i> 69
Mochuelo acollarado	134

Mochuelo alpino	135
Mochuelo andino	135
Mochuelo boliviano ..	134
Mochuelo boreal	128
Mochuelo californiano	134
Mochuelo canela	129
Mochuelo chico	135, 136
Mochuelo cuco	134
Mochuelo de Blewitt ..	131
Mochuelo de El Cabo ..	134
Mochuelo de Hoyo ..	147
Mochuelo de Java ..	134
Mochuelo de jungla ..	136
Mochuelo de las Molucas	139
Mochuelo de los bosques	131
Mochuelo de los saguaros	137
Mochuelo de madriguera	147
Mochuelo de Parker ..	135
Mochuelo del Alberto ..	133
Mochuelo del Congo ..	136
Mochuelo duende ..	137
Mochuelo europeo ..	131
Mochuelo forestal ..	131
Mochuelo gnomo ..	134, 135
Mochuelo minimo ..	135
Mochuelo moreno ..	129
Mochuelo pechirrojo ..	136
Mochuelo peludo ..	150
Mochuelo perlado ..	136
Mochuelo peruano ..	136
<i>mocinno, Pharomachrus</i>	179
Modest Tiger-Parrot ..	118
<i>modesta, Columba</i>	89
<i>modesta, Psittacella</i>	118
<i>modesta, Turacoena</i>	89
Moheli Scops-Owl ..	144
<i>mohelliensis, Otus</i>	144
Moineau gris	198
Moineau-tisserin	198
<i>molinae, Conurus</i>	122
<i>molinae, Pyrrhura</i>	122
Moluccan Barred Sparrowhawk	22
Moluccan Boobook ..	139
Moluccan Cockatoo ..	95
Moluccan Goshawk ..	22
Moluccan Hanging-Parrot	110
Moluccan Hawk-Owl ..	139
Moluccan Kestrel	60
Moluccan King-Parrot ..	97
Moluccan Lory	91
Moluccan Red Lory	91
Moluccan Scops-Owl ..	143
Moluccan Scrubfowl ..	68
Moluccan Sparrowhawk	21
<i>moluccensis, Cacatua</i>	95
<i>moluccensis, Falco</i>	60
<i>moluccensis, Kakatoe</i>	95
<i>moluccensis, Psittacus</i>	95
<i>moluccensis, Tinnunculus</i>	60
<i>molybdophanes, Struthio</i>	1
<i>monacha, Grus</i>	78
<i>monachus, Aegypius</i>	25
<i>monachus, Cathartes</i>	50
<i>monachus, Myiopsitta</i>	111
<i>monachus, Necrosyrtes</i>	50
<i>monachus, Psittacus</i>	111
<i>monachus, Vultur</i>	25
Monal birman	72
Monal chinois	72
Monal coliblanco	72
Monal colirrojo	72
Monal coliverde	72
Monal de l'Himalaya ..	72
Monal Pheasant	72
Monjita pico-de-plata ..	193
Monk Parakeet	111
Monkey-eating Eagle ..	52
<i>monogrammicus, Falco</i>	47
<i>monogrammicus, Kaupifalco</i>	47
Monseigneur	197
Montagu's Harrier	38
Montane Racquet-tail ..	117
<i>montani, Anthracoceros</i>	181
<i>montani, Buceros</i>	181
<i>montanus, Prioniturus</i>	117
<i>mooreorum, Glaucidium</i>	135
Morden's Scops-Owl ..	142
Morepork	138
<i>morphnoides, Aquila</i>	45
<i>morphnoides, Hieraaetus</i>	45
<i>Morphnus</i>	27, 50
<i>Morphnus guianensis</i>	50
<i>Morphnus hastatus</i>	27
<i>moschata, Anas</i>	15
<i>moschata, Cairina</i>	15
<i>mosquera, Eriocnemis</i>	162
<i>mosquera, Trochilus</i>	162
<i>mosquitus, Chrysolampis</i>	158
<i>mosquitus, Trochilus</i>	158
Mottled Owl	149
Mottled Wood-Owl ..	149
Mouette relique	84
Mount Omei Liocichla ..	186
Mountain Avocetbill ..	171
Mountain Buzzard	32
Mountain Caracara	67
Mountain Eagle-Owl ..	132
Mountain Hawk-Eagle ..	54
Mountain Parakeet ..	118
Mountain Peacock-Pheasant	74
Mountain Pygmy-Owl	134, 135
Mountain Scops-Owl ..	145
Mountain Serpent-eagle	53
Mountain Velvetbreast	167
Mourning Collared-Dove	87
Moustached Parakeet ..	118
<i>mozambicus, Serinus</i>	190
Mrs Hume's Pheasant ..	75
Mulga Parrot	118
<i>mulleri, Psittacus</i>	123
<i>mulleri, Tanygnathus</i>	123
<i>mulsans, Acestrura</i>	157
<i>mulsans, Chaetocercus</i>	157
<i>mulsans, Ornismya</i>	157
<i>multipunctata, Tyto</i>	128
<i>multistriata, Charmosyna</i>	90
<i>multistriata, Charmosynopsis</i>	90
<i>multistriata, Hypocharmosyna</i>	90
<i>Muscicapa rueckii</i>	185
MUSCICAPIDAE	185
Muscovy Duck	15
Musk Lorikeet	91
<i>Musophaga</i>	124
<i>Musophaga cristata</i>	124
<i>Musophaga porphyreolopha</i>	124
<i>Musophaga violacea</i>	124
MUSOPHAGIDAE	124
<i>musschenbroekii, Nanodes</i>	92
<i>musschenbroekii, Neopsittacus</i>	92
Musschenbroek's Lorikeet	92
<i>muticus, Pavo</i>	73
Mutum	68

<i>Mycteria</i>	6, 7
<i>Mycteria cinerea</i>	7
<i>Mycteria senegalensis</i>	6
<i>mycteria, Ciconia</i>	6
<i>mycteria, Jabiru</i>	6
<i>Myiopsitta</i>	105, 111
<i>Myiopsitta luchsi</i>	111
<i>Myiopsitta monachus</i>	111
<i>Myiopsitta orbygnesia</i>	105
<i>Myrmia</i>	171
<i>Myrmia micrura</i>	171
<i>Myrtis</i>	171
<i>Myrtis fanny</i>	171
<i>Myrtis yarrellii</i>	171

N

<i>naevius, Ramphodon</i>	175
<i>naevius, Trochilus</i>	175
<i>Namaqua Dove</i>	86
<i>nana, Aratinga</i>	104
<i>nana, Eupsittula</i>	104
<i>nana, Ichthyophaga</i>	46
<i>nana, Psittacara</i>	104
<i>nana, Strix</i>	135
<i>Nanday Conure</i>	111
<i>Nanday Parakeet</i>	111
<i>Nandayus</i>	111
<i>Nandayus nenday</i>	111
<i>Nandou commun</i>	1
<i>Nandou de Darwin</i>	1
<i>Nandou gris</i>	1
<i>Nankeen Kestrel</i>	58
<i>Nannopsittaca</i>	111
<i>Nannopsittaca dachilleae</i>	111
<i>Nannopsittaca panychlora</i>	111
<i>Nannopsittacus</i>	
<i>gulielmitertii</i>	107
<i>Nanodes elegans</i>	112
<i>Nanodes</i>	
<i>musschenbroekii</i>	92
<i>nanum, Glaucidium</i>	135
<i>nanus, Accipiter</i>	23
<i>nanus, Ichthyaetus</i>	46
<i>nanus, Spizaetus</i>	54
<i>napensis, Megascops</i>	146
<i>Napo Sabrewing</i>	156
<i>Napoleon Weaver</i>	196
<i>napoleonis, Polypelectron</i>	74
<i>Napoleon's Peacock-Pheasant</i>	74
<i>Narcondam Hornbill</i>	179
<i>narcondami, Aceros</i>	179

<i>narcondami, Rhynceros</i>	
.....	179
<i>Narrow-tailed Emerald</i>	
.....	158
<i>Nasiterna bruijnii</i>	111
<i>Nasiterna finschii</i>	111
<i>Nasiterna keiensis</i>	111
<i>Nasiterna pusio</i>	111
<i>nasiterna pygmaea</i>	111
<i>natalis, Ninox</i>	139
<i>nattereri, Phaethornis</i>	
.....	173
<i>Natuna Serpent-Eagle</i>	53
<i>natunensis, Spilornis</i>	53
<i>naumanni, Falco</i>	60
<i>Neblina Metaltail</i>	170
<i>nebulosa, Strix</i>	148
<i>Necrosyrtes</i>	50
<i>Necrosyrtes monachus</i>	50
NECTARINIIDAE	187
<i>Needle-billed Hermit</i>	173
<i>neglectus, Falco</i>	64
<i>Negrita bronzeada</i>	193
<i>Negrita cana</i>	194
<i>Negrita frentigualda</i>	194
<i>Negrita pechiblanca</i>	194
<i>Negrita pechirroja</i>	194
<i>Negrita picanza</i>	193
<i>nenday, Nandayus</i>	111
<i>nenday, Psittacus</i>	111
<i>nene</i>	15
<i>Neophema</i>	112
<i>Neophema bourkii</i>	112
<i>Neophema chrysogaster</i>	112
<i>Neophema chrysostoma</i>	112
<i>Neophema elegans</i>	112
<i>Neophema petrophila</i>	112
<i>Neophema pulchella</i>	112
<i>Neophema splendida</i>	112
<i>Neophron</i>	50
<i>Neophron percnopterus</i>	50
<i>Neopsephotus</i>	112
<i>Neopsephotus bourkii</i>	112
<i>Neopsittacus</i>	92
<i>Neopsittacus musschenbroekii</i>	92
<i>Neopsittacus pullicauda</i>	92
<i>Neotis</i>	81, 82
<i>Neotis burchellii</i>	82
<i>Neotis cafra</i>	81, 82
<i>Neotis denhami</i>	82
<i>Neotis heuglinii</i>	82
<i>Neotis ludwigii</i>	82
<i>Neotis nuba</i>	82
<i>Nesasio</i>	137
<i>Nesasio solomonensis</i>	137
<i>nesiotes, Grus</i>	77
<i>Nesocharis</i>	193
<i>Nesocharis capistrata</i>	193
<i>Nesochen sandvicensis</i>	15
<i>Nesoenas mayeri</i>	85
<i>Nesonetta aucklandica</i>	11
<i>Nestor</i>	112
<i>Nestor meridionalis</i>	112
<i>Nestor notabilis</i>	112
<i>Nestor superbe</i>	112
<i>Nettapus</i>	17
<i>Nettapus auritus</i>	17
<i>neumannii, Vidua</i>	200
<i>New Britain Goshawk</i>	24
<i>New Britain Hawk-Owl</i>	138
<i>New Britain Honey-buzzard</i>	44
<i>New Britain Masked-Owl</i>	127
<i>New Britain Sparrowhawk</i>	20
<i>New Caledonia Goshawk</i>	22
<i>New Caledonian Lorikeet</i>	90
<i>New Guinea Eagle</i>	44
<i>New Guinea Grey-headed Goshawk</i>	24
<i>New Guinea Harpy Eagle</i>	44
<i>New Guinea Hornbill</i>	180
<i>New Guinea Wreathed Hornbill</i>	180
<i>New Ireland Hawk-Owl</i>	140
<i>New Zealand Falcon</i>	61
<i>New Zealand Kaka</i>	112
<i>New Zealand Parakeet</i>	107
<i>newtoni, Falco</i>	61
<i>newtoni, Tinnunculus</i>	61
<i>Newton's Kestrel</i>	61
<i>Ngami Owlet</i>	135
<i>ngamiense, Glaucidium</i>	135
<i>Niam-niam Parrot</i>	115
<i>Nias Serpent-Eagle</i>	53
<i>Nicobar Dove</i>	84
<i>Nicobar Parakeet</i>	119
<i>Nicobar Pigeon</i>	84
<i>Nicobar Scops-Owl</i>	140
<i>Nicobar Serpent-eagle</i>	53
<i>Nicobar Shikra</i>	20
<i>Nicobar Sparrowhawk</i>	20

<i>nicobarica</i> , <i>Caloenas</i>	84	<i>Ninox meeki</i>	138	<i>nisus</i> , <i>Accipiter</i>	23
<i>nicobarica</i> , <i>Columba</i>	84	<i>Ninox natalis</i>	139	<i>nisus</i> , <i>Falco</i>	23
<i>Nifa mexicana</i>	178	<i>Ninox novaeseelandiae</i>	138, 139	<i>nitens</i> , <i>Malimbus</i>	198
<i>niger</i> , <i>Cryptonyx</i>	73	<i>Ninox novaeseelandiae</i>	138	<i>nitida</i> , <i>Asturina</i>	28
<i>niger</i> , <i>Penelope</i>	70	<i>Ninox undulata</i>	138	<i>nitidula</i> , <i>Hypargos</i> ..	193
<i>niger</i> , <i>Psittacus</i>	106	<i>Ninox ochracea</i>	138	<i>nitidula</i> , <i>Mandingoa</i> ..	193
<i>niger</i> , <i>Threnetes</i>	178	<i>Ninox odiosa</i>	138	<i>nitidus</i> , <i>Buteo</i>	28
<i>niger</i> , <i>Trochilus</i>	178	<i>Ninox perversa</i>	138	<i>nitidus</i> , <i>Falco</i>	28
<i>nigerrimus</i> , <i>Ploceus</i>	199	<i>Ninox philippensis</i>	138	<i>niveoguttatus</i> , <i>Hypargos</i>	191
<i>Night Parrot</i>	109	<i>Ninox punctulata</i>	139	<i>nobilis</i> , <i>Ara</i>	107
<i>nigra</i> , <i>Ardea</i>	6	<i>Ninox randi</i>	139	<i>nobilis</i> , <i>Diopsittaca</i> ..	107
<i>nigra</i> , <i>Astrapia</i>	202	<i>Ninox rudolfi</i>	139	<i>nobilis</i> , <i>Oreonympha</i> ..	171
<i>nigra</i> , <i>Ciconia</i>	6	<i>Ninox rufa</i>	139	<i>nobilis</i> , <i>Psittacus</i>	107
<i>nigra</i> , <i>Coracopsis</i> ...	106	<i>Ninox scutulata</i>	139	<i>Noble Macaw</i>	107
<i>nigra</i> , <i>Melanoperdix</i> ..	73	<i>Ninox solomonis</i>	140	<i>Noctua brodiei</i>	134
<i>nigra</i> , <i>Penelopina</i>	70	<i>Ninox spilocephala</i>	138	<i>Noctua capensis</i>	134
<i>nigrescens</i> , <i>Rheinardia</i> ..	74	<i>Ninox spilonota</i>	138	<i>Noctua cuculoides</i>	134
<i>nigriceps</i> , <i>Ardeotis</i> ...	79	<i>Ninox squamipila</i>	139	<i>Noctua hartlaubi</i>	142
<i>nigriceps</i> , <i>Choriotis</i> ...	80	<i>Ninox squamipila natalis</i>	139	<i>Noctua melanota</i>	146
<i>nigriceps</i> , <i>Otis</i>	79, 80	<i>Ninox strenua</i>	139	<i>Noctua ochracea</i>	138
<i>nigriceps</i> , <i>Ploceus</i> ..	199	<i>Ninox sumbaensis</i>	139	<i>Noctua podargina</i>	144
<i>nigricollis</i> , <i>Anthracothorax</i> ...	153	<i>Ninox superciliaris</i>	139	<i>Noctua punctulata</i>	139
<i>nigricollis</i> , <i>Busarellus</i> ..	29	<i>Ninox theomacha</i>	140	<i>Noctua siju</i>	136
<i>nigricollis</i> , <i>Falco</i>	29	<i>Ninox variegata</i>	140	<i>Noctua woodfordii</i>	150
<i>nigricollis</i> , <i>Grus</i>	78	<i>Ninoxe aboyeuse</i>	138	<i>noctua</i> , <i>Athene</i>	131
<i>nigricollis</i> , <i>Ploceus</i> ..	199, 200	<i>Ninoxe boubouk</i>	138	<i>noctua</i> , <i>Strix</i>	131
<i>nigricollis</i> , <i>Trochilus</i> ..	153	<i>Ninoxe brune</i>	140	<i>Noisy Scrub-bird</i>	185
<i>nigripenis</i> , <i>Agapornis</i> ..	96	<i>Ninoxe d'Australie</i>	138	<i>Nordmann's Greenshank</i>	84
<i>nigripes</i> , <i>Dacnis</i>	188	<i>Ninoxe de Jacquinot</i>	138	<i>Norfolk Boobook</i>	138
<i>nigrirostris</i> , <i>Phaethornis</i>	172	<i>Ninoxe de Sumba</i>	139	<i>Norfolk Island Boobook</i> <i>Owl</i>	138
<i>Nigrita</i>	194	<i>Ninoxe des Andaman</i>	137	<i>Northern Bald Ibis</i>	8
<i>Nigrita bicolor</i>	194	<i>Ninoxe des Moluques</i>	139	<i>Northern Bobwhite</i>	71
<i>Nigrita canicapilla</i>	194	<i>Ninoxe des Philippines</i>	138	<i>Northern Goshawk</i>	21
<i>Nigrita fusconota</i>	194	<i>Ninoxe hirsute</i>	139	<i>Northern Harrier</i>	37
<i>Nigrita luteifrons</i>	194	<i>Ninoxe odieuse</i>	138	<i>Northern Hawk Owl</i>	150
<i>nigriventris</i> , <i>Eupherusa</i>	163	<i>Ninoxe papoue</i>	150	<i>Northern Helmeted</i> <i>Curassow</i>	69
<i>nigrivestis</i> , <i>Eriocnemis</i>	162	<i>Ninoxe puissante</i>	139	<i>Northern Hobby</i>	63
<i>nigrivestis</i> , <i>Trochilus</i> ..	162	<i>Ninoxe rieuse</i>	146, 147	<i>Northern Little Owl</i>	131
<i>nigrobrunnea</i> , <i>Tyto</i> ..	128	<i>Ninoxe rousse</i>	139	<i>Northern Paradise-</i> <i>Whydah</i>	201
<i>nigrolineata</i> , <i>Ciccaba</i> ..	149	<i>nipalensis</i> , <i>Aceros</i>	179	<i>Northern Pied-Hornbill</i>	180
<i>nigrolineata</i> , <i>Strix</i> ..	149	<i>nipalensis</i> , <i>Aquila</i>	27	<i>Northern Pintail</i>	10
<i>Niltava</i>	185, 186	<i>nipalensis</i> , <i>Bubo</i>	133	<i>Northern Pygmy-Owl</i>	134
<i>Niltava davidi</i>	186	<i>nipalensis</i> , <i>Buceros</i>	179	<i>Northern Rosella</i>	115
<i>Niltava rueckei</i>	185	<i>nipalensis</i> , <i>Nisaetus</i>	54	<i>Northern Saw-whet Owl</i>	128
<i>Ninfa coronada</i>	177	<i>nipalensis</i> , <i>Pitta</i>	184	<i>Northern Shoveler</i>	11
<i>Ninox</i>	137, 138, 139, 140, 146, 147, 150	<i>nipalensis</i> , <i>Spizaetus</i>	54	<i>Northern Waved Hornbill</i>	180
<i>Ninox affinis</i>	137	<i>nippon</i> , <i>Ibis</i>	8	<i>Northiella</i>	112
<i>Ninox boobook</i>	137, 138	<i>nippon</i> , <i>Nipponia</i>	8	<i>Northiella haematogaster</i>	112
<i>Ninox connivens</i>	138	<i>Nipponia</i>	8	<i>notabilis</i> , <i>Nestor</i>	112
<i>Ninox goldii</i>	140	<i>Nipponia nippon</i>	8	<i>notatus</i> , <i>Chlorestes</i>	158
<i>Ninox ios</i>	138	<i>Nisaetus alboniger</i>	54		
<i>Ninox jacquini</i>	138	<i>Nisaetus nipalensis</i>	54		
<i>Ninox japonica</i>	139	<i>Nisus chionogaster</i>	20		
		<i>Nisus erythropus</i>	21		
		<i>Nisus toussenelii</i>	25		
		<i>nitus</i> , <i>virgatus</i>	24		

<i>notatus</i> , <i>Chlorostilbon</i>	158
<i>notatus</i> , <i>Elanus</i>	39
<i>notatus</i> , <i>Trochilus</i>	158
<i>novaeguineae</i> ,	
<i>Harpyopsis</i>	44
<i>novaehollandiae</i> ,	
<i>Accipiter</i>	23
<i>novaehollandiae</i> , <i>Falco</i>	23
<i>novaehollandiae</i> , <i>Strix</i>	128
<i>novaehollandiae</i> , <i>Tyto</i>	127, 128
<i>novaeseelandiae</i>	
<i>undulata</i> , <i>Ninox</i>	138
<i>novaeseelandiae</i> , <i>Falco</i>	61
<i>novaeseelandiae</i> , <i>Ninox</i>	138, 139
<i>novaeseelandiae</i> , <i>Strix</i>	138
<i>novaezelandiae</i> ,	
<i>Cyanoramphus</i>	107
<i>novaezelandiae</i> , <i>Psittacus</i>	107
<i>nuba</i> , <i>Neotis</i>	82
<i>nuba</i> , <i>Otis</i>	82
Nubian Bustard	82
Nubian Vulture	55
<i>nubicola</i> , <i>Glaucidium</i>	135
<i>nudicollis</i> , <i>Procnias</i>	184
<i>nudipes</i> , <i>Megascops</i>	144
<i>nudipes</i> , <i>Otus</i>	144
<i>nudipes</i> , <i>Strix</i>	144
<i>Numenius</i>	83
<i>Numenius borealis</i>	83
<i>Numenius tenuirostris</i>	83
<i>nuna</i> , <i>Lesbia</i>	168
<i>nuna</i> , <i>Ornismya</i>	168
Nyasa Lovebird	96
Nyctale de Harris	129
Nyctale de Tengmalm	128
<i>Nyctale harrisi</i>	129
<i>Nyctalops stygius</i>	130, 131
<i>Nyctea</i>	140
<i>Nyctea scandiaca</i>	140
<i>nympha</i> , <i>Pitta</i>	184
<i>Nyroca innotata</i>	14
<i>Nyroca nyroca</i>	14
<i>nyroca</i> , <i>Anas</i>	14
<i>nyroca</i> , <i>Aythya</i>	14
<i>nyroca</i> , <i>Nyroca</i>	14

O

Oasis Hummingbird	175
Oaxaca Hummingbird	163
Obscure Hermit	173
Oca del Nilo	10
<i>occidentale</i> , <i>Syrnium</i>	149
<i>occidentalis</i> , <i>Geopsittacus</i>	109
<i>occidentalis</i> , <i>Leucopternis</i>	47
<i>occidentalis</i> , <i>Pezoporus</i>	109
<i>occidentalis</i> , <i>Strix</i>	149
<i>occipitalis</i> , <i>Aegypius</i>	56
<i>occipitalis</i> , <i>Falco</i>	48
<i>occipitalis</i> , <i>Lophaetus</i>	48
<i>occipitalis</i> , <i>Spizaetus</i>	48
<i>occipitalis</i> , <i>Trigonoceps</i>	56
<i>occipitalis</i> , <i>Vultur</i>	56
<i>ocellata</i> , <i>Agriocharis</i>	70
<i>ocellata</i> , <i>Meleagris</i>	70
<i>ocellata</i> , <i>Rheinardia</i>	74
<i>ocellata</i> , <i>Strix</i>	149
Ocellated Pheasant	74
Ocellated Turkey	70
<i>ocellatum</i> , <i>Syrnium</i>	149
<i>ocellatus</i> , <i>Argus</i>	74
<i>ochracea</i> , <i>Ninox</i>	138
<i>ochracea</i> , <i>Noctua</i>	138
Ochre-bellied Boobook	138
Ochre-bellied Hawk-Owl	138
Ochre-marked Parakeet	121
<i>ochrocephala</i>	
<i>europalliata</i> , <i>Amazona</i>	100
<i>ochrocephala belizensis</i> , <i>Amazona</i>	100
<i>ochrocephala caribaea</i> , <i>Amazona</i>	100
<i>ochrocephala oratrix</i> , <i>Amazona</i>	100
<i>ochrocephala parvipes</i> , <i>Amazona</i>	100
<i>ochrocephala tresmariae</i> , <i>Amazona</i>	100
<i>ochrocephala</i> , <i>Amazona</i>	99, 100
<i>ochrocephalus</i> , <i>Psittacus</i>	99
<i>Ocreatus</i>	171
<i>Ocreatus underwoodii</i>	171
<i>octosetaceus</i> , <i>Mergus</i>	16
<i>oculea</i> , <i>Caloperdix</i>	71
<i>oculea</i> , <i>Perdix</i>	71
<i>Ocydromus sylvestris</i>	79
<i>odiosa</i> , <i>Ninox</i>	138
<i>odomae</i> , <i>Metallura</i>	170
<i>Odontophorus</i>	73
<i>Odontophorus strophium</i>	73
<i>Odontriorchis forbesi</i>	47
<i>Oena</i>	86
<i>Oena capensis</i>	86
<i>oenone</i> , <i>Chrysuronia</i>	159
<i>oenone</i> , <i>Ornismya</i>	159
<i>oenops</i> , <i>Columba</i>	85
<i>oenops</i> , <i>Patagioenas</i>	85
<i>Ognorhynchus</i>	112
<i>Ognorhynchus icterotis</i>	112
Oiseau bruyant des buissons	185
<i>okavangoensis</i> , <i>Vidua</i>	200
Olivaceous Thornbill	157
<i>olivaceum</i> , <i>Chalcostigma</i>	157
<i>olivaceus</i> , <i>Ramphomicron</i>	157
<i>olivaresi</i> , <i>Chlorostilbon</i>	158
Olive-headed Lorikeet	93
Olive-shouldered Parrot	102
Olive-spotted Hummingbird	168
Olive-throated Conure	104
Olive-throated Parakeet	104
Olivino cariblanco	194
Omei Shan Liocichla	186
<i>omeiensis</i> , <i>Liocichla</i>	186
<i>Opaethus erythrolophus</i>	125
<i>Ophrysia</i>	73
<i>Ophrysia superciliosa</i>	73
Ophrysie de l'Himalaya	73
<i>ophthalmica</i> , <i>Cacatua</i>	95
<i>Opisthoprorra</i>	171
<i>Opisthoprorra euryptera</i>	171
<i>Opopsitta diophthalma</i>	107
<i>Opopsitta gulielmitertii</i>	107
Orange Bishop	197
Orange Cock-of-the-rock	184

Orange Weaver	197, 199
Orange-bellied Parakeet 112
Orange-bellied Parrot 112, 116
Orange-billed Lorikeet	92
Orange-breasted Falcon 59
Orange-breasted Fig-Parrot 107
Orange-breasted Waxbill 190
Orange-cheeked Parrot 113
Orange-cheeked Waxbill 191
Orange-chinned Parakeet 105
Orange-fronted Conure 103
Orange-fronted Hanging-Parrot 110
Orange-fronted Parakeet 103, 106
Orange-throated Sunangel 164
Orange-winged Amazon 97
Orange-winged Parrot	97
<i>oratrix</i> , <i>Amazona</i> 100
<i>orbygnesia</i> , <i>Myiopsitta</i> 105
<i>orbygnesius</i> ,	
<i>Bolborhynchus</i> 105
<i>orcesi</i> , <i>Pyrrhura</i> 122
<i>oreas</i> , <i>Picathartes</i>	.. 187
<i>Oreonympha</i> 171
<i>Oreonympha nobilis</i>	171
<i>Oreophasis</i> 69
<i>Oreophasis derbianus</i>	69
<i>oreophilus</i> , <i>Buteo</i> 32
<i>Oreopsittacus</i> 92
<i>Oreopsittacus arfaki</i>	. 92
<i>Oreopyra cinereicauda</i> 167
<i>Oreopyra hemileuca</i>	167
<i>Oreotrochilus</i> 171
<i>Oreotrochilus adela</i>	171
<i>Oreotrochilus boliviensis</i> 171
<i>Oreotrochilus chimborazo</i> 171
<i>Oreotrochilus estella</i>	171
<i>Oreotrochilus leucopleurus</i> 171
<i>Oreotrochilus melanogaster</i> 171
<i>Oreotrochilus stolzmanni</i> 171
<i>Oricou</i> 55
<i>Oriental Bay-Owl</i>126
<i>Oriental Hobby</i> 63
<i>Oriental Honey-buzzard</i> 51
<i>Oriental Pied-Hornbill</i>	180
<i>Oriental Scops-Owl</i>	.145
<i>Oriental Stork</i> 5
<i>Oriental White Stork</i>	... 5
<i>Oriental White-backed Vulture</i> 41
<i>orientalis</i> , <i>Aquila</i> 27
<i>orientalis</i> , <i>Arborophila</i>	70
<i>orientalis</i> , <i>Perdix</i> 70
<i>orientalis</i> , <i>Vidua</i>201
<i>orina</i> , <i>Coeligena</i>159
<i>orix</i> , <i>Euplectes</i>197
<i>Ornate Hawk-Eagle</i>	.. 54
<i>Ornate Lorikeet</i> 93
<i>Ornate Lory</i> 93
<i>Ornate Umbrellabird</i>	184
<i>ornatus</i> , <i>Cephalopterus</i> 183, 184
<i>ornatus</i> , <i>Falco</i> 54
<i>ornatus</i> , <i>Lophornis</i>	..169
<i>ornatus</i> , <i>Psittacus</i> 93
<i>ornatus</i> , <i>Spizaetus</i>	... 54
<i>ornatus</i> , <i>Trichoglossus</i>	93
<i>ornatus</i> , <i>Trochilus</i>169
<i>Ornismya abeillei</i>150
<i>Ornismya alinae</i>161
<i>Ornismya amazilia</i>	..152
<i>Ornismya amethysticollis</i>164
<i>Ornismya anna</i>155
<i>Ornismya aureoventris</i>157
<i>Ornismya bonapartei</i>	159
<i>Ornismya canivetii</i>	..158
<i>Ornismya clarisse</i>	..164
<i>Ornismya clemenciae</i>	167
<i>Ornismya coeligena</i>	.159
<i>Ornismya colombica</i>	177
<i>Ornismya constantii</i>	166
<i>Ornismya costae</i>155
<i>Ornismya cyanocephala</i>151
<i>Ornismya delattrei</i>	..169
<i>Ornismya delphinae</i>	160
<i>Ornismya dupontii</i>	..178
<i>Ornismya ensifera</i>	..161
<i>Ornismya eximia</i>163
<i>Ornismya fanny</i>171
<i>Ornismya glaucopoides</i>162
<i>Ornismya gouldii</i>169
<i>Ornismya guerinii</i>172
<i>Ornismya helenae</i>169
<i>Ornismya helianthea</i>	159
<i>Ornismya heliodor</i>	..156
<i>Ornismya heloisa</i>154
<i>Ornismya heteropogon</i>157
<i>Ornismya jourdanii</i>	.157
<i>Ornismya julie</i> 160
<i>Ornismya lactea</i>174
<i>Ornismya lumachella</i>	154
<i>Ornismya microrhyncha</i>175
<i>Ornismya mulsant</i>	..157
<i>Ornismya nuna</i>168
<i>Ornismya oenone</i>	...159
<i>Ornismya pamela</i>	...151
<i>Ornismya phoebe</i>	...170
<i>Ornismya poortmani</i>	158
<i>Ornismya prasina</i>	...158
<i>Ornismya rhami</i>167
<i>Ornismya ricordii</i>158
<i>Ornismya rutila</i>152
<i>Ornismya sasin</i>176
<i>Ornismya swainsonii</i>	158
<i>Ornismya theresiae</i>	.175
<i>Ornismya torquata</i>	..159
<i>Ornismya underwoodii</i>171
<i>Ornismya vesper</i>175
<i>Ornismya vestita</i>162
<i>Oroaetus</i> 51
<i>Oroaetus isidori</i>51
<i>Ortalide chacamel</i>69
<i>Ortalide commune</i>69
<i>Ortalide du Mexique</i>	..69
<i>Ortalis</i>69
<i>Ortalis vetula</i>69
<i>Orthopsittaca</i>113
<i>Orthopsittaca manilata</i>113
<i>Orthorhyncus</i>	.170, 171, 177, 178
<i>Orthorhyncus cora</i>	..178
<i>Orthorhyncus cristatus</i>171
<i>Orthorhyncus helenae</i>170
<i>Orthorhyncus sephanioides</i>177
<i>Ortygospiza</i>194
<i>Ortygospiza atricollis</i>	194
<i>oryzivora</i> , <i>Lonchura</i>	194
<i>oryzivora</i> , <i>Padda</i>194
<i>Osprey</i>19
<i>Ostrich</i> 1
<i>ostrinus</i> , <i>Pyrenestes</i>	195
OTIDIDAE79
<i>Otis</i> 79, 80, 81, 82
<i>Otis afraoides</i>80
<i>Otis arabs</i>79
<i>Otis atra</i>80

<i>Otis australis</i>	79
<i>Otis bengalensis</i>	80
<i>Otis caerulescens</i>	80
<i>Otis cafra</i>	81
<i>Otis hartlaubii</i>	80
<i>Otis heuglinii</i>	82
<i>Otis kori</i>	79
<i>Otis ludwigii</i>	82
<i>Otis macqueenii</i>	80
<i>Otis melanogaster</i>	81
<i>Otis nigriceps</i>	79, 80
<i>Otis nuba</i>	82
<i>Otis rueppellii</i>	81
<i>Otis ruficrista</i>	80, 81
<i>Otis senegalensis</i>	81
<i>Otis tarda</i>	82
<i>Otis tetrax</i>	83
<i>Otis vigorsii</i>	82
<i>Otus</i> 129, 130, 132, 137, 140, 141, 142, 143, 144, 145, 146	
<i>Otus abyssinicus</i>	129
<i>Otus albogularis</i>	140
<i>Otus alfredi</i>	143
<i>Otus alius</i>	140
<i>Otus angelinae</i>	140
<i>Otus asio</i>	140, 142
<i>Otus atricapillus</i>	140
<i>Otus bakkamoena</i>	. 141, 142, 143, 144
<i>Otus balli</i>	141
<i>Otus barbarus</i>	141
<i>Otus beccarii</i>	143
<i>Otus bengalensis</i>	132
<i>Otus brookii</i>	141
<i>Otus brucei</i>	141
<i>Otus capensis</i>	129
<i>Otus capnodes</i>	144
<i>Otus choliba</i>	141
<i>Otus clarkii</i>	141
<i>Otus collaris</i>	141
<i>Otus colombianus</i>	.. 142
<i>Otus cooperi</i>	142
<i>Otus elegans</i>	142
<i>Otus enganensis</i>	143
<i>Otus flammeolus</i>	142
<i>Otus fuliginosus</i>	142
<i>Otus guatemalae</i>	... 140, 146
<i>Otus gurneyi</i>	137
<i>Otus hartlaubi</i>	142
<i>Otus hoyi</i>	140
<i>Otus icterorhynchus</i>	142
<i>Otus ingens</i>	142
<i>Otus insularis</i>	143
<i>Otus ireneae</i>	142
<i>Otus kennicottii</i>	142
<i>Otus koepckeae</i>	142
<i>Otus lawrencii</i>	143

<i>Otus lempiji</i>	141
<i>Otus leucotis</i>	143
<i>Otus longicornis</i>	143
<i>Otus madagascariensis</i> 130, 144
<i>Otus magicus</i>	143
<i>Otus manadensis</i>	143
<i>Otus mantananensis</i>	143
<i>Otus marshalli</i>	143
<i>Otus mayottensis</i>	144
<i>Otus megalotis</i>	143
<i>Otus mentawi</i>	144
<i>Otus mindorensis</i>	144
<i>Otus minimus</i>	142
<i>Otus mirus</i>	144
<i>Otus moheliensis</i>	144
<i>Otus nudipes</i>	144
<i>Otus pauliani</i>	144
<i>Otus pembaensis</i>	144
<i>Otus petersoni</i>	143
<i>Otus podarginus</i>	144
<i>Otus roboratus</i>	144
<i>Otus rufescens</i>	144
<i>Otus rutilus</i>	144
<i>Otus sagittatus</i>	145
<i>Otus sanctaecatarinae</i> 145
<i>Otus scops</i>	142, 143, 144, 145
<i>Otus seductus</i>	142
<i>Otus senegalensis</i>	145
<i>Otus siaoensis</i>	143
<i>Otus silvicola</i>	145
<i>Otus spilocephalus</i>	. 140, 145
<i>Otus sunia</i>	145
<i>Otus trichopsis</i>	146
<i>Otus umbra</i>	.. 143, 146
<i>Otus usta</i>	146
<i>Otus vandewateri</i>	145
<i>Otus vermiculatus</i>	146
<i>Otus watsonii</i>	146
<i>Otus whiteheadi</i>	143
<i>otus, Asio</i> 129, 130
<i>otus, Strix</i> 130
<i>oustaleti, Anas</i> 13
<i>Oustalet's Grey Duck</i>	13
<i>Outarde arabe</i> 79
<i>Outarde australienne</i>	79
<i>Outarde barbe</i> 82
<i>Outarde d'Australie</i>	.. 79
<i>Outarde de Burchell</i>	.. 82
<i>Outarde de Denham</i>	.. 82
<i>Outarde de Hartlaub</i>	.. 80
<i>Outarde de Heuglin</i>	.. 82
<i>Outarde de l'Inde</i> 80
<i>Outarde de Ludwig</i>	.. 82
<i>Outarde de Nubie</i>	.. 82
<i>Outarde de Savile</i> 81
<i>Outarde de Vigors</i> 82
<i>Outarde d'Oustalet</i>	... 80
<i>Outarde du Bengale</i>	.. 80
<i>Outarde houbara</i> 80
<i>Outarde houppette</i>	.. 81
<i>Outarde korhaan</i> 80
<i>Outarde kori</i> 79
<i>Outarde naine</i> 81
<i>Outarde naine de l'Inde</i> 81
<i>Outarde noire</i> 80
<i>Outarde nubienne</i> 82
<i>Outarde passarage</i>	.. 81
<i>Outarde somalienne</i>	.. 81
<i>Ovambo Sparrowhawk</i>	24
<i>ovampensis, Accipiter</i>	23
<i>Ovampo Sparrowhawk</i>	24
<i>Owl Parrot</i> 123
<i>Oxygon</i> 172
<i>Oxygon guerinii</i>	.. 172
<i>Oxyura</i> 17
<i>Oxyura jamaicensis</i>	.. 17
<i>Oxyura leucocephala</i>	. 17

P

<i>Pachyphantes</i> 198
<i>Pachyphantes superciliosus</i> 198
<i>pachyrhyncha, Rhynchopsitta</i>	122, 123
<i>pachyrhynchus, Macrocercus</i> 122
<i>Pacific Baza</i> 29
<i>Pacific Black Hawk</i> 34
<i>Pacific Marsh-Harrier</i>	. 36
<i>Pacific Parrotlet</i> 108
<i>Pacific Pygmy-Owl</i>	.. 136
<i>Padda</i> 194
<i>Padda de Java</i> 194
<i>Padda de Timor</i> 194
<i>Padda fuscata</i> 194
<i>Padda oryzivora</i> 194
<i>Painted Conure</i> 122
<i>Painted Parakeet</i> 122
<i>Painted Tiger-Parrot</i>	118
<i>Palaeornis anthopeplus</i> 116
<i>Palaeornis caniceps</i>	. 119
<i>Palaeornis columbooides</i> 119
<i>Palaeornis derbianus</i>	119
<i>Palaeornis echo</i> 119
<i>Palaeornis finschii</i>	.. 119
<i>Palaeornis intermedia</i> 119
<i>Palau Owl</i> 144

Palawan Hornbill	181
Palawan Peacock-pheasant	74
Palawan Racket-tailed Parrot	116
Palawan Scops-owl .	142
Pale Chanting-Goshawk	48, 49
Pale Harrier	37
Pale-bellied Hermit .	172
Pale-billed Sicklebill	203
Pale-fronted Negrofinch	194
Pale-headed Rosella	114
Pale-tailed Barbetthroat	178
Palette de Buru	117
Palette de Cassin ...	116
Palette de Mindanao	117
Palette de Palawan .	117
Palette des Sulu	117
Palette momot	117
Palette verte	116
Pale-winged Indigobird	201
Pallas's Fish-Eagle	43
Pallas's Sea-Eagle	43
Pallid Harrier	37
Pallid Scops-Owl	141
<i>pallidigaster</i> , <i>Anthreptes</i>	187
<i>pallidigaster</i> , <i>Hedydipna</i>	187
Palm Cockatoo	96
Palm Dove	87
Palm Lorikeet	90
<i>palmarum</i> , <i>Charmosyna</i>	90
<i>palmarum</i> , <i>Glaucidium</i>	135
<i>palmarum</i> , <i>Hypocharmosyna</i> ...	90
<i>palmarum</i> , <i>Psittacus</i> .	90
Palmiste africain	41
Palm-nut Vulture	41
Paloma afep	85
Paloma calva	84
Paloma crestada azul	86
Paloma crestada de Scheepmaker	86
Paloma crestada victoria	86
Paloma de Guinea	84
Paloma de Mauricio ..	85
Paloma de Mindoro ...	86
Paloma de Nicobar ...	84
Paloma de Timor	89
Paloma del Congo	85
Paloma Jamaicana	84
Paloma manumea	85
Paloma montaraz de Granada	86
Paloma nuquibronceada	84
Paloma Peruana	85
Palomita aliazul	89
Palomita cabeciazul ..	89
Palomita especulada abisinica	89
Palomita especulada africana	89
Palomita especulada capense	86
Palomita especulada cobriza	89
Palomita saheliana ...	89
Palomita tamborilera	89
<i>palustris</i> , <i>Sporophila</i>	188
<i>pamela</i> , <i>Aglaeactis</i> ..	151
<i>pamela</i> , <i>Ornismya</i> ...	151
Pampas Meadowlark	189
<i>Pampusanna criniger</i>	86
Panay Tarictic Hornbill	182
Panay Wrinkled Hornbill	180
<i>Pandion</i>	19
<i>Pandion haliaetus</i>	19
PANDIONIDAE	19
<i>panini</i> , <i>Buceros</i>	182
<i>panini</i> , <i>Penelopides</i> 181,	182
<i>Panterpe</i>	172
<i>Panterpe insignis</i>	172
<i>Panychlora aurata</i> ...	158
<i>Panychlora inexpectata</i>	158
<i>Panychlora russata</i> ..	158
<i>Panychlora stenura</i> .	158
<i>panychlora</i> , <i>Nannopsittaca</i>	111
<i>panychlorus</i> , <i>Brotogeris</i>	112
Paon vert	73
<i>papa</i> , <i>Sarcoramphus</i>	18
<i>papa</i> , <i>Vultur</i>	18
Papagayo alirrojo	102
Papagayo australiano	97
Papagayo de cara roja	98
Papagayo de Gulielm	115
Papagayo de Timor	102
Papagayo enmascarado	117
Papagayo escarlata .	117
Papagayo granate ...	117
Papagayo robusto ...	116
Papamoscas de Rueck	185
Papamoscas piquilargo	186
Papamoscas rosa occidental	186
<i>Papasula</i>	3
<i>Paphosia adorabilis</i> .	169
<i>Paphosia heleneae</i>	169
<i>papou</i> , <i>Charmosyna</i> ..	90
<i>papou</i> , <i>Psittacus</i>	90
Papuan Boobook	150
Papuan Goshawk	23
Papuan Hanging-Parrot	110
Papuan Harrier	38
Papuan Hawk-owl ...	150
Papuan Honey-buzzard	45
Papuan Hornbill	180
Papuan King-Parrot ...	97
Papuan Lorikeet	90
Papuan Scops-Owl ..	143
<i>Parabuteo</i>	51
<i>Parabuteo unicinctus</i> .	51
<i>Paradigalla</i>	204
<i>Paradigalla brevicauda</i>	204
<i>Paradigalla carunculata</i>	204
<i>Paradisaea</i> 201, 204, 205	
<i>Paradisaea apoda</i> ...	204
<i>Paradisaea decora</i> ..	205
<i>Paradisaea guilielmi</i>	205
<i>Paradisaea minor</i>	205
<i>Paradisaea raggiana</i>	205
<i>Paradisaea rubra</i>	205
<i>Paradisaea rudolphi</i>	205
<i>paradisea</i> , <i>Vidua</i> ...	201
PARADISAEIDAE ... 202	
Paradise Parrot	118
Paradise Riflebird	206
<i>paradisea</i> , <i>Anthropoides</i>	78
<i>paradisea</i> , <i>Ardea</i>	78
<i>paradisea</i> , <i>Grus</i>	78
<i>paradisea</i> , <i>Tetrapteryx</i>	78
Paradise-Crow	204
<i>paradiseus</i> , <i>Ptiloris</i> .	206
Paradisier bleu	205
Paradisier corvin	204
Paradisier d'Albert .	203,
	206
Paradisier d'Albertis	203
Paradisier de Carola	205
Paradisier de Goldie	205
Paradisier de Guillaume	205
Paradisier de Jobi ...	204
Paradisier de Keraudren	

.....	204	<i>Parotia wahnesi</i>	205	<i>Pavo bicalcaratus</i>	74
Paradisier de Lawes	205	<i>Passer</i>	198	<i>Pavo malacensis</i>	74
Paradisier de l'empereur		<i>Passer griseus</i>	198	<i>Pavo mudo</i>	73
Guillaume	205	PASSERIFORMES ..183		<i>Pavo muticus</i>	73
Paradisier de Loria	203	<i>passerina, Strix</i>	135	<i>Pavo ocelado</i>	70
Paradisier de Macgregor		<i>passerinum, Glaucidium</i>		<i>pavonina, Ardea</i>	76
.....	204	135	<i>pavonina, Balearica</i>	76
Paradisier de Meyer	203	<i>passerinus, Forpus</i> ..108		<i>pavoninus, Lophornis</i> ..169	
Paradisier de Raggi	205	<i>passerinus, Psittacus</i> 108		Pavo-real cuelliverde ..73	
Paradisier de Rodolphe		<i>pastinator, Cacatua</i> ..95		Pavo-real verde	73
.....	205	<i>pastinator, Licmetis</i> ..95		Peach-fronted Conure	
Paradisier de Rothschild		<i>Patagioenas caribaea</i> 84		103
.....	202	<i>Patagioenas oenops</i> ..85		Peach-fronted Parakeet	
Paradisier de Victoria	206	<i>Patagona</i>	172	103
Paradisier de Wahnes		<i>Patagona gigas</i>	172	Peacock Coquette ...169	
.....	205	<i>Patagonian Conure</i> ..106		Pearl Kite	40
Paradisier de Wallace	206	<i>patagonus, Cyanoliseus</i>		Pearl-spotted Owlet 136	
Paradisier		106, 108	Pearly Conure	122
d'Entrecasteaux	204	<i>patagonus, Psittacus</i> 106		Pearly Parakeet	122
Paradisier d'Helena	205	<i>Patito africano</i>	17	<i>pectoralis, Circaetus</i> ..36	
Paradisier du comte		<i>Pato aliblanco</i>	15	<i>pelagica, Aquila</i>	43
Raggi	205	<i>Pato almizclero aliblanco</i>		<i>pelagicus, Haliaeetus</i> 43	
Paradisier du prince		15	PELECANIDAE	2
Albert	206	<i>Pato cabecirrosa</i>	18	PELECANIFORMES ..2	
Paradisier fastueux	203	<i>Pato chucara</i>	11	<i>Pelecanus</i>	2
Paradisier gorge-d'acier		<i>Pato crestado</i>	18	<i>Pelecanus crispus</i>	2
.....	206	<i>Pato crestudo</i>	18	<i>Pelecanus philippensis</i> 2	
Paradisier loria	203	<i>Pato criollo</i>	15	<i>pelegrinoides, Falco</i> ..61	
Paradisier magnifique		<i>Pato cuchara</i>	11	<i>peli, Scotopelia</i>	147
.....	203	<i>Pato de Bernier</i>	11	<i>peli, Strix</i>	147
Paradisier multifil	206	<i>Pato de cabeza rosa</i> ..18		<i>pella, Topaza</i>	178
Paradisier noir	204	<i>Pato de Hartlaub</i>	17	<i>pella, Trochilus</i>	178
Paradisier rouge	205	<i>Pato de jungla</i>	15	Pel's Fishing-Owl147	
Paradisier royal	203	<i>Pato de Laysan</i>	12	<i>pelzelni, Ploceus</i>200	
Paradisier sifilet	205	<i>Pato de moco</i>	18	Pemba Scops-owl ...144	
Paradisier soyeux	203	<i>Pato de monte</i>	18	<i>pembaensis, Otus</i> ...144	
Paradisier splendide	202	<i>Pato de Oustalet</i>	13	penduliger,	
Paradisier superbe	203	<i>Pato rabudo</i>	10	<i>Cephalopterus</i>	184
Paradisier vert	204	<i>Pato real</i>	15	<i>Penelope</i>	69, 70
Parasitic Weaver	196	<i>Pato real de Laysan</i> ..12		<i>Penelope albipennis</i> ..69	
Pariah Kite	49	<i>Pato real marismeno</i> 13		<i>Penelope jacutinga</i> ..70	
Parihuana	9	<i>pauliani, Otus</i> ..144		<i>Penelope niger</i>	70
Parina chica	9	<i>Pauxi</i>	69	<i>Penelope pileata</i>	69
Parina grande	9	<i>Pauxi pauxi</i>	69	<i>Penelope purpurascens</i>	
Pariona	9	<i>Pauxi pierre</i>	69	69
<i>parkeri, Glaucidium</i>	135	<i>Pauxi unicornis</i>	69	<i>Penelope vetula</i>	69
<i>Parmoptila</i>	195	<i>pauxi, Crax</i>	69	<i>penelope, Anas</i>	13
<i>Parmoptila jamesoni</i>	195	<i>pauxi, Pauxi</i>	69	<i>Penelopides</i>181, 182	
<i>Parmoptila rubrifrons</i>	195	<i>Pava aliblanca</i>	69	<i>Penelopides affinis</i> ..181	
<i>Parmoptila woodhousei</i>		<i>Pava cojolita</i>	69	<i>Penelopides exarhatus</i>	
.....	195	<i>Pava crestiblanca</i>	69	181
<i>Paroaria</i>	188	<i>Pava culirroja</i>	69	<i>Penelopides manillae</i> 182	
<i>Paroaria capitata</i>	188	<i>Pava de Trinidad</i>	70	<i>Penelopides mindorensis</i>	
<i>Paroaria coronata</i>	188	<i>Pava pajuil</i>	69, 70	182
<i>Parotia</i>	205	<i>Pava rajadora</i>	70	<i>Penelopides panini</i> ..181,	
<i>Parotia carolae</i>	205	<i>Pava yacutinga</i>	70	182	
<i>Parotia helenae</i>	205	<i>Pavita andina</i>	135	<i>Penelopides samarensis</i>	
<i>Parotia lawesii</i>	205	<i>Pavita ferruginea</i> ..134		182
<i>Parotia sefilata</i>	205	<i>Pavo</i>	73, 74		

<i>Penelopina</i>	70	Perico calzoncito	113	105
<i>Penelopina nigra</i>	70	Perico capelo	121	Periquito barrado	105
Pennant's Parakeet .	115	Perico capirotado	118	Periquito cabecirrojo	107
<i>pennata pennata, Rhea</i> 1		Perico cara sucia	104	Periquito de collar	
<i>pennata, Pterocnemia</i> .1		Perico caretirrojo	103	africano	120
<i>pennata, Rhea</i>	1	Perico cariazul	112	Periquito de espalda	
<i>pennatus, Falco</i>	45	Perico carigualdo	115	dorada	118
<i>pennatus, Hieraaetus</i> 45		Perico cola negra	122	Periquito de pico grueso	
<i>percnopterus, Neophron</i>	50	Perico cola roja	121	122
<i>percnopterus, Vultur</i> .50		Perico colimorado ...	121	Periquito de tierra ...	113
Perdicilla herrumbrosa 71		Perico cornudo	108	Periquito elegante ...	112
Perdicilla Himalaya ...	73	Perico de Adelaida ..	114	Periquito encapuchado	
Perdigallo caspio	75	Perico de Barnard ...	105	118
Perdigallo del Caspio 75		Perico de El Oro	122	Periquito frentiamarillo de	
Perdigallo Tibetano ...	75	Perico de las Chatham		Forbes	106
<i>Perdix charltonii</i>	70	106	Periquito frentiazul .	123
<i>Perdix longirostris</i>	74	Perico de Port Lincoln		Periquito mexicano .	108
<i>Perdix oculata</i>	71	105	Periquito migrador ..	109
<i>Perdix orientalis</i>	70	Perico de Tasmania .	115	Periquito oscuro	108
Perdiz de bosque		Perico dorado	104	Periquito ojiazul	108
crestada	75	Perico dorsirrojo	118	Periquito orejiamarillo	
Perdiz de bosque de		Perico elegante	115	112
Charlton	70	Perico frentinaranja .	103	Periquito roquero	112
Perdiz de bosque de pico		Perico gracioso	115	Periquito rosado	112
largo	74	Perico grande	121	Periquito turquesa ..	112
Perdiz de bosque		Perico gualda	115	Periquito ventrinaranja	
ferruginosa	71	Perico manglero	97	112
Perdiz de bosque negra		Perico maori		<i>perlata, Pyrrhura</i>	122
.....	73	cabecigualdo	106	<i>perlata, Strix</i>	135
Perdiz negra	73	Perico maori cabecirrojo		<i>perlatum, Glaucidium</i> 135	
Perdiz piquilarga	74	107	<i>perlatus, Aratinga</i> ...	122
Perdiz real del Caspio 75		Perico maori montano		Pernambuco Pygmy-Owl	
Perdiz real del Tibet ..	75	106	135
Perdiz rulrul	75	Perico multicolor	109,	<i>Pernis</i>	29, 51
Perdrix des neiges de la		115		<i>Pernis apivorus</i>	51
Caspienne	75	Perico nocturno	109	<i>Pernis celebensis</i>	51
Perdrix des neiges du		Perico ojo blanco	104	<i>pernis cristatus</i>	51
Tibet	75	Perico pechiblanco ..	121	<i>Pernis jerdoni</i>	29
Perdrix noire	73	Perico pechisucio	104	<i>Pernis madagascariensis</i>	
Peregrine	61	Perico pico rojo	114	29
Peregrine Falcon	61	Perico pintado	122	<i>Pernis ptilorhyncus</i>	51
<i>peregrinus, Falco</i>	61	Perico princesa	116	<i>perplexus, Spilornis</i> ..	53
Perfect Lorikeet	93	Perico regente	116	Perroquet de Meyer 115	
Perico 97, 103, 104, 105,		Perico siete colores .	123	Perroquet des niam-niam	
106, 107, 108, 109,		Perico soberbio	116	115
112, 113, 114, 115,		Perico terrestre	113	Perroquet du Cap ...	116
116, 118, 121, 122,		Perico tui	106	Perroquet gris	120
123		Perico variado	118	Perroquet jaco	120
Perico aligualdo	118	Perico verde	104	Perroquet nocturne .	123
Perico barreteado ...	105	Periquito 105, 106, 107,		Perroquet noir	106
Perico cabecidorado 114		108, 109, 112, 113,		Perroquet petit vasa 106	
Perico cabecinegro .	113	118, 120, 122, 123,		Perroquet robuste ...	116
Perico cabecioscuro 104		124		Perroquet vaza	106
Perico cabecirrojo ...	122	Periquito ala dorada 105		Perroquet vert du Congo	
Perico cabecirrossado 122		Periquito aliazul	108	115
Perico cachete amarillo		Periquito alipunteado 124		Perroquet youyou ...	116
.....	113	Periquito azul	105	Perroquet-hibou	123
Perico cachetigris ...	106	Periquito azul alirrojo 123		Perruche alexandre .	119
		Periquito barbinaranja		Perruche ara	122

Perruche aux ailes bleues	108
Perruche aux ailes d'or	118
Perruche aux oreilles jaunes	112
Perruche cornue	108
Perruche d'Alexandra	116
Perruche d'Aymara	118
Perruche de Barnard	105
Perruche de Barraband	116
Perruche de Bourke	112
Perruche de Branicki	109
Perruche de Brehm	118
Perruche de Buru	123
Perruche de Derby	119
Perruche de Finsch	119
Perruche de Fischer	96
Perruche de Geoffroy	108
Perruche de Jenday	104
Perruche de Latham	109
Perruche de Layard	119
Perruche de l'Himalaya	119
Perruche de Lilian	96
Perruche de Madarasz	118
Perruche de Malabar	119
Perruche de Malherbe	106
Perruche de Maurice	119
Perruche de paradis	118
Perruche de Pennant	115
Perruche de Sparrman	107
Perruche de Stanley	115
Perruche de Swindern	97
Perruche de terre	113
Perruche des Antipodes	107
Perruche des Nicobar	119
Perruche des rochers	112
Perruche du soleil	104
Perruche gracieuse	115
Perruche jonquille	102
Perruche magnifique	118
Perruche modeste	118
Perruche multicolore	118
Perruche Nanday	111
Perruche nocturne	109
Perruche omnicolore	115
Perruche paliceps	114
Perruche peinte	118
Perruche pompadour	117
Perruche princesse	116
Perruche royale	97
Perruche splendide	112
Perruche terrestre	113
Perruche tiriba	121
Perruche tovi	105
Perruche tricolore	97
Perruche turquoise	112
Perruche unicolore	107
Perruche-souris	111
<i>persa</i> , <i>Cuculus</i>	125
<i>persa</i> , <i>Tauraco</i>	125
<i>personata</i> , <i>Coracopsis</i>	117
<i>personata</i> , <i>Prosopela</i>	117
<i>personatus</i> , <i>Agapornis</i>	96
<i>perspicillata</i> , <i>Pulsatrix</i>	146
<i>perspicillata</i> , <i>Strix</i>	146
<i>pertinax</i> , <i>Aratinga</i>	104
<i>pertinax</i> , <i>Eupsittula</i>	104
<i>pertinax</i> , <i>Psittacus</i>	104
<i>peruanum</i> , <i>Glaucidium</i>	136
Peruvian Cock-of-the-rock	184
Peruvian Penguin	2
Peruvian Piedtail	174
Peruvian Pigeon	85
Peruvian Pygmy-Owl	136
Peruvian Screech-Owl	144
Peruvian Sheartail	178
<i>peruviana</i> , <i>Rupicola</i>	184
<i>peruviana</i> , <i>Vini</i>	94
<i>peruvianus</i> , <i>Psittacus</i>	94
<i>perversa</i> , <i>Ninox</i>	138
Pesquet's Parrot	121
<i>petersoni</i> , <i>Megascops</i>	143
<i>petersoni</i> , <i>Otus</i>	143
Peters's Twinspot	191
Petit faucon	60
Petit flamant	9
Petit lori musc	92
Petit Moineau	198
Petit moineau soulcie	198
Petit paradisier	205
Petit perroquet noir	106
Petit perruche-ara	107
Petit serpentaire	52
Petit-duc africain	145
Petit-duc choliba	141
Petit-duc de Bruce	141
Petit-duc de Clark	141
Petit-duc de Cuba	143
Petit-duc de Gurney	137
Petit-duc de Horsfield	141
Petit-duc de Java	140
Petit-duc de Koepcke	142, 143
Petit-duc de Manado	143
Petit-duc de Mantanani	143
Petit-duc de Marshall	143
Petit-duc de Mindanao	144
Petit-duc de Mindoro	144
Petit-duc de Nicobar	140
Petit-duc de Palawan	142
Petit-duc de Porto Rico	144
Petit-duc de Salvin	142
Petit-duc de Sangihe	142
Petit-duc de Simalur	146
Petit-duc de Wallace	145
Petit-duc de Watson	146
Petit-duc des Andaman	141
Petit-duc des Mentawai	144
Petit-duc des montagnes	142
Petit-duc des Palau	144
Petit-duc du Karthala	144
Petit-duc indien	141
Petit-duc longicorne	143
Petit-duc malgache	144
Petit-duc nain	142
Petit-duc radjah	141
Petit-duc scops	145
Petite buse	32
Petite nyctale	128
<i>Petronia</i>	198
<i>Petronia dentata</i>	198
<i>petrophila</i> , <i>Euphema</i>	112
<i>petrophila</i> , <i>Neophema</i>	112
<i>Pezoporus</i>	109, 113
<i>Pezoporus occidentalis</i>	109
<i>Pezoporus wallicus</i>	113
<i>pfrimeri</i> , <i>Pyrrhura</i>	122
<i>Phaeochroa cuvierii</i>	155
<i>Phaethornis</i>	152, 172, 173, 174
<i>Phaethornis anthophilus</i>	172
<i>Phaethornis atrimentalis</i>	172
<i>Phaethornis augusti</i>	172
<i>Phaethornis bourcieri</i>	172
<i>Phaethornis eurynome</i>	172
<i>Phaethornis gounellei</i>	152
<i>Phaethornis griseogularis</i>	172
<i>Phaethornis guy</i>	172
<i>Phaethornis hispidus</i>	172
<i>Phaethornis idaliae</i>	173
<i>Phaethornis koepckeae</i>	

.....	173
<i>Phaethornis longirostris</i>	173
.....	173
<i>Phaethornis longuemareus</i>	173
<i>Phaethornis malaris</i>	173
<i>Phaethornis maranhaoensis</i>	173
<i>Phaethornis margarettae</i>	173
.....	173
<i>Phaethornis mexicanus</i>	174
.....	174
<i>Phaethornis nattereri</i>	173
<i>Phaethornis nigrirostris</i>	172
<i>phaethornis ochraceiventris</i>	173
<i>Phaethornis philippii</i>	173
<i>Phaethornis porcullae</i>	172
.....	172
<i>Phaethornis pretrei</i>	173
<i>Phaethornis ruber</i>	173
<i>Phaethornis rupurumii</i>	173
.....	173
<i>Phaethornis squalidus</i>	173
.....	173
<i>Phaethornis striigularis</i>	173
.....	173
<i>Phaethornis stuarti</i>	174
<i>Phaethornis subochraceus</i>	174
<i>Phaethornis superciliosus</i>	174
.....	174
<i>Phaethornis syrmatophorus</i>	174
<i>Phaethornis yaruqui</i>	174
<i>Phaethornis zonura</i>	172
<i>phainopeplus,</i>	
<i>Campylopterus</i>	156
<i>Phalacrotreron delalandii</i>	88
.....	88
<i>Phalaenopsis jardini</i>	135
<i>Phalcoboenus</i>	67
<i>Phalcoboenus albogularis</i>	67
.....	67
<i>Phalcoboenus australis</i>	67
<i>Phalcoboenus carunculatus</i>	67
.....	67
<i>Phalcoboenus megalopterus</i>	67
<i>phalerata, Coeligena</i>	159
<i>phalerata, Leucuria</i>	159
<i>Pharaoh Eagle-Owl</i>	132
<i>Pharomachrus</i>	179
<i>Pharomachrus mocinno</i>	179
.....	179
<i>Phasianelle modesta</i>	89
PHASIANIDAE	70
<i>Phasianus africanus</i>	124
.....	124
<i>Phasianus argus</i>	71
<i>Phasianus crossoptilon</i>	71
<i>Phasianus cruentus</i>	72
<i>Phasianus ellioti</i>	75
<i>Phasianus erythropthalmus</i>	72
<i>Phasianus ignitus</i>	73
<i>Phasianus impejanus</i>	72
<i>Phasianus leucomelas</i>	73
.....	73
<i>Phasianus melanocephalus</i>	76
<i>Phasianus reevesii</i>	75
<i>Phasianus roulroul</i>	74
<i>Phasianus rufus</i>	73
<i>Phigys</i>	92
<i>Phigys solitarius</i>	92
<i>philippensis, Bubo</i>	133
<i>philippensis, Loriculus</i>	110
<i>philippensis, Ninox</i>	138
<i>philippensis, Pelecanus</i>	2
<i>philippensis, Pseudoptynx</i>	133
<i>philippensis, Psittacus</i>	110
<i>philippensis, Scops</i>	133
<i>philippensis, Spizaetus</i>	54
<i>philippii, Phaethornis</i>	173
<i>philippii, Trochilus</i>	173
<i>Philippine Boobook</i>	138
<i>Philippine Cockatoo</i>	94
<i>Philippine Eagle</i>	52
<i>Philippine Eagle-owl</i>	133
<i>Philippine Falconet</i>	66
<i>Philippine Hanging-Parrot</i>	110
.....	110
<i>Philippine Hawk-Eagle</i>	54
<i>Philippine Hawk-Owl</i>	138
<i>Philippine Scops-Owl</i>	144
<i>Philippine Serpent-Eagle</i>	53
.....	53
<i>Philodice bryantae</i>	155
<i>Philodice dupontii</i>	178
<i>Philodice evelynae</i>	155
<i>Philodice mitchellii</i>	155
<i>Phlogophilus</i>	174
<i>Phlogophilus harterti</i>	174
.....	174
<i>Phlogophilus hemileucurus</i>	174
<i>Phodile calong</i>	126
<i>Phodile de Prigogine</i>	126
<i>Phodilus</i>	126
<i>Phodilus badius</i>	126
<i>Phodilus prigoginei</i>	126
<i>Phoeba albatrus</i>	2
<i>phoebe, Metallura</i>	170
<i>phoebe, Ornithya</i>	170
<i>Phoenicoparrus minor</i>	9
.....	9
<i>Phoenicoparrus andinus</i>	9
<i>Phoenicoparrus jamesi</i>	9
<i>phoenicoptera, Pytilia</i>	195
.....	195
PHOENICOPTERIDAE	9
<i>Phoenicopteridae</i>	9
<i>Phoenicopteridae</i>	9
<i>Phoenicoparrus andinus</i>	9
<i>Phoenicoparrus chilensis</i>	9
.....	9
<i>Phoenicoparrus jamesi</i>	9
<i>Phoenicoparrus minor</i>	9
<i>Phoenicoparrus roseus</i>	9
<i>Phoenicoparrus ruber</i>	9
<i>Pholidornis</i>	195
<i>Pholidornis rushiae</i>	195
<i>Phonygammus keraudrenii</i>	204
<i>Piapoco pico rojo</i>	183
<i>Piapoco pico verde</i>	183
<i>Pic de Tristram</i>	183
<i>Picaflor abanico verde</i>	169
.....	169
<i>Picaflor amatista</i>	154
<i>Picaflor bronceado</i>	166
<i>Picaflor cabeciazul</i>	166
<i>Picaflor cabeza granate</i>	177
.....	177
<i>Picaflor coliverde</i>	175
<i>Picaflor coludo rojo</i>	175
<i>Picaflor corona azul</i>	177
<i>Picaflor cuelliblanco</i>	169
<i>Picaflor de Barbijo</i>	166
<i>Picaflor dorado</i>	166
<i>Picaflor enano</i>	170
<i>Picaflor escamado</i>	166
<i>Picaflor frentivioleta</i>	162
<i>Picaflor gargantiazul</i>	150
<i>Picaflor gargantiverde</i>	177
.....	177
<i>Picaflor gigante</i>	172
<i>Picaflor negro</i>	163
<i>Picaflor orejiazul</i>	160
<i>Picaflor pechiazul</i>	167
<i>Picaflor serrano ventricanela</i>	171
.....	171
<i>Picaflor serrano ventrino</i>	171
.....	171
<i>Picaflor ventriazul</i>	160
<i>Picaflor ventriblanco</i>	168
<i>Picaflor ventrinegro</i>	153
<i>Picaflor ventriverde</i>	160
<i>Picatartes cuelliblanco</i>	186
.....	186
<i>Picatartes cuelligris</i>	187
<i>Picatharte chauve</i>	186
<i>Picatharte du Cameroun</i>	187
.....	187
<i>Picathartes</i>	186, 187
<i>Picathartes</i>	187

gymnocephalus	... 186
Picathartes oreas	... 187
PICIDAE	... 183
PICIFORMES	... 182
pickeringii, <i>Carpophaga</i>	... 86
pickeringii, <i>Ducula</i>	... 86
Pico de coral	... 191
Pico espina bronceado	... 157
Pico lanza frentiazul	161
Pico lanza frentiverde	... 161
Pico-de-hoz colihabano	... 163
Pico-de-hoz puntiblanco	... 163
Picoespina arcoiris	.. 157
Picoespina dorsiazul	157
Picoespina dorsipurpura	... 175
Picoespina gorrirrufa	157
Picohoz colicanela	.. 163
Picohoz coliverde	... 163
Picolargo coroniazul	166
Picolargo coronioscuro	... 166
Picozapato5
picta, <i>Psittacula</i>	... 118
picta, <i>Pyrrhura</i>	... 122
pictus, <i>Psittacus</i>	... 122
Pied Falconet66
Pied Goshawk	... 19
Pied Harrier	... 38
Pied Hornbill	... 180, 181
Pied Mannikin	... 193
Pied Sparrowhawk	... 19
Pied-billed Azurecrown	... 151
Pigargo	...42, 43
Pigargo americano	... 42
Pigargo cabeciblanco	42
Pigargo cabeciblanco	meridional
Pigargo coliblanco42
Pigargo de Madagascar	... 43
Pigargo de Pallas	... 43
Pigargo de Sanford	... 43
Pigargo de Steller	... 43
Pigargo de vientre blanco	... 42
Pigargo Europeo	... 42
Pigargo gigante	... 43
Pigargo malgache	... 43
Pigargo oriental	... 42
Pigargo vocinglero	... 43
Pigarguillo menor	... 46
Pigeon biset	... 85
Pigeon de Mindoro	... 86
Pigeon de Nicobar	... 84
Pigeon domestique	... 85
Pigeon gris	... 85
Pigeon Hawk58
Pigeon rose	... 85
Pigeon roussard	... 84
Pijiji aliblanco	... 16
Pijiji canelo	... 16
pileata, <i>Penelope</i>	... 69
pileata, <i>Pionopsitta</i>	.113
Pileated Parakeet	...121
Pileated Parrot	...113
pileatus, <i>Psittacus</i>	...113
Pilet10
Pink Cockatoo94
Pink pigeon	... 85
Pink-cheeked Parakeet	... 120
Pink-cheeked Waxbill	191
Pink-headed Dove	... 87
Pink-headed Duck	... 18
Pink-throated Brilliant	... 165
Pintada de pechuga	blanca
Pintada pechiblanca	. 70
Pintado de pecho blanco	... 70
Pintail	... 10
Pin-tailed Whydah	...201
Pione de Maximilien	114
Pione noire	...114
Pione violette	...114
Pionias crassus	...115
Pionias simplex	...109
Pionites	...113
Pionites leucogaster	113
Pionites melanocephala	...113
Pionopsitta	109, 113, 114
Pionopsitta	aurantiocephala
Pionopsitta barrabandi	...113
Pionopsitta caica113
Pionopsitta fuertesi	.109
Pionopsitta haematonotis	...113
Pionopsitta pileata	..113
Pionopsitta pulchra	.113
Pionopsitta pyrilia	...114
Pionopsitta pyrrhops	109
Pionopsitta vulturina	114
Pionus	... 109, 113, 114,
Pionus	115, 116
Pionus chalcopterus	114
Pionus flavifrons115
Pionus fuscus114
Pionus guliemii115
Pionus haematotis	..113
Pionus maximillani	..114
Pionus melanotis109
Pionus menstruus	...114
Pionus rufiventris116
Pionus senilis114
Pionus seniloides114
Pionus sordidus114
Pionus tumultuosus	.114
Pipile70
Pipile jacutinga70
Pipile pipile70
pipile, <i>Crax</i>70
pipile, <i>Pipile</i>70
Piquero de Abbott 3
Pirenestes ventrinegro195
piscator, <i>Crinifer</i>124
piscator, <i>Falco</i>124
Pisorhina alfredi143
Pisorhina angelinae	.140
Pisorhina umbra146
Pisorhina vandewateri145
Pita barrada184
Pita coliazul184
Pita de Gurney184
Pita de Koch184
Pita de Mindanao185
Pita ninfa184, 185
Pita Nuquiazul184
Pita nymph	...184, 185
Pita rayada184
Pithecopha52
Pithecopha jefferyi	52
Pitilia alirroja195
Pito de vientre blanco de	Corea
Pito imperial183
Pito ventriblanco de	Corea
Pitorreal ootero183
Pitta184, 185
Pitta brachyura184
Pitta guajana184
Pitta gurneyi184
Pitta kochi184
Pitta nipalensis184
Pitta nymph184
Pitta steerii185
PITTIIDAE184
placentis, <i>Charmosyna</i>	90
placentis,	
Hypocharmosyna	...90
placentis, <i>Psittacus</i>	...90
plagiata, <i>Asturina</i>28
Plain Chachalaca69
Plain Parakeet106

Plain-bellied Emerald	151
Plain-breasted Hawk	. 25
Plain-capped Starthroat	
.....	166
Plain-pouched Hornbill	
.....	180
Plain-pouched Wreathed	
Hornbill 180
Planalto Hermit 173
<i>plancus</i> , <i>Caracara</i> 67
<i>plancus</i> , <i>Falco</i> 67
<i>plancus</i> , <i>Polyborus</i>	... 67
<i>Platalea</i> 8
<i>Platalea leucorodia</i> 8
<i>plateneae</i> , <i>Prioniturus</i>	117
<i>platurus</i> , <i>Prioniturus</i>	117
<i>platurus</i> , <i>Psittacus</i>	.. 117
<i>Platycercus</i>	... 105, 107,
112, 114, 115, 117,	
118, 176	
<i>Platycercus adelaidae</i>	114
<i>Platycercus adscitus</i>	114
<i>Platycercus barnardi</i>	105
<i>Platycercus caledonicus</i>	
.....	114, 115
<i>Platycercus cookii</i>	... 107
<i>Platycercus elegans</i>	114,
115	
<i>Platycercus eximius</i>	115
<i>Platycercus flaveolus</i>	115
<i>Platycercus</i>	
<i>haematogaster</i> 112
<i>Platycercus</i>	
<i>haematonotus</i> 118
<i>Platycercus icterotis</i>	115
<i>Platycercus pulcherrimus</i>	
.....	118
<i>Platycercus splendens</i>	
.....	117
<i>Platycercus unicolor</i>	107
<i>Platycercus venustus</i>	115
<i>Platycercus zonarius</i>	105
<i>platycercus</i> , <i>Selasphorus</i>	
.....	176
<i>platycercus</i> , <i>Trochilus</i>	
.....	176
<i>platypterus</i> , <i>Buteo</i> 32
<i>platypterus</i> , <i>Sparvius</i>	32
<i>platyrhynchos</i> , <i>Anas</i>	12,
13	
<i>Plectropterus</i> 17
<i>Plectropterus gambensis</i>	
.....	17
<i>Plicated Hornbill</i> 180
<i>plicatus</i> , <i>Aceros</i> 180
<i>plicatus</i> , <i>Buceros</i> 180
<i>plicatus</i> , <i>Rhyticeros</i>	180
PLOCEIDAE 196
<i>Plocepasser</i> 198
<i>Plocepasser superciliosus</i>	
.....	198
<i>Ploceus</i>	.. 198, 199, 200
<i>Ploceus albinucha</i>	...198
<i>Ploceus aurantius</i>199
<i>Ploceus capitalis</i>199
<i>Ploceus cucullatus</i>	...199
<i>Ploceus heuglini</i>199
<i>Ploceus luteolus</i>199
<i>Ploceus melanocephalus</i>	
.....	199
<i>Ploceus nigerrimus</i>	..199
<i>Ploceus nigriceps</i>199
<i>Ploceus nigricollis</i>	...199,
200	
<i>Ploceus pelzelni</i>200
<i>Ploceus preussi</i>200
<i>Ploceus superciliosus</i>	198
<i>Ploceus tricolor</i>200
<i>Ploceus velatus</i>200
<i>Ploceus vitellinus</i>200
<i>Plovercrest</i>177
<i>plumbea</i> , <i>Ictinia</i> 46
<i>plumbea</i> , <i>Leucopternis</i>	47
Plumbeous Forest-falcon	
.....	65
Plumbeous Hawk	47, 48
Plumbeous Kite 46
<i>plumbeus</i> , <i>Falco</i> 46
<i>plumbeus</i> , <i>Micrastur</i>	. 65
Plum-crowned Parrot	114
Plum-faced Lorikeet	. 92
Plum-headed Parakeet	
.....	119
<i>Plyctolophus ducrops</i>	94
<i>Plyctolophus leadbeateri</i>	
.....	94
<i>podargina</i> , <i>Noctua</i>	..144
<i>podargina</i> , <i>Pyrroglaux</i>	
.....	144
<i>podarginus</i> , <i>Otus</i>144
PODICIPEDIDAE 2
PODICIPEDIFORMES	2
<i>Podilymbus</i> 2
<i>Podilymbus gigas</i> 2
<i>poecilochrous</i> , <i>Buteo</i>	32
<i>poensis</i> , <i>Bubo</i>133
<i>Poephila</i>195
<i>Poephila cincta</i>195
<i>Poephila cincta cincta</i>	195
<i>Pogonocichla swynnertonii</i>	
.....	187
Pohnpei Lorikeet 93
Pohnpei Lory 93
<i>Poicephalus</i> 115, 116
<i>Poicephalus crassus</i>	115
<i>Poicephalus</i>	
<i>cryptoxanthus</i>115
<i>Poicephalus flavifrons</i>	
.....	115
<i>Poicephalus fuscicollis</i>	
.....	116
<i>Poicephalus gulielmi</i>	115
<i>Poicephalus meyeri</i>	. 115
<i>Poicephalus robustus</i>	116
<i>Poicephalus rueppellii</i>	
.....	116
<i>Poicephalus rufiventris</i>	
.....	116
<i>Poicephalus senegalus</i>	
.....	116
<i>Polemaetus</i>52
<i>Polemaetus bellicosus</i>	52
<i>Polemistra chalybea</i>	169
<i>Polemistra pavonina</i>	169
<i>Polihiex</i>67
<i>Polihiex insignis</i>67
<i>Polihiex semitorquatus</i>	
.....	67
<i>poliocephalus</i> , <i>Accipiter</i>	
.....	24
<i>poliocerca</i> , <i>Eupherusa</i>	
.....	163
<i>poliogaster</i> , <i>Accipiter</i>	.24
<i>poliogaster</i> , <i>Falco</i>24
<i>polionota</i> , <i>Leucopternis</i>	
.....	48
<i>polionotus</i> , <i>Buteo</i>48
<i>poliopterus</i> , <i>Melierax</i>	.49
<i>Poliornis rufigennis</i>	...29
<i>Polyboroides</i>52
<i>Polyboroides radiatus</i>	52
<i>Polyboroides typus</i>52
<i>Polyborus</i>31, 66, 67
<i>Polyborus albogularis</i>	67
<i>Polyborus chimachima</i>	66
<i>Polyborus chimango</i>	..66
<i>Polyborus galapagoensis</i>	
.....	31
<i>Polyborus lutosus</i>67
<i>Polyborus plancus</i>67
<i>Polyerata</i>174
<i>Polyerata amabilis</i>	..174
<i>Polyerata boucardi</i>	..174
<i>Polyerata fimbriata</i>	.174
<i>Polyerata lactea</i>174
<i>Polyerata luciae</i>174
<i>Polyerata rosenbergi</i>	174
<i>Polyonymus</i>175
<i>Polyonymus caroli</i>	...175
<i>polyosoma</i> , <i>Buteo</i>33
<i>polyosoma</i> , <i>Falco</i>33
<i>Polyplancta aurescens</i>	
.....	165
<i>Polyplectron</i>74
<i>Polyplectron bicalcaratum</i>	
.....	74
<i>Polyplectron emphanum</i>	

.....	74
<i>Polyplectron germaini</i>	74
<i>Polyplectron inopinatum</i>	74
.....	74
<i>Polyplectron katsumatae</i>	74
.....	74
<i>Polyplectron malacense</i>	74
.....	74
<i>Polyplectron napoleonis</i>	74
.....	74
<i>Polyplectron schleiermacheri</i>	74
<i>Polytelis</i>	116
<i>Polytelis alexandrae</i>	116
<i>Polytelis anthopeplus</i>	116
<i>Polytelis swainsonii</i>	116
<i>Polytmus</i>	175, 178
<i>Polytmus guainumbi</i>	175
<i>Polytmus milleri</i>	175
<i>Polytmus theresiae</i>	175
<i>Polytmus, Trochilus</i>	178
<i>pomarina, Aquila</i>	27
Pondicherry Vulture ..	52
<i>poortmani, Chlorostilbon</i>	158
.....	158
<i>poortmani, Ornismya</i>	158
<i>Popelairia conversii</i> .	160
<i>Popelairia langsdorffi</i>	160
<i>Popelairia letitia</i> ...	161
<i>Popelairia popelairii</i>	161
<i>popelairii, Discosura</i>	161
<i>popelairii, Popelairia</i>	161
<i>popelairii, Trochilus</i>	161
Porculla Hermit	172
<i>porcullae, Phaethornis</i>	172
<i>porphyreolopha,</i> <i>Corythaix</i>	124
<i>porphyreolopha,</i> <i>Musophaga</i>	124
<i>porphyreolophus, Gallirex</i>	124
.....	124
<i>porphyreolophus,</i> <i>Tauraco</i>	124
<i>porphyrocephala,</i> <i>Glossopsitta</i>	91
<i>porphyrocephalus,</i> <i>Trichoglossus</i>	91
Port Lincoln Ringneck	105
Porte-lance de Jeanne	161
.....	161
Porte-lance de Louise	161
Poule de prairie	
<i>d'Attwater</i>	76
Powerful Owl	139
Prairie Falcon	60
<i>prasina, Ornismya</i> ..	158
<i>prasinus, Chlorostilbon</i>	158
.....	158
<i>Prasitis vitticeps</i>	158
<i>pretrei, Amazona</i>	100
<i>pretrei, Phaethornis</i>	173
<i>pretrei, Psittacus</i>	100
<i>pretrei, Trochilus</i>	173
<i>preussi, Ploceus</i>	200
Preuss's Weaver	200
<i>prevostii, Anthracothorax</i>	
.....	153
<i>prevostii, Trochilus</i>	153
<i>prigoginei, Phodilus</i>	126
Prigogine's Owl	133
<i>Primolius auricollis</i>	117
<i>Primolius couloni</i>	117
<i>Primolius maracana</i>	117
Prince Albert's Curassow	
.....	68
Prince Ruspoli's Turaco	
.....	126
<i>princeps, Accipiter</i> ...	24
<i>princeps, Leucopternis</i>	48
Princess of Wales	
<i>Parakeet</i>	116
Princess Parrot	116
Princess Stephanie's	
<i>Bird-of-paradise</i> ...	202
<i>Prioniturus</i>	116, 117
<i>Prioniturus discurus</i>	116,
117	
<i>Prioniturus flavicans</i>	116,
117	
<i>Prioniturus luconensis</i>	
.....	116
<i>Prioniturus mada</i>	117
<i>Prioniturus montanus</i>	117
<i>Prioniturus plateneae</i>	117
<i>Prioniturus platurus</i>	117
<i>Prioniturus verticalis</i>	117
<i>Prioniturus waterstradti</i>	
.....	117
<i>Probosciger</i>	96
<i>Probosciger aterrimus</i>	96
PROCELLARIIFORMES	2
<i>Procnias</i>	184
<i>Procnias nudicollis</i>	184
<i>Propyrrhura</i>	117
<i>Propyrrhura auricollis</i>	117
<i>Propyrrhura couloni</i>	117
<i>Propyrrhura maracana</i>	
.....	117
<i>Prosopeia</i>	117
<i>Prosopeia personata</i>	117
<i>Prosopeia splendens</i>	117
<i>Prosopeia tabuensis</i>	117
<i>Proturacus bannermani</i>	
.....	124
<i>prunellei, Coeligena</i>	.159
<i>prunellei, Trochilus</i>	..159
<i>Psephotus</i>	112, 118
<i>Psephotus chrysopterygius</i> ...	118
<i>Psephotus dissimilis</i>	118
<i>Psephotus haematogaster</i>	
.....	112
<i>Psephotus haematonotus</i>	
.....	118
<i>Psephotus pulcherrimus</i>	
.....	118
<i>Psephotus varius</i>	118
<i>Pseudeos</i>	92
<i>Pseudeos fuscata</i>	92
<i>Pseudibis</i>	8
<i>Pseudibis gigantea</i>	8
<i>Pseudochelidon</i>	185
<i>Pseudochelidon sirintarae</i>	
.....	185
<i>Pseudolangrayen d'Asie</i>	
.....	185
<i>Pseudoptynx gurneyi</i>	137
<i>Pseudoptynx philippensis</i>	
.....	133
<i>Pseudoptynx solomonensis</i>	137
<i>Pseudoscops</i> ...	129, 146
<i>Pseudoscops clamator</i>	
.....	129
<i>Pseudoscops grammicus</i>	
.....	146
<i>Pseudotadorna cristata</i>	
.....	18
<i>Pseudototanus guttifer</i>	84
<i>Psilopsiagon</i>	105, 118
<i>Psilopsiagon aurifrons</i>	
.....	105, 118
<i>Psilopsiagon aymara</i>	118
<i>Psittaca batavica</i>	123
<i>Psittacara chloroptera</i>	
.....	103
<i>Psittacara erythrogenys</i>	
.....	103
<i>Psittacara euops</i>	103
<i>Psittacara finschi</i>	103
<i>Psittacara holochlora</i>	104
<i>Psittacara leptorhyncha</i>	
.....	108
<i>Psittacara leucophthalma</i>	
.....	104
<i>Psittacara mitrata</i> ...	104
<i>Psittacara nana</i>	104
<i>Psittacara wagleri</i> ...	104
<i>Psittacella</i>	118
<i>Psittacella brehmii</i> ..	118
<i>Psittacella madaraszi</i>	118
<i>Psittacella modesta</i> ..	118
<i>Psittacella picta</i>	118
PSITTACIDAE	96
PSITTACIFORMES ...	89
<i>Psittacula</i> ..	93, 105, 107,

108, 114, 118, 119, 120	120, 121, 122, 123, 124	<i>Psittacus cyanurus</i> .. 120
<i>Psittacula alexandri</i> 118	<i>Psittacus accipitrinus</i> 107	<i>Psittacus desmarestii</i> 120
<i>Psittacula andicola</i> .. 105	<i>Psittacus acuticaudatus</i> 103	<i>Psittacus discolor</i> 109
<i>Psittacula calthorpeae</i> 119	<i>Psittacus adscitus</i> ... 114	<i>Psittacus discurus</i> ... 116
<i>Psittacula calthropae</i> 119	<i>Psittacus aestivus</i> 97	<i>Psittacus domicella</i> ... 92
<i>Psittacula caniceps</i> . 119	<i>Psittacus agilis</i> 97	<i>Psittacus dufresnianus</i> 98
<i>Psittacula columbooides</i> 119	<i>Psittacus albifrons</i> 97	<i>Psittacus elegans</i> 115
<i>Psittacula conspicillata</i> 108	<i>Psittacus albus</i> 94	<i>Psittacus erithacus</i> .. 120
<i>Psittacula crassirostris</i> 108	<i>Psittacus alexandri</i> .. 118	<i>Psittacus erythropterus</i> 102
<i>Psittacula cyanocephala</i> 119	<i>Psittacus amazonicus</i> 97	<i>Psittacus eupatria</i> ... 119
<i>Psittacula cyanopygia</i> 108	<i>Psittacus amazoninus</i> 109	<i>Psittacus euteles</i> 93
<i>Psittacula derbiana</i> . 119	<i>Psittacus ambiguus</i> . 102	<i>Psittacus eximius</i> 115
<i>Psittacula diophthalma</i> 107	<i>Psittacus amboinensis</i> 97	<i>Psittacus farinosus</i> 98
<i>Psittacula echo</i> 119	<i>Psittacus ararauna</i> .. 102	<i>Psittacus ferrugineus</i> 108
<i>Psittacula eques</i> 119	<i>Psittacus arausiacus</i> . 98	<i>Psittacus festivus</i> 99
<i>Psittacula eupatria</i> . 119	<i>Psittacus ater</i> 89, 96	<i>Psittacus fimbriatus</i> .. 95
<i>Psittacula finschii</i> ... 119	<i>Psittacus aterrimus</i> .. 96	<i>Psittacus frontalis</i> ... 121
<i>Psittacula gulielmitertii</i> 107	<i>Psittacus aureus</i> 103	<i>Psittacus funereus</i> 95, 96
<i>Psittacula himalayana</i> 119	<i>Psittacus auricapillus</i> 103	<i>Psittacus fuscus</i> 114
<i>Psittacula intermedia</i> 119	<i>Psittacus auriceps</i> ... 106	<i>Psittacus galeritus</i> 94
<i>Psittacula krameri</i> .. 119	<i>Psittacus aurifrons</i> .. 118	<i>Psittacus galgulus</i> ... 110
<i>Psittacula kuhlii</i> 93	<i>Psittacus europalliatus</i> 100	<i>Psittacus garrulus</i> 92
<i>Psittacula lineola</i> 105	<i>Psittacus australis</i> 93	<i>Psittacus geoffroyi</i> .. 108, 109
<i>Psittacula longicauda</i> 120	<i>Psittacus autumnalis</i> 98	<i>Psittacus gramineus</i> 123
<i>Psittacula pyrilia</i> 114	<i>Psittacus banksii</i> 95	<i>Psittacus guarouba</i> . 109
<i>Psittacula roseata</i> ... 120	<i>Psittacus barbadensis</i> 98	<i>Psittacus guildingii</i> 99
<i>Psittacula sclateri</i> ... 108	<i>Psittacus barrabandi</i> 113	<i>Psittacus haematodus</i> 93
<i>Psittacula xanthops</i> 108	<i>Psittacus beryllinus</i> . 110	<i>Psittacus</i> <i>haematuropygius</i> ... 94
<i>Psittacule de Desmarest</i> 120	<i>Psittacus borneus</i> 91	<i>Psittacus himalayanus</i> 119
<i>Psittacule de Salvadori</i> 120	<i>Psittacus brachyurus</i> 109	<i>Psittacus histrio</i> 91
<i>Psittacule d'Edwards</i> 120	<i>Psittacus brasiliensis</i> 98	<i>Psittacus huetii</i> 123
<i>Psittacule double-oeil</i> 107	<i>Psittacus byroni</i> 108	<i>Psittacus hyacinthinus</i> 101
<i>Psittaculirostris</i> 107, 120	<i>Psittacus cactorum</i> .. 103	<i>Psittacus icterotis</i> ... 115
<i>Psittaculirostris</i> <i>desmarestii</i> 120	<i>Psittacus caica</i> 113	<i>Psittacus iris</i> 93
<i>Psittaculirostris</i> <i>diophthalma</i> 107	<i>Psittacus caledonicus</i> 114	<i>Psittacus jandaya</i> ... 104
<i>Psittaculirostris edwardsii</i> 120	<i>Psittacus canicularis</i> 103	<i>Psittacus jonquillaceus</i> 102
<i>Psittaculirostris salvadorii</i> 120	<i>Psittacus canus</i> 96	<i>Psittacus jugularis</i> .. 105
<i>Psittacus</i> 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119,	<i>Psittacus chalcopterus</i> 114	<i>Psittacus krameri</i> 120
	<i>Psittacus chiriri</i> 105	<i>Psittacus lathami</i> 96
	<i>Psittacus chlorolepidotus</i> 93	<i>Psittacus leucocephalus</i> 99
	<i>Psittacus chrysogaster</i> 112	<i>Psittacus leucogaster</i> 113
	<i>Psittacus chrysopterus</i> 105	<i>Psittacus leucophthalmus</i> 104
	<i>Psittacus chrysostomus</i> 112	<i>Psittacus leucotis</i> 122
	<i>Psittacus collarius</i> 98	<i>Psittacus longicauda</i> 120
	<i>Psittacus concinnus</i> .. 91	<i>Psittacus lory</i> 92
	<i>Psittacus cornutus</i> ... 108	<i>Psittacus lucionensis</i> 123
	<i>Psittacus cruentatus</i> 121	<i>Psittacus lunulatus</i> .. 105
	<i>Psittacus cryptoxanthus</i> 115	<i>Psittacus macao</i> 102
	<i>Psittacus cyanocephalus</i> 119	<i>Psittacus magnificus</i> . 95
		<i>Psittacus malachitaceus</i> 124

<i>Psittacus manilatus</i>	113	<i>Psittacus stigmatus</i>	.110	<i>Ptilinopus marchei</i>87
<i>Psittacus maximilliani</i>	114	<i>Psittacus sulphureus</i>	.95	<i>Ptilolaemus tickelli</i>	..180
<i>Psittacus megalorynchos</i>		<i>Psittacus sumatranus</i>	123	<i>Ptilope de Marche</i>87
.....	123	<i>Psittacus surdus</i>124	<i>Ptilopsis granti</i>143
<i>Psittacus melanocephalus</i>		<i>Psittacus swainsonii</i>	116	<i>Ptilopsis leucotis</i>143
.....	113	<i>Psittacus swindernianus</i>		<i>Ptilopus marchei</i>87
<i>Psittacus melanonotus</i>		97	<i>ptilorrhyncus, Falco</i>51
.....	123	<i>Psittacus tabuensis</i>	.117	<i>ptilorrhyncus, Pernis</i>	..51
<i>Psittacus menstruus</i>	114	<i>Psittacus taranta</i>97	<i>Ptiloris</i>206
<i>Psittacus mercenarius</i>	99	<i>Psittacus tenuirostris</i>	95	<i>Ptiloris de Victoria</i>	...206
<i>Psittacus meridionalis</i>		<i>Psittacus tirica</i>106	<i>Ptiloris intercedens</i>	.206
.....	112	<i>Psittacus tumultuosus</i>		<i>Ptiloris magnificus</i>	..206
<i>Psittacus meyeri</i>115	114	<i>Ptiloris paradis</i>206
<i>Psittacus militaris</i>	...102	<i>Psittacus ultramarinus</i>	94	<i>Ptiloris paradiseus</i>	..206
<i>Psittacus moluccensis</i>	95	<i>Psittacus vasa</i>106	<i>Ptiloris victoriae</i>206
<i>Psittacus monachus</i>	111	<i>Psittacus ventralis</i>	...100	<i>Puerto Rican Amazon</i>	101
<i>Psittacus mulleri</i>123	<i>Psittacus venustus</i>	..115	<i>Puerto Rican Emerald</i>	158
<i>Psittacus nenday</i>111	<i>Psittacus vernalis</i>111	<i>Puerto Rican Parrot</i>	.101
<i>Psittacus niger</i>106	<i>Psittacus versicolor</i>	.101	<i>Puerto Rican Screech-Owl</i>	
<i>Psittacus nobilis</i>107	<i>Psittacus versicolorus</i>		144
<i>Psittacus novaezelandiae</i>		106	<i>pulchella, Charmosyna</i>	
.....	107	<i>Psittacus vinaceus</i>	...101	90, 91
<i>Psittacus ochrocephalus</i>		<i>Psittacus vittatus</i>101	<i>pulchella, Neophema</i>	112
.....	99	<i>Psittacus vulturinus</i>	.114	<i>pulchellus, Psittacus</i>	112
<i>Psittacus ornatus</i>93	<i>Psittacus wallicus</i>113	<i>pulcher, Calothorax</i>	155
<i>Psittacus palmarum</i>	..90	<i>Psittacus xanthops</i>	..101	<i>pulcherrimus, Platycercus</i>	
<i>Psittacus papou</i>90	<i>Psittacus zonarius</i>	...105	118
<i>Psittacus passerinus</i>	108	<i>Psiteuteles</i>	.. 90, 92, 93	<i>pulcherrimus, Psephotus</i>	
<i>Psittacus patagonus</i>	106	<i>Psiteuteles diadema</i>	90	118
<i>Psittacus pertinax</i>	..104	<i>Psiteuteles flavoviridis</i>		<i>pulchra, Gypopsitta</i>	.113
<i>Psittacus peruvianus</i>	.94	93	<i>pulchra, Macgregoria</i>	204
<i>Psittacus philippensis</i>	110	<i>Psiteuteles goldiei</i>92	<i>pulchra, Pionopsitta</i>	113
<i>Psittacus pictus</i>122	<i>Psiteuteles iris</i>93	<i>pullarius, Agapornis</i>	..96
<i>Psittacus pileatus</i>	...113	<i>Psiteuteles johnstoniae</i>		<i>pullarius, Psittacus</i>96
<i>Psittacus placentis</i>90	93	<i>pullicauda, Neopsittacus</i>	
<i>Psittacus platurus</i>117	<i>Psiteuteles versicolor</i>	93	92
<i>Psittacus pretrei</i>100	<i>Psittinus</i>120	<i>Pulsatrix</i>146
<i>Psittacus pulchellus</i>	112	<i>Psittinus cyanurus</i>	...120	<i>Pulsatrix koeniswaldiana</i>	
<i>Psittacus pullarius</i>96	<i>Psittrichas</i>121	146
<i>Psittacus purpuratus</i>	124	<i>Psittrichas de Pesquet</i>		<i>Pulsatrix melanota</i>	..146
<i>Psittacus pusillus</i>92	121	<i>Pulsatrix perspicillata</i>	146
<i>Psittacus pyrrhopterus</i>		<i>Psittrichas fulgidus</i>	..121	<i>Puna Flamingo</i>9
.....	106	<i>Psophia undulata</i>80	<i>Puna Hawk</i>32
<i>Psittacus reticulatus</i>	.91	<i>Pteridophora</i>206	<i>Puna Rhea</i>1
<i>Psittacus robustus</i>	..116	<i>Pteridophora alberti</i>	206	<i>punctatus, Falco</i>62
<i>Psittacus rueppellii</i>	.116	<i>Pterocnemia pennata</i>	..1	<i>punctulata, Lonchura</i>	193
<i>Psittacus sanctithomae</i>		<i>Pteroglossus</i>	.. 182, 183	<i>punctulata, Ninox</i>	..139
.....	106	<i>Pteroglossus aracari</i>	182	<i>punctulata, Noctua</i>	.139
<i>Psittacus scapularis</i>	..97	<i>Pteroglossus castanotis</i>		<i>Punta blanca</i>178
<i>Psittacus senegalus</i>	116	182	<i>Purple Cochoa</i>185
<i>Psittacus senilis</i>114	<i>Pteroglossus maculirostris</i>183	<i>Purple Guan</i>69
<i>Psittacus senilooides</i>	114	<i>Pteroglossus viridis</i>	.182	<i>Purple-backed Sunbeam</i>	
<i>Psittacus severus</i>	...103	<i>Pteronetta</i>17	150
<i>Psittacus sintillatus</i>	..90	<i>Pteronetta hartlaubii</i>	17	<i>Purple-backed Thornbill</i>	
<i>Psittacus solitarius</i>	..92	<i>Pterophanes</i>175	175
<i>Psittacus solstitialis</i>	104	<i>Pterophanes cyanopterus</i>		<i>Purple-barred Ground-</i>	
<i>Psittacus sordidus</i>	..114	175	<i>Dove</i>84
<i>Psittacus spurius</i>121	<i>Ptilinopus</i>87	<i>Purple-bellied Lory</i>92
<i>Psittacus squamatus</i>	.91			<i>Purple-bellied Parrot</i>	124

Purple-bibbed Whitetip	110
Purple-capped Lory	..	92
Purple-chested		
Hummingbird	175
Purple-collared Woodstar	171
Purple-crested Turaco	124
Purple-crowned Fairy	166	
Purple-crowned Lorikeet	91
Purple-naped Lory	92
Purple-throated Carib	163
Purple-throated		
Mountain-gem	167
Purple-throated Sunangel	165
Purple-throated Woodstar	155
Purple-winged Ground-Dove	84
Purplish Guan	69
<i>purpurascens</i> , <i>Penelope</i>	69
<i>purpurata</i> , <i>Touit</i>	124
<i>purpuratus</i> , <i>Psittacus</i>	124	
<i>purea</i> , <i>Cochoa</i>	185
<i>Purpureicephalus</i>	121
<i>Purpureicephalus spurius</i>	121
<i>pusilla</i> , <i>Glossopsitta</i>	..	92
<i>pusillus</i> , <i>Loriculus</i>	...	110
<i>pusillus</i> , <i>Psittacus</i>	92
<i>pusio</i> , <i>Micropsitta</i>	...	111
<i>pusio</i> , <i>Nasiterna</i>	111
PYCNONOTIDAE	...	185
<i>Pycnonotus</i>	185
<i>Pycnonotus zeylanicus</i>	185
Pygargue blagre	42
Pygargue commun	...	42
Pygargue de Madagascar	43
Pygargue de Pallas	...	43
Pygargue de Sanford	43	
Pygargue de Steller	..	43
Pygargue empereur	..	43
Pygargue nain	46
Pygargue vocifer	43
<i>pygargus</i> , <i>Circus</i>	38
<i>pygargus</i> , <i>Falco</i>	38
<i>Pygmornis longuemareus</i>	173
<i>Pygmornis striigularis</i>	173
Pygmy Falcon	67
Pygmy Hanging-Parrot		

Pygmy Lorikeet	91
Pygmy Owl	135
<i>pyra</i> , <i>Topaza</i>	178
<i>pyra</i> , <i>Trochilus</i>	178
<i>Pyrenestes</i>	195
<i>Pyrenestes frommi</i>	..	195
<i>Pyrenestes maximus</i>	195	
<i>Pyrenestes ostrinus</i>	..	195
<i>Pyrenestes rothschildi</i>	195
<i>pyrrilia</i> , <i>Gyropsitta</i>	..	114
<i>pyrrilia</i> , <i>Pionopsitta</i>	..	114
<i>pyrrilia</i> , <i>Psittacula</i>	114
<i>pyrrhops</i> , <i>Hapalopsittaca</i>	109
<i>pyrrhops</i> , <i>Pionopsitta</i>	109	
<i>pyrrhopterus</i> , <i>Brotogeris</i>	105
<i>pyrrhopterus</i> , <i>Lycocorax</i>	204
<i>pyrrhopterus</i> , <i>Psittacus</i>	106
<i>Pyrrhula</i>	189
<i>Pyrrhula erythaca</i>	..	189
<i>Pyrrhura</i>	121, 122
<i>Pyrrhura albipectus</i>	..	121
<i>Pyrrhura amazonum</i>	122	
<i>Pyrrhura anaca</i>	122
<i>Pyrrhura caeruleiceps</i>	122
<i>Pyrrhura calliptera</i>	..	121
<i>Pyrrhura cruentata</i>	..	121
<i>Pyrrhura devillei</i>	121
<i>Pyrrhura egregia</i>	121
<i>Pyrrhura eisenmanni</i>	122	
<i>Pyrrhura emma</i>	122
<i>Pyrrhura frontalis</i>	121
<i>Pyrrhura griseipectus</i>	122	
<i>Pyrrhura hoematotis</i>	121	
<i>Pyrrhura hoffmanni</i>	..	121
<i>Pyrrhura hypoxantha</i>	122	
<i>Pyrrhura lepida</i>	121
<i>Pyrrhura leucotis</i>	122
<i>Pyrrhura melanura</i>	..	122
<i>Pyrrhura molinae</i>	122
<i>Pyrrhura orcesi</i>	122
<i>Pyrrhura perlata</i>	122
<i>Pyrrhura pfrimeri</i>	122
<i>Pyrrhura picta</i>	122
<i>Pyrrhura rhodocephala</i>	122
<i>Pyrrhura rhodogaster</i>	122	
<i>Pyrrhura rupicola</i>	122
<i>Pyrrhura subandina</i>	..	122
<i>Pyrrhura viridicata</i>	..	122
<i>Pyrroglaux podargina</i>	144	
<i>Pytilia</i>	195
<i>Pytilia hypogrammica</i>	195	
<i>Pytilia phoenicoptera</i>	195	

Q

Quaker Parakeet	111
<i>quartinia</i> , <i>Estrilda</i>	...	191
Quebrantahuesos	40
Queen Carola's Parotia	205
Queen of Bavaria's		
Conure	109
Queen Victoria's Riflebird	206
<i>Quelea</i>	200
<i>Quelea erythrops</i>	200
<i>Querquedula bernieri</i>	11	
<i>Querquedula hartlaubii</i>	17
<i>querquedula</i> , <i>Anas</i>	13
Quetzal	179
Quetzal centroamericano	179
Quetzal guatemalteco	179
Quetzal resplendissant	179
Queue de vinaigre	..	191

R

Rabihorcado de la Christmas	3
Rabihorcado ventriblanco	3
Rabudito cobrizo	161
Rabudito crestado	...	161
Rabudito de raquetas	161	
Rabudito ventrino	161	
Rabudito verde	160
Racket-tailed Coquette	161
<i>radiata</i> , <i>Strix</i>	136
<i>radiatum</i> , <i>Glaucidium</i>	134, 136
<i>radiatus</i> , <i>Accipiter</i>	..	40
<i>radiatus</i> , <i>Erythrotriorchis</i>	40
<i>radiatus</i> , <i>Falco</i>	40
<i>radiatus</i> , <i>Polyboroides</i>	52	
<i>radiatus</i> , <i>Vultur</i>	52
Raggiana Bird-of-paradise	205
<i>raggiana</i> , <i>Paradisaea</i>	205	
Rainbow Lorikeet	93
Rainbow Lory	93
Rainbow Starfrontlet	159	

Rainbow-bearded	
Thornbill	157
Rajah Scops-Owl	141
RALLIDAE	79
RAMPHASTIDAE ...	182
<i>ramphastinus</i> , <i>Semnornis</i>	
.....	182
<i>Ramphastos</i> ...	182, 183
<i>Ramphastos aracari</i>	182
<i>Ramphastos</i>	
<i>aurantiirostris</i>	183
<i>Ramphastos bailloni</i>	182
<i>Ramphastos dicolorus</i>	
.....	182
<i>Ramphastos inca</i>	183
<i>Ramphastos sulfuratus</i>	
.....	183
<i>Ramphastos toco</i> ...	183
<i>Ramphastos tucanus</i>	183
<i>Ramphastos viridis</i> .	182
<i>Ramphastos vitellinus</i>	
.....	183
<i>Ramphodon</i>	163, 175
<i>Ramphodon dohrnii</i>	163
<i>Ramphodon naevius</i>	175
<i>Ramphomicron</i> 157, 175	
<i>Ramphomicron dorsale</i>	
.....	175
<i>Ramphomicron</i>	
<i>microrhynchum</i> ...	175
<i>Ramphomicron olivaceus</i>	
.....	157
<i>randi</i> , <i>Ninox</i>	139
<i>ranivorus</i> , <i>Circus</i>	38
<i>ranivorus</i> , <i>Falco</i>	38
<i>rapax</i> , <i>Aquila</i>	27, 28
<i>rapax</i> , <i>Falco</i>	28
<i>rara</i> , <i>Bostrychia</i>	7
<i>rara</i> , <i>Lagonosticta</i> ..	192
<i>rara</i> , <i>Lampribis</i>	7
<i>raricola</i> , <i>Vidua</i>	201
<i>Ratonero calzado</i>	32
<i>Ratonero cuellirrojo</i> ..	30
<i>Ratonero moro</i>	33
<i>Rayito brillante</i>	151
<i>Razor-billed Curassow</i> 69	
<i>rectirostris</i> , <i>Anthreptes</i>	
.....	187
<i>recurvirostris</i> ,	
<i>Anthracocephala</i> ...	153
<i>recurvirostris</i> , <i>Avocettula</i>	
.....	153
<i>recurvirostris</i> , <i>Trochilus</i>	
.....	153
<i>Red Avadavat</i>	190
<i>Red Bird-of-paradise</i> 205,	
206	
<i>Red Cock-of-the-rock</i> 184	
<i>Red Goshawk</i>	40
<i>Red Kite</i>	50
<i>Red Lory</i>	91, 92
<i>Red Shining-Parrot</i> ..	117
<i>Red Siskin</i>	189
<i>Red-and-blue Lory</i> ...	91
<i>Red-and-green Macaw</i>	
.....	102
<i>Red-backed Hawk</i>	33
<i>Red-backed Kite</i>	43
<i>Red-backed Sea Eagle</i> 43	
<i>Red-bellied Conure</i> ..	121
<i>Red-bellied Macaw</i> ..	113
<i>Red-bellied Parrot</i> ...	116
<i>Red-billed Curassow</i> .	68
<i>Red-billed Firefinch</i> .	192
<i>Red-billed Hanging-Parrot</i>	
.....	110
<i>Red-billed Leiothrix</i> .	186
<i>Red-billed Mesia</i>	186
<i>Red-billed Parrot</i>	114
<i>Red-billed Toucan</i> ...	183
<i>Red-billed Whistling-Duck</i>	
.....	16
<i>Red-billed Wood-Dove</i> 89	
<i>Red-breasted Conure</i> 121	
<i>Red-breasted Goose</i> .	14
<i>Red-breasted Parakeet</i>	
.....	118
<i>Red-breasted Pygmy-</i>	
<i>Parrot</i>	111
<i>Red-breasted Toucan</i> 183	
<i>Red-browed Amazon</i> 100	
<i>Red-browed Parrot</i> ..	100
<i>Red-capped Parrot</i> .	113,
121	
<i>Red-cheeked Cordonbleu</i>	
.....	196
<i>Red-cheeked Parrot</i> .	108
<i>Red-chested Goshawk</i> 25	
<i>Red-chested Hawk</i> ...	25
<i>Red-chested Owl</i> ..	136
<i>Red-chinned Lorikeet</i> 91	
<i>Red-collared</i>	
<i>Sparrowhawk</i>	20
<i>Red-collared Whydah</i> 197	
<i>Red-collared Widowbird</i>	
.....	197
<i>Red-crested Bustard</i> .	81
<i>Red-crested Cardinal</i> 188	
<i>Red-crested Turaco</i> .	125
<i>Red-crowned Amazon</i>	
.....	101
<i>Red-crowned Crane</i> ..	78
<i>Red-crowned Parakeet</i>	
.....	107
<i>Red-crowned Parrot</i> 101,	
115	
<i>Reddish Hermit</i>	173
<i>Reddish Scops-Owl</i> .	144
<i>Reddish-bellied Parakeet</i>	
.....	121
<i>Red-eared Conure</i> ..	121
<i>Red-eared Parakeet</i> 121	
<i>Red-eared Parrotfinch</i>	
.....	191
<i>Red-eared Waxbill</i> ..	191
<i>Red-eyed Dove</i>	87
<i>Red-faced Crimson-wing</i>	
.....	190
<i>Red-faced Lovebird</i> ..	96,
97	
<i>Red-faced Parrot</i>	109
<i>Red-faced Pytilia</i>	195
<i>Red-fan Parrot</i>	107
<i>Red-flanked Lorikeet</i> .	90
<i>Red-footed Falcon</i> 57, 64	
<i>Red-fronted Amazon</i> 101	
<i>Red-fronted Antpecker</i>	
.....	195
<i>Red-fronted Conure</i> 104	
<i>Red-fronted Kakariki</i> 107	
<i>Red-fronted Lorikeet</i> .	91
<i>Red-fronted Macaw</i> .	102
<i>Red-fronted Parakeet</i> 107	
<i>Red-fronted Parrot</i> .	115,
123	
<i>Red-fronted Parrotlet</i> 123	
<i>Red-headed Dioch</i> ..	200
<i>Red-headed Falcon</i> ...	58
<i>Red-headed Lovebird</i> 96,	
97	
<i>Red-headed Malimbe</i> 198	
<i>Red-headed Merlin</i>	58
<i>Red-headed Quelea</i> 200	
<i>Red-headed Rockfowl</i>	
.....	187
<i>Red-headed Vulture</i> ..	52
<i>Red-headed Weaver</i> 196,	
198	
<i>Red-knobbed Hornbill</i>	
.....	179
<i>Red-legged Falconet</i> .	66
<i>Red-lored Amazon</i>	98
<i>Red-lored Parrot</i>	98
<i>Red-masked Conure</i> 103	
<i>Red-masked Parakeet</i>	
.....	103
<i>Red-necked Amazon</i> .	98
<i>Red-necked Buzzard</i> .	30
<i>Red-necked Falcon</i> ...	58
<i>Red-necked Parrot</i>	98
<i>Red-rumped Parrot</i> .	118
<i>Red-shouldered Hawk</i> 32	
<i>Red-shouldered Macaw</i>	
.....	107
<i>Red-spectacled Amazon</i>	
.....	100
<i>Red-spectacled Parrot</i>	

.....	100
Red-spotted Lorikeet	91
Red-tailed Amazon	98
Red-tailed Black-Cockatoo	95
Red-tailed Buzzard	30
Red-tailed Comet	175
Red-tailed Hawk	31, 33
Red-tailed Laughingthrush	186
Red-tailed Parrot	98
Red-thighed Falconet	66
Red-thighed Hawk	21
Red-thighed Sparrowhawk	21
Red-throated Caracara	56
Red-throated Lorikeet	90
Red-throated Parakeet	104
Red-topped Amazon	100
Red-topped Parrot	100
Red-vented Cockatoo	94
Red-vented Malimbe	198
Red-vented Parrot	114
Red-winged Laughingthrush	186
Red-winged Parrot	102
Red-winged Pytilia	195
<i>reevesii, Phasianus</i>	75
<i>reevesii, Syrmaticus</i>	75
Reeves's Pheasant	75
<i>regalis, Archibuteo</i>	33
<i>regalis, Buteo</i>	33
<i>regalis, Heliangelus</i>	165
Regent Parrot	116
<i>regius, Cicinnurus</i>	203
<i>regius, Cosmopsarus</i>	202
<i>regulorum, Anthropicoides</i>	76
<i>regulorum, Balearica</i>	76
<i>reichenovii, Cryptospiza</i>	190
Relict Gull	84
<i>relictus, Larus</i>	84
religiosa, Gracula	202
Resplendent Quetzal	179
<i>respublica, Cicinnurus</i>	203
<i>respublica, Diphylloides</i>	203
<i>reticulata, Eos</i>	91
<i>reticulatus, Psittacus</i>	91
<i>rex, Balaeniceps</i>	5
Rey zamuro	18
<i>rhami, Lamprilaima</i>	167
<i>rhami, Ornismya</i>	167
Rhea	1
<i>Rhea americana</i>	1
<i>Rhea pennata</i>	1
<i>Rhea pennata pennata</i>	1
RHEIDAE	1
RHEIFORMES	1
<i>Rheinardia</i>	74
<i>Rheinardia nigrescens</i>	74
<i>Rheinardia ocellata</i>	74
Rhinoceros Hornbill	181
<i>rhinoceros, Buceros</i>	181
<i>Rhinoplax vigil</i>	181
<i>Rhinoptynx clamator</i>	129
<i>Rhizothera</i>	74
<i>Rhizothera dulitensis</i>	74
<i>Rhizothera longirostris</i>	74
<i>rhocephala, Pyrrhura</i>	122
<i>rhocephalus, Conurus</i>	122
<i>rhodocorytha, Amazona</i>	100
<i>rhodocorytha, Chrysotis</i>	100
<i>rhodogaster, Accipiter</i>	24
<i>rhodogaster, Conurus</i>	121
<i>rhodogaster, Pyrrhura</i>	122
<i>Rhodonessa</i>	18
<i>Rhodonessa caryophyllacea</i>	18
<i>Rhodopis</i>	175
<i>Rhodopis vesper</i>	175
<i>Rhynchopsitta</i>	122, 123
<i>Rhynchopsitta pachyrhyncha</i>	122, 123
<i>Rhynchopsitta terrisi</i>	123
RHYNCHETIDAE	79
<i>Rhynchoetos</i>	79
<i>Rhynchoetos jubatus</i>	79
<i>Rhyticeros cassidix</i>	179
<i>Rhyticeros corrugatus</i>	179
<i>Rhyticeros everetti</i>	179
<i>Rhyticeros leucocephalus</i>	179, 180
<i>Rhyticeros narcondami</i>	179
<i>Rhyticeros plicatus</i>	180
<i>Rhyticeros subruficollis</i>	180
<i>Rhyticeros undulatus</i>	180
<i>Rhytidoceros everetti</i>	179
Ribbon Finch	190
Ribbon-tailed Astrapia	202
Ribbon-tailed Bird-of-paradise	202
Rickett's Hill-Partridge	70
<i>ricordii, Chlorostilbon</i>	158
<i>ricordii, Ornismya</i>	158
<i>ridgwayi, Aegolius</i>	129
<i>ridgwayi, Buteo</i>	33
<i>ridgwayi, Cryptoglaux</i>	129
<i>ridgwayi, Rupornis</i>	33
<i>ridgwayi, Thalurania</i>	177, 178
Ridgway's Hawk	33
Ring-necked Parakeet	119, 120
Ring-tailed Pigeon	84
<i>riocourii, Chelictinia</i>	34
<i>riocourii, Elanoides</i>	34
<i>riocourii, Elanus</i>	34
River Eagle	43
Rivoli's Hummingbird	162
Roadside Hawk	32
<i>roboratus, Megascops</i>	144
<i>roboratus, Otus</i>	144
<i>roborowskii, Carpodacus</i>	189
<i>robusta, Gracula</i>	202
<i>robustus, Poicephalus</i>	116
<i>robustus, Psittacus</i>	116
Rock Dove	85
Rock Eagle-Owl	132
Rock Parakeet	122
Rock Parrot	112
Rock Pebbler	116
Rock Pigeon	84, 85
<i>rodericanus, Acrocephalus</i>	185
<i>rodericanus, Bebrornis</i>	185
Rodrigues Brush-Warbler	185
Rodrigues Warbler	185
Roi des vautours	18
<i>rolli, Arborophila</i>	70
<i>Rollulus</i>	73, 74
<i>Rollulus rouloul</i>	74
<i>Rollulus superciliosus</i>	73
<i>rondoniae, Agyrtia</i>	152
<i>rondoniae, Amazilia</i>	152
<i>roraimae, Megascops</i>	146
<i>roratus, Eclectus</i>	107
<i>roratus, Lories</i>	107
<i>roseata, Psittacula</i>	120
Roseate Cockatoo	96
Rose-crowned Conure	122
Rose-faced Parrot	113
Rose-grey Dove	87
Rose-headed Conure	122
Rose-headed Parakeet	122

<i>roseicapilla</i> , <i>Cacatua</i>	96
<i>roseicapilla</i> , <i>Kakatoe</i>	96
<i>roseicapillus</i> , <i>Eolophus</i>	96
Roselin de Roborowski	189
<i>rosenbergi</i> , <i>Amazilia</i>	174
<i>rosenbergi</i> , <i>Polyerata</i>	174
<i>rosenbergii</i> , <i>Strix</i>	128
<i>rosenbergii</i> , <i>Tyto</i>	128
<i>roseogrisea</i> , <i>Columba</i>	87
<i>roseogrisea</i> , <i>Streptopelia</i>	87
Rose-ringed Parakeet	120
<i>roseus</i> , <i>Phoenicopterus</i>	9
<i>Rostrhamus</i>	52
<i>Rostrhamus hamatus</i>	52
<i>Rostrhamus sociabilis</i>	52
<i>rothschildi</i> , <i>Astrapia</i>	202
<i>rothschildi</i> , <i>Leucopsar</i>	202
<i>rothschildi</i> , <i>Pyrenestes</i>	195
Rothschild's Myna	202
Rothschild's Parakeet	119
Rothschild's Peacock-Pheasant	74
Rothschild's Starling	202
Rougegorge de Swynnerton	187
Rough-legged Buzzard	32
Rough-legged Hawk	32
Rouloul noir	73
<i>rouloul</i> , <i>Rollulus</i>	74
Roulroul	74, 75
<i>roulroul</i> , <i>Phasianus</i>	74
Rousserolle de Rodriguez	185
Royal Sunangel	165
<i>ruber</i> , <i>Eudocimus</i>	7
<i>ruber</i> , <i>Phaethornis</i>	173
<i>ruber</i> , <i>Phoenicopterus</i>	9
<i>ruber</i> , <i>Trochilus</i>	173
<i>rubicunda</i> , <i>Ardea</i>	78
<i>rubicunda</i> , <i>Grus</i>	78
<i>rubiginosa</i> , <i>Chalcopsitta</i>	93
<i>rubiginosus</i> , <i>Trichoglossus</i>	93
<i>rubinoides</i> , <i>Heliodoxa</i>	165
<i>rubinoides</i> , <i>Trochilus</i>	165
<i>rubra</i> , <i>Crax</i>	69
<i>rubra</i> , <i>Eos</i>	91
<i>rubra</i> , <i>Paradisaea</i>	205
<i>rubra</i> , <i>Scolopax</i>	7
<i>rubricata</i> , <i>Lagonosticta</i>	192
<i>rubricauda</i> , <i>Clytolaema</i>	159
<i>rubricauda</i> , <i>Trochilus</i>	159
<i>rubriceps</i> , <i>Anaplectes</i>	196
<i>rubriceps</i> , <i>Malimbus</i>	196
<i>rubricollis</i> , <i>Malimbus</i>	198
<i>rubrifrons</i> , <i>Parmoptila</i>	195
<i>rubrigularis</i> , <i>Charmosyna</i>	91
<i>rubrigularis</i> , <i>Hypocharmosyna</i>	91
<i>rubrigularis</i> , <i>Trichoglossus</i>	91
<i>rubrоторques</i> , <i>Anthreptes</i>	187
<i>rubrоторquis</i> , <i>Aratinga</i>	104
<i>rubrоторquis</i> , <i>Conurus</i>	104
<i>rubrotorquis</i> , <i>Trichoglossus</i>	93
<i>rubrogenys</i> , <i>Ara</i>	102
<i>rubronotata</i> , <i>Charmosyna</i>	91
<i>rubronotata</i> , <i>Hypocharmosyna</i>	91
<i>rubronotatus</i> , <i>Coriphilus</i>	91
Ruby-throated Hummingbird	154
Ruby-topaz Hummingbird	158
<i>ruckeri</i> , <i>Threnetes</i>	178
<i>ruckeri</i> , <i>Trochilus</i>	178
<i>ruckii</i> , <i>Cyornis</i>	185
Ruddy Duck	17
<i>rudolfi</i> , <i>Ninox</i>	139
<i>rudolphi</i> , <i>Paradisaea</i>	205
<i>rueckii</i> , <i>Muscicapa</i>	185
<i>rueckii</i> , <i>Niltava</i>	185
Rueck's Blue-flycatcher	185
Rueck's Niltava	185
<i>rueppellii</i> , <i>Eupodotis</i>	81
<i>rueppellii</i> , <i>Gyps</i>	42
<i>rueppellii</i> , <i>Otis</i>	81
<i>rueppellii</i> , <i>Poicephalus</i>	116
<i>rueppellii</i> , <i>Psittacus</i>	116
<i>rueppellii</i> , <i>Vultur</i>	42
<i>rufa</i> , <i>Athene</i>	139
<i>rufa</i> , <i>Lophura</i>	73
<i>rufa</i> , <i>Ninox</i>	139
<i>rufescens</i> , <i>Otus</i>	144
<i>rufescens</i> , <i>Strix</i>	144
Rufescent Screech-Owl	142
<i>Rufibrenta ruficollis</i>	14
<i>ruficeps</i> , <i>Chalcostigma</i>	157
<i>ruficeps</i> , <i>Metallura</i>	157
<i>ruficeps</i> , <i>Trochilus</i>	157
<i>ruficollis</i> , <i>Anser</i>	14
<i>ruficollis</i> , <i>Branta</i>	14
<i>ruficollis</i> , <i>Micrastur</i>	65
<i>ruficollis</i> , <i>Rufibrenta</i>	14
<i>ruficollis</i> , <i>Sparvius</i>	65
<i>ruficrissa</i> , <i>Urosticte</i>	178
<i>ruficrista</i> , <i>Eupodotis</i>	80, 81
<i>ruficrista</i> , <i>Lophotis</i>	80, 81
<i>rufigularis</i> , <i>Falco</i>	62
<i>rufinus</i> , <i>Buteo</i>	33
<i>rufinus</i> , <i>Falco</i>	33
<i>rufipectus</i> , <i>Spilornis</i>	53
<i>rufipennis</i> , <i>Butastur</i>	29
<i>rufipennis</i> , <i>Poliornis</i>	29
<i>rufipes</i> , <i>Strix</i>	149
<i>rufitorques</i> , <i>Accipiter</i>	24
<i>rufitorques</i> , <i>Astur</i>	24
<i>rufiventris</i> , <i>Accipiter</i>	24
<i>rufiventris</i> , <i>Pionus</i>	116
<i>rufiventris</i> , <i>Poicephalus</i>	116
<i>rufofuscus</i> , <i>Buteo</i>	30, 33
<i>rufofuscus</i> , <i>Falco</i>	33
<i>rufopicta</i> , <i>Lagonosticta</i>	192
Rufous Bristlebird	186
Rufous Crab-Hawk	34
Rufous Fishing-Owl	147
Rufous Hornbill	181
Rufous Hummingbird	176
Rufous Owl	139
Rufous Sabrewing	156
Rufous-banded Owl	147
Rufous-bellied Eagle	45
Rufous-breasted Hermit	164
Rufous-breasted Sabrewing	156
Rufous-capped Thornbill	157
Rufous-cheeked Hornbill	179
Rufous-cheeked Hummingbird	164
Rufous-chested Sparrowhawk	24
Rufous-crested Coquette	169
Rufous-fronted Parakeet	105
Rufous-headed Bristlebird	186
Rufous-headed Hornbill	180
Rufous-legged Owl	149
Rufous-necked Hornbill	179

Rufous-necked Sparrowhawk	21
Rufous-rumped Seedeater	188
Rufous-shafted Woodstar	157
Rufous-tailed Hawk ..	33
Rufous-tailed Hummingbird	152
Rufous-tailed Pheasant	72
Rufous-thighed Hawk	21, 32
Rufous-thighed Kite ..	44
Rufous-throated Sapphire	167
Rufous-vented Whitetip	178
Rufous-webbed Brilliant	165
Rufous-winged Buzzard	29
Rufous-winged Buzzard-Eagle	29
rufus, <i>Campylopterus</i>	156
rufus, <i>Phasianus</i>	73
rufus, <i>Selasphorus</i>	176
rufus, <i>Trochilus</i>	176
Rupicola	184
Rupicola peruviana	184
Rupicola rupicola	184
rupicola, <i>Conurus</i>	122
rupicola, <i>Pyrrhura</i>	122
rupicola, <i>Rupicola</i>	184
rupicoloides, <i>Falco</i>	62
Rupornis ridgwayi	33
rupurumii, <i>Phaethornis</i>	173
rushiae, <i>Pholidornis</i>	195
ruspolii, <i>Tauraco</i>	126
ruspolii, <i>Turacus</i>	126
Ruspoli's Turaco	126
russata, <i>Panychloria</i>	158
russatus, <i>Chlorostilbon</i>	158
Russet Boobook	138
Russet Hawk-Owl	138
rusticolus, <i>Falco</i>	62
Rusty-barred Owl	146, 148
Rusty-faced Parrot	109
rutila, <i>Amazilia</i>	152
rutila, <i>Ornismya</i>	152
rutilus, <i>Otus</i>	144
rutilus, <i>Scops</i>	144
Ryukyu Scops-Owl	142
Ryukyu Serpent-Eagle	53

S

Sacred Ibis	8
Saddlebill Stork	6
Saddle-billed Stork	6
Saffron Toucanet	182
Saffron-cowled Blackbird	188
Saffron-headed Parrot	114
SAGITTARIIDAE	56
<i>Sagittarius</i>	56
<i>Sagittarius serpentarius</i>	56
<i>sagittatus, Ephialtes</i>	145
<i>sagittatus, Otus</i>	145
Saint Helena Waxbill	191
Saint Lucia Amazon	101
Saint Lucia Parrot	101
Saint Vincent Amazon	99
Saint Vincent Parrot	99
<i>saisseti, Cyanoramphus</i>	107
Saker	58
Saker Falcon	58
Salmon-crested Cockatoo	95
<i>salvadorii, Cyclopsittacus</i>	120
<i>salvadorii, Psittaculirostris</i>	120
Salvadori's Fig-Parrot	120
Salvadori's Pheasant	73
<i>salvini, Chlorostilbon</i>	158
Samar Hornbill	182
Samar Taritic Hornbill	182
<i>samarensis, Penelopides</i>	182
<i>sanchezi, Glaucidium</i>	135
<i>sanctaecatarinae, Megascops</i>	145
<i>sanctaecatarinae, Otus</i>	145
<i>sanctithomae, Brotogeris</i>	106
<i>sanctithomae, Psittacus</i>	106
Sandhill Crane	77
<i>sandvicensis, Anser</i>	15
<i>sandvicensis, Branta</i>	15
<i>sandvicensis, Nesothen</i>	15
Sandy Scops-Owl	142
<i>sanfordi, Haliaeetus</i>	43
Sanford's Fish-Eagle	43
Sanford's Sea-Eagle	43
Sangihe Hanging-parrot	110
Sangihe Scops-Owl	142
<i>sanguinea, Cacatua</i>	95
<i>sanguinea, Kakatoe</i>	94, 95
Sansonnet de Rothschild	202
Santa Barbara Screech-Owl	141
Santa Marta Conure	122
Santa Marta Parakeet	122
Santa Marta Sabrewing	156
Santa Marta Woodstar	156
Saphir de Xantus	154
Saphir d'Elicia	166
Saphir oenome	159
Saphir ulyssse	166
Sapphire-bellied Hummingbird	168
Sapphire-rumped Parrotlet	124
Sapphire-spangled Emerald	174
Sapphire-throated Hummingbird	168
Sapphire-vented Puffleg	162
<i>sapphirina, Hylocharis</i>	167
<i>sapphirinus, Trochilus</i>	167
<i>Sapphironia luminosa</i>	168
<i>sapphiropygia, Eriocnemis</i>	162
Sappho	175
<i>Sappho sparganura</i>	175
Sarcelle brune	11
Sarcelle de Bernier	11
Sarcelle de Laysan	12
Sarcelle de Madagascar	11
Sarcelle d'hiver	12
Sarcelle du Cap	11
Sarcelle formose	12
Sarcelle malgache de Bernier	11
<i>Sarcogyps</i>	52
<i>Sarcogyps calvus</i>	52
Sarcoramphe roi	18
<i>Sarcoramphus</i>	18
<i>Sarcoramphus papa</i>	18
<i>Sarkidiornis</i>	18
<i>Sarkidiornis melanotos</i>	18
Sarus Crane	77

<i>sasin</i> , <i>Ornismya</i>	176
<i>sasin</i> , <i>Selasphorus</i>	176
<i>Satyr Tragopan</i>	76
<i>satyra</i> , <i>Meleagris</i>	76
<i>satyra</i> , <i>Tragopan</i>	76
<i>Saucerottia</i>	175, 176
<i>Saucerottia beryllina</i> 175	
<i>Saucerottia cupreicauda</i>	176
<i>Saucerottia cyanifrons</i>	176
<i>Saucerottia cyanura</i> 176	
<i>Saucerottia edward</i> 176	
<i>Saucerottia saucerrottei</i>	176
<i>Saucerottia tobaci</i>	176
<i>Saucerottia viridigaster</i>	176
<i>saucerrottei</i> , <i>Amazilia</i>	176
<i>saucerrottei</i> , <i>Saucerottia</i>	176
<i>saucerrottei</i> , <i>Trochilus</i>	176
<i>Savanna Hawk</i>	34
<i>savilei</i> , <i>Eupodotis</i>	81
<i>savilei</i> , <i>Lophotis</i>	81
<i>Savile's Bustard</i>	81
<i>Saw-billed Hermit</i>	175
<i>Saw-whet Owl</i> 128, 129	
<i>Scaled Metaltail</i>	170
<i>Scale-throated Hermit</i>	172
<i>Scaly-breasted</i> <i>Hummingbird</i>	155
<i>Scaly-breasted Lorikeet</i>	93
<i>Scaly-breasted Munia</i>	193
<i>Scaly-fronted Weaver</i>	200
<i>Scaly-headed Parrot</i> 114	
<i>Scaly-naped Amazon</i> 99	
<i>Scaly-naped Parrot</i> ... 99	
<i>scandiacaca</i> , <i>Nyctea</i>	140
<i>scandiacaca</i> , <i>Strix</i>	140
<i>scandiacacus</i> , <i>Bubo</i>	140
<i>scapularis</i> , <i>Alisterus</i>	97
<i>scapularis</i> , <i>Psittacus</i> . 97	
<i>Scarlet Cock-of-the-rock</i>	184
<i>Scarlet Ibis</i>	7
<i>Scarlet Macaw</i>	102
<i>Scarlet-breasted Lorikeet</i>	93
<i>Scarlet-chested Parrot</i>	112
<i>Scarlet-fronted Parakeet</i>	104
<i>Scarlet-shouldered</i> <i>Parrotlet</i>	123
<i>Sceloglaux</i>	146
<i>Sceloglaux albifacies</i> 146	
<i>schalowi</i> , <i>Corythaix</i> . 126	
<i>schalowi</i> , <i>Tauraco</i> ... 126	
<i>Schalow's Turaco</i> ... 126	
<i>scheepmakeri</i> , <i>Goura</i> 86	
<i>Scheepmaker's Crowned-Pigeon</i>	86
<i>scheffleri</i> , <i>Glaucidium</i>	136
<i>Scheffler's Owlet</i>	136
<i>schistacea</i> , <i>Asturina</i> . 48	
<i>schistacea</i> , <i>Leucopternis</i>	48
<i>Schistes geoffroyi</i> ... 154	
<i>schleiermacheri</i> , <i>Polyplectron</i>	74
<i>schreibersii</i> , <i>Heliodoxa</i>	165
<i>schreibersii</i> , <i>Ionolaima</i>	165
<i>schreibersii</i> , <i>Trochilus</i>	165
<i>schuettii</i> , <i>Corythaix</i> . 126	
<i>schuettii</i> , <i>Tauraco</i> ... 126	
<i>scintilla</i> , <i>Selasphorus</i> 177	
<i>scintilla</i> , <i>Trochilus</i> ... 177	
<i>Scintillant Hummingbird</i>	177
<i>Scissor-tailed</i> <i>Hummingbird</i>	167
<i>Scissor-tailed Kite</i>	34
<i>scitulus</i> , <i>Aithurus</i>	178
<i>scitulus</i> , <i>Trochilus</i>	178
<i>sclateri</i> , <i>Forpus</i>	108
<i>sclateri</i> , <i>Lophophorus</i> 72	
<i>sclateri</i> , <i>Loriculus</i> 110	
<i>sclateri</i> , <i>Psittacula</i>	108
<i>Sclater's Monal</i>	72
<i>Sclater's Parrotlet</i>	108
SCOLOPACIDAE 83	
<i>Scolopax borealis</i> 83	
<i>Scolopax rubra</i>	7
<i>Scops barbarus</i>	141
<i>Scops beccarii</i>	143
<i>Scops brookii</i>	141
<i>Scops cooperi</i>	142
<i>Scops flammeola</i>	142
<i>Scops icterorhynchus</i> 142	
<i>Scops ingens</i>	142
<i>Scops kennicottii</i>	142
<i>Scops longicornis</i>	143
<i>Scops manadensis</i>	143
<i>Scops mantananensis</i>	143
<i>Scops mindorensis</i>	144
<i>Scops Owl</i>	145
<i>Scops philippensis</i>	133
<i>Scops rutilus</i>	144
<i>Scops senegalensis</i>	145
<i>Scops silvicola</i>	145
<i>Scops sunia</i>	145
<i>Scops trichopsis</i>	146
<i>Scops whiteheadi</i>	143
<i>scops</i> , <i>Otus</i> ... 142, 143, 144, 145	
<i>scops</i> , <i>Strix</i>	145
<i>Scotopelia</i>	147
<i>Scotopelia bouvieri</i>	147
<i>Scotopelia peli</i>	147
<i>Scotopelia ussheri</i>	147
<i>scriptus</i> , <i>Elanus</i>	40
<i>scutatus</i> , <i>Augastes</i>	154
<i>scutatus</i> , <i>Malimbus</i>	198
<i>scutatus</i> , <i>Trochilus</i>	154
<i>scutulata</i> , <i>Anas</i>	15
<i>scutulata</i> , <i>Asarcornis</i>	15
<i>scutulata</i> , <i>Cairina</i>	15
<i>scutulata</i> , <i>Ninox</i>	139
<i>scutulata</i> , <i>Strix</i>	139
<i>Secretario</i>	56
<i>Secretarybird</i>	56
<i>seductus</i> , <i>Megascops</i> 142	
<i>seductus</i> , <i>Otus</i>	142
<i>sefilata</i> , <i>Parotia</i>	205
<i>Selasphorus</i> ... 154, 176, 177	
<i>Selasphorus ardens</i> 176	
<i>Selasphorus ellioti</i>	154
<i>Selasphorus flammula</i>	176
<i>Selasphorus heloisa</i> 154	
<i>Selasphorus platycercus</i>	176
<i>Selasphorus rufus</i> ... 176	
<i>Selasphorus sasin</i> ... 176	
<i>Selasphorus scintilla</i> 177	
<i>Selasphorus simoni</i> .. 176	
<i>Selasphorus torridus</i> 176	
<i>Selenidera</i>	183
<i>Selenidera maculirostris</i>	183
<i>Seleucidis</i>	206
<i>Seleucidis melanoleuca</i>	206
<i>seloputo</i> , <i>Strix</i>	149
<i>Semi-collared Hawk</i> .. 21	
<i>Semi-collared Sparrowhawk</i>	21
<i>semilarvata</i> , <i>Eos</i>	91
<i>Semioptera</i>	206
<i>Semioptera wallacii</i> .. 206	
<i>semiplumbea</i> , <i>Leucopternis</i>	48
<i>Semiplumbeous Hawk</i> 48	
<i>semitorquata</i> , <i>Columba</i>	

.....	87
<i>semitorquata</i> , <i>Falco</i> ..	67
<i>semitorquata</i> ,	
<i>Streptopelia</i>	87
<i>semitorquatus</i> , <i>Micrastur</i>	
.....	66
<i>semitorquatus</i> , <i>Poliherax</i>	
.....	67
<i>semitorquatus</i> , <i>Sparvius</i>	
.....	66
<i>Semnornis</i>	182
<i>Semnornis ramphastinus</i>	
.....	182
Senegal Bustard	81
Senegal Combassou	201
Senegal Dove	87
Senegal Firefinch ...	192
Senegal Parrot	116
<i>senegala</i> , <i>Lagonosticta</i>	
.....	192
<i>senegalensis</i> , <i>Columba</i>	
.....	87
<i>senegalensis</i> ,	
<i>Ephippiorhynchus</i>	6
<i>senegalensis</i> , <i>Eupodotis</i>	
.....	81
<i>senegalensis</i> , <i>Mycteria</i>	6
<i>senegalensis</i> , <i>Otis</i>	81
<i>senegalensis</i> , <i>Otus</i> ..	145
<i>senegalensis</i> , <i>Scops</i>	145
<i>senegalensis</i> ,	
<i>Streptopelia</i>	87
<i>senegalus</i> , <i>Poicephalus</i>	
.....	116
<i>senegalus</i> , <i>Psittacus</i>	116
<i>senilis</i> , <i>Pionus</i>	114
<i>senilis</i> , <i>Psittacus</i>	114
<i>seniloides</i> , <i>Pionus</i> ...	114
<i>seniloides</i> , <i>Psittacus</i>	114
<i>sephanioides</i> ,	
<i>Orthorhyncus</i>	177
<i>sephanioides</i> ,	
<i>Sephanoides</i>	177
<i>Sephanoides</i>	
<i>fernandensis</i>	177
<i>Sephanoides sephanioides</i>	
.....	177
<i>sericea</i> , <i>Loboparadisea</i>	
.....	203
<i>Sericotes holosericeus</i>	
.....	162
Serin de Mozambique	
.....	190
Serin du Cap	189
Serin du Mozambique	
.....	190
Serin est-africain ...	189
Serin ouest-africain	189
<i>Serinus</i>	189, 190
<i>Serinus canicapillus</i>	189
<i>Serinus canicollis</i>	189
<i>Serinus gularis</i>	189
<i>Serinus hypostictus</i>	189
<i>Serinus leucopygius</i>	190
<i>Serinus mozambicus</i>	190
Serpentaire .	39, 40, 52,
53, 56	
Serpentaire bacha	53
Serpentaire de	
Madagascar	40
Serpentaire des Andaman	
.....	53
Serpentaire des Kinabalu	
.....	53
Serpentaire des Nicobar	
.....	53
Serpentaire des	
Philippines	53
Serpentaire du Congo	39
Serpentario	56
<i>serpentarius</i> , <i>Falco</i> ...	56
<i>serpentarius</i> , <i>Sagittarius</i>	
.....	56
<i>serrirostris</i> , <i>Colibri</i> ..	160
<i>serrirostris</i> , <i>Trochilus</i>	160
Seven-colored Parrotlet	
.....	123
Seven-colored Tanager	
.....	188
<i>severa</i> , <i>Ara</i>	103
Severe Macaw	103
<i>severus</i> , <i>Falco</i>	63
<i>severus</i> , <i>Psittacus</i> ...	103
Seychelles Kestrel	57
Sharp-shinned Hawk	24
<i>shelleyi</i> , <i>Bubo</i>	133
<i>shelleyi</i> , <i>Huhua</i>	133
Shelley's Eagle-Owl	.133
Shikra	19, 20
Shining Sunbeam ...	151
Shining-green	
Hummingbird	168
Shoebill	5
Short-billed Black-	
Cockatoo	96
Short-crested Coquette	
.....	169
Short-eared Owl	129
Short-tailed Albatross	.2
Short-tailed Emerald	158
Short-tailed Hawk	31
Short-tailed Paradigalla	
.....	204
Short-tailed Parrot ..	109
Short-tailed Woodstar	
.....	171
Short-toed Eagle	35
Short-toed Snake-Eagle	
.....	35
Shoveler	11
Siamese Fireback	72
<i>siaoensis</i> , <i>Otus</i>	143
Siberian Crane	78
Siberian White Crane	78
Sichuan Wood-owl ..	148
Sierra Parakeet	118
Sifilet d'Arfak	205
Sifilet de Carola	205
Sifilet de Lawe	205
Sifilet de Wahnes ..	205
Siju	143
Siju cotunto	143
<i>siju</i> , <i>Glaucidium</i>	136
<i>siju</i> , <i>Noctua</i>	136
Sijucito	136
Silfo celeste	151
Silfo colilargo	151
Silfo colivioleta	151
Silfo de King	151
Silky-Crow	204
Silver-eared Mesia ..	186
<i>silvicola</i> , <i>Otus</i>	145
<i>silvicola</i> , <i>Scops</i>	145
Simeulue Scops-Owl	146
Simeulue Serpent-Eagle	
.....	53
<i>simoni</i> , <i>Selasphorus</i>	176
<i>simplex</i> , <i>Geoffroyus</i>	109
<i>simplex</i> , <i>Pionias</i>	109
Singing Parrot	109
<i>sintillata</i> , <i>Chalcopsitta</i>	90
<i>sintillatus</i> , <i>Psittacus</i> ..	90
<i>sipora</i> , <i>Spilornis</i>	53
<i>sirintarae</i> , <i>Eurychelidon</i>	
.....	185
<i>sirintarae</i> ,	
<i>Pseudochelidon</i>	185
<i>Sitagra de Pelzeln</i> ...	200
<i>Sitagra luteola</i>	199
<i>Sitagra melanocephala</i>	
.....	199
<i>Sitta</i>	187
<i>Sitta magna</i>	187
<i>Sitta yunnanensis</i> ...	187
<i>Sittace caninde</i>	102
<i>Sittace cyanoptera</i> ..	105
<i>Sittace euops</i>	103
<i>Sittace lepida</i>	121
<i>Sittace spixii</i>	106
Sittelle du Yunnan ..	187
SITTIDAE	187
Six-plumed Parotia ..	205
<i>sjostedti</i> , <i>Glaucidium</i>	136
Sjostedt's Owlet	136
Slate-colored Hawk	48
Slaty-backed Forest-	

Falcon	65
Slaty-backed Goshawk	22
Slaty-headed Parakeet	119
Slaty-mantled Sparrowhawk	22
Slender Sheartail ...	161
Slender-billed Black-Cockatoo	96
Slender-billed Conure	108
Slender-billed Curlew	83
Slender-billed Kite ...	52
Slender-billed Parakeet	108
Slender-billed Weaver	200
Slender-tailed Woodstar	170
Small Serpent-Eagle .	53
Small Sparrowhawk ..	23
Smaller Banded Snake-Eagle	35
Smaller Cock-of-the-rock	184
<i>Smaragdites theresiae</i>	175
smithiglaux capensis	135
Snail Kite	52
Snow Crane	78
Snowcap	170
Snowy Owl	140
Snowy-breasted Hummingbird	176
<i>sociabilis, Herpetotheres</i>	52
<i>sociabilis, Rostrhamus</i>	52
Socorro Parakeet ...	103
Sokoke Scops-Owl .	142
Solangel de gorguera	165
Solangel gorjiamatista	164
Solangel gorjipurpura	165
Solangel turmalino .	164
<i>solitaria, Cryptura</i>	2
<i>solitarius, Buteo</i>	33
<i>solitarius, Circaetus</i> ..	44
<i>solitarius, Harpyhaliaetus</i>	44
<i>solitarius, Phigys</i>	92
<i>solitarius, Psittacus</i> ..	92
<i>solitarius, Tinamus</i>	2
Solitary Eagle	44
Solitary Tinamou	2
<i>soloensis, Accipiter</i> ...	24
<i>soloensis, Falco</i>	24
Solomon Fish-Eagle ..	43
Solomon Hawk-Owl	138
Solomon Islands Boobook	138
Solomon Sea-Eagle ..	43
<i>solomonensis, Nesasio</i>	137
<i>solomonensis, Pseudoptynx</i>	137
<i>solomonis, Ninox</i> ...	140
<i>solstitialis, Aratinga</i> .	104
<i>solstitialis, Psittacus</i> 104	
Sombre Hummingbird	155
<i>sonneratii, Gallus</i>	72
Sonnerat's Junglefowl	72
Sooty Eagle-Owl	132
Sooty Falcon	59
Sooty Owl	128
Sooty-backed Hawk-Owl	140
Sooty-capped Hermit	172
<i>sordida, Cyanomyia</i> 160	
<i>sordidus, Cynanthus</i> 160	
<i>sordidus, Pionus</i>	114
<i>sordidus, Psittacus</i> ..	114
<i>sororcula, Strix</i>	128
<i>sororcula, Tyto</i>	128
Souchet	11
Souimanga d'Amani	187
<i>soumagnei, Heliodilus</i>	128
<i>soumagnei, Tyto</i>	128
Soumagne's Owl	128
South African Crowned Crane	76
Southern Bald Ibis	7
Southern Banded Snake-Eagle	35
Southern Black-throated Finch	195
Southern Boobook	138
Southern Caracara ...	67
Southern Crowned-Pigeon	86
Southern Helmeted Curassow	69
Spangled Coquette ..	169
Spanish Imperial Eagle	26
<i>sparganura, Sappho</i> 175	
<i>sparganurus, Trochilus</i>	175
Sparkling Violet-ear	160
Sparkling-tailed Barbthroat	178
Sparkling-tailed Hummingbird	178
Sparrowhawk 19, 20, 21, 22, 23, 24, 25, 40	
<i>sparverius, Falco</i>	63
<i>Sparvius bicolor</i>	20
<i>Sparvius caerulescens</i>	40
<i>Sparvius cirrhocephalus</i>	21
<i>Sparvius gilvicollis</i>	65
<i>Sparvius platypterus</i> .	32
<i>Sparvius ruficollis</i>	65
<i>Sparvius semitorquatus</i>	66
<i>Spathopterus alexandrae</i>	116
<i>Spathopterus anthopeplus</i>	116
<i>Spatula clypeata</i>	11
Spatule blanche	8
Speckled Boobook ..	139
Speckled Hawk-Owl	139
Speckled Hummingbird	150
Speckled Pigeon	84
Speckled Rock Pigeon	84
Speckle-fronted Weaver	200
<i>spectabilis, Astur</i>	39
<i>spectabilis, Dryotriorchis</i>	39
Spectacled Owl	146
Spectacled Parrotlet	108
<i>Spelectos corythaix</i> .	125
<i>spencei, Heliangelus</i> 164	
<i>Speotyto</i>	147
<i>Speotyto cunicularia</i> 147	
<i>Spermestes bicolor</i> .	192
<i>Spermestes cucullatus</i>	193
<i>Spermestes fringilloides</i>	193
<i>Spermophaga</i>	195
<i>Spermophaga haematina</i>	195
SPHENISCIDAE	2
SPHENISCIFORMES .	2
<i>Spheniscus</i>	2
<i>Spheniscus demersus</i> .	2
<i>Spheniscus humboldti</i> 2	
<i>sphenurus, Haliastur</i> 43,	44
<i>sphenurus, Milvus</i>	44
<i>spilocephala, Ninox</i> .	138
<i>spilocephalus, Ephialtes</i>	145
<i>spilocephalus, Otus</i> 140,	145
<i>spilogaster, Hieraaetus</i>	46
<i>spilogaster, Spizaetus</i> 46	
<i>Spiloglaux theomacha</i>	140
<i>spilonota, Ninox</i>	138

<i>spilonotus</i> , <i>Circus</i>	38
<i>Spilornis</i>	53
<i>Spilornis abbotti</i>	53
<i>Spilornis asturinus</i>	53
<i>Spilornis baweanus</i> ..	53
<i>Spilornis cheela</i>	53
<i>Spilornis elgini</i>	53
<i>Spilornis holospilus</i> ...	53
<i>Spilornis kinabaluensis</i>	53
<i>Spilornis klossi</i>	53
<i>Spilornis minimus</i>	53
<i>Spilornis natunensis</i> .	53
<i>Spilornis perplexus</i> ...	53
<i>Spilornis rufipectus</i> ...	53
<i>Spilornis sipoa</i>	53
<i>Spinus atratus</i>	189
<i>Spinus cucullatus</i> ...	189
<i>Spinus yarrellii</i>	189
<i>spixii</i> , <i>Ara</i>	106
<i>spixii</i> , <i>Cyanopsitta</i> ..	106
<i>spixii</i> , <i>Sittace</i>	106
<i>Spix's Macaw</i>	106
<i>Spizaetus</i> 40, 46, 48, 51, 53, 54, 55	
<i>Spizaetus africanus</i> ..	53
<i>Spizaetus alboniger</i> ..	54
<i>Spizaetus bartelsi</i>	54
<i>Spizaetus cirrhatus</i> ...	54
<i>Spizaetus coronatus</i> .	55
<i>Spizaetus floris</i>	54
<i>Spizaetus isidori</i>	51
<i>Spizaetus lanceolatus</i> 54	
<i>Spizaetus melanoleucus</i>	40
<i>Spizaetus nanus</i>	54
<i>Spizaetus nipalensis</i> .	54
<i>Spizaetus occipitalis</i> .	48
<i>Spizaetus ornatus</i>	54
<i>Spizaetus philippensis</i> 54	
<i>Spizaetus spilogaster</i> 46	
<i>Spizaetus tyrannus</i> ...	55
<i>Spizastur</i>	55
<i>Spizastur melanoleucus</i>	55
<i>Spizapteryx</i>	68
<i>Spizapteryx</i> <i>circumcinctus</i>	68
<i>splendens</i> , <i>Platycercus</i>	117
<i>splendens</i> , <i>Prosopeia</i> 117	
<i>Splendid Astrapia</i> ...	202
<i>Splendid Grass-Parakeet</i>	112
<i>splendida</i> , <i>Euphema</i> 112	
<i>splendida</i> , <i>Neophema</i>	112
<i>splendidissima</i> , <i>Astrapia</i>	202
<i>Spoonbill</i>	8
<i>Sporaeginthus subflavus</i>	166
<i>Sporophila</i>	190
<i>Sporophila falcirostris</i>	188
<i>Sporophila frontalis</i> .188	
<i>Sporophila hypochroma</i>	188
<i>Sporophila palustris</i> 188	
<i>Sporophile de Temminck</i>	188
<i>Sporophile des marais</i>	188
<i>Sporopipes</i>	200
<i>Sporopipes frontalis</i> 200	
<i>Spot-backed Weaver</i> 199	
<i>Spot-bellied Eagle-Owl</i>	133
<i>Spot-billed Toucanet</i> 183	
<i>Spot-breasted Ibis</i>	7
<i>Spot-tailed Goshawk</i> 25	
<i>Spot-tailed Sparrowhawk</i>	25
<i>Spotted Cotinga</i>	184
<i>Spotted Eagle</i>	26, 27
<i>Spotted Eagle-Owl</i> ..131	
<i>Spotted Greenshank</i> .84	
<i>Spotted Harrier</i>	36
<i>Spotted Kestrel</i>	60
<i>Spotted Little Owl</i> ...131	
<i>Spotted Marsh-Harrier</i> 38	
<i>Spotted Owl</i>	149
<i>Spotted Owlet</i> 131, 136	
<i>Spotted Scops-Owl</i> ..145	
<i>Spotted Wood-Owl</i> ..149	
<i>Spotted-backed Harrier</i>	38
<i>Spot-throated</i> <i>Hummingbird</i>	168
<i>Spot-winged Falcon</i> ..68	
<i>Spot-winged Falconet</i> 68	
<i>Spot-winged Parrotlet</i>	124
<i>spurius</i> , <i>Psittacus</i>121	
<i>spurius</i> , <i>Purpureicephalus</i>	121
<i>Spur-winged Goose</i> ..17	
<i>squalidus</i> , <i>Phaethornis</i>	173
<i>squalidus</i> , <i>Trochilus</i> .173	
<i>squamata</i> , <i>Eos</i>	91
<i>squamatus</i> , <i>Psittacus</i> 91	
<i>squamipila natalis</i> , <i>Ninox</i>	139
<i>squamipila</i> , <i>Athene</i> .139	
<i>squamipila</i> , <i>Ninox</i> ...139	
<i>squamosus</i> , <i>Heliomaster</i>	166
<i>squamosus</i> , <i>Trochilus</i>	173
<i>Square-tailed Kite</i>	48
<i>Sri Lanka Hanging-Parrot</i>	110
<i>Stachyris</i>	187
<i>Stachyris whiteheadi</i> 187	
<i>Standardwing</i>	206
<i>Standard-wing Bird-of-</i> <i>paradise</i>	206
<i>Stanley bustard</i>	82
<i>Stanley Crane</i>	78
<i>Stanley Parakeet</i>	115
<i>stanleyi</i> , <i>Chalcostigma</i>	157
<i>stanleyi</i> , <i>Trochilus</i> ...	157
<i>Steely-vented</i> <i>Hummingbird</i>	176
<i>Steere's Pitta</i>	185
<i>steieri</i> , <i>Pitta</i>	185
<i>Steller's Albatross</i>	2
<i>Steller's Sea-eagle</i>43	
<i>Stellula</i>	177
<i>Stellula calliope</i>	177
<i>stenura</i> , <i>Panychloris</i> 158	
<i>stenurus</i> , <i>Chlorostilbon</i>	158
<i>stephaniae</i> , <i>Astrapia</i> 202	
<i>Stephanie's Astrapia</i> 202	
<i>Stephanoaetus</i>	55
<i>Stephanoaetus coronatus</i>	55
<i>Stephanoxis</i>	177
<i>Stephanoxis lalandi</i> .177	
<i>stepheni</i> , <i>Calliptilus</i> ...94	
<i>stepheni</i> , <i>Vini</i>	94
<i>Stephen's Lorikeet</i>94	
<i>Steppe Eagle</i>	27
<i>Sternoclyta</i>	177
<i>Sternoclyta cyanopectus</i>	177
<i>stictolophus</i> , <i>Lophornis</i>	169
<i>stictoptera</i> , <i>Touit</i>	124
<i>stictoptera</i> , <i>Urochroma</i>	124
<i>stigmatus</i> , <i>Loriculus</i> 110	
<i>stigmatus</i> , <i>Psittacus</i> 110	
<i>stolzmanni</i> , <i>Oreotrochilus</i>	171
<i>stormi</i> , <i>Ciconia</i>	6
<i>Storm's Stork</i>	6
<i>Straight-billed Hermit</i>	172
<i>Straw-crowned Bulbul</i>	185
<i>Straw-headed Bulbul</i> 185	
<i>Streaked Lorikeet</i>90	
<i>Streak-throated Hermit</i>	173

Streamertail	178
<i>strenua, Aratinga</i> ...	104
<i>strenua, Athene</i>	139
<i>strenua, Ninox</i>	139
<i>Streptopelia</i>87, 88	
<i>Streptopelia decipiens</i> 87	
<i>Streptopelia fulvopectoralis</i>87	
<i>Streptopelia roseogrisea</i>	87
<i>Streptopelia semitorquata</i>87	
<i>Streptopelia senegalensis</i>	87
<i>Streptopelia turtur</i> ...88	
<i>Streptopelia vinacea</i> .88	
Striated Caracara67	
Striated Lorikeet90	
Striated Scops-Owl .141	
<i>striatus, Accipiter</i> 20, 21, 24, 25	
STRIGIDAE128	
STRIGIFORMES126	
<i>strigirostris, Didunculus</i>	85
<i>strigirostris, Gnathodon</i>	85
<i>Strigops</i>123	
<i>Strigops habroptilus</i> 123	
<i>Strigops kakapo</i>123	
<i>striigularis, Phaethornis</i>	173
<i>striigularis, Pygmornis</i>	173
Stripe-breasted	
Starthroat166	
Striped Owl129	
Stripe-tailed	
Hummingbird163	
Stripe-throated Hermit	
.....173	
<i>Strix</i> 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 143, 144, 145, 146, 147, 148, 149, 150	
<i>Strix acadica</i>128	
<i>Strix africana</i>131	
<i>Strix alba</i>126	
<i>Strix albifrons</i>147	
<i>Strix aluco</i>147	
<i>Strix asio</i>140	
<i>Strix atricapilla</i>140	
<i>Strix aurantia</i>127	
<i>Strix badia</i>126	
<i>Strix boobook</i>138	
<i>Strix brama</i>131	
<i>Strix brasiliiana</i>134	
<i>Strix bubo</i>	132
<i>Strix butleri</i>	148
<i>Strix capensis</i>	127
<i>Strix castanops</i>	127
<i>Strix castanoptera</i> ..134	
<i>Strix chacoensis</i>149	
<i>Strix choliba</i>	141
<i>Strix coromanda</i>132	
<i>Strix cristata</i>	137
<i>Strix cunicularia</i>	147
<i>Strix davidi</i>	148
<i>Strix flammea</i>	129
<i>Strix fulvescens</i>	148
<i>Strix funerea</i>	128
<i>Strix huhula</i>	148
<i>Strix hylophila</i>	148
<i>Strix inexpectata</i> ..127	
<i>Strix ketupu</i>	137
<i>Strix lactea</i>	132
<i>Strix leptogrammica</i> 148	
<i>Strix leucotis</i>	143
<i>Strix longimembris</i> ..127	
<i>Strix magica</i>	143
<i>Strix minutissima</i> ..135	
<i>Strix nana</i>	135
<i>Strix nebulosa</i>	148
<i>Strix nigrolineata</i>149	
<i>Strix noctua</i>	131
<i>Strix novaehollandiae</i>	128
<i>Strix novaezealandiae</i>	138
<i>Strix nudipes</i>	144
<i>Strix occidentalis</i>149	
<i>Strix ocellata</i>	149
<i>Strix otus</i>	130
<i>Strix passerina</i>	135
<i>Strix peli</i>	147
<i>Strix perlata</i>	135
<i>Strix perspicillata</i> ..146	
<i>Strix radiata</i>	136
<i>Strix rosenbergii</i>128	
<i>Strix rufescens</i>	144
<i>Strix rufipes</i>	149
<i>Strix scandiaca</i>	140
<i>Strix scops</i>	145
<i>Strix scutulata</i>	139
<i>Strix seloputo</i>	149
<i>Strix sororcula</i>	128
<i>Strix sumatrana</i>	133
<i>Strix superciliaris</i>139	
<i>Strix tenebrioides</i> ..128	
<i>Strix ulula</i>	150
<i>Strix uralensis</i> 148, 149	
<i>Strix varia</i>148, 149	
<i>Strix virgata</i>	149
<i>Strix virginiana</i>133	
<i>Strix woodfordii</i>	150
<i>Strix zeylonensis</i>137	
<i>strophianus, Heliangelus</i>	165
<i>strophianus, Trochilus</i>	165
<i>strophium, Odontophorus</i>	73
<i>Struthio</i>	1
<i>Struthio americanus</i> ...1	
<i>Struthio camelus</i>1	
<i>Struthio molybdophanes</i>	1
STRUTHIONIDAE1	
STRUTHIONIFORMES 1	
<i>stuardi, Phaethornis</i> 174	
<i>Sturnella</i>	189
<i>Sturnella defilippii</i> ...189	
<i>Sturnella militaris</i> ...189	
Sturnelle des pampas	189
<i>Sturnia erythropygia</i> 202	
STURNIDAE201	
<i>Sturnus</i>	202
<i>Sturnus erythropygius</i>	202
<i>stygia, Lonchura</i>193	
Styrian Owl131	
<i>stygius, Asio</i>130	
<i>stygius, Nyctalops</i> .130, 131	
<i>subandina, Pyrrhura</i> 122	
<i>subbuteo, Falco</i>63	
<i>subcristata, Aviceda</i> ..29	
<i>subcristatus, Lepidogenys</i>	29
<i>subflava, Amandava</i> 190	
<i>subflava, Estrilda</i>190	
<i>subflavus, Sporaeginthus</i>	190
<i>subniger, Falco</i>64	
<i>subochraceus,</i> <i>Phaethornis</i>174	
<i>subruficollis, Aceros</i> 180	
<i>subruficollis, Buceros</i> 180	
<i>subruficollis, Rhyticeros</i>	180
<i>subtilis, Buteogallus</i> ..34	
<i>subtilis, Urubitinga</i>34	
Subtropical Pygmy-Owl	135
<i>Sula abbotti</i>	3
Sula Barn-Owl128	
Sula Hanging-Parrot 110	
Sulawesi Dwarf Hornbill	182
Sulawesi Goshawk22	
Sulawesi Hanging-Parrot	110
Sulawesi Hawk-eagle 54	
Sulawesi Hornbill ...179,	

182	
Sulawesi Owl	128
Sulawesi Scops-Owl	143
Sulawesi Serpent-Eagle	53
Sulawesi Tarictic Hornbill	182
Sulawesi Wrinkled Hornbill	179
<i>sulfuratus</i> , <i>Ramphastos</i>	183
SULIDAE	3
Sulphur-crested Cockatoo	94, 95
<i>sulphurea</i> , <i>Cacatua</i> ..	95
<i>sulphurea</i> , <i>Kakatoe</i> ..	95
<i>sulphureus</i> , <i>Psittacus</i>	95
Sulphur-winged Parakeet	121
Sulu Hornbill	181
Sumatran Pheasant ..	73
<i>sumatrana</i> , <i>Arborophila</i>	70
<i>sumatrana</i> , <i>Strix</i> ..	133
<i>sumatranus</i> , <i>Bubo</i> ..	133
<i>sumatranus</i> , <i>Psittacus</i>	123
<i>sumatranus</i> , <i>Tanygnathus</i>	123
Sumba Boobook	139
Sumba Hornbill	179
Sumba Wreathed Hornbill	179
<i>sumbaensis</i> , <i>Ninox</i> ..	139
Sun Conure	104
Sun Parakeet	104
Sunda Hawk-Eagle ..	54
Sunda Pied Hornbill	180
Sunda Scops-Owl ..	141, 145
Sunda Wrinkled Hornbill	179
<i>sunia</i> , <i>Otus</i>	145
<i>sunia</i> , <i>Scops</i>	145
Superb Bird-of-paradise	203
Superb Parrot	116
<i>superba</i> , <i>Lophorina</i>	203
<i>superciliaris</i> , <i>Ninox</i> ..	139
<i>superciliaris</i> , <i>Strix</i> ..	139
<i>superciliosa</i> , <i>Ophrysia</i>	73
<i>superciliōsus</i> , <i>Accipiter</i>	24
<i>superciliōsus</i> , <i>Falco</i> ..	24
<i>superciliōsus</i> , <i>Pachyphantes</i>	198
<i>superciliōsus</i> , <i>Phaethornis</i>	174
<i>superciliōsus</i> , <i>Plocepasser</i>	198

<i>superciliōsus</i> , <i>Ploceus</i>	198
<i>superciliōsus</i> , <i>Rollulus</i>	73
<i>superciliōsus</i> , <i>Trochilus</i>	174
<i>surda</i> , <i>Touit</i>	124
<i>surdus</i> , <i>Psittacus</i>	124
<i>Surnia</i>	150
<i>Surnia ulula</i>	150
<i>swainsoni</i> , <i>Buteo</i>	33
<i>swainsonii</i> , <i>Chlorostilbon</i>	158
<i>swainsonii</i> , <i>Gampsonyx</i>	40
<i>swainsonii</i> , <i>Ornismya</i>	158
<i>swainsonii</i> , <i>Polytelis</i>	116
<i>swainsonii</i> , <i>Psittacus</i>	116
Swainson's Hawk	33
Swallow-tailed Hummingbird	156
Swallow-tailed Kite	34, 39
Swamp Harrier	36
Swamp Parakeet	113
Swift Parrot	109
<i>swindernianus</i> , <i>Agapornis</i>	97
<i>swindernianus</i> , <i>Psittacus</i>	97
Swinhoe's Pheasant ..	73
<i>swinhoii</i> , <i>Euplocomus</i>	73
<i>swinhoii</i> , <i>Hierophasis</i>	73
<i>swinhoii</i> , <i>Lophura</i>	73
Sword-billed Hummingbird	161
<i>swynnertoni</i> , <i>Pogonochichla</i>	187
<i>swynnertoni</i> , <i>Swynnertonia</i>	187
<i>swynnertonia</i>	187
<i>swynnertonia</i>	187
<i>swynnerton's Forest Robin</i>	187
Swynnerton's Robin	187
<i>sybillae</i> , <i>Delattria</i>	167
<i>sybillae</i> , <i>Lamponornis</i>	167
<i>sylvestris</i> , <i>Gallirallus</i>	79
<i>sylvestris</i> , <i>Ocydromus</i>	79
<i>sylvestris</i> , <i>Tricholimnas</i>	79
<i>Syphoetides humilis</i> ..	81
<i>Syphoetides indica</i> ..	81
<i>Syrmaticus</i>	75
<i>Syrmaticus ellioti</i> ..	75
<i>Syrmaticus humiae</i> ..	75
<i>Syrmaticus mikado</i> ..	75
<i>Syrmaticus reevesii</i> ..	75
<i>syrmatophorus</i> ,	
<i>Phaethornis</i>	174
<i>Syrnium albitarse</i> ..	147
<i>Syrnium davidi</i>	148
<i>Syrnium koeniswaldianum</i> ..	146
<i>Syrnium occidentale</i>	149
<i>Syrnium ocellatum</i> ..	149
<i>Syrnium virgatum</i> ..	149

T

<i>tabuensis</i> , <i>Layardiella</i>	117
<i>tabuensis</i> , <i>Prosopeia</i>	117
<i>tabuensis</i> , <i>Psittacus</i>	117
<i>tachardus</i> , <i>Buteo</i>	32
<i>tachiro</i> , <i>Accipiter</i>	25
<i>tachiro</i> , <i>Falco</i>	25
<i>taczanowskii</i> , <i>Leucippus</i>	168
<i>taczanowskii</i> , <i>Talaphorus</i>	168
<i>taczanowskii</i> , <i>Thaumasius</i>	168
<i>Tadorna</i>	18
<i>Tadorna cristata</i>	18
Tahitian Lorikeet	94
Taita Falcon	60
<i>Talaphorus chlorocercus</i>	168
<i>Talaphorus hypostictus</i>	168
<i>Talaphorus taczanowskii</i>	168
Taliabu Masked-Owl	128
Taliabu Owl	128
Tambourine Dove	89
<i>Tangara</i>	188
<i>Tangara fastuosa</i>	188
Tanimbar Cockatoo	94
Tanimbar Corella	94
Tanimbar Owl	128
Tantale blanc	7
<i>Tantalus aethiopicus</i> ..	8
<i>Tantalus calvus</i>	7
<i>Tantalus cinereus</i>	7
<i>Tantalus hagedash</i>	7
<i>Tanygnathus</i>	123
<i>Tanygnathus gramineus</i>	123
<i>Tanygnathus heterurus</i>	123
<i>Tanygnathus lucionensis</i>	123
<i>Tanygnathus</i>	
<i>megalorynchos</i> ..	123
<i>Tanygnathus mulleri</i>	123
<i>Tanygnathus sumatranaus</i>	

Tecolote del cabo	134
Tecolote enano	137
Tecolote serano	134, 135
teesa, <i>Butastur</i>	30
teesa, <i>Circus</i>	30
Teita Falcon	60
Tejedor cabecinegro	199
Tejedor cogullado	199
Tejedor cuellinegro	200
Tejedor de Heuglin	199
Tejedor naranja	199
Tejedor negro albinuca	199
Tejedor negro de Vieillot	199
Tejedor pardal capirotado	198
Tejedor picogordo	196
Tejedor rollizo	198
Tejedor tricolor	200
Tejedor velado	200
Tejedorcito punteado	200
Temminck's Seedeater	188
<i>tenebriosa</i> , <i>Tyto</i>	128
<i>tenebriosus</i> , <i>Strix</i>	128
<i>tener</i> , <i>Loriculus</i>	110
Tengmalm's Owl	128
<i>tenuirostris</i> , <i>Cacatua</i>	95
<i>tenuirostris</i> , <i>Gyps</i>	42
<i>tenuirostris</i> , <i>Kakatoe</i>	95
<i>tenuirostris</i> , <i>Numenius</i>	83
<i>tenuirostris</i> , <i>Psittacus</i>	95
<i>tephronotum</i> , <i>Glaucidium</i>	136
Tepui Goldenthroat	175
Tepui Parakeet	112
Tepui Parrotlet	112
<i>Terathopius</i>	55
<i>Terathopius ecaudatus</i>	55
<i>Terpsiphone</i>	187
<i>Terpsiphone bourbonnensis</i>	187
<i>terrisi</i> , <i>Rhynchositta</i>	123
<i>Tetrao caspius</i>	75
<i>Tetrao cupido</i>	76
<i>Tetrao gingicus</i>	70
<i>Tetrao virginianus</i>	71
<i>Tetraogallus</i>	75
<i>Tetraogallus caspius</i>	75
<i>Tetraogallus tibetanus</i>	75
<i>Tetrapteryx paradisea</i>	78
<i>Tetrax</i>	83
<i>Tetrax tetrax</i>	83
<i>tetrax</i> , <i>Otis</i>	83
<i>tetrax</i> , <i>Tetrax</i>	83
<i>Textu atrogularis</i>	199
<i>thalassinus</i> , <i>Colibri</i>	160
<i>thalassinus</i> , <i>Trochilus</i>	160
<i>Thalurania</i>	177, 178
<i>Thalurania colombica</i>	177, 178
<i>Thalurania fannyi</i>	177
<i>Thalurania furcata</i>	177, 178
<i>Thalurania glaucopis</i>	177
<i>Thalurania ridgwayi</i>	177, 178
<i>Thalurania watertonii</i>	178
<i>Thaumasius tacjanowskii</i>	168
<i>Thaumastura</i>	178
<i>Thaumastura cora</i>	178
<i>Thaumatias chionopectus</i>	151
<i>Thaumatias luciae</i>	174
<i>Thaumatibis gigantea</i>	8
<i>Thectocercus acuticaudatus</i>	103
<i>theomacha</i> , <i>Ninox</i>	140
<i>theomacha</i> , <i>Spiloglaux</i>	140
<i>theresiae</i> , <i>Metallura</i>	170
<i>theresiae</i> , <i>Ornismya</i>	175
<i>theresiae</i> , <i>Polytmus</i>	175
<i>theresiae</i> , <i>Smaragdites</i>	175
Thick-billed Parrot	122
Thick-billed Weaver	196
<i>Threnetes</i>	164, 178
<i>Threnetes cristinae</i>	178
<i>Threnetes grzimeki</i>	164
<i>Threnetes leucurus</i>	178
<i>Threnetes loehkeni</i>	178
<i>Threnetes niger</i>	178
<i>Threnetes ruckeri</i>	178
<i>Threskiornis</i>	8
<i>Threskiornis aethiopicus</i>	8
THRESKIORNITHIDAE	7
Tibet Owlet	131
Tibetan Crane	78
Tibetan Eared-pheasant	71
Tibetan Rosefinch	189
Tibetan Snowcock	75
<i>tibetanus</i> , <i>Tetraogallus</i>	75
<i>tibialis</i> , <i>Domicella</i>	92
<i>tibialis</i> , <i>Lorius</i>	92
<i>tickelli</i> , <i>Anorrhinus</i>	180
<i>tickelli</i> , <i>Buceros</i>	180
<i>tickelli</i> , <i>Ptilolaemus</i>	180
Tickell's Brown Hornbill	180

Tijereta centroamericana	161
Tijereta nortena	155
Tijereta oaxaqueña	155
Tijereta yucateca	161
Tilingo cuellinegro	182
Tilmatura	178
Tilmatura dupontii	178
Tilopo de Marche	87
Timalie de Whitehead	187
Timor Red-winged Parrot	102
Timor Sparrow	194
TINAMIDAE	2
TINAMIFORMES	1
Tinamou solitaire	2
Tinamu grande	2
Tinamu macuco	2
<i>Tinamus</i>	2
<i>Tinamus solitarius</i>	2
<i>Tinunculus alopecus</i>	56
<i>Tinunculus moluccensis</i>	60
<i>Tinunculus newtoni</i>	61
<i>tinunculus, Falco</i>	64
Tiny Hawk	25
Tiny Sparrowhawk	25
<i>tirica, Brotogeris</i>	106
<i>tirica, Psittacus</i>	106
Tisserin coucou	196
Tisserin de Maxwell	198, 199
Tisserin de Pelzeln	200
Tisserin de Preuss	200
Tisserin gendarme	199
Tisserin gros-bec	198
Tisserin minule	199
Tisserin nain	200
Tisserin noir	198, 199
Tisserin noir de Maxwell	198, 199
Tisserin noir de Vieillot	199
Tisserin tricolore	200
Tisserin vitellin	200
Tit-hylia	195
Tiuque cordillerano austral	67
<i>tobaci, Amazilia</i>	176
<i>tobaci, Saucerottia</i>	176
<i>tobaci, Trochilus</i>	176
Toco Toucan	183
<i>toco, Ramphastos</i>	183
Tococo	9
Togo Paradise-Whydah	201
<i>togoensis, Vidua</i>	201
Tooth-billed	
Hummingbird	152
Tooth-billed Pigeon	85
Topacio candela colicanelo	178
Topacio carmesi	178
<i>Topaza</i>	178
<i>Topaza pella</i>	178
<i>Topaza pyra</i>	178
Tordo amarillo	188
Tordo de cabeza amarilla	188
<i>Torgos</i>	52, 55
<i>Torgos calvus</i>	52
<i>Torgos tracheliotus</i>	55
<i>torquata, Coeligena</i>	159
<i>torquata, Ornismya</i>	159
<i>torridus, Selasphorus</i>	176
Tortolita rabilarga	86
<i>Totanus guttifer</i>	84
Toucan ariel	183
Toucan barbet	182
Toucan de Baillon	182
Toucan toco	183
Toui aymara	118
Toui catherine	105
Toui de D'Achille	111
Toui de Deville	105
Toui de Huet	123
Toui de Slater	108
Toui de Spix	108
Toui d'Orbigny	105
Toui du Costa Rica	123
Toui du Mexique	108
Toui flamboyant	106
Toui para	105
Toui tirica	106
<i>Touit</i>	123, 124
<i>Touit batavica</i>	123
<i>Touit costaricensis</i>	123
<i>Touit dilectissima</i>	123
<i>Touit huetii</i>	123
<i>Touit melanonota</i>	123
<i>Touit purpurata</i>	124
<i>Touit stictoptera</i>	124
<i>Touit surda</i>	124
Touraco de Bannerman	125
Touraco de Fischer	125
Touraco de Hartlaub	125
Touraco de Livingstone	125
Touraco de Ruspoli	126
Touraco de Schalow	126
Touraco gris	124
Touraco louri	125
Touraco lourie	125
Touraco pauline	125
Touraco vert	125
Touraco vert d'Afrique du	
Sud	125
Touraco violet	124
Tourmaline Sunangel	164
Tourtelette d'Abyssinie	89
Tourtelette demoiselle	89
Tourtelette tambourette	89
Tourterelle des bois	88
Tourterelle des palmiers	87
Tourterelle du Cap	86
Tourterelle pleureuse	87
Tourterelle rieuse	87
Tourterelle tambourette	89
Tourterelle vineuse	88
<i>toussenelli, Accipiter</i>	25
<i>toussenelli, Nisus</i>	25
<i>toxopei, Charmosyna</i>	91
<i>toxopei,</i> <i>Hypocharmosyna</i>	91
<i>tracheliotus, Aegypius</i>	55
<i>tracheliotus, Torgos</i>	55
<i>tracheliotus, Vultur</i>	55
<i>Tragopan</i>	75, 76
Tragopan arlequin	75
<i>Tragopan blythii</i>	75
<i>Tragopan caboti</i>	75
Tragopan de Blyth	75
Tragopan de Cabot	75
Tragopan de Hastings	76
Tragopan de Molesworth	75
<i>Tragopan</i> <i>melanocephalus</i>	76
Tragopan occidental	76
Tragopan oriental	75
<i>Tragopan satyra</i>	76
Tragopan satyre	76
Traro	67
Traylor's Forest-Falcon	65
<i>Treron</i>	88
<i>Treron australis</i>	88
<i>Treron calva</i>	88
<i>Treron delalandii</i>	88
<i>Treron waalia</i>	88
Triangular-spotted Pigeon	84
<i>Trichoglossus</i>	90, 91, 92, 93
<i>Trichoglossus arfaki</i>	92
<i>Trichoglossus aureicinctus</i>	90
<i>Trichoglossus capistratus</i>	93
<i>Trichoglossus chlorolepidotus</i>	93

<i>Trichoglossus euteles</i>	93
<i>Trichoglossus flavoviridis</i>
	93
<i>Trichoglossus forsteni</i>	93
<i>Trichoglossus goldiei</i>	92, 93
<i>Trichoglossus haematodus</i>	93
<i>Trichoglossus iris</i>	93
<i>Trichoglossus johnstoniae</i>
	93
<i>Trichoglossus josefinae</i>
	90
<i>Trichoglossus ornatus</i>	93
<i>Trichoglossus porphyrocephalus</i>	.. 91
<i>Trichoglossus rubiginosus</i>
	93
<i>Trichoglossus rubrigularis</i>
	91
<i>Trichoglossus rubrоторquis</i>
	93
<i>Trichoglossus versicolor</i>
	93
<i>Trichoglossus weberi</i>	93
<i>Trichoglossus wilhelminae</i>
	91
<i>Tricholimnas conditicius</i>
	79
<i>Tricholimnas sylvestris</i>	79
<i>trichopsis</i> , <i>Megascops</i>
	146
<i>trichopsis</i> , <i>Otus</i>
	146
<i>trichopsis</i> , <i>Scops</i>
	146
<i>Triclaria</i>
	124
<i>Triclaria malachitacea</i>
	124
<i>tricolor</i> , <i>Ploceus</i>
	200
<i>Trigonoceps</i>
	56
<i>Trigonoceps occipitalis</i>	56
<i>Tringa</i>
	83
<i>Tringa guttifer</i>
	83
<i>Trinidad Piping-Guan</i>	70
<i>Trinidad White-headed Curassow</i>
	70
<i>Trinidad White-headed Piping Guan</i>
	70
<i>trinotatus</i> , <i>Accipiter</i>	.. 25
<i>Tristram's Woodpecker</i>
	183
<i>trivirgatus</i> , <i>Accipiter</i>	. 25
<i>trivirgatus</i> , <i>Falco</i>
	25
TROCHILIDAE
	150
<i>Trochilus</i>	150, 151, 152,
	153, 154, 155, 156,
	157, 158, 159, 160,
	161, 162, 163, 164,
	165, 166, 167, 168,
	169, 170, 171, 172,
	173, 174, 175, 176,
	177, 178
<i>Trochilus adela</i>
	171
<i>Trochilus aeneocauda</i>
	170
<i>Trochilus albicollis</i>	.. 169
<i>Trochilus alexandri</i>	.. 153
<i>Trochilus alice</i>
	157
<i>Trochilus amabilis</i>	.. 174
<i>Trochilus amethystinus</i>
	154
<i>Trochilus anthophilus</i>
	172
<i>Trochilus aquila</i>
	163
<i>Trochilus augusti</i>
	172
<i>Trochilus aureliae</i>
	164
<i>Trochilus aurescens</i>	.. 165
<i>Trochilus auritus</i>
	166
<i>Trochilus barroti</i>
	166
<i>Trochilus benjamini</i>	.. 178
<i>Trochilus beryllinus</i>	.. 175
<i>Trochilus bicolor</i>
	160
<i>Trochilus bougueri</i>	.. 178
<i>Trochilus bourcieri</i>
	172
<i>Trochilus buffonii</i>
	157
<i>Trochilus calliope</i>
	177
<i>Trochilus candidus</i>	.. 151
<i>Trochilus caroli</i>
	175
<i>Trochilus castaneoventris</i>
	167
<i>Trochilus castelnauddii</i>
	151
<i>Trochilus chalybeus</i>	. 169
<i>Trochilus chimborazo</i>
	171
<i>Trochilus chionogaster</i>
	168
<i>Trochilus chionura</i>	... 161
<i>Trochilus chrysurus</i>	. 166
<i>Trochilus cirrochloris</i>	155
<i>Trochilus coeruleogularis</i>
	168
<i>Trochilus colubris</i>
	154
<i>Trochilus condamini</i>	163
<i>Trochilus conversii</i>	.. 160
<i>Trochilus cornutus</i>	.. 164
<i>Trochilus coruscans</i>	. 160
<i>Trochilus cristatus</i>	.. 171,
	172
<i>Trochilus cupreoventris</i>
	162
<i>Trochilus cupripennis</i>
	151
<i>Trochilus curvipennis</i>
	155
<i>Trochilus cuvierii</i>
	155
<i>Trochilus cyanifrons</i>	176
<i>Trochilus cyanopterus</i>
	151
<i>Trochilus cyanus</i>
	166
<i>Trochilus derbyi</i>
	162
<i>Trochilus dohrnii</i>
	163
<i>Trochilus dominicus</i>	153
<i>Trochilus edward</i>
	176
<i>Trochilus eliciae</i>
	166
<i>Trochilus eliza</i>
	161
<i>Trochilus enicurus</i>	... 161
<i>Trochilus ensipennis</i>	155
<i>Trochilus estella</i>
	171
<i>Trochilus eury nome</i>	172
<i>Trochilus eurypterus</i>	171
<i>Trochilus evelynae</i>	.. 155
<i>Trochilus exortis</i>
	164
<i>Trochilus falcatus</i>	... 156
<i>Trochilus fallax</i>
	168
<i>Trochilus fannyi</i>
	177
<i>Trochilus fernandensis</i>
	177
<i>Trochilus fimbriatus</i>	174
<i>Trochilus flaves cens</i>	154
<i>Trochilus floriceps</i>	... 153
<i>Trochilus franciae</i>	... 151
<i>Trochilus fulgens</i>
	162
<i>Trochilus furcatus</i>	... 177
<i>Trochilus furcifer</i>
	166
<i>Trochilus fuscus</i>
	163
<i>Trochilus geoffroyi</i>	.. 154
<i>Trochilus gibsoni</i>
	158
<i>Trochilus gigas</i>
	172
<i>Trochilus glaucopis</i>	. 177
<i>Trochilus godini</i>
	162
<i>Trochilus goudoti</i>
	168
<i>Trochilus grayi</i>
	166
<i>Trochilus guainumbi</i>	175
<i>Trochilus guimeti</i>
	167
<i>Trochilus guy</i>
	172
<i>Trochilus hemileucurus</i>
	156
<i>Trochilus herrani</i>
	157
<i>Trochilus hirsutus</i>	... 164
<i>Trochilus hispidus</i>	... 172
<i>Trochilus holosericeus</i>
	162
<i>Trochilus jardini</i>
	154
<i>Trochilus johannae</i>	. 161
<i>Trochilus jugularis</i>	.. 163
<i>Trochilus kingi</i>
	151
<i>Trochilus lafresnayi</i>	. 167
<i>Trochilus lalandi</i>
	177
<i>Trochilus langsdorffi</i>	160
<i>Trochilus largipennis</i>	156
<i>Trochilus leadbeateri</i>
	165
<i>Trochilus letitia e</i>
	161
<i>Trochilus leucogaster</i>	...
	151

<i>Trochilus leucotis</i> ...	154	<i>Trochilus strophianus</i> 165	Tunqui	184
<i>Trochilus leucurus</i> ..	178	<i>Trochilus superciliosus</i>	Turaco azul	124
<i>Trochilus longicaudus</i> 161		<i>Trochilus thalassinus</i> 160	Turaco capucha-blanca	125
<i>Trochilus longirostris</i> 166		<i>Trochilus tobaci</i>176	Turaco capucha- franjeada	125
<i>Trochilus longuemareus</i>	173	<i>Trochilus tyrianthinus</i>	Turaco capucha-verde de Guinea	125
<i>Trochilus luciani</i>	162	<i>Trochilus tzacatl</i>152	Turaco cariblanco ...	125
<i>Trochilus ludovicae</i> .	161	<i>Trochilus versicolor</i> .152	Turaco crestiblanco .	125
<i>Trochilus lutetiae</i> ...	159	<i>Trochilus victoriae</i> ...168	Turaco crestimorado 124	
<i>Trochilus macrourus</i> 156		<i>Trochilus villaviscensio</i>	Turaco crestirrojo ...	125
<i>Trochilus magnificus</i> 169		<i>Trochilus violifer</i>159, 160	Turaco crestivioleta .	124
<i>Trochilus malaris</i>	173	<i>Trochilus viridigaster</i> 176	Turaco de Bannerman	125
<i>Trochilus mango</i>	153	<i>Trochilus viridigula</i> ..153	Turaco de Fischer ...	125
<i>Trochilus matthewsii</i> 154		<i>Trochilus viridipallens</i>	Turaco de Guinea ...	125
<i>Trochilus maugaeus</i> 158		<i>Trochilus viridis</i>153	Turaco de Hartlaub .	125
<i>Trochilus melanogenys</i>	150	<i>Trochilus watertonii</i> .178	Turaco de Knysna ...	125
<i>Trochilus mellivorus</i> 163		<i>Trochilus williami</i>170	Turaco de Livingstone	125
<i>Trochilus minimus</i> ..	170	<i>Trochilus wilsoni</i>160	Turaco de Ruspoli ...	126
<i>Trochilus mirabilis</i> ..	169	<i>Trochilus yarrellii</i>171	Turaco de Schalow ..	126
<i>Trochilus mitchellii</i> .	155	<i>Trochilus yaruqui</i>174	Turaco de Schuett ..	126
<i>Trochilus mosquera</i> 162		<i>Trochilus yucatanensis</i>	Turaco gigante	124
<i>Trochilus mosquitus</i> 158		<i>troglodytes, Estrilda</i> 191	Turaco gris occidental	124
<i>Trochilus naevius</i> ...	175	<i>Trogon couroucou</i> ...179	Turaco persa	125
<i>Trochilus niger</i>	178	TROGONIDAE179	Turaco piquigualdo .	125
<i>Trochilus nigricollis</i> .	153	TROGONIFORMES .179	Turaco piquinegro ...	126
<i>Trochilus nigrivestis</i> 162		Tropical Screech-Owl 141	Turaco sudafricano .	125
<i>Trochilus notatus</i> ...	158	<i>Tropicoperdix charltonii</i>	<i>Turacoena</i>	89
<i>Trochilus ornatus</i> ...	169	70	<i>Turacoena modesta</i> ..89	
<i>Trochilus pella</i>	178	Trumpet Manucode .204	<i>Turacus livingstonii</i> .125	
<i>Trochilus philippii</i> ...	173	Trumpetbird	<i>Turacus ruspolii</i>126	
<i>Trochilus platycercus</i> 176		Tucancito picomaculado	<i>Turdus</i>	187
<i>Trochilus polytmus</i> .	178	<i>Tucanete piquimaculado</i>	<i>Turdus dissimilis</i>187	
<i>Trochilus popelairii</i> .	161	<i>tucanus, Ramphastos</i> 183	Turquoise Grass-Parakeet	112
<i>Trochilus pretrei</i>	173	<i>Tucuman Amazon</i> ...100	Turquoise Parrot	112
<i>Trochilus prevostii</i> ..	153	<i>Tucuman Parrot</i>100	Turquoise-fronted Parrot	97
<i>Trochilus prunellei</i> ..	159	<i>tucumana, Amazona</i> 100	Turquoise-throated Puffleg	162
<i>Trochilus pyra</i>	178	<i>tucumana, Chrysotis</i> 100	Turtle Dove	88
<i>Trochilus recurvirostris</i>	153	<i>Tucusito amatista</i> ...154	<i>Turtur</i>87, 88, 89	
<i>Trochilus ruber</i>	173	<i>Tucusito cabeza azul</i> 167	<i>Turtur abyssinicus</i>89	
<i>Trochilus rubinoides</i> 165		<i>Tucusito garganta rosa</i>	<i>Turtur afer</i>	89
<i>Trochilus rubricauda</i> 159		157	<i>Turtur brehmeri</i>	89
<i>Trochilus ruckeri</i>	178	<i>Tucusito moradito</i> ...177	<i>Turtur decipiens</i>	87
<i>Trochilus ruficeps</i> ...	157	<i>Tucusito pico curvo</i> .168	<i>Turtur tympanistria</i> ...89	
<i>Trochilus rufus</i>	176	<i>Tucuso de Barba</i>178	<i>turtur, Columba</i>	88
<i>Trochilus sapphirinus</i> 167		<i>Tufted Coquette</i>169	<i>turtur, Streptopelia</i> ...88	
<i>Trochilus saucerottei</i>	176	<i>Tufted Jay</i>	<i>Turturoena iriditorques</i>	84
<i>Trochilus schreibersii</i> 165		206	Twelve-wired Bird-of- paradise	206
<i>Trochilus scintilla</i> ...	177	<i>Tui Parakeet</i>	Twenty-eight Parakeet	105
<i>Trochilus scitulus</i> ...	178	106		
<i>Trochilus scutatus</i> ..	154	<i>Tumbes Hummingbird</i>		
<i>Trochilus serrirostris</i> 160		168		
<i>Trochilus sparganurus</i>	175	<i>tumultuosus, Pionus</i> 114		
<i>Trochilus squalidus</i> .	173	<i>tumultuosus, Psittacus</i>		
<i>Trochilus squamosus</i> 166		114		
<i>Trochilus stanleyi</i> ...	157			

<i>Tympanistria</i>	
<i>tympanistria</i>	89
<i>tympanistria</i> , <i>Columba</i>	89
<i>tympanistria</i> , <i>Turtur</i>	89
<i>tympanistria</i> ,	
<i>Tympanistria</i>	89
<i>Tympanuchus</i>	76
<i>Tympanuchus cupido</i>	76
<i>Tympanuchus cupido</i>	
<i>attwateri</i>	76
<i>typus</i> , <i>Polyboroides</i>	52
<i>tyrannus</i> , <i>Falco</i>	55
<i>tyrannus</i> , <i>Spizaetus</i>	55
Tyrant Hawk-Eagle	55
Tyrian Metaltail	170
<i>tyrianthina</i> , <i>Metallura</i>	170
<i>tyrianthinus</i> , <i>Trochilus</i>	
.....	170
<i>Tyto</i>	126, 127, 128
<i>alba</i>	126, 127
<i>aurantia</i>	127
<i>capensis</i>	127
<i>castanops</i>	127
<i>detorta</i>	126
<i>glaucops</i>	127
<i>inxpectata</i>	127
<i>longimembris</i>	127
<i>manusi</i>	128
<i>multipunctata</i>	128
<i>nigrobrunnea</i>	128
<i>novaehollandiae</i>	
.....	127, 128
<i>rosenbergii</i>	128
<i>sororcula</i>	128
<i>soumagnei</i>	128
<i>tenebricosa</i>	128
TYTONIDAE	126
<i>tzacatl</i> , <i>Amazilia</i>	152
<i>tzacatl</i> , <i>Trochilus</i>	152

U

Uelle Paradise-Whydah	
.....	201
<i>ultramarina</i> , <i>Vidua</i>	200
<i>ultramarina</i> , <i>Vini</i>	94
Ultramarine Lorikeet	94
Ultramarine Lory	94
<i>ultramarinus</i> , <i>Psittacus</i>	
.....	94
<i>ulula</i> , <i>Strix</i>	150
<i>ulula</i> , <i>Surnia</i>	150
<i>umbra</i> , <i>Otus</i>	143, 146
<i>umbra</i> , <i>Pisorhina</i>	146
Umbrella Cockatoo	94
<i>uncinatus wilsonii</i> ,	
<i>Chondrohierax</i>	35

<i>uncinatus</i> , <i>Chondrohierax</i>	
.....	34, 35
<i>uncinatus</i> , <i>Falco</i>	34
<i>underwoodii</i> , <i>Ocreatus</i>	
.....	171
<i>underwoodii</i> , <i>Ornismya</i>	
.....	171
<i>undulata</i> , <i>Chlamydotis</i>	80
<i>undulata</i> , <i>Psophia</i>	80
<i>undulatus</i> , <i>Aceros</i>	180
<i>undulatus</i> , <i>Buceros</i>	180
<i>undulatus</i> , <i>Rhyticeros</i>	
.....	180
<i>unicincta</i> , <i>Columba</i>	85
<i>unicinctus</i> , <i>Falco</i>	51
<i>unicinctus</i> , <i>Parabuteo</i>	51
<i>unicolor</i> , <i>Cyanoramphus</i>	
.....	107
<i>unicolor</i> , <i>Platycercus</i>	107
<i>unicornis</i> , <i>Crax</i>	69
<i>unicornis</i> , <i>Pauxi</i>	69
Unspotted Saw-whet Owl	
.....	129
Upland Buzzard	31
<i>Upupa eremita</i>	8
<i>Uraeginthus</i>	196
<i>Uraeginthus bengalus</i>	
.....	196
Ural Owl	149
<i>uralensis</i> , <i>Strix</i>	148, 149
<i>Urochroa</i>	178
<i>Urochroa bougueri</i>	178
<i>Urochroma costaricensis</i>	
.....	123
<i>Urochroma dilectissima</i>	
.....	123
<i>Urochroma stictoptera</i>	
.....	124
<i>urochrysia</i> , <i>Chalybura</i>	
.....	157
<i>urochrysia</i> , <i>Hypuroptila</i>	
.....	157
<i>Uroglaux</i>	150
<i>Uroglaux dimorpha</i>	150
<i>Urolampra eupogon</i>	170
<i>Urospizias</i>	
<i>melanochlamys</i>	22
<i>Urosticte</i>	178
<i>Urosticte benjamini</i>	178
<i>Urosticte ruficrissa</i>	178
<i>Urotriorchis</i>	56
<i>Urotriorchis macrourus</i>	
.....	56
<i>Urubitinga subtilis</i>	34
<i>urubitinga</i> , <i>Buteogallus</i>	
.....	34
<i>urubitinga</i> , <i>Falco</i>	34
Usambara Eagle-owl	133
<i>ussheri</i> , <i>Scotopelia</i>	147
<i>usta</i> , <i>Otus</i>	146
<i>uvaeensis</i> , <i>Eunymphicus</i>	
.....	108

V

<i>vandewateri</i> , <i>Otus</i>	145
<i>vandewateri</i> , <i>Pisorhina</i>	
.....	145
<i>varia</i> , <i>Strix</i>	148, 149
Variable Goshawk	23
Variable Hawk	32
Variable Mountain-gem	
.....	167
Variable Screech-Owl	140
Varied Lorikeet	93
<i>variegata</i> , <i>Ninox</i>	140
<i>varius</i> , <i>Psephotus</i>	118
Vasa Parrot	106
<i>vasa</i> , <i>Coracopsis</i>	106
<i>vasa</i> , <i>Psittacus</i>	106
Vautour africain	41
Vautour charognard	50
Vautour chassefiente	41
Vautour chaugoun	41
Vautour de l'Himalaya	41
Vautour fauve	41
Vautour indien	42
Vautour moine	25
Vautour oricou	55
Vautour page	18
Vautour royal	18, 52
<i>velatus</i> , <i>Ploceus</i>	200
Velvet-browed Brilliant	
.....	165
Velvet-crowned Brilliant	
.....	165
Velvet-purple Coronet	
.....	154
Venezuelan Sylph	151
<i>ventralis</i> , <i>Accipiter</i>	25
<i>ventralis</i> , <i>Amazona</i>	100
<i>ventralis</i> , <i>Buteo</i>	33
<i>ventralis</i> , <i>Psittacus</i>	100
Ventre orange	112, 190
<i>venustus</i> , <i>Platycercus</i>	
.....	115
<i>venustus</i> , <i>Psittacus</i>	115
Veraguian Mango	153
<i>veraguensis</i> ,	
<i>Anthracothorax</i>	153
Verdier d'Oustalet	189
Vermiculated Fishing-Owl	
.....	147
Vermiculated Screech-Owl	
.....	146
<i>vermiculatus</i> , <i>Megascops</i>	

.....	146
<i>vermiculatus</i> , <i>Otus</i>	. 146
Vernal Hanging-Parrot	
.....	111
<i>vernalis</i> , <i>Loriculus</i>	. 110, 111
<i>vernalis</i> , <i>Psittacus</i>	.. 111
<i>verreauxii</i> , <i>Aquila</i> 28
Verreaux's Eagle	28, 132
Verreaux's Eagle-Owl	132
Verreaux's Turaco	.. 125
<i>versicolor</i> , <i>Agyrtria</i>	. 152
<i>versicolor</i> , <i>Amazilia</i>	152
<i>versicolor</i> , <i>Amazona</i>	101
<i>versicolor</i> , <i>Psittacus</i>	101
<i>versicolor</i> , <i>Psitteuteles</i>	93
<i>versicolor</i> , <i>Trichoglossus</i> 93
<i>versicolor</i> , <i>Trochilus</i>	152
Versicolored Emerald	152
<i>versicolorus</i> , <i>Brotogeris</i> 105, 106
<i>versicolorus</i> , <i>Psittacus</i> 106
<i>verticalis</i> , <i>Prioniturus</i>	117
Vervain Hummingbird	
.....	170
<i>vesper</i> , <i>Ornithya</i>	... 175
<i>vesper</i> , <i>Rhodopis</i>	... 175
<i>vespertinus</i> , <i>Falco</i>	57, 64
<i>vestita</i> , <i>Ornithya</i>	... 162
<i>vestitus</i> , <i>Eriocnemis</i>	162
<i>vetula</i> , <i>Ornitha</i> 69
<i>vetula</i> , <i>Penelope</i> 69
Veuve dominicaine	. 201
Veuve du Togo 201
Veuve paradisier 201
Veuve-noire 197
Victoria Crowned-Pigeon	
.....	86
Victoria Goura 86
<i>victoria</i> , <i>Goura</i> 86
<i>victoria</i> , <i>Lophyrus</i> 86
<i>victoriae</i> , <i>Lesbia</i> 168
<i>victoriae</i> , <i>Ptiloris</i> 206
<i>victoriae</i> , <i>Trochilus</i>	. 168
Victoria's Riflebird	.. 206
<i>Vidua</i> 200, 201
<i>Vidua amauropyteryx</i>	200
<i>Vidua centralis</i> 200
<i>Vidua chalybeata</i>	... 200
<i>Vidua incognita</i> 201
<i>Vidua interjecta</i> 201
<i>Vidua larvaticola</i> 201
<i>Vidua lorenzi</i> 201
<i>Vidua macroura</i> 201
<i>Vidua neumanni</i> 200
<i>Vidua okavangoensis</i>	200
<i>Vidua orientalis</i> 201
<i>Vidua paradisaea</i> 201
<i>Vidua raricola</i> 201
<i>Vidua togoensis</i> 201
<i>Vidua ultramarina</i>	... 200
<i>Vidua wilsoni</i> 201
<i>viduata</i> , <i>Anas</i> 16
<i>viduata</i> , <i>Dendrocygna</i>	16
Vieillot's Black Weaver	
.....	199
Vieillot's Fireback 73
Vietnamese Fireback	73
Vietnamese Pheasant	73
<i>vigil</i> , <i>Buceros</i> 181
<i>vigil</i> , <i>Rhinoplax</i> 181
<i>vigorsii</i> , <i>Eupodotis</i>	... 82
<i>vigorsii</i> , <i>Otis</i> 82
Vigors's Bustard 82
Village Indigobird 201
Village Weaver 199
<i>villaviscensio</i> ,	
<i>Campylopterus</i> 156
<i>villaviscensio</i> , <i>Trochilus</i> 156
<i>vinacea</i> , <i>Amazona</i>	... 101
<i>vinacea</i> , <i>Columba</i> 88
<i>vinacea</i> , <i>Lagonosticta</i> 192
<i>vinacea</i> , <i>Streptopelia</i>	88
Vinaceous Amazon	.. 101
Vinaceous Dove 88
Vinaceous Firefinch	. 192
Vinaceous Parrot 101
Vinaceous Waxbill	... 192
<i>vinaceus</i> , <i>Psittacus</i>	.. 101
Vinago africano 88
Vinago obeng 88
Vinago waalia 88
<i>vindhiana</i> , <i>Aquila</i> 28
<i>Vini</i> 93, 94
<i>Vini australis</i> 93
<i>Vini kuhlii</i> 93
<i>Vini peruviana</i> 94
<i>Vini stepheni</i> 94
<i>Vini ultramarina</i> 94
Vinous-breasted Sparrowhawk 24
<i>viola</i> , <i>Helianzelus</i> 165
<i>viola</i> , <i>Heliotrypha</i> 165
<i>violacea</i> , <i>Musophaga</i>	124
Violet Plantain-eater	124
Violet Sabrewing 156
Violet Turaco 124
Violet-bellied Hummingbird 160
Violet-capped Hummingbird 164
Violet-capped Woodnymph 177
Violet-chested	
Hummingbird 177
Violet-crested Turaco	124
Violet-crowned Hummingbird 152
Violet-fronted Brilliant 165
Violet-headed Hummingbird 167
Violet-necked Lory 91
Violet-tailed Sylph	.. 151
Violet-throated Metaltail 170
Violet-throated Starfrontlet 160
<i>violiceps</i> , <i>Agyrtria</i>	... 152
<i>violiceps</i> , <i>Amazilia</i>	.. 152
<i>violiceps</i> , <i>Cyanomyia</i>	152
<i>violiceps</i> , <i>Goldmania</i>	164
<i>violifer</i> , <i>Coeligena</i>	... 159
<i>violifer</i> , <i>Trochilus</i>	... 159, 160
<i>viopia</i> , <i>Grus</i> 78
<i>virgata</i> , <i>Ciccaba</i> 149
<i>virgata</i> , <i>Strix</i> 149
<i>virgatum</i> , <i>Syrnium</i>	.. 149
<i>virgatus</i> , <i>Accipiter</i>	22, 25
<i>virgatus</i> , <i>Falco</i> 25
<i>virginiana</i> , <i>Strix</i> 133
<i>virginianus ridgwayi</i> , <i>Colinus</i> 71
<i>virginianus</i> , <i>Bubo</i> 133
<i>virginianus</i> , <i>Colinus</i> 71
<i>virginianus</i> , <i>Tetrao</i> 71
<i>virgo</i> , <i>Anthropoides</i>	.. 78
<i>virgo</i> , <i>Ardea</i> 78
<i>virgo</i> , <i>Grus</i> 78
Viridian Metaltail 170
<i>viridicata</i> , <i>Pyrrhura</i>	. 122
<i>viridicauda</i> , <i>Amazilia</i>	168
<i>viridicauda</i> , <i>Leucippus</i> 168
<i>viridifacies</i> , <i>Erythrura</i>	191
<i>viridifrons</i> , <i>Agyrtria</i>	. 152
<i>viridifrons</i> , <i>Amazilia</i>	152
<i>viridigaster</i> , <i>Amazilia</i>	176
<i>viridigaster</i> , <i>Saucerottia</i> 176
<i>viridigaster</i> , <i>Trochilus</i> 176
<i>viridigenalis</i> , <i>Amazona</i> 101
<i>viridigenalis</i> , <i>Chrysotis</i> 101
<i>viridigula</i> , <i>Anthracothorax</i> 153
<i>viridigula</i> , <i>Trochilus</i>	. 153
<i>viridipallens</i> , <i>Lampornis</i> 167
<i>viridipallens</i> , <i>Trochilus</i>	

.....	167	15
<i>viridis</i> , <i>Anthracothorax</i>	153	West Indian Whistling-	
.....		Duck	15
<i>viridis</i> , <i>Pteroglossus</i>	182	West Peruvian Screech-	
<i>viridis</i> , <i>Ramphastos</i>	182	Owl	144
<i>viridis</i> , <i>Trochilus</i>	153	Western Black-capped	
Visayan Hornbill	182	Lory	92
Visayan Wrinkled Hornbill	180	Western Bluebill	195
.....		Western Bristlebird	186
Vitelline Masked-Weaver	200	Western Bronze-naped	
.....		Pigeon	84
<i>vitellinus</i> , <i>Ploceus</i>	200	Western Corella	95
<i>vitellinus</i> , <i>Ramphastos</i>	183	Western Crowned-Pigeon	
.....		86
<i>vittata</i> , <i>Amazona</i>	101	Western Grey Plantain-	
<i>vittatus</i> , <i>Psittacus</i>	101	eater	124
<i>vitticeps</i> , <i>Chlorostilbon</i>	158	Western Horned-	
.....		Pheasant	76
<i>vitticeps</i> , <i>Prasitis</i>	158	Western Long-tailed	
Viuda colicinta	201	Hermit	173
Vo Quy's Pheasant	73	Western Marsh-Harrier	
<i>vocifer</i> , <i>Falco</i>	43	36
<i>vocifer</i> , <i>Haliaeetus</i>	43	Western Parotia	205
<i>vociferooides</i> , <i>Haliaeetus</i>	43	Western Red-footed	
.....		Falcon	64
Volcano Hummingbird	176	Western Rosella	115
.....		Western Rufous	
<i>vosseleri</i> , <i>Bubo</i>	133	Bristlebird	186
<i>Vultur</i> 18, 25, 26, 40, 41,		Western Screech-Owl	142
42, 44, 50, 52, 55, 56		Western Scrub-bird	185
<i>Vultur audax</i>	26	Western Tragopan	76
<i>Vultur barbatus</i>	40	Western Turtle-Dove	88
<i>Vultur bengalensis</i>	41	Whale-headed Stork	5
<i>Vultur californianus</i>	18	Whiskered Lorikeet	92
<i>Vultur calvus</i>	52	Whiskered Pitta	184
<i>Vultur coprotheres</i>	41	Whiskered Screech-Owl	
<i>Vultur fulvus</i>	41	146
<i>Vultur gryphus</i>	18	Whistling Eagle	44
<i>Vultur harpyja</i>	44	Whistling Hawk	44
<i>Vultur indicus</i>	42	Whistling Kite	44
<i>Vultur monachus</i>	25	White Cockatoo	94
<i>Vultur occipitalis</i>	56	White Eared-Pheasant	71
<i>Vultur papa</i>	18	White Goshawk	23
<i>Vultur pernix</i>	50	White Hawk	47, 55
<i>Vultur radiatus</i>	52	White Spoonbill	8
<i>Vultur rueppellii</i>	42	White Starling	202
<i>Vultur tracheliotus</i>	55	White-backed Vulture	41
<i>vulturina</i> , <i>Gypopsitta</i>	114	White-bearded Hermit	
<i>vulturina</i> , <i>Pionopsitta</i>	114	172
Vulturine Fish-Eagle	41	White-bellied Bustard	81
Vulturine Parrot	114, 121	White-bellied Caique	113
<i>vulturinus</i> , <i>Psittacus</i>	114	White-bellied Emerald	
.....		151
W		White-bellied Fish-Eagle	
.....		42
<i>waalia</i> , <i>Columba</i>	88	White-bellied Goshawk	
<i>waalia</i> , <i>Treron</i>	88	22
.....		White-bellied	
.....		Hummingbird	168

White-bellied Korhaan	81
White-bellied Mountain-gem	167
White-bellied Parrot	113
White-bellied Sea-Eagle	42
White-bellied Woodpecker	183
White-bellied Woodstar	157
White-billed Buffalo-Weaver	196
White-billed Sicklebill	203
White-breasted Guineafowl	70
White-breasted Hawk	20
White-breasted Negrofinch	194
White-breasted Parakeet	121
White-breasted Silvreye	187
White-breasted White-eye	187
White-browed Boobook	140
White-browed Hawk	47
White-browed Hermit	174
White-browed Owl	140
White-capped Parrot	114
White-cheeked Olive Weaver	193, 194
White-cheeked Turaco	125
White-chested Emerald	151
White-chested White-eye	187
White-chinned Owl	146
White-chinned Sapphire	166
White-collared Kite	47
White-crested Coquette	169
White-crested Guan	69
White-crested Hornbill	179
White-crested Turaco	125
White-crowned Hornbill	179
White-crowned Parrot	114
White-eared Conure	122
White-eared Hummingbird	154
White-eared Parakeet	122
White-eyed Buzzard	30
White-eyed Conure	104
White-eyed Kestrel	62
White-eyed Parakeet	104
White-eyed Pochard	14
White-eyed River-martin	185
White-faced Amazon	99
White-faced Owl	146, 147
White-faced Scops-Owl	143
White-faced Tree-Duck	16
White-faced Whistling-Duck	16
White-fronted Amazon	97
White-fronted Falconet	66
White-fronted Grosbeak	196
White-fronted Parrot	97
White-fronted Scops-owl	145
White-headed Duck	17
White-headed Eagle	42
White-headed Hornbill	179
White-headed Sea Eagle	43
White-headed Starling	202
White-headed Vulture	56
<i>whiteheadi, Otus</i>	143
<i>whiteheadi, Scops</i>	143
<i>whiteheadi, Stachyris</i>	187
White-naped Crane	78
White-naped Lory	92
White-naped Weaver	198, 199
White-necked Conure	121
White-necked Crane	78
White-necked Hawk	47
White-necked Jacobin	163
White-necked Parakeet	121
White-necked Picathartes	186
White-necked Rockfowl	186
White-necklaced Partridge	70
White-quilled Bustard	80
White-rumped Falcon	67
White-rumped Falconet	67
White-rumped Hawk	32
White-rumped Kestrel	59
White-rumped Seedeater	
	190
White-rumped Vulture	41
White-shouldered Eagle	26
White-sided Hillstar	171
White-tailed Black-cockatoo	95
White-tailed Eagle	42
White-tailed Emerald	161
White-tailed Goldenthroat	175
White-tailed Hawk	30
White-tailed Hillstar	178
White-tailed Hummingbird	163
White-tailed Kite	39
White-tailed Sabrewing	155
White-tailed Starfrontlet	159
White-tailed Wattled Pheasant	72
White-throated Caracara	67
White-throated Hawk	30
White-throated Hummingbird	169
White-throated Mountain-gem	167
White-throated Screech-Owl	140
White-tipped Sicklebill	163
White-tufted Sunbeam	151
White-vented Plumeleteer	157
White-vented Violet-ear	160
White-whiskered Hermit	174
White-winged Cotinga	184
White-winged Duck	15
White-winged Guan	69
White-winged Wood Duck	15
<i>whitneyi, Athene</i>	137
<i>whitneyi, Micrathene</i>	137
Whooping Crane	76
Wigeon	11, 13
<i>wilhelminae, Charmosyna</i>	91
<i>wilhelminae, Hypocharmosyna</i>	91
<i>wilhelminae, Trichoglossus</i>	91
Wilhelmina's Lorikeet	91
<i>williami, Metallura</i>	170

<i>williami</i> , <i>Trochilus</i>	170
<i>wilsoni</i> , <i>Coeligena</i>	160
<i>wilsoni</i> , <i>Hypochera</i>	201
<i>wilsoni</i> , <i>Trochilus</i>	160
<i>wilsoni</i> , <i>Vidua</i>	201
<i>wilsonii</i> , <i>Chondrohierax</i>	35
<i>wilsonii</i> , <i>Cymindis</i>	35
Wilson's Bird-of-paradise	203
Wilson's Indigobird	201
Wine-throated Hummingbird	154
Winking Owl	138
Wire-crested Thorntail	161
<i>woodfordii</i> , <i>Ciccaba</i>	150
<i>woodfordii</i> , <i>Noctua</i>	150
<i>woodfordii</i> , <i>Strix</i>	150
Woodford's Owl	150
<i>woodhousei</i> , <i>Parmoptila</i>	195
Wreathed Hornbill	179, 180
Wrinkled Hornbill	179, 180
Writhed Hornbill	179
Writhed-billed Hornbill	180

X

<i>xanthogonyx</i> , <i>Heliodoxa</i>	165
<i>xantholaemus</i> , <i>Icterus</i>	188
<i>xantholora</i> , <i>Amazona</i>	101
<i>xantholora</i> , <i>Chrysotis</i>	101
<i>xanthops</i> , <i>Amazona</i>	101
<i>xanthops</i> , <i>Forpus</i>	108
<i>xanthops</i> , <i>Psittacula</i>	108
<i>xanthops</i> , <i>Psittacus</i>	101
<i>Xanthopsar flavus</i>	188
<i>xanthopterygius</i> , <i>Forpus</i>	108
<i>xantusii</i> , <i>Amazilia</i>	154
<i>xantusii</i> , <i>Basilinna</i>	154
<i>xantusii</i> , <i>Hylocharis</i>	154
Xantus's Hummingbird	154
<i>Xenoglaux</i>	150
<i>Xenoglaux loweryi</i>	150
<i>Xipholena</i>	184
<i>Xipholena atropurpurea</i>	184

Y

Yaco	120
Yacutinga cariazul	70
Yagouaso cariblanco	16
Yaguaso colorado	16
<i>yarrellii</i> , <i>Carduelis</i>	189
<i>yarrellii</i> , <i>Eulidia</i>	171
<i>yarrellii</i> , <i>Myrtis</i>	171
<i>yarrellii</i> , <i>Spinus</i>	189
<i>yarrellii</i> , <i>Trochilus</i>	171
Yarrell's Curassow	68
<i>yaruqui</i> , <i>Phaethornis</i>	174
<i>yaruqui</i> , <i>Trochilus</i>	174
Yellow Cardinal	188
Yellow Rosella	115
Yellow-and-green Lorikeet	93
Yellow-backed Lory	92
Yellow-backed Weaver	199
Yellow-backed Whydah	197
Yellow-bellied Green-Pigeon	88
Yellow-bellied Waxbill	191
Yellow-bibbed Lory	92
Yellow-billed Amazon	98
Yellow-billed Cardinal	188
Yellow-billed Kite	49
Yellow-billed Lorikeet	92
Yellow-billed Parrot	98
Yellow-billed Tragopan	75
Yellow-billed Turaco	125
Yellow-breasted Bird-of-paradise	203
Yellow-breasted Racquet-tail	116
Yellow-capped Pygmy-Parrot	111
Yellow-capped Weaver	200
Yellow-chevroned Parakeet	105
Yellow-collared Lovebird	96
Yellow-collared Macaw	117
Yellow-crested Cockatoo	95
Yellow-crowned Amazon	99
Yellow-crowned Bishop	196
Yellow-crowned Parakeet	106
Yellow-crowned Parrot	99
Yellow-eared Conure	112
Yellow-eared Parrot	112
Yellow-faced Amazon	101
Yellow-faced Myna	202
Yellow-faced Parrot	101, 108
Yellow-faced Parrotlet	108
Yellow-faced Siskin	189
Yellow-fronted Amazon	99
Yellow-fronted Canary	190
Yellow-fronted Kakariki	106
Yellow-fronted Parakeet	106
Yellow-fronted Parrot	115
Yellow-headed Amazon	100
Yellow-headed Caracara	66
Yellow-headed Parakeet	104
Yellow-headed Parrot	100
Yellow-headed Rockfowl	186
Yellowish-breasted Racquet-tail	116
Yellow-knobbed Curassow	68
Yellow-legged Owlet	136
Yellow-lored Amazon	101
Yellow-lored Parrot	101
Yellow-mantled Weaver	200
Yellow-mantled Whydah	197
Yellow-mantled Widowbird	197
Yellow-naped Amazon	100
Yellow-naped Parrot	100
Yellow-shouldered Amazon	98
Yellow-shouldered Parrot	98
Yellow-shouldered Widowbird	197
Yellow-streaked Lory	90
Yellow-tailed Black-Cockatoo	96
Yellow-throated Caracara	56
Yellow-throated Hanging-parrot	110
Yellow-throated Laughingthrush	186
Yellow-tufted Honeyeater	

.....	187, 188
Yellow-winged Pytilia	195
Youyou	116
Yucatan Parrot	101
<i>yucatanensis, Amazilia</i>	
.....	152
<i>yucatanensis, Trochilus</i>	
.....	152
Yungas Pygmy-Owl	134
Yunnan Nuthatch	187
<i>yunnanensis, Sitta</i>	. 187

Z

Zafiro barbiazul 158
Zafiro bronceado 166
Zafiro cabeciazul 166
Zafiro cabecimorado	166
Zafiro capirotado 177
Zafiro colidorado 159
Zafiro colilargo 178
Zafiro coroniazul 177
Zafiro coroniverde	.. 177
Zafiro de Elicia 166
Zafiro gargantirrufo	167
Zafiro golondrina	... 177
Zafiro gorgiblanco	.. 166
Zafiro gorgirrojo 167
Zafiro gorjiazul 166
Zafiro Mexicano 178
Zamarrito canoso	... 164
Zamarrito colilargo	. 162
Zamarrito gorjiturquesa 162
Zamarrito luciente	.. 162
Zamarrito muslinegro 162
Zamarrito pechiblanco 161
Zamarrito pechidorado 162
Zamarrito pechinegro 162
Zamarrito verdoso	.. 164
Zarapito boreal 83
Zarapito esquimal 83
Zarapito fino 83
Zarapito polar 83
Zebra Waxbill 190
<i>zeylanicus, Pycnonotus</i>	
.....	185
<i>zeylonensis, Bubo</i>	.. 137
<i>zeylonensis, Ketupa</i>	137
<i>zeylonensis, Strix</i>	... 137
Zimbador	
centroamericano	.. 154
Zimbador mexicano	154
zonarius, <i>Barnardius</i>	105
zonarius, <i>Platycercus</i>	105
zonarius, <i>Psittacus</i>	..105
Zone-tailed Hawk 30
zoniventris, <i>Falco</i> 65
zonura, <i>Phaethornis</i>	172
Zopilote rey 18
ZOSTEROPIDAE187
<i>Zosterops</i>187
<i>Zosterops albogularis</i>	187
Zumbador	153, 158, 176
Zumbador coliancho	176
Zumbador de Allen	..176
Zumbador grande	...153
Zumbador rufo176
Zumbadorcito170