Fluvial Geomorphology of Great Britain

Edited by

K.J. Gregory Goldsmiths College, University of London, UK

Sections co-ordinated by A. Werritty, J. Lewin, A.M. Harvey, M.G. Macklin and K.J. Gregory

GCR Editor: J.M. Hooke





CHAPMAN & HALL London · Weinheim · New York · Tokyo · Melbourne · Madras

References

Aberdeen University Engineering Services (1994) An Investigation into the Flooding of Garmouth, Speyside. Unpublished report.

- Acreman, M.C. (1983) The significance of the flood of September, 1981 on the Ardessie Burn, Wester Ross. Scottish Geographical Magazine, 99, 150-60.
- Acreman, M.C. (1986) Estimating flood statistics from basin characteristics in Scotland. Unpublished PhD thesis, University of St Andrews.
- Acreman, M.C. (1989) Extreme historic UK floods and maximum flood estimation. Journal of the Institution of Water and Environmental Management, 4(3), 104-12.
- Acreman, M.C. (1991) The flood of July 25th on the Hermitage Water, Roxburghshire. Scottish Geographical Magazine, 107, 170-8.
- Agassiz, L. (1841) On glaciers, and the evidence of their having once existed in Scotland, Ireland and England. Proceedings of the Geological Society of London, 3, 327-32. (Also in Philosophical Magazine, 18, 1841, 569-74).
- Agassiz, L. (1842) The glacial theory and its recent progress. *Edinburgh New Philosophical Journal*, 33, 217-83.
- Allen, J.R.L. (1970) Physical Processes of Sedimentation, George Allen and Unwin, London, 248pp.
- Allen, P., Benton, M.J., Black, G.P., Cleal, C.J., Evans, K.M., Jusypiw, S.I., Rowlands, M.A. and Westoll, T.S. (1989) The future of earth-science site conservation in Great Britain. *Geological Curator*, 5, 101–09.
- Allen, P., Keen, D.H., Lewis, S. *et al.* (in prep.) *Quaternary of East Anglia and the Midlands.* Geological Conservation Review Series. Chapman and Hall, London.

Anderson, M.G. and Calver, A. (1977) On the persistence of landscape features formed by a large flood. *Transactions of the Institute of British Geographers*, 2, 243–54.

- Andrews, E.D. (1983) Entrainment of gravel from naturally sorted riverbed material. Bulletin of the Geological Society of America, 94, 1225-31.
- Archer, D. (1992) Land of Singing Waters, Rivers and Great Floods of Northumbria. Spredden Press, Northumbria.
- Arkell, B., Leeks, G.J.L., Newson, M.D. and Oldfield, F. (1983) Trapping and tracing: some recent observations of supply and transport of coarse sediment from upland Wales. In *Modern and Ancient Fluvial Systems* (eds J.D. Collinson and J. Lewin), International Association of Sedimentologists Special Publication, Blackwell Scientific, London, 6, 107-19.
- Arnell, N.W., Brown, R.P.C. and Reynard, N.S. (1990) Impact of climatic variability and change on river flow regimes in the UK, *Institute of Hydrology Report*, 107, 154pp.
- Asaad, N.M. (1982) Sediments and sediment transport in the Forth basin. Unpublished PhD thesis, University of Dundee.
- Asaad, N.M. and McManus, J. (1986) The bathymetry, sediment and sedimentation of Loch Lubnaig, Scotland. *Journal of Water Resources*, 5, 187-205.
- Ashworth, P.J. (1982) Abandoned channel sedimentation on the upper Severn. Unpublished BSc dissertation, University of Wales, Aberystwyth.
- Ashworth, P. (1987) Bedload transport and channel change in gravel-bed rivers. Unpublished PhD thesis, University of Stirling.

- Aspinall, R.J., Macklin, M.G. and Brewis, T. (1986) Metal mining and floodplain sedimentation at Garrigill, and their influence on terrace and floodplain soil development. In *Quaternary River Landforms and Sediments in the Northern Pennines, England* (eds M.G. Macklin and J. Rose), Quaternary Research Association, Cambridge, 35-45.
- Atherden, M.A. (1976) The impact of late prehistoric cultures on the vegetation of the North York Moors. *Transactions of the Institute of British Geographers*, 1, 284-300.
- Atkinson, R.W. (1890) Field walk to the waterfalls of the Vale of Neath. *Transactions of the Cardiff Naturalists' Society*, **21**, 40-1.
- Auton, C.A. (1990) The middle Findhorn valley. In Beauly to Nairn: Field Guide (eds C.A. Auton, C.R. Firth and J.W. Merritt), Quaternary Research Association, Cambridge, 74-96.
- Bailey, E.B. and Maufe, H.B. (1916) The Geology of Ben Nevis and Glen Coe, and the Surrounding Country. Memoirs of the Geological Survey of Scotland. HMSO, Edinburgh, 247 pp.
- Baird, P.D. and Lewis, W.V. (1957) The Cairngorm floods, 1956: summer solifluction and distributary formation. Scottish Geographical Magazine, 73, 91-100.
- Baker, V.R. (1977) Stream channel response to floods, with examples from central Texas. *Bulletin of the Geological Society of America*, 88, 1057-71.
- Ballantyne, C.K. (1979) A sequence of Lateglacial ice-dammed lakes in east Argyll. Scottish Journal of Geology, 15, 153-60.
- Ballantyne, C.K. (1991a) Late Holocene erosion in upland Britain: climatic deterioration or human influence? *The Holocene*, 1 (1), 81–5.
- Ballantyne, C.K. (1991b) Holocene geomorphic activity in the Scottish Highlands. Scottish Geographical Magazine, 107, 84-98.
- Ballantyne, C.K. and Harris, C. (1994) *The Periglaciation of Great Britain*, Cambridge University Press, Cambridge, 330pp.
- Barber, K.E. (1981) Peat Stratigraphy and Climatic Change: a Palaeoecological Test of the Theory of Cyclic Peat Bog Regeneration, Balkema, Rotterdam.
- Barber, K.E., Chambers, F.M., Maddy, D., Stoneman, R. and Brew, J.S. (1994) A sensitive high-resolution record of late Holocene climatic change from a raised bog in northern England. *The Holocene*, 4 (2), 198–205.

Barrow, G. and Cunningham-Craig, E.H. (1912)

The Geology of Braemar, Ballater and Glen Clova. Memoirs of the Geological Survey of Scotland, HMSO, Edinburgh.

- Bathurst, J.C. (1979) Distribution of boundary shear stress in rivers. In Adjustment of the Fluvial System (eds D.D. Rhodes and G.P. Williams), Kendall/Hunt Publishing Company, Dubuque, Iowa, 95-116.
- Bathurst, J.C., Thorne, C.R. and Hey, R.D. (1977) Direct measurement of secondary currents in river bends. *Nature*, 269, 504-6.
- Bathurst, J.C., Thorne, C.R. and Hey, R.D. (1979) Secondary flows and shear stresses at river bends. *Journal of the Hydraulics Division*, *American Society of Civil Engineers*, HY10, 1277-95.
- Battarbee, R.W. (1984) Diatom analysis and the acidification of lakes, *Philosophical Transactions of the Royal Society of London*, B305, 451-77.
- Battarbee, R.W., Appleby, P.G., Odell, K. and Flower, R.J. (1985) ²¹⁰Pb dating of Scottish lake sediments, afforestation and accelerated erosion, *Earth Surface Processes and Landforms*, **10**, 137-42.
- Battiau-Queney, Y. (1984) The pre-glacial evolution of Wales. *Earth Surface Processes and Landforms*, 9, 229-52.
- Beckinsdale, R.P. and Richardson, L. (1964) Recent findings on the physical development of the Lower Severn Valley. *Geological Journal*, **130**, 87-105.
- Beven, K.J. and Carling, P. (eds) (1989) Floods: Hydrological, Sedimentological and Geomorphological Implications. John Wiley, Chichester.
- Black, A.R. (1992) Seasonality of flooding in Scottish rivers. Unpublished. PhD thesis, University of St Andrews.
- Black, A.R. and Anderson, J.L. (1994) The great Tay flood of January 1993. In *Hydrological Data UK: 1993 Yearbook*, Institute of Hydrology, Wallingford, pp. 25-34.
- Black, A.R. and Werritty, A. (1993) Seasonality and the generation of peak flow in small Scottish upland catchments. In *Proceedings of the Fourth National Hydrology Symposium*, September 1993, British Hydrological Society, pp. 4.7-4.12.
- Blackford, J.J. and Chambers, F.M. (1991) Proxy records of climate from blanket mires: evidence from a Dark Age (1400 BP) climatic deterioration in the British Isles. *The Holocene*, **1** (1), 63-7.

- Blacknell, C. (1982) Morphology and surface sedimentary features of point bars in Welsh gravel bed rivers. *Geological Magazine*, 119, 181-91.
- Bleasdale, A. and Douglas, C.K.M. (1952) The storm over Exmoor on August 15th 1952. *Meteorological Magazine*, 81, 353-67.
- Bluck, B.J. (1971) Sedimentation in the meandering River Endrick. Scottish Journal of Geology, 7, 93-138.
- Bluck, B.J. (1976) Sedimentation in some Scottish rivers of low sinuosity. *Transactions of the Royal Society of Edinburgh*, 69, 425–56.
- Bluck, B.J. (1981) Scottish alluvium: modern and ancient. In *Field Guides to Modern* and Ancient Fluvial Systems in Britain and Spain (ed. T. Elliot), International Fluvial Sedimentology Conference, University of Keele, 5.1-5.5.
- Bluck, B.J. (1987) Bed forms and clast size changes in gravel-bed rivers. In *River Channels — Environment and Process* (ed. K.S. Richards), Blackwell, Oxford, 159-78.
- Boardman, J. (1988) *Classic Landforms of the Lake District,* Geographical Association, Classic Landform Guides No. 8, 46 pp.
- Boon, P.J., Calow, P. and Petts, G.E. (eds) *River Conservation and Management*, John Wiley, Chichester, 207–35.
- Born, S.M. and Ritter, D.F. (1978) Modern terrace development near Pyramid Lake, Nevada, and its geological implications. *Bulletin of the Geological Scoiety of America*, 81, 1233-42.
- Bowen, D.Q. (1967) On the supposed icedammed lakes of South Wales. *Transactions* of the Cardiff Naturalists' Society, 93, 4-17.
- Bowen, D.Q. (1973) The Pleistocene succession of the Irish Sea. Proceedings of the Geologists' Association, 84, 249-73.
- Bowen, D.Q. and Gregory, K.J. (1965) A glacial drainage system near Fishguard, Pembrokeshire. *Proceedings of the Geologists' Association*, 74, 275-82.
- Bowen, D.Q. and Lear, D.L. (1982) The Quaternary geology of the lower Teifi Valley. In *Geological Excursions in Dyfed, SW Wales* (ed. M.G. Bassett), National Museum of Wales, Cardiff, 297-302.
- Bowen, D.Q., Rose, J., McCabe, A.M. and Sutherland, D.G. (1986) Correlation of Quaternary glaciations in England, Ireland, Scotland and Wales. *Quaternary Science Reviews*, 6, 299-340.

Bower, M.M. (1960) The erosion of blanket peat

in the Pennines. *East Midland Geographer*, **13**, 22-3.

- Bower, M.M. (1961) The distribution of erosion in the blanket peat bogs in the Pennines. *Transactions of the Institute of British Geographers*, **29**, 17-30.
- Bower, M.M. (1962) The causes of erosion in blanket peat bogs. Scottish Geographical Magazine, 78, 33-44.
- Brazier, V.B. (1987) Late Quaternary alluvial fans, debris cones and talus cones in the Grampian Highlands, Scotland. Unpublished PhD thesis, University of St Andrews.
- Brazier, V.B. and Ballantyne, C.K. (1989) Late Holocene debris cone evolution in Glen Feshie, western Cairngorm Mountains, Scotland. *Transactions of the Royal Society of Edinburgh*, 80, 17-24.
- Brazier, V.B. and Werritty, A. (1992) The Geomorphology, Conservation and Management of the Endrick Water, Downstream of Drymen Bridge, Report to the Nature Conservancy Council of Scotland.
- Brazier, V.B. and Werritty, A. (1994) Conservation management of dynamic rivers: the case of the River Feshie, Scotland. In *Geological and Landscape Conservation* (eds D. O'Halloran, C. Green, M. Harley, M. Stanley and J. Knill), Geological Society, London, 147-52.
- Brazier, V.B., Kirkbride, M. and Werritty, A. (1993) Scottish landform examples: the River Clyde-Medwin meanders. Scottish Geographical Magazine, 109, 45-9.
- Brazier, V.B., Whittington, G. and Ballantyne, C.K. (1988) Holocene debris cone evolution in Glen Etive, Western Grampian Highlands, Scotland. *Earth Surface Processes and Landforms*, 13, 525-31.
- Bremner, A. (1939) The River Findhorn. Scottish Geographical Magazine, 55, 65-85.
- Bridgland, D.R. (1994) *Quaternary of the Thames.* Geological Conservation Review Series, 7. Chapman and Hall, London, 441pp.
- Briggs, D.J., Coope, G.R. and Gilbertson, D.D. (1975) Late Pleistocene terrace deposits at Beckford, Worcestershire, England. *Geological Journal*, 10, 1-17.
- Broadhurst, F.M. (1985) The geological evolution of North-West England. In *The Geomorphology* of North-West England (ed. R.H. Johnson), University Press, Manchester, 24–36.
- Brookes, A. (1988) Channelized Rivers: Perspectives for Environmental Management, John Wiley, Chichester, 326pp.

- Brookes, A. (1990) Restoration and enhancement of engineered river channels: some European experiences. *Regulated Rivers; Research and Management*, 5, 45–56.
- Brookes, A. (1992) Recovery and restoration of some engineered British river channels. In *River Conservation and Management* (eds P.J. Boon, P. Calow and G.E. Petts), John Wiley, Chichester, 337-52.
- Brookes, A., Gregory, K.J. and Dawson, F.H. (1983) An assessment of river channelisation in England and Wales. *The Science of the Total Environment*, **27**, 97-111.
- Brown, E.H. (1960) The building of Southern Britain. Zeitchrift für Geomorphologie, 4, 264-74.
- Brown, A.G. (1982) Human impact on the former floodplain woodlands of the Severn. In Archaeological Aspects of Woodland Ecology (eds M. Bell and S. Limbrey), British Archaeological Research Series, **116**, 93-105.
- Brown, A.G. (1983a) Late Quaternary palaeohydrology, palaeoecology and floodplain development of the lower River Severn. Unpublished PhD thesis, University of Southampton.
- Brown, A.G. (1983b) Floodplain deposits and accelerated erosion in the lower Severn basin. In *Background to Palaeohydrology* (ed. K.J. Gregory), John Wiley, Chichester, 375–97.
- Brown, A.G. (1983c) *Guidelines for Excursions in the Severn Basin*. INQUA Eurosiberian Subcommission for the study of the Holocene, International Geological Correlation Programme Project 158: Palaeohydrology of the temperate zone in the last 15,000 years, UK Symposium, 19-26 September 1983, Attingham Hall, Shrewsbury.
- Brown, A.G. (1984) The Flandrian vegetation history of Hartlebury Common, Worcestershire. *Proceedings of the Birmingham Natural History Society*, 25, 89-98.
- Brown, A.G. (1987) Holocene floodplain sedimentation and channel response of the lower River Severn, U.K. *Zeitschrift für Geomorphologie*, NF **31**, 293-310.
- Brown, A.G. (1988) The palaeoecology of Alnus (elder) and the Postglacial history of floodplain vegetation: pollen percentage and influx data from the West Midlands, U.K. *New Phytologist*, **110**, 425-36.
- Brown, P.E. (1991) Caledonian and earlier magmatism. In *Geology of Scotland* (ed. G.Y. Craig) (3rd edn), Geological Society, London, 229-95.

- Brunsden, D. and Thornes, J.B. (1979) Landscape sensitivity and change. *Transactions of the Institute of British Geographers*, New Series, 4, 463-84.
- Buck, S.G. (1978) The sedimentology of a coarse bed-load braided river, the River Feshie, Inverness-shire, Scotland. Unpublished MSc thesis, University of Reading.
- Bull, W.B. (1979) Threshold of critical power in streams. Bulletin of the Geological Society of America, 90, 453-64.
- Burrin, P. (1985) Holocene alluviation in south east England and some implications for palaeohydrological studies. *Earth Surface Processes* and Landforms, 10, 257–71.
- Burton, J.H. (1864) *The Cairngorm Mountains*, William Blackwood, Edinburgh.
- Calver, A. (1978) Modelling drainage headwater development. *Earth Surface Processes*, 3, 233-41.
- Campbell, S. and Bowen, D.Q. (1989) *Quaternary* of Wales, Geological Conservation Review Series, 2, Nature Conservancy Council, Petersborough, 238 pp.
- Campbell, S., Hunt, C.O., Scourse, J.D., Keen, D.H. and Stephens, N. *Quaternary of South-West England*, Geological Conservation Review Series, 14, in press, Chapman and Hall, London.
- Carling, P.A. (1986) The Noon Hill flash floods; July 17th 1983. Hydrological and geomorphological aspects of a major formative event in an upland landscape. *Transactions of the Institute of British Geographers*, New Series 11, 105-18.
- Carling, P.A. (1987a) Reconstruction of a flood resulting from a moraine-dam failure using geomorphological evidence and dam break modelling. In *Catastrophic Flooding* (eds L. Mayer and D. Nash), Allen and Unwin, Boston, 181-200.
- Carling, P.A. (1987b) Hydrodynamic interpretation of a boulder berm and associated debris-torrent deposits. *Geomorphology*, 1, 53-67.
- Carling, P.A. (1991) An appraisal of the velocityreversal hypothesis for stable pool-riffle sequences in the River Severn, England, *Earth Surface Processes and Landforms*, **16**, 19-31.
- Carlston, C.W. (1965) The relation of free meander geometry to stream discharge and its geomorphic implications. *American Journal* of Science, 263, 864-85.
- Carson, M.A. and Kirkby, M.J. (1972) Hillslope

Form and Process, Cambridge University Press, Cambridge, 475pp.

- Charlesworth, J.K. (1929) The South Wales end moraine. Quarterly Journal of the Geological Society of London, 85, 335-58.
- Charlesworth, J.K. (1956) The late-glacial history of the Highlands and Islands of Scotland, *Transactions of the Royal Society of Edinburgh*, **62**, 769–928.
- Cheetham, G.H. (1980) Late Quaternary palaeohydrology, the Kennet Valley case study. In *The Shaping of Southern Britain* (ed. D.K.C. Jones), Academic Press, London, 203–23.
- Church, M. (1978) Palaeohydrological reconstructions from a Holocene valley fill. In *Fluvial Sedimentology* (ed. A.D. Miall), Memoir of the Canadian Society of Petroleum Geologists, 5, 743-72.
- Church, M. (1983) Patterns of instability in a wandering gravel bed channel. In *Modern and Ancient Fluvial Systems* (eds J.D. Collinson and J. Lewin), International Association of Sedimentologists Special Publication, 6, 169-80.
- Church, M. (1984) On experimental method in geomorphology. In *Catchment Experiments in Fluvial Geomorphology* (eds T.P. Burt and D.E. Walling), Geobooks, Norwich, pp. 563-80.
- Church, M. and Jones, D.P. (1982) Channel bars in gravel-bed rivers. In *Gravel-bed Rivers: Fluvial Processes, Engineering and Management* (eds R.D. Hey, J.C. Bathurst and C.R. Thorne), John Wiley, Chichester, 291-324.
- Church, M. and Ryder, J.M. (1972) Paraglacial sedimentation: a consideration of fluvial processes conditioned by glaciation, *Bulletin of the Geological Society of America*, 83, 3059–72.
- Clement, P. (1984) The drainage of a marginal icedammed lake at Nordbogletscher, Johan Dahl Land, south Greenland. Arctic and Alpine Research, 16, 209-16.
- Common, R. (1958) The Border floods, August 1956: observations and comment. *Scottish Geographical Magazine*, 72, 160-2.
- Conelly, L.J. (1993) Modelling natural pipe flow. Contributions to the stormflow hydrograph. Unpublished PhD thesis, University of Wales, Aberystwyth.
- Conway, V.M. (1954) Stratigraphy and pollen analysis of southern Pennine blanket peats. *Journal of Ecology*, 42, 117-47.

Cooke, R.U. and Reeves, R.W. (1976) Arroyos

and Environmental Change in the American South-West, Clarendon Press, Oxford.

- Coope, G.R. and Shotton, F.W. (1981) The Lateglacial Domain: the Devensian Terraces of the Severn below Ironbridge and the Warwicksbire Avon, IGCP 158A Progress Report.
- Cordiner, C. (1780) Antiquities and scenery of the north of Scotland, Letters to Thomas Pennant Esq., London.
- Crampton, C.B. (1969) The chronology of certain terraced river deposits in the north-east Wales area. Zeitschrift für Geomorphologie, 13, 245-59.
- Crowther, P.R. and Wimbledon, W.A. (eds) (1988) The use and conservation of palaeontological sites. *Special Papers in Palaeontology*, **40**, 1-200.
- Cryer, R. (1978) A study of the sources and variations of major solutes in selected mid-Wales catchments. Unpublished PhD thesis, University of Wales.
- Cryer, R. (1980) The chemical quality of some pipeflow waters in upland Mid-Wales and its implications. *Cambria*, 6 (2), 1-19.
- Cullingford, R.A. and Gregory, K.J. (1978) Till ridges in Wensleydale, Yorkshire. *Proceedings* of the Geologists' Association, **89**, 67–79.
- Cundill P.R. (1976) Late Flandrian vegetation and soils in Carlingill Valley, Howgill Fells. *Transactions of the Institute of British Geographers*, New Series 1, 301-9.
- Dalrymple, J.B., Long, R.J. and Conacher, A. (1968) An hypothetical nine-unit landsurface model. *Zeitschrift für Geomorphologie*, 12, 60-76.
- Darby, S.E. and Thorne, C.R. (1992) Impact of channelisation on the Mimmshall Brook, Hertfordshire, U.K. Regulated Rivers: Research and Management, 7, 193-204.
- Davies, J.H., Holroyd, J., Lumley, R.G. and Owen-Roberts, D. (1983) Geology of Powys in Outcrop—A Field Guide to the Geology of Powys, Merioneth Field Study Press, Dolgellau.
- Davies, M. (1967) Brecon Beacons National Park, HMSO, London.
- Davis, R.J. and Gregory, K.J. (1994) A new distinct mechanism of river bank erosion in a forested catchment. *Journal of Hydrology*, **157**, 1-11.
- Davis, W.M. (1899) The geographical cycle. Geographical Journal, 14, 481-504.
- Davis, W.M. (1893) The topographic maps of the United States Geological Survey. Science, 21, 225-7.

- Dawson, A.G. (1983) Glacier-dammed lake investigations in the Hullet lake area, South Greenland. *Meddelelser om Grønland*, *Geoscience*, **11**, 22 pp.
- Dawson, M. (1985) Environmental reconstruction of a late Devensian terrace sequence. Some preliminary findings. *Earth Surface Processes* and Landforms, 10, 237-46.
- Dawson, M.R. (1986) Late Devensian fluvial environments of the lower Severn basin, U.K. Unpublished PhD thesis, University of Leicester.
- Dawson, M.R. and Gardiner, V. (1987) River terraces: The general model and a palaeohydrological and sedimentological interpretation of the terraces of the lower Severn. In *Palaeohydrology in Practice* (eds K.S. Gregory, J. Lewin and J.B. Thornes) John Wiley, Chichester.
- Dawson, A.G., Matthews, J.A. and Shakesby, R.A. (1987) Rock platform erosion on periglacial shores: a modern analogue for Pleistocene rock platforms in Britain. In *Periglacial Processes and Landforms in Britain and Ireland* (ed. J. Boardman). Cambridge University Press, Cambridge, pp. 173-82.
- De Jong, C. (1991) A reappraisal of the significance of obstacle clasts in cluster bedform dispersal. *Earth Surface Processes and Landforms*, 16, 737-44.
- Delderfield, E.R. (1981) *The Lynmouth Flood Disaster, Exmoor,* 10th edn, E.R.D. Publications, Exmouth, 160 pp.
- Dewey, H. (1916) On the origin of some river gorges in Cornwall and Devon. Quarterly Journal of the Geological Society of London, 72, 63-76.
- Dixon, E.E.L. (1921) The Geology of the South Wales Coalfield, Part 8. The country around Pembroke and Tenby. *Memoirs of the Geological Survey of Great Britain*, HMSO.
- Dobbie, L.J. and Wolf, P.O. (1953) The Lynmouth flood of August 1952. *Proceedings of the Institution of Civil Engineers*, 2, 522-88.
- Dobson, M.R. and Whittington, R.J. (1987) The geology of Cardigan Bay. *Proceedings of the Geologists' Association*, 98, 331-53.
- Downs, P.W. and Gregory, K.J. (1992) The sensitivity of river channels in the landscape system. In *Landscape Sensitivity* (eds D.S.G. Thomas and R.J. Allison), John Wiley, Chichester, 15-30.
- Downs, P.W. and Gregory, K.J. (1994) Evaluation of river conservation sites: the context for a

drainage basin approach. In *Geological and Landscape Conservation* (eds D. O'Halloran, C. Green, M. Harley, M. Stanley and J. Knill), Geological Society, London, 139-43.

- Downs, P.W. and Gregory, K.J. (1995) Approaches to river channel sensitivity. *Professional Geographer*, **47**, 168-75.
- Downward, S.R., Gurnell, A.M. and Brookes, A. (1994) A methodology for quantifying river planform change using G.I.S. In *Variability in Stream Erosion and Sediment Transport* (eds L.J. Olive, R.J. Loughran and J.A. Kesby), International Association of Hydrological Sciences Publication 224, 449-56.
- Dreghorn, W. (1968) Geology Explained in the Forest of Dean and Wye Valley, David and Charles, Newton Abbot.
- Drew, I.D. (1992) Bedload transport, vertical exchange and sediment storage in two Scottish Highland gravel-bed streams. Unpublished PhD thesis, University of St Andrews.
- Duck, R.W. (1984) Sediments of Loch Lubnaig. Abstract of a paper presented to the Forth Study Group at Stirling University on 7 February 1984.
- Duck, R.W. and McManus, J. (1990) Relationships between catchment characteristics, land use and sediment yield in the Midland Valley of Scotland. In *Soil Erosion on Agricultural Land* (ed. J. Boardman), John Wiley, Chichester, 284–99.
- Dunham, K.C. (1944) The production of galena and associated metals in the northern Pennines; with comparative statistics for Great Britain. *Transactions of the Institution of Mining and Metallurgy*, 53, 181–252.
- Dunham, K.C. (1990) Geology of the Northern Pennine Orefield, Volume 1. Tyne to Stainmore, 2nd edn, Memoir of the British Geological Survey, HMSO, London.
- Dury, G.H. (1953) A note on the upper Cherwell. Journal of the Northamptonshire Natural History, Science and Field Club, **32**, 236.
- Dury, G.H. (1954) Contribution to a general theory of meandering valleys. *American Journal* of Science, 152, 193-224.
- Dury, G.H. (1961) Bankfull discharge an example of its statistical relationships. *International Association of Hydrology Bulletin*, 6, 48-55.
- Dury, G.H. (1964) Principles of under-fit streams. United States Geological Survey Professional Paper, 452-A.

- Dury, G.H. (1966) Incised valley meanders on the lower Colo River, New South Wales. Australian Geographer, 10, 17-25.
- Dury, G.H. (1977) Underfit streams: Retrospect, perspect and prospect. In *River Channel Changes* (ed. K.J. Gregory), John Wiley, Chichester, pp.281–93.
- Dury, G.H. (1980) Neocatastrophism? A further look. Progress in Physical Geography, 4, 391-413.
- Dury, G.H. (1983) Osage-type underfitness on the River Severn near Shrewsbury, Shropshire, England. In *Background to Palaeohydrology* (ed. K.J. Gregory), John Wiley, Chichester, 399-412.
- Dury, G.H. (1984) Abrupt variation in channel width along part of the River Severn near Shrewsbury, Shropshire, England. *Earth* Surface Processes and Landforms, 9, 485-92.
- Dury, G.H., Sinker, C.A. and Pannett, D.J. (1972) Climatic change and arrested meander development on the River Severn. *Area*, 4, 81-5.
- Ellis, N.V. (ed.), Bowen, D.Q., Campbell, S., Knill, J.L., McKirdy, A.P., Prosser, C.D., Vincent, M.A. and Wilson, R.C.L. (1996) An Introduction to the Geological Conservation Review. Geological Conservation Review Series, 1. Joint Nature Conservation Committee, Peterborough, 131pp.
- Embleton, C. (1957) Some stages in the drainage evolution of part of north-east Wales. *Transactions of the Institute of British Geographers*, 23, 19-35.
- Evans, D.J.A. and Hansom, J.D. (1991) Scottish landform examples — 1. The Parallel Roads of Glen Roy. Scottish Geographical Magazine, 107, 63-6.
- Fairbairn, W.A. (1967) Erosion in the River Findhorn. Scottish Geographical Magazine, 83, 46-52.
- Ferguson, R.I. (1973) Channel patterns and sediment type. Area, 5, 38-41.
- Ferguson, R.I. (1976) Disturbed periodic model for river meanders. *Earth Surface Processes*, 1, 337-47.
- Ferguson, R.I. (1981) Channel forms and channel changes. In *British Rivers* (ed. J. Lewin), George Allen and Unwin, London, 90-125.
- Ferguson, R.I. (1984) The threshold between meandering and braiding. Proceedings of the First International Conference on Hydraulic Design in Water Resources Engineering: Channels and Channel Control Structures. University of Southampton, 6, 15-29.

- Ferguson, R.I. (1987) Hydraulic and sedimentary controls of channel pattern. In *River Channels: Environment and Processes* (ed. K.S. Richards), Blackwell, Oxford, pp. 129–58.
- Ferguson, R.I. and Ashworth, P. (1991) Slopeinduced changes in channel character along a gravel-bed stream: the Allt Dubhaig, Scotland. *Earth Surface Processes and Landforms*, 16, 65-82.
- Ferguson, R.I. and Werritty, A. (1983) Bar development and channel changes in the gravelly River Feshie, Scotland. In *Modern and Ancient Fluvial Systems* (eds. J.D. Collinson and J. Lewin), International Association of Sedimentologists Special Publication 6, Blackwell Scientific, London, pp. 181–95.
- Ferguson, R.I. and Werritty, A. (1991) Channel change and sedimentology in the River Feshie: a wandering gravel-bed river, Scottish Highlands. In *Fluvial Processes in Scottish Highland Rivers*, Field Excursion Guide (ed. A. Werritty), BGRG/COMTAG Joint International Symposium on 'Theory in Geomorphology', Leeds and St Andrews, September 1991, 17-36.
- Ferguson, R.I., Hoey, T.B., Wathen, S.J. and Werritty, A. (1996). Field evidence for rapid downstream fining of river gravels through selective transport. *Geology*, 24, 179–82.
- Firth, C.R. 1993. Fort Augustus. In *Quaternary of* Scotland. Geological Conservation Review (eds J.E. Gordon and D.G. Sutherland). Chapman and Hall, London, 192-6.
- Forestry Commission (1951) *Stratbyre* (Britain's Forests), Forestry Commission, London.
- Francis, T.J.G. (1964) A seismic refraction survey of preglacial Teifi valley near Cenarth. *Geological Magazine*, **101**, 108-12.
- Frostick, L.E. and Reid, I. (1977) Sorting mechanisms in coarse-grained alluvial sediments: fresh evidence from a basalt plateau gravel in Kenya. *Quarterly Journal of the Geological Society of London*, **137**, 431-41.
- Gale, S.J. (1985) The late and post-glacial environmental history of the southern Cumbrian massif and its surrounding lowlands. In *The Geomorphology of North-West England* (ed. R.H. Johnson), University Press, Manchester, 282-98.
- Gardiner, J.L. (ed.) (1991) River Projects and Conservation. A Manual for Holistic Appraisal. John Wiley, Chichester, 236 pp.
- Garrard, R.A. (1977) The sediments of the south Irish Sea and Nymphe Bank area of the Celtic

Sea. In *The Quaternary History of the Irish Sea* (eds C. Kidson and M.J. Tooley), Seel House, Liverpool, 69–92.

- Gaunt, G.D. (1981) Quaternary history of the southern part of the Vale of York. In *The Quaternary in Britain* (eds J. Neale and J. Flenley), Pergamon Press, Oxford, 82–97.
- Geikie, A. (1865) *The Scenery of Scotland Viewed in Connexion with its Physical Geology*, 1st edn, Macmillan, London, 360pp.
- Geikie, A. (1901) *The Scenery of Scotland Viewed in Connection with its Physical Geology*, 3rd edn, Macmillan, London, 540pp.
- George, T.N. (1958) The geology and geomorphology of the Glasgow district. In *The Glasgow Region* (eds R. Miller and J. Tivy), University of Glasgow, 17-61.
- George, T.N. (1960) The stratigraphical evolution of the Midland Valley. *Transactions of the Geological Society of Glasgow*, 24, 32-107.
- George, T.N. (1965) The geological growth of Scotland. In *The Geology of Scotland* (ed. G.Y. Craig). Oliver and Boyd, Edinburgh, pp. 1–48.
- Gilbert, G.K. (1877) Report on the geology of the Henry Mountains. U.S. Geological Survey, Rocky Mountain Region Report, 160 pp.
- Gilman, K. and Newson, M.D. (1980) Soil Pipes and Pipe Flow - a Hydrological Study in Upland Wales, British Geomorphological Research Group Research Monograph No. 1, Geo-books, Norwich.
- Glasspoole, J. and Douglas, C.K.M. (1949) Tweed valley floods: heavy rainfall of August 11–12th, 1948. *Meteorological Magazine*, 82, 344–7.
- Godwin, H. (1981) *The Archives of Peat Bogs,* Cambridge University Press, Cambridge.
- Godwin, H. and Mitchell, G.F. (1938) Stratigraphy and development of two raised bogs near Tregaron, Cardiganshire. *New Phytologist*, **37**, 425-54.
- Gordon, J.E. (1993a) The Cairngorms. In *Quaternary of Scotland* (eds J.E. Gordon and D.G. Sutherland), Geological Conservation Review Series, Chapman and Hall, London, 259-76.
- Gordon, J.E. (1993b) Glen Roy and the Parallel Roads of Lochaber. In *Quaternary of Scotland* (eds J.E. Gordon and D.G. Sutherland), Geological Conservation Review Series, Chapman and Hall, London, 328-43.
- Gordon, J.E. (1993c) Loch Skene. In *Quaternary* of Scotland (eds J.E. Gordon and D.G. Sutherland), Geological Conservation Review Series, Chapman and Hall, London, 578-81.

- Gordon, J.E. (1994) Geomorphology and conservation in the uplands: framework for a developing role in sustaining Scotland's natural heritage. In *Conserving our Landscape: Evolving Landforms and Ice-Age heritage* (eds C. Stevens, C. P. Green, J.E. Gordon and M.G. Macklin). English Nature, Peterborough.
- Gordon, J.E. and Campbell, S. (1992) Conservation of glacial deposits in Great Britain: a framework for assessment and protection of Sites of Special Scientific Interest. *Geomorphology*, **6**, 89-97. .
- Gordon, J.E. and McEwen, L.J. (1993) North Esk and West Water Glaciofluvial landforms. In *Quaternary of Scotland* (eds J.E. Gordon and D.G. Sutherland). Geological Conservation Review Series, Chapman and Hall, London, 499-502.
- Gordon, J.E. and Sutherland, D.G. (1993) *Quaternary of Scotland*. Geological Conservation Review Series, 6. Chapman and Hall, London, 695pp.
- Gottschalk, L.C. (1964) Reservoir sedimentation. In *Handbook of Applied Hydrology* (ed. V.T. Chow), McGraw-Hill, New York, 17.1-17.34.
- Gray, J.M. (1978) Report of a short field meeting at Oban. *Quaternary Newsletter*, 26, 14-6.
- Green, F.H.W. (1958) The Moray floods of July and August, 1956. Scottish Geographical Magazine, 74, 48-50.
- Green, F.H.W. (1971) History repeats itself flooding in Moray, August, 1970. Scottish Geographical Magazine, 87, 150-2.
- Greenwood, G. (1857) Rain and Rivers or Hutton and Playfair Against Lyell and All Comers, Longman Brum, Green Longmans and Roberts, London.
- Gregory, K. J. (1976) Changing drainage basins. Geographical Journal, 142, 237-47.
- Gregory, K.J. (1978) Fluvial processes in British basins. In *Geomorphology: Present Problems* and Future Prospects (eds C. Embleton, D. Brunsden and D.K.C. Jones), Oxford University Press, Oxford, 40-72.
- Gregory, K.J. (ed.) (1983) *Background to Palaeobydrology*, John Wiley, Chichester, 486pp.
- Gregory, K.J. (1984) Why rivers change their course. *Geographical Magazine*, **55**, 120-8.
- Gregory, K.J. (1987) Environmental effects of river channel changes. *Regulated Rivers*, 1, 349-75.
- Gregory, K.J. (1992) Vegetation and river channel process interactions. In *River Conservation*

and Management (eds P.J. Boon, P. Calow and G.E. Petts), John Wiley, Chichester, 207-35.

- Gregory, K.J. and Davis, R.J. (1992) Coarse woody debris in stream channels in relation to river channel management in woodland areas. *Regulated Rivers: Research and Management*, 7, 117-36.
- Gregory, K.J. and Gurnell, A.M. (1988) Vegetation and river channel form and process. In *Biogeomorphology* (ed. H. Viles), Blackwell, Oxford, 11-12.
- Gregory, K.J. and Lewin, J. (1987) Conclusions: Palaeohydrological synthesis and application, In *Palaeohydrology in Practice* (eds K.J. Gregory, J. Lewin and J.B. Thornes), John Wiley, Chichester, 341-60.
- Gregory, K.J., Davis, R.J. and Tooth, S. (1993) Spatal distribution of coarse woody debris dams in the Lymington basin, Hampshire, U.K. *Geomorphology*, **6**, 207-24.
- Gregory, K.J., Gurnell, A.M. and Hill, C.T. (1985) The permanence of debris dams related to river channel process. *Hydrological Sciences Journal*, **30**, 371-81.
- Gregory, K.J., Gurnell, A.M., Hill, C.T. and Tooth, S. (1994) Stability of the pool-riffle sequence in changing river channels. *Regulated Rivers: Research and Management*, 9, 35-43.
- Gregory, K.J., Lewin, J. and Thornes, J.B. (eds) (1987) *Palaeobydrology in Practice*. John Wiley, Chichester.
- Grove, A.T. (1955) The mouth of the Spey. Scottish Geographical Magazine, 71, 104-6.
- Gurnell, A.M. (1996) Hydrological and geomorphological change on the River Dee meanders. *Proceedings of Rivertech 96*, the first international conference on new/ emerging concepts for rivers. International Water Resources Association, Volume 2, 484-91.
- Gurnell, A.M. (1997a) Channel change on the River Dee, 1946 to 1992, from the analysis of air photographs. *Regulated Rivers: Research and Management* (in press).
- Gurnell, A.M. (1997b) Adjustments in river channel geometry associated with hydraulic discontinuities across the fluvial-tidal transition of a regulated river. *Earth Surface Processes and Landforms* (in press).
- Gurnell, A.M. and Gregory, K.J. (1984) The influence of vegetation on stream channel processes. In *Catchment Experiments in Fluvial Geomorphology* (eds T.P. Burt and D.E. Walling), Geo-books, Norwich, 515–35.

Gurnell, A.M., Clark, M.J., Hill, C.T., Downward,

S.R., Petts, G.E., Scaife, R.G. and Wainwright, J. (1993) *The River Dee Meanders (Holt to Worthenbury)*. Report prepared for the Countryside Council for Wales by the GeoData Institute, University of Southampton, 69 pp.

- Gurnell, A.M., Downward, S.R. and Jones, R. (1994) Channel planform change on the River Dee meanders, 1876-1992. *Regulated Rivers: Research and Management*, 9, 187-204.
- Gurnell, A.M., Gregory, K.J., Hollis, S. and Hill, C.T. (1985) Detrended correspondence analysis of heathland vegetation: the identification of runoff contributing areas. *Earth Surface Processes and Landforms*, **10**, 343-51.
- Gustavson, T.C., Ashley, G.H. and Boothroyd, J.C. (1975) Depositional sequences in glaciolacustrine deltas. In *Glaciofluvial and Glaciolacustrine Sedimentation* (eds A.V. Jopling and B.C. McDonald), Society of Economic Paleontologists and Mineralogists, No. 23, 264-80.
- Hadfield, C. (1969) *The Canals of South and South-East England*, David and Charles, Newton Abbott.
- Hamblin, R.J.O. (1986) The Pleistocene sequence of the Telford district. *Proceedings of the Geologists' Association*, 97, 365-77.
- Harmer, F.W. (1907) On the origin of certain canyon-like valleys associated with lake-like areas of depression. *Quarterly Journal of the Geological Society of London*, 63, 470-514.
- Harold, C.H.H. (1937) The flow and bacteriology of the underground water in the Lee Valley. In The Results of the Chemical and Bacteriological Examination of the London Waters for the 12 Months Ended 31st December 1937, 32nd Annual Report of the Metropolitan Water Board, 89-99.
- Harris, R. (1985) Variations in the Durham rainfall and temperature record. In *The Climate Scene* (eds M.J. Tooley and G.M. Sheail) George Allen and Unwin, London, 39–59.
- Harrison, S.S. (1970) Note on the importance of frost weathering in the disintegration and erosion of till in east central Wyoming. *Bulletin of the Geological Society of America*, **81**, 3407-10.
- Harvey, A.M. (1969) Channel capacity and the adjustment of streams to hydrological regime. *Journal of Hydrology*, 8, 82-98.
- Harvey, A.M. (1974) Gully erosion and sediment yield in the Howgill Fells, Westmorland. In *Fluvial Processes in Instrumented Waiersheds* (eds K.J. Gregory and D.E.

Walling), Institute of British Geographers Special Publication, 6, 45-58.

- Harvey, A.M. (1975) Some aspects of the relations between channel characteristics and riffle spacing in meandering streams. *American Journal of Science*, 275, 470-8.
- Harvey, A.M. (1977) Event frequency in sediment production and channel change. In *River Channel Changes* (ed. K.J. Gregory), John Wiley, Chichester, 301–15.
- Harvey, A.M. (1985a) The river systems of northwest England. In *The Geomorphology of North-West England* (ed. R.H. Johnson), University Press, Manchester, 122-42.
- Harvey, A.M. (1985b) Holocene and contemporary erosion and deposition in the Howgill Fells, Cumbria. In *Guide to Field Excursions in North-West England* (ed. A.M. Harvey), First International Conference on Geomorphology, British Geomorphological Research Group, Manchester, 25-30.
- Harvey, A.M. (1986) Geomorphic effects of a 100 year storm in the Howgill Fells, north-west England. Zeitschrift für Geomorphologie, 30, 71-91.
- Harvey, A.M. (1987a) Sediment supply to upland streams; influence in channel adjustment. In Sediment Transport in Gravel Bed Rivers (eds C.R. Thorne, J.C. Bathurst and R.D. Hey), John Wiley, Chichester, 121-50.
- Harvey, A.M. (1987b) Seasonality of processes on eroding gullies, a twelve year record of erosion rates. In *Processes et Mesure de L'erosion* (eds A. Goddard and A. Rapp), CNRS, Paris, 438-54.
- Harvey, A.M. (1989) Reading the landscape: A.M. Harvey looks at the interactions between slope and channel form in the Howgill Fells. *Geographical Magazine, Analysis*, GM Supplement, **19**, 6-7.
- Harvey, A.M. (1991) The influence of sediment supply on the channel morphology of upland streams: Howgill Fells, Northwest England. *Earth Surface Processes and Landforms*, 16, 675-84.
- Harvey, A.M. (1992a) Process interactions, temporal scales and the development of hillslope gully systems: Howgill Fells, Northwest England. *Geomorphology*, 5, 323-44.
- Harvey, A.M. (1992b) Controls on sedimentary styles on alluvial fans. In *Dynamics of Gravelbed Rivers*, (eds P. Billi, R.D. Hey, C.R. Thorne and P. Tacconi), John Wiley, Chichester, 519-35.

- Harvey, A.M. (1992c) The influence of sedimentary style on the morphology and development of alluvial fans. *Israel Journal of Earth Sciences*, 41, 123-37.
- Harvey, A.M. (1994) Influence of slope/stream coupling on process interaction on eroding gully slopes: Howgill Fells, Northwest England. In *Process Models and Theoretical Geomorphology* (ed. M.J. Kirkby), John Wiley, Chichester, 247-70.
- Harvey, A.M. (1996), Holocene hillslope gully systems in the Howgill Fells, Cumbria. In Advances in Hillslope Processes, Volume 2 (eds M.G. Anderson and S.M. Brooks, (Wiley) Chichester, 731-52.
- Harvey, A.M. (1997), Coupling between hillslope gully systems and stream channels in the Howgill Fells, northwest England: temporal implications. *Geomorphologie: Relief, proces*sus, environment, 1, 3-20.
- Harvey, A.M. and Calvo-Cases, A. (1991) Process interactions and rill development on badland and gully slopes. Zeitschrift für Geomorphologie, Supplementband, 83, 175-94.
- Harvey, A.M. and Renwick, W.H. (1987) Holocene alluvial fan and terrace formation in the Bowland Fells, northwest England. *Earth Surface Processes and Landforms*, 12, 249–57.
- Harvey, A.M., Alexander, R.W. and James, P.A. (1984) Lichens, soil development and the age of Holocene valley floor landforms, Howgill Fells, Cumbria. *Geografiska Annaler*, 66A, 353-66.
- Harvey, A.M., Hitchcock, D.H. and Hughes, D.J. (1979) Event frequency and morphological adjustment of fluvial systems in upland Britain. In *Adjustments of the Fluvial System* (eds D.D. Rhodes and G.P. Williams), Kendall-Hunt, Dubuque, Iowa, 139-67.
- Harvey, A.M., Oldfield, F., Baron, A.F. and Pearson, G.W. (1981) Dating of postglacial landforms in the central Howgills. *Earth Surface Processes and Landforms*, 6, 401-12.
- Haworth, E.Y. and Allen, P.V. (1982) Temporal changes in the composition of a postglacial diatom profile from Ullswater. *Seventh Diatom Symposium*, 431-42.
- Hay, T. (1926) Delta formation in the English Lakes. *Geological Magazine*, 63, 292-301.
- Heathwaite, A.L. (1993) Disappearing peat-regenerating peat? The impact of climatic change on British peatlands. *Geographical Journal*, **159** (2), 203-8.

- Hey, R.D. (1975) Design discharges for natural channels. In *Science Technology and Environmental Management* (eds R.D. Hey and T.D. Davies), Saxon House, Farnborough, 73-88.
- Hey, R.D. (1976) Impact prediction in the physical environment. In *Environmental Impact Assessment* (eds T. O'Riordan and R.D. Hey), Saxon House, Farnborough, 71-81.
- Hey, R.D. (1979) Flow resistance in gravel-bed rivers. Journal of the Hydraulics Division, American Society of Civil Engineers, 105, HY4, 365-79.
- Hey, R.D. (1980) Final report on channel stability. Craig Goch Joint Committee (unpublished report).
- Hey, R.D. (1986) River response to inter-basin water transfers; Craig Goch feasibility study. *Journal of Hydrology*, 85, 407-21.
- Hey, R.D., Heritage, G.L. and Patterson, M. (1994) Impact of flood alluviation schemes on aquatic macrophytes. *Regulated Rivers: Research and Management*, 9, 103–19.
- Hey, R.D., Lewin, J., Newson, M. and Wood, R. (1981) River management and process studies on the River Severn. In *Field Guide to Ancient* and Modern Fluvial Systems in Britain and Spain (ed. T. Elliot), International Fluvial Sediments Conference, University of Keele, 6.1-6.20.
- Hickin, E.J. (1969) A newly identified process of point bar formation in natural streams. *American Journal of Science*, 267, 999-1010.
- Higgs, G. (1987) Environmental change and flood hazard on the Upper River Severn. Unpublished PhD thesis, University of Wales, Aberystwyth.
- Higgs, G. and Petts, G.E. (1988) Hydrological changes and river regulation in the UK. *Regulated Rivers: Research and Management*, 2, 349-68.
- Hinxman, L.W. (1901) The River Spey. Scottish Geographical Magazine, 17, 185-93.
- Hitchcock, D.H. (1977a) Channel pattern changes in divided reaches: an example in the coarse bed material of the Forest of Bowland. In *River Channel Changes* (ed. K.J. Gregory), John Wiley, Chichester, pp. 206-20.
- Hitchcock, D.H. (1977b) Channel pattern changes in divided streams. Unpublished PhD thesis, University of Liverpool.

HMSO (1885) British Rainfall, HMSO, London.

Hoey, T.B. and Ferguson, R.I. (1994) Numerical simulation of downstream fining by selective transport in gravel-bed rivers: model development and illustration. *Water Resources Research*, **30**, 2251-60.

- Hollingworth, S.E. (1929) Evolution of the Eden drainage in the south and west. *Proceedings of the Geologists' Association*, 40, 115–38.
- Hollingworth, S.E. (1931) The glaciation of western Edenside and adjoining areas, and the drumlins of Edenside and the Solway basin. *Quarterly Journal of the Geological Society of London*, 87, 281-359.
- Hooke, J.M. (1977) The distribution of changes in river channel patterns: the example of Devon. In *River Channel Changes* (ed. K.J. Gregory), John Wiley, Chichester, 265–80.
- Hooke, J.M. (1980) Magnitude and distribution of rates of river erosion. *Earth Surface Processes* and Landforms, 5, 143–57.
- Hooke, J.M. (1984a) Meander behaviour in relation to slope characteristics. In *River Meandering* (ed. C.M. Elliott), American Society of Civil Engineers, New York, 67–76.
- Hooke, J.M. (1984b) Changes in river meanders. Progress in Physical Geography, 8, 473-508.
- Hooke, J.M. (1985) Meander evolution and change on the River Dane, Cheshire. In *Guide* to Field Excursions in North-West England (ed. A.M. Harvey). First International Conference on Geomorphology, British Geomorphological Research Group, Manchester, 69-72.
- Hooke, J.M. (1986) The significance of mid-channel bars in an active meandering river. *Sedimentology*, **33**, 839–50.
- Hooke, J.M. (1987) Changes in meander morphology. *International Geomorphology* 1986, Part I, (ed. V. Gardiner), John Wiley, Chichester, 591-609.
- Hooke, J.M. (1995) Processes of channel planform change on meandering channels in the UK. In *Changing River Channels* (eds A.M. Gurnell and G.E. Petts), John Wiley, Chichester, 87-116.
- Hooke, J.M. (1996) River channel adjustment to meander cutoffs on the River Bollin and River Dane, northwest England. *Geomorphology*, 14, 235-53.
- Hooke, J.M. and Harvey, A.M. (1983) Meander changes in relation to bend morphology and secondary flows. In *Modern and Ancient Fluvial Systems* (eds J.D. Collinson and J. Lewin), International Association of Sedimentologists Special Publication, 6, Blackwell Scientific, Oxford, 121-32.

Hooke, J.M. and Kain, P.J.P. (1982) Historical

Change in the Physical Environment. Studies in physical geography. Butterworths Scientific, London, 236 pp.

- Hooke, J.M. and Redmond, C.E. (1992) Causes and nature of river planform change. In *Dynamics of Gravel Bed Rivers*, (eds P. Billi, R.D. Hey, C.R. Thorne and P. Tacconi), John Wiley, Chichester, pp. 549-63.
- Hooke, J.M., Harvey, A.M., Miller, S.Y. and Redmond, C.E. (1990) The chronology and stratigraphy of the alluvial terraces of the River Dane valley, Cheshire, N.W. England. *Earth Surface Processes and Landforms*, 15, 717–37.
- Hooke, J.M., Horton, B.P., Moore, J. and Taylor, M.P. (1994) Upper River Severn (Caersws) channel study. Report commissioned by the Countryside Council for Wales. University of Portsmouth, 158 pp.
- Hooper, I.D. (1992) Relationships between vegetation and hydrogeomorphic characteristics of British riverine environments: a remote sensed perspective. Unpublished PhD thesis, University of Southampton, 308 pp.
- Horne, J. (1923) The Geology of the Lower Findborn and Lower Strathnairn: Including Part of the Black Isle near Fortrose. Memoirs of the Geological Survey of Scotland, HMSO, Edinburgh, 128 pp.
- Horne, J. and Hinxman, L.W. (1914) The Geology of the Country Around Beauly and Inverness. Memoirs of the Geological Survey of Scotland, HMSO, Edinburgh, 108pp.
- Howe, G.M. and Thomas, J. M. (1963) Welsh Landforms and Scenery, Macmillan, London.
- Howell, H.H., Geikie, A. and Young, J. (1866) *The Geology of East Lothian*. Memoirs of the Geological Survey of Great Britain.
- Howells, M.F., Francis, E.H., Leveridge, B.E. and Evans, C.D.R. (1978) *Capel Curig and Betwsy-Coed*. Description of 1:25,000 Sheet SH 75, Classical Areas of British Geology, HMSO, London.
- Howson, J.S. (1898) *The River Dee, Its Aspect and History.* J.S. Virtue and Co., London.
- Huggett, R. (1989) *Cataclysms and Earth History. The Development of Diluvialism,* Clarendon Press, Oxford.
- Hughes, E. (1983) *River*, Poems by Ted Hughes, photographs by Peter Keen, Faber and Faber, London.
- Humphries, A.M. (1979) The Quaternary deposits of the upper Severn basin and adjoining areas. Unpublished PhD thesis, University of Wales, Aberystwyth.

- Hyett, G.A. (1990) The effect of accelerated throughflow on the water yield chemistry under polluted rainfall. Unpublished PhD thesis, University of Wales, Aberystyth.
- IGCP (1983) Project 158. Palaeobydrology of the Temperate Zone in the Last 15,000 Years. Guide book for excursions in the Severn basin, UK Symposium, September 1983, Shrewsbury.
- Imeson, A.C. (1974) The origin of sediment in a moorland catchment with particular reference to the role of vegetation. In *Fluvial Processes in Instrumented Watersbeds* (eds K.J. Gregory and D.E. Walling), Institute of British Geographers Special Publication, 6, 59-72.
- Inglis, D.J., McEwen, L.J. and MacLean, A.G. (1988) Channel stability and flooding in The River Spey. *Proceedings of the Symposium on Land Use on the River Spey*, Aberdeen Centre for Landuse, pp. 10–8.
- Innes, J. (1982) Debris Flow Activity in the Scottish Highlands. Unpublished PhD thesis, University of Cambridge.
- Innes, J. (1983) Lichenometric dating of debris flow deposits in the Scottish Highlands. *Earth Surface Processes and Landforms*, 8, 579–88.
- Innes, J.L. (1985) Magnitude-frequency relations of debris flows in north-west Europe, *Geografiska Annaler*, **67A**, 23-32.
- Jackson, R.G. (1976) Depositional model of point bars on the Lower Wabash River. *Journal of Sedimentary Petrology*, **46**, 579-94.
- Jamieson, T.F. (1863) On the Parallel Roads of Glen Roy, and their place in the history of the glacial period. *Quarterly Journal of the Geological Society of London*, 19, 235-59.
- Jamieson, T.F. (1892) Supplementary remarks on Glen Roy. *Quarterly Journal of the Geological Society of London*, **48**, 5–28.
- Jennings, J.N. (1952) The origin of the Broads. Royal Geographical Society Research Series No. 2.
- Johnson, R.H. (1969) A reconnaisance survey of some river terraces in part of the Mersey and Weaver catchments. *Memoirs and Proceedings of the Manchester Literary and Philosophical Society*, **112**, 1-35.
- Johnson, R.H. (ed.) (1985a) *The Geomorphology* of North-West England, University Press, Manchester.
- Johnson, R.H. (1985b) The impact of glaciation on the west Pennine uplands. In *The Geomorphology of North-West England* (ed. R.H. Johnson), University Press, Manchester, 237-262.

- Jones, J.A.A. (1971) Soil piping and stream channel initiation. *Water Resources Research*, 7, 602-10.
- Jones, J.A.A. (1975) Soil piping and the subsurface initiation of stream channel networks. Unpublished PhD thesis, University of Cambridge.
- Jones, J.A.A. (1978) Soil pipe networks: distribution and discharge. *Cambria*, **5** (1), 1-21
- Jones, J.A.A. (1979) Extending the Hewlett model of runoff generation. *Area*, **11**, 110-4.
- Jones, J.A.A. (1981) *The Nature of Soil Piping a Review of Research*, British Geomorphological Research Group Research Monograph No. 3, Geo-books, Norwich.
- Jones, J.A.A. (1982) Experimental studies of pipe hydrology. In *Badland Geomorphology and Piping* (eds R.B. Bryan and A. Yair), Geobooks, Norwich, 355-70.
- Jones, J.A.A. (1986) Some limitations to the a/s index for predicting basinwide patterns of soil water drainage. Zeitschrift für Geomorphologie, Supplementband, 60, 7-20.
- Jones, J.A.A. (1987a) The effects of soil piping on contributing areas and erosion patterns. *Earth Surface Processes and Landforms*, **12**, 229-48.
- Jones, J.A.A. (1987b) The initiation of natural drainage networks. *Progress in Physical Geography*, 11, 207-45.
- Jones, J.A.A. (1988) Modelling pipeflow contributions to stream run off. *Hydrological Processes*, 2, 1-17.
- Jones, J.A.A. (1990) Piping effects in humid lands. In Groundwater geomorphology: the role of subsurface water in earth-surface processes and landforms, (eds C.G. Higgins and D.R. Coates), Geological Society of America, Boulder, Colorado, Special Paper 252, 111-38.
- Jones, J.A.A. (1994) Soil piping and its hydrogeomorphic function. *Cuaternario y Geomorfologia*, 8 (3-4), 77-102.
- Jones, J.A.A. (1997a) Pipeflow contributing areas and runoff response. *Hydrological Processes*, 11 (1), 35-42.
- Jones, J.A.A. (1997b) Subsurface flow and subsurface erosion: further evidence on forms and controls. In *Process and Form in Geomorphology* (ed. D.R. Stoddart), Routledge, London, 74-120.
- Jones, J.A.A. and Crane, F.G. (1982) New evidence of rapid interflow contributions to the streamflow hydrograph. *Beitrage zur Hydrologie*, Sonderheft **3**, 219-32.

Jones, J.A.A. and Crane, F.G. (1984) Pipeflow and

pipe erosion in the Maesnant experimental catchment. In *Catchment Experiments in Fluvial Geomorphology*, (eds T.P. Burt and D.E. Walling), Geobooks, Norwich, 55-72.

- Jones, J.A.A. and Hyett, G.A. (1987) *The Effect of Natural Soil Piping on Streamwater Quality in Upland Wales*. XIX General Assembly of the International Union of Geology and Geophysics, Vancouver. Abstracts Volume **3**, p. 998.
- Jones, J.A.A., Richardson, J.M. and Jacob, H. (in press) Factors controlling the distribution of piping in Britain: a reconnaissance survey. *Geomorphology*, Special Edition on Piping Erosion, Elsevier.
- Jones, J.A.A., Wathern, P., Connolly, L.J. and Richardson, J.M. (1991) Modelling flow in natural soil pipes and its impact on plant ecology in mountain wetlands. In *Hydrological Basis* of *Ecologically Sound Management of Soil* and Groundwater, (ed. P. Nachtnebel) International Association of Hydrological Sciences, Publication No. 202, 131-42.
- Jones, M. (1949) The development of the Teifi drainage system. *Geography*, 34, 136-45.
- Jones, M.D. (1982) The palaeogeography and palaeohydrology of the River Severn, Shropshire, during the Late-Devensian glacial stage and the early Holocene. Unpublished MPhil. thesis, University of Reading.
- Jones, O.T. (1965) The glacial and post glacial history of the Lower Teifi valley. *Quarterly Journal of the Geological Society of London*, **121**, 247-81.
- Jones, O.T. and Pugh, W.J. (1935) The geology of the districts around Machynlleth and Aberystwyth. *Proceedings of the Geologists' Association*, **46**, 247-300.
- Keller, E.A. (1971) Areal sorting of bed-load material: the hypothesis of velocity reversal. *Bulletin of the Geological Society of America*, 82, 753-6.
- Keller, E.A. (1976) Channelization: environmental, geomorphic and engineering aspects. In *Geomorphology and Engineering* (ed. D.R. Coates) George Allen and Unwin, London, pp. 115-40.
- Kellerhals, R., Church, M. and Bray, D.I. (1976) Classification and analysis of river processes. Journal of the Hydrological Division, American Society of Civil Engineers, 102 (HY7), 813-29.
- Kelly, J.L. (1976) Superficial deposits in the two abandoned meanders of the River Dee, near

Llangollen. Unpublished dissertation, University of Wales, Aberystwyth.

- Kennedy, B.A. (1972) 'Bankfull' discharge and meander forms. *Area*, 4, 209–12.
- Kidson, C. (1953) The Exmoor storm and the Lynmouth floods. *Geography*, **38**, 1-9.
- King, C.A.M. (1976) The Geomorphology of the British Isles: Northern England, Methuen, London, 213 pp.
- King, W.B.R. (1935) The upper Wensleydale River system. Proceedings of the Yorkshire Geological Society, 23, 10-24.
- Kirk, W., Rice, R.J. and Synge, F.M. (1966) Deglaciation and vertical displacement of shorelines in Wester and Easter Ross. *Transactions of the Institute of British Geographers*, 39, 65-78.
- Kirkaldy, J.F. (1950) Solution of the chalk in the Mimms Valley, Herts. Proceedings of the Geologists' Association, 61, 219–23.
- Kirkby, M.J. (1972) Alluvial and non-alluvial meanders. *Area*, 4, 284–8.
- Kirkby, M.J. (1978) Implications for sediment transport. In *Hillslope Hydrology* (ed. M.J. Kirkby), John Wiley, Chichester, 325-64.
- Knighton, A.D. (1972) Changes in a braided reach. Bulletin of the Geological Society of America, 83, 3813-22.
- Knowles, A. (1985) The Quaternary history of North Staffordshire. In *The Geomorphology of North-West England*, (ed. R.H. Johnson), University Press, Manchester, 222–36.
- Knox, J. (1987) Stratigraphic evidence of large floods in the upper Mississippi Valley. In *Catastrophic Flooding* (eds L. Mayer and D. Nash), Allen and Unwin, London, 155-80.
- Komar, P.D. (1987) Selective grain entrainment from a bed of mixed sizes: a re-analysis. *Journal* of Sedimentary Petrology, 57, 203–11.
- Lake, P. (1900) Bala lake and the river systems of North Wales. *Geological Magazine*, 7, 141, 204-15 and 241-5.
- Lamb, H.H. and Frydendahl, K. (1991) Historic Storms of the North Sea, British Isles and Northwest Europe, Cambridge University Press, Cambridge.
- Lambert, C.P. and Walling, D.E. (1987) Floodplain sedimentation: a preliminary investigation of contemporary deposition within the lower reaches of the River Culm, Devon, U.K. *Geografiska Annaler*, 69A (3-4), 393-404.
- Lambert, J.H., Jennings, J.N., Smith, C.T., Green, C. and Hutchinson, J.N. (1970) The making of the Broads: a reconsideration of their origin in

the light of new evidence. Royal Geographical Society Research Series No.3.

- Langbein, W.B. (1964) Geometry of river channels. Journal of the Hydraulics Division, American Society of Civil Engineers, 90, 301-12.
- Lapworth, (1898) Long excursion to the Birmingham District. *Proceedings of the Geological Association*, **15**, 417-28
- Lauder, T.D. (1830) An Account of the Great Floods of August, 1829 in the Province of Moray and Adjoining District, Adam Black, Edinburgh.
- Lawler, D.M. and Leeks, G.L.J. (1992) River bank erosion in the Upper Severn detected by the Photo-Electronic Erosion Pin (PEEP) system. In *Erosion and Sediment Transport Monitoring Programmes in River Basins*, Proceedings of the Oslo Symposium, August 1992, IAHS Publication 210, 95-105.
- Laxton, J.L. and Nickless, E.F.P. (1980) The Sand and Gravel Resources of the Country Around Lanark, Strathclyde Region. Description of 1:25,000 sheet NS 94 and part of NS 84, Mineral Assessment Report, Institute of Geological Sciences, No. 49, 144 pp.
- Lear, D.L. (1986) The Quaternary deposits of the lower Teifi Valley. Unpublished PhD thesis, University of Wales, Aberystwyth.
- Learmonth, A.T.A. (1950) The floods of 12th August 1948 in S.E. Scotland. *Scottish Geographical Magazine*, 66, 147-53.
- Leeks, G.J.L. (1983) Development of field techniques for assessment of river erosion and deposition in mid-Wales. In *Catchment Experiments in Fluvial Geomorphology* (eds T.P. Burt and D.E. Walling), Geo-books, Norwich, 299-309.
- Leeks, G.J.L. (1986) Fluvial sediment responses to high water discharge from a regulating reservoir - The effects of the 5 March 1985 test release from Llyn Clywedog on the upper Severn. Report to Severn-Trent Water Authority.
- Leeks, G.J., Lewin, J. and Newson, M.D. (1988) Channel change, fluvial geomorphology and river engineering: the case of the Afon Trannon, mid-Wales. *Earth Surface Processes and Landforms*, **13**, 207-23.
- Leopold, L.B. (1962) The vigil network. *Bulletin* of the International Association of Scientific Hydrology, 7, 6-9.
- Leopold, L.B. (1969) Quantitative comparison of some esthetic factors among rivers. U.S.

Geological Survey Circular, 620, 16pp.

- Leopold, L.B. and Wolman, M.G. (1957) River channel patterns — braided, meandering and straight. United States Geological Survey Professional Paper, 282-B.
- Leopold, L.B. and Wolman, M.G. (1960) River meanders. Bulletin of the Geological Society of America, 71, 764-9.
- Lewin, J. (1976) Initiation of bedforms and meanders in coarse grained sediment. Bulletin of the Geological Society of America, 87, 281-5.
- Lewin, J. (1980) Available and appropriate timescales in geomorphology. In *Timescales in Geomorphology* (eds R.A. Cullingford, D.A. Davidson and J. Lewin), John Wiley, Chichester, 3-10.
- Lewin, J. (ed.) (1981a) *British Rivers*, George Allen and Unwin, London, 216pp.
- Lewin, J. (1981b) Contemporary erosion and sedimentation. In *British Rivers* (ed. J. Lewin), George Allen and Unwin, London, 34-58.
- Lewin, J. (1983) Changes of channel patterns and floodplains. In *Background to Palaeobydrology* (ed. K.J. Gregory), John Wiley, Chichester, 303-20.
- Lewin, J. (1987) Historical river channel changes. In *Palaeobydrology in Practice* (eds K.J. Gregory, J. Lewin and J.B. Thornes), John Wiley, Chichester, 161-75.
- Lewin, J. (1992) Alluvial sedimentation style and archaeological sites: the lower Vyrnwy, Wales. In *Alluvial Archaeology in Britain* (eds S. Needham and M.G. Macklin), Oxbow Monograph 27, Oxbow Press, Oxford, 103–9.
- Lewin, J. and Brindle, B. (1977) Confined meanders. In *River Channel Changes* (ed. K.J. Gregory), John Wiley, Chichester, 221–33.
- Lewin, J. and Hughes, D. (1976) Assessing channel change on Welsh rivers. *Cambria*, 3, 3-10.
- Lewin, J. and Hughes, D. (1980) Welsh floodplain studies. II. Application of a qualitative inundation model. *Journal of Hydrology*, 46, 35-49.
- Lewin, J. and Macklin, M.G. (1987) Metal mining and floodplain sedimentation in Britain. In *International Geomorphology 1986* (ed. V. Gardiner), Part 1. John Wiley, Chichester, 1009–27.
- Lewin, J. and Manton, M.H.M. (1975) Welsh floodplain studies — the nature of floodplain geometry. *Journal of Hydrology*, 25, 37-50.
- Lewin, J. and Weir, M.J.C. (1977) Morphology and recent history on the lower Spey. Scottish Geographical Magazine, 93, 45-51.

- Lewin, J., Bradley, S.B. and Macklin, M.G. (1983) Historical valley alluviation in mid-Wales. *Geological Journal*, **18**, 331-50.
- Lewin, J., Cryer, R. and Harrison, D.I. (1974) Sources of sediments and solutes in mid-Wales. In *Fluvial Processes in Instrumented Watersbeds* (eds K.J. Gregory and D.E. Walling), British Geomorphological Research Group Special Publication 6, 73-85.
- Lewin, J., Davies, B.E. and Wolfenden, P. (1977) Interactions between channel change and historic mining sediment. In *River Channel Changes* (ed. K.J. Gregory), John Wiley, Chichester, 355-367.
- Lewis, G.W. (1982) The geomorphology of alluvial cutoffs: geometry, processes, development rates and sedimentation. Unpublished PhD thesis, University of Aberystwyth.
- Lewis, G.W. and Lewin, J. (1983) Alluvial cutoffs in Wales and the borderlands. In Ancient and Modern Fluvial Systems (eds J.D. Collinson and J. Lewin). Special Publication of the International Association of Sedimentologists, 6, 145-54.
- Lewis, G. and Williams, G. (1984) *Rivers and Wildlife Handbook*. RSPB, Sandy, Bedfordshire.
- Liestøl, O. (1956) Glacier dammed lakes in Norway. Norsk Geografisk Tidsskrift, 15, 122-49.
- Linton, D.L. (1949) Some Scottish river captures re-examined. Scottish Geographical Magazine, 65, 123-32.
- Linton, D.L. (1951) Watershed breaching by ice in Scotland, *Transactions of the Institute of British Geographers*, 15, 1-15.
- Linton, D.L. (1963) The forms of glacial erosion. Transactions of the Institute of British Geographers, 33, 1-28.
- Lisle, T.F. (1987) Overview: channel morphology and sediment transport in streams. *International Association of Hydrological Sciences Publication* No. 165.
- Longworth, D. (1985) The Quaternary history of the Lancashire Plain. In *The Geomorphology* of North-West England, (ed. R.H. Johnson), University Press, Manchester, 178-200.
- Lowe, J.J. and Cairns, P. (1989) Palynological investigations: biostratigraphy. In *Glen Roy Area: Field Guide* (eds J.D. Peacock and R. Cornish). Quaternary Research Association, Cambridge, 10–11.
- Lowe, J.J. and Cairns, P. (1991) New Pollen-stratigraphic evidence for the deglaciation and lake

drainage chronology of the Glen Roy-Glen Spean area. Scottish Journal of Geology, 27, 41-56.

- Lowe, J.J. and Walker, M.J.C. (1980) Problems associated with radiocarbon dating the close of the Lateglacial period in the Rannoch Moor area, Scotland. In *Studies in the Lateglacial of North West Europe* (eds J.J. Lowe, J.M. Gray and J.E. Robinson), Pergamon, Oxford, 123-38.
- Lyell, C. (1834) Principles of Geology, Being an Inquiry How Far the Former Changes of the Earth's surface are Referable to Causes Now in Operation (3rd edn), 4 volumes, John Murray, London.
- Macklin, M.G. (1986) Channel and floodplain metamorphosis in the River Nent, Cumberland. In *Quaternary River Landforms* and Sediments in the Northern Pennines, England (eds M.G. Macklin and J. Rose), Quaternary Research Association, Cambridge, 19-33.
- Macklin, M.G. (1992) Metal contaminated soils and sediment: a geographical perspective. In *Managing the Human Impact on the Natural Environment: Patterns and Processes* (ed. M.D. Newson), Belhaven Press, London, 172-95.
- Macklin, M.G. (1996) Fluxes and storage of sediment-associated heavy metals in floodplain systems: assessment and river basin management issues at a time of rapid environmental change. In *Floodplain Processes* (eds M.G. Anderson, D.E. Walling and P.D. Bates), John Wiley, Chichester, 441-60..
- Macklin, M.G. and Aspinall, R.J. (1986) Historic floodplain sedimentation in the River West Allen, Northumberland: a case study of channel change in an upland, gravel-bed river in the northern Pennines. In *Quaternary River Landforms and Sediments in the Northern Pennines, England* (eds M.G. Macklin and J. Rose), Quaternary Research Association, Cambridge, 7-17.
- Macklin, M.G. and Dowsett, R.B. (1989) The chemical and physical speciation of trace metals in fine grained overbank flood sediments in the Tyne basin, north-east England. *Catena*, **16**, 135-51.
- Macklin, M.G. and Lewin, J. (1986) Terraced fills of Pleistocene and Holocene age in the Rheidol valley, Wales. *Journal of Quaternary Science*, 1, 24-34.
- Macklin, M.G. and Lewin, J. (1989) Sediment transfer and transformation of an alluvial valley

floor: the River South Tyne, Northumbria, U.K. *Earth Surface Processes and Landforms*, 14, 233-46.

- Macklin, M.G. and Lewin, J. (1994) Holocene river alluviation in Britain. Zeitschrift für Geomorphologie, Supplementband, 88, 109-22.
- Macklin, M.G. and Smith, R.S. (1990) Historic riparian vegetation development and alluvial metallophyte plant communities in the Tyne basin, north-east England, U.K. In *Vegetation and Erosion* (ed. J.B. Thornes), John Wiley, Chichester, 239–56.
- Macklin, M.G. and Needham, S. (1992) Studies in British alluvial archaeology: potential and prospect. In *Alluvial Archaeology in Britain*, (eds S. Needham and M.G. Macklin), Oxbow Monograph 27, Oxbow Press, Oxford, 9–23.
- Macklin, M.G., Passmore, D.G. and Newson, M.D. (in press) Controls of short and long term river instability: processes and patterns in gravelbed rivers, the Tyne basin, northern England. In *Gravel-Bed Rivers in the Environment*, John Wiley, Chichester.
- Macklin, M.G., Passmore, D.G. and Rumsby, B.T. (1992a) Climatic and cultural signals in Holocene alluvial sequences: the Tyne basin, northern England. In *Alluvial Archaeology in Britain* (eds S. Needham and M.G. Macklin), Oxbow Monograph 27, Oxbow Press, Oxford, 123-39.
- Macklin, M.G., Passmore, D.G., Stevenson, A.C., Cowley, D.C., O'Brien, C.F. and Edwards, D. (1991) Holocene alluviation and land-use change on Callaly Moor, Northumberland. *Journal of Quaternary Science*, 6 (3), 225-32.
- Macklin, M.G., Ridgway, J., Passmore, D.G. and Rumsby, B.T. (1994a) The use of overbank sediment for geochemical mapping and contamination assessment: results from selected English and Welsh floodplains. *Applied Geochemistry*, 9, 689-700.
- Macklin, M.G., Rumsby, B.T. and Heap, T. (1992b) Flood alluviation and entrenchment: Holocene valley floor development and transformation in the British uplands. *Bulletin of the Geological Society of America*, **104**, 631-43.
- Macklin, M.G., Rumsby, B.T. and Newson, M.D. (1992c) Historic overbank floods and vertical accretion of fine-grained alluvium in lower Tyne valley, north east England. In *Dynamics* of *Gravel-Bed Rivers* (eds P. Billi, R.D. Hey, C.R. Thorne and P. Tacconi), John Wiley, Chichester, pp. 573-89.

- Macklin, M.G., Rumsby, B.T., Heap, T. and Passmore, D.G. (1994b) Thinhope Burn, Northumberland. In *The Quaternary of Cumbria: Field Guide* (eds J. Boardman and J. Walden), Quaternary Research Association, Oxford, 50-7.
- Maizels, J.K. (1976) A comparison of Pleistocene and present-day proglacial environments with particular reference to morphology and sedimentology. Unpublished PhD thesis, University of London.
- Maizels, J.K. (1983a) Channel changes, palaeohydrology and deglaciation: evidence from some late glacial sandur deposits of northeast Scotland. *Quaternary Studies in Poland*, 4, 171-87.
- Maizels, J.K. (1983b) Proglacial channel systems: change and thresholds for change over long, intermediate and short time-scales. In *Modern* and Ancient Fluvial Systems (eds J.D. Collinson and J. Lewin), International Association of Sedimentologists Special Publication, 6, 251-66.
- Maizels, J.K. (1983c) Palaeovelocity and palaeodischarge determination for coarse gravel deposits. In *Background to Palaeobydrology* (ed. K.J. Gregory), John Wiley, Chichester, pp. 101-39
- Maizels, J.K. (1985) The physical background of the River Dee. In *The Biology and Management of the River Dee* (ed. D. Jenkins), Institute of Terrestrial Ecology, Huntingdon, 7-22.
- Maizels, J.K. (1986) Modelling of palaeohydrologic change during deglaciation. *Geographie Physique et Quaternaire*, 40, 263-77.
- Maizels, J.K. (1988) Sediment size and channel changes in braided and meandering gravel-bed streams, upper Deeside, Scotland. In *International Conference on River Regime* (ed. W.R. White), Hydraulics Research Limited, John Wiley, Chichester, 215-30.
- Maizels, J.K. and Aitken, J.F. (1991) Palaeohydrological change during deglaciation in upland Britain: case study from northeast Scotland. In *Temperate Palaeohydrology* (eds L. Starkel, K.J. Gregory and J.B. Thornes), John Wiley, Chichester, 105–45.
- Malkin, B. (1907) The Scenery, Antiquities and Biography of South Wales, Longman, London.
- Marr, J.E. and Fearnsides, W.G. (1909) The Howgill Fells and their topography. *Quarterly Journal of the Geological Society of London*, 65, 587-610.

- Marshall, W.A.L. (1952) The Lynmouth floods. Weather, 7, 338-67.
- Mathews, W.H. (1973) Record of two jökulhlaups. International Association for Scientific Hydrology Publication, No. 95, 99-110.
- Matthews, J.A., Dawson, A.G. and Shakesby R.A. (1986) Lake shoreline development, frost weathering and rock platform erosion in an alpine periglacial environment, Jotunheimen, southern Norway. *Boreas*, **15**, 33-50.
- May, J. (1981) The Glaciation and Deglaciation of Upper Nithsdale and Annandale. Unpublished PhD thesis, University of Glasgow.
- McCaig, M. (1983) Contributions to storm quickflow in a small headwater catchment the role of natural pipes and soil macropores. *Earth Surface Processes and Landforms*, 8 (3), 239-52.
- McEwen, L.J. (1981) An assessment of the geomorphic significance of the flash flood, occurring on 4th August 1978 on the Allt Mor, Glenmore, Inverness-shire. Unpublished MA dissertation, Department of Geography, University of St Andrews.
- McEwen, L.J. (1986) River channel planform changes in upland Scotland with specific reference to climatic fluctuations and landuse changes over the last 250 years. Unpublished PhD thesis, University of St Andrews.
- McEwen, L.J. (1987) The use of long term rainfall records for augmenting historical flood series: a case study on the upper Dee, Aberdeenshire, Scotland. *Transactions of the Royal Society of Edinburgh*, **78**, 275-85.
- McEwen, L.J. (1989a) River channel changes in response to flooding in the upper River Dee catchment, Aberdeenshire, over the last 200 years. In *Floods: Hydrological, Sedimentological* and Geomorphological Implications (eds K. Beven and P. Carling), John Wiley, Chichester, 219-38.
- McEwen, L.J. (1989b) Extreme rainfall and its implications for flood frequency: a case-study of the middle River Tweed basin, Scotland. *Transactions of the Institute of British Geographers*, 14 (3), 287-98.
- McEwen, L.J. (1990) The establishment of a historical flood chronology for the River Tweed catchment, Berwickshire, Scotland. *Scottish Geographical Magazine*, **106** (1), 37-48.
- McEwen, L.J. (1994a) Site assessment criteria for the conservation of fluvial systems: the Scottish experience. In *Conserving our Landscape* (eds C. Stevens, J.E. Gordon, C.P.

Green and M.G. Macklin). Proceedings of the Conference 'Conserving our Landscape: Evolving Landforms and Ice-Age Heritage', Crewe, May 1992, English Nature, Peterborough, 131-6.

- McEwen, L.J. (1994b) Channel planform adjustment and stream power variations on the middle River Coe, Western Grampian Highlands, Scotland. *Catena*, 21, 357-74.
- McEwen, L.J. and Werritty, A. (1988) The hydrology and long-term geomorphic significance of a flash flood in the Cairngorm Mountains, Scotland. *Catena*, **15**, 361-77.
- McManus, J. and Duck, R.W. (1988) Scottish freshwater lochs and reservoirs: a physical perspective. *Scottish Geographical Magazine*, **104**, 97-107.
- McLellan, A.G. (1969) The last glaciation of central Lanarkshire, *Scottish Journal of Geology*, 5, 248-68.
- Meigh, J.R. (1987) Transport of bed material in a gravel-bed river. Unpublished PhD thesis, University of East Anglia, 272pp.
- Miall, A.D. (1978) Lithofacies types and vertical profile models in braided river deposits: a summary. In Fluvial Sedimentology (ed. A.D. Miall). *Memoirs of the Canadian Society of Petroleum Geologists*, 5, 597-604.
- Miall, A.D. (1985) Architectural-element analysis: a new method of facies analysis applied to fluvial deposits. *Earth Science Reviews*, **22**, 261-308.
- Miller, A.A. (1935) The entrenched meanders of the Herefordshire Wye. *Geological Journal*, 85, 160-78.
- Miller, A.A. (1937) Entrenched meanders of the Herefordshire Wye. *Geological Journal*, **90**, 1148.
- Miller. H. (1887) The Black Rock of Novar. Transactions of the Inverness Scientific Society, 3, 308.
- Miller, M. (1987) Laminated sediments in Glen Roy, Inverness-shire. Unpublished MSc thesis, City of London Polytechnic.
- Miller S.Y. (1991) Soil chronosequences and fluvial landform development: studies in SE Spain and NW England. PhD thesis, University of Liverpool.
- Millward, R. and Robinson, A. (1978) *Aspects of the North Wales Landscape*. David and Charles, Newton Abbot.
- Milne, J.A. (1982) River channel change in Harthope valley, Northumberland, since 1897. Department of Geography, University of

Newcastle upon Tyne, Research Series, 13.

- Mosley, M.P. (1972) Gully systems in blanket peat, Bleaklow, north Derbyshire. *East Midland Geographer*, **5** (5), 235-44.
- Mosley, M.P. (1975a) Channel changes on the River Bollin, Cheshire, 1872-1973. *East Midland Geographer*, 6, 189-99.
- Mosley, M.P. (1975b) Meander cut-offs on the River Bollin, Cheshire, in June 1973. *Revue de Géomorphologie Dynamique*, 24, 21-31.
- Moss, C.E. (1913) Vegetation of the Peak District, Cambridge.
- Murray, J. and Pullar, L. (1910) *Bathymetrical Survey of the Scottish Freshwater Lochs*, 6 volumes, Challenger Office, Edinburgh.
- Musk, L.F. (1985) Glacial and Post-Glacial climatic conditions in North-west England. In *The Geomorphology of North-west England*, (ed. R.H. Johnson), University Press, Manchester, 59–79.
- Nairne, D. (1895) Memorable Floods in the Highlands During the 19th Century with Some Accounts of the Great Frost of 1895, Northern Counties Printing and Publishing Company Limited, Inverness.
- Nanson, G. and Page, K. (1983) Lateral accretion of fine-grained concave benches on meandering rivers. In *Modern and Ancient Fluvial Systems* (eds J.D. Collinson and J. Lewin), International Association of Sedimentologists Special Publication, Blackwell Scientific, London, 6, 133-43.
- Nanson, G.C. and Young, R.W. (1981) Downstream reduction of river channel size with contrasting urban effects in small coastal streams of southeastern Australia. *Journal of Hydrology*, **52**, 239–55.
- National Museum of Wales (1979) Brecon Beacons National Park Scenery — a Geological Interpretation, National Museum of Wales, Cardiff.
- Natural Environment Research Council (NERC) (1975) *Flood Studies Report*, HMSO, London, volume 2.
- Nature Conservancy Council (NCC) (1968) Cors Tregaron National Nature Reserve, Nature Conservancy Council, London.
- Newson, M.D. (1980) The erosion of drainage ditches and its effects on bed-load yields in Mid Wales: reconnaissance case studies. *Earth Surface Processes*, 5, 275–90.
- Newson, M.D. (1981) Mountain streams. In British Rivers (ed. J. Lewin), George Allen and Unwin, London, 59–89.

- Newson, M.D. (1987) River basin engineering fluvial geomorphology. *Journal of the Institution of Water Engineers and Scientists*, **40**, pp. 307-24.
- Newson, M.D. (1989) Flood effectiveness in river basins: progress in Britain during a decade of drought. In *Floods: Hydrological, Sedimentological and Geomorphological Implications* (eds K. Beven and P. Carling), John Wiley, Chichester, 151-69.
- Newson, M.D. (1992) Geomorphic thresholds in gravel-bed rivers — refinement for an era of environmental change. In *Dynamics of Gravel-Bed Rivers*, (eds P. Billi, R.D. Hey, C.R. Thorne and P. Tacconi), John Wiley, Chichester, pp. 3-20.
- Newson, M.D. and Leeks, G.J.L. (1985) Mountain bedload yields in the United Kingdom. Further information from undisturbed fluvial environments. *Earth Surface Processes and Landforms*, 10, 412-6.
- Newson, M.D. and Leeks, G.J.L. (1987) Transport processes at a catchment scale: a regional study of increasing sediment yield and its effects in mid-Wales, U.K. In *Sediment Transport in Gravel Bed Rivers* (eds C.R. Thorne, J.C. Bathurst and R.D. Hey), John Wiley, Chichester, 187-218.
- Newson, M.D. and Macklin, M.G. (1990) The geomorphologically-effective flood and vertical instability in river channels — a feedback mechanism in the flood series for gravel-bed rivers. In *International Conference on River Flood Hydraulics* (ed. W.R. White), John Wiley, Chichester, 123-40.
- Nicholas, A.P. and Walling, D.E. (1995) Modelling contemporary overbank sedimentation on floodplains: some preliminary results. In *River Geomorphology* (ed. E.J. Hickin), John Wiley, Chichester, 131–53.
- Nicholas, A.P., Ashworth, P.J., Kirkby, M.J., Macklin, M.G. and Murray, T. (1995) Sediment slugs: large-scale fluctuations in fluvial transport rates and storage volumes. *Progress in Physical Geography*, **19**, 500–19.
- North, F.J. (1930) *The Evolution of the Bristol Channel.* National Museum of Wales, Cardiff, 103pp.
- North, F.J. (1955) The geological history of Brecknock. *Brycheiniog*, 1, 9-77.
- North, F.J. (1962) *The River Scenery at the Head* of the Vale of Neath, National Museum of Wales, Cardiff.
- Oldfield, F. (1963) Pollen analysis and Man's role

in the ecological history of the south-east Lake District. *Geografiska Annaler*, **45**, 23-40.

- Ovenden, J.C. and Gregory, K.J. (1980) The permanence of stream networks in Britain. *Earth Surface Processes*, **5**, 47-60.
- Palmer, J. (1956) Tor formation at the Bridestones in north east Yorkshire and its significance in relation to valley side development and regional glaciation. *Transactions of the Institute of British Geographers*, 22, 55-71.
- Palmer, W.J. (1882) *The Tyne and its Tributaries*. George Bell, London.
- Passmore, D.G. (1994) River response to Holocene environmental change: the Tyne basin, northern England. Unpublished PhD thesis, University of Newcastle upon Tyne.
- Passmore, D.G. and Macklin, M.G. (1994) Provenance of fine-grained alluvium and late Holocene land-use change in the Tyne basin, northern England. *Geomorphology*, 9, 127-42.
- Passmore, D.G., Macklin, M.G., Brewer, P.A., Lewin, J., Rumsby, B.T. and Newson, M.D. (1993) Variability of late Holocene braiding in Britain. In *Braided Rivers* (eds J.L. Best and C.S. Bristow), Geological Society Special Publication **75**, London, 205–29.
- Passmore, D.G., Macklin, M.G., Stevenson, A.C., O'Brien, C.F. and Davies, B.A.S. (1992) A Holocene alluvial sequence in the lower Tyne valley, northern Britain. *The Holocene*, 2 (2), 138-47.
- Peach, B.N., Gunn, W., Clough, C.T., Hinxman, L.W., Crampton, C.B. and Anderson, E.M. (1912) The Geology of Ben Wyvis, Carn Chuinneag, Inchbae and the Surrounding Country, including Garve, Evanton, Alness and Kincardine. Memoirs of the Geological Survey of Scotland, HMSO, Edinburgh, 189pp.
- Peach, B.N., Horne, J., Gunn, W., Clough, C.T. and Greenly, E. (1913a) The Geology of the Fannich Mountains and the Country around Upper Loch Maree and Strath Broom. Memoirs of the Geological Survey of Scotland, HMSO, Edinburgh, 127pp.
- Peach, B.N., Horne, J., Hinxman, L.W., Crampton, C.B., Anderson, E.M. and Carruthers, R.G. (1913b) *The Geology of Central Ross-shire*. Explanation of Sheet 82. Memoirs of the Geological Survey of Scotland, HMSO, Edinburgh, 114pp.
- Peacock, J.D. (1970) Glacial Geology of the Lochy-Spean area. Bulletin of the Geological Survey of Great Britain, 33, 43-56.

- Peacock, J.D. (1986) Alluvial fans and an outwash fan in upper Glen Roy, Lochaber. *Scottish Journal of Geology*, 22, 347-66.
- Peacock, J.D. (1989) Survey of Quaternary landforms and deposits of Glen Roy, Glen Gloy and Glen Spean, Lochaber District, and recommendations for conservation. Nature Conservancy Council, Peterborough, CSD Report, No. 923, 59 pp.
- Peacock, J.D. and Cornish, R. (1989) Field Guide to the Glen Roy Area, Quaternary Research Association, Cambridge, 69 pp.
- Penn, I.E. (1987) Geophysical logs in the stratigraphy of Wales and adjacent offshore and onshore areas. *Proceedings of the Geologists' Association*, **98**, 275-314.
- Pennington, W. (1970) Vegetational history in the north-west of England. A regional synthesis. In *Studies in the Vegetational History of the British Isles* (eds D. Walker and R.G. West), Cambridge University Press, Cambridge, 41–79.
- Perrault, P. (1674) *De l'Origine des Fontaines*, Paris, Trans. A. LaRocque, Hafner, New York, 1967.
- Petts, G.E. (1977) Channel response to flow regulation. In *River Channel Changes* (ed. K.J. Gregory), John Wiley, Chichester, 145-64.
- Petts, G.E. (1988a) Accumulations of fine sediment within substrate gravels along two regulated rivers, U.K. *Regulated Rivers: Research and Management*, 2, 141-53.
- Petts, G.E. (1988b) The regulation of the Derbyshire Derwent. *East Midland Geographer*, **10** (2), 54-63.
- Petts, G. and Foster, I. (1985) *Rivers and Landscape*. Edward Arnold, London, 274 pp.
- Pocock, T.I. (1938) Glacial deposits between North Wales and the Pennine range. Zeit Gletscherk, Eiszeitforsch. Gesch. Klimas. 26, 52-69.
- Pocock, R.W., Whitehead, T.H., Wedd, C.B. and Robertson, T. (1938) Shrewsbury District including the Hanwood Coalfield. *Memoirs of the Geological Surevy of Great Britain*, sheet 152.
- Poole, E.G. and Whiteman, A.J. (1961) The Shropshire-Cheshire basin. Quarterly Journal of the Geological Society of London, 117, 91-130.
- Price, A. (1977) Quaternary deposits between Llanllioni and Pentreawart, middle Teifi valley, Dyfed. Unpublished MSc thesis, University of Wales, Aberystwyth.
- Probst, J.L. (1989) Hydroclimatic fluctuations of some European rivers since 1800. In *Historic*

changes of large alluvial rivers: Western Europe (eds G.E. Petts, H. Moller and A.L. Roux), John Wiley, Chichester, 41-55.

- Pugh, J.C. (undated) Provisional checklist of sites of geomorphological interest. Unpublished manuscript, Kings College, London.
- Radley, J. (1962) Peat erosion on the high moors of Derbyshire and West Yorkshire. *East Midland Geographer*, 3, 40–50.
- Raistrick, A. (1926) Glaciation of Wensleydale, Swaledale and adjoining parts of the Pennines, *Proceedings of the Yorkshore Geological* Society, 20, 366-411.
- Raistrick, A. and Jennings, B. (1965) A History of Lead Mining in the Pennines. Longmans, London.
- Ramsay, A.C. (1876) On the physical history of the Dee, Wales. *Quarterly Journal of the Geological Society of London*, **32**, 219–29.
- Read, H.H., Phemister, J. and Ross, G. (1926) The Geology of Strath Oykell and Lower Loch Shin, Memoirs of the Geological Survey of Scotland, HMSO, Edinburgh.
- Richards, A.J., Lefebvre, C., Macklin, M.G., Nicholson, A. and Vekemans, X. (1989) The population genetics of *Ameria maritima* (*mill*) willd, on the River South Tyne, U.K. New Phytologist, 112, 281-93.
- Richards, K.S. (1972) Meanders and valley slope. Area, 4, 288-90.
- Richards, K.S. (1981) Evidence of Flandrian valley alluviation in Staindale, North York Moors. *Earth Surface Processes and Landforms*, 6, 183-6.
- Richards, K.S. (1982) *Rivers: Form and Process in Alluvial Channels*, Cambridge University Press, Cambridge, 358pp.
- Richards, K.S. and Wood, R. (1977) Urbanisation, water redistribution and their effect on channel processes. In *River Channel Changes* (ed. K.J. Gregory), John Wiley, Chichester, 369-88.
- Richards, K.S., Peters, N.R., Robertson-Rintoul, M.S.E. and Switsur, V.R. (1986) Recent valley sediments in the North York Moors, evidence and interpretation. In *International Geomorphology* 1986 Part 1 (ed. V. Gardiner), John Wiley, Chichester, 869–83.
- Richardson, J.M. (1992) Catchment characteristics and the distribution of natural soil piping. Unpublished MPhil dissertation, University of Wales, Aberystyth, 276 pp.
- Richardson, L. (1929) *The Country Around Moreton-in-Marsh*, Memoirs of the Geological Survey of Great Britain.

- Ringrose, P.S. (1987a) Investigations into the Aukhorn peat mounds, Keiss, Caithness: pollen, plant macrofossil and charcoal analyses. *New Phytologist*, **106**, 185-200.
- Ringrose, P.S. (1987b) Fault activity and palaeoseismicity during Quaternary time in Scotland. Unpublished PhD thesis, University of Strathclyde.
- Ringrose, P.S. (1989) Evidence for palaeoseismicity: evidence from lake sediments. In *Glen Roy Area: Field Guide* (eds J.D. Peacock and R. Cornish), Quaternary Research Association, Cambridge, 8–9.
- Roberts, B.K., Turner, J. and Ward, P.F. (1973) Recent forest history and land use in Weardale, northern England. In *Quaternary Plant Ecology* (eds H.J.B. Birks and R.G. West), Blackwell, Oxford, 207-21.
- Roberts, G. (in press) Progress Report to the Department of the Environment on the Effects of Afforestation on Water Quality, Institute of Hydrology, Wallingford.
- Roberts, K. (1989) Mimmshall Brook: Geomorphological and Hydrological Investigation, Report to Thames Region, National Rivers Authority, 42pp.
- Robertson-Rintoul, M.S.E. (1986a) River planform, soil stratigraphy and the temporal and palaeoenvironmental significance of terraced valley fill deposits in upland Scotland. Unpublished PhD thesis, University of Hull.
- Robertson-Rintoul, M.S.E. (1986b) A quantitative soil-stratigraphic approach to the correlation and dating of post-glacial river terraces in Glen Feshie, Western Cairngorms. *Earth Surface Processes and Landforms*, **11**, 605-17.
- Robinson, M.A. and Lambrick, G.H. (1984) Holocene alluviation and hydrology in the upper Thames basin. *Nature*, **306**, 809-14.
- Rodda, J.C. (1970) Rainfall excesses in the United Kingdom. *Transactions of the Institute of British Geographers*, 49, 49–59.
- Rodda, J.C., Downing, R.A. and Law, J.F.M. (1976) Systematic Hydrology, Newnes – Butterworth, London.
- Ross, G. (1927) The superficial deposits in the Clyde Valley at Bonnington, $1\frac{1}{2}$ miles south of Lanark. Geological Survey of Great Britain. Summary of Progress of the Geological Survey of Great Britain and the Museum of Geology for the Year of 1926, HMSO, London, 158-60.
- RSPB, NRA and RSNC (1994) The New Rivers and Wildlife Handbook, RSPB, Sandy, 426 pp.

Rudeforth, C.C. (1970) Soils of North

Cardiganshire, Memoirs of the Soil Survey of Great Britain.

- Rumsby, B.T. (1991) Flood frequency and magnitude estimates based on valley floor morphology and floodplain sedimentary sequences: the Tyne basin, northeast England. Unpublished PhD thesis, University of Newcastle upon Tyne.
- Rumsby, B.T. and Macklin, M.G. (1994) Channel and floodplain response to abrupt climate change: the Tyne basin, northern England. *Earth Surface Processes and Landforms*, **19**, 499-515.
- Russell, A.J. (1989) A comparison of two recent jökulhlaups from an ice-dammed lake, Søndre Strømfjord, West Greenland. *Journal of Glaciology*, 35, 157-62.
- Rust, B.R. (1978) Depositional models for braided alluvium. In Fluvial Sedimentology (ed. A.D. Miall). *Memoir of the Canadian Society of Petroleum Geologists*, 5, 605-25.
- Ryder, J.M. (1971) The stratigraphy and morphology of paraglacial alluvial fans in south central British Columbia. *Canadian Journal of Earth Sciences*, **8**, 279–98.
- Ryder, J.M. and Church, M. (1986) The Lillooet terraces of Fraser River: a palaeoenvironmental enquiry, *Canadian Journal of Earth Sciences*, **8**, 869-84.
- Sambrook-Smith, G. and Ferguson, R.I. (1995) The gravel-sand transition along alluvial channels. *Journal of Sedimentary Research*, A65, 423-30.
- Sawyer, M.S. (1987) The rainfall of 25-6 August 1986. *Weather*, 42 (4), 114-7.
- Schirmer, W. (1983) Criteria for the differentiation of Late Quaternary river terraces. *Quaternary Studies in Poland*, 4, 199–204.
- Schumm, S.A. (1977) The Fluvial System, John Wiley, New York, 338pp.
- Schumm, S.A. (1991) To Interpret the Earth: Ten Ways to be Wrong, Cambridge University Press, Cambridge, 131pp.
- Schumm, S.A. and Hadley, R.F. (1957) Arroyos and the semiarid cycle of erosion. *American Journal of Science*, **225**, 161-74.
- Schumm, S.A., Harvey, M.D. and Watson, C.C. (1984) *Incised Channels; Morphology, Dynamics and Control,* Water Resources Publication, Denver, Colorado.
- Sear, D.A. (1992) Impact of hydroelectric power releases on sediment transport processes in pool-riffle sequences. In *Dynamics of Gravel-Bed Rivers* (eds P. Billi, R.D. Hey, C.R. Thorne

and P Tacconi), John Wiley, Chichester, 629-50.

- Sear, D.A. and Newson, M.D. (1991) Sediment and gravel transportation in rivers including the use of gravel traps. *National Rivers Authority Project Report 232/1/1991*, 93 pp.
- Sear, D.A., Darby, S.E., Thorne, C.R. and Brookes, A. (1994) Geomorphological approach to stream stabilisation and restoration: case study of the Mimmshall Brook, Hertfordshire, U.K. *Regulated Rivers: Research and Management*, 9 (4) 205-23.
- Shakesby, R.A. (1985) Geomorphological effects of jökulhlaups and ice-dammed lakes, Jotunheimen, Norway, *Norsk Geografisk Tidsskrift*, **39**, 1-16.
- Shakesby, R.A. and Matthews, J.A. (1987) Frost weathering and rock platform erosion on periglacial lake shorelines: a test of a hypothesis. *Boreas*, **67**, 197-203.
- Shaw, J. (1969) Aspects of glacigenic sedimentation with special reference to the area around Shrewsbury. Unpublished PhD thesis, University of Reading.
- Shaw, J. (1972) The Irish Sea Ice glaciation of north Shropshire — some environmental reconstructions. *Field Studies*, 3, 603-31.
- Sherlock, R.L. (1912) *Manners Geological Agent*, Witherby, London, 372 pp.
- Shotton, F.W. (1953) The Pleistocene deposits of the area between Coventry, Rugby and Leamington, and their bearing upon the topographic development of the Midlands. *Philosophical Transactions of the Royal Society of London*, **B**, 237, 209-60.
- Shotton, F.W. (1968) The Pleistocene succession around Brandon, Warwickshire. *Philosophical Transactions of the Royal Society of London*, *Series B.*, 254, 387-400.
- Shotton, F.W. (ed.) (1977) *The English Midlands,* INQUA Xth Congress, Guidebook for Excursion A2, Geo Abstracts, Norwich.
- Shotton, F.W. and Coope, G.R. (1983) Exposures in the Power House terrace of the River Stour at Wilden, Worcestershire, England. *Proceedings of the Geologists' Association*, 94, 33-44.
- Simpson, S. (1953) The development of the Lyn drainage system and its relation to the origin of the coast between Coombe Martin and Porlock. *Proceedings of the Geologists'* Association, 64, 14-23.
- Sissons, J.B. (1967) The Evolution of Scotland's Scenery, Oliver and Boyd, Edinburgh, 259 pp.

- Sissons, J.B. (1974a) A Lateglacial ice-cap in the central Grampians. *Transactions of the Institute of British Geographers*, **62**, 95-114.
- Sissons, J.B. (1974b) The Quaternary in Scotland, a review. *Scottish Journal of Geology*, **10**, 34-7.
- Sissons, J.B. (1976) The Geomorphology of the British Isles: Scotland. Methuen, London, 150 pp.
- Sissons, J.B. (1977a) Former ice-dammed lakes in Glen Moriston, Inverness-shire, and their significance in upland Britain. *Transactions of the Institute of British Geographers*, NS 2, 224-42.
- Sissons, J.B. (1977b) Glen Roy National Nature Reserve: the Paralell Roads of Glen Roy. Nature Conservancy Council, London, 12pp.
- Sissons, J.B. (1977c) The Loch Lomond Readvance in southern Skye and some palaeoclimatic implications. *Scottish Journal of Geology*, 13, 23-36.
- Sissons, J.B. (1978) The Parallel Roads of Glen Roy and adjacent glens, Scotland. *Boreas* 7, 229-44.
- Sissons, J.B. (1979a) The later lakes and associated fluvial terraces of Glen Roy, Glen Spean and vicinity. *Transactions of the Institute of British Geographers*, NS 4, 12–29.
- Sissons, J.B. (1979b) The limit of the Loch Lomond Advance in Glen Roy and vicinity, *Scottish Journal of Geology*, **15**, 31-42.
- Sissons, J.B. (1979c) Catastrophic lake drainage in Glen Spean and the Great Glen, Scotland. *Journal of the Geological Society of London*, 136, 215-24.
- Sissons, J.B. (1980) The Loch Lomond Advance in the Lake District, northern England. *Transactions of the Royal Society of Edinburgh*, 71, 13-27.
- Sissons, J.B. (1981a) Lateglacial marine erosion and a jökulhlaup deposit in the Beauly Firth. *Scottish Journal of Geology*, **17**, 7-19.
- Sissons, J.B. (1981b) Ice-dammed lakes in Glen Roy and vicinity: a summary. In *The Quaternary in Britain* (eds J. Neale and J. Flenley). Pergamon Press, Oxford, 174-83.
- Sissons, J.B. (1982) A former ice-dammed lake and associated glacier limits in the Achnasheen area, central Ross-shire. *Transactions of the Institute of British Geographers*, NS, 7, 98-116.
- Sissons, J.B. and Cornish, R. (1982a) Rapid localized glacio-isostatic uplift at Glen Roy, *Nature*, 297, 213-4.

- Sissons, J.B. and Cornish, R. (1982b) Differential glacio-isostatic uplift of coastal blocks at Glen Roy, Scotland. *Quaternary Research*, 18, 268-88.
- Sissons, J.B. and Cornish, R. (1983) Fluvial landforms associated with ice-dammed lake drainage in upper Glen Roy, Scotland. *Proceedings of the Geologists' Association*, 94, 45-52.
- Smith, I. and Lyle, A. (1979) Distribution of Freshwaters in Great Britain. Institute of Terrestrial Ecology, Edinburgh, 44 pp.
- Smith, K. and Bennett, A.M. (1994) Recently increased river discharge in Scotland: effects of flow hydrology and some implications for water management. *Applied Geography*, 14, 123-33.
- Smith, N.D. (1974) Sedimentology and bar formation in the upper Kicking Horse River, a braided outwash stream. *Journal of Geology*. 82, 203-23.
- Sohag, M.A. (1994) Morphological estimates of sediment transport in gravel-bed rivers. Unpublished PhD thesis, University of Newcastle upon Tyne.
- Starkel, L., Gregory, K.J. and Thornes, J.B. (eds) (1990) Temperate Palaeobydrology. Fluvial Processes in the Temperate Zone During the Last 15,000 years. John Wiley, Chichester.
- Statham, I. (1976) Debris flows in vegetated screes in the Black Mountains, Carmarthenshire. *Earth Surface Processes*, 1, 173–80.
- Steel, C. (1984) Downstream variation in crosssectional geometry on the River Nairn, Inverness-shire. Unpublished BSc Dissertation, Department of Geography, University of St Andrews.
- Steven, H.M. and Carlisle, A. (1959) *The Native Pinewoods of Scotland*, Oliver and Boyd, Edinburgh.
- Stone, K.H. (1963) Alaskan ice-dammed lakes. Annals of the Association of American Geographers, 53, 332-49.
- Straw, A. (1979) Eastern England. In *Eastern and Central England* (eds A. Straw and K.M. Clayton), Methuen, London, 1-139.
- Sugden, D.E. (1970) Landforms of deglaciation in the Cairngorm Mountains. *Transactions of the Institute of British Geographers*, **51**, 201-19.
- Sutherland, D.G. (1984) The Quaternary deposits and landforms of Scotland and the neighbouring shelves; a review. *Quaternary Science Reviews*, **3**, 157-254.

Sutherland, D.G. (1987) Corrieshalloch Gorge. In

Wester Ross Field Guide (eds C.K. Ballantyne and D.G. Sutherland). Quaternary Research Association, Cambridge, pp. 94-7.

- Synge, F.M. (1956) The glaciation of north-east Scotland. Scottish Geographical Magazine, 72, 129-43.
- Tallis, J.H. (1964) Studies in southern Pennine peats. II. The pattern of erosion. *Journal of Ecology*, 52, 333-44.
- Tallis, J.H. (1965) Studies in southern Pennine peats. IV. Evidence of recent erosion. *Journal* of Ecology, 53, 509–20.
- Tallis, J.H. (1985) Mass movement and erosion of a southern Pennine blanket peat. *Journal of Ecology*, 73, 283-315.
- Tallis, J.H. (1987) Fire and flood at Holme Moss: erosion processes in an upland blanket mire. *Journal of Ecology*, **75**, 1099–129.
- Taylor, M.P. (1993) Holocene sedimentation in River Severn catchments. Unpublished PhD thesis. University of Wales, Aberystwyth.
- Taylor, M.P. and Lewin, J. (1997) Non-synchronous response of adjacent floodplain systems to Holocene environmental change. *Geomorphology*, 18, 251-64.
- Thomas, G.S.P. (1985) The Quaternary of the Northern Irish Sea Basin. In *The Geomorphology of North-West England*, (ed. R.H. Johnson), University Press, Manchester, 159-77.
- Thomas, G.S.P., Summers, A.J. and Dackombe, R.V. (1982) The late Quaternary deposits of the middle Dyfi valley. *Geological Journal*, 17, 297-309.
- Thomas, T.H. (1902) The upper Vale of Neath. *Transactions of Cardiff Naturalists' Society*, 34, 86-9.
- Thomas, T.M. (1956) Gully erosion in the Brecon Beacons area, south Wales. *Geography*, **41**, 99-107.
- Thomas, T.M. (1974) The south Wales interstratal karst. *Transactions of the British Cave Research Association*, 1, 131-52.
- Thompson, A. (1984) Long and short-term channel changes in gravel bed rivers. Unpublished PhD thesis, University of Liverpool.
- Thompson, A. (1985) Channel patterns and channel change in upland streams of the Bowland Fells. In *Guide to Field Excursions in North-West England* (ed. A.M. Harvey), First International Conference on Geomorphology, British Geomorphological Research Group, Manchester, 43-8.
- Thompson, A. (1986) Secondary flows and the

pool-riffle unit: a case study of the processes of meander development. *Earth Surface Processes and Landforms*, **11**, 631-41.

- Thompson, A. (1987) Channel response to flood events in a divided upland stream. In *International Geomorphology 1986*, Part I (ed. V. Gardiner), John Wiley, Chichester, 691-709.
- Thompson, K.S.R. (1972) The last glaciers in western Perthshire. Unpublished PhD thesis, University of Edinburgh.
- Thompson, T.R.E. (1982) Soils in Powys II. Sheet SJ 21 (Ardleen), Soil Survey of Great Britain Record, 75.
- Thorez, J., Bullock, P., Catt, J.A. and Weir, A.H. (1971) The petrography and origin of deposits filling solution pipes in the Chalk near South Mimms, Hertfordshire. *Geological Magazine*, **108**, 413-23.
- Thorne, C.R. and Hey, R.D. (1979) Direct measurement of secondary currents at a river inflexion point. *Nature*, **280**, 226-8.
- Thorne, C.R. and Lewin, J. (1979) Bank processes, bed material movement and planform development in a meandering river. In *Adjustments to the Fluvial System* (eds D.D. Rhodes and G.P. Williams), Kendall/Hunt, Dubuque, Iowa, 117-36.
- Thorne, C.R. and Tovey, N.K. (1981) Stability of composite river banks. *Earth Surface Processes and Landforms*, 6, 469–84.
- Thorp, P.W. (1981) A trimline method for determining the upper limit of the Loch Lomond Advance glaciers: examples from the Loch Leven and Glencoe areas. *Scottish Journal of Geology*, **17**, 49-64.
- Thorp, P.W. (1986) A mountain icefield of Loch Lomond Stadial age, western Grampians, Scotland. *Boreas*, **15**, 83-97.
- Tipping, R.C. (1992) The determination of cause in the generation of major prehistoric valley fills in the Cheviot Hills, Anglo-Scottish border. In *Alluvial Archaeology in Britain* (eds S. Needham and M.G. Macklin), Oxbow Monograph 27, Oxbow Press, Oxford, 111–21.
- Tipping, R.C. and Halliday S.P. (1994) The age of alluvial fan deposition at a site in the Southern Uplands of Scotland. *Earth Surface Processes and Landforms* **19**, 333-48.
- Tomlinson, M.E. (1925) River terraces of the lower valley of the Warwickshire Avon. Quarterly Journal of the Geological Society of London, 81, 137-69.
- Tooley, M.J. (1985) Sea-level changes and coastal

morphology in North-West England. In *The Geomorphology of North-West England*, (ed. R.H. Johnson), University Press, Manchester, 94-121.

- Tuckfield, C.G. (1964) Gully erosion in the New Forest, Hampshire. *American Journal of Science*, 262, 795-807.
- Tuckfield, C.G. (1980) Stream channel stability and forest drainage in the New Forest, Hampshire. *Earth Surface Processes and Landforms*, **5**, 317-29.
- Turner, J. (1964) The anthropogenic factor in vegetational history. I. Tregaron and Whixall Mosses. *New Phytologist*, 63, 73-90.
- Turner, J. (1979) The environment of northeast England during Roman times as shown by pollen analysis. *Journal of Archaeological Science*, 6, 285-90.
- Twidale, C.R. (1964) Erosion of an alluvial bank at Birdwood, South Australia. Zeitschrift für Geomorphologie, 8, 189-211.
- Vincent, P. (1985) Quaternary geomorphology of the southern Lake District and Morecambe Bay area. In *The Geomorphology of North-West England*, (ed. R.H. Johnson), University Press, Manchester, 159–177.
- Walker, M.J.C. (1975) A pollen diagram from the Pass of Drumochter, central Grampian Highlands, Scotland. *Transactions of the Royal Society of Edinburgb*, 42, 335-43
- Walker, H.M. and Arnborg, L. (1966) Permafrost and ice-wedge effect on river bank erosion. In *Proceedings of the International Conference* on *Permafrost*, Proceedings National Academy of Sciences — National Research Council Publication 1247, Washington, D.C., 164-71.
- Walling, D.E. (1984) Physical hydrology. Progress in Physical Geography, 8 (1), 129–38.
- Walling, D.E. (1991) Drainage basin studies. In Field Experiments and Measurements Programs in Geomorphology, (ed. O. Slaymaker), Balkema, Rotterdam, 17-59.
- Walling, D.E. and Bradley, S.B. (1989) Rates and patterns of contemporary floodplain sedimentation: a case study of the River Culm, Devon, U.K. *GeoJournal*, **19** (1), 53-62.
- Walling D.E. and Webb B.W. (1981) Water quality. In *British Rivers* (ed. J. Lewin), Allen and Unwin, London, 126-169.
- Walsh, P.T. and Ockenden, A.C. (1982) Hydrogeological observations at the Water End swallow hole complex, North Mimms, Hertfordshire. *Transactions of the British*

Cave Research Association, 9 (3), 184-94.

- Waltham, A.C., Simms, M.J., Farrant, A.R. and Goldie, H.S. (1996) Karst and Caves of Great Britain. Geological Conservation Review Series, 12. Chapman and Hall, London, 358pp.
- Walton, I. (1653) The Compleat Angler or the Contemplative Man's Recreation. T. Maxey, London.
- Ward, R.C. (1975) *Principles of Hydrology*. 2nd edn, McGraw-Hill, London, 367pp.
- Ward, R.C. (1980) Water: a geographical issue. In Geography Yesterday and Tomorrow. Oxford University Press, 130-45.
- Ward, R.C. (1981) River systems and river regimes. In *British Rivers* (ed. J. Lewin), George Allen and Unwin, London, pp. 1-33.
- Ward, R.C. (1982) The Foundations of the Deep and the Windows of Heaven. University of Hull Press, Hull.
- Waters, R.S. and Johnson, R.H. (1958) The terraces of the Derbyshire Derwent. *East Midland Geographer*, 2, 3-15.
- Wathen, S.J. (1995) The effect of sediment storage upon sediment transfer processes in a small Scottish gravel-bed river. Unpublished PhD thesis, University of St Andrews.
- Wathen, S.J., Ferguson, R.I., Hoey, T.B. and Werritty, A. (1995) Unequal mobility of gravel and sand in weakly bi-modal sediments. *Water Resources Research*, 31, 2087–96.
- Watson, E. (1970) The Cardigan Bay Area. In The Glaciations of Wales and Adjoining Regions (ed. C.A. Lewis), Longman, London, 125-45.
- Wells, S.G. and Harvey, A.M. (1987) Sedimentologic and geomorphic variations in storm-generated alluvial fans, Howgill Fells, north-west England. *Bulletin of the Geological Society of America*, 98, 182–98.
- Welsh Water Authority (1987) Llyn Brianne Acid Waters Project — First Technical Summary Report. Unpublished report to Department of Environment and Welsh Office.
- Werritty, A. (1984) Stream response to flash floods in upland Scotland. In *Catchment Experiments in Fluvial Geomorphology* (ed. T.P. Burt and D.E. Walling), Geo-books, Norwich, 537-60.
- Werritty, A. and Acreman, M. (1984) The flood hazard in Scotland. In *Climatic Hazards in Scotland* (ed. S.J. Harrison), Geo-books, Norwich, 25-40.
- Werritty, A. and Brazier, V. (1991a) The Geomorphology, Conservation and Management of the River Feshie SSSI, Report

to the Nature Conservancy Council, Peterborough.

- Werritty, A. and Brazier, V. (1991b) Geomorphological Aspects of the Proposed Strathspey Flood Alleviation Scheme. Report to the Institute of Hydrology, Wallingford, 41 pp.
- Werritty, A. and Brazier, V. (1994) Geomorphic sensitivity and the conservation of fluvial geomorphology SSSIs. In *Conserving our Landscape* (eds C. Stevens, J.E. Gordon, C.P. Green and M.G. Macklin). Proceedings of the Conference 'Conserving our Landscape: Evolving Landforms and Ice-Age Heritage', Crewe, May 1992, English Nature, Peterborough, 100-9.
- Werritty, A. and Ferguson, R.I. (1980) Pattern changes in a Scottish braided river over 1, 30 and 200 years. In *Timescales in Geomorpholgy* (eds R.A. Cullingford, D.A. Davidson and J. Lewin), John Wiley, Chichester, 53-68.
- Werritty, A. and Inglis, G.E. (1985) Variations in size and shape of coarse-grained bedload sediments on the R. Findhorn, Scotland. Paper presented at the *Third International Fluvial Sediments Conference*, Fort Collins, Colorado, Abstracts Volume, p. 23.
- Werritty, A. and Kirkbride, M. (1992) The Geomorphology, Conservation and Management of the Clyde Meanders SSSI.
 Report to the Nature Conservancy Council of Scotland.
- Werritty, A., Brazier, V., Gordon, J.E. and McManus, J. (1994) Geomorphology. In The Fresh Waters of Scotland: A National Resource of International Significance (eds P.S. Maitland, P.J. Boon, D.S. McLusky), John Wiley, Chichester, 65–88.
- Werritty, A., Harper. F. and Burns, J. (1993) Rainfall and runoff response in the Loch Dee sub-catchments. In Acidification, Forestry, Fisheries and Management in Upland Galloway. Proceedings of the Loch Dee Symposium, December 1992 (ed. F. Lees), Foundation for Water Research, Marlow, pp. 13-21.
- Wharton, G.M., Arnell, N.W., Gregory, K.J. and Gurnell, A.M. (1988) River discharge estimated from channel dimensions. *Journal of Hydrology*, **106**, 365-76.
- Whitaker, W. (1921) The water supply of Buckinghamshire and Hertfordshire from underground sources. *Memoirs of the*

Geological Survey of England and Wales, 86-9.

White, D.A. (1970) In *Man Shapes The Earth* (ed. E.H. Brown) *Geographical Journal*, **136**, 81.

Whittow, J.B. (1977) *Geology and Scenery in Scotland*, Penguin, Harmondsworth, 362 pp.

- Wilcock, D.N. (1967a) Coarse bedload as a factor determining bedslope. *International* Association of Scientific Hydrology, Berne, 143-50.
- Wilcock, D.N. (1967b) The bedload characteristics and channel morphology of the River Hodder. Unpublished PhD thesis, University of Liverpool.
- Wilcock, D.N. (1971) Investigations in the relations between bedload transport and channel slope. Bulletin of the Geological Society of America, 82, 2159-76.
- Wilkinson, H.R. and Gregory, S. (1956) Aspects of the evolution of the drainage pattern of northeast Wales. *Liverpool and Manchester Geological Journal*, 1, 543-58.
- Wilkinson, T.P. (1971) The transport of rock debris in upland streams, with particular reference to northern England. Unpublished PhD thesis, University of Newcastle upon Tyne.
- Williams, G.J. (1968) The buried channel and superficial deposits of the lower Usk and their correlation with similar features in the lower Severn. *Proceedings of the Geologists'* Association, 79, 325-48.
- Wills, LJ. (1912) Late glacial and post-glacial changes in the lower Dee valley. *Quarterly Journal of the Geological Society of London*, 69, 180-98.
- Wills, L.J. (1924) The development of the Severn Valley in the neighbourhood of Ironbridge and Bridgnorth. *Quarterly Journal of the Geological Society of London*, **80**, 274–314.
- Wills, L.J. (1938) The Pleistocene development of the Severn from Bridgnorth to the sea. *Quarterly Journal of the Geological Society of London*, 94, 161-242.
- Wimbledon, W.A., Benton, M.J., Bevins, R.E., Black, G.P., Bridgland, D.R., Cleal, C.J., Cooper, R.G. and May, V.J. (1995) The devel-

opment of a methodology for the selection of British geological sites for conservation: Part 1. *Modern Geology*, **20**, 159–202.

- Winkley, B.R. (1972) River regulation with the aid of nature. *International Commission on Irrigation and Drainage*, Eighth Congress, Verna Transactions, Volume V, **29.1**, 433-7.
- Wolfenden, P.J. and Lewin, L. (1977) Distribution of metal pollutants in floodplain sediments. *Catena*, 4, 309-17.
- Wolman, G. (1959) Factors influencing erosion of a cohesive river bank. *American Journal of Science*, 257, 204-16.
- Wolman, M.G. and Gerson, R. (1978) Relative scales of time and effectiveness of climate in watershed geomorphology. *Earth Surface Processes*, 3, 189-208.
- Wolman, M.G. and Leopold, L.B. (1957) River flood plains: some observations on their formation. United States Geological Survey Professional Paper 282-C.
- Wolman, M.G. and Miller, J.P. (1960) Magnitude and frequency of forces on geomorphoc processes. *Journal of Geology*, 68, 54-74.
- Wooldridge, S.W. and Kirkaldy, J.F. (1937) The geology of the Mimms valley. *Proceedings of* the Geologists' Association, 39, 1-26.
- Worsley, P. (1985) Pleistocene history of the Cheshire-Shropshire Plain. In *The Geomorphology of North-West England* (ed. R.H. Johnson), University Press, Manchester, 201-21.
- Young, J.A.T. (1974) Ice-wastage in Glenmore, upper Spey valley, Inverness-shire. Scottish Journal of Geology, 10, 147–57.
- Young, J.A.T. (1975) Ice-wastage in Glen Feshie, Inverness-shire. Scottish Geographical Magazine, 91, 91-101.
- Young, J.A.T. (1976) The terraces of Glen Feshie, Inverness-shire. *Transactions of the Royal* Society of Edinburgh, 69, 501-12.
- Young, J.A.T. (1980) The fluvioglacial landforms of mid-Strathdearn, Inverness-shire. *Scottish Journal of Geology*, **16**, 209–20.
- Young, L.W. (1835) *Guide to the Beaches of Glyn Neath*, Longman, London.

332

Glossary

This glossary contains simple explanations for a selection of the more important technical terms used particularly in the introduction chapter, and the 'Highlights' and 'Conclusion' sections. The explanations are not written as scientific definitions but rather in a simple, concise way. More detailed explanations for many terms quoted can be found in: Goudie, A., Atkinson, B.W., Gregory, K.J., Simmons, I.G., Stoddart, D.R. and Sugden, D. (1985) *The Encyclopaedic Dictionary of Physical Geography*, Blackwell, Oxford (2nd edn 1994).

- Aggradation: building upwards of the river valley or floodplain by accumulation of fluvial deposits; can also be applied to material deposited by other agencies such as wind or sea.
- Alluvial channel: a river channel that is cut in alluvium or other materials deposited by running water.
- Alluvial fan: a cone-shaped deposit made up of water-laid deposits, but also some material transported by mud flows.
- **Alluviation:** accumulation of material deposited by river water, usually located along the river valley and tending to be predominantly fine silt or sand.
- **Alluvium:** detrital material transported and deposited by a river on the **floodplain**.
- Anthropogenic erosion: erosion induced by human activity. 'Anthropogene' is a Russian term for the period during which man has been an inhabitant of the Earth, the past two or three million years.
- Atlantic Period: a specified period of time in the postglacial from about 4500 to 5000 years BP.
- **Avulsion:** the process when **aggradation** on a **floodplain** diverts a river channel to a new course, at a lower elevation on the floodplain. Switching to the new channel may be quite sudden.
- Bankfull discharge: The river flow that exactly fills the river channel to the bankfull level, i.e.

without spilling on to the **floodplain**. **Bars:** see Channel bars.

- **Base level:** the level at which a river flows into the sea.
- **Bed form:** features developed on the bed of a river, but also by wind or waves, of a range of sizes from small ripples to larger **bars** or dunes, and mainly formed in sand.
- **Bedload:** sedimentary material that is moved along or in close proximity to the bed of a river channel.
- Bench: see Valley bench.
- **Berm:** a ridge of sand or a bench parallel to the line of the river.
- **BP:** abbreviation indicating the number of years 'before present'
- **Braided channel:** a river channel made up of a series of interlaced branches that divide and rejoin, with river **bars** between.
- **Cainozoic:** The youngest era of geological time spanning from approximately 65 millions of years ago to the present, consisting of the **Tertiary** and **Quaternary** periods.
- **Cantilever bank failure:** a specific type of mass movement of river banks, in which a block is undercut and falls off.
- **Catchment:** a term often synonymous with drainage basin, as the area which collects water flowing to a particular river. *See* watershed.
- Channel bars: a ridge-like accumulation of sediment in the river channel; there are several

types, some of which are lateral (across the river) and some longitudinal (along the river).

- **Channel capacity:** the size of the river channel cross-section to the **bankfull** level, usually measured as the cross-sectional area in square metres.
- **Channelization:** the modification of river channels for the purposes of flood control, land drainage, navigation, and the reduction or prevention of erosion.
- **Chemostratigraphic studies:** the use of chemical techniques to distinguish different characteristics within a sequence of sediments.
- **Clast:** a coarse sediment particle, usually larger than four millimetres in diameter.
- **Confined channel:** a river channel that is unable to migrate naturally because of an obstruction, which may be the result of human activity (such as a railway embankment) or may be natural (such as a river terrace).
- **Cretaceous** the last period of the **Mesozoic Era**, ranging from 140 to 65 million years ago.
- **Cutoff:** an abandoned section of a river channel, usually produced where a meander loop has become separated from the active river channel because the river has cut across the neck of the meander.
- **Debris cone:** similar to an **alluvial fan** but usually made up of coarser deposits, perhaps smaller and on steeper slopes, and accumulated on valley sides.
- **Debris dam:** an accumulation of coarse woody debris across a river channel.
- **Debris flows:** a type of mass movement that can be instigated if the water content of deposits is suddenly increased.
- **Deglaciation:** the processes whereby glaciers thin and withdraw from an area.
- **Delayed flow:** that part of river flow which derives from flow paths that occur below the ground surface.
- **Devensian:** the term for the last glacial period in Britain (maximum *c*. 18 000 years BP)
- **Dry valley:** a valley that seldom, if ever, has concentrated flowing water along it in the form of a stream channel.
- **Elbow of capture:** a particular location that marks where one river system captures the headwaters of an adjacent river system.
- Entrenched reach: a section of river channel that is incised into the local deposits.
- Fan delta: where streams and rivers, and sometimes debris flows, deposit sands and gravels, usually when the flow emerges from confined

channels to an area with a lower slope.

- Fault: a fracture in the Earth's crust along which rock units were displaced relative to one another.
- Flash flood: a river flood that occurs very rapidly, often as a result of intense precipitation and, although particularly characteristic of semi-arid areas, can occur as a result of intense storms elsewhere.
- **Floodplain:** the area of low relief of the valley floor adjacent to the river. It is inundated by water during floods and is usually built up by sediment deposited in various ways by the river itself.
- Fluvial processes: the range of processes associated with river activity.

Fluvioglacial: see Glaciofluvial.

- **Glaciofluvial sediments:** sands and gravels deposited from meltwater streams associated with ice sheets and glaciers.
- **Glaciolacustrine sediments:** sediments deposited in lakes marginal to a glacier.
- **Holocene:** the period of time, often called the postglacial, that extends from *c*. 11 000 years ago until the present.
- Ice cap: an area of ice, smaller than an ice sheet, occurring in the polar regions and high mountains.
- **Ice sheet:** very large areas of ice, such as those covering much of Greenland and Antarctica today. During the **Quaternary**, ice sheets covered much of the Northern Hemisphere.
- **Incised meander:** a meander that has cut into the local bedrock.
- **Interfluve:** the area of high ground separating two river valleys.
- **Interglacial:** a period of relatively warm climate between two episodes of glaciation where ice is in retreat.
- Interstadial: a relatively short period within a major phase of glaciation, where ice is not advancing, but when conditions are comparatively warm.
- Joint: a fracture in a rock that exhibits no displacement across it (unlike a **fault**). Joints may be caused by shrinkage of igneous rocks as they cool in the solid state, or, in sediments, by regional extension or compression of sediment caused by earth movements.
- Jurassic: the middle of the three periods of the Mesozoic Era, ranging from 195 to 140 million years ago.
- Landform: a natural feature of the surface of the land.

- **Karstic development:** the development of distinctive features on areas underlain by limestone which are affected by dissolution of the rock by percolating ground waters and underground streams. Named after the Karst region of the former Yugoslavia.
- Knickpoint: a break in the long profile of a river.
- **Left bank:** the bank on the left-hand side of a channel, as viewed when facing downstream.
- Levee: a broad ridge alongside a river or stream, deposited by floodwaters when they overtop the channel banks. It can also offer flood protection when enlarged or reinforced.
- **Lichenometric analysis:** a technique using the size of lichen thalli and lichen growth rates to give information on dating of features.
- Loch Lomond Stadial: a relatively cold period during the late glacial between 11 000 and 10 000 years BP.
- Meander migration: the downstream migration of sinuous river channels that occurs because of erosion on one bank and deposition on the other.
- **Meander scroll:** a particular pattern of deposits or low curved ridges on a **floodplain** reflecting the former position of meanders.
- Meandering channels: river channels that are sinuous, single-thread and of different degrees of sinuosity.
- Mesozoic: the middle of the three Eras that constitute the Phanerozoic Eon. Literal meaning is 'middle life', it spans the **Triassic** to the **Tertiary**, from 230 to 65 million years ago.
- **Misfit stream:** also called an underfit stream; one which is much smaller than expected from the size of its valley.
- **Moraine:** a landform that is the result of the direct action of glaciers, and can be of different types according to the position in which it is deposited relative to the glacier.
- **Osage type underfit:** a stream channel that has a much smaller **pool-riffle** spacing than would be expected from the size of the valley meanders.
- **Outwash plain:** the plain beyond the terminal moraine of a glacier, predominantly consisiting of sands and gravels deposited by meltwater streams.
- **P-forms:** small-scale features produced by a combination of meltwater and glacial erosion.
- **Palaeochannel:** a river or stream channel which no longer conveys **river discharge** as part of the contemporary river system.

Palaeohydrology: the science of the waters of

the Earth; their composition, distribution and movement on ancient landscapes from the occurrence of the first rainfall to the beginning of continuous hydrological records.

- **Palaeosandur:** a former **outwash plain** produced adjacent to a glacier, and usually with fine material.
- **Palaeozoic:** the first of the three eras of the Phanerozoic. Literal meaning 'old life', it spans the Cambrian to the Permian periods, from 570 to 230 million years ago.
- **Paraglacial conditions:** this usually refers to a particular phase between glacial and **inter-glacial** conditions.
- **Periglacial activity:** in a region adjacent to a glacier, processes that occur as a result of either intense frost action, or the presence of permanently frozen ground, or both.
- **Piping:** the existence of subsurface channels of different sizes, often in soils with significant amounts of swelling clays, often found on steep slopes, and possibly carrying water that contributes to stream flow.
- **Planation surface:** a term used in Britain to describe a flattish plain that has resulted from prolonged erosion by rivers, slope processes, marine erosion or other types of erosional activity.
- **Planform:** the way in which a river course, and particularly the meanders, are seen from above, and how they would appear on a map.
- **Pleistocene:** the first epoch of the **Quaternary**, composed of alternations of great cold with stages of relative warmth and sometimes referred to generally as the 'Ice Age'.
- **Point bar:** sediments laid down on the inside of a meander bend.
- **Pool–riffle sequence:** the sequence along many river channels whereby closed hollows alternate downstream with accumulations of coarser pebbles and cobbles. The spacing of the pools and riffles is related to the mean width of the river channel.

Postglacial: see Holocene.

- Quaternary: the second period of the Cainozoic [Cenozoic] era, about 1.6 million years in duration, and including the **Pleistocene** and the **Holocene**.
- **Quick flow:** this includes those types of waterflow in a catchment or drainage basin which take place either over the surface or close to the surface, and contribute to flow in rivers and streams.

Recurrence interval: the expected frequency of

occurrence, in years, of river flow of a particular magnitude. Also called the return period.

- **Rejuvenation:** the return of a landscape to processes described as youthful, as a result of a change such as land uplift or a change in climate.
- Riffle-pool sequence: see Pool-riffle sequence.

Right bank: the bank on the right-hand side of a channel, as viewed when facing downstream.

- **River capture:** where one river system captures the headwaters of an adjacent one.
- **River channel patterns:** the different types of river channel **planforms** as seen from above. Usually thought of as of two major types: single thread or meandering, and multi-thread or **braided**.
- **River discharge:** the volume of flow of river water per unit time, usually expressed in cubic metres per second.
- **River metamorphosis:** the change of channel morphology that can occur when changes of **river discharge** and sediment exceed a particular threshold condition.
- **River terrace:** the remnant form of a valley floor that has been abandoned when the river cut deeper into the original valley.
- **Rockfall:** a type of mass movement where coarse material moves rapidly from one part of the slope to another.
- Sandur: Widely-used Icelandic term generally synonymous with outwash plain.
- **Sapropel:** amorphous organic compounds which collect in various types of water basin including lakes and estuaries.
- **Secondary flow:** a current in river flow which has a velocity component at right angles to the main flow direction.
- **Seepage step:** an irregularity of the hill slope that occurs where lines of seepage of water emerge.
- **Sinuosity:** the degree of wandering or winding of a river channel, which can be measured as the ratio of the actual channel distance between two points compared with the straight or down valley distance.
- **Slackwater deposits:** deposits that occur in the particular depressions or hollows on a flood plain, usually fine clays.
- **Soil pipe:** a tunnel created naturally in soils, which can make up an interconnecting network that contributes to water flow in rivers.
- **Solifluction:** the slow movement from higher to lower ground of debris saturated with water; can occur under cold climate conditions but, as

a form of mass wasting, can occur in other climates as well.

- **Solutes:** organic and inorganic materials in solution.
- **Stratigraphy:** the study of rock strata and their arrangement in space and time.

Stream capture: see River capture

- **Stream power:** a way of expressing the energy available for a particular river at a specific location — this can be related to sediment transported because work (force × distance) is performed in moving sediment and power is the rate of doing work. It is equal to the product of **river discharge** and slope.
- Suspended sediment: sediment transported by a river in suspension.
- **Swallow holes:** a feature whereby surface water goes underground in a limestone area.
- **Terrace:** this may be a river terrace, but it is generally a landform composed of water-deposited materials but now located at an elevation different from the contemporary floodplain or lake level.
- **Tertiary:** the penultimate geological period, ranging from 65 to 1.6 million years ago.
- **Triassic:** the first period of the **Mesozoic Era**, ranging from 230 to 195 million years ago.

Underfit stream: see Misfit stream

- **Valley bench:** a flatter bench-like area on a valley side, which may reflect the former position of the valley floor, or may be a consequence of variations in rock resistance.
- Wandering gravel-bed river: a very active river channel, where the channel flows over coarse gravels — located in an active area of gravel bars, but does not have a definite meandering pattern.
- Water balance equation: an equation which, in effect, represents the hydrological cycle; it can be computed for a drainage basin and relates precipitation (*P*), runoff, (*Q*), evapotranspiration (*ET*) and changes in storage (*S*) in the form $Q = P - ET \pm S$.
- **Watershed:** the boundary delimiting a drainage basin as the basic hydrological unit.
- Width : depth ratio: a simple measure of the shape of a river channel cross-section, usually obtained as the top width of the cross-section divided by the average depth of the river channel.
- Windermere Interstadial: a specific relatively warm period of time in the late glacial, originally defined from deposits in northern Britain, and between 13 000 and 11 000 years BP.

Page numbers in **bold** type refer to figures and page numbers in *italic* type refer to tables. This index covers geographical locations, geomorphological themes and names of individuals whose work is discussed in the text.

Abhainn an t-Srath Chuileannaich 31, 46-8, 47, 48 Accretion, vertical 221, 224, 224-5 Aeolian sands 92, 246, 247 Afforestation 57-8 Agassiz, L. 112 Aira Beck 179 Alders 54, 55, 276 Allt a'Choire 89-92, 90, 91 Allt Coire Chailein 28, 31, 92-5, 93.94 Allt Coire Gabhail 28, 81-3, 82, 83, 83 Allt Dubhaig 29, 66-9, 67, 69 Allt Garbhlach 59-61, 60 Allt Lorgaidh 31, 61, 61 Allt Mor Druie 83-7, 84 Nairn 29, 78-81, 79, 80 Allt Slochd 95 Alluvial basins 28, 81-2, 82, 83, 83 Alluvial channels 27-8 divided 28-9, 31 sinuous 31 upland 178 Alluvial deposits 225-7, 236, 238 Alluvial fans 8, 31, 44, 68, 99, 143, 193 Allt Coire Chailein 28, 31,

93-4, 94, 95 Allt Garbhlach 59-61, 60 Allt Lorgaidh 31, 61, 61 Allt Mor 80, 84, 85-6 Blakethwaite 189, 190 Carlingill Valley 186, 188, 188-9 Dovedale 293, 294, 294-5, 295, 296 Eas na Broige 74, 95-7, 96 Glen Feshie 59-61, 64-5, 66 Glen Roy 31-2, 107-8, 113-14 Glens Spean and Gloy 107-8 Holocene 89, 91, 92 Langdale and Bowerdale valleys 190-4 Langden Brook 194-6 low-angle 30, 87-9, 88 Quoich Water 87-9, 88 Alluvial reaches 181 Alluviation 231-2, 236, 237 Holocene 203, 209, 231-2, 292-6 Alluvium, impermeable 269-70 Alport Valley 243, 279-81, 280 Alston Shingles 214-17, 215, 216, 217 Anderson, M.G., and Calver, A. 267 Antecedent Precipitation Index (API) 253-4 Aonach Eagach ridge 72-6

Arch, natural 122, 123 Argae 157 Ashmoor Common 243, 273-7, 274, 275, 276 Atherden, M.A. 292 Atlantic period 292 Atmospheric pollution 282 Auton, C.A. 99, 100 Avon Terraces No. 1-3 245, 304 Avulsion 64, 65, 68, 71, 212, 215 Axe, River 250, 250-2 Axminster 251-2, 252 Aysgarth 243, 290-2 Backwaters 159, 161, 162, 303 Badland topography 93, 95, 97-9, 98, 186, 189 Ballachrochin 100, 100 Ballantyne, C.K. 74 Balvag, River 31, 53-6, 54 Bankfull discharge 255, 255-6, 256, 258 Banks 151, 152, 152, 161-2, 267 erosion 43, 252-4, 258, 264-5 and deposition 151, 152, 152, 156-7 Bannau Sir Gaer 169 Barbrook 265 Bars 37, 38, 57, 57, 64, 148, 162, 209, 231

Bars contd bar-pool-riffle 64 development and abandonment 212 gravel-bed river 25 Low Prudhoe 221 mid-channel 108, 206 point 43, 46, 47, 51, 248-9, 254 The Islands 214 upper Severn 152, 155-6, 157 Base-level control 24, 29, 33-4, 68 Bear Park 290, 291 Beckford 243, 244, 244-7, 245, 246 Bedload 5-6, 23, 70 Bed material 22, 23, 156, 156 Bedrock 119, 127-9, 235, 236 channels 27-8, 181, 182, 189 controls 23, 37-8, 38, 123-5, 258 gorges 28, 33-5, 35-6, 36, 87 meandering valleys 132, 279-80 polished surfaces/ribs 35-6, 36 Bella Coola River 26 Benches 50-1, 134, 135, 162, 257-8, 258, 260 Bennett, A.M., and Smith, K. 26-7 Betws-y-Coed 120 **Biotic factors 282 Birdlip Hill 241 Bishopdale 291** Black Burn 205-9, 206, 207, 208 Blackett Bridge 217-19, 218, 219, 220 **Blackmoss Pot 181** Black Mountain Scarp 167-71, 168, 169 Blagill 210-14, 211, 212 Blakethwaite 188, 189, 190 Bleaklow 281, 281-5, 283, 284 Bleasdale, A., and Douglas, C.K.M. 265 Bluck, B.J. 24, 28, 51 Bog-burst 282 Bollin, River 180 Bonnington Linn 34 Boulder-bed streams 127, 128, 205-9; 225-7, 227

Boulders 76, 77, 78, 267, 269 berms 208, 228, 232-3 Bowen, D.Q. 130, 131, 132 and Lear, D.L. 131 Bower, M.M. 282 Bowerdale 179, 190-4, 191, 193 Bradley, S.B., and Walling, D.E. 297 Braided channels 71, 146-7, 154, 212, 216, 217 abandoned 211, 211 Carlingill Valley 188, 190 Glen Feshie 60, 60, 61, 62-4, 63 Langdale and Bowerdale valleys 190-4 Langden Brook 194-6, 196 Langstrathdale 181, 182 lower Spey 56, 56-8, 57 multi-channel 148-50 Brazier, V.B., and Werritty, A. 49-50, 64-5 Bredon Hill 245 **Bridestones 293 Bridestones Griff 294** Briggs, D.J., Coope, G.R. and Gilbertson, D.D. 245-6 Brindle, B., and Lewin, J. 150, 151 Brookes, A. 11 (Sear, D.A. et al) 290 Brown, A.G. 246-7, 305 **Brownstones** 169 Buildwas 243, 277-9, 278 Buildwas glacial lake 278, 279 Buildwas Quarry 278, 278 Burn, River 285, 286 Buttermere 179, 184-6, 185 Caersws 153, 155, 159 Caesium-137 excess 297-8, 298 Cairns, P., and Lowe, J.J. 107 Calver, A., and Anderson, M.G. 267 Cannon Hill valley 265-7, 266, 267, 269 Canyon reaches 188, 189, 190, 194 Capture, river see River capture Carboniferous limestone 135-6. 137-41, 177

Carlisle, silver mines of 209 Carlston, C.W. 256 Carrant Valley 244-5, 246-7 Cascades 124, 290-2 Catherine Brook 289 Cautley 179, 190 Caverns, roof collapse 138-9, 140 Cave systems 137-41, 138 Cenarth Gorge 130, 132 Chalk 241, 289, 290 Chalky Boulder Clay 272-3 Chancellor debris cone 72-3, 73 Channelization 11, 65, 145, 148, 149, 264 central and southern England 242 - 3England and Wales 14, 14 Channels 6-7 abandoned 8, 51, 52, 95, 132 adjustment 31, 87-9, 88, 256-60, 264 aggradation 259 change 49-50, 222, 259 Black Burn 205-9, 208 Blackett Bridge 218, 220 Blagill 211, 212-14, 213 Exe 253, 253-4 flood-related 225-7, 226 Lyn 268, 268-9 mining-related 214-17, 216, 230, 231 cross-profile variation 161 dimensions and discharge 255-6, 256 discordant 78-81 fill and cut 234 instability 154, 189, 214-17, 255 migration 25, 40-3, 41, 128, 141, 161 lateral 217-18 morphology 258-9 narrowing 162, 221 positional mobility 160-1, 163 sinuous 79, 81 stable 23, 25, 127, 189 subdivision 56-8, 62-4, 66, 70 - 1systems 24, 29, 92-5 types 23-4 upland 279-81, 280, 280

186-90, 187, 188

Carlingill Valley 89, 179,

width variation 161, 162 see also Alluvial channels; Braided channels: Palaeochannels Charcoal 92 Charlesworth, J.K. 130 Chasms 96, 97, 285, 287 Cherwell, River 271-3, 273 Cheshire-Shropshire basin 277, 278 Chester Weir 159, 161, 162 Cheviot Hills 203, 225-7 Church, M. 229 Chutes 47, 148 Climatic controls 26, 157, 242, 248, 282-4 Clyde, River 31 Falls of 28, 33-5 Clywedog dam 157 Coastal retreat 265 Cobble-bed streams 194-6, 196, 205-9, 225-7 Cobble sheets 95, 98-9 Coire nan Lochan 73, 73, 74, 76 Col, dry 125, 127 Colne, River 289, 290 Confinement 86, 150, 150-2, 151, 152 Confluences 64-5, 65, 146, 158, 277 Conservation, and Scottish river management 26-7 Contamination, metal mining 145, 203, 206, 208, 214, 215, 217, 230 Conway, V.M. 282 Conwy, Afon 119, 120, 121, 121 Coope, G.R. Gilbertson, D.D. and Briggs, D.J. 245-6 and Shotton, F.W. 305 Cora Linn 34 **Corallian Series 292** Cornish, R. and Peacock, J.D. 107 and Sissons, J.B. 104, 107-8 Coronation Bridge 85-6 Corrie glaciers 127 Corrieshalloch Gorge 28, 32-3, 33 Cors Caron 163, 164, 165, 165 Craig Goch Reservoir 150 Crop marks 146-7

Crummock Water 184-6 Cuestas 241 *see also* Escarpments Culm Measures Shales 285 Culm, River **296**, 296-9, **297** Cundill, P.R. 186 Cutoffs 47, 48-9, 198, 199 meanders 31, **41**, **42**, 43, 46-7, **50**, 50-1, 156, 206, **207** Cynfal, Afon 123-5, 124 Cynfal falls 124

Dackombe, R.V., Thomas, G.S.P. and Summers, A.J. 141-3 Dalness Chasm 96, 97 Dane, River 180, 197, 197-200, 198, 199 Darby, S.E. (Sear, D.A. et al) 290 Davies, B.E., Wolfenden, P. and Lewin, J. 148, 149 Davis, W.M. 3 Dawson, M.R. 245, 247 Debris cones 30, 73, 74, 99, 181, 182 Black Mountain Scarp 167-71, 169, 170, 171 Carlingill Valley 188-9 Chancellor 72-3, 73 Coire nan Lochan 73, 73, 74, 76 Eas na Broige 30, 31, 95-7, 96 Glen Feshie 61, 62, 66 Langdale and Bowerdale valleys 192, 192 Debris dams 260-1, 261, 262, 264 Debris flows 168 Dee, River Holt-Worthenbury 159-63 Llangollen 132-4, 133 Deforestation 236, 242, 276, 277, 282, 292 Deglaciation 26, 131, 132, 247, 250, 277 Wensleydale 290, 291-2 Delta-moraine 250 Deltas 104, 105-7, 106, 143, 182, 184 Balvag 31, 53-6, 54 glacio-lacustrine 109, 110 lake 114

part-kettled 106, 106-7 Denes 98 Deposition, rates 6 Derry Burn 29, 52, 52-3 Derwent Reservoir 258 Derwent, River 11, 243, 256-60 Destabilization 92, 97, 149, 292 Dewey, H. 286 Different-magnitude events 194-5 Diluvialism 3 Discharge 4, 248, 255-6, 256, 305 Disgynfa, Afon 122 Dorback Burn 69-72, 70, 71 Double-heading 198, 199 Douglas, C.K.M., and Bleasdale, A. 265 Dovedale Griff 292-3, 293 Dovedale (North Yorkshire) 292-6 Dovedale Terrace 295 Downcutting 126, 136 Downstream changes 28-9, 52-3 Downstream control 46, 47, 48 Downstream fining 24, 66-9, 81-2 Drainage 5, 22 basins 59, 59 glacial diversion 33-5, 177 integrated system 89-92, 90, 91 superimposed 135 Dreghorn, W. 134 Drift 89, 92, 109, 191, 271-2, 273 hummocky 68 Droma, River 33 Drumlins 290 Drymen Bridge 51 Dry river courses, limestone 135-7, 137-41 Dry valleys 8, 125, 127, 137 Dury, G.H. 269, 271, 272 Sinker, C.A. and Pannett, D.J. 248, 249 Dyfi, Afon, Dinas Mawddwy to Mallwyd 141-3, 142 Dynamic fluvial environments 27

Eas na Broige 30, 31, 74, 95-7, 96

East-flowing rivers 241 Eden, River 180 Elan, Afon, upper 150-2 Elm decline 276 Endrick Water 28, 31, 48-51, 49 **Entrainment thresholds 25** Entrenchment 203, 209, 231-5, 236, 237 Environmental change 89-92, 177, 205, 244, 294 Erosion 124, 135, 217-19, 227-9, 236, 292 and alluviation 231-2 bank 43, 252-4, 258, 264-5 bedrock 236 hillslope 175, 292-6, 294 Holocene see Holocene human-induced 176-7, 178 mass-wasting and incision 97-9 peat 281, 281-5 scars 123, 126, 171, 205 Escarpments 167-71, 168, 169, 241, 292 Eskdale, Upper 179 Eskers 291 **Estuarine influences 242 Estuarine Series 292 Estuaries 23** Exe, River, Brampford Speke 252-5, 253, 254 Eydon Brook 271, 272, 273 Falls of Clvde 28 Falls of Dochart 37-8, 38 Falls of Glomach 28 Falls of Measach 32, 33, 33 Fan deltas 182, 183, 184, 184-6, 185 Fans alluvial see Alluvial fans outwash 277 palaeofans 84, 85-6 Farley Brook 278 Farnley Haughs 205, 236-9, 237, 238 Faults 123, 137 and waterfalls 138, 139, 139-41, 140 Featherbed Moss 282-4, 284 Featherstone 231 Ferguson, R.I. 32, 243, 252 and Werritty, A. 64 Fforest Fawr 169

Ffrwd Fawr waterfall 126, 127 Fill-terrace 234 Findhorn, River 90, 91 Randolph's Leap 35-7, 36 Findhorn terraces 31, 99-101, 100 Firths 23 Flashes 163, 164 Floodplains 6, 40-3, 41, 149, 305 Ashmoor Common 274-5 Culm 296, 296-9, 298 Dee 161, 163 Dovedale 295-6 Exe 253-5 low-relief confinement 150-2 Lugg 299-300, 300 overbank sedimentation 157-9 relict tract 274-5 reworking 49-51 sedimentation and metal mining 144, 145, 145, 146, 214-17 Severn 157-9, 244-7, 277 Floods 3, 7, 25, 53, 176, 265 Abhainn an t-Srath Chuileannaich 47 Afon Ystwyth 148 alleviation schemes 242, 299-304, 300, 301 Allt Coire Chailein 95 Allt Mor (River Nairn) 80-1 Black Burn 208 Blackett Bridge 218 channels 78, 267 coarse-grained deposits 234, 234. 235 and debris dams 264 deposition/erosion 227-9 Dorback Burn 70, 71, 72 Falls of Dochart 37-8 flash 83-7, 85, 217, 218 Glen Feshie 64 high-magnitude 76-7, 77 Hurricane Charley 227-9, 228 lower Tyne valley 219-21, 223-5, 225 Low Prudhoe 221 Lyn River (1952) 7, 265 metal mining impact 210-11, 212 Moray River (1829) 35-7, 36, 53, 57, 76-8, 77, 88, 92 north-west England 176, 177

overbank 296-7, 297, 299 - 304Quoich Water fan 87-9 Scotland 21, 27, 31 Spey River 57 Strathglass 45 and valley-floor entrenchment 231, 233, 234, 236 wave 227 winter 51, 55 Flow 5, 25, 156, 157, 242 Fluvial environments high-energy, high/low threshold 25 -lacustrine interface 30-1 low-energy, high/low threshold 25-6 Fluvial landforms central and southern England 241-3 north-west England 177-8 Fluvial processes 7-9, 23-6, 177 - 8Fluvial-tidal interaction 159 - 63Fluvio-lacustrine environment, upland 74, 76 Forest of Bowland 177, 178 Forest burning 292 Forest clearance see Deforestation Forest of Dean plateau 134-5 Forestry Commission 55 Fort Augustus 113 Fossil gullies 189 Gable Beck 182 Garlands 191 Garrigill 209-10, 210 Geikie, A. 23 Geological control 135-6, 138-41, 177 George, T.N. 34 Gilbert, G.K. 3 Gilbertson, D.D., Briggs, D.J. and Coope, G.R. 245-6 Glacial deposits 8, 247, 290 see also Drift Glaciation

Quaternary 9, 22, 26, 32, 117-18, **118**, 130-2, 236, 241-2 ice-contact deposits 277

ice-dammed lakes 104-14, 105, 106, 107, 108, 112, 250 ice limits 109-10, 112, 112-13, 181 ice margins 100, 101 ice sheets 130-2, 175, 277, 278, 279 north-east England 203 stagnant ice 279, 291, 292 Glaciers 68, 112, 113, 127, 180-2, 184-6 Glacigenic deposits 59, 64, 85-6 Glaciofluvial landforms 58, 76, 291 Glascha Burn 46 Glaslyn, Afon 127-9 Glass, River 44-6 Glen Coe, 29, 31, 32, 72-6 Glen Etive 95-7, 96 Glen Feshie 30, 31, 32, 58-66, 59 Glen Fintaig 105 Glen Gloy 104-14 Glen Lyn Gorge 267, 269 Glen Roy 31-2, 104-14 Glen Spean 104-14 Glomach, Falls of 28 Gorges 120, 121, 124, 127-9, 136, 267, 269 Avsgarth 290-1 bedrock 28, 33-5, 35-6, 36, 87 Corrieshalloch 28, 32-3, 33 Falls of Clyde 33-5 Glens Roy, Spean and Gloy 110, 114 Inverlair and Monessie 110 Lydford Gorge 285-7, 286, 287 Mellte 139-41 meltwater 35-6, 36, 114 Randolph's Leap 35-6, 36 slot 28, 32-3, 33, 35-7, 93, 95 Teifi 129-32 Twymyn 125, 127 Wye 134, 135 Grains Gill 188, 189, 190 Grains and groughs 282 Gravel-bed rivers 66-9, 118, 119, 152-7 lowland 250, 250-2, 251, 252

wandering 64, 69-72, 70, 71, 229 Gravels 80, 278 Gravel splay 217, 218 Greenwood, G. 3 Gregory, K.J., Gurnell, A.M. and Hill, C.T. 260 Gregory, S., and Wilkinson, H.R. 133 Grey Mare's Tail 28, 39-40 Greywackes 40 Grogwynion 148-9, 149 Groughs 282 Gullies 30, 73, 74, 181, 192, 194, 263 Allt a'Choire 89, 91, 92 Allt Coire Chailein 93, 94 Black Mountain Scarp 168, 168, 169, 169, 170, 170-1, 171 Carlingill Valley 188, 188-9, 189 erosion 187, 188-9, 189, 189, 190, 282 -fan and -channel relationships 189, 190 Grains Gill 187, 188-9, 189, 189, 190 systems 178, 186 Gurnell, A.M. et al 159, 163 Hill, C.T. and Gregory, K.J. 260 Habitat changes 301, 303 Hanging valleys 28, 39, 39, 40, 119, 125, 137, 285 Harlebury Common 305 Harmer, F.W. 278 Harthope Burn 225-7, 226 Harvey, A.M. 255, 256 and Wells, S.G. 193 Werritty, A. and Whittington, G. 100-1

Hey, R.D. 255 Heritage, G.L. and Patterson, M. 303 Higgs, G. 157 and Petts, G.E. 157 Highland Water 260-5, 261 Highland Zone 241 Hill, C.T., Gregory, K.J. and Gurnell, A.M. 260 Hillslopes 92, 175, 292, 294, 296 Hodder, River 180 Hollin Gill 294-5, 295 Holme Moss 282 Holocene 305 environmental change 89-92 erosion and deposition 183, 231-2 Langden Brook 194, 195, 196 River Dane 197, 197, 198, 198-9 fluvial development 175-7, 203-5, 230 sedimentation 95-7, 96, 203-4, 236-7, 238 upland landforms 188 Wales 118 Hooke, J.M. 197, 251, 253, 254, 297 Horne, J. 99, 100 Howden Moor 282 Howden Reservoir 258 Howe, G.M., and Thomas, J.M. 125 Howgill Fells 178, 179, 186, 190-4 Howson, J.S. 278 Hudeshope Beck 205 Hugh Lloyd's Pulpit 124 Human activity 7, 9, 11, 12, 176-7 Afon Ystwyth 148, 149 central and southern England 242 Derry Burn 53 north-west England 175, 178 Scotland 26 settlement 92 Thinhope Burn 236 vegetation disturbance 97 Wales 117 see also Metal mining

Hassnesshow Beck 185

Hazel Gill Fan 193

Headward erosion 119, 120,

121, 121, 127

Headwater tributaries 232

Hepste, Afon 135-7, 137

Heather burning 295

Heathwaite, A.L. 285

Hathersage 256-60

Hay, T. 184

Hushing (hydraulic mining) 203, 205, 209, 228 Hydroclimate changes 231-2 Hydroelectric schemes 45, 68 Ice see Glaciation Ignimbrite 122, 123 Imeson, A.C. 295-6 Incision 178, 211-12, 231-2, 234, 235-6 Innes, J. 74 Inter-riffle spacing 264 Irish Sea Glacier 247 Irish Sea ice sheet 130-2, 277, 278 Ironbridge Gorge 243, 277, 279, 304 Islands, The 214-17, 215, 216, 217 Itchen, River 9, 269-71 Johnson, R.H. 197 Jökulblaup 112, 113 Jones, M.D. 247, 250, 279, 305 Jones, O.T. 129-30, 130 Jugger Howe Beck 292, 294-6, 295 Juncus 164 Kames 59, 60, 76 Kame terraces 106, 107, 110 Karst 135-7, 137-41, 288 Kelly, J.L. 133 Kettle holes 59, 60, 106, 107, 278, 291 Kidderminster Terrace 304 King, W.B.R. 291 Kirkaldy, J.F., and Wooldridge, S.W. 289 Kitt's Steps 285-6 Knickpoints 119, 121, 123-4, 125, 208, 287 Avsgarth 290-2 Falls of Dochart 37-8 Lacustrine deposits 163, 164, 165 Lacustrine-fluvial interface 30 - 1Lades 88 Ladybower Reservoir 257, 258 Lag deposits 43 Lake District 175, 177, 178, 179

Lakes

beds 44, 46 ice-dammed 104-14, 105, 106, 107, 108, 112 levels 110 oxbow 42, 43, 50, 51 pro-glacial 277, 278-9, 305 sediments 163, 249, 249, 250 shorelines 104-14, 105, 106, 107.108 silts 249, 249, 250 Teifi 129, 130-1, 163-5 terminal moraine-dammed 163, 164, 165, 165 Lambley 229-31, 230, 231, 232 Lancaut 134-5 Landscape recovery 267-9 Landslips 194, 267, 280 Land-use changes 26 Langbein, W.B. 259 Langdale valley 179, 190-4, 191, 192 Langden Brook 179, 180, 194-6, 195, 196 Langstrathdale 179, 180-2, 181, 182 Lapworth, 278 Lapworth glacial lake 278, 305 Lateral migration 71 Lateral reworking 47 Lauder, T.D. 92 Lead mining see Metal mining Lear, D.L., and Bowen, D.Q. 131 Leath Gill fan 193 Leopold, L.B., and Wolman, M.G. 256 Levées 54, 169, 171 Lewin, J. 7, 148, 158 and Brindle, B. 150, 151 Davies, B.E. and Wolfenden, P. 148, 149 and Macklin, M.G. 242 and Weir, M.J.C. 57, 58 Lightmoor channel 279 Lime decline 276 Lingmell Beck 182, 184 Linn of Quoich 87 Linton, D.L. 34 Little Ice Age 26, 32, 236 Liveoaks meander 134, 135 Llandinam 155 Llangollen 132-4, 133 Llanidloes 155 Llantysilio abandoned meander 133

Llugwy, Afon 119-21, 120, 121 Llyn y Fan Fach 169 Lochan a'Chreagain 88 Loch Lomond glaciers 180, 182, 184-5, 186 Loch Lomond Readvance 58, 112, 175, 304 ice limits 109-10, 112, 112-13, 181 Lochs 23 Lodge Gill fan 193 London Clay 289, 290 Long profiles 66-9, 69, 81-2, 123-5 Loud, River 180 Lowe, J.J., and Cairns, P. 107 Lower Force, Aysgarth 291 Lower Hepste falls 136 Lowland rivers 255-6 Lowlands 241 Low Prudhoe 205, 219-25, 222, 223 Lubnaig, Loch 53-6, 55 Lugg, River 299-304, 300, 301, 302, 303 Luiberg Burn 76-8, 77 Lundy Gorge 112, 113 Lune, River 180 Lydford Bridge 285 Lydford Gorge 285-7, 286 Lyell, C. 3 Lynmouth floods 7, 243-4 Lyn, River 243-4, 265-9 McEwen, L.J. 24, 47-8, 64-5, 87 and Werritty, A. 86 Macklin, M.G., and Lewin, J. 242 McLellan, A.G. 34-5 Maesant 165-7, 166 Maes-Mawr 157 Main Terrace 304, 305, 306 Maizels, J.K. 87, 101-3 Malkin, B. 136 Management problem, Wales 117 Mass-wasting 97-9, 98 Meall Dearg gully debris cone 74 Meanders 6, 123, 128, 190-4, 269-71 abandoned 130, 132, 133, 134-5 active 40-3, 41, 42, 46-8, 47, 48, 48-51 bends 251-2, 293

compound 252-5 confined 145, 146, 150, 150-2, 151, 152, 251, 252 cutoff 31, 41, 42, 43, 46, 47, 50, 50, 51, 156, 206, 207 downstream translation 250 incised 46, 132-5 irregular 44, 44-6 islands 47 lateral movement 253 loops 134-5, 150, 150, 151, 152 mobile 197, 198, 198, 199, 200 pseudo 80 reprofiling 300, 301 scars 47 scrolls 47, 49, 50 secondary lobes 253 Severn 153, 154, 155, 156, 157, 248, 250 tortuous 52, 52, 53, 159-63, 160 unconfined 251-2 see also Palaeomeanders Medwin Water 40-3, 41 Mellte, Afon, downstream of Ystradfellte 137-41, 138, 139 Meltwater 32-3, 131, 277 channels 22-3, 112, 198 gorges 35-6, 36, 114 Mendips 241 Metal concentration/ contamination 145, 203, 206, 208, 212-13, 217-19, 223, 224, 230 Metallophyte plants 214, 217, 219 Metal mining 148, 149, 205-9, 209, 214, 217-19, 223 coarse debris 227-8 and flooding impact 210-11, 212 and floodplain development 144, 145, 145, 146, 210 - 14flood-related channels 210 - 14north-east England 203 Migration 25, 40-3, 41, 128, 141, 161 lateral 48-51, 217-18 Miller, A.A. 134, 135

Millstone Grit 136 Millward, R., and Robinson, A. 127 Millyford Bridge 261, 262 Mimmshall Brook 288, 288-90, 289 Mineral soil 167 Miners' Bridge 120, 121 Mining see Metal mining Misfit streams 127 see also Underfit streams/rivers Moffatdale, Grey Mare's Tail 39, 39 - 40Moine schists 33 Monadliath Mountains 80 Moorland 281, 281-5 Moraines 250, 277, 291 cross-valley 110, 111 terminal 163, 164, 165, 165 Moray Floods (1829) 35-7, 36, 53, 57, 76-8, 77, 88, 92 Mosley, M.P. 282 Mountain areas Lake District 179 rivers 180-2, 181, 182-4, 183. 184 torrents 76-8, 77, 79, 80, 82-7, 93-4, 123 Multiloop river 157-9 Murray, J., and Pullar, L. 54 Nairn, River 78-81 National Museum of Wales 137 Neath, River 137, 139 Nent, River 210-14, 211, 212 New Forest 243 Newport glacial lake 278, 279 New River 289

New River 289 Nicholas, A.P., and Walling, D.E. 298 Nivation features 191 Noachian flood 3 Noe, River 258-9, **259** Norfolk Broads 242 North Esk and West Water palaeochannels 101-4, **102** North, F.J. 136, 137, 138-9, 140 North York Moors 241, 292

Oldhamstocks Burn 30, 97-9, **98** Old Red Sandstone 97, 98, 136, 167-71, **168**, **16**9 Organic deposits 243, 276, 305 Outlet glaciers 68 Outwash deposits 305 Outwash fans 277 Overbank sedimentation 162, 163, 218, 253, **296**, 296-9, **298** floodplains 157-9 Overdeepening 119, 120-1, 123, 125-7, 127-8 Overflow channels **129**, 130, 278-9 Oxbow lakes **42**, 43, 50, 51 Oxendale 179

Palaeobars 209 Palaeochannels 31, 47, 146-7, 208, 230, 236 alluvium-filled 270 braided 205, 207 Clyde 41, 41-3 Dee 160, 162-3 Derry Burn 52, 52, 53 Dovedale 295, 296 Eydon Brook 272, 272 fills 209, 210 Glen Coe 73, 74, 74-5 Glen Feshie 60 Harlebury Common 305 high-sinuosity 209-10, 210 North Esk and West Water 101-4, 102 Severn, Ashmoor Common 273-7 Spev, lower 56, 57 Strathglass 44, 45, 45, 46 The Islands 215, 217 Thinhope Burn 234 Palaeodischarges 305 Palaeofans 84, 85-6 Palaeohydrology 9, 146-7 Palaeomeanders 44, 45, 45, 46, 146 Palaeosandur 31, 59, 60, 101-4 Palaeosols 94 Palaeovalley 160 Pannett, D.J., Dury, G.H. and Sinker, C.A. 248, 249 Paraglacial conditions 26, 175 Parallel Roads 104-14, 105, 106, 107, 108 Parker Memorial Bridge 78 Patterson, M., Hey, R.D. and Heritage, G.L. 303

Peacock, J.D. 107, 108, 109 and Cornish, R. 107 Peak District 177 Peat 233, 242, 274-7, 275 bogs 163, 164, 165, 165, 294, 295 erosion 281, 281-5 Pengwen abandoned meander 133 Pennines 229, 241 Penstrowed 156 Periglacial conditions 175, 188, 190-1, 194, 242 Permafrost 242 Permeable rocks 243 Permo-Triassic marls and sandstones 177 Petts, G.E. 11, 258 and Higgs, G. 157 Phytotoxic plants 203 Piedmont rivers 178, 180, 229-31 active 252-5, 253, 254 meandering 197-200 Piers Gill 182 Piping, soil 119, 165-7, 166 Pistvll Rhaeadr 122, 122-3 Planform controls 52 regularity 28 Plateau Beds 169 Plateau levels, Wales 117 Pleistocene glaciation see Glaciation upland landforms 187-8, 188-9 Plunge pools 122, 124, 136, 137 Plynlimon 165-7 Pocock, R.W. et al 278 Point bars 43, 46, 47, 51, 248-9, 254 Pollution see Metal concentration/ contamination Pollution, atmospheric 282 Polycyclic river development 123-5 Pont Cyfyng 120, 121 Poole, E.G., and Whiteman, A.J. 305 Pool-riffle sequences see Rifflepool sequences Porth-yr-Ogof cave 138, 138, 139-40

Potholes 37, 124, 139 Lydford Gorge 285, 286-7, **287** Randolph's Leap 35-6, **36** Potterells stream 289 Power House Terrace 305-6 Precipices 134 Precipitation 4, 5, 21, 26-7 rainfall **8**, 21, 168, 170, 171, 265 Price, A. 130, 131 Proglacial deposits 247 Pseudo-meandering 80 Pullar, L., and Murray, J. 54 Pumlumon 165-7

Quantocks 241 Quaternary glaciation *see* Glaciation Quoich Water alluvial fan 87-9, **88**

Radley, J. 282 Rainfall see Precipitation Raised bog 163, 164, 165, 165, 294, 295 Raistrick, A. 291 Randolph's Leap 28, 35-7, 36 Rands 164 Rapids 34, 120, 122, 124-5, 128, 128, 280 zig-zag 37, 38 Reactivation surfaces 246-7 Reading Beds 289, 290 Reed beds 303 Reedgrass 164 Refilling, valley-floors 203 Regolith 170, 171 Rejuvenation 34, 119, 120, 121, 136, 137, 141 Cynfal 123-5 Dee 132 Lyn 269 Mellte 137-41 and river capture 126 Wye 134, 135 Relict landforms 27 Reservoirs 150, 159, 162, 163, 242-3, 256-60 Responsiveness concept 27, 27 **Restoration schemes 290** Rewe 296-8, 298 Rhaeadr, Afon 121-3, 122 Rhaeadr falls 122, 122-3

Rheidol, Afon 143-6, 144 Rhewl 132 Ribble, River 180 Richardson, J.M. 245 **Ridge-and-furrow features 147** Riffle-pool sequences 64, 70, 128 Severn valley 247, 248, 248-9, 250 Riffles 50, 256, 256, 264 River capture 125-7, 126, 163 Burn by Lyd 285-7, 286 Carlingill Valley 186, 188 Mellte by Neath 137, 138, 140 proto-Dee by Conwy 120-1, 121 proto-Trent by Dee 133, 134 Teifi by proto-Ystwyth 163, 164 Teifi by Rheidol 163, 164 River channels see Channels River-loch interface 54 **River** management and Scottish conservation 26 - 7sympathetic approach 11-12 River metamorphosis, sequence and causes 210-14 River processes 4-7 **River systems** integrated 123-5 north-east England 203, 204 River terraces see Terraces, river Road drainage 264 Robertson-Rintoul, M.S.E. 24, 58 Robertson, T. (Pocock, R.W. et al) 278 Robinson, A., and Millward, R. 127 Robustness concept 27, 27 Rock bars 37, 38 Rock-cut platforms 104-5 Rockfall, catastrophic 81-3, 82 Rock steps 120 Rodderup Fell lead mine 205 Roinn Mor 54 Roll-over embankments 300 Roman remains 147 Rossendale Upland 177 Roughburn 105-6 Roundabout 158-9 Roy, W. 55

Rubbish and litter problem 290 Runoff, and soil moisture 261-3, **263** Rushes 55

St Briavel 135 Sand and gravel pit 236-9 Sandurs 28, 56, 66, 71, 71, 277 palaeosandurs 31, 59, 60, 101 - 4-type palaeochannels 74-5, 75 Scargill Moor 227 Scarplands see Escarpments Scars bank-side 267, 269 erosion 123, 126, 171, 205 meander 47 Scour 46, 259 and fill 154-5, 156 Screes 126, 169-71, 188, 190-1 Scwd Isaf Clyngwyn 139, 140, 140 Scwd y Pannwr Falls 139, 140 Scwd-yr-Eira Falls 136, 137, 141 Sea-level changes 9 Sear, D.A. et al 290 Sedimentation 214-17, 217-19 abandoned channel 51 flood event 221, 223, 223-5, 225 fluvio-lacustrine 54-6 Holocene 95-7, 96 ice-walled 278 within-channel 221 see also Overbank sedimentation Sediments 5-6, 163 alluvial and terrace sequence 144, 144-6 coarse, due to hushing 205-9 exposures 144 flood 227-9, 228, 229 fluvial 50 lacustrine 50-1 lake 109, 114 mega-form 205 overbank 220-1 river, Holocene 95-7, 203-4, 236-7, 238 solifluction 151, 191 store 64 transport 186 waveform, down-valley

movement 205-9 Seepage steps 263-4, 264 Sensitivity concept 11, 27 Severn, River 241 basin 10, 244 Buildwas 277-9, 278 Montford 247-50, 248 palaeohydrology 273-7, 274 upper 119, 152-7, 153, 155 Welshpool to Vyrnwy confluence 157-9 Severn Terraces 304-6 Shaw Beck Gill 227-9, 228, 229 Shaw House 227 Shaw, J. 278, 305 Shear stresses 156 Sheep overgrazing 292 Sherlock, R.L. 286 Shotton, F.W. 245, 304 and Coope, G.R. 305 Shropshire-Cheshire basin 277, 278 Shropshire Plain 247, 250 Simpson, S. 265 Sinker, C.A., Pannett, D.J. and Dury, G.H. 248, 249 Sinkholes 136, 288-90, 289 Sissons, J.B. 34, 39, 109, 110, 112, 113, 181, 1014 and Cornish, R. 104, 107-8 Site typology, Scotland 27-32 Skirden Beck 180 Slackwater areas 44, 45, 46, 128 Slate 122, 123 Slopes 31-2, 72-3, 73, 74 accelerated erosion 292-6 deposits 245, 246, 247 failure 80, 81, 82, 192 Slug 205 Slumping 151, 282 Smith, K., and Bennett, A.M. 26-7 Soil 89, 94, 126, 178 moisture and runoff 261-3, 263 pipes 119, 165-7, 166 Solent 241 Solifluction 89, 178, 246, 248 sediments 151, 191 terraces 188 Solutes 5-6 South-west England 241 Spean Gorge 113 Spey, River, lower 28, 56-8

Sphagnum peat 164 Splays, overbank 18 Stable channels 23, 25, 127, 189 Statham, I. 168, 169-70 Step-pool system 34, 280, 281 Steps, seepage 263-4, 264 Stone stripes 191 Storms 97, 99, 166, 167, 190-4, 193, 260-1 convective 95 see also Floods Stour, River 304, 305-6 Strathglass meanders 44, 44-6 Strathlochans 54-5 Stream capture see River capture Stream power 25, 243, 252 Summers, A.J., Dackombe, R.V. and Thomas, G.S.P. 141-3 Superficial deposits 151 Surface erosion 292 Surface runoff 265 Swallow Falls 120, 121 Swallow holes 136, 288-90, 289 Tail Burn 39, 39, 40 Tallis, J.H. 282, 284-5 Talus slopes 82 Tanat, River 147 Tay, River 3, 21, 27 Teifi, Afon 129, 129-32, 131 at Cors Caron 163-5 Teifi Anticline 164 Teifi, Lake 129, 130-1, 163-5 Terraces 31, 118, 133, 134, 194, 234 alluvial Black Burn 205-6, 207 Blagill 211, 212, 212 Harthope Burn 225-6 River Severn 277-8, 279 The Islands 216, 216, 217 Avon 304, 305 Beckford 244, 244-6, 245, 246 bedrock 235 Blackett Bridge 218, 220 boulder-covered 227, 228, 229, 229 Carlingill Valley 186, 188, 188, 189, 190 Dane River 197, 197, 198, 198-9, 200

Terraces contd Dovedale 294, 294, 296 Findhorn 31, 99-101, 100 glaciofluvial 175, 216 and fluvial 99-101, 100, 101-4, 102 Glen Feshie 58, 59-61, 60, 66 Hathersage 257-8 Holocene 205, 209-10, 230, 230 paired 232, 234 kames 106, 107, 110 Langdale and Bowerdale valleys 190-4 piedmont and lowland northwest England 178 post-glacial 143-6, 144 river 203 Glens Roy, Spean and Gloy 108, 108, 109, 111, 114 Pleistocene and Holocene 209-10, 230, 230 sequences 141-3, 143, 242 Severn 249, 304-6 solifluction 188, 189, 191 staircase 26, 31, 99-101, 100, 114, 236, 237 Vyrnwy 146-7 Worcester 274, 304-5 Ter, River 255, 255-6, 256 Thalwegs 128, 221, 287 Thames, River 3, 9, 241 Thinhope Burn 231-6, 233 Thomas, G.S.P., Summers, A.J. and Dackombe, R.V. 141 - 3Thomas, J.M., and Howe, G.M. 125 Thomas, T.M. 137 Thompson, A. 194 Thompson, T.R.E. 158 Thorne, C.R. (Sear, D.A. et al) 290 Thrush Gill fan 193 Tidenham Chase 135 Till 89, 92, 93, 94, 95, 143, 188 Toxicity, sediment 148, 149 Trace metals 224, 224-5 Tracks, drainage along 264 Transport processes 66-9, 164 Trawscoed 148 Trees, channel-side 54, 55, 258, 258, 276

Tregaron, raised bog 163, 164, **165**, 165 Trenches, sub-parallel 282 Trent, River 241 Tulla Water 28 Twelve Foot Sandstone 140 Twymyn, Afon 125-7 Tyne, River 203, 204-5, 229 Low Prudhoe 219-25, 222, **223**

Uffington Terrace 304, 305 Underfit streams/rivers 8, 80, 81, 245, 271, 285 Cherwell and Eydon Brook 271-3 Itchen 269-71 Osage-type 247-50, 248, 279 Underground passages 135-7, 137, 138 Uniformitarian approach 3 Uniqueness index 18 Unstable channels 154, 189, 214-17, 255 Upland areas, north-west England 179 Upland channels 279-81, 280, 280 Upland rivers/streams 46-8, 47, 48, 186-90, 205-9 Upper Carboniferous rocks 177 Upper Clyngwn Falls 139, 140 Urbanization 242, 290 Ure valley, lower 291

Valley confinement 76-8, 77 Valley floors 73, 73, 74-6, 118, 203 entrenchment 209, 231, 232, 233, 234, 235, 237 Vegetation 7, 96, 163, 175, 178, 260-5 banks 161-2, 230 degradation/disturbance 149, 235, 292, 296 Velocity-reversal hypothesis 247 Victoria Bridge 156 'Vigil Network' sites 72 Voil, Loch 54 Vyrnwy, Afon 146-7, 147

Wales, river types 117 Walling, D.E. and Bradley, S.B. 297

and Nicholas, A.P. 298 Wasdale 179, 182-4, 183, 184 Water End swallow holes 288-90, 289 Waterfalls 28, 112, 118, 124-5, 188 Alport Valley 280, 281 Aysgarth 290-2 Corrieshalloch Gorge 32, 33, 33 Falls of Clyde 34-5 Falls of Dochart 37-8 and faults 138, 139, 139-41, 140 Grey Mare's Tail 39, 39-40 Hepste 135-7, 137, 137 Llugwy 119-21, 121 Lydford Gorge 285, 286-7, 287 Mellte 138, 139, 139-40, 140 Rhaeadr 121-3 stepped 290-2 Twymyn 125-6, 127 Watershed, Scotland 5, 22 Waun Sychlwch 170 Weaver, River 297 Wedd, C.B. (Pocock, R.W. et al) 278 Weir, M.J.C., and Lewin, J. 57, 58 Weirs 159, 161, 162, 163, 165-6 low-stone 300, 302 Wells, S.G., and Harvey, A.M. 193 Welsh ice sheet 278, 279 Welsh valley model 118, 118 Wensleydale 290, 291-2 Werritty, A. and Brazier, V.B. 49-50, 64-5 and Ferguson, R.I. 64 and McEwen, L.J. 86 Whittington, G. and Harvey, A.M. 100-1 West Water and North Esk palaeochannels 101-4, 102 Wetlands 303 Whitehead, T.H. (Pocock, R.W. et al) 278 Whiteman, A.J., and Poole, E.G. 305 Whitford 251, 251 Whittington, G., Harvey, A.M. and Werritty, A. 100-1

Whittow, J.B. 32-3, 34 Wilden 304-6 Wilkinson, H.R., and Gregory, S. 133 Williams, G.J. 305 Wills, L.J. 133, 278, 304, 305 Windermere stadial 304 Winding valleys 269-71 Withy beds 303 Withybed subcatchment 261-3, 263 Wolfenden, P., Lewin, J. and Davies, B.E. 148, 149 Wolman, M.G., and Leopold, L.B. 256 Wood, sub-fossil 293 Woodland cover 175 Woody debris 260-5, **262** Wooldridge, S.W., and Kirkaldy, J.F. 289 Worcester terrace 274, 304-5 Worsley, P. 279 Wye, River 241 Lancaut 134-5

Yearn Hope 98, 99 Yoredale series 177 Yorkshire Bridge 258 Young, J.A.T. 58, 100 Ystradfellte **136** Ystwyth, Afon 148-50, **149**

Zinc mining see Metal mining