

British Upper Carboniferous Stratigraphy

C.J. Cleal and B.A. Thomas

Department of Botany
National Museum of Wales, Cardiff

GCR Editor: L.P. Thomas

JOINT
NATURE
CONSERVATION
COMMITTEE



CHAPMAN & HALL

London · Glasgow · Weinheim · New York · Tokyo · Melbourne · Madras

References

- Absalom, R.G. and Hopkins, W. (1926) The geological relations of the coast section between Tynemouth and Seaton Sluice. *Proceedings of the University of Durham Philosophical Society*, **7**, 142-57.
- Aiken, A. (1811) Observations on the Wrekin, and on the great coal-field of Shropshire. *Transactions of the Geological Society of London* (Series 1), **1**, 191-212.
- Aitken, J. (1866) The union of the Gannister and Higher Foot mines at Bacup. *Manchester Geological and Mining Society Transactions*, **5**, 185-92.
- Allan, D.A. (1928) The stratigraphy of the British Carboniferous. *Congrès pour l'Avancement des Études de Stratigraphie Carbonifère, Compte rendu* (Heerlen, 1927), 1-51.
- Allen, J.R.L. (1960) The Mam Tor sandstones: a 'turbidite' facies of the Namurian deltas of Derbyshire, England. *Journal of Sedimentary Petrology*, **30**, 193-208.
- Allen, J.R.L. (1963) The classification of cross-stratified units, with notes on their origin. *Sedimentology*, **2**, 93-114.
- Allen, P.A., Benton, M.J., Black, et al. (1989) The future of Earth sciences site conservation in Great Britain. *Geological Curator*, **5**, 101-9.
- Anderson, W. and Dunham, K.C. (1953) Reddened beds in the Coal Measures beneath the Permian of Durham and south Northumberland. *Proceedings of the Yorkshire Geological Society*, **29**, 21-32.
- Anon. (1987) Carboniferous stratotype re-excavated. *Earth science conservation*, **23**, p. 27.
- Arber, E.A.N. (1903) The fossil flora of the Cumberland Coalfield. *Quarterly Journal of the Geological Society of London*, **59**, 1-24.
- Arber, E.A.N. (1904) The fossil flora of the Culm Measures of north-west Devon, and the palaeobotanical evidence with regard to the age of the beds. *Philosophical Transactions of the Royal Society of London*, **B 197**, 291-325.
- Arber, E.A.N. (1907) On the Upper Carboniferous rocks of west Devon and north Cornwall. *Quarterly Journal of the Geological Society of London*, **63**, 1-28.
- Arber, E.A.N. (1911) *The Coast Scenery of North Devon*. Dent, London.
- Arber, E.A.N. (1912) On the fossil flora of the Forest of Dean Coalfield (Gloucestershire), and the relationship of the coalfields of the west of England and South Wales. *Philosophical Transactions of the Royal Society of London*, **B 202**, 233-81.
- Arber, E.A.N. (1914) On the fossil floras of the Wyre Forest, with special reference to the geology of the coalfield and its relationships to the neighbouring Coal Measure areas. *Philosophical Transactions of the Royal Society of London*, **B 204**, 363-445.
- Arber, E.A.N. (1916) On the fossil floras of the Coal Measures of south Staffordshire. *Philosophical Transactions of the Royal Society of London*, **B 208**, 127-55.
- Archer, A.A. (1965) Notes on the Millstone Grit of the North Crop of the Pembrokeshire Coalfield. *Proceedings of the Geologists' Association*, **76**, 137-59.
- Archer, A.A. (1968) *The Upper Carboniferous and Later Formations of the Gwendraeth Valley and Adjoining Areas in Parts of the Carmarthen, Ammanford and Worms Head Sheets*. Memoirs of the Geological Survey of Great Britain.
- Armstrong, G. and Price, R.H. (1954) The Coal Measures of north-east Durham. *Transactions*

References

- of the Institute of Mining Engineers, **113**, 973-97.
- Arnold, T. (1895) Some observations on the western part of the South Wales Coalfield. *Proceedings of the South Wales Institute of Engineers*, **19**, 193-201, 282-6, 318-30, 367-70.
- Ashwin, D.P. (1958) The coastal outcrop of the Culm Measures of southwest England. In *Abstract and Proceedings of the 2nd Conference on the Geology and Geomorphology of Southwest England*. Royal Geological Society of Cornwall, Penzance, 2-3.
- Atthey, T. (1870) On the occurrence of the palatal teeth of a fish belonging to the genus *Climaxodus* McCoy in the Low Main Shale of Newsham. *Natural History Transactions of Northumberland, Durham and Newcastle upon Tyne*, **3**, 306-9.
- Atthey, T. (1876) On *Anthracosaurus ruselli* Huxley. *Annals and Magazine of Natural History* (Series 4), **18**, 146-67.
- Atthey, T. (1877) On the articular bone and supposed vomerine teeth of *Ctenodus obliquus*; and on *Palaeoniscus hancocki*, n. sp., from the Low Main, Newsham, Northumberland. *Natural History Transactions of Northumberland, Durham and Newcastle upon Tyne*, **5**, 227-30.
- Baesemann, J.F. and Lane, H.R. (1985) Taxonomy and evolution of the genus *Rhacistognathus* Dunn (Conodonta: Late Mississippian to Early Pennsylvanian). *Courier Forschungsinstitut Senckenberg*, **74**, 93-136.
- Bailey, E.B. (1926) Subterranean penetration by a desert climate. *Geological Magazine*, **63**, 276-80.
- Baines, J.G. (1977) The stratigraphy and sedimentology of the Skipton Moor Grits (Namurian E_{1c}) and their lateral equivalents. Unpublished PhD Thesis, University of Keele.
- Barclay, W.J. (1989) *Geology of the South Wales Coalfield. Part II. The Country Around Abergavenny*. Memoirs of the British Geological Survey.
- Barclay, W.J., Taylor, K. and Thomas, L.P. (1988) *Geology of the South Wales Coalfield. Part V. The Country Around Merthyr Tydfil*. Memoirs of the British Geological Survey.
- Barker, W.R. and Whittle, W.L. (1944) The Coal Measure strata of Nostell, near Wakefield. *Proceedings of the Yorkshire Geological Society*, **25**, 175-89.
- Barrett, B.H. and Richey, J.E. (1945) Economic geology of the Canonbie Coalfield. *Wartime Pamphlet of the Geological Survey of England and Wales*, No. 42.
- Barrow, J. (1873) The Llynfi mineral district. *Proceedings of the South Wales Institute of Engineers*, **8**, 181-8, 298-303; **9**, 12-7, 33-9.
- Bassett, D.A. (1961) *Bibliography and Index of Geology and Allied Sciences for Wales and the Welsh Borders 1897-1958*. National Museum of Wales, Cardiff.
- Bassett, D.A. (1963) *Bibliography and Index of Geology and Allied Sciences for Wales and the Welsh Borders 1536-1896*. National Museum of Wales, Cardiff.
- Beckett, H. (1845) On a fossil forest in the Parkfield Colliery near Wolverhampton. *Quarterly Journal of the Geological Society of London*, **1**, 41.
- Bell, W.A. (1940) The Pictou Coalfield, Nova Scotia. *Memoirs of the Geological Survey Branch Department of Mines, Canada*, **225**, 1-142.
- Belt, E.S. (1968) Carboniferous continental sedimentation, Atlantic Provinces, Canada. *Special Papers of the Geological Society of America*, **106**, 127-76.
- Besly, B. (1983) The sedimentology and stratigraphy of red beds in the Westphalian A to C of central England. Unpublished PhD Thesis, University of Keele.
- Besly, B. (1988) Palaeogeographic implications of late Westphalian to early Permian red-beds, central England. In *Sedimentation in a Synorogenic Basin Complex. The Upper Carboniferous of Northwest Europe* (eds B.M. Besly and G. Kelling), Blackie, Glasgow, pp. 200-21.
- Besly, B. and Kelling, G. (eds) (1988) *Sedimentation in a Synorogenic Basin Complex. The Upper Carboniferous of Northwest Europe*. Blackie, Glasgow.
- Besly, B. and Turner, P. (1983) Origin of red beds in a moist tropical climate (Etruria Formation, Upper Carboniferous, UK). In *Residual Deposits* (ed. R.C.L. Wilson), *Special Publication of the Geological Society of London*, **11**, 131-47.
- Bevan, G.P. (1858) On the geology of the Beaufort and Ebbw Vale district of the South Wales Coalfield. *The Geologist*, **1**, 49-54, 124-9.
- Binney, E.W. (1841) On the marine shells of the Lancashire Coalfield. *Manchester Geological and Mining Society Transactions*, **1**, 80-9.
- Binney, E.W. (1860) Observations on the fossil shells of the Lower Coal Measures. *Manchester*

References

- Geological and Mining Society Transactions*, **2**, 72-84.
- Binney, E.W. (1862a) Nodules in coal from the Lower Coal Measures of Lancashire. *Proceedings of the Manchester Literary and Philosophical Society*, **2**, p. 71.
- Binney, E.W. (1862b) On some fossil plants showing structure from the Lower Coal Measures of Lancashire. *Quarterly Journal of the Geological Society of London*, **18**, 106-12.
- Binney, E.W. (1863) Further observations on the Carboniferous, Permian and Triassic strata of Cumberland and Dumfries. *Memoirs and Proceedings of the Manchester Literary and Philosophical Society* (3rd Series), **2**, 343-88.
- Binney, E.W. (1866) Account of the calcareous nodules from the lower coal-seams of Lancashire and Yorkshire. *Proceedings of the Manchester Literary and Philosophical Society*, **5**, 61.
- Binney, E.W. and Kirkby, J.W. (1882) On the upper beds of the Fifeshire Coal-measures. *Quarterly Journal of the Geological Society of London*, **38**, 245-56.
- Bisat, W.S. (1920) Marine bands, with special reference to those in the Millstone Grit. *The Naturalist, Hull*, 1920, 163-7.
- Bisat, W.S. (1924) The Carboniferous goniatites of the north of England and their zones. *Proceedings of the Yorkshire Geological Society*, **20**, 40-124.
- Bisat, W.S. (1928) The Carboniferous goniatite zones of England and their continental equivalents. *Congrès pour l'Avancement des Études de Stratigraphie Carbonifère, Compte rendu* (Heerlen, 1927), 117-33.
- Bisat, W.S. (1933) The Carboniferous goniatites of the neighbourhood of Tenby. *Proceedings of the Geologists' Association*, **44**, 412-4.
- Bisat, W.S. and Hudson, R.G.S. (1943) The Lower *Reticuloceras* (R_1) goniatite succession in the Namurian of the north of England. *Proceedings of the Yorkshire Geological Society*, **24**, 383-440.
- Bless, M.J., Bouckaert, J. and Paproth, E. (1984) Migration of climatic belts as a response to continental drift during the Late Devonian and Carboniferous. *Bulletin de la Société Belge de Géologie, de Paléontologie et d'Hydrologie*, **93**, 189-95.
- Bless, M.J., Calver, M.A. and Josten, K.-H. (1972) Report of the working group on the Westphalian C in N.W. Europe. *Compte rendu 7e Congrès International de Stratigraphie et de Géologie Carbonifère* (Krefeld, 1971), **1**, 223-7.
- Bless, M.J. and Winkler Prins, C.F. (1972) Paleoecology and paleogeography of the Aegir Marine Band and its equivalents in north-western Europe. *Compte rendu 7e Congrès International de Stratigraphie et de Géologie Carbonifère* (Krefeld, 1971), **1**, 231-9.
- Bloxham, T.W. (1964) Uranium, thorium, potassium and carbon in some black shales from the South Wales Coalfield. *Geochimica et Cosmochimica Acta*, **28**, 1177-85.
- Bloxham, T.W. (1974) Geochemical parameters for distinguishing palaeoenvironments in some Carboniferous shales from the South Wales Coalfield. In *The Upper Palaeozoic and post-Palaeozoic Rocks of Wales* (ed. T.R. Owen), University of Wales Press, Cardiff, pp. 263-84.
- Bloxham, T.W. and Thomas, R.L. (1969) Palaeontological and geochemical facies in the *Gastrioceras subcrenatum* marine-band and associated rocks from the North Crop of the South Wales coalfield. *Journal of the Geological Society of London*, **124**, 239-81.
- Bloxham, T.W. and Thomas, R.L. (1970) Fluorine in Carboniferous shales from the South Wales coalfield. *Chemical Geology*, **5**, 179-93.
- Bluck, B.J. (1961) The sedimentary history of the rocks between the horizon of *G. subcrenatum* and Garw Coal in the South Wales coalfield. Unpublished PhD Thesis, University of Wales (Swansea).
- Bluck, B.J. and Kelling, G. (1963) Channels from the Upper Carboniferous Coal Measures of South Wales. *Sedimentology*, **2**, 29-53.
- Bolton, E. (1926) Fossil flora of the Northumberland and Durham Coalfield. *Transactions of the Natural History Society of Northumberland, Durham and Newcastle upon Tyne* (New Series), **6**, 167-81.
- Bolton, H. (1915) Fauna and stratigraphy of the Kent Coalfield. *Transactions of the Institute of Mining Engineers*, **49**, 643-702.
- Bolton, H. (1921-22) *A Monograph of the Fossil Insects of the British Coal Measures*. Palaeontographical Society, London.
- Bolton, T. (1978) The palaeontology, sedimentology and stratigraphy of the upper Arnsbergian, Chokierian and Alportian of the North Staffordshire Basin. Unpublished PhD Thesis, University of Keele.
- Bone, W.A. and Himus, G.W. (1936) *Coal. Its Constitution and Uses*. Longmans, London.

References

- Bouma, A.H. (1962) *Sedimentology of Some Flysch Deposits*. Elsevier, Amsterdam.
- Bouroz, A. (1967) Corrélations des tonsteins d'origine volcanique entre les bassins houillers de Sarre-Lorraine et du Nord-Pas-de-Calais. *Compte rendu de l'Académie des Sciences, Paris*, **264**, 2729-32.
- Bouroz, A., Chalard, J., Corsin, P. and Laveine, J.-P. (1969) Le stratotype du Westphalien C dans le bassin houiller du Nord et du Pas-de-Calais: limites et contenu paléontologique. *Compte rendu 6e Congrès International de Stratigraphie et de Géologie Carbonifère* (Sheffield, 1967), **1**, 99-105.
- Bouroz, A. and Doubinger, J. (1977) Report on the Stephanian-Autunian boundary and on the contents of Upper Stephanian and Autunian in their stratotypes. In *Symposium on Carboniferous Stratigraphy* (eds V. Holub and R.H. Wagner), Geological Survey, Prague, pp. 147-69.
- Bouroz, A., Einor, O.L., Gordon, M., Meyen, S.V. and Wagner, R.H. (1978) Proposals for an international chronostratigraphic classification of the Carboniferous. *Compte rendu 8e Congrès International de Stratigraphie et de Géologie Carbonifère* (Moscow, 1975), **1**, 36-9. [This paper was also published in French (*Revue de la Société de l'Industrie Minérale*, **60**, 469-83) and Russian (*Izvestia Akademii Nauk SSSR, Serya Geologicheskaya*, **2**, 1-24)].
- Boyd, M.J. (1984) The Upper Carboniferous tetrapod assemblage from Newsham, Northumberland. *Palaeontology*, **27**, 367-92.
- Brand, P.J. (1977) The fauna and distribution of the Queenslie Marine Band (Westphalian) in Scotland. *Report of the Institute of Geological Sciences*, **77/18**.
- Brand, P.J. (1983) Stratigraphical palaeontology of the Westphalian of the Ayrshire Coalfield, Scotland. *Transactions of the Royal Society of Edinburgh, Earth Sciences*, **73**, 173-90.
- Bristow, C.S. (1988) Controls on the sedimentation of the Rough Rock Group (Namurian) from the Pennine Basin of northern England. In *Sedimentation in a Syn-orogenic Basin Complex. The Upper Carboniferous of Northwest Europe* (eds B.M. Besly and G. Kelling), Blackie, Glasgow, pp. 114-31.
- Broadhurst, F.M. (1988) Seasons and tides in the Westphalian. In *Sedimentation in a Syn-orogenic Basin Complex. The Upper Carboniferous of Northwest Europe* (eds B.M. Besly and G. Kelling), Blackie, Glasgow, pp. 264-72.
- Broadhurst, F.M., Eagar, R.M.C., Jackson, J.W., Simpson, I.M. and Thompson, D.B. (1970) The area around Manchester (revised edition). *Geologists' Association Excursion Guides*, **7**, 1-51.
- Broadhurst, F.M. and France, A.A. (1986) Time represented by coal seams in the Coal Measures of England. *International Journal of Coal Geology*, **6**, 43-54.
- Broadhurst, F.M., Simpson, I.M. and Hardy, P.G. (1980) Seasonal sedimentation in the Upper Carboniferous of England. *Journal of Geology*, **88**, 639-51.
- Brockbank, W. (1891) On the occurrence of the Permians, etc., at Frizington Hall in the Whitehaven District. *Memoirs and Proceedings of the Manchester Literary and Philosophical Society (Series 4)*, **4**, 418-26.
- Bromehead, C.E.N., Edwards, W.N., Wray, D.A. and Stephens, J.V. (1933) *Geology of the Country Around Holmfirth and Glossop*. Memoirs of the Geological Survey of Great Britain.
- Brongniart, A. (1828-38) *Histoire des végétaux Fossiles*. Paris.
- Brown, M.W. (1888) A further attempt for the correlation of the coal seams of the Carboniferous Formation of the north of England, with notes upon the probable duration of the coal-field. *Transactions of the North England Institute of Mining and Mechanical Engineers*, **37**, 3-25.
- Brown, T. (1843) On some new species of the genus *Pachyodon*. *Annals and Magazine of Natural History*, **12**, 390-6.
- Brown, T. (1849) *Illustrations of the Fossil Conchology of Great Britain and Ireland*. Smith and Elder, London.
- Brown, T.F. (1865) The Caerphilly mineral district. *Transactions of the South Wales Institute of Engineers*, **4**, 86-103.
- Brown, T.F. (1874) The South-Wales Coalfield. *Transactions of the South Wales Institute of Engineers*, **9**, 59-129.
- Buckland, W. and Conybeare, W.D. (1824) Observations on the south-western coal district of England. *Transactions of the Geological Society of London (Series 2)*, **1**, 210-316.
- Buddle, J. (1831a) Synopsis of the several seams of coal in the Newcastle district. *Transactions of the Natural History Society of Northumberland, Durham and Newcastle upon Tyne*, **1**, 215-24.
- Buddle, J. (1831b) Reference to the sections of the

References

- strata of the Newcastle Coalfield. *Transactions of the Natural History Society of Northumberland, Durham and Newcastle upon Tyne*, **1**, 225-40.
- Burger, K. (1985) Kohlentonsteine im Oberkarbon NW-Europas ein Beitrag zur Geochronologie. *Compte rendu 10e Congrès International de Stratigraphie et de Géologie Carbonifère* (Madrid, 1983), **3**, 433-47.
- Burne, R.V. (1969) Observations on the deposition of the Bude sandstones. *Proceedings of the Ussher Society*, **2**, 109-10.
- Burne, R.V. (1970) The origin and significance of sand volcanoes in the Bude Formation (Cornwall). *Sedimentology*, **15**, 211-28.
- Burnett, D.A. (1947) A marine bed in the Coal Measures of Northumberland. *Nature, London*, **159**, p. 69.
- Butcher, N.F. and Hodson, F. (1960) A review of the Carboniferous goniatite zones in Devon and Cornwall. *Palaeontology*, **3**, 75-81.
- Butterworth, M.A. and Millott, J.O.N. (1960) Microspore distribution in the coalfields of Britain. *Proceedings of the International Committee for Coal Petrology*, **3**, 157-63.
- Butterworth, M.A. and Smith, A.H.V. (1976) The age of the British Upper Coal Measures with reference to their miospore content. *Review of Palaeobotany and Palynology*, **22**, 281-306.
- Calver, M.A. (1956) Die stratigraphische Verbreitung der nichtmarinen Muscheln in den penninischen Kohlenfeldern Englands. *Zeitschrift der Deutschen Geologischen Gesellschaft*, **107**, 26-39.
- Calver, M.A. (1967) Westphalian A palaeontology and stratigraphy of the Langsett-Penistone area. In *Geological Excursions in the Sheffield Region and the Peak National Park* (eds R. Neves and C. Downie), Northend, Sheffield, pp. 116-21.
- Calver, M.A. (1968) Distribution of Westphalian marine faunas in northern England and adjoining areas. *Proceedings of the Yorkshire Geological Society*, **37**, 1-72.
- Calver, M.A. (1969a) Westphalian of Britain. *Compte rendu 6e Congrès International de Stratigraphie et de Géologie Carbonifère* (Sheffield, 1967), **1**, 233-54.
- Calver, M.A. (1969b) Coal Measures invertebrate faunas. In *Coal and Coal-bearing Strata* (eds D.G. Murchison and T.S. Westoll), Oliver and Boyd, Edinburgh, pp. 147-77.
- Calver, M.A. (1973) Marine faunas of Westphalian B and C of the British Pennine coalfields. *Compte rendu 7e Congrès International de Stratigraphie et de Géologie Carbonifère* (Krefeld, 1971), **1**, 253-65.
- Calver, M.A. and Owens, B. (1977) Progress report of working group on proposed boundary stratotypes for Westphalian A, B and C. In *Symposium on Carboniferous Stratigraphy* (eds V.M. Holub and R.H. Wagner), Geological Survey, Prague, pp. 65-8.
- Calver, M.A. and Smith, E.G. (1974) The Westphalian of North Wales. In *The Upper Palaeozoic and post-Palaeozoic Rocks of Wales* (ed. T.R. Owen), University of Wales Press, Cardiff, pp. 169-83.
- Cantrill, T.C. (1895) *A Contribution to the Geology of the Wyre Forest Coalfield, and of the Surrounding District*. T. Mark, Kidderminster.
- Cantrill, T.C., Dixon, E.E.L., Thomas, H.H. and Jones, O.T. (1916) *The Geology of the South Wales Coalfield. Part XII. The Country Around Milford*. Memoirs of the Geological Survey of Great Britain.
- Carruthers, R.G., Burnett, G.A. and Anderson, W. (1930) *The Geology of the Alnwick District*. Memoirs of the Geological Survey of Great Britain.
- Clarke, W.J. (1901) The unconformity in the Coal Measures of the Shropshire coalfields. *Quarterly Journal of the Geological Society of London*, **225**, 86-95.
- Clayton, G., Coquel, R., Doubinger, J., et al. (1977) Carboniferous miospores of western Europe: illustration and zonation. *Mededelingen van de Rijks Geologische Dienst*, **29**, 1-71.
- Cleal, C.J. (1978) Floral biostratigraphy of the upper Silesian Pennant Measures of South Wales. *Geological Journal*, **13**, 165-94.
- Cleal, C.J. (1984a) The recognition of the base of the Westphalian D Stage in Britain. *Geological Magazine*, **121**, 125-9.
- Cleal, C.J. (1984b) The Westphalian D floral biostratigraphy of Saarland (Federal Republic of Germany) and a comparison with that of South Wales. *Geological Journal*, **19**, 327-51.
- Cleal, C.J. (1986a) Fossil plants of the Severn Coalfield and their biostratigraphical significance. *Geological Magazine*, **123**, 553-68.
- Cleal, C.J. (1986b) Plant macrofossils from the Edgehill Sandstone, Forest of Dean. *Bulletin of the British Museum of Natural History (Geology)*, **40**, 235-46.
- Cleal, C.J. (1987) Macrofloral biostratigraphy of the Newent Coalfield, Gloucestershire. *Geolo-*

References

- gical Journal*, **22**, 207–17.
- Cleal, C.J. (ed.) (1991) *Plant Fossils in Geological Investigation: the Palaeozoic*. Ellis Horwood, Chichester.
- Cleal, C.J. (1992) The age of the base of the Forest of Dean Coal Measures: fact and fancy. *Proceedings of the Geologists' Association*, **102**, 261–4.
- Cleal, C.J. and Shute, C.H. (1991) The Carboniferous pteridosperm *Neuropteris heterophylla* (Brongniart) Sternberg. *Bulletin of the British Museum of Natural History (Geology)*, **46**, 153–74.
- Cleal, C.J. and Thomas, B.A. (1988) The Westphalian fossil floras from the Cattybrook Claypit, Avon, Great Britain. *Geobios*, **21**, 409–33.
- Cleal, C.J. and Thomas, B.A. (1992) The Westphalian fossil plants of the Nolton-Newgate Coalfield, Dyfed (Great Britain). *Geobios*, **25**, 315–22.
- Cleal, C.J. and Thomas, B.A. (1995) *Palaeozoic Palaeobotany of Great Britain*. Geological Conservation Review Series, No. 9, Chapman & Hall, London.
- Collinson, J.D. (1968) Deltaic sedimentation units in the Upper Carboniferous of northern England. *Sedimentology*, **10**, 233–54.
- Collinson, J.D. (1969) The sedimentology of the Grindslow Shales and the Kinderscout Grit: a deltaic complex in the Namurian of northern England. *Journal of Sedimentary Petrology*, **39**, 194–221.
- Collinson, J.D. (1970) Deep channels, massive beds and turbidity current genesis in the Central Pennine Basin. *Proceedings of the Yorkshire Geological Society*, **37**, 495–519.
- Collinson, J.D. (1988) Controls on Namurian sedimentation in the Central Province basins of northern England. In *Sedimentation in a Synorogenic Basin Complex. The Upper Carboniferous of Northwest Europe* (eds B.M. Besly and G. Kelling), Blackie, Glasgow, pp. 85–101.
- Collinson, J.D. and Banks, N.L. (1975) The Haslingden Flags (Namurian, G₁) of south-east Lancashire: bar finger sands in the Pennine Basin. *Proceedings of the Yorkshire Geological Society*, **40**, 431–58.
- Collinson, J.D. and Walker, R.G. (1967) Namurian sedimentation in the High Peak. In *Geological Excursions in the Sheffield Region and the Peak National Park* (eds R. Neves and C. Downie), Northend, Sheffield, pp. 80–8.
- Conybeare, J.J. (1814) Memoranda relative to Clovelly, north Devon. *Transactions of the Geological Society of London* (Series 1), **2**, p. 498.
- Conybeare, J.J. (1823) On the geology of Devon and Cornwall. *Annals of Philosophy* (Series 2), **5**, 184; **6**, 35.
- Conybeare, W.D. and Phillips, W. (1822) *Outlines of the Geology of England and Wales*. Phillips, London.
- Cope, F.W. (1946) Intraformational contorted rocks in the Upper Carboniferous of the southern Pennines. *Quarterly Journal of the Geological Society of London*, **101**, 466–83.
- Cope, F.W. (1948) Correlation of the Coal Measures of Macclesfield and the Goyt Trough. *Transactions of the Institute of Mining Engineers*, **108**, 466–83.
- Cope, J.C.W. and Bassett, M.G. (1987) Sediment sources and Palaeozoic history of the Bristol Channel area. *Proceedings of the Geologists' Association*, **98**, 315–30.
- Cope, J.C.W., Guion, P.D., Sevastopulo, G.D. and Swan, A.R.H. (1992) Carboniferous. In *A Palaeogeographical Atlas*. Geological Society of London, pp. 67–86.
- Cossham, H. (1879) *Faults in the Bristol Coalfield and How Caused; with Special Reference to Lateral Pressure*. Mining School, Bristol.
- Cossham, H. (1885) On a discovery in the Kingswood Coalfield. *Proceedings of the Cotteswold Naturalists' Field Club*, **8**, 247.
- Courel, L. (1988) Intramontane Stephanian and Permian coal basins of the French Massif Central: new sedimentological data. In *Sedimentation in a Synorogenic Basin Complex. The Upper Carboniferous of Northwest Europe* (eds B.M. Besly and G. Kelling), Blackie, Glasgow, pp. 255–63.
- Crookall, R. (1925) On the fossil flora of the Bristol and Somerset Coalfield. *Geological Magazine*, **62**, 145–80.
- Crookall, R. (1929) Flora and stratigraphy of the Bristol and Somerset Coalfield. *Summary of Progress of the Geological Survey of Great Britain for 1928*, 56–89.
- Crookall, R. (1930a) Flora of the Forest of Dean Coalfield. *Proceedings of the Cotteswold Naturalists' Field Club*, **23**, 225–43.
- Crookall, R. (1930b) The plant horizons represented in the Barren Coal Measures of Devon, Cornwall and Somerset. *Proceedings of the Cotteswold Naturalists' Field Club*, **24**, 27–34.
- Crookall, R. (1955–76) Fossil plants of the

References

- Carboniferous rocks of Great Britain [Second section]. *Memoirs of the Geological Survey of Great Britain, Palaeontology*, 4, Part 1 (1955), 1-84, Part 2 (1957), 85-216, Part 3 (1964), 217-354, Part 4 (1966), 355-572, Part 5 (1969), 573-792, Part 6 (1970), 793-840, Part 7 (1976), 841-1008.
- Culpin, H. (1909) Marine and other fossils in the Yorkshire Coal Measures above the Barnsley Seam. *Proceedings of the Yorkshire Geological Society*, 16, 321-34.
- Culpin, H. (1910) Marine bands in the Yorkshire Coal Measures. *Naturalist, Hull*, 1910, 376.
- Currie, E.D., Duncan, C. and Muir-Wood, H.M. (1937) The faunas of the Skipsey's Marine Band. *Transactions of the Geological Society of Glasgow*, 19, 413-53.
- Curtis, C.D. (1964) Studies on the use of boron as a palaeo-environmental indicator. *Geochimica et Cosmochimica Acta*, 28, 1125-37.
- Curtis, M.L.K., Donovan, D.T., Kellaway, G.A. and Welch, F.B.A. (1955) Geology. In *Bristol and Its Adjoining Counties* (eds C.M. Macinnes and W.F. Whittard), British Society for the Advancement of Science, Bristol.
- Cutler, A. (1981) *Saltwells Local Nature Reserve Geology and Trail Guide*. Nature Conservancy Council, Shrewsbury, and Black Country Geological Society.
- Davies, A. (1970) Carboniferous rocks of the Sanquhar Outlier. *Bulletin of the Geological Survey of Great Britain*, 31, 37-87.
- Davies, D.C. (1885) The North-Wales and Shrewsbury coal-fields. *Quarterly Journal of the Geological Society of London*, 41, 107-8.
- Davies, H.G. (1965) Convolute lamination and other structures from the Lower Coal Measures of Yorkshire. *Sedimentology*, 5, 305-25.
- Davies, H.G. (1966) A sedimentological study of a sandstone unit in the Lower Coal Measures and Yorkshire. Unpublished Ph.D. Thesis, University of Sheffield.
- Davies, H.G. (1967) The lithofacies of a Lower Coal Measure sandstone unit between Sheffield and Brighouse. In *Geological Excursions in the Sheffield Region and the Peak National Park* (eds R. Neves and C. Downie), Northend, Sheffield, pp. 129-39.
- Davies, J.H. and Trueman, A.E. (1923) The correlation of the Coal Measures in the western portion of the South Wales Coalfield. Part. I. The Mollusca of the anthracite area. *Proceedings of the South Wales Institute of Engineers*, 39, 361-91, 507-13.
- Davies, J.H. and Trueman, A.E. (1927) A revision of the non-marine lamellibranchs of the Coal Measures and a discussion of their zonal sequence. *Quarterly Journal of the Geological Society of London*, 83, 210-59.
- Dawes, J.S. (1845) Some account of a fossil tree found in the Coal Grit, near Darlston, south Staffordshire. *Quarterly Journal of the Geological Society of London*, 1, 46.
- Day, J.B.W. (1970) *Geology of the Country Around Bewcastle*. Memoirs of the Geological Survey of Great Britain.
- De La Beche, H.T. (1834) On the anthracite found near Bideford in north Devon. *Proceedings of the Geological Society of London*, 2, 106.
- De La Beche, H.T. (1839) *Report on the Geology of Cornwall, Devon and west Somerset*. Memoirs of the Geological Survey of Great Britain.
- De La Beche, H.T. (1846) *On the Formation of the Rocks of South Wales and South Western England*. Memoirs of the Geological Survey of Great Britain.
- De Raaf, J.F.M., Reading, H.G. and Walker, R.G. (1965) Cyclic sedimentation in the lower Westphalian of north Devon, England. *Sedimentology*, 4, 1-52.
- De Rance, C.E. (1878) On the variation in thickness of the coals and measures of the Lancashire Coalfield. *Manchester Geological and Mining Society Transactions*, 14, 207-20.
- Dewey, J.F. (1982) Plate tectonics and the evolution of the British Isles. *Journal of the Geological Society of London*, 139, 371-412.
- Dickinson, J. (1864) On the coal strata of Lancashire. *Manchester Geological and Mining Society Transactions*, 4, 155-75.
- Dijkstra, S. (1955) The megaspores of the Westphalian D and C. *Mededelingen van de Geologische Stichting N.S.*, 8, 5-11.
- Dix, E. (1931a) The Millstone Grit of Gower. *Geological Magazine*, 68, 529-43.
- Dix, E. (1931b) The flora of the upper portion of the Coal Measures of North Staffordshire. *Quarterly Journal of the Geological Society of London*, 87, 160-79.
- Dix, E. (1933) The succession of fossil plants in the Millstone Grit and the lower portion of the Coal Measures of the South Wales Coalfield (near Swansea) and a comparison with that of other areas. *Palaeontographica*, B 78, 158-202.
- Dix, E. (1934) The sequence of floras in the Upper

References

- Carboniferous with special reference to South Wales. *Transactions of the Royal Society of Edinburgh*, **57**, 789-838.
- Dix, E. (1935) Note on the flora of the highest 'Coal Measures' of Warwickshire. *Geological Magazine*, **72**, 555-7.
- Dix, E. (1937) The succession of fossil plants in the South Wales Coalfield with special reference to the existence of the Stephanian. *2e Congrès pour l'Avancement des Études de Stratigraphie Carbonifère, Compte rendu* (Heerlen, 1935), **1**, 159-84.
- Dix, E. (1942) Interesting boulders found in and associated with coal seams in the South Wales coalfield. *Proceedings of the South Wales Institute of Engineers*, **58**, 21-70.
- Dix, E. and Trueman, A.E. (1924) The correlation of the Coal Measures in the western portion of the South Wales Coalfield. Part. II, the Coal Measures of north Gower. *Proceedings of the South Wales Institute of Engineers*, **40**, 353-83, 390-5.
- Dix, E. and Trueman, A.E. (1937) The value of non-marine lamellibranchs for the correlation of the Upper Carboniferous. *2e Congrès pour l'Avancement des Études de Stratigraphie Carbonifère, Compte rendu* (Heerlen, 1935), **1**, 185-201.
- Dixon, E.E.L. (1921) *The Geology of the South Wales Coalfield. Part XIII. The Country Around Pembroke and Tenby*. Memoirs of the Geological Survey of Great Britain.
- Downing, R.A. and Squirrell, H.C. (1965) On the red and green beds in the Upper Coal Measures of the eastern part of the South Wales Coalfield. *Bulletin of the Geological Survey of Great Britain*, **23**, 45-56.
- Duff, P.McL.D. and Smith, A.J. (eds) (1992) *Geology of England and Wales*. Geological Society (London), Bath.
- Durden, C.J. (1984) North American provincial insect ages for the continental last half of the Carboniferous and first half of the Permian. *Compte rendu 9e Congrès International de Stratigraphie et de Géologie Carbonifère* (Washington and Urbana, 1979), **2**, 606-12.
- Eagar, R.M.C. (1946) The hinge of certain non-marine lamellibranchs from the *lenisulcata* Zone of the Coal Measures. *Geological Magazine*, **83**, 1-19.
- Eagar, R.M.C. (1947) A study of a non-marine bivalve lamellibranch succession in the *Anthraconia lenisulcata* Zone of the Yorkshire Coal Measures. *Philosophical Transactions of the Royal Society of London*, **B 233**, 1-54.
- Eagar, R.M.C. (1951) A revision of the sequence and correlation of the Lower Coal Measures west of Wigan. *Quarterly Journal of the Geological Society of London*, **107**, 23-50.
- Eagar, R.M.C. (1952a) Some results of studies in the variation of certain British Carboniferous non-marine lamellibranchs with respect to past ecology. *3e Congrès pour l'Avancement des Études de Stratigraphie Carbonifère, Compte rendu* (Heerlen, 1952), **1**, 173-87.
- Eagar, R.M.C. (1952b) The succession above the Soft Bed and Bassy Mine in the Pennine Region. *Geological Journal*, **1**, 23-56.
- Eagar, R.M.C. (1953a) Variation with respect to petrological differences in a thin band of Upper Carboniferous non-marine lamellibranchs. *Geological Journal*, **1**, 161-90.
- Eagar, R.M.C. (1953b) Relative growth in shells of the fossil family Anthracosiidae in Upper Carboniferous times. *Proceedings of the Linnean Society of London*, **164**, 148-73.
- Eagar, R.M.C. (1954) New species of Anthracosiidae in the Lower Coal Measures of the Pennine Region. *Memoirs and Proceedings of the Manchester Literary and Philosophical Society*, **95**, 40-65.
- Eagar, R.M.C. (1956) Additions to the non-marine fauna of the Lower Coal Measures of the north-Midlands coalfields. *Geological Journal*, **1**, 328-69.
- Eagar, R.M.C. (1960) A summary of results of recent work on the palaeoecology of Carboniferous non-marine lamellibranchs. *4e Congrès pour l'Avancement des Études de Stratigraphie Carbonifère, Compte rendu* (Heerlen, 1958), **1**, 137-49.
- Eagar, R.M.C. (1962) New Upper Carboniferous non-marine lamellibranchs. *Palaeontology*, **5**, 307-39.
- Eagar, R.M.C. (1964) The succession and correlation of the Coal Measures of south-eastern Ireland. *Compte rendu 5e Congrès International de Stratigraphie et de Géologie Carbonifère* (Paris, 1963), **1**, 359-73.
- Eagar, R.M.C. (1975) Neuere Arbeiten über das Westfäl in Ireland. *Zentralblatt für Geologie und Paläontologie*, **1**, 291-308.
- Eagar, R.M.C. (1977) Some new Namurian bivalve faunas and their significance in the origin of *Carbonicola* and in the colonisation of Carboniferous deltaic environments. *Philosophical Transactions of the Royal Society of London*, **B 285**, 1-19.

References

- London, **B 281**, 535-70.
- Eagar, R.M.C. (1987) The shape of the Upper Carboniferous non-marine bivalve *Anthracinaia* in relation to the organic carbon content of the host sediment. *Transactions of the Royal Society of Edinburgh, Earth Sciences*, **78**, 177-95.
- Eagar, R.M.C., Baines, J.G., Collinson, J.D., et al. (1985) Trace fossil assemblages and their occurrence in Silesian (mid-Carboniferous) deltaic sediments of the Central Pennine Basin, England. In *Biogenic Structures: their Use in Interpreting Depositional Systems* (ed. H.A. Curran), Special Publication, Society of Economic Paleontologists and Mineralogists, **35**, 99-149.
- Eagar, R.M.C. and Broadhurst, F. (eds) (1991) Geology of the Manchester district. *Geologists' Association Excursion Guides*, **7**, 118 pp.
- Eagar, R.M.C. and Xu Li (1993) A revision of the biostratigraphy of the Late Namurian-Early Westphalian succession of Westward Ho!, North Devon. *Proceedings of the Geologists' Association*, **104**, 161-79.
- Earp, J.R. (1961) Exploratory boreholes in the North Staffordshire Coalfield. *Bulletin of the Geological Survey of Great Britain*, **17**, 153-90.
- Earp, J.R. and Hains, B.A. (1971) *The Welsh Borderland* (3rd edn). British Regional Geology, Institute of Geological Sciences, HMSO, London.
- Earp, J.R., Magraw, D., Poole, E.G., Land, D.H. and Whiteman, A.J. (1961) *Geology of the Country Around Clitheroe and Nelson*. Memoirs of the Geological Survey of Great Britain.
- Eastwood, T. (1930) *The Geology of the Maryport District*. Memoirs of the Geological Survey of Great Britain.
- Eastwood, T., Dixon, E.E.L., Hollingworth, S.E. and Smith, B. (1931) *The Geology of the Whitehaven and Workington District*. Memoirs of the Geological Survey of Great Britain.
- Eden, R.A. (1954) The Coal Measures of the *Anthracinaia lenisulcata* Zone in the East Midlands Coalfield. *Bulletin of the Geological Survey of Great Britain*, **5**, 81-106.
- Eden, R.A., Stevenson, I.P. and Edwards, W. (1957) *Geology of the Country Around Sheffield*. Memoirs of the Geological Survey of Great Britain.
- Edmonds, E.A. (1974) Classification of the Carboniferous rocks of south-west England. *Report of the Institute of Geological Sciences*, **74/13**, 1-7.
- Edmonds, E.A., McKeown, M.C. and Williams, M. (1975) *South-West England* (4th edn). British Regional Geology, Institute of Geological Sciences, HMSO, London.
- Edmonds, E.A., Whittaker, A. and Williams, B.J. (1985) *Geology of the Country Around Ilfracombe and Barnstaple*. Memoirs of the Geological Survey of Great Britain.
- Edmonds, E.A., Williams, B.J. and Taylor, R.T. (1979) *Geology of Bideford and Lundy Island*. Memoirs of the Geological Survey of Great Britain.
- Edmonds, E.A., Wright, J.E., Beer, et al. (1968) *Geology of the Country Around Okehampton*. Memoirs of the Geological Survey of Great Britain.
- Edwards, W.N. (1952) *The Concealed Coalfield of Yorkshire and Nottinghamshire* (3rd edn). Memoirs of the Geological Survey of Great Britain.
- Edwards, W.N., Mitchell, G.H. and Whitehead, T.H. (1950) *Geology of the District North and East of Leeds*. Memoirs of the Geological Survey of Great Britain.
- Edwards, W.N. and Stubblefield, C.J. (1948) Marine bands and other faunal marker-horizons in relation to the sedimentary cycles of the Middle Coal Measures of Nottinghamshire and Derbyshire. *Quarterly Journal of the Geological Society of London*, **103**, 209-60.
- Edwards, W.N. and Trotter, F.M. (1954) *The Pennines and Adjacent Areas* (3rd edn). British Regional Geology, Institute of Geological Sciences, HMSO, London.
- Edwards, W.N., Wray, D.A. and Mitchell, G.H. (1940) *Geology of the Country Around Wakefield*. Memoirs of the Geological Survey of Great Britain.
- Elliott, R.E. (1968) Facies, sedimentation successions and cyclothsems in productive Coal Measures occurring in the East Midlands, Great Britain. *Mercian Geologist*, **2**, 351-71.
- Elliott, R.E. (1969) Deltaic processes and episodes: the interpretation of productive Coal Measures occurring in the East Midlands, Great Britain. *Mercian Geologist*, **3**, 111-35.
- Elliott, R.E. (1974) Interdistributary bar sequences and their genesis. *Sedimentology*, **21**, 611-22.
- Elliott, T. (1976) Upper Carboniferous sedimentary cycles produced by river dominated, elongate deltas. *Quarterly Journal of the Geological Society of London*, **132**, 199-208.

References

- Engel, B.A. (1989) SCCS field and general meeting, Utah-Nevada, September 1989. *Newsletter on Carboniferous Stratigraphy*, 7, 13-6.
- England, T. (1834) Notes on the Forest of Wyre coal-field. *Proceedings of the Geological Society of London*, 2, 20-1.
- Englund, K.J., Arndt, H.H. and Henry, T.W. (1979) *Proposed Pennsylvanian System Stratotype, Virginia and West Virginia*. American Geological Institute, Selected Guidebook Series No. 1.
- Etheridge, R. (1873) *Explanation of Sheet 23*. Memoirs of the Geological Survey of Scotland.
- Etheridge, R. (1879) *Explanation of Sheet 31*. Memoirs of the Geological Survey of Scotland.
- Evans, D.E. (1971) A traverse across the eastern part of the South Wales Coalfield via the Rhymney Valley. In *Geological Excursions in South Wales and the Forest of Dean* (eds D.A. Bassett and M.G. Bassett), Geologists' Association, South Wales Group, Cardiff, pp. 56-73.
- Evans, D.E. and Jones, R.O. (1929) Notes on the Millstone Grit of the north crop of the South Wales Coalfield. *Geological Magazine*, 66, 164-77.
- Evans, W.B., Wilson, A.A., Taylor, B.J. and Price, D. (1968) *Geology of the Country Around Macclesfield, Congleton, Crewe and Middlewich*. Memoirs of the Geological Survey of Great Britain.
- Falcon, N.F. and Kent, P.E. (1960) Geological results of petroleum exploration in Britain (1945-1957). *Memoirs of the Geological Society of London*, 2, 1-56.
- Farey, J. (1811) *General View of the Agriculture and Minerals of Derbyshire*. McMillan, London.
- Fielding, C.R. (1984a) Upper delta plain lacustrine and fluviacustrine facies from the Westphalian of the Durham coalfield, NE England. *Sedimentology*, 31, 547-67.
- Fielding, C.R. (1984b) A coal depositional model for the Durham Coal Measures of NE England. *Journal of the Geological Society of London*, 141, 919-31.
- Fielding, C.R. (1986) Fluvial channel and overbank deposits from the Westphalian of the Durham coalfield, NE England. *Sedimentology*, 33, 119-40.
- Fielding, C.R. (1987) Lower delta plain interdistributary deposits - an example from the Westphalian of the Lancashire Coalfield. *Geological Journal*, 22, 151-62.
- Fissunenko, O.P. and Laveine, J.-P. (1984) Comparaison entre la distribution des principales espèces-guides végétales du Carbonifère moyen dans le bassin du Donetz (URSS) et les bassins du Nord-Pas-de-Calais et de Lorraine (France). *Compte rendu 9e Congrès International de Stratigraphie et de Géologie Carbonifère* (Washington and Urbana, 1979), 1, 95-100.
- Ford, T.D. (1954) The Upper Carboniferous rocks of the Ingleton coalfield. *Quarterly Journal of the Geological Society of London*, 110, 231-65.
- Ford, T.D. (1955) The Upper Carboniferous rocks of the Stainmore Coalfield. *Geological Magazine*, 92, 218-30.
- Forsyth, I.H. and Chisholm, J.I. (1977) *The Geology of East Fife*. Memoirs of the Geological Survey of Great Britain.
- Fowler, A. (1936) *The Geology of the Country Around Rothbury, Amble and Ashington*. Memoirs of the Geological Survey of Great Britain.
- Fox-Strangeways, C. (1908) *The geology of the country north and east of Harrogate* (second edition). Memoirs of the Geological Survey of Great Britain.
- Francis, E.A. (1967) The Namurian and lowermost Westphalian rocks in the Goyt Syncline. In *Geological Excursions in the Sheffield Region and the Peak National Park* (eds R. Neves and C. Downie), Northend, Sheffield, pp. 109-15.
- Francis, E.A. (1978) Igneous activity in a fracture craton. *Geological Journal Special Issue*, 10, 279-96.
- Francis, E.A. (1983) Carboniferous; Carboniferous-Permian igneous rocks. In *Geology of Scotland* (2nd edn) (ed. G.Y. Craig), Scottish Academic Press, Edinburgh, pp. 253-324.
- Francis, E.A. and Ewing, C.J.C. (1961) Coal Measures and volcanism off the Fife Coast. *Geological Magazine*, 98, 501-10.
- Francis, E.A., Forsyth, I.H., Read, W.A. and Armstrong, M.A. (1970) *The Geology of the Stirling District*. Memoirs of the Geological Survey of Great Britain.
- Freshney, E.C., Edmonds, E.A., Taylor, R.T. and Williams, B.J. (1979) *Geology of the Country Around Bude and Bradworthy*. Memoirs of the Geological Survey of Great Britain.
- Freshney, E.C., McKeown, M.C. and Williams, M. (1972) *Geology of the Coast Between Tintagel and Bude*. Memoirs of the Geological Survey

References

- of Great Britain.
- Freshney, E.C. and Taylor, R.T. (1972) The Upper Carboniferous stratigraphy of north Cornwall and west Devon. *Proceedings of the Ussher Society*, **2**, 464-71.
- Frost, D.V. and Smart, J.G.O. (1979) *Geology of the Country North of Derby*. Memoirs of the Geological Survey of Great Britain.
- Fulton, I.P. and Williams, H. (1988) Palaeogeographical change and controls on Namurian and Westphalian A/B sedimentation at the southern margin of the Pennine Basin, central England. In *Sedimentation in a Synorogenic Basin Complex. The Upper Carboniferous of Northwest Europe* (eds B.M. Besly and G. Kelling), Blackie, Glasgow, pp. 178-99.
- Gastaldo, R.A., Gibson, M.A. and Gray, T.D. (1989) An Appalachian-sourced deltaic sequence, north-eastern Alabama, USA: biofacies-lithofacies relationships and interpreted community patterns. *International Journal of Coal Geology*, **12**, 225-57.
- Gayer, R.A. and Stead, J.T.G. (1971) The Forest of Dean coal and iron-ore fields. In *Geological Excursions in South Wales and the Forest of Dean* (eds D.A. Bassett and M.G. Bassett), Geologists' Association, South Wales Group, Cardiff, pp. 20-36.
- Geikie, A. (1900) *Geology of Central and Western Fife*. Memoirs of the Geological Survey of Scotland.
- George, G.T. (1970) The sedimentology of Namurian sequences in south Pembrokeshire. Unpublished Ph.D. Thesis, University of Wales (Swansea).
- George, G.T. and Kelling, G. (1982) Stratigraphy and sedimentology of Upper Carboniferous sequences in the coalfield of south-west Dyfed. In *Geological Excursions in Dyfed, South-West Wales* (ed. M.G. Bassett), National Museum of Wales, Cardiff, pp. 175-202.
- George, T.N. (1956) The Namurian Usk anticline. *Proceedings of the Geologists' Association*, **66**, 297-316.
- George, T.N. (1970) *British Regional Geology: South Wales*, 3rd edn. Institute of Geological Sciences, HMSO, London.
- George, T.N. (1974) Fossil molluscs and molluscs in stratigraphy: the geological work of A.E. Trueman. In *The Upper Palaeozoic and post-Palaeozoic rocks of Wales* (ed. T.R. Owen), University of Wales Press, Cardiff, pp. 1-30.
- George, T.N. and Wagner, R.H. (1969) Report of the International Union of Geological Sciences Subcommission on Carboniferous Stratigraphy. *Compte rendu 6e Congrès International de Stratigraphie et de Géologie Carbonifère* (Sheffield, 1967), **1**, xlvi-xlv.
- George, T.N. and Wagner, R.H. (1970) Report and proceedings of the meeting of the IUGS Subcommission on Carboniferous Stratigraphy held at Liège, 16th to 18th April, 1969. *Les Congrès et Colloques de l'Université de Liège*, **55**, 151-65.
- George, T.N. and Wagner, R.H. (1972) IUGS Subcommission on Carboniferous Stratigraphy. Proceedings and report of the General Assembly at Krefeld, August 21-22. *Compte rendu 7e Congrès International de Stratigraphie et de Géologie Carbonifère* (Krefeld, 1971), **1**, 139-47.
- Gibson, W. (1905) *The Geology of the North Staffordshire Coalfields*. Memoirs of the Geological Survey of Great Britain.
- Gibson, W. (1913) A boring for coal at Claverley, near Bridgnorth, and its bearing on the extension westwards of the South Staffordshire Coalfield. *Transactions of the Institute of Mining Engineers*, **45**, 30-48.
- Gibson, W. (1925) *The Geology of the Country Around Stoke-on-Trent*. Memoirs of the Geological Survey of Great Britain.
- Gibsone, E. (1861) A geological paper on the Borders district of Dumfriesshire, Cumberland and part of Roxburghshire, including the coal formation of Canonbie, etc. *Transactions of the North England Institute of Mining and Mechanical Engineers*, **11**, 65-88.
- Gilligan, A. (1920) The petrography of the Millstone Grit of Yorkshire. *Quarterly Journal of the Geological Society of London*, **75**, 251-96.
- Goldring, R. (1962) The bathyal lull: Upper Devonian and Lower Carboniferous sedimentation in the Variscan geosyncline. In *Some Aspects of the Variscan Fold Belt* (ed. K. Coe), University Press, Manchester, pp. 75-91.
- Goodchild, J.G. (1890) Former extent of Coal Measures in N.W. England. *Transactions of the Westmorland Natural History Association*, **7**.
- Goode, R.H. (1913) On the fossil flora of the Pembrokeshire portion of the South Wales coalfield. *Quarterly Journal of the Geological Society of London*, **69**, 252-76.
- Goossens, R.F. (1952) Marine bands proved in the new borings at Wentbridge and Darrington, Yorkshire. *Proceedings of the Yorkshire Geological Society*, **28**, 188-220.
- Goossens, R.F. and Bell, B.H. (1969) Barnsley. 15th

References

- July, 1968. *Proceedings of the Yorkshire Geological Society*, **37**, 173-5.
- Goossens, R.F. and Smith, E.G. (1973) Stratigraphy and structure of the Upper Coal Measures in the exposed Yorkshire coalfields between Pontefract and South Kirby. *Proceedings of the Yorkshire Geological Society*, **39**, 487-514.
- Gothan, W. (1951) Die merkwürdige pflanzengeographischen Besonderheiten in den mitteleuropäischen Karbonflora. *Palaeontographica*, **B 91**, 109-30.
- Gothan, W. (1954) Pflanzengeographisches aus dem mitteleuropäischen Karbon. *Geologie*, **3**, 219-57.
- Grainger, P. (1983) Aspects of the engineering geology of mudrocks, with special reference to the Crackson Formation of southwest England. Unpublished Ph.D. Thesis, University of Exeter.
- Grainger, P. and Witte, G. (1981) Clay mineral assemblages of Namurian shales in Devon and Cornwall. *Proceedings of the Ussher Society*, **5**, 168-78.
- Green, A.H. (1867) On the Lower Carboniferous rocks of North Wales. *Geological Magazine*, **4**, 11-4.
- Green, A.H., Russell, R., Dakyns, J.R., et al. (1878) *The Geology of the Yorkshire coalfield*. Memoirs of the Geological Survey of Great Britain.
- Greenwell, G.C. and McMurtrie, J. (1864) *The Radstock Portion of the Somersetshire Coalfield*. Privately published, Newcastle upon Tyne.
- Greig, D.C., Wright, J.E., Hains, B.A. and Mitchell, G.H. (1968) *Geology of the Country Around Church Stretton, Craven Arms, Wenlock Edge and Brown Clee*. Memoirs of the Geological Survey of Great Britain.
- Grossart, W. (1868) On the Upper Coal Measures of Lanarkshire. *Transactions of the Geological Society of Glasgow*, **13**, 96-113.
- Guion, P.D. (1971) A sedimentological study of the Crawshaw Sandstone (Westphalian A) in the East Midlands Coalfield area. Unpublished M.Sc. Thesis, University of Keele.
- Guion, P.D. (1984) Crevasse splay deposits and roof-rock quality in the Threequarters Seam (Carboniferous) in the East Midlands Coal-field. *Special Publication of the International Association of Sedimentologists*, **7**, 291-308.
- Guion, P.D. (1987a) The influence of a palaeochannel on seam thickness in the Coal Measures of Derbyshire, England. *International Journal of Coal Geology*, **7**, 269-99.
- Guion, P.D. (1987b) Palaeochannels in mine workings in the High Hazels Coal (Westphalian B), Nottinghamshire Coalfield, England. *Journal of the Geological Society of London*, **144**, 471-88.
- Guion, P.D. and Fielding, C.R. (1988) Westphalian A and B sedimentation in the Pennine Basin, UK. In *Sedimentation in a Synorogenic Basin Complex. The Upper Carboniferous of Northwest Europe* (eds B.M. Besly and G. Kelling), Blackie, Glasgow, pp. 153-77.
- Gunn, W. (1903) *The Geology of North Arran, South Bute and the Cumbraes*. Memoirs of the Geological Survey of Great Britain.
- Guthörl, P. (1934) Die Arthropoden aus dem Carbon und Perm des Saar-Nahe-Pfalz-Gebietes. *Abhandlung der Preussischen Geologischen Landesanstalt*, **164**.
- Hains, B.A. and Horton, A. (1969) *Central England* (3rd edn). British Regional Geology, Institute of Geological Sciences, HMSO, London.
- Hall, E. (1836) *Introduction to the Mineralogical and Geological Map of the Coalfield of Lancashire*. Privately published, Manchester.
- Hall, T.Y. (1854) The extent and probable duration of the Northern Coalfield; with remarks on the coal trade in Northumberland and Durham. *Transactions of the North England Institute of Mining Engineers*, **2**, 104-236.
- Hancock, A. and Atthey, T. (1868) Notes on the remains of some reptiles and fishes from the shales of the Northumberland coal field. *Transactions of the Natural History Society of Northumberland, Durham and Newcastle upon Tyne*, **3**, 66-120.
- Hancock, A. and Atthey, T. (1869) On a new labyrinthodont amphibian from the Northumberland coal field, and on the occurrence in the same locality of *Anthracosaurus russelli*. *Transactions of the Natural History Society of Northumberland, Durham and Newcastle upon Tyne*, **3**, 310-9.
- Hancock, A. and Atthey, T. (1870) Note on a new undescribed fossil fish from the Newsham Coal-shale, near Newcastle on Tyne. *Transactions of the Natural History Society of Northumberland, Durham and Newcastle upon Tyne*, **4**, 199-201.
- Hancock, A. and Atthey, T. (1871) Descriptive notes on a nearly entire specimen of *Pleuroodus rankinii*, on two new species of

References

- Platysomus* and a new *Ampbricentrum*, with remarks on a few other fish-remains found in the Coal Measures at Newsham. *Transactions of the Natural History Society of Northumberland, Durham and Newcastle upon Tyne*, **4**, 408-23.
- Handlirsch, A. (1906) Revision of American Paleozoic insects. *Proceedings of the U.S. National Museum*, **29**, 661-828.
- Hannah, D. (1892) Roofs of some of the principle seams of coal in the Rhondda valleys, and how to treat them. *Proceedings of the South Wales Institute of Engineers*, **17**, 177-99, 256-61, 414-20.
- Hardie, W.G., Bennison, G.M., Garrett, P.A., et al. (1971) *The Area Around Birmingham* (2nd edn). Geologists' Association Excursion Guide No. 1.
- Hardy, P.G. (1970a) New xiphosurid trails from the Upper Carboniferous of northern England. *Palaeontology*, **13**, 188-90.
- Hardy, P.G. (1970b) Aspects of palaeoecology in arenaceous sediments of Upper Carboniferous age in the area around Manchester. Unpublished Ph.D. Thesis, University of Manchester.
- Harland, W.B., Cox, A.V., Llewellyn, P.G., et al. (1982) *A Geologic Time Scale*. Cambridge University Press, Cambridge.
- Harms, J.C., Southard, J.B., Spearing, D.R. and Walker, R.G. (1975) *Short Course 2. Depositional Environments as Interpreted from Primary Sedimentary Structures and Stratification Sequences*. Society of Economic Paleontologists and Mineralogists, Tulsa.
- Haszeldine, R.S. (1981) Westphalian B coalfield sedimentology in NE England and its regional setting. Unpublished Ph.D. Thesis, University of Strathclyde.
- Haszeldine, R.S. (1983a) Descending tabular cross-bed sets and bounding surfaces from a fluvial channel in the Upper Carboniferous coalfield of north-east England. *Special Publication for the International Association of Sedimentologists*, **6**, 449-56.
- Haszeldine, R.S. (1983b) Fluvial bars reconstructed from a deep, straight channel, Upper Carboniferous coalfield of northeast England. *Journal of Sedimentary Petrology*, **53**, 1233-47.
- Haszeldine, R.S. (1984a) Muddy deltas in freshwater lakes, and tectonism in the Upper Carboniferous coalfield of NE England. *Sedimentology*, **31**, 811-22.
- Haszeldine, R.S. (1984b) Carboniferous North Atlantic palaeogeography: stratigraphic evidence for rifting, not megashear or subduction. *Geological Magazine*, **121**, 443-63.
- Haszeldine, R.S. (1988) Crustal lineaments in the British Isles: their relationships to Carboniferous basins. In *Sedimentation in a Synorogenic Basin Complex. The Upper Carboniferous of Northwest Europe* (eds B.M. Besly and G. Kelling), Blackie, Glasgow, pp. 53-68.
- Haszeldine, R.S. and Anderton, R. (1980) A braidplain facies model for the Westphalian B Coal Measures of north-east England. *Nature, London*, **284**, 51-3.
- Haubold, H. and Sarjeant, W.A.S. (1973) Tetrapodenfahrten aus den Keele und Enville Groups (Permokarbon: Stefan und Autun) von Shropshire und South Staffordshire, Grossbritannien. *Zeitschrift für Geologische Wissenschaften*, **1**, 895-933.
- Haudour, J. and Sarrot-Reynauld, J. (1960) Rapports du Westphalien supérieur et du Stéphanien dans les massifs cristalins externes des Alpes occidentales. *4e Congrès pour l'Avancement des Études de Stratigraphie Carbonifère, Compte rendu* (Heerlen, 1958), **1**, 263-76.
- Heath, C.W. (1975) A sedimentological and palaeogeographical study of the Namurian Rough Rock in the southern Pennines. Unpublished Ph.D Thesis, University of Keele.
- Hedberg, H.D. (1976) *International Stratigraphic Guide*. Wiley, London and New York.
- Hedemann, H.A. and Teichmüller, R. (1971) The palaeogeographical development of the Upper Carboniferous. *Fortschritte in der Geologie von Rheinland und Westfalen*, **19**, 132-45.
- Heide, S. van der (1943) Les lamellibranches limiques du terrain houiller du Limbourg du Sud. *Mededelingen van de Geologische Stichting, Serie C*, **4-3-1**, 1-94.
- Heide, S. van der (1960) Report on the stratigraphical colloquium. *4e Congrès pour l'Avancement des Études de Stratigraphie Carbonifère, Compte rendu* (Heerlen, 1958), **1**, xxiii.
- Higgins, A.C. (1975) Conodont zonation of the late Visean-early Westphalian strata of the south and central Pennines of northern England. *Bulletin of the Geological Survey of Great Britain*, **53**, 1-90.
- Higgins, A.C. (1982) A mid-Carboniferous boundary in the western Europe conodont

References

- sequence. In *Biostratigraphic Data for a Mid-Carboniferous Boundary* (eds W.H.C. Ramsbottom, W.B. Saunders and B. Owens). Subcommission on Carboniferous Stratigraphy, Leeds, pp. 13-4.
- Higgins, A.C. (1985) The Carboniferous System. Part 2 - Conodonts of the Silesian Subsystem from Great Britain and Ireland. In *A Stratigraphical Index of Conodonts* (eds A.C. Higgins and R.L. Austin), Ellis Horwood, Chichester, pp. 210-27.
- Higgs, R. (1984) Possible wave-influenced sedimentary structures in the Bude Formation (Lower Westphalian, south-west England), and their environmental implications. *Proceedings of the Ussher Society*, **6**, 88-94.
- Higgs, R. (1986) The 'South British Fault': 200 km of Stephanian-Early Permian dextral wrenching on an east-west fault through the Bristol Channel. In *Controls of Upper Carboniferous Sedimentation in North-west Europe* (eds B.M. Besly, et al.), Conference abstracts, University of Keele, UK, 12-13 April 1986, pp. 19-20.
- Hind, W. (1893) On the affinities of *Anthracoptera* and *Anthracomya*. *Quarterly Journal of the Geological Society of London*, **49**, 249-75.
- Hind, W. (1894-1896) A monograph on *Carbonicola*, *Anthracomya* and *Naiadites*. Palaeontographical Society, London.
- Hind, W. (1896-1905) *British Carboniferous Lamellibranchiata*. Palaeontographical Society, London.
- Hind, W. (1899) On three new species of lamellibranchs from the Carboniferous rocks of Great Britain. *Quarterly Journal of the Geological Society of London*, **51**, 365-71.
- Hind, W. (1910) Staffordshire. In *Geology in the Field*, 3. Geologists' Association, London, pp. 564-91.
- Hind, W. (1914) Palaeontological notes on the Millstone Grit beds between Masham and Great Whernside. *Proceedings of the Yorkshire Geological Society*, **19**, 25-34.
- Hind, W. (1918) On the distribution of the British Carboniferous goniatites with a description of one new genus and some new species. *Geological Magazine*, **55**, 434-50.
- Hind, W. and Stobbs, J.T. (1903) *Chart of Fossil Shells Found in Connection with the Seams of Coal and Ironstone of N. Staffordshire*. North Staffordshire Institute of Mining and Mechanical Engineers, Stoke-on-Trent.
- Hodson, F. (1942) Marine bands in the Millstone Grit east of Whalley, Lancashire. *Proceedings of the Yorkshire Geological Society*, **25**, 136-9.
- Hodson, F. (1957) Marker horizons in the Namurian of Britain, Ireland, Belgium and western Germany. *Publications Association pour l'Étude de la Paléontologie et de la Stratigraphie Houillères*, **24**, 1-26.
- Hodson, F. (1959) The palaeogeography of *Homoceras* times in western Europe. *Bulletin de la Société Belge de Géologie, de Paléontologie et d'Hydrologie*, **68**, 134-50.
- Holdsworth, B.K. (1963) Prefluvial, autogeosynclinal sedimentation in the Namurian of the southern Central Province. *Nature, London*, **199**, 133-5.
- Holdsworth, B.K. and Collinson, J.D. (1988) Millstone Grit cyclicity revisited. In *Sedimentation in a Synorogenic Basin Complex. The Upper Carboniferous of Northwest Europe* (eds B.M. Besly and G. Kelling), Blackie, Glasgow, pp. 129-52.
- Holub, V.M. (1977) The Permo-Carboniferous continental basins of Bohemia and Moravia. In *Symposium on Carboniferous Stratigraphy* (eds V.M. Holub and R.H. Wagner), Geological Survey, Prague, pp. 205-31.
- Hopkins, W. (1928) The distribution of the mussel bands of the Northumberland and Durham Coalfield. *Proceedings of the University of Durham Philosophical Society*, **8**, 1-14.
- Hopkins, W. (1929) The distribution and sequence of the non-marine lamellibranchs in the Coal-Measures of Northumberland and Durham. *Transactions of the Institute of Mining Engineers*, **78**, 126-44.
- Hopkins, W. (1930) A revision of the Upper Carboniferous non-marine lamellibranchs of Northumberland and Durham and a record of their sequence. *Transactions of the Institute of Mining Engineers*, **80**, 101-257.
- Hopkins, W. (1933) A record of the *Anthracomya librata* group from the Coal Measures of Northumberland. *Proceedings of the University of Durham Philosophical Society*, **9**, 73-8.
- Hopkins, W. (1934) *Lingula* horizons in the Coal Measures of Northumberland and Durham. *Geological Magazine*, **71**, 183-9.
- Hopkins, W. (1935) A record of the Upper Carboniferous non-marine lamellibranchs from the Bates Sinking, Blyth, Northumberland. *Transactions of the Institute of Mining Engineers*

References

- Engineers*, **89**, 48-56.
- House, M.R. and Selwood, E.B. (1966) Palaeozoic palaeontology in Devon and Cornwall. Present views of some aspects of the geology of Cornwall and Devon. *Royal Geological Society of Cornwall, Commemorative Volume* (for 1964), pp. 45-86.
- Howell, A. (1927) The correlation of the coals in the Lower Coal Series of the East Glamorgan and Monmouthshire Coalfield. *Proceedings of the South Wales Institute of Engineers*, **43**, 321-81, 386-96; **44**, 186-93.
- Howell, H.H. (1859) *Geology of the Warwickshire Coalfield and the Permian rocks and Trias of the surrounding district*. Memoirs of the Geological Survey of Great Britain.
- Howse, R. (1857) Notes on the Permian System of Northumberland and Durham. *Annals and Magazine of Natural History* (Series 2), **19**, 33-52, 304-12, 463-73.
- Howse, R. (1890) Contributions towards a catalogue of the flora of the Carboniferous System of Northumberland and Durham. Part I - Fossil plants from the Hutton Collection. *Transactions of the Natural History Society of Northumberland, Durham and Newcastle upon Tyne*, **10**, 19-151.
- Hudson, R.G.S. (1936) Millstone Grit succession south of Harrogate. *Transactions of the Leeds Geological Association*, **5**, 210-5.
- Hudson, R.G.S. (1945) The goniatic zones of the Namurian. *Geological Magazine*, **82**, 1-9.
- Hudson, R.G.S. and Cotton, G. (1943) The Namurian of Alport Dale, Derbyshire. *Proceedings of the Yorkshire Geological Society*, **25**, 141-73.
- Hudson, R.G.S. and Cotton, G. (1945) The Carboniferous rocks of the Edale anticline, Derbyshire. *Quarterly Journal of the Geological Society of London*, **101**, 1-36.
- Hull, E. (1861) *The Coal-Fields of Great Britain* (2nd edn), Edward Stanford, London.
- Hull, E. and Green, A.H. (1864) On the Millstone Grit of north Staffordshire and the adjoining parts of Derbyshire, Cheshire and Lancashire. *Quarterly Journal of the Geological Society of London*, **20**, 242-67.
- Hull, E. and Green, A.H. (1866) *Geology of the Country Around Stockport, Macclesfield, Congleton and Leek*. Memoirs of the Geological Survey of Great Britain.
- Hull, J.H. (1968) The Namurian Stages of north-eastern England. *Proceedings of the Yorkshire Geological Society*, **36**, 297-308.
- Hurst, T.G. (1860) On some peculiarities of the Tyne Low Main Seam. *Transactions of the North England Institute of Mining Engineers*, **8**, 23-31.
- Hutton, W. (1831) Notes on the New Red Sandstone of the County Durham, below the Magnesian Limestone. *Transactions of the Natural History Society of Northumberland, Durham and Newcastle upon Tyne*, **1**, 60-74.
- Ick, W. (1845) Description of the remains of numerous fossil dicotyledonous trees in an outcrop of the Bottom Coal at Parkfield Colliery, near Bilston. *Quarterly Journal of the Geological Society of London*, **1**, 43.
- Insole, H.R. and Bunning, C.L. (1881) The Forest of Dean Coalfield. *Journal of the British Society of Mining Students*, **6**, 61-94.
- Jackson, J.W. (1923) On the correlation of the Yoredales and Pendelsides. *Naturalist, Hull*, **801**, 337-8.
- Jackson, J.W. (1925a) Sabden Shale fossils near Holywell, Flintshire. *Naturalist, Hull*, **821**, 183.
- Jackson, J.W. (1925b) The relation of the Edale Shales to the Carboniferous Limestone in north Derbyshire. *Geological Magazine*, **62**, 267-74.
- Jackson, J.W. (1926) The goniatic zones below the Kinder Scout Grit in north Derbyshire. *Naturalist, Hull*, **834**, 205-7.
- Jackson, J.W. (1927) The succession below the Kinder Scout Grit in north Derbyshire. *Journal of the Manchester Geologists' Association*, **1**, 15-32.
- Jarzemowski, E.A. (1989) Writlington Geological Nature Reserve. *Proceedings of the Geologists' Association*, **100**, 219-34.
- Jenkins, T.B.H. (1954) The sequence of non-marine lamellibranchs in the Pembrokeshire Coalfield. Unpublished Ph.D. Thesis, University of Wales (Swansea).
- Jenkins, T.B.H. (1960) Non-marine lamellibranch assemblages from the Coal Measures (Upper Carboniferous) of Pembrokeshire, west Wales. *Palaeontology*, **3**, 104-23.
- Jenkins, T.B.H. (1962) The sequence and correlation of the Coal Measures of Pembrokeshire. *Quarterly Journal of the Geological Society of London*, **118**, 65-101.
- Johnson, G.A.L. (1981) Geographical evolution from Laurasia to Pangea. *Proceedings of the Yorkshire Geological Society*, **43**, 221-52.
- Johnson, G.A.L. (1982) Geographical change in Britain during the Carboniferous Period. *Proceedings of the Yorkshire Geological Society*, **44**, 181-203.

References

- Johnson, G.A.L. (1984) Subsidence and sedimentation in the Northumberland Trough. *Proceedings of the Yorkshire Geological Society*, **45**, 71-83.
- Johnstone, G.S. (1966) *The Grampian Highlands* (3rd edn). British Regional Geology, Institute of Geological Sciences, HMSO, London.
- Jones, C.M. (1980) Deltaic sedimentation in the Roaches Grit and associated sediments (Namurian R_{2B}) in the south-west Pennines. *Proceedings of the Yorkshire Geological Society*, **43**, 39-67.
- Jones, D. (1871) On the co-relation of the Carboniferous deposits of Cornbrook, Brown Clee, Harcott, and Coalbrook-Dale. *Geological Magazine*, **8**, 363-71.
- Jones, D. (1873) On the Carboniferous deposit of the Brown Clee Hill and its relation to contiguous coal-fields. *Geological Magazine*, **10**, 348-51.
- Jones, D.G. (1958) A note on new Namurian plant localities at the head of the Neath Valley. *Geological Magazine*, **66**, 164-77.
- Jones, D.G. (1969) The Namurian succession between Tenby and Waterwynch, Pembrokeshire. *Geological Journal*, **6**, 267-72.
- Jones, D.G. (1971) The base of the Namurian in South Wales. *Compte rendu 6e Congrès International de Stratigraphie et de Géologie Carbonifère* (Sheffield, 1967), **3**, 1023-9.
- Jones, D.G. (1974) The Namurian Series in South Wales. In *The Upper Palaeozoic and Post-Palaeozoic Rocks of Wales* (ed. T.R. Owen), University of Wales Press, Cardiff, pp. 117-32.
- Jones, D.G. and Owen, T.R. (1957) The rock succession and geological structure of the Pyrddin, Sychryd and Upper Cynon valleys, South Wales. *Proceedings of the Geologists' Association*, **67**, 232-50.
- Jones, D.G. and Owen, T.R. (1961) The age and relationships of the Cornbrook Sandstone. *Geological Magazine*, **98**, 285-94.
- Jones, D.G. and Owen, T.R. (1967) The Millstone Grit succession between Brynmawr and Blaenaveg. *Proceedings of the Geologists' Association*, **77**, 187-98.
- Jones, E.D. (1882) Description of a section across the River Severn based upon the borings and excavations made for the Severn Tunnel. *Proceedings of the Geologists' Association*, **7**, 339-51.
- Jones, J.A. (1989a) *Sedimentation and Tectonics in the Eastern Part of the South Wales Coalfield*. Unpublished Ph.D. Thesis, University of Wales, Cardiff.
- Jones, J.A. (1989b) The influence of contemporaneous tectonic activity on Westphalian sedimentation in the South Wales Coalfield. In *The Role of Tectonics in Devonian and Carboniferous Sedimentation in the British Isles* (eds R.S. Arthurton, P. Gutteridge and S.C. Nolan), Yorkshire Geological Society, Wigley, pp. 243-53.
- Jones, J.M. (1967) The geology of the coast section from Tynemouth to Seaton Sluice. *Transactions of the Natural History Society of Northumberland, Durham and Newcastle upon Tyne*, New Series **16**, 153-92.
- Jones, P.C. (1972) Quartzarenite and litharenite facies in the fluvial foreland deposits of the Trenchard Group (Westphalian), Forest of Dean, England. *Sedimentary Geology*, **8**, 177-98.
- Jones, R.C.B. and Lloyd, W. (1942) The stratigraphy of the Millstone Grit of Flintshire. *Journal of the Manchester Geological Association*, **1**, 247-62.
- Jongmans, W.J. (1928) Congrès pour l'étude de la stratigraphie du Carbonifère dans les différents centres houillers de l'Europe. *Congrès pour l'Avancement des Études de Stratigraphie Carbonifère, Compte rendu* (Heerlen, 1927), v-liii.
- Jongmans, W.J. and Gothon, W. (1937) Betrachtungen über die Ergebnisse des zweiten Kongresses für Karbonstratigraphie. *2e Congrès pour l'Avancement des Études de Stratigraphie Carbonifère, Compte rendu* (Heerlen, 1935), **1**, 1-40.
- Jordan, H.K. (1876) The Pencoed, Mynydd-y-Gaer, and Gilfach-Goch mineral districts. *Transactions of the South Wales Institute of Engineers*, **9**, 250-70; **10**, 38-41, 73-80, 109, 160-73, 263-6.
- Jordan, H.K. (1903) Notes on the south trough of the coalfield, east Glamorgan. *Proceedings of the South Wales Institute of Engineers*, **23**, 131-56, 189-204, 323-37, 359-68.
- Jordan, H.K. (1908) The South Wales Coalfield: section and notes. With Appendix I and II. *Proceedings of the South Wales Institute of Engineers*, **26**, 1-84, 225-50, 437-77.
- Jordan, H.K. (1910) The South Wales Coalfield. Part II. *Proceedings of the South Wales Institute of Engineers*, **27**, 172-254, 282-6, 308-12, 361-77, 489-502, 537-47.
- Jordan, H.K. (1910) The South Wales Coalfield. Part III. *Proceedings of the South Wales*

References

- Institute of Engineers*, **31**, 49–135, 259–74, 412–21, 480–5.
- Joseph, T. (1878) The Secondary Rocks of Scotland: Third Paper – the strata of the western coast and islands. *Quarterly Journal of the Geological Society of London*, **34**, 684–6.
- Joseph, T. (1880) Observations on the clayband-ironstone or ‘mine’ of the northern outcrop of the South Wales Coal-field. *Proceedings of the South Wales Institute of Engineers*, **12**, 255–84.
- Josten, K.-H. (1962) *Neuropteris semireticulata*, eine neue Art als Bindelied zwischen den Gattungen *Neuropteris* und *Reticulopteris*. *Paläontologische Zeitschrift*, **36**, 33–45.
- Judd, J.W. (1874) Existence of Carboniferous rocks in the Highlands of Scotland. *Geological Magazine*, **11**, 573–4.
- Jukes, J.B. (1859) *The South Staffordshire Coalfield*. Memoirs of the Geological Survey of Great Britain.
- Kellaway, G.A. (1967) The Geological Survey Ashton Park borehole and its bearing on the geology of the Bristol district. *Bulletin of the Geological Survey of Great Britain*, **27**, 49–153.
- Kellaway, G.A. (1970) The Upper Coal Measures of south west England compared with those of South Wales and the southern Midlands. *Compte rendu 6e Congrès International de Stratigraphie et de Géologie Carbonifère* (Sheffield, 1967), **2**, 1039–56.
- Kellaway, G.A. and Hancock, P.L. (1983) Structure of the Bristol district, the Forest of Dean and the Malvern Fault Zone. In *The Variscan Fold Belt in the British Isles* (ed. P.L. Hancock), Adam Hilger, Bristol, pp. 88–107.
- Kellaway, G.A. and Welch, F.B.A. (1948) *Bristol and Gloucester District* (2nd edn). British Regional Geology, Institute of Geological Sciences, HMSO, London.
- Kellaway, G.A. and Welch, F.B.A. (1993) *Geology of the Bristol district*. Memoirs of the Geological Survey of Great Britain.
- Kelling, G. (1964) Sediment transport in parts of the Lower Pennant Measures of South Wales. In *Developments In Sedimentology. Volume 1. Deltaic and Shallow Marine Sediments* (ed. L. Van Straaten), Elsevier, Amsterdam, pp. 177–84.
- Kelling, G. (1968) Patterns of sedimentation in the Rhondda Beds of South Wales. *Bulletin of the American Association of Petroleum Geologists*, **52**, 2369–86.
- Kelling, G. (1969) The environmental significance of cross stratification parameters in an Upper Carboniferous fluvial basin. *Journal of Sedimentary Petrology*, **39**, 857–75.
- Kelling, G. (1971) Upper Carboniferous sedimentation in the central part of the South Wales Coalfield. In *Geological Excursions In South Wales and The Forest of Dean* (eds D.A. Bassett and M.G. Bassett), Geologists' Association, South Wales Group, Cardiff, pp. 85–95.
- Kelling, G. (1974) Upper Carboniferous sedimentation in south Wales. In *The Upper Palaeozoic and post-Palaeozoic rocks of Wales* (ed. T.R. Owen), University of Wales Press, Cardiff, pp. 185–224.
- Kelling, G. (1988) Silesian sedimentation and tectonics in the South Wales Basin: a brief review. In *Sedimentation in a Synorogenic Basin Complex. The Upper Carboniferous of Northwest Europe* (eds B.M. Besly and G. Kelling), Blackie, Glasgow, pp. 38–42.
- Kelling, G. and George, G.T. (1971) Upper Carboniferous sedimentation in the Pembrokeshire coalfield. In *Geological Excursions in South Wales and the Forest of Dean* (eds D.A. Bassett and M.G. Bassett), Geologists' Association, South Wales Group, Cardiff, pp. 240–59.
- Kendall, J.D. (1883) The structure of the Cumberland Coalfield. *Transactions of the Institute of Mining Engineers*, **32**, 319–61.
- Kendall, J.D. (1895) The Whitehaven Sandstone Series. *Quarterly Journal of the Geological Society of London*, **51**, 235–6.
- Kendall, J.D. (1896) The Whitehaven Sandstone Series. *Transactions of the Institute of Mining Engineers*, **10**, 202–24.
- Kidston, R. (1887) On the fossil flora of the Radstock Series of the Somerset and Bristol Coal Field (Upper Coal Measures). Part I. *Transactions of the Royal Society of Edinburgh*, **33**, 336–417.
- Kidston, R. (1888a) On the fossil plants in the Ravenhead Collection in the Free Library and Museum, Liverpool. *Transactions of the Royal Society of Edinburgh*, **35**, 391–417.
- Kidston, R. (1888b) On the fossil flora of the Staffordshire Coal Fields. *Transactions of the Royal Society of Edinburgh*, **35**, 317–35.
- Kidston, R. (1890) The Yorkshire Carboniferous flora (Part 1). *Transactions of the Yorkshire Nature Union*, **14**, 1–64.
- Kidston, R. (1891) On the fossil flora of the

References

- Staffordshire Coal Fields, Part II - The fossil flora of the Potteries Coal Field. *Transactions of the Royal Society of Edinburgh*, **36**, 63-98.
- Kidston, R. (1892) Notes on some fossil plants from the Lancashire Coal Measures. *Manchester Geological and Mining Society Transactions*, **21**, 401-28.
- Kidston, R. (1893) The Yorkshire Carboniferous flora (Parts 2-4). *Transactions of the Yorkshire Nature Union*, **18**, 65-128.
- Kidston, R. (1895) On the fossil flora of the Yorkshire Coal Field (First paper). *Transactions of the Royal Society of Edinburgh*, **38**, 203-23.
- Kidston, R. (1896) On the fossil flora of the Yorkshire Coal Field (Second paper). *Transactions of the Royal Society of Edinburgh*, **39**, 33-62.
- Kidston, R. (1897) Additional records and notes on the fossil flora of the Potteries Coalfield, North Staffordshire. *Report and Transactions of the North Staffordshire Field Club*, **31**, 127.
- Kidston, R. (1903a) The fossil plants of the Canonbie Coalfield. *Memoirs of the Geological Survey, Summary of Progress 1902*, 209-16.
- Kidston, R. (1903b) The fossil plants of the Carboniferous rocks of Canonbie, Dumfrieshire, and of parts of Cumberland and Northumberland. *Transactions of the Royal Society of Edinburgh*, **40**, 741-833.
- Kidston, R. (1905) Divisions and correlation of the upper portion of the Coal-Measures, with special reference to their development in the Midland counties of England. *Quarterly Journal of the Geological Society of London*, **61**, 308-21.
- Kidston, R. (1914) On the fossil flora of the Staffordshire Coal Fields, Part III - The fossil flora of the Westphalian Series of the South Staffordshire Coal Field. *Transactions of the Royal Society of Edinburgh*, **50**, 73-190.
- Kidston, R. (1922) List of fossil plants from the Upper Carboniferous rocks of the Northumberland and Durham Coalfield and their bearing on the age of the coalfield. *Memoirs of the Geological Survey, Summary of Progress 1921*, 129-45.
- Kidston, R. (1923-5) The fossil plants of the Carboniferous rocks of Great Britain. *Memoirs of the Geological Survey of Great Britain, Palaeontology*, Part 1 (1923a), 1-110; Part 2 (1923b), 111-98; Part 3 (1923c), 199-274; Part 4 (1923d), 275-376; Part 5 (1924), 377-522; Part 6 (1925), 523-670.
- Kidston, R., Cantrill, T.C. and Dixon, E.E.L. (1917) The Forest of Wyre and Titterstone Clee coal fields. *Transactions of the Royal Society of Edinburgh*, **51**, 999-1084.
- King, A.F. (1965) Xiphosurid trails from the Upper Carboniferous of Bude, north Cornwall. *Proceedings of the Geological Society of London*, **1626**, 162-5.
- King, A.F. (1966) Structure and stratigraphy of the Upper Carboniferous Bude Sandstones, north Cornwall. *Proceedings of the Ussher Society*, **1**, 229-32.
- King, A.F. (1967) Stratigraphy and structure of the Upper Carboniferous Bude Formation, north Cornwall. Unpublished Ph.D. Thesis, University of Reading.
- King, W.B.R. (1914) [Stratigraphical position of the Holywell Shales.] Memoirs of the Geological Survey of Great Britain, *Summary of Progress 1913*, 12-4.
- Kirk, M. (1983) Bar development in a fluvial sandstone (Westphalian 'A'), Scotland. *Sedimentology*, **30**, 727-42.
- Kirkby, J.W. (1864) On the occurrence of fossils in the highest beds of the Durham Coal Measures. *Transactions of the Tyneside Naturalists' Field Club*, **6**, 220-5.
- Kirkby, J.W. (1867) On the remains of insects from the Coal-Measures of Durham. *Geological Magazine*, **4**, 388-90.
- Kirkby, J.W. (1888) On the occurrence of marine fossils in the Coal-Measures of Fife. *Quarterly Journal of the Geological Society of London*, **44**, 747-54.
- Kirkby, J.W. and Atthey, T. (1864) On some fish remains from the Durham and Northumberland Coal Measures. *Transactions of the Tyneside Naturalists' Field Club*, **6**, 231-5.
- Kneuper, G. (1970) General outline of the limnic coal basin of Saarland. *Les Congrès et Colloques de l'Université de Liège*, **55**, 65-71.
- Knox, E.M. (1942) The microspores in some coals of the Productive Coal Measures in Fife. *Transactions of the Institute of Mining Engineers*, **101**, 98-112.
- Knox, E.M. (1946) Microspores in the Productive Coal Measures of the Central coalfield of Scotland. *Transactions of the Institute of Mining Engineers*, **105**, 137-42, 268-70.
- Kossmatt, F. (1927) Gliederung des varistichen Gebirgebaues. *Abhandlungen des Sächsischen Geologischen Landesamts*, **1**, 1-39.
- Kotas, A. (1985) Structural evolution of the Upper Silesian coal basin (Poland). *Compte rendu*

References

- 10e Congrès International de Stratigraphie et de Géologie Carbonifère (Madrid, 1983), 3, 459-69.
- Kozur, H. (1984) Carboniferous-Permian boundary in marine and continental sediments. *Compte rendu 9e Congrès International de Stratigraphie et de Géologie Carbonifère* (Washington and Urbana, 1979), 2, 577-86.
- Kuenen, Ph. H. (1949) Slumping in the Carboniferous rocks of Pembrokeshire. *Quarterly Journal of the Geological Society of London*, **104**, 365-85.
- Land, D.H. (1974) *Geology of the Tynemouth District*. Memoirs of the Geological Survey of Great Britain.
- Lane, H.R. and Baesemann, J.F. (1982) A mid-Carboniferous boundary based on conodonts and revised intercontinental correlations. In *Biostratigraphic Data for a Mid-Carboniferous Boundary* (eds W.H.C. Ramsbottom, W.B. Saunders and B. Owens), Subcommission on Carboniferous Stratigraphy, Leeds, pp. 6-12.
- Lane, H.R., Baesemann, J.F., Brenckle, P.L. and West, R.R. (1985a) Arrow Canyon, Nevada - a potential mid-Carboniferous boundary stratotype. *Compte rendu 10e Congrès International de Stratigraphie et de Géologie Carbonifère* (Madrid, 1983), 4, 429-39.
- Lane, H.R., Bouckaert, J., Brenckle, et al. (1985b) Proposal for an international Mid-Carboniferous boundary. *Compte rendu 10e Congrès International de Stratigraphie et de Géologie Carbonifère* (Madrid, 1983), 4, 323-39.
- Laveine, J.-P. (1967) Les Neuroptéridées du Nord de la France. *Études Géologiques pour l'Atlas Topographique Souterraine, Service Géologique H.B.N.P.C.*, 1(5), 1-344.
- Laveine, J.-P., Ratanasthien, B. and Sithirache, S. (1993) The Carboniferous flora of north-eastern Thailand: Its paleogeographic importance. *Compte rendu de l'Académie des Sciences, Paris* (Series 2), **317**, 279-85.
- Leach, A.L. (1933) The geology and scenery of Tenby and the south Pembrokeshire coast. *Proceedings of the Geologists' Association*, **44**, 187-216.
- Lebour, G.A. (1878) *Outlines of the Geology of Northumberland*. Reid, Newcastle upon Tyne.
- Lebour, G.A. and Smythe, J.A. (1906) On a case of unconformity and thrust in the Coal-Measures of Northumberland. *Quarterly Journal of the Geological Society of London*, **62**, 530-51.
- Leckwijk, W.P. van (1964) Rapport sur les résultats des travaux de la Sous-Commission de Stratigraphie du Carbonifère. *Compte rendu 5e Congrès International de Stratigraphie et de Géologie Carbonifère* (Paris, 1963), 1, xxxv-xxxix.
- Lee, A.G. (1988) Carboniferous basin configuration of central and northern England modelled using gravity data. In *Sedimentation in a Synorogenic Basin Complex. The Upper Carboniferous of Northwest Europe* (eds B.M. Besly and G. Kelling), Blackie, Glasgow, pp. 69-84.
- Leeder, M.R. (1982) Upper Palaeozoic basins of the British Isles - Caledonian inheritance versus Hercynian plate margin processes. *Journal of the Geological Society of London*, **139**, 479-91.
- Leeder, M.R. (1988) Recent developments in Carboniferous geology: a critical review with implications for the British Isles and NW Europe. *Proceedings of the Geologists' Association*, **99**, 73-100.
- Leeder, M.R. and McMahon, A.H. (1988) Upper Carboniferous (Silesian) basin subsidence in northern Britain. In *Sedimentation in a Synorogenic Basin Complex. The Upper Carboniferous of Northwest Europe* (eds B.M. Besly and G. Kelling), Blackie, Glasgow, pp. 43-52.
- Leeder, M.R. and Strudwick, A.S. (1987) Delta-marine interactions: a discussion of sedimentary models for Yoredale-type cyclicity in the Dinantian of northern England. In *European Dinantian Environments* (eds J. Miller, A.E. Adams and V.P. Wright), Wiley, New York, pp. 115-30.
- Leitch, D. (1936) The *Carbonicola* fauna of the Midlothian Fifteen Foot Coal; a study in variation. *Transactions of the Geological Society of Glasgow*, **19**, 390-403.
- Leitch, D. (1940) A statistical investigation of the anthracomyas of the basal Similis-Pulchra Zone in Scotland. *Quarterly Journal of the Geological Society of London*, **96**, 13-37.
- Leitch, D. (1942) The Upper Carboniferous rocks of Arran. *Transactions of the Geological Society of Glasgow*, **20**, 141-54.
- Leitch, D., Absalom, R.G. and Henderson, S.M.K. (1937) The basal fauna of the Zone of *Anthracomyia modiolaris* in the Coal Measures of South Ayrshire. *Transactions of the Geological Society of Glasgow*, **19**, 404-8.
- Leitch, D., Owen, T.R. and Jones, D.G. (1958) The

References

- basal Coal Measures of the South Wales Coalfield from Llandybie to Brynmawr. *Quarterly Journal of the Geological Society of London*, **113**, 461–83.
- Lemos de Sousa, M.J. and Oliveira, J.T. (eds) (1983) The Carboniferous of Portugal. *Memórias dos Serviços Geológicos de Portugal*, **29**, 1–211.
- Lewis, W.T. and Reynolds, M. (1870) Neath mineral district. *Proceedings of the South Wales Institute of Engineers*, **7**, 84–99.
- Lillie, D.G. (1910) Notes on the fossil flora of the Bristol Coalfield. *Geological Magazine*, **47**, 58.
- Lippolt, H.J. and Hess, J.C. (1985) $^{40}\text{Ar}/^{39}\text{Ar}$ dating of sanidines from Upper Carboniferous tonsteins. *Compte rendu 10e Congrès International de Stratigraphie et de Géologie du Carbonifère* (Madrid, 1983), **4**, 175–81.
- Lippolt, H.J., Hess, J.C. and Burger, K. (1984) Isotopische Alter von pyroklastischen Sanidinen aus Kaolin-Kohlentonsteinen als Korrelationsmarken für das mitteleuropäische Oberkarbon. *Fortschritte in der Geologie von Rheinland und Westfalen*, **32**, 119–50.
- Logan, W.E. (1840) On the character of the beds of clay immediately below coal seams of South Wales; and on the occurrence of coal-boulders in the Pennant Grit of that area. *Transactions of the Geological Society of London* (2nd Series), **6**, 491–7.
- Love, L.G. (1965) Micro-organic material with dia-genetic pyrite from the Lower Proterozoic Mount Isa Shale and a Carboniferous shale. *Proceedings of the Yorkshire Geological Society*, **35**, 187–202.
- Love, L.G. (1967) City of Sheffield. In *Geological Excursions in the Sheffield Region and the Peak National Park* (eds R. Neves and C. Downie), Northend, Sheffield, pp. 121–8.
- Lovell, J.P.B. (1965) The Bude Sandstones from Bude to Widemouth, north Cornwall. *Proceedings of the Ussher Society*, **1**, 172–4.
- Lumsden, G.I. and Calver, M.A. (1958) The stratigraphy and palaeontology of the Coal Measures of the Douglas Coalfield, Lanarkshire. *Bulletin of the Geological Survey of Great Britain*, **15**, 32–70.
- Lumsden, G.I. and Davies, A. (1965) The buried channel of the River Nith and its marked change in level across the Southern Uplands fault. *Scottish Journal of Geology*, **1**, 134–43.
- Lumsden, G.I., Tulloch, W., Howells, M.F. and Davies, A. (1967) *The Geology of the Neighbourhood of Langholm*. Memoirs of the Geological Survey of Great Britain.
- Lumsden, G.I. and Wilson, R.B. (1979) Stratigraphical classification of the Carboniferous succession of central Scotland. *Compte rendu 8e Congrès International de Stratigraphie et de Géologie Carbonifère* (Moscow, 1975), **2**, 27–36.
- Lyons, P.C. and Darrah, W.C. (1989) Earliest conifers of North America: upland and/or paleoclimatic indicators? *Palatos*, **4**, 480–6.
- McCabe, P.J. (1975) Kinderscout Grit – Rossendale-Rochdale-Burnley area (R_{1c}). Unpublished Ph.D. Thesis, University of Keele.
- McCabe, P.J. (1977) Deep distributary channels and giant bedforms in the Upper Carboniferous of the Central Pennines, northern England. *Sedimentology*, **24**, 271–90.
- McCabe, P.J. (1978) The Kinderscoutian delta (Carboniferous) of northern England; a slope influenced by density currents. In *Sedimentation in Submarine Canyons, Fans and Trenches* (eds D.J. Stanley and G. Kelling), Dowden, Hutchinson and Ross, Stroudsburg, pp. 116–26.
- McCourt, S. (1975) A geochemical division of Namurian shales of Devon and Cornwall and its significance. *Proceedings of the Ussher Society*, **3**, 228–33.
- Macgregor, M. (1960) Divisions of the Carboniferous on Geological Survey Scottish maps. *Bulletin of the Geological Survey of Great Britain*, **16**, 127–30.
- Macgregor, M. and Macgregor, A.G. (1961) *The Midland Valley of Scotland* (2nd edn). British Regional Geology, Institute of Geological Sciences, HMSO, London.
- Macgregor, M. and Manson, W. (1935) The Carboniferous rocks of Inninmore, Morvern. *Memoirs of the Geological Survey, Summary of Progress*, 1933 (2), 74–84.
- Macgregor, M. and Pringle, J. (1934) The Scottish Millstone Grit and its position in the zonal succession. *Memoirs of the Geological Survey, Summary of Progress*, 1933, 1–3.
- McKenzie, D.P. (1978) Some remarks on the development of sedimentary basins. *Earth and Planetary Science Letters*, **40**, 25–32.
- McKeown, M.C., Edmonds, E.A., Williams, M., et al. (1973) *Geology of the Country Around Boscastle and Holsworthy*. Memoirs of the Geological Survey of Great Britain.
- Mackintosh, D.M. (1964) The sedimentation of the Crackington Measures. *Proceedings of the Ussher Society*, **1**, 88–9.

References

- MacLachlan, H. (1833) Notes to accompany a map of the Forest of Dean and the country adjacent, coloured geologically. *Proceedings of the Geological Society of London*, **1**, 420-2.
- MacLachlan, H. (1837) Notes to accompany a geological map of the Forest of Dean coalfield. *Transactions of the Geological Society of London* (Series 2), **5**, 195-206.
- MacLennan, R.M. (1943) The association of *Naiadites* and *Carbonicola* in a part of the Central Coalfield of Scotland. *Geological Magazine*, **80**, 52-5.
- MacLennan, R.M. (1944) Hinge structure in *Carbonicola pseudorobusta* Trueman and related species. *Geological Magazine*, **81**, 1-14.
- MacLennan, R.M. (1946) The Carboniferous fauna of the *ovalis* Zone in Scotland. *Transactions of the Geological Society of Glasgow*, **21**, 75-96.
- McMurtrie, J. (1867) The coal fields of Somersetshire. *Proceedings of the Somerset Archaeology and Natural History Society*, **13**, 16-21.
- McMurtrie, J. (1869) On the faults and contortions of the Somerset Coal Field. *Proceedings of the Bath Natural History and Antiquities Field Club*, **1**, p. 127.
- McMurtrie, J. (1890) On a comparison of the Somerset Coalfield with the Coal Measures of Belgium, and the north of France. *Proceedings of the Bath Natural History and Antiquities Field Club*, **7**, 49-66.
- McMurtrie, J. (1901) The geological features of the Somerset and Bristol Coalfield, with special reference to the geology of the Somerset Basin. *Transactions of the Institute of Mining Engineers*, **20**, p. 306.
- Magraw, D., Clarke, A.M. and Smith, D.B. (1963) The stratigraphy and structure of part of the south-east Durham coalfield. *Proceedings of the Yorkshire Geological Society*, **34**, 153-208.
- Manger, W.L. (1985) Minutes of the meeting of west European titular members of S.C.C.S., September 16, 1983. *Compte rendu 10e Congrès International de Stratigraphie et de Géologie Carbonifère* (Madrid, 1983), **4**, 459-60.
- Manger, W.L. and Sutherland, P.K. (1985) Mid-Carboniferous biostratigraphic relations, southern midcontinent, North America. *Compte rendu 10e Congrès International de Stratigraphie et de Géologie Carbonifère* (Madrid, 1983), **4**, 383-9.
- Manson, W. (1957) On the occurrence of a marine band in the *Anthraconaia modiolaris* Zone of the Scottish Coal Measures. *Bulletin of the Geological Survey of Great Britain*, **12**, 66-86.
- Martin, E. (1806) Description of the mineral basin in the counties of Monmouth, Glamorgan, Brecon, Carmarthen and Pembroke. *Philosophical Transactions of the Royal Society of London*, **96**, 342-7.
- Martinez Diaz, C. (ed.) (1983) *Carbonífero y Permico de España*. Instituto Geológico y Minero de España, Madrid.
- Matthews, R.G. (1955) The *modiolaris* Zone of the area between Glynneath and Cross Hands. Unpublished M.Sc. Thesis, University of Wales (Swansea).
- Matthews, S.C. (1977) Carboniferous successions in Germany and southwest England. *Proceedings of the Ussher Society*, **4**, 67-74.
- Mayhew, R.W. (1967a) The Ashover and Chatsworth grits in north-east Derbyshire. In *Geological Excursions in the Sheffield Region and the Peak National Park* (eds R. Neves and C. Downie), Northend, Sheffield, pp. 94-103.
- Mayhew, R.W. (1967b) A sedimentological investigation of the Marsdenian Grits and associated measures in north-west Derbyshire. Unpublished Ph.D. Thesis, University of Sheffield.
- Melville, R.V. (1945) The non-marine lamellibranchs of the North Staffordshire Coalfield. *Annals and Magazine of Natural History* (Series 11), **12**, 289-337.
- Melvin, J. (1986) Upper Carboniferous fine-grained turbiditic sandstones from southwest England: a model for growth in an ancient, delta-fed sub-sea fan. *Journal of Sedimentary Petrology*, **56**, 19-34.
- Meyen, S.V. (ed.) (1980) *Biostratigrafiya Podrannicheskikh Otlozhenii Karbona i Permi*. Geological Institute, USSR Academy of Sciences, Moscow. [In Russian].
- Miller, G.D. (1986) The sediments and trace fossils of the Rough Rock Group, Cracken Edge, Derbyshire. *Mercian Geologist*, **10**, 189-202.
- Millott, J. O'N. (1939) The microspores in the coal-seams of North Staffordshire: Part I - The Millstone Grit-Ten Foot coals. *Transactions of the Institute of Mining Engineers*, **96**, 317-53.
- Millott, J. O'N. (1946) The microspores in the coal-seams of North Staffordshire: Part II - The

References

- seams of the Cheadle coalfield. *Transactions of the Institute of Mining Engineers*, **105**, 91-102.
- Mills, D.A.C. and Hull, J.H. (1969) The Geological Survey borehole at Woodland, Co. Durham. *Bulletin of the Geological Survey of Great Britain*, **28**, 1-37.
- Mills, D.A.C. and Hull, J.H. (1976) *Geology of the Country Around Barnard Castle*. Memoirs of the Geological Survey of Great Britain.
- Mitchell, G.H. (1954) The Whittington Heath Borehole. *Bulletin of the Geological Survey of Great Britain*, **5**, 1-60.
- Mitchell, G.H., Stephens, J.V., Bromehead, C.E.N. and Wray, D.A. (1947) *Geology of the Country Around Barnsley*. Memoirs of the Geological Survey of Great Britain.
- Mitchell, G.H., Stubblefield, C.J. and Crookall, R. (1942) The geology of the northern part of the South Staffordshire Coalfield (Cannock Chase Region). *Geological Survey Wartime Pamphlet*, Geological Survey of England and Wales.
- Money, N.J. (1966) Carboniferous rocks of north Devon. *Proceedings of the Ussher Society*, **1**, 235-8.
- Monro, S.K. (1985) Sedimentation controls in the Midland Valley of Scotland - the Dalry Basin case study. *Compte rendu 10e Congrès International de Stratigraphie et de Géologie Carbonifère* (Madrid, 1983), **3**, 343-53.
- Monro, S.K., Loughan, F.C. and Walker, M.C. (1983) The Ayrshire Bauxitic Clay - an allochthonous deposit. *Special Publication of the Geological Society of London*, **11**, 47-58.
- Moore, E.W.J. (1930) Species of the genus *Dimorphoceras* in the Bowland Shales. *Geological Magazine*, **67**, 162-8.
- Moore, L.R. (1938) The sequence and structure of the Radstock Basin. *Proceedings of the Bristol Naturalists' Society* (Series 4), **8**, 267-305.
- Moore, L.R. (1941) The presence of the Namurian in the Bristol district. *Geological Magazine*, **78**, 279-92.
- Moore, L.R. (1945) The geological sequence of the South Wales Coalfield: the 'south crop' and Caerphilly Basin and its correlation with the Taff Valley sequence. *Proceedings of the South Wales Institute of Engineers*, **60**, 141-252.
- Moore, L.R. (1948) The sequence and structure of the southern portion of the east crop of the South Wales Coalfield. *Quarterly Journal of the Geological Society of London*, **103**, 261-300.
- Moore, L.R. (1967) Introduction. In *Geological Excursions in the Sheffield Region and the Peak National Park* (eds R. Neves and C. Downie), Northend, Sheffield, pp. xi-xlv.
- Moore, L.R. and Blundell, C.R.K. (1952) Some effects of the Malvernian phase of earth movements in the South Wales Coalfield; a comparison with other coalfields in southern Britain. *3e Congrès pour l'Avancement des Études de Stratigraphie Carbonifère, Compte rendu* (Heerlen, 1951), **2**, 463-73.
- Moore, L.R. and Cox, A.H. (1943) The Coal Measure sequence in the Taff Valley, Glamorgan, and its correlation with the Rhondda Valley sequence. *Proceedings of the South Wales Institute of Engineers*, **59**, 189-286.
- Moore, L.R. and Trueman, A.E. (1937) The Coal Measures of Bristol and Somerset. *Quarterly Journal of the Geological Society*, **93**, 195-240.
- Moore, L.R. and Trueman, A.E. (1939) The structure of the Bristol and Somerset coalfields. *Proceedings of the Geologists' Association*, **50**, 46-67.
- Moore, L.R. and Trueman, A.E. (1942) The Bristol and Somerset coalfields with particular reference to their future development. *Proceedings of the South Wales Institute of Engineers*, **57**, 180-247, 303-5.
- Morton, G.H. (1876-8) The Carboniferous Limestone and Millstone Grit of North Wales. *Proceedings of the Liverpool Geological Society*, **3**, 152-205, 299-325, 371-428.
- Munier Chalmas, E. and Lapparent, A. de (1893) Note sur la nomenclature des terrains sédimentaires. *Bulletin de la Société Géologique de France* (Series 3), **21**, 438-93.
- Murchison, R.I. (1839) *The Silurian System*. Murray, London.
- Murton, C.J. (1892) Geology of the coalfield of Northumberland and Durham. *Transactions of the Federated Institution of Mining Engineers*, **3**, 141-52.
- Musiał, Ł., Tabor, M. and Bojkowski, K. (1983) The importance of macrofaunal biostratigraphy of the Carboniferous deposits of the Polish coal basins. In *Geological Problems of Coal Basins in Poland* (eds K. Bojkowski and J. Porzycki), Geological Institute, Warsaw, pp. 96-117.
- Myers, J. (1954) On the occurrence of *Anthracina tenuis* (Davies and Trueman) in North Staffordshire. *Geological Magazine*, **91**, 171-3.

References

- Mykura, W. (1960) The replacement of coal by limestone and the reddening of Coal Measures in the Ayrshire Coalfield. *Bulletin of the Geological Survey of Great Britain*, **16**, 69-109.
- Mykura, W. (1967) The Upper Carboniferous rocks of south-west Ayrshire. *Bulletin of the Geological Survey of Great Britain*, **26**, 23-98.
- Neves, R. (1961) Namurian plant spores from the southern Pennines. *Palaeontology*, **4**, 247-79.
- Neves, R. (1967) The Crich Inlier. In *Geological Excursions in the Sheffield Region and the Peak National Park* (eds R. Neves and C. Downie), Northend, Sheffield, pp. 42-6.
- Neves, R. (1969) The palynology of the Woodland borehole, Co. Durham. *Bulletin of the Geological Survey of Great Britain*, **28**, 55-60.
- Neves, R., Read, W.A. and Wilson, R.B. (1965) Note on recent spore and goniatite evidence from the Passage Group of the Scottish Upper Carboniferous succession. *Scottish Journal of Geology*, **1**, 185-8.
- Nevill, W.E. (1961) The Westphalian of Ireland. *4e Congrès pour l'Avancement des Études de Stratigraphie Carbonifère, Compte rendu* (Heerlen, 1958), **2**, 453-61.
- North, F.J. (1928) *Geological Maps; their History and Development, with Special Reference to Wales*. National Museum of Wales, Cardiff.
- North, F.J. (1931) *Coal, and the Coalfields in Wales* (2nd edn). National Museum of Wales, Cardiff.
- North, F.J. (1933) From Giraldus Cambrensis to the geological map. The evolution of a science. *Transactions of the Cardiff Naturalists' Society*, **64**, 20-97.
- North, F.J. (1934) From the geological map to the Geological Survey. Glamorgan and the pioneers of geology. *Transactions of the Cardiff Naturalists' Society*, **65**, 41-115.
- North, F.J. (1936) Further chapters in the history of geology in South Wales; Sir H.T. de la Beche and the Geological Survey. *Transactions of the Cardiff Naturalists' Society*, **67**, 31-103.
- Ogouke, R.O. (1969) Sedimentation of the Middle Shales (Upper Namurian) of the South Wales coalfield. Unpublished Ph.D. Thesis, University of Wales (Swansea).
- Old, R.A., Hamblin, R.J.O., Ambrose, K. and Warrington, G. (1991) *Geology of the Country Around Redditch*. Memoirs of the British Geological Survey.
- Old, R.A., Sumbler, M.G. and Ambrose, K. (1987) *Geology of the Country Around Warwick*. Memoirs of the British Geological Survey.
- Owen, D.E. (1934) The Carboniferous rocks of the north Cornish coast and their structures. *Proceedings of the Geologists' Association*, **45**, 451-71.
- Owen, D.E. (1950) Carboniferous deposits in Cornubia. *Transactions of the Royal Geological Society of Cornwall*, **18**, 65-104.
- Owen, T.R. (1971a) The relationship of Carboniferous sedimentation to structure in South Wales. *Compte rendu 6e Congrès International de Stratigraphie et de Géologie Carbonifère* (Sheffield, 1967), **3**, 1305-15.
- Owen, T.R. (1971b) The headwater region of the River Neath. In *Geological Excursions in South Wales and the Forest of Dean* (eds D.A. Bassett and M.G. Bassett), Geologists' Association, South Wales Group, Cardiff, pp. 74-84.
- Owen, T.R. (1971c) The Gower Peninsula. In *Geological Excursions in South Wales and the Forest of Dean* (eds D.A. Bassett and M.G. Bassett), Geologists' Association, South Wales Group, Cardiff, pp. 125-34.
- Owen, T.R. (1971d) Excursion 2: South Wales. *Compte rendu 6e Congrès International de Stratigraphie et de Géologie Carbonifère* (Sheffield, 1967), **4**, 1669-98.
- Owen, T.R. (1971e) The structural evolution of the Bristol Channel. *Proceedings of the Geological Society*, **1664**, 289-94.
- Owen, T.R. (1984) Upper Palaeozoic Wales - a review of studies in the past 25 years. *Proceedings of the Geologists' Association*, **95**, 349-64.
- Owen, T.R. and Jones, D.G. (1961) The nature of the Millstone Grit-Carboniferous Limestone junction of a part of the North Crop of the South Wales Coalfield. *Proceedings of the Geologists' Association*, **72**, 239-49.
- Owen, T.R., Rhodes, F.H.T., Jones, D.G. and Kelling, G. (1966) Report of Summer (1964) Field Meeting in South Wales. *Proceedings of the Geologists' Association*, **76**, 463-96.
- Owens, B. (1982) Palynological zonation of mid-Namurian strata in northern England. In *Biostratigraphic Data for a Mid-Carboniferous Boundary* (eds W.H.C. Ramsbottom, W.B. Saunders and B. Owens), Subcommission on Carboniferous Stratigraphy, Leeds, pp. 22-6.
- Owens, B. (1984) Miospore zonation of the

References

- Carboniferous. *Compte rendu 9e Congrès International de Stratigraphie et de Géologie Carbonifère* (Washington and Urbana, 1979), 2, 90–102.
- Owens, B. and Burgess, I.C. (1965) The stratigraphy and palynology of the Upper Carboniferous outlier of Stainmore, Westmoreland. *Bulletin of the Geological Survey of Great Britain*, **23**, 17–44.
- Owens, B., Loboziak, S. and Teteriuk, V.K. (1978) Palynological subdivision of the Dinantian to Westphalian deposits of northwest Europe and the Donetz Basin of the USSR. *Palynology*, **2**, 69–91.
- Owens, B., Neves, R., Gueinn, K.J., et al. (1977) Palynological division of the Namurian of northern England and Scotland. *Proceedings of the Yorkshire Geological Society*, **41**, 381–98.
- Owens, B., Riley, N.J. and Calver, M.A. (1985) Boundary stratotypes and new stage names for the lower and middle Westphalian sequences in Britain. *Compte rendu 10e Congrès International de Stratigraphie et de Géologie Carbonifère* (Madrid, 1983), 4, 461–72.
- Pastiels, A. (1960) Les lamellibranches non-marins de la zone à *Lenisulcata* de la Belgique (Namurien et Westphalien A). *Publications. Centre National de Géologie Houillère*, **2**, 1–206.
- Peach, B.N., Clough, C.T., Hinxman, L.W., et al. (1910) *The Geology of the Neighbourhood of Edinburgh* (2nd edn). Memoirs of the Geological Survey of Great Britain.
- Peach, B.N. and Horne, J. (1903) The Canonbie Coalfield: its geological structure and relations to the Carboniferous rocks of the north of England and central Scotland. *Transactions of the Royal Society of Edinburgh*, **40**, 835–77.
- Phillips, J. (1832) On the Lower or Ganister Coal Series of Yorkshire. *Philosophical Magazine*, **1**, 349–57.
- Phillips, J. (1836) *Illustrations of the Geology of Yorkshire. Part II. The Mountain Limestone District*. Murray, London.
- Phillips, T.L. (1980) Stratigraphic and geographic occurrences of permineralized coal-swamp plants – Upper Carboniferous of North America and Europe. In *Biostratigraphy of Fossil Plants* (eds D.L. Dilcher and T.N. Taylor), Dowden, Hutchinson and Ross, Stroudsburg, pp. 25–92.
- Piper, G.H. (1884) On the Coal Measures at the Clee Hills. *Transactions of the Woolhope Naturalists' Field Club*, **1883**, 82–4.
- Plott, R. (1686) *Natural History of Staffordshire*. The Theater, Oxford.
- Pocock, R.W., Whitehead, T.H., Wedd, C.B. and Robertson, T. (1938) *Shrewsbury District, including the Hanwood Coalfield*. Memoirs of the Geological Survey of Great Britain.
- Pollard, J.E. (1966) A non-marine ostracod fauna from the Coal Measures of Durham and Northumberland. *Palaeontology*, **9**, 667–97.
- Pollard, J.E. (1969) Three ostracod-mussel bands in the Coal Measures (Westphalian) of Northumberland and Durham. *Proceedings of the Yorkshire Geological Society*, **37**, 239–76.
- Pollard, J.E. and Wiseman, J.F. (1971) Algal limestone in the Upper Coal Measures (Westphalian D) at Chesterton, north Staffordshire. *Proceedings of the Yorkshire Geological Society*, **38**, 329–42.
- Poole, E.G. (1966) Trial boreholes on the site of a reservoir at Eyemore Farm, near Bewdley, Worcestershire. *Bulletin of the Geological Survey of Great Britain*, **24**, 151–6.
- Poole, E.G. (1970) Trial boreholes in Coal Measures at Dudley, Worcestershire. *Bulletin of the Geological Survey of Great Britain*, **33**, 1–41.
- Prentice, J.E. (1960a) Dinantian, Namurian and Westphalian rocks of the district south-west of Barnstaple, north Devon. *Quarterly Journal of the Geological Society of London*, **115**, 261–89.
- Prentice, J.E. (1960b) The stratigraphy of the Upper Carboniferous rocks of the Bideford region, north Devon. *Quarterly Journal of the Geological Society of London*, **116**, 397–408.
- Prentice, J.E. (1962) The sedimentation history of the Carboniferous in Devon. In *Some Aspects of the Variscan Fold Belt* (ed. K. Coe), University Press, Manchester, pp. 93–108.
- Prestwich, J. (1840) On the geology of Coalbrookdale. *Transactions of the Geological Society of London* (Series 2), **5**, 413–95.
- Price, D., Wright, W.B., Jones, R.C.B., et al. (1963) *Geology of the Country Around Preston*. Memoirs of the Geological Survey of Great Britain.
- Pringle, J. and Manson, W. (1929) *Anthracomyia phillipsi* in the Barren Red Measures of Ayrshire. *Naturalist, Hull*, **1929**, 267–8.
- Pruvost, P. (1919) *La Faune Continentale du Terrain Houiller du Nord de la France*. Ministère des Travaux Publics, Paris.
- Purkyňová, E. (1977) Namurian flora of the Moravian part of the Upper Silesian coal basin.

References

- In *Symposium on Carboniferous Stratigraphy* (eds V.M. Holub and R.H. Wagner), Geological Survey, Prague, pp. 289-303.
- Purves, J.C. (1883) Sur la délimitation et la constitution de l'étage houiller inférieur de la Belgique. *Bulletin de l'Académie Royale de Belgique* (Series 3), **2**, 514-68.
- Ramsay, A.C. (1855) On the occurrence of angular, subangular, polished, and striated fragments and boulders in the Permian breccia of Shropshire, Worcestershire, etc.; and on the probable existence of glaciers and icebergs in the Permian Epoch. *Quarterly Journal of the Geological Society of London*, **11**, 185-205.
- Ramsbottom, W.H.C. (1952) The fauna of the Cefn Coed Marine Band in the Coal Measures at Aberbaiden near Tondu, Glamorgan. *Bulletin of the Geological Survey of Great Britain*, **4**, 8-30.
- Ramsbottom, W.H.C. (1958) A new goniatite *Homoceratoides fortelirifer* of Millstone Grit Upper Reticuloceras age. *Bulletin of the Geological Survey of Great Britain*, **15**, 29-31.
- Ramsbottom, W.H.C. (1966) A pictorial diagram of the Namurian rocks of the Pennines. *Transactions of the Leeds Geological Association*, **7**, 181-4.
- Ramsbottom, W.H.C. (1969a) Interim report of the Namurian Working Group. *Compte rendu 6e Congrès International de Stratigraphie et de Géologie Carbonifère* (Sheffield, 1967), **1**, 71-7.
- Ramsbottom, W.H.C. (1969b) The Namurian of Britain. *Compte rendu 6e Congrès International de Stratigraphie et de Géologie Carbonifère* (Sheffield, 1967), **1**, 219-32.
- Ramsbottom, W.H.C. (1970) Some British Carboniferous goniatites of the family Anthracoceratidae. *Bulletin of the Geological Survey of Great Britain*, **32**, 53-60.
- Ramsbottom, W.H.C. (1971a) Palaeogeography and goniatite distribution in the Namurian and early Westphalian. *Compte rendu 6e Congrès International de Stratigraphie et de Géologie Carbonifère* (Sheffield, 1967), **4**, 1396-9.
- Ramsbottom, W.H.C. (1971b) Excursion 2: South Wales. Day 2(a) Gower Peninsula. *Compte rendu 6e Congrès International de Stratigraphie et de Géologie Carbonifère* (Sheffield, 1967), **4**, 1675-6.
- Ramsbottom, W.H.C. (1974) The Namurian of North Wales. In *The Upper Palaeozoic and post-Palaeozoic Rocks of Wales* (ed. T.R. Owen), University of Wales Press, Cardiff, pp. 161-7.
- Ramsbottom, W.H.C. (1977) Major cycles of transgression and regression (mesothems) in the Namurian. *Proceedings of the Yorkshire Geological Society*, **41**, 261-91.
- Ramsbottom, W.H.C. (1978) Namurian mesothems in South Wales and northern France. *Journal of the Geological Society of London*, **135**, 307-12.
- Ramsbottom, W.H.C. (1979a) Rates of transgression and regression in the Carboniferous of NW Europe. *Journal of the Geological Society of London*, **136**, 147-53.
- Ramsbottom, W.H.C. (1979b) Distribution of British Namurian goniatites. *Compte rendu 8e Congrès International de Stratigraphie et de Géologie Carbonifère* (Moscow, 1975), **3**, 85-99.
- Ramsbottom, W.H.C. (ed.) (1981) *Field Guide to the Boundary Stratotypes of the Carboniferous Stages in Britain*. Subcommission on Carboniferous Stratigraphy, Leeds.
- Ramsbottom, W.H.C. (1984) The founding of the Carboniferous System. *Compte rendu 9e Congrès International de Stratigraphie et de Géologie Carbonifère* (Washington and Urbana, 1979), **1**, 109-12.
- Ramsbottom, W.H.C. and Calver, M.A. (1962) Some marine horizons containing *Gastrioceras* in north-west Europe. *Compte rendu 4e Congrès International de Stratigraphie et de Géologie de Carbonifère* (Heerlen, 1958), **2**, 571-6.
- Ramsbottom, W.H.C., Calver, M.A., Eagar, R.M.C., et al. (1978) A correlation of Silesian rocks in the British Isles. *Special Report of the Geological Society of London*, **10**, 1-82.
- Ramsbottom, W.H.C., Goossens, R.F., Smith, E.G. and Calver, M.A. (1974) Carboniferous. In *The Geology and Mineral Resources of Yorkshire* (eds D.H. Rayner and J.E. Hemingway), Yorkshire Geological Society, Leeds, pp. 45-114.
- Ramsbottom, W.H.C., Higgins, A.C. and Owens, B. (1979) Palaeontological characterisation of the Namurian of the stratotype area (a report of the Namurian Working Group). *Compte rendu 8e Congrès International de Stratigraphie et de Géologie Carbonifère* (Moscow, 1975), **3**, 85-99.
- Ramsbottom, W.H.C. and Saunders, W.B. (1984) Carboniferous ammonoid zonation. *Compte*

References

- rendu 9e Congrès International de Stratigraphie et de Géologie Carbonifère* (Washington and Urbana, 1979), **2**, 52-64.
- Ramsbottom, W.H.C., Stevenson, I.P. and Gaunt, G.D. (1967) Fossiliferous localities in the Namurian rocks of Edale. In *Geological Excursions in the Sheffield Region and the Peak National Park* (eds R. Neves and C. Downie), Northend, Sheffield, pp. 75-80.
- Read, W.A. (1969) Fluvial deposits in Namurian rocks of central Scotland. *Geological Magazine*, **106**, 331-47.
- Read, W.A. (1981) Facies breaks in the Scottish Passage Group and their possible correlation with the Mississippian-Pennsylvanian hiatus. *Scottish Journal of Geology*, **17**, 295-300.
- Read, W.A. (1988) Controls on Silesian sedimentation in the Midland Valley of Scotland. In *Sedimentation in a Synorogenic Basin Complex. The Upper Carboniferous of Northwest Europe* (eds B.M. Besly and G. Kelling), Blackie, Glasgow, pp. 222-41.
- Read, W.A. and Dean, J.M. (1982) Quantitative relationships between numbers of fluvial cycles, bulk lithological composition and net subsidence in a Scottish Namurian basin. *Sedimentology*, **29**, 181-200.
- Reading, H.G. (1963) A sedimentological comparison of the Bude Sandstones with the Northam and Abbotsham Beds of Westward Ho! *Proceedings of the Ussher Society*, **1**, 67-9.
- Reading, H.G. (1965) Recent finds in the Upper Carboniferous of south-west England and their significance. *Nature, London*, **208**, 745-8.
- Reading, H.G. (1971) Sedimentation sequences in the Upper Carboniferous of north-western Europe. *Compte rendu 6e Congrès International de Stratigraphie et de Géologie Carbonifère* (Sheffield 1967), **4**, 1401-12.
- Reynolds, S.A., Wallis, F.S., Baker, B.A., et al. (1929) Excursion to Bristol district. *Proceedings of the Geologists' Association*, **40**, 171-6.
- Rhodes, F.H.T. and Wilson, A.A. (1957) The arthropod species *Anthrapalaemon dubius* and related forms. *Journal of Paleontology*, **31**, 1159-66.
- Richardson, C. (1862) On the details of the Carboniferous Limestone, as laid open by the railway cutting and tunnel near Almondsbury, north of Bristol. *Report of the British Association for the Advancement of Science* (Manchester, 1861), 130-1.
- Richardson, C. (1888) The Severn Tunnel. *Proceedings of the Bristol Naturalists' Society*, N.S. **5**, 49-81.
- Richey, J.E., Anderson, E.M. and Macgregor, A.G. (1930) *The Geology of North Ayrshire*. Memoirs of the Geological Survey of Great Britain.
- Riley, N.J. (1987) Type ammonoids from the mid-Carboniferous boundary interval in Britain. *Courier Forschungsinstitut Senckenberg*, **98**, 25-37.
- Riley, N.J., Razzo, M.J. and Owens, B. (1985) A new boundary stratotype section for the Bolsovian (Westphalian C) in northern England. *Compte rendu 10e Congrès International de Stratigraphie et de Géologie Carbonifère* (Madrid, 1983), **1**, 35-44.
- Riley, N.J., Varker, W.J., Owens, B., et al. (1987) Stonehead Beck, Cowling, North Yorkshire, England: a British proposal for the mid-Carboniferous boundary. *Courier Forschungsinstitut Senckenberg*, **98**, 159-77.
- Riley, N.J., Claoué-Long, J., Higgins, A.C., et al. (In press) Geochronometry and geochemistry of the European Mid-Carboniferous boundary global stratotype proposal, Stonehead Beck, North Yorkshire, UK. *Annales de la Société Géologique de Belgique*.
- Roberts, G.E. (1858) Vegetable remains in the Permian of the south of Shropshire. *The Geologist*, **1**, 121-3.
- Roberts, G.E. (1860) The geology of the Severn Valley railway. *The Geologist*, **3**, 433-8.
- Roberts, G.E. (1861a) On a plant-bed cut into by the Severn Valley Branch of the West Midland Railway. *Proceedings of the Geologists' Association*, **1**, 120-1.
- Roberts, G.E. (1861b) Deep sinking for coal in the Wyre Forest coal-field. *Proceedings of the Geologists' Association*, **1**, 468-9.
- Robertson, T.R. (1927) *The Geology of the South Wales Coalfield. Part II. Abergavenny* (2nd edn). Memoirs of the Geological Survey of Great Britain.
- Robertson, T.R. (1931) The origin of the Etruria Marl. *Quarterly Journal of the Geological Society of London*, **87**, 13-29.
- Robertson, T.R. (1932) *The Geology of the South Wales Coalfield. Part V. The Country Around Merthyr Tydfil* (2nd edn). Memoirs of the Geological Survey of Great Britain.
- Rogers, I. (1909) On a further discovery of fossil fish and Mollusca in the Upper Culm Measures of north Devon. *Transactions of the Devon Society for the Advancement of Science*,

References

- Literature and Art*, 41, 309-19.
- Rogers, I. (1910) A synopsis of the fossil flora and fauna of the Upper Culm Measures of north-west Devon. *Transactions of the Devon Society for the Advancement of Science, Literature and Art*, 42, 538-64.
- Rogers, I. and Arber, E.A.N. (1904) Note on a new fossiliferous limestone in the Upper Culm Measures of west Devon. *Geological Magazine*, 41, 305.
- Rotay, A.P. (ed.) (1975) *The Main Features of Carboniferous Stratigraphy of the USSR*. The All-Union Scientific Research Institute of Geology, St Petersburg (Leningrad) [In Russian, with English summary].
- Russell, R. (1895) The extension of the West Cumberland Coalfield southward and northward under the St Bees Sandstone. *Transactions of the Federated Institution of Mining Engineers*, 8, 276-82.
- Sargent, H.C. (1927) The stratigraphical horizon and field relations of the Holywell Shales and 'Black Limestone' of north Flintshire. *Geological Magazine*, 63, 252-63.
- Saunders, W.B., Manger, W.L. and Ramsbottom, W.H.C. (1979) *Donetzoceras*, a mid-Carboniferous (Westphalian) index ammonoid. *Journal of Paleontology*, 53, 1136-44.
- Schmidt, H. (1925) Die carbonischen Goniatiten Deutschlands. *Jahrbuch des Preussisches Geologisches Landesanstalt*, 44, 489-609.
- Scotese, C.R. (1986) Phanerozoic reconstruction: a new look at the assembly of Asia. *University of Texas Institute of Geophysics, Technical Report*, 66, 1-54.
- Scott, A.C. (1978) Sedimentological and ecological control of Westphalian B plant assemblages from West Yorkshire. *Proceedings of the Yorkshire Geological Society*, 41, 461-508.
- Scott, A.C. (1979) The ecology of Coal Measures floras from northern Britain. *Proceedings of the Geologists' Association*, 90, 97-116.
- Scott, A.C. (1984) Studies on the sedimentology, palaeontology and palaeoecology of the Middle Coal Measures (Westphalian B, Upper Carboniferous) at Swillington, Yorkshire. Part I. Introduction. *Transactions of the Leeds Geological Association*, 10, 1-16.
- Scott, M.W.T. (1861) On the 'Symon Fault' in the Coalbrookdale Coalfield. *Quarterly Journal of the Geological Society of London*, 17, 457-67.
- Sedgwick, A. (1835) On the geological relations and internal structure of the Magnesian Limestone, and the lower portions of the New Red Sandstone Series in their range throughout Nottinghamshire, Derbyshire, Yorkshire, and Durham, to the southern extremity of Northumberland. *Transactions of the Geological Society of London* (Series 2), 3, 37-124.
- Sedgwick, A. (1836) On the New Red Sandstone Series in the Basin of the Eden and the north-western coasts of Cumberland and Lancashire. *Transactions of the Geological Society of London* (Series 2), 3, 383-407.
- Sedgwick, A. (1842) Supplement to a 'Synopsis of the English series of stratified rocks inferior to the Old Red Sandstone' with additional remarks on the relations of the Carboniferous Series and Old Red Sandstone of the British Isles. *Proceedings of the Geological Society of London*, 3, 545-60.
- Sedgwick, A. and Murchison, R.I. (1840) On the physical structure of Devonshire, and on the subdivisions and geological relations of its older stratified deposits. *Transactions of the Geological Society of London*, 5, 633-705.
- Selwood, E.B., Edwards, R.A., Simpson, S., et al. (1984) *The Geology of the Country Around Newton Abbot* (2nd edn). Memoirs of the Geological Survey of Great Britain.
- Selwood, E.B., Stewart, I.J. and Thomas, J.M. (1985) Upper Palaeozoic sediments and structure in north Cornwall - a reinterpretation. *Proceedings of the Geologists' Association*, 96, 129-41.
- Selwood, E.B. and Thomas, J.M. (1986) Variscan facies and structure in central SW England. *Journal of the Geological Society of London*, 143, 199-207.
- Shackleton, J.S. (1962) Cross strata from the Rough Rock (Millstone Grit) of the Pennines. *Geological Journal*, 3, 109-18.
- Sibly, T.F. (1912) The Carboniferous succession in the Forest of Dean Coalfield. *Geological Magazine*, 49, 417-22.
- Sibly, T.F. and Reynolds, S.W. (1937) The Carboniferous Limestone of the Mitcheldean area, Gloucestershire. *Quarterly Journal of the Geological Society*, 93, 23-51.
- Simpson, B. (1933) On the presence of the zones of *Anthracomyia lenisulcata* and *Carbonicola ovalis* in the Culm Measures of north Devon. *Geological Magazine*, 70, 433-6.
- Simpson, J.B. and Macgregor, M. (1932) *The Economic Geology of the Ayrshire Coalfields, Area IV*. Memoirs of the Geological Survey of Great Britain.

References

- Simpson, J.B. and Richey, J.E. (1936) *The Geology of the Sanquhar Coalfield and Adjacent Basin of Thornhill*. Memoirs of the Geological Survey of Great Britain.
- Skipsey, R.W. (1865) On the discovery of Carboniferous Limestone fossils in the Upper Coal Measures to the east of Glasgow. *Transactions of the Geological Society of Glasgow*, **2**, 52-3.
- Skipsey, R.W. (1866) On the range and occurrence of *Antibracosia* and other shells in the Coal Measures eastward of Glasgow. *Transactions of the Geological Society of Glasgow*, **2**, 141-4.
- Slater, L. and Eddy, G.E. (1932) The significance of spores in the correlation of coal seams. Parts II and III. The Barnsley Seam and the Silkstone Seam. *Physical and Chemical Survey of the National Coal Resources*, **23**, 1-25.
- Slater, L., Evans, M.M. and Eddy, G.E. (1930) The significance of spores in the correlation of coal seams. Part I. The Parkgate Seam, South Yorkshire area. *Physical and Chemical Survey of the National Coal Resources*, **17**, 1-28.
- Smart, J.G.O. and Frost, D.V. (1968) The Coal Measures and Millstone Grit of the district north-west of Nottingham. *Mercian Geologist*, **2**, 439-41.
- Smith, A.H.V. (1957) The sequence of microspore assemblages associated with the occurrence of crassidurite in coal seams of Yorkshire. *Geological Magazine*, **94**, 345-63.
- Smith, A.H.V. (1962) The palaeoecology of Carboniferous peats based on the miospores and petrography of bituminous coals. *Proceedings of the Yorkshire Geological Society*, **33**, 423-74.
- Smith, A.H.V. (1987) Stratigraphic ranges of selected miospores in coal seams of Upper Coal Measures age in Oxfordshire and S.E. Warwickshire. *Journal of Micropalaeontology*, **6**, 21-37.
- Smith, A.H.V. and Butterworth, M.A. (1967) Miospores in the coal seams of the Carboniferous of Great Britain. *Special Papers in Palaeontology*, **1**, 1-324.
- Smith, B. and George, T.N. (1961) *North Wales* (3rd edn). British Regional Geology, Institute of Geological Sciences, HMSO, London.
- Smith, D.B. and Francis, E.A. (1967) *Geology of the Country Between Durham and West Hartlepool*. Memoirs of the Geological Survey of Great Britain.
- Smith, E.G. (1967) The Namurian and basal Westphalian rocks of the Beeley-Holymoorside area. In *Geological Excursions in the Sheffield Region and the Peak National Park* (eds R. Neves and C. Downie), Northend, Sheffield, pp. 103-8.
- Smith, E.G., Rhys, G.H. and Eden, R.A. (1967) *Geology of the Country Around Chesterfield, Matlock and Mansfield*. Memoirs of the Geological Survey of Great Britain.
- Smith, S. and Reynolds, S.H. (1929) The Carboniferous section at Cattybrook, near Bristol. *Quarterly Journal of the Geological Society*, **85**, 1-8.
- Sorby, H.C. (1852) On the oscillations of the currents drifting the sandstone beds of south-east Northumberland and on their general directions in the neighbourhood of Edinburgh. *Proceedings of the Yorkshire Geological and Polytechnic Society*, **3**, p. 232.
- Sorby, H.C. (1859) On the structure and origin of the Millstone Grit in South Yorkshire. *Proceedings of the Yorkshire Geological and Polytechnic Society*, **3**, 669-75.
- Spears, D.A. (1964) The major element geochemistry of the Mansfield Marine Band in the Westphalian of Yorkshire. *Geochimica et Cosmochimica Acta*, **28**, 1679-96.
- Spears, D.A. (1967) The middle and upper Coal Measures (Westphalian B and C) north-east of Sheffield. In *Geological Excursions in the Sheffield Region and the Peak National Park* (eds R. Neves and C. Downie), Northend, Sheffield, pp. 139-44.
- Spink, K. and Ford, T.D. (1968) The Coal Measures. In *The Geology of the East Midlands* (eds P.C. Sylvester-Bradley and T.D. Ford), University of Leicester Press, Leicester, pp. 95-111.
- Spinner, E. (1965) Westphalian D megaspores from the Forest of Dean Coalfield, England. *Palaeontology*, **8**, 82-106.
- Spinner, E. (1984) The occurrence and distribution of megaspores in the Drybrook Sandstone and associated measures of the Forest of Dean. *Journal of Micropalaeontology*, **3**, 37-41.
- Squirrell, H.C. and Downing, R.A. (1964) The attenuation of the Coal Measures in the S.E. part of the South Wales Coalfield. *Bulletin of the Geological Survey of Great Britain*, **21**, 119-32.
- Squirrell, H.C. and Downing, R.A. (1969) *The Country Around Newport (Mon.)* (2nd edn). Memoirs of the Geological Survey of Great Britain.

References

- Squirrel, H.C. (1971) Old Red Sandstone, Carboniferous Limestone and Coal Measures sections around Newport and Risca, Monmouthshire. In *Geological Excursions In South Wales and The Forest of Dean* (eds D.A. Bassett and M.G. Bassett), Geologists' Association , South Wales Group, Cardiff, pp. 43-55
- Stead, J.T.G. and Williams, B.P.J. (1973) The Pennant Sandstone of Portishead. *Proceedings of the Bristol Naturalists' Society*, **32**, 307-14.
- Stead, J.T.G. (1974) The sedimentology of the Upper Coal Measures of the Forest of Dean and adjacent areas. Unpublished Ph.D. thesis, University of Wales (Swansea).
- Stephens, J.V., Mitchell, G.H. and Edwards, W. (1953) *Geology of the Country Between Bradford and Skipton*. Memoirs of the Geological Survey of Great Britain.
- Sternberg, K. von (1820-38) *Versuch einer Geognostisch-Botanischen Darstellung der Flora der Vorwelt*. Leipzig.
- Stevenson, I.P. and Gaunt, G.D. (1971) *The Geology of the Country Around Chapel-en-le-Frith*. Memoirs of the Geological Survey of Great Britain.
- Stevenson, I.P. and Mitchell, G.H. (1955) *The Geology of the Country Between Burton upon Trent, Rugeley and Uttoxeter*. Memoirs of the Geological Survey of Great Britain.
- Stobbs, J.T. (1905a) The marine beds in the Coal Measures of north Staffordshire. *Quarterly Journal of the Geological Society of London*, **61**, 495-547.
- Stobbs, J.T. (1905b) The occurrence of '*Anthracomyia phillipsi*' in the Durham Coalfield. *Geological Magazine*, **2**, p. 506.
- Stobbs, J.T. (1906) The value of fossil Mollusca in Coal-Measure stratigraphy. *Transactions of the Institute of Mining Engineers*, **38**, 1-22.
- Strahan, A. (1890) *The Geology of the Neighbourhoods of Flint, Mold, and Ruthin*. Memoirs of the Geological Survey of Great Britain.
- Strahan, A. (1899) *The Geology of the South Wales Coalfield. Part I. The Country Around Newport, Monmouthshire*. Memoirs of the Geological Survey of Great Britain.
- Strahan, A. (1907a) *The Geology of the South Wales Coalfield. Part VIII. The Country Around Swansea*. Memoirs of the Geological Survey of Great Britain.
- Strahan, A. (1907b) *The Geology of the South Wales Coalfield. Part IX. West Gower and the Country Around Pembrey*. Memoirs of the Geological Survey of Great Britain.
- Strahan, A. and Cantrill, T.C. (1902) *The Geology of the South Wales Coalfield. Part IV. The Country Around Cardiff*. Memoirs of the Geological Survey of Great Britain.
- Strahan, A. and Cantrill, T.C. (1904) *The Geology of the South Wales Coalfield. Part VI. The Country Around Bridgend*. Memoirs of the Geological Survey of Great Britain.
- Strahan, A., Cantrill, T.C., Dixon, E.E.L., et al. (1907) *The Geology of the South Wales Coalfield. Part VII. The Country Around Ammanford*. Memoirs of the Geological Survey of Great Britain.
- Strahan, A., Cantrill, T.C., Dixon, E.E.L. and Thomas, H.H. (1909) *The Geology of the South Wales Coalfield. Part X. The Country Around Carmarthen*. Memoirs of the Geological Survey of Great Britain.
- Strahan, A., Cantrill, T.C., Dixon, E.E.L., Thomas, H.H. and Jones, O.T. (1914) *The Geology of the South Wales Coalfield. Part XI. The Country Around Haverfordwest*. Memoirs of the Geological Survey of Great Britain.
- Strahan, A. and Gibson, W. (1900) *The Geology of the South Wales Coalfield. Part II. Abergavenny*. Memoirs of the Geological Survey of Great Britain.
- Strahan, A., Gibson, W. and Cantrill, T.C. (1904) *The Geology of the South Wales Coalfield. Part V. The Country Around Merthyr Tydfil*. Memoirs of the Geological Survey of Great Britain.
- Strahan, A., Tiddeman, R.H. and Gibson, W. (1903) *The Geology of the South Wales Coalfield. Part IV. The Country Around Pontypridd and Maesteg*. Memoirs of the Geological Survey of Great Britain.
- Stubblefield, C.J. and Trotter, F.M. (1957) Divisions of the Coal Measures on Geological Survey maps of England and Wales. *Bulletin of the Geological Survey of Great Britain*, **13**, 1-5.
- Sullivan, H.J. (1962) Distribution of miospores through coals and shales of the Coal Measures sequence exposed in Wern Ddu Claypit, Caerphilly (South Wales). *Quarterly Journal of the Geological Society of London*, **118**, 353-73.
- Sullivan, H.J. (1964) Miospores from the Drybrook Sandstone and associated measures in the Forest of Dean, Gloucestershire. *Palaeontology*, **7**, 351-92.

References

- Sullivan, H.J. and Moore, L.R. (1956) The horizon of the Tillery vein in Monmouthshire. *Geological Magazine*, **93**, 409-17.
- Sutherland, P.K. and Manger, W.L. (1984) The Mississippian-Pennsylvanian boundary in North America. *Compte rendu 9e Congrès International de Stratigraphie et de Géologie Carbonifère* (Washington and Urbana, 1979), **2**, 319-29.
- Taylor, B.J. (1961) The stratigraphy of exploratory boreholes in the West Cumberland Coalfield. *Bulletin of the Geological Survey of Great Britain*, **17**, 1-74.
- Taylor, B.J. (1978) Westphalian. In *The Geology of the Lake District*. (ed. F. Moseley), Yorkshire Geological Society, Leeds.
- Taylor, B.J., Burgess, I.C., Land, D.H., et al. (1971) *Northern England* (4th edn). British Regional Geology, Institute of Geological Sciences, HMSO, London.
- Taylor, F.M. and Howitt, F. (1968) Field meeting in the UK East Midlands Oilfields and associated outcrop areas. *Proceedings of the Geologists' Association*, **76**, 195-209.
- Taylor, K. and Rushton, A.W.A. (1971) The pre-Westphalian geology of the Warwickshire Coalfield. *Bulletin of the Geological Survey of Great Britain*, **35**, 1-150.
- Thomas, B.A. (1987) The use of in-situ spores for defining species of dispersed spores. *Review of Palaeobotany and Palynology*, **51**, 227-33.
- Thomas, B.A. and Cleal, C.J. (1994) Middle Westphalian plant fossils from the West Cumberland Coalfield. *Geological Journal*, **28**, 101-23.
- Thomas, J.M. (1982) The Carboniferous rocks. In *The Geology of Devon* (eds E.M. Durrance and D.J.C. Laming), University Press, Exeter, pp. 42-65.
- Thomas, J.M. (1988) Basin history of the Culm Trough of southwest England. In *Sedimentation in a Synorogenic Basin Complex. The Upper Carboniferous of Northwest Europe* (eds B.M. Besly and G. Kelling), Blackie, Glasgow, pp. 24-37.
- Thomas, L.P. (1967) A sedimentary study of the sandstones between the horizons of the Four-Foot Coal and the Gorllwyn Coal of the Middle Coal Measures of the South Wales Coalfield. Unpublished Ph.D. Thesis, University of Wales (Swansea).
- Thomas, L.P. (1974) The Westphalian (Coal Measures) in South Wales. In *The Upper Palaeozoic and Post-Palaeozoic Rocks of Wales* (ed. T.R. Owen), University of Wales Press, Cardiff, pp. 133-60.
- Thomas, R.L. and Bloxham, T.W. (1971) Some observations on the distribution of quartz, organic sulphur, and iron in the *Gastrioceras subcrenatum* marine band of the South Wales coalfield. *Compte rendu 6e Congrès International de Stratigraphie et de Géologie Carbonifère* (Sheffield, 1967), **4**, 1555-70.
- Tonks, L.H. (1939) Marine and freshwater fossils from the Middle Coal Measures of Ryhope, Co. Durham. *Bulletin of the Geological Survey of Great Britain*, **1**, 1-7.
- Tonks, L.H., Jones, R.C.B., Lloyd, W. and Sherlock, R.L. (1931) *The Geology of Manchester and the South-East Lancashire Coalfield*. Memoirs of the Geological Survey of Great Britain.
- Trechmann, C.T. and Woolacott, D. (1919) On the highest Coal-measures or 'zone' of *Anthracomyia phillipsi* in the Durham Coalfield. *Geological Magazine*, **56**, 203-11.
- Trewin, N.H. and Holdsworth, B.K. (1973) Sedimentation in the lower Namurian rocks of the North Staffordshire Basin. *Proceedings of the Yorkshire Geological Society*, **39**, 371-408.
- Trotter, R.M. (1942) *Geology of the Forest of Dean coal and iron-ore field*. Memoirs of the Geological Survey of Great Britain.
- Trotter, R.M. (1951) Sedimentation facies in the Namurian of north-western England and adjoining areas. *Proceedings of the Liverpool and Manchester Geological Society*, **1**, 77-112.
- Trotter, F.M. (1952) Exploratory borings in south-west Lancashire. *Transactions of the Institute of Mining Engineers*, **112**, 261-83.
- Trotter, F.M. (1953) Reddened beds of Carboniferous age in north-west England and their origin. *Proceedings of the Yorkshire Geological Society*, **29**, 1-20.
- Trotter, F.M. and Hollingworth, S.E. (1932) *The Geology of the Brampton District*. Memoirs of the Geological Survey of Great Britain.
- Trueman, A.E. (1933) A suggested correlation of the Coal Measures of England and Wales. *Proceedings of the South Wales Institute of Engineers*, **49**, 63-106.
- Trueman, A.E. (1934) The age of the highest Coal Measures in west Pembrokeshire. *Geological Magazine*, **71**, 116-8.
- Trueman, A.E. (1954) *The Coalfields of Great Britain*. Arnold, London.
- Trueman, A.E. and Ware, W.D. (1932) Additions to the fauna of the Coal Measures of South Wales.

References

- Proceedings of the South Wales Institute of Engineers*, **48**, 67-92, 259-61.
- Trueman, A.E. and Weir, J. (1946-68) *A Monograph of British Carboniferous Non-Marine Lamellibranchia*. Palaeontographical Society, London
- Turner, J.S. (1935) The structural geology of Stainmore, Westmoreland, and notes on the late Palaeozoic (late Variscan) tectonics of the north of England. *Proceedings of the Geologists' Association*, **46**, 121-51.
- Turner, N. and Owens, B. (1993) Palynological evidence for an early Namurian age of the Cornbrook Sandstone Formation, Clee Hill, Shropshire. *Proceedings of the Yorkshire Geological Society*, **49**, 189-96.
- Turner, N. and Spinner, E. (1990) Palynological evidence for the age of the Coal Measures of the Titterstone Clee Coalfield, Shropshire, England. *Proceedings of the Yorkshire Geological Society*, **48**, 81-98.
- Turner, N. and Spinner, E. (1993) A palynostratigraphic study of Namurian-Westphalian deltaic sequences of the southern central Pennine Basin, Derbyshire, England. *Review of Palaeobotany and Palynology*, **77**, 23-43.
- Turner, P.J. (1986) Stratigraphical and structural variations in central SW England: a critical appraisal. *Proceedings of the Geologists' Association*, **97**, 331-45.
- Tyrrell, G.W. (1928) *Geology of Arran*. Memoirs of the Geological Survey of Great Britain.
- Ure, D. (1793) *History of Rutherglen and East Kilbride*. Privately published, Glasgow.
- Ussher, W.A.E. (1881) On the Palaeozoic rocks of north Devon and west Somerset. *Geological Magazine*, **18**, 441-8.
- Ussher, W.A.E. (1887) The Culm of Devonshire. *Geological Magazine*, **24**, 10-7.
- Ussher, W.A.E. (1892) The British Culm Measures. *Proceedings of the Somerset Archaeology and Natural History Society*, **38**, 111-219.
- Ussher, W.A.E. (1900) The Devonian, Carboniferous and New Red rocks of west Somerset, Devon and Cornwall. *Proceedings of the Somerset Archaeology and Natural History Society*, **46**, 1-64.
- Ussher, W.A.E. (1901) The Culm-Measure types of Great Britain. *Transactions of the Institute of Mining Engineers*, **20**, 360-91.
- Varker, W.J., Owens, B. and Riley, N.J. (1991) Integrated biostratigraphy for the proposed Mid-Carboniferous boundary stratotype, Stonehead Beck, Cowling, North Yorkshire, England. *Courier Forschungsinstitut Senckenberg*, **130**, 221-35.
- Vasey, G.M. (1985) The non-marine fauna of the Sydney Coalfield (Morien Group), Canada: palaeoecology and correlation. *Compte rendu 10e Congrès International de Stratigraphie et de Géologie Carbonifère* (Madrid, 1983), **2**, 477-90.
- Vasey, G.M. and Bowes, G.E. (1985) The use of cluster analysis in the study of some non-marine bivalvia from the Westphalian D of the Sydney Coalfield, Nova Scotia, Canada. *Journal of the Geological Society of London*, **142**, 397-410.
- Vaughan, A. (1905) The palaeontological sequence in the Carboniferous Limestone of the Bristol area. *Quarterly Journal of the Geological Society of London*, **61**, 181-307.
- Vernon, R.D. (1912) On the geology and palaeontology of the Warwickshire Coalfield. *Quarterly Journal of the Geological Society of London*, **68**, 587-638.
- Visscher, H., Kerp, J.H.F. and Clement-Westerhof, J.A. (1986) Aspects of Permian palaeobotany and palynology. VI. Towards a flexible system of naming fossil conifers. *Acta Botanica Neerlandica*, **35**, 87-99.
- Wagner, R.H. (1966) Palaeobotanical dating of Upper Carboniferous folding phases in NW Spain. *Memorias del Instituto Geológico y Minero de España*, **66**, 1-169.
- Wagner, R.H. (1968) Upper Westphalian and Stephanian species of *Alethopteris* from Europe, Asia Minor and North America. *Mededelingen van de Rijks Geologische Dienst*, Series C, **3-1-6**, 1-188.
- Wagner, R.H. (1969) Proposal for the recognition of a new 'Cantabrian' stage at the base of the Stephanian Series. *Compte rendu 6e Congrès International de Stratigraphie et de Géologie Carbonifère* (Sheffield, 1967), **1**, 139-50.
- Wagner, R.H. (1974) The chronostratigraphic units of the Upper Carboniferous in Europe. *Bulletin de la Société Belge de Géologie, de Paléontologie et d'Hydrologie*, **83**, 235-53.
- Wagner, R.H. (1977) Comments on the upper Westphalian and Stephanian floras of Czechoslovakia, with particular reference to their stratigraphic age. In *Symposium on Carboniferous Stratigraphy* (eds V.M. Holub and R.H. Wagner), Geological Survey, Prague, pp. 441-57.
- Wagner, R.H. (1984) Megafloral zones of the Carboniferous. *Compte rendu 6e Congrès*

References

- International de Stratigraphie et de Géologie Carbonifère* (Washington and Urbana, 1979), **2**, 109-34.
- Wagner, R.H. (1989) An outline history of the IUGS Subcommission on Carboniferous stratigraphy: achievements and objectives. *Newsletter on Carboniferous Stratigraphy*, **7**, 9-12.
- Wagner, R.H. and Bowman, M.B.J. (1983) The position of the Bashkirian/Moscovian boundary in west European chronostratigraphy. *Newsletter on Stratigraphy*, **12**, 132-61.
- Wagner, R.H., Higgins, A.C. and Meyen, S.V. (eds) (1979) *The Carboniferous of the USSR*. Yorkshire Geological Society, Leeds (Occasional Publication No. 4).
- Wagner, R.H. and Spinner, E. (1972) The stratigraphic implications of the Westphalian D macro- and microflora of the Forest of Dean Coalfield (Gloucestershire), England. *International Geological Congress* (Montreal, 1972), pp. 428-37.
- Wagner, R.H. and Winkler Prins, C.F. (1985) The Cantabrian and Barruelian stratotypes: a summary of basin development and biostratigraphic information. *Anais da Faculdade de Ciências de Porto*, **64** (Suppl.), 359-410.
- Wagner, R.H. and Winkler Prins, C.F. (1991) Major divisions of the Carboniferous System. *Compte rendu 11e Congrès International de Stratigraphie et de Géologie du Carbonifère* (Beijing, 1987), **1**, 213-45.
- Wagner, R.H. and Winkler Prins, C.F. (1993) General overview of Carboniferous stratigraphy. *Annales de la Société Géologique de Belgique*, **116**, 163-74.
- Wagner, R.H., Winkler Prins, C.F. and Granados, L.F. (eds) (1983) *The Carboniferous of the World. I. China, Korea, Japan and S.E. Asia*. Instituto Geológico y Minero de España, Madrid (IUGS Publication No. 16).
- Wagner, R.H., Winkler Prins, C.F. and Granados, L.F. (eds) (1985) *The Carboniferous of the World. II. Australia, Indian Subcontinent, South Africa, South America and North Africa*. Instituto Geológico y Minero de España, Madrid (IUGS Publication No. 20).
- Walker, A.O. (1878) Notes on the Lower Coal Measures between Bagillt and Holywell. *Proceedings of the Chester Society of Natural Science*, **2**, p. 9.
- Walker, R.G. (1964a) Some aspects of the sedimentology of the Westward Ho! and Northam Formations. *Proceedings of the Ussher Society*, **1**, 85-7.
- Walker, R.G. (1964b) Some aspects of the sedimentology of the Shale Grit and Grindslow Shales (Namurian R_{1c}, Derbyshire) and the Westward Ho! and Northam formations (Westphalian, north Devon). Unpublished Ph.D. Thesis, University of Oxford.
- Walker, R.G. (1966a) Shale Grit and Grindslow Shales: transition from turbidite to shallow water sediments in the Upper Carboniferous of northern England. *Journal of Sedimentary Petrology*, **36**, 90-114.
- Walker, R.G. (1966b) Deep channels in turbidite-bearing formations. *Bulletin of the American Association of Petroleum Geology*, **50**, 1899-1917.
- Walker, R.G. (1986) Turbidites and associated coarse clastic deposits. In *Facies Models* (ed. R.G. Walker), Geologists' Association of Canada, Toronto (Geoscience Canada, Reprint Series No. 1), pp. 171-88.
- Walton, J., Weir, J. and Leitch, D. (1938) A summary of Scottish Carboniferous stratigraphy and palaeontology. *2e Congrès pour l'Avancement des Études de Stratigraphie Carbonifère, Compte rendu* (Heerlen, 1935), **3**, 1343-55.
- Ward, J. (1890) The geological features of the North Staffordshire Coalfields, their organic remains, their range and distribution; with a catalogue of the fossils of the Carboniferous System of North Staffordshire. *Transactions of the North Staffordshire Institution of Mining and Mechanical Engineers*, **10**, 125-9.
- Ware, W.D. (1939) The Millstone Grit of Carmarthenshire. *Proceedings of the Geologists' Association*, **50**, 168-204.
- Watts, W.W. (1925) The geology of south Shropshire. *Proceedings of the Geologists' Association*, **36**, 321-63.
- Weaver, J.D. (1975) The structure of the Swansea Valley disturbance between Clydach and Hay-on-Wye, South Wales. *Geological Journal*, **10**, 75-86.
- Wedd, C.B., Smith, B. and Wills, L.J. (1927) *The Geology of the Country Around Wrexham. Part 1. Lower Palaeozoic and Lower Carboniferous Rocks*. Memoirs of the Geological Survey of Great Britain.
- Weir, J. and Leitch, D. (1936) The zonal distribution of the non-marine lamellibranchs in the Coal Measures of Scotland. *Transactions of the Royal Society of Edinburgh*, **58**, 697-751.
- Welch, F.B.A. and Trotter, F.M. (1961) *Geology of*

References

- the Country Around Monmouth and Chepstow.* Memoirs of the Geological Survey of Great Britain.
- Whitehead, T.H. and Eastwood, T. (1927) *Geology of the Southern Part of the South Staffordshire Coalfield.* Memoirs of the Geological Survey of Great Britain.
- Whitehead, T.H. and Pocock, R.W. (1947) *Geology of the Country Between Dudley and Bridgnorth.* Memoirs of the Geological Survey of Great Britain.
- Whitehurst, J. (1778) *An Enquiry into the Original State and Formation of the Earth.* Whitehurst and Bent, London.
- Williams, P.F. (1966) The sedimentation of the Pembrokeshire Coal Measures. Unpublished Ph.D. Thesis, University of Wales (Swansea).
- Williams, P.F. (1968) The sedimentation of Westphalian (Ammanian) measures in the Little Haven-Amroth coalfield, Pembrokeshire. *Journal of Sedimentary Petrology*, **38**, 332-62.
- Williams, P.F. (1969) Notes on some deformation structures of sedimentary origin in the Little Haven-Amroth coalfield, Pembrokeshire. *Geological Magazine*, **106**, 395-411.
- Williams, R.W. (1956) The sequence of microfloras in the Coal Measures of southern Britain. Unpublished Thesis, University of London.
- Williamson, I.A. (1953) Intraformational contorted strata in the Upper Carboniferous of the Lancashire Pennines. *Proceedings of the Yorkshire Geological Society*, **29**, 149-60.
- Williamson, W.O. (1946) Some grits and associated rocks in the Etruria Marls of north Staffordshire. *Geological Magazine*, **83**, 30-2.
- Wills, L.J. (1956) *Concealed Coalfields.* Blackie, London.
- Wilson, D., Davies, J.R., Fletcher, C.J.N. and Smith, M. (1988) *Geology of the South Wales Coalfield. Part VI. The Country Around Bridgend.* Memoirs of the British Geological Survey.
- Wilson, M.J. (1965) The origin and significance of the South Wales underclays. *Journal of Sedimentary Petrology*, **52**, 83-94.
- Wimbledon, W.A. (1988) Palaeontological site conservation in Britain: facts, form, function and efficacy. *Special Papers in Palaeontology*, **40**, 41-55.
- Winch, N.J. (1817) Observations on the geology of the Northumberland and Durham Coalfield. *Transactions of the Geological Society of London*, **4**, 1-101.
- Wood, A. (1936) Goniatite zones of the Millstone Grit Series in North Wales. *Proceedings of the Liverpool Geological Society*, **17**, 10-28.
- Wood, N. (1831) Account of some fossil stems of trees found penetrating through the strata above the High Main Coal, at Killingworth Colliery, at a depth of 48 fathoms. *Transactions of the Natural History Society of Northumberland, Durham and Newcastle upon Tyne*, **1**, 206-14.
- Woodland, A.W., Archer, A.A. and Evans, W.B. (1957) Recent boreholes into the Lower Coal Measures below the Gellideg-Lower Pumpquart coal horizon in South Wales. *Bulletin of the Geological Survey of Great Britain*, **13**, 39-60.
- Woodland, A.W. and Evans, W.B. (1964) *The Country Around Pontypridd and Maesteg.* Memoirs of the Geological Survey of Great Britain.
- Woodland, A.W., Evans, W.B. and Stephens, J.V. (1957) Classification of the Coal Measures of South Wales with special reference to the Upper Coal Measures. *Bulletin of the Geological Survey of Great Britain*, **13**, 6-13.
- Woodward, H. (1867) On some points in the structure of the *Xiphosura*, having reference to their relationship with the Eurypteridae. *Quarterly Journal of the Geological Society of London*, **23**, 28-37.
- Woodward, H. (1876) *Geology of East Somerset and the Bristol Coalfields.* Memoirs of the Geological Survey of Great Britain.
- Woodward, H. (1918) Note on *Bellinurus trechmanni*, a new species of limuloid arthropod from the Durham Coal-field. *Geological Magazine*, **55**, 469-71.
- Woodward, J. (1729) *An Attempt Towards a Natural History of the Fossils of England.* Fayram, Senex, Osborn and Longman, London.
- Worssam, B.C. and Old, R.A. (1988) *Geology of the Country Around Coalville.* Memoirs of the British Geological Survey.
- Worssam, B.C., Ellison, R.A. and Moorlock, B.S.P. (1989) *Geology of the Country Around Tewkesbury.* Memoirs of the British Geological Survey.
- Wray, D.A. (1929) The Carboniferous succession in the central Pennine area. *Proceedings of the Yorkshire Geological Society*, **21**, 228-87.
- Wray, D.A., Stephens, J.V., Edwards, W.N. and Bromehead, C.E.N. (1930) *The Geology of the*

References

- Country Around Huddersfield and Halifax.* Memoirs of the Geological Survey of Great Britain.
- Wray, D.A. and Trueman, A.E. (1934) The fauna of the Lower Coal Measures in West Yorkshire. *Summary of Progress of the Geological Survey of Great Britain for 1933* (2), 37-50.
- Wright, W.B., Sherlock, R.L., Wray, D.A., et al. (1927) *The Geology of the Rossendale Anticline.* Memoirs of the Geological Survey of Great Britain.
- Young, J. and Armstrong, J. (1871) *On the Carboniferous Fossils of the West of Scotland.* Geological Society of Glasgow, Glasgow.
- Zodrow, E.L. and Cleal, C.J. (1985) Phyto- and chronostratigraphical correlations between the late Pennsylvanian Morien Group (Sydney, Nova Scotia) and the Silesian Pennant Measures (South Wales). *Canadian Journal of Earth Science*, **22**, 1465-73.

Species index

- Acanthodes wardi* 53
Acanthotriletes baculatus 174
Acanthotriletes pilus 196
Adiantites 68
Adiantites bondii 284
Agastrioceras carinatum 29, 67, 71, 196, 197
Abrenisporites 32
Abrenisporites beeleyensis 30, 196
Alethopteris 81, 256
Alethopteris ambigua 261
Alethopteris decurrens 90, 104
 119
Alethopteris grandinii 260
Alethopteris grandinioides 113, 261
Alethopteris integra 144
Alethopteris lonchitica 98, 138, 238, 277
Alethopteris miltoni 119
Alethopteris robusta var.
 longipinnata 119
Alethopteris serlii 88
Alethopteris urophylla 68, 74
Ancyclus vinti 257
Annularia 256, 284
Annularia radiata 103, 104
Annularia sphenophylloides 77, 238
Annularia stellata 261
Anomalonema defretinae 261
Anthracoceras 71, 193, 197, 224, 227, 238
Anthracoceras atites 189
Anthracoceratites 27, 50, 90, 196
Anthracoceratites vanderbeckei 33, 91
Anthracoceratoides cornubiensis 53
Anthracomya 103
Anthraconia 225, 240, 260
Anthraconia angulosa 196
Anthraconia librata 235
Anthraconia pruvosti 116
Anthraconia pulchella 255
Anthraconia pumila 255
Anthraconia robertsoni 103, 276
Anthraconia salteri 255
Anthraconia spathulata 240
Anthraconia willimansoni 103
Anthraconauta 221, 227
Anthraconauta calcifera 150
Anthraconauta minima 103
Anthraconauta phillipsi 77, 116, 128, 150, 151, 257, 261
Anthraconauta tenuis 77, 116, 150, 261
Anthracosenatites deansi 189
Anthracosia 260, 278
Anthracosia acutella 103, 235
Anthracosia aquilina 232, 235, 276, 280
Anthracosia aquilinioides 87, 255
Anthracosia atra 278
Anthracosia beaniana 255
Anthracosia caledonica 255
Anthracosia concinna 87, 235
Anthracosia faba 255
Anthracosia lateralis 33
Anthracosia modiolaris 276
Anthracosia ovum 33, 87, 255, 276
Anthracosia phrygiana 33, 234, 255, 276
Anthracosia planitumida 87, 255
Anthracosia regularis 33, 74, 232, 276, 280
Anthracosia simulans 255
Antbracosphaerium affine 276
Antbracosphaerium cycloquadratum 276
Antbracosphaerium dawsoni 276
Antbracosphaerium exiguum 277
Antbracosphaerium propinquum 255
Antbracosphaerium radiatum 235, 255
Antbracosphaerium turgidum 33, 255, 276
Anthrapalaemon 255
Apiculatisporites variocorneus 277
Archaeocalamites radiatus 273
Archaeocidaris 250
Arenicolites 215
Asterophyllites 100, 284
Asterophyllites charaeformis 103
Aviculopecten 35, 187, 250
Aviculopecten dellepinei 189, 278

Species index

- Aviculopecten dorlodoti*, 184
Aviculopecten losseni 196, 197
- Bashkirites* 27
Belinurus 200
Belinurus trechmanni 257
Bertrandia avoldensis 104
Bilinguis eometabilinguis 192
Bilinguis metabilinguis 192
Bilinguites bilinguis 27, 78,
 190, 191, 192, 193, 199
Bilinguites gracilis 27, 28, 189,
 191
Bilinguites superbilingue 78
Bilinguites superbilinguis 29,
 43, 176, 194, 197, 199
Branneroceras 30
Branneroceras branneroides,
 197
- Calamites* 100, 256, 284
Calamites suckowii 257
Cancelloceras 194
Cancelloceras branneroides
 29
Cancelloceras cancellatum 29,
 67, 71, 83, 98, 197, 199
Cancelloceras crenellatum
 196, 197
Cancelloceras cumbriense 67,
 98, 197, 248
Cancelloceras lineatum 47
Caneyella 21, 25, 47, 54, 71,
 179, 193, 194, 221
Caneyella multirugata 47,
 196, 197, 224, 227
Caneyella rugata 189, 194
Caneyella semisulcata 20
Carbonicola 50, 71
Carbonicola acuta 259
Carbonicola aldamae 74
Carbonicola aquilina 259
Carbonicola artifex 221, 222,
 224
Carbonicola bellula 32, 51, 81
Carbonicola bipennis 74, 87,
 222
Carbonicola communis 273,
 276, 282
Carbonicola concinna 259
Carbonicola crispa 51, 87
Carbonicola cristagalli 87,
 227, 231
Carbonicola deansi 67
- Carbonicola declinata* 218,
 221, 224
Carbonicola discus 218, 221
Carbonicola elliptica 280
Carbonicola exorrecta 196
Carbonicola extenuata 51, 67,
 68, 225, 282
Carbonicola extima 51, 67
Carbonicola fallax 32, 67,
 217, 221, 224, 227
Carbonicola habergamensis
 218
Carbonicola lenicurvata 50-1,
 81
Carbonicola lenisulcata 67
Carbonicola limax 217, 218,
 224
Carbonicola martini 87
Carbonicola obliqua 222, 224
Carbonicola ornata 67
Carbonicola oslancis 74, 259,
 276, 280
Carbonicola pilleolum 51,
 221, 224
Carbonicola polmontensis 276
Carbonicola pontifex 67, 87
Carbonicola protea 32, 196,
 217, 221, 224
Carbonicola proxima 282
Carbonicola pseudorobusta
 87, 276, 282-3
Carbonicola rectilinearis, 218,
 221
Carbonicola rhomboidalis 74,
 87, 196, 280
Carbonicola robusta 273, 276
Carbonicola subconstricta 283
Carbonicola venusta 87
Carbonicola vinti 257
Carbonita 32
Carbonita pungens 261
Carbonita salteriana 261
Catasroboceras 250
Chonetes 187
Cirratiradites ornatus 196,
 248
Cirratiradites rarus 21
Cirratiradites saturnii 32
Coleolus 250, 278
Conularia 73
Convolutispora laminosa 196
Cordaicarpus cordai 260
Cordaites 284
Cornuboniscus budensis 53
- Crassispora kosankei* 248
Cristatisporites connexus 277
Crurithyris 141, 187, 250
Curvirimula 50, 51, 67, 221,
 224, 278
Curvirimula belgica 50, 103,
 283
Curvirimula bellula 50
Curvirimula scotica 50
Curvirimula subovata 283
Cyathocarpus arborescens
 117, 119, 261
Cyclopteris 139
Cypridina 47, 50, 278
- Declinognathodus* 35
Declinognathodus inaequalis
 21, 178
Declinognathodus lateralis
 178
Declinognathodus noduliferus
 22, 23, 178
Densosporites belliatus 277
Densosporites marginatus 277
Dictyotriletes tuberosus 174
Dictyotriletes varioreticulatus
 248
Diplodus 257
Dithyrocaries 250
Donetzoceras aegiranum 35,
 54, 141, 237, 278
Dunbarella 23, 25, 33, 35, 42,
 43, 47, 50, 73, 90, 103,
 187, 191, 193, 229, 238,
 240
Dunbarella elegans 197
Dunbarella macgregori 54,
 278
Dunbarella papyraceae 47,
 196, 224, 227
Dunbarella rhythmica 179
Dunbarella speciosa 189, 194
- Edmondia* 67, 90
Edmondia josepha 184
Edmondia transversa 240
Elonichthys 32, 257
Elonichthys aitkeni 53
Endosporites globiformis 34
Eoblattina mantidioides 257
Euchondria 250
Euestheria 257
Eumorphoceras beta 20
Euphemites 250

Species index

- Euphemusites* 90
Euproops 200
Eusphenopteris hollandica 90
Eusphenopteris obtusiloba 104, 144
Eusphenopteris sauverii 74
Eusphenopteris striata 284
Fayettevillea darwensis 20, 21
Fenestella 250
Florinites antiquus 30
Florinites junior 34
Florinites mediapudens 32, 277
Fortopteris latifolia 140
Gastrioceras 47, 221
Gastrioceras amaliae 47, 50
Gastrioceras cancellatum 30
Gastrioceras circumnodosum 47, 224
Gastrioceras coronatum 43, 47
Gastrioceras depressum 54
Gastrioceras listeri 43, 47, 224, 227
Gastrioceras subcrenatum 32, 47, 71, 86, 90, 98, 176, 196, 224
Geisina 32, 33, 240, 257
Glomospira 278
Grumosporites varioreticulatus 23, 26
Grumosporites varioreticulatus 26
Hindeodella 35, 47, 278
Hodsonites magistrorum 23, 78
Hollinella 33
Homoceras 80
Homoceras beyrichianum 21, 25, 78
Homoceras smithi 173
Homoceras undulatum 78, 174
Homoceratoides 196
Homoceratoides divaricatus 32, 197
Homoceratoides fortelirifer 194
Homoceratoides jacksoni 278
Hudsonoceras ornatum 185
Hudsonoceras proteus 23, 173
Ibrahimisporites brevispinosus 196
Ibrahimisporites magnificus 196
Idiognathoides 35
Isobomoceras subglobosum, 20, 21, 25, 26, 78
Karinopteris acuta 68, 88, 90, 127, 211, 277
Kazakhoceras hawkinsi 20
Knoxisporites seniradiatus, 196
Kouphichnium variabilis 200
Lagenicula verrugosa 118
Laveineopteris losbii 88, 104, 126, 238
Laveineopteris rarineris 77
Laveineopteris tenuifolia 104, 126, 128, 138
Leiaia 276
Leiaia bristolensis 116
Lepidodendron aculeatum 138
Lepidodendron fusiforme 261
Lepidodendron simile 257
Lepidodendron triangulare 257
Lepidodendron veltheimianum 138
Lepidophloios 100
Levipustula 141
Ligonodina 35
Limatulina alternans 278
Limulicubichnus 215
Limulicubichnus rossendaleensis 200
Lingula 33, 67, 73, 86, 90, 99, 141, 187, 191, 197, 217, 221, 224, 232, 238, 247, 276, 278
Lingula mytilioides 184
Lingula pringlei 278
Linoproductus 141
Lithomylacris kirkbyi 257
Lobatopteris micromiltoni 77
Lobatopteris miltoni 238
Lobatopteris vestita 116, 117, 119
Lonchodina 278
Lonchopteris rugosa 104, 127, 138
Lyginopteris baeumleri 90
Lyginopteris boeninghausii 68, 88, 90, 100, 260
Lyginopteris porubensis 81
Macroneuropteris scheuchzeri 77, 104, 119, 261
Mariopteris 98
Mariopteris muricata 104, 144, 284
Mariopteris nervosa 77
Mariopteris sauveurii 238
Metacoceras costatum 35, 278
Metadimorphoceras 21
Microreticulatisporites nobilis, 104
Modiolus 189
Myalina 23, 33
Myalina compressa 240
Mylacris similis 261
Naiadites 51, 196, 227, 235, 237, 240, 278
Naiadites daviesi 257, 278
Naiadites elongata 257
Naiadites flexuosa 103, 128
Naiadites flexuosus 99, 283
Naiadites hibernicus 32, 51
Naiadites productus 33, 255
Naiadites quadratus 255, 277
Naiadites triangularis 232, 280
Neognathodus kanumai 35
Neoraistrickia inconstans 174
Neuralethopteris jongmansii 68, 100
Neuralethopteris naechstebreckiana 98
Neuralethopteris neuropteroidea 88
Neuropteris 81, 256
Neuropteris chalardii 140
Neuropteris flexuosa 261
Neuropteris gigantea 104, 139
Neuropteris grangeri 103
Neuropteris heterophylla 90, 104, 144, 145, 284
Neuropteris jongmansii 51
Neuropteris obliqua 51, 74, 90, 103, 104, 128
Neuropteris ovata 77, 117, 119, 128, 261
Neuropteris subplicata 140
Nucula 98

Species index

- Nuculoceras nuculum* 20, 21
Nuculopsis 90
Nuralethopteris rectinervis 90
- Odontopteris aequalis* 113
Orbiculoidea 67, 90, 187, 191, 221, 238
Orbiculoidea nitida 184
Orthoceras 189, 197
Orthoceras asciculare 278
Ozarkodina delicatula 23
- Palaeoneilo* 250
Palaeoxyrris 261
Paleyoldia 250
Palmato furcata 68
Paripteris gigantea 88, 98, 257, 260, 284
Paripteris linguaefolia 128
Paripteris pseudogigantea 104, 126-7, 257
Pecopteris 256
Pecopteris miltoni 117
Pecopteris plumosa 138
Pecopteris volkmannii 90
Pericyclus divaricatus 173
Peripetoceras dubium 35
Phylomylacris 257
Planolites 99, 247, 278
Planolites ophthalmoides 106
Polymorphopteris polymorpha, 117
Posidonia 25, 35, 197, 221
Posidonia gibsoni 196
Posidonia insignis 195, 196, 224
Posidonia minor 189
Posidonia obliquata 189
Posidonia sulcata 278
Posidoniella 179, 191
Productus 98, 103, 141, 187, 250
Proprisporites laevigatus 174
Pseudocatastropoceras rawsoni 189
- Pterinopecten* 35, 238
Ptychocarpus unitus 128
Punctatisporites pseudopunctatus 196
Pygocephalus 255
Radiizonates aligerens 34
Raistrickia fulva 30, 277
Remysporites magnificus 23
Renaultia chaerophylloides 77, 104
Renaultia crepintii 90
Renaultia gracilis 103
Renaultia rotundifolia 104
Reticuloceras 179
Reticuloceras circumPLICATILE 78, 179
Reticuloceras coreticulatum 189
Reticuloceras davisii 189
Reticuloceras gracilis 193
Reticuloceras nodosum 26, 78
Reticuloceras reticulatum 78, 178, 179, 185, 189, 191, 192
Reticuloceras stubblefieldi 250
Reticulopteris muensteri 77
Reticulosporites reticulatus 30, 32
Retispira undata 184
Rhabdoderma 32, 257
Rhachistognathodus minutus 21
Rhadinichthys 32, 257
Rhipidomella 141
Rhizodopsis 238, 257
Rhombospora 250
Rugosochonetes 141, 250
Rugosochonetes bindii 173
- Sanguinolites* 67, 71
Sanguinolites ovalis 184
Sanguinolites tricostatus 184
Sanguinolites variabilis 189
Schizodus 90
- Schizophoria resupinata* 276
Schuchertella 141
Secarisporites lobatus 196, 248
Secarisporites remotus 248
Sigillaria 154
Sigillaria discophora 257
Sigillaria elegans 144
Sphenophyllum cuneifolium 51, 68, 103, 104, 238, 277
Sphenophyllum emarginatum 77, 119
Sphenophyllum majus 104
Sphenophyllum myriophyllum, 140
Sphenophyllum trichomatosum 273
Sphenopteris 256
Sphenopteris elegans 273
Spirifer 187
Stenozonotritetes triangulus 196
- Thymospora obscura* 117
Thymospora pseudothiessenii 117
Torispora securis 104
Trigonocarpus 234
Triquiritites 32
Triquiritites nodosum 196
Triquiritites sculptilis 104
Triquiritites variabilis 277
- Vallites* 179
Vallites eostriolatus 23, 78
Vallites benkei 248, 250
Vallites striolatum 185, 189
Verneuilites sigma 43, 47, 194, 195
Vestispora magna 104
- Walchia imbricata* 157
Whittleseya elegans 145

General index

Page numbers in **bold** type refer to figures and page numbers in *italic* type refer to tables

Abbotsham Coast, Bideford Formation **48-52**
Abergorky Coal, Wern Ddu site **102**
Addlethorpe Grit, Great Dib Wood site **187**
Aegiranum Marine Band
Northumberland-Durham Coalfield,
Cresswell/Newbiggin Shore **258**
Pennine Basin **235**
Doe Lea **35-6**
Stairfoot Brickworks **36, 236, 236-8**
Scottish Basin, Sanquhar Coalfield **278**
Warren Gutter Shale **53-4**
Wyre Forest Coalfield **140-2, 142**
Algae, at Newcastle/Etruria contact **151-2**
Alport Castles, Shale Grits exposure **180, 180-1**
Alston Block, Crag Gill site **250-1**
Alveley Grindstone Quarry, Keele Beds **154, 154-5**
Amaliae Marine Band Culm Trough **50**
Elland Bypass Cutting **228-30, 229**

Ambergate Quarry, Belperlawn Coal site **213, 214, 214-15**
Amman Marine Band, Cwm Twrch site **91-2**
Amman Rider Coal, Wern Ddu site **101**
Ammonoids **7, 9**
Aegiranum Marine Band Doe Lea site **35**
Stairfoot Brickworks site **237**
Warren Gutter Shale **53-4**
Wyre Forest **141**
Bishopston Formation **78**
Blake Brook Alportian stratotype site **22**
Bude Formation **53-4**
Bullion Mine Marine Band **224**
Cancellatum Marine Band Harewood Grange site **196**
Lower House Stream site **83**
Orchard Farm site **29-30**
Yeadon Brickworks site **197**
Crackington Formation Bonhay Road Cutting site **45**
Clovelly Coast site **47**

Crackington Coast site **41, 42, 43**
Cumbriense Marine Band, Yeadon Brickworks site **197**
Edale Shales Formation, River Noe site **178**
Holbrook Marine Band, Goyt's Moss site **221**
Marsdenian shales, Central Province
Cockwood Gorge site **189-90**
Hathersage Moor site **195**
Hodge Clough site **192**
Jumble Coppice site **194**
Pule Hill site **193-4**
Rake Dike site **191**
Middle Shales Formation, Nant Llech site **90**
in Millstone Grit biostratigraphy **167-8**
Nuculum Marine Band, Gill Beck Site **20**
Proteus Marine Band, Pot Bank Quarry site **173-4**
Subcrenatum Marine Band, Little Don site **32**
Subglobosum Marine Band, Gill Beck site **20-1**

General index

- Todmorden/Hebden Bridge
marine bands 185
see also Species Index
- Amphibians, footprints, in
Keele Beds 154
- Amroth Coast 72, 72-6, 73, 74
- Amroth Freshwater Limestone
73
bivalves in 74
- Ankerite 35
- Annelid trails, in Haslingden
Flags 200
- Anthrapalaemon* 255-6
- Anthracoceratites Marine Band
Bishopston Formation 67
Vale of Neath 81
- Aqueduct Grit Formation 162,
163
- Arenicolites* fossil burrows
215
- Arran, Corrie Foreshore site
279-81
- Arrow Canyon, Nevada, Mid-
Carboniferous boundary
22
- Arthropods 255-6
- Ashclough Mine Coal 235-6
- Ashclough site, Maltby Marine
Band 234-6, 235
- Ashover Grit Formation, Jumble
Coppice site 194
- Astell Coal 84
Nant Llech site 89
- Ayrshire Bauxitic Clay
Formation 267
High Smithstone Quarry
269-71, 270, 271
- Ayrshire Coalfield, Dunaskin
Glen site 281-3
- Bankhead Marine Band,
Sanquhar Coalfield 278
- Barland Common, Bishopston
Formation 78-9
- Barnsley Seam Flora 239
- Barren Red Formation 267
Bristol-Somerset Basin 125,
126
coloration 279
deposition 269
- North Wales 161
- Scottish Basin, East
Wemyss/Buckhaven
Coast 285, 285-6
- Basal Grit Formation, South
Wales 61, 62, 70-1,
72
formation 64
fossils 71
Smarts Quarry 82
Vale of Neath 79, 80
see also Farewell Rock
Formation; Middle Shales
Formation; Millstone Grit
- Basinal deposits, Central
Province Millstone Grit
172, 173
- Blake Brook stratotype
22-4, 23
Cockwood Gorge 189-90
Gib Tor 175, 175-6
Gill Beck stratotype 19-23
Great Dib Wood 187-9
Harewood Grange 195-7
Harper Clough Quarry
198-200
- Hodge Clough 191-3,
192
- Jumble Coppice 194
- Orchard Farm stratotype
29, 29-31
- Park Clough stratotype
27-8
- Pot Bank Quarry 172-5,
174
- Pule Hill 193-4
- Rake Dike 190-1
- River Darwen stratotype
24-7
- River Noe 177, 177-8
- Yeadon Brickworks 197-8
- Bassy Seam, *see* Belperlawn
Coal
- Bauxitic clays, Scottish Basin
265, 269
see also Ayrshire Bauxitic
Clay Formation
- Baxton Gill 261-2
- Beacon Hill Flags 190
- Belperlawn Coal, Ambergate
Quarry site 213, 214,
214-15
see also Soft Bed Coal
- Bensham Coal 254
- Benson's Brook, Productive
Coal Formation 139-40
- Better Bed Seam, Greenmoor
Rock Formation 216
- Bickleigh Wood Quarry,
Crackington Formation
site 45
- Bickley Wood, Downend
Formation site 127-9,
128
- Bideford Formation 40
Abbotsham Coast site
48-52
- Big Coal, Wern Ddu site 102
- Bilinguis Marine Band, Pule Hill
site 193-4
- Bishopston Formation 26, 61,
62, 66, 67
Barland Common site 26,
78-9
- Bivalves, marine
Alportian stratotype, Blake
Brook 22
- Arnsbergian/Chokierian
stratotype, Gill Beck 20
- Bolsoyan stratotype, Doe Lea
35
- Central Province
Bilinguis Marine Band
193
- Cancellatum Marine Band
197
- Coreticulatum Marine Band
184, 189
- Gracilis Marine Band
193
- Rake Dike Marsdenian
sequence 191
- Subcrenatum Marine Band
196
- Culm Trough
Bideford Formation 50
Warren Gutter Shale 54
- Duckmantian stratotype 33
- Kinderscoutian stratotype,
River Darwen 25
- Northumberland-Durham
Coalfield 259
- Otley Shell Bed 187-8
- Pennine Basin
Amaliae Marine Band 229
Cambriense Marine Band
240
- Neepsend sequence 227
- Ravenhead Brickworks site
224
- River Tonge site 234
- Scottish Basin

General index

- Queenslie Marine Band 276
Skipsey's Marine Band 278
South Wales
Amroth Coast 73
Nant Llech site 90
Tenby-Saundersfoot coast 67
Wern Ddu sequence 103
traces
Haslingden Flags 200
Millstone Grit, Smarts Quarry 82-3
see also Species Index
Bivalves, non-marine 9
Central Province, Harewood Grange site 196
Culm Trough, Bideford Formation 50-1
Duckmantian stratotype 33
Forest of Dean Pennant Formation 116
hinge structures 218
homeomorphs,
Anthraconauta/ Naiadites 257, 258
Langsettian stratotype, Little Don 32
morphological variation and lithological change 222
taxonomic approaches 218-20
Newcastle Formation 150-1
Northern England
Canonbie Coalfield 261
Low Main Shell Bed 255

General index

- in Edale Shales 177, 177
in upper Kinderscoutian shales 189
containing marine shells 226
Butterfly Marine Band, *see* *Coreticulatum Marine Band*
Butts Quarry, Keele Beds 154
Byre Burn, Canonbie Coalfield 260-1
Byre Burn Group 260

Calcareous nodules, in Edale Shales Formation 177, 177
Caley Crags Grit, Great Dib Wood site 187
Calmstone Coal, Sanquhar Coalfield 277-8
Cambriense Marine Band Carlton Main Brickworks site 239-40
Wern Ddu site 103
Cancellatum Marine Band Central Province 199
Harewood Grange site 196, 197
Yeadon Brickworks site 197
Orchard Farm stratotype 29-30
South Wales
Llamarch Dingle site 98
Lower House Stream Section 83
'Cank' 35
Cannely shales 253-4
Canonbie Coalfield 243
Byre Burn site 260-1
Canonbie Red Sandstone 245, 261, 262
history of research 245
Jockie's Syke site 261-2
Cantrill, T. 134
Carlton Main Brickworks, Cambriense Marine Band 239-40
Castle Cary Limestone 271
Cattybrook Claypit 125-7, 127
Cefn-fedw Sandstone Formation 162

Central Province Millstone Grit 167-201
basinal deposits, *see* Basinal deposits, Central Province Millstone Grit
delta deposits, *see* Delta deposits, Central Province Millstone Grit
economic importance 167
fossils 167
geological setting 170, 170-2, 171
history of research 167-9
lithostratigraphy 169-70
map 168
moorland topography 167
site coverage 172, 173
see also Pennine Basin Coal Measures
Cephalopods, Skipsey's Marine Band 278
Charley's Garden Sandstone 254
Chatsworth Grit Formation 176
Hathersage Moor site 194-5
Jumble Coppice site 194
Cheswardine Canal Cutting, Keele Beds 152, 152-3, 153
Cineritic tonsteins 11-12
Cistern Coal 276
Claxheugh, *see* Wear River Bank
Clay Coal, Neepsend Railway
Cutting site 226
Clay Cross Marine Band 232
Clay Gall Sandstone 68
Clay ironstones, Pennine Coal Measures 205
Clay minerals, of Crackson Formation 44
Clays, refractory, Scottish Basin 265
Clee Hills, history of research 134-5
Closebow Quarry 198-200
Clovelly Coast, Crackson Formation 46-8
Clovelly Court Shale 47
Cnapiog Coal 84
Brynmawr Road Cutting site 98
Nant Llech site 90
Wern Ddu site 101

Coal balls 226
and Palaeozoic palaeobotany 206
Coal Measures
character/formations 10-11
main outcrops 6
Northern England 245, 246
Scottish Basin 265, 269
South Wales
Amroth Coast 72, 72-6, 73, 74
Cwm Gwrellych-Nant Llyn Fach section 84-9, 85
formational classification 61-2, 62
Nolton Haven 76, 76-8
Tenby-Saundersfoot coast 65-70
see also Forest of Dean
Pennant Formation; Pennine Basin Coal Measures; Productive Coal Formation; South Wales Pennant Formation
Coal production 3
Bristol-Somerset Basin 123
Forest of Dean 111
Midland Coalfields 133
Northumberland-Durham Coalfield 243
Pennine Basin 205
Scottish Basin 265
South Wales 59
Coal rank, and palynology 10
Coalbrookdale Coalfield
Etruria Formation 146-8, 147
history of research 133
Cochlichnus, in Haslingden Flags 200
Cockwood Gorge, Kinderscout Grit/Revidge Grit 189-90
Coed-y-Darren 105-7, 106
Coking Coal, *see* Soft Bed Coal
Coleford High Delf Coal 116, 116
in Forest of Dean
chronostratigraphy 113
palynology 117
Conifer fossils, Envile Formation 156-7
Conodonts 9

General index

- Blake Brook Alportian stratotype 22
- Doe Lea Bolsovian stratotype 35
- Edale Shales Formation 178
- Gill Beck Arnsbergian/Chokierian stratotype 21
- Millstone Grit, Marros Sands 71
- Corals
- Monkstone Grit 67
 - Otley Shell bed 188
 - zaphrentid fragments 250
- Coreticulatum Marine Band 184, 189, 190
- Cornbrook Dingle 138-9
- Cornbrook Sandstone 136, 137
- Benson's Brook site 139, 140
 - Cornbrook Dingle site 138-9
- Corrie Foreshore site, Scottish Basin 279-81, 280
- Crackington Formation 40, 41, 42
- Bickleigh Wood Quarry 45
 - Bideford Formation
 - relationship 51, 52 - Bonhay Road Cutting 44-5
 - Clovelly Coast 46-8, 47
 - Crackington Coast 41-4
- Crag Gill site,
- Yoredale/Millstone Grit 250-1
- Crag Point Sandstones 254
- Craven Basin,
- Marsdenian/Yeadonian sequence 198-200
- Crawshaw delta 211-12, 213
- Crawshaw Sandstone 207
- Neepsend Railway Cutting 225-7
 - oil production 212
 - Ridgeway Quarry site 210-12, 211
 - Stannington Ruffs site 213
- Creepie Coal, Sanquhar Coalfield 277-8
- Cresswell/Newbiggin Shore, Northumberland-Durham Coalfield 258-9
- Crimsworth Dean, Millstone Grit site 184-5
- Crowstones 174
- Culm Group 39
- character/formations 10
- Culm Trough 5, 39-55
- Bideford Formation, Abbotsham Coast 48-52
 - Bude Formation
 - Bude Coast 52-5
 - Shipload Bay 55 - coals 39
 - Crackington Formation
 - Bickleigh Wood Quarry 45
 - Bonhay Road Cutting 44-5
 - Clovelly Coast 46-8
 - Crackington Coast 41-4 - geological setting 40-1
 - history of research 39-40
 - lithostratigraphy 40
 - map 39
 - site coverage 41
- Cumberland Coalfield
- economic importance 243
 - Whitehaven Sandstone 245
 - Saltom Bay site 259-60
 - see also* West Cumberland Coalfield
- Cumbria, *see* Northern England
- Cumbriense Marine Band
- Central Province
 - Harewood Grange 196
 - Yeadon Brickworks 197 - Northern England, Stainmore Trough section 248
 - South Wales, Llamarch Dingle 98
- Cumbriense Quartzite, Middle Shales Formation 80
- Cwm Gwrelych-Nant Llyn Fach 83-9
- biostratigraphy 86-8
 - interpretation 88-9
 - lithostratigraphy 83-6, 85
- Vanderbeckei Marine Band gap 91
- Cwm Twrch, Vanderbeckei Marine Band 91-2
- Cyclicity
- in sea level changes, and
- Millstone Grit sedimentation 168
 - seasonal, sandstone/mudstone couplets 223, 224, 225
- in Yoredales deposition 246
- Dalmellington Blackband ironstone 282
- Dating, radiometric 12
- Daugh Coal 276
- Dee Bridge 163
- Dee Bridge Sandstone 162, 163
- Deer Park Shale 47
- Delta deposits, Central Province
- Millstone Grit 171, 172
 - birdfoot 198-201
 - Crawshaw Sandstone 211-12, 213
- sheet
- Gib Tor 175, 175-6
 - Hathersage Moor 194-5
 - Hodge Clough 191-3, 192
 - Rake Dike 190-1
- turbidite-fronted 172
- Alport Castles 180, 180-1
 - Blackden Brook 181-3
 - Crimsworth Dean 184-5
 - Derby Delf Quarry 186
 - Ladcastle/Den Quarries 186-7
 - Mam Tor 178-80, 179
 - Standedge Road Cutting 183-4
- Wales-Brabant Barrier-derived 172-5, 174
- Den Quarry, Kinderscout Grit Formation 186-7
- Derby Delf Quarry, Kinderscout Grit Formation 186
- Dinas Silica Mine 79
- Dix, E. 60
- Doe Lea site, Bolsovian stratotype 34-6, 35
- Douglas Coalfield 283
- Downend Formation 124, 125
- Bickley Wood site 127-9, 128
- Driver Coal 86

General index

- Duckmanton Railway Cutting
stratotype 33-4
- Dudley Canal, *see* Brewin's
Canal Cutting
- Dukinfield Marine Band 235
see also Aegiranum Marine
Band
- Dunaskin Clayband Ironstone
282
- Dunaskin Fireclay 281-2
- Dunaskin Glen site 281-3
- Dunaskin Rock 282
- Dunbarella marine band 34
- Durham, *see* Northern England
- Durham Low Main Seam
253
- Earlswood Road Cutting 92-4
- Earthenware, north
Staffordshire 133
- East Midlands, *see* Pennine
Basin Coal Measures
- Eastside Marine Band, Sanquhar
Coalfield 278
- Edale Shales 26, 169
Mam Tor section 178
marine fossils 179
River Noe 177, 177-8
- Elland Bypass Cutting, Amaliae
Marine Band 228-30,
229
- Elland Flags 207, 216
- Engine Seam Coal, Brynmawr
Road Cutting 99
- English Midlands, *see* Midlands
(English)
see also Northern England;
Pennine Basin Coal
Measures
- Enoch Coal 85
- Envile Formation 137
Gospel End Road Cutting
155
- Webster's Claypit 155-7,
156
- Espley sandstones
Etruria Formation 150
- Productive Coal Formation
139
- Estheriids
Canonbie Coalfield, Jockie's
Syke site 261
- Forest of Dean Pennant
Formation 116
- Northumberland-Durham
Coalfield 256, 257
- Etruria Formation 136, 137
- Eyemore Railway Cutting
141
- Ketley Claypit 145, 145-7
- New Hadley Brickworks
146-8, 147
- Newcastle Formation contact
150-2, 151
- Eustasy, in Pennine Basin
development 208
- Exeter 45
- Eyemore Railway Cutting, Wyre
Forest Coalfield 140-2,
141, 142
- Farewell Rock Formation 61,
62
- Brynmawr Road Cutting 99,
100
- Cwm Gwrellych-Nant Llyn
Fach 84
- formation 64
- Marros Sands 70, 71
- Nant Llech 89
- Vale of Neath 80, 80
see also Basal Grit Formation;
Middle Shales Formation;
Millstone Grit
- Farrington Formation 125,
125
- Fauldhead Mussel Band 275
- Faults
Northumberland-Durham
Coalfield 258
- Pennine Basin 207
- Rusey Fault Zone 44
- Scottish Basin 267, 268
- of synsedimentary growth, in
Haslingden Flags 200
- Western Boundary 148
- Feldspathic sandstone 162,
163
- Ferryboat Inn Quay 92-4
- Fifteen Feet Coal, Scottish Basin
272
- Fireclay, *see* Dunaskin Fireclay
- Fish, Bude Formation 53
see also Instow Fish Bed
- Fish fragments
Edmondia Marine Band, Nant
Llyn Fach 86
- Langsettian
- Brynmawr Road Cutting
98
- Little Don stratotype 32
- Maltby Marine Band,
Ashclough site 235
- Northumberland-Durham
Coalfield, Wear River
Bank 257
- Otley Shell bed 188
- Productive Coal Formation,
Wern Ddu 103
- Shafton Marine Band, Nostell
Brickyard Quarry 237
- Yeadonian Marine bands,
Central Province 196
- Five Feet Coal, Wern Ddu
exposure 101
- Five Quarter Seam 253
- Footprints, amphibian, in Keele
Beds 154
- Forest of Dean Coalfield
111-19
- chronostratigraphy 113
- geological setting 114,
114-15
- history of research 111
- lithostratigraphy 111-13,
113
- map 112
- sites 115
- Meezy Hurst, Pennant
Formation 115-17
- Oakenhill Railway Cutting,
Suprapennant Formation
118-19
- Puddlebrook Quarry,
Trenchard Formation
117, 118
- Forest of Dean Pennant
Formation 111-12
- Meezy Hurst site 115-17
- Severn Coalfield, Portishead
Pier site 120
- in South Wales 61, 62, 64,
114, 11415
- see also* South Wales Pennant
Formation;
Suprapennant Formation
- Fossil traces
amphibian footprints, in
Keele Beds 154
- bivalves
- Millstone Grit of Smarts
Quarry 82-3

General index

- and sedimentation cyclicity 223
 burrows, Crackington sandstone 45
 Greenmoor Rock Formation 215, 216
 Haslingden Flags 200, 201
 plant adpressions, Bristol-Somerset Basin 123
Rhizocorallium, Pennine Basin Coal Measures 221
Stigmaria rooting system 198, 199
 Fossils, *see* Plant fossils
see also by particular animal
- Ganister 173, 223, 226, 227
 Ganister Coal 226
 Garw Coal, *see* Cnapiog Coal
 Gastropods
 Otley Shell bed 188
 Subcrenatum Marine Band, Nant Llech 90
 Gellideg Coal, Wern Ddu 101
 Gib Tor 175, 175-6
 Gilfach Coal, Wern Ddu 103
 Gill Beck,
 Arnsbergian/Chokierian stratotype 19-23, 20
 Gondwana plate, and Upper Carboniferous formation 4-5
 Goniatites, *see* Ammonoids
 Gospel End Road Cutting,
 Envile Formation 155
 Goyt Seam, *see* Belperlawn Coal
 Goyt's Coal 220
 Goyt's Moss 220-2
 Gracilis Marine Band 27, 28
 Pule Hill site 193-4
 Granites, basement, Northern England 246
 Great Dib Wood, Otley Shell Bed 187-9
 Greenmoor Rock Formation 207
 Neepsend Brickworks 215, 215-16, 216
 Grenoside Sandstone Formation 216
 Grey Coal, South Wales 85
 Greymechan Coal 272
 Grindslow Shale Formation 181-2, 182, 183
 Grovesend Formation 61, 62, 96-7
 Gull Rock Shale 47
 Haematite ores, Lower Carboniferous, Cumbria 243
 Hafod Coal
 Torispora securis
 palynomorph 104
 Wern Ddu 103
 Halesowen Formation 136, 137
 Halesowen Road Cutting 149, 150
 Kingsbury Brickworks 148, 148-9, 149
 Hanwood Coalfield, *see* Shrewsbury Coalfield
 Harewood Grange, Yeadonian sequence 195-7
 Harper Clough Quarry 198-200
 Hartland Quay Shale 47
 Haslingden Flags 198-9
 Heys Britannia Quarries 200-1
 Hathersage Moor, Chatsworth Grit 194-5
 Hebden Bridge Formation, Crimsworth Dean 185
 Heerlen Classification 7, 7
 and fossil group biozones 8
 geographical limits 18-19
 historical development 17
 see also Stage stratotypes
 Helmshore Grit Formation, Craven Basin 191, 198, 199
 Hercynian Orogeny 4
 Herefordshire Straits
 hypothesis, and brachiopod migration 142
 Heydon rock 190
 Heys Britannia Quarries, Haslingden Flags 200-1
 High Main Seam, Northumberland-Durham Coalfield 254
 Hindeodellids, in Edale Shales 178
 Hinge structures of bivalves 218
 Hodge Clough, upper Marsdenian sequence 191-3, 192
 Holbrook Marine Band 217, 221, 227
 Holcombe Brook Coal 198
 Holywell Shales Formation 161
 Homeomorphs,
 Anthraconauta/
 Naiadites 257, 258
 Honley Marine Band 221, 224
 Honley Station Cutting 217-20
 Household Coals Member, Suprapennant Formation 113, 118-19
 Huddersfield White Rock Formation 190
 Hutton Seams 253
 Inch Marine Band 224
 Inch Mine rock 223
 Inninmore Bay site, northernmost Coal Measures 283-5
 Insects
 Canonbie Coalfield 261
 Northumberland-Durham Coalfield 257, 258
 Instow Fish Bed 48
 Ireland, coalfields, South Wales correlations 68-9, 75
 Iron ore
 English Midlands 133
 Sottish Basin 265
 Ironstone nodules, in Millstone Grit 173
 Ironstones
 Crackington Formation 44, 45
 Northumberland-Durham Coalfield 243, 253, 256
 Pennine Basin
 historical importance 205
 Lowsdale Brickworks site 230, 231
 Scottish Basin
 Dunaskin Glen 282-3
 Joppa Shore 272, 273

General index

- South Staffordshire Coalfield
 145
 South Wales 845
 Wern Ddu 102
 Isle of Arran 279-81

 Joan Coal 232
 Jockie's Syke 261-2
 Jones, D.G. 60
 Joppa Shore site 271-4, 272,
 273
 Jumble Coppice, *Bilinguites*
 superbilinguis zone
 194

 Keele Beds 136, 137
 Alveley Grindstone Quarry
 154, 154-5
 Cheswardine Canal Cutting
 152, 152-3, 153
 Kelling, G. 60
 Kent Coalfield 5
 Ketley Claypit, Etruria
 Formation 145, 145-7
 Kinderscout delta 183, 184
 Crimsworth Dean site 185
 Kinderscout Grit Formation
 167
 Cockwood Gorge 189-90
 Crimsworth Dean 185
 Derby Delf Quarry 186
 Ladcastle/Den Quarries
 186-7
 Rake Dike section 190-1
 sedimentology 168-9
 Standedge Road Cutting
 183-4
 Kinderscout Subgroup 169
 Kinderscoutian Stage,
 ammonoids 178
 see also River Darwen site,
 Alportian stratotype
 Kingsbury Brickworks,
 Halesowen Formation
 148, 148-9, 149
 Kirkconnel Splint Coal 275

 Ladcastle Quarry, Kinderscout
 Grit Formation 186-7
 Lagræe Marine Band 278,
 279
 Lancashire, see Central Province
 Millstone Grit; Pennine
 Basin Coal Measures

 Langsettian Stage, *see* Little Don
 site, Langsettian
 stratotype
 Laurasia plate, and Upper
 Carboniferous formation
 4-5
 Lavas, Scottish Basin 267,
 269
 bauxitic clays from 265
 underlying Ayrshire Bauxitic
 Clay 269-70
 Leicester-South Derbyshire
 Coalfield 133
 Leinster Coalfield, Amroth Coast
 correlations 75
 Leonian tectonic phase 114
 and Halesowen Formation
 formation 149
 Lidgett Coal 232
 Lime Coal, Canonbie Coalfield
 260
 Limestone bullions, in upper
 Kinderscout Grit 189
 Limestones
 Amroth Freshwater 73
 bivalves in 74
 at Newcastle/Etruria
 formation contact 150,
 151
 in Edale Shales Formation
 177, 177
 ferruginous, in
 Arnsbergian/Chokierian
 stratotype 20
 Whitehouse 250-1
 Limulids
 Northumberland-Durham
 Coalfield, Wear River
 Bank 257
 traces
 Greenmoor Rock
 Formation 215
 in Haslingden Flags 200,
 201
 Listeri Marine Band 223
 ammonoids 224
 Neepsend Railway Cutting
 site 227
 Little Don site, Langsettian
 stratotype 31-2
 Little Yard coal 85
 Llamarch Dingle, Millstone Grit
 97-9
 Longnor Sandstone 180

 Low Main Seams, nomenclature
 difficulties 253
 Low Main Shell Bed 253, 255,
 256
 Lower Foot Mine Coal,
 Lancashire Coalfield
 223
 Lower Foot Mine Marine Band
 224
 Lower Gwespyr Sandstone
 161-2, 163-4
 Lower Shale Formation 162
 marine band 163
 Lowside Brickworks,
 Carbonicola cristagalli
 marine band 230-1
 Loxley Edge Sandstone,
 Neepsend Railway
 Cutting 226
 Lum Edge Sandstone 173
 Lycopsids, arborescent 198,
 199, 200

 Main Coal, Canonbie Coalfield
 260
 Maltby Marine Band, Ashclough
 site 234-6, 235
 Mam Tor Formation, Mam Tor
 178-80, 179
 Mangotsfield Formation 124,
 125
 Winterbourne Railway
 Cutting 129-30
 Marros Sands 70-2
 Marsdenian Stage
 Central Province sites
 Cockwood Gorge
 189-90
 Craven Basin 198-200
 Hathersage Moor 194-5
 Hodge Clough 191-3,
 192
 Jumble Coppice 194
 Pule Hill 193-4
 Rake Dike 190-1
 Park Clough stratotype
 27-8
 Meadow Farm Marine Band
 227
 Meezy Hurst, Forest of Dean
 Pennant Formation
 115-17
 Mesothem Model of
 sedimentation 168

General index

- and non-sequences in North Wales 163
- Metal Seam, Northumberland-Durham Coalfield 254
- Metallic Tilleries, Newcastle/Etruria contact 150-2, 151
- Middle Grit Subgroup 169-70
- Middle Shales Formation 61, 62, 71
- Brynmawr Road Cutting 99
 - Cwm Gwrelych-Nant Llyn Fach 83-4
 - Lower House Stream 83
 - Nant Llech 89
 - Vale of Neath 79-80
- see also* Farewell Rock Formation; Millstone Grit
- Midland Valley (Scotland) 6-7
- Midlands (English) 133-57
- coal production 133
 - Cornbrook Sandstone sites
 - Benson's Brook 139-40
 - Cornbrook Dingle 138-9 - Envile Beds sites
 - Gospel End Road Cutting 155
 - Webster's Claypit 155-7, 156 - Etruria Formation sites
 - Ketley Claypit 145, 145-7
 - New Hadley Brickworks 146-8, 147 - geological setting 136-7, 137
- Halesowen/Newcastle Beds sites
- Halesowen Road Cutting 149, 150
 - Kingsbury Brickworks 148, 148-9, 149
 - Metallic Tilleries 150-2, 151
 - history of research 133-5
- Keele Beds sites
- Alveley Grindstone Quarry 154, 154-5
 - Cheswardine Canal Cutting 152, 152-3, 153
 - lithostratigraphy 135-6
 - map 134
 - Productive Coal Formation sites
- Benson's Brook 139-40
- Brewin's Canal Cutting exposure 142-3
- Doulton's Claypit 143-5
- Eyemore Railway Cutting 140-2, 141
- site coverage 137-8
- see also* Pennine Basin Coal Measures
- Midlothian Coalfield, Joppa Shore site 271-4, 272, 273
- Millstone Grit
- Central Province, *see* Central Province Millstone Grit
 - character/subdivisions 10
 - English Midlands 135, 143
 - main outcrops 6
 - North Wales 161-4
 - geological setting 162
 - history of research 161
 - lithostratigraphy 161-2
 - sites 162-4
 - Northern England
 - on Alston Block 250
 - deposition 246
 - history of research 244
 - lithostratigraphy 245
 - Mousegill Beck site 247-9
 - Yoredales unconformity 249-50
 - Pennine Basin, Orchard Farm site 29-31
 - South Wales 60
 - Bishopston Formation 78-9
 - formational classification 61-2, 62
 - Llamarch Dingle 97-9
 - Lower House Stream
 - Section 83
 - Marros Sands 70-2
 - Smarts Quarry 82-3
 - Tenby-Saundersfoot coast 68, 69
 - Vale of Neath 79-82

see also Basal Grit Formation; Farewell Rock Formation; Middle Shales Formation

Miospores 10

Monkstone Grit 67

Monkstone Point Plant Beds 68

Moore, L.R. 60

Mousegill Beck 247-9

Mousegill Marine Beds 247

Mouthbar deposits, Crawshaw delta 213

Mussel Band Ironstone, Dunaskin Glen 282

 - bivalve fossils 283
 - Mussel bands, Sanquhar Coalfield
 - Fauldhead Band 275
 - Polneul Burn site 276

Namurian

 - classification revisions 17
 - international correlation 18-19
 - stratotype selection 18

Nant Llech 89-91

Nappe loading 5

 - in Bristol-Somerset Basin formation 125

Neepsend Brickworks, Greenmoor Rock 215, 215-16, 216

Neepsend Railway Cutting, lower Langsettian site 225-7

Neptunian dykes, in Etruria Formation 147

Neuropterids, in Productive Coal Formation 139, 140

New Hadley Brickworks, Etruria Formation 146-8, 147

Newbiggin, *see* Cresswell/Newbiggin Shore

Newcastle Formation, Etruria Formation contact 150-2, 151

Newent Coalfield 111

Nine Feet Coal 86

 - plant fossils 88

Nob End Rock 235

Nodosum Marine Bands, in Gill Beck stratotype 21

Nolton Haven, South Wales

 - Pennant Formation 76, 76-8

North Seaton Sandstone 258

North Staffordshire Coalfield 133

 - history of research 135

General index

- Newcastle/Etruria formation
contact 150-2, 151
see also South Staffordshire Coalfield
- North Wales
coalfields, Pennine Basin 133
- Millstone Grit 161-4
Dee Bridge sequence 163
geological setting 162
history of research 161
lithostratigraphy 161-2
Ruby Brickworks sequence 163-4
site coverage 162
- Westphalian deposits 161
- Northern England 243-62
Canonbie Red Sandstone site,
Jockie's Syke 261-2
economic importance 243
extent 243, 243
geological setting 245-6
history of research 243-5
lithostratigraphy 245
- Millstone Grit sites
Howick/Seaton Point 249-50
Mousegill Beck 247-9
- palaeontological site, Wear River Bank 256-8
- Productive Coal Formation sites
Byre Burn 260-1
Cresswell/Newbiggin Shore 258-9
- Tynemouth to Seaton Sluice 251-6
site coverage 247
- Whitehaven Sandstone site, Saltom Bay 259-60
- Whitehouse Limestone site, Crag Gill 250-1
- Northumberland Low Main Seam 253
- Northumberland Trough, Yoredales/Millstone Grit unconformity 249-50
- Northumberland-Durham Coalfield
economic importance 243
history of research 244
sites
Cresswell/Newbiggin Shore 258-9
- Tynemouth/Seaton Sluice 251-6
Wear River Bank 256-8
- Norton Marine Band, Elland Bypass Cutting 228-30, 229
- see also* Amaliae Marine Band
- Nostell Brickyard Quarry, Shafton Marine Band 237-9
- Nuculum Marine Band 20
- Oakenhill Railway Cutting, Suprapennant Formation 118-19
- Oaks Rock, Stairfoot Brickworks site 236
- Oil production, Crawshaw Sandstone 212
- Oldham Great Seam, Lowside Brickworks site 230
- Orchard Farm site, Yeadonian stratotype 29, 29-31
- Orthoquartzites, of Pennant Formation 106
- Ostracods
Canonbie Coalfield, Jockie's Syke site 261
in Little Don Langsettian stratotype 32
Otley Shell bed 188
- Otley Shell Bed, Great Dib Wood 187-9
- Overbank deposits, in Keele Beds 153
- Palaeoequatorial belt, international comparisons 12-13
- Palaeosols, development, in English Midlands 136
- Palynology 9-10
Aegiranum Marine Band, Stairfoot Brickworks site 237
- Alportian stratotype
Blake Brook site 22
River Darwen site 26
- Arnsbergian/Chokierian boundary stratotype 21
- Bolsovian stratotype, Doe Lea site 35
- Cornbrook Sandstone, Cornbrook Dingle site 138
- Duckmantian stratotype 34
- Forest of Dean Coalfield 117
- Forest of Dean Suprapennant Formation 118
- Langsettian stratotype, Little Don site 32
- Marsdenian stratotype, Park Clough site 27-8
- Millstone Grit
Mousegill Beck site 248
Staffordshire Basin Pot Bank Quarry 174
- Newcastle/Etruria contact 151, 152
in Pennine Basin Coal Measures research 206
- Productive Coal Formation, Wern Ddu site 104, 105
- Yeadonian
Central Province, Harewood Grange site 196
- Orchard Farm stratotype 30
- see also* Plant fossils
- Paralic belt, sequences 12
- Park Clough site, Marsdenian stratotype 27-8
- Parkhouse Marine Band 224, 227
- Parrot Coal 276
- Passage Group 265, 267
character/formations 10
see also Ayrshire Bauxitic Clay Formation;
Barren Red Formation;
Roslin Sandstone Formation
- Passage Group Volcanic Formation 269
- Peel Hall Rock, River Tonge, Mill Hill 233-4, 234
- Pembrokeshire, *see under* South Wales
- Pendle Grit Formation 180
- Penllergaer Railway Cutting, Grovesend Formation 96-7

General index

- Pennant Formation, *see* Forest of Dean Pennant Formation; South Wales Pennant Formation
see also Suprapennant Formation
- Pennine Basin Coal Measures 205-40
- bivalve sites, non-marine 210
- Bradgate Brickworks 232
- Duckmanton Railway Cutting stratotype 33-4
- Elland Bypass Cutting 229
- Goyt's Moss 221-2
- Honley Station Cutting 217-18
- Little Don stratotype 31-2
- Lowside Brickworks 231
- Neepsend Railway Cutting 227
- Ravenhead Brickworks 224-5
- economic importance 205
- geological setting 207-8, 208, 209
- history of research 205-7
- lithostratigraphy 207
- map 205
- marine band sites 209-10
- Ashclough 235
- Bradgate Brickworks 232
- Carlton Main Brickworks 240
- Doe Lea stratotype 34-6, 35
- Duckmanton Railway Cutting stratotype 33-4
- Elland Bypass Cutting 229
- Goyt's Moss 221
- Honley Station Cutting 217
- Little Don stratotype 31-2
- Neepsend Railway Cutting 227
- Nostell Brickyard Quarry 237
- Ravenhead Brickworks 223-4
- Stairfoot Brickworks 237
- sedimentological sites 209
- Ambergate Quarry 213, 214, 214-15
- Neepsend Brickworks 215, 215-16, 216
- Ravenhead Brickworks 222-5
- Ridgeway Quarry 210-12, 211
- River Tonge, Mill Hill 233-4
- Stannington Ruffs 213
- Wharncliffe Crags 227, 228
- site coverage 209-10
- South Wales, Nant Llech, correlation 90
- see also* Central Province
- Millstone Grit; Midlands (English)
- Pensford Basin, *see* Bristol-Somerset Basin
- Pentre Rider Coal, Wern Ddu 102
- Plant fossils 10
- Bideford Formation 51
- Bristol-Somerset Basin 123
- Canonbie Red Sandstone, Jockie's Syke site 261
- Coal Measures, Scottish Basin, Inninmore Bay 284
- Cornbrook Sandstone, Cornbrook Dingle 138
- Crawshaw Sandstone 211
- Downend Formation, Bickley Wood 128
- Envile Formation, *Walchia-like* conifers 156-7
- Grovesend Formation, Penllergaer Railway Cutting 97
- Helmshore Grit Formation, *Stigmaria* rooting system 198, 199
- history of research
- Pennine Basin 206
- Scottish Basin 267
- Millstone Grit, Llamarch Dingle 98
- Newcastle Formation 152
- Northumberland-Durham Coalfield 256, 257
- Peel Hall Rock, *Trigonocarpus* seed casts 234
- Pennant Formation, Forest of Dean 116-17
- Productive Coal Formation
- Bristol-Somerset Basin 126-7
- Canonbie Coalfield 260
- English Midlands 139-40
- Pennine Basin 237
- Scottish Basin 280
- South Wales 103-4
- Roslin Sandstone Formation 272-3
- Sanquhar Coalfield, Polneul Burn site 277
- South Staffordshire Coalfield, Doulton's Claypit 144-5
- South Wales Coalfield
- Amroth Coast 74-5
- Cwm Gwrelych-Nant Llyn Fach 88
- Nant Llech 90
- Nolton Haven 77
- Tenby-Saundersfoot coast 68
- Wern Ddu 103-4
- Suprapennant Formation, Forest of Dean 119
- see also* Palynology
- Plessey Mussel Band 254-5
- Plessey Seam 253
- Polhote Marine Band 275
- Polhote/Polneul Burns, Sanquhar Coalfield 274, 274-7, 275
- Polyzoa, Otley Shell bed 188
- Portishead Pier, Severn Coalfield strata 119, 119-20
- Pot Bank Quarry, Millstone Grit 172-5, 174
- Pot Clay Marine Band 31-2, 196
- see also* Subcrenatum Marine Band
- Pot Clay Seam 31
- Productive Coal Formation
- Bristol-Somerset Basin 124, 125

General index

- Cattybrook Claypit 126-7, 127
English Midlands 136, 137
Benson's Brook 139-40
Brewin's Canal Cutting 142-3
Coalbrookdale 133
Eyemore Railway Cutting 141
North Wales 161, 161
Northern England 245
Byre Burn, Canonbie Coalfield 260-1
Cresswell/Newbiggin Shore 258-9
Tynemouth to Seaton Sluice 251-6
Pennine Basin
Bradgate Brickworks 231-3, 232, 233
Cambriense Marine Band 239-40
Honley Station Cutting 217-20
Ravenhead Brickworks 222-5
Shafton Marine Band 237-9
Scottish Basin
Corrie Foreshore 279-81, 280
Dunaskin Glen 281-3
Joppa Shore 271-4, 272, 273
Lagrae Burn 277-9
Polhote/Polneul Burns 274, 274-7, 275
South Wales 61, 62, 62
Brynmawr Road Cutting 98
Coed-y-Darren 105-7, 106
Cwm Gwrellych-Nant Llyn Fach 84-9, 85
Nant Llech 89
Wern Ddu 100-5
Proteus Marine Band 173, 174
'Proto-Atlantic' 5
Provincial Insect Age 258
Publow Formation, Bristol-Somerset Basin 125, 125
Puddlebrook Quarry, Trenchard Formation 117, 118
Pule Hill, Gracilis/Bilinguis Marine Band 193-4
Quartzites
Smarts Quarry 82
Vale of Neath 79, 80
see also Orthoquartzites
Quartzitic Sandstone Formation 124, 125
Queen Coal 85
Queenslie Marine Band, Sanquhar Coalfield 276
Radiometric dating 12
Radstock Formation 125, 125
Rake Dike 190-1
Ramsbottom, W.H.C., Mesothem Model 168
Ravenhead Brickworks, Pennine Basin Coal Measures 222-5
Readycon Dean Grit 190
Red beds
Canonbie Red Sandstone 261, 262
colour generation 146, 147
Keele Beds 153, 155
English Midlands 136
Warwickshire Coalfield 135
Eyemore Railway Cutting 141
see also Barren Red Formation; Etruria Formation; Keele Beds; Whitehaven Sandstone
Red mudstones, development, in English Midlands 136
Redmire Flags Formation 196
Reservoirs, on Millstone Grit 167
Reticulatum Marine Band 189
Revidge Grit Formation
Cockwood Gorge 189-90
Craven Basin 198, 199
Rhafach Coal, *see* Cnapiog Coal
Rhondda Coal, Wern Ddu 103
Rhondda Member 92-4
Blaenrhondda Road Cutting 94-5
Ridgeway Quarry, Crawshaw Sandstone 210-12, 211
Ringinglow Seam 29
Rivelin Grit, *see* Chatsworth Grit Formation
River Darwen site, Alportian stratotype 24-7
section log 25
River Doe Lea, *see* Doe Lea site, Bolsoverian stratotype
River Little Don, *see* Little Don site, Langsettian stratotype
River Noe, Edale Shales Formation 177, 177-8
River Tonge, Mill Hill, Peel Hall Rock 233-4, 234
River Twrch, *see* Cwm Twrch
Roberts, G.E. 134
Roslin Sandstone Formation 267
Joppa Shore site 271-4, 272, 273
Rough Rock 29, 167, 176
Rough Rock Subgroup 170
Rowanburn Coal Group 260
Ruby Brickworks, North Wales Millstone Grit 163-4
Ruhr Coalfield
Sarnsbank Marine Band 32 and Westphalian stratotype selection 18
Rusey Fault Zone 44
Saar-Lorraine coalfield, and Stephanian definition 17
Sabden Shales 20
Sabdenian Stage 21
St Mary's Island Sandstone 253
Salters Coal, Scottish Basin 272
Saltom Bay, Whitehaven Sandstone 259-60
Saltwells Local Nature Reserve 144
Samlesbury Bottoms, *see* River Darwen site, Alportian stratotype
Sandstones
of Culm Trough
Bideford Formation 49-51
Bude Formation 52-3, 55

General index

- Crackington Formation
 44, 45, 46, 46
 of Millstone Grit, Vale of Neath 79-80
 of Pennant Formation, Coed-y-Darren 106
 South Wales 62, 64
 Earlswood Road
 Cutting/Ferryboat Inn
 Quay 9-4
 Tenby-Saundersfoot coast 66
see also by named of sandstone
 Sandy Mouth Shale 53
 Sanquhar Coalfield
 Lagrange Burn site 277-9
 Polhote/Polneul Burns site 274, 274-7, 275
 Saron Sandstone, Wern Ddu 103
 Saturday's Pit Shale 53
 Saundersfoot, *see* Tenby-Saundersfoot coast
 Scottish Basin 265-86
 Ayrshire Bauxitic Clay Formation 269-71, 270, 271
 Barren Red Formation 285, 285-6
 Coal Measures, Innnimore Bay 283-5
 economic importance 265
 extent 265, 266
 geological setting 265, 267-9, 268
 history of research 265-7
 lithostratigraphy 267
 Productive Coal Formation
 Corrie Foreshore site 279-81, 280
 Dunaskin Glen site 281-3
 Joppa Shore 271-4, 272, 273
 Lagrange Burn, Sanquhar Coalfield 277-9
 Polhote/Polneul Burns sites 274, 274-7, 275
 Roslin Sandstone Formation 271-4, 272, 273
 site coverage 269
 Seaton Sluice Sandstone 254, 256
see also Tynemouth to Seaton Sluice site
 Serridge Sandstone 113, 115
 Seven Feet Coal, South Wales, Wern Ddu 101
 Seven Foot Coal, Scottish Basin 271
 Severn Coalfield 111
 history of research 111
 lithostratigraphy 111-13
 Portishead Pier 119, 119-20
 site coverage 115
 Shafton Marine Band
 Pennine Basin, Nostell
 Brickyard Quarry 237-9
 South Wales, Wern Ddu 102
 Shale Grit Formation
 Alport Castles 180, 180-1
 Blackden Brook 181-3, 182
 Shannon Estuary 26
 Shark eggcapsule, Canonbie Coalfield 261
 Shell beds
 Kinderscoutian 188
 Low Main 253, 255, 256
 Otley 188
 Shipload Bay, Bude Formation 55
 Shrewsbury Coalfield, history of research 133
 Silica 'mine', Smarts Quarry 82-3
 Siltstones, South Wales 62
 Skipsey's Marine Band, Lagrange Burn site 277-9
 Skittering Rock Shale 47
 Slieveardagh Coalfield, Amroth Coast correlation 75
 Smalley Delf Quarry 198-200
 Smarts Quarry, Millstone Grit 82-3
 Snab Point 258
 bivalve fossil assemblage 259
 Soft Bed Coal 214
 Honley Station Cutting 217, 218
 Neepsend Railway Cutting 225
see also Belperlawn Coal
 Somerset, *see* Bristol-Somerset Basin
 South Staffordshire Coalfield
 Envile Formation, Gospel End Road Cutting 155
 Etruria Formation, Ketley Claypit 145-7
 Halesowen Formation 149
 history of research 135
 lower Westphalian strata, Doulton's Claypit 143-5
 Productive Coal Formation base 142-3
see also North Staffordshire Coalfield
 South Wales 57-107
 coal production 59
 East crop sites
 Brynmawr Road Cutting 98-100
 Coed-y-Darren 105-7, 106
 Llamarch Dingle 97-9
 Wern Ddu 100-5
 geographical extent 59
 geological setting 62-4, 63
 history of research 59-60
 lithostratigraphy 60-2, 62
 North crop (central) sites
 Cwm Gwrelych-Nant Llyn Fach 83-9
 Nant Llech 89-91
 Vale of Neath 79-82
 North crop (Pembrokeshire) sites
 Amroth Coast 72-6
 Marros Sands 70-2
 Nolton Haven, Pennant Formation 76, 76-8
 palaeontological sites
 Cwm Twrch 91-2
 Lower House Stream Section 83
 Smarts Quarry 82-3
 sedimentological sites
 Blaenrhondda Road
 Cutting 94-5
 Earlswood Road
 Cutting/Ferryboat Inn
 Quay 92-4
 Penllergaer Railway
 Cutting 96-7
 Trehir Quarry 95-6

General index

- site coverage 64-5
South crop sites
 central, Barland Common 78-9
Pembrokeshire, Tenby-Saundersfoot coast 65-70
South Wales Pennant Formation 61, 62, 62
 BristolSomerset Coalfield comparisons
 Downend Formation 128-9
 Mangotsfield Formation 129-30
Coed-y-Darren 105-7, 106
formation 64
Nolton Haven 76, 76-8
Rhondda Member 92-4
 Blaenrhondda Road Cutting 945
Wern Ddu 103, 105
see also Forest of Dean
 Pennant Formation
Springwood Marine Band 217
Staffordshire, *see* North
 Staffordshire Coalfield;
 South Staffordshire Coalfield
Stage stratotypes 3, 15-36
 Alportian
 Blake Brook 22-4
 River Darwen 24-7
 Arnsbergian/Chokierian boundary, Gill Beck 19-23
 Bolsovian, Doe Lea 34-6
 Duckmantian, Duckmanton Railway Cutting 33-4
 historical background 17-18
 Langsettian, Little Don 31-2
 Marsdenian, Park Clough 27-8, 191
 selection of 18
 Yeadonian, Orchard Farm 29-31
see also Heerlen Classification
Stainmore Coalfield 243
 history of research 244
Stainmore Trough, Millstone Grit, Mousegill Beck 247-9
Stairfoot Brickworks, Aegiranum Marine Band 36, 236, 236-8
Stammers coal seams 67
Standedge Road Cutting, Kinderscout Grit 183-4
Stannington Ruffs, Crawshaw Sandstone 213
Stephanian
 classification revisions 17
 Heerlen Classification limits 19
Stigmaria rooting system, fossil cast 198, 199
Stonehead Beck, *see* Gill Beck, Arnsbergian/Chokierian stratotype
Stratotypes, *see* Stage stratotypes
Subcrenatum Marine Band
 Central Province 196
Pennine Basin
 Little Don site 32
 Rough Rock/Crawshaw Sandstone 211
South Wales
 Cwm Gwrelych-Nant Llyn Fach 86
 Llamarch Dingle 98
 Tenby-Saundersfoot 66, 67
 Vale of Neath 80, 81
Subglobosum Marine Band, Gill Beck site 20-1
Sulphurous shales, Honley section 217
Suprapennant Formation 112-13
 Oakenhill Railway Cutting 118-19
Swallowcraig Coals 275
Swamp vegetation, in Millstone Grit 198, 199, 200
Swinstone Marine Bands 247-8
Symon 'Fault' 133, 136
Synsedimentary growth faults, in Haslingden Flags 200
Table Rocks Sandstone 254
Tait's Marine Band 275, 276
Taldwyn Coal, Wern Ddu 103
Target Seam, Sanquhar Coalfield 278
Tenby-Saundersfoot coast 65-70
 biostratigraphy 67-8
 interpretation 68-9
 lithostratigraphy 65-7, 66
ThreeQuarter Coal, Canonbie Coalfield 260
Timber Seam, of Amroth Coal Measures 73
Todmorden Formation, Crimsworth Dean 185
Tom's Cove Shale 53
Tonge's Marine Band, Elland Bypass Cutting 228-30, 229
 see also River Tonge, Mill Hill
Tonsteins, cineritic 11-12
Trace fossils, *see* Fossil traces
Transtension, and Late Carboniferous basin development 4-5
Trehir Quarry, Pennant Formation 95-6
Trenchard Coal, palynology 117
Trenchard Formation, Forest of Dean 111, 117
 Puddlebrook Quarry 117
Trilobites, Otley Shell bed 188
Trueman, A.E. 60
Turbidit-fronted deltas, *see under* Delta deposits, Central Province Millstone Grit
Turbidites
 Crackington Formation 41, 42, 42, 44, 45, 54
 Culm Trough 44
 Grindslow Shales Formation 183
 Mam Tor Formation, Mam Tor 179, 180
 Shale Grit Formation 181, 182
Twelve Foot Sandstone, of Middle Shales Formation 80
Two Feet Nine Coal 86
Tynemouth to Seaton Sluice site 251-6
 biostratigraphy 254-6
 interpretation 256

General index

- lithostratigraphy 253-4
sequence 252
- Ugbrook Sandstone Formation 44
- Unconformities
Newcastle/Etruria formations 150-2, 151
Productive Coal Formation base 142-3
Yoredales/Millstone Grit 249-50
- Upper Carboniferous, meaning of term 4
- Upper Four Feet Coal 86
- Upper Sandstone Formation 61, 62
Marros Sands 71, 72
Tenby-Saundersfoot coast 66, 67
- Upper Shale Formation 162
- Usk Axis 114
- Vanderbeckei Marine Band
Pennine Basin 33, 34, 232
South Wales
Amroth Coast 73, 75
Cwm Twrch 91-2
see also Queenslie Marine Band
- Variscan Orogeny 4
- Volcanicity, Scottish Basin 267
- Walchia*-like conifers, Envile Formation 156-7
- Wales, *see* North Wales; South Wales
- Wales Railway Cutting 36
- Walking tracks, *Kouphichnium*, in Haslingden Flags 200
- Warren Gutter Shale 53-4
- Warwickshire Coalfield
Envile Formation 155-7, 156
history of research 135
- Waun Fawr Quarry 100
- Wear River Bank 256-8
- Webster's Claypit, Envile Formation 155-7, 156
- Wern Ddu, South Wales 100-5
biostratigraphy 103-4
interpretation 104-5
lithostratigraphy 100-3, 101, 102
- West Cumberland Coalfield, history of research 244-5
see also Cumberland Coalfield
- Western Boundary Fault 148
- Westphalian
classification revisions 17-18
Heerlen Classification limits 19
stratotype selection 18
- Westward Ho! Formation 48
- Wharncliffe Crags 227, 228
- Wharncliffe Crags Formation 207, 227, 228
- Whitehaven Sandstone 245
Saltom Bay site 259-60
- Whitehouse Limestone 250-1
- Whitley Bay, Low Main Shell Bed 255, 256
- Whitley Dome 252
- Whitley Ironstone 253
- Whitley Seam 253
- Wilkinson Nature Reserve 33
- Winterbourne Railway Cutting, Mangotsfield Formation 129, 129-30
- Woodhorn Sandstone 258
- Woodland Borehole 250-1
- Woogreen Member, Suprapennant Formation 113
- Worm trails, annelid, in Haslingden Flags 200
- Wyre Forest Coalfield
Eyemore Railway Cutting 140-2, 141
history of research 1334
- Keele Beds, Alveley
Grindstone Quarry 154, 154-5
- Yard Coal, South Wales 86, 101, 102
- Yard Seam, Northumberland-Durham Coalfield 254
- Yeadon Brickworks 30, 197-8
- Yeadonian Stage, Central Province sites
Craven Basin 198-200
Harewood Grange 195-7
Orchard Farm stratotype 29-31
Yeadon Brickworks 30, 197-8
- Yoredale Group 245
character/formations 10
Crag Gill site 250-1
cyclical deposition 246
Millstone Grit unconformity 249-50
- Yoredale Series 167
- Yorkley Coal
palynology 117
plant fossils 116-17
- Yorkshire, *see* Millstone Grit, Central Province; Pennine Basin Coal Measures
- Zaphrentid fragments 250