



## References

- Allen, J.R.L. (1979) Old Red Sandstone in external basins, with particular reference to southern Britain. In *The Devonian System* (eds M.R. House, C.T. Scrutton and M.G. Bassett), *Special Papers in Palaeontology*, **23**, 65–80.
- Allen, J.R.L. (1985) Marine to fresh water: the sedimentology of the interrupted transition (Ludlow–Siegenian) in the Anglo–Welsh region. *Philosophical Transactions of the Royal Society of London*, **B 309**, 85–104.
- Allen, K.C. (1961) *Lepidostrobophyllum fimbriatum* (Kidston, 1883) from the Drybrook Sandstone (Lower Carboniferous). *Geological Magazine*, **98**, 225–9.
- Allen, K.C. and Dineley, D.L. (1988) Mid-Devonian to mid-Permian floral and faunal regions and provinces. In *The Caledonian–Appalachian Orogeny* (eds A.L. Harris and D.J. Fettes), *Geological Society of London, Special Publication*, **38**, 531–48.
- Allen, K.C. and Marshall, J.E.A. (1986) *Svalbardia* and the ‘corduroy’ plant from the Devonian of the Shetland Islands, Scotland. *Special Papers in Palaeontology*, **35**, 7–20.
- Alvin, K.L. (1965) A new fertile lycopod from the Lower Carboniferous of Scotland. *Palaeontology*, **8**, 281–93.
- Alvin, K.L. (1966) Two cristate megaspores from the Lower Carboniferous of Scotland. *Palaeontology*, **9**, 488–91.
- Amerom, H.W.J. van (1975) Die eusphenopteridischen Pteridophyllen aus der Sammlung des Geologischen Bureaus in Heerlen, unter besonderer Berücksichtigung ihrer Stratigraphie bezüglich des südlimburger Kohlenreviers. *Mededelingen van's Rijks Geologischen Dienst*, Series C **III-1-7**, 1–208.
- Ananiev, A.R. (1957) Novie iskopaemie rasteniya iz nizhnedevonskikh otlozhenii u s. Torgashino b yugo-vostochnoi chasti zapadnoi Sibiri. *Botanichnyi Zhurnal SSSR*, **42**, 691–702. [In Russian].
- Ananiev, A.R. and Stepanov, S.A. (1969) Pervaya nakhodka psilofitoboi flori v nizhnem devone Salairskogo kryazha (Zap. Sibir'). *Treatise of the Tomsk Order of the Worker's Red Banner*, **203**, 13–28. [In Russian].
- Anderson, J.M. and Anderson, H.M. (1983) Vascular plants from the Devonian to Lower Cretaceous in southern Africa. *Botalia*, **14**, 337–44.
- Anderson, J.M. and Anderson, H.M. (1985) *Palaeoflora of southern Africa. Prodromus of South African megaflores Devonian to Lower Cretaceous*, A.A. Balkema, Amsterdam.
- Andrew, G. (1925) Note on the occurrence of *Pachytheca* in the Buildwas Beds (Shropshire), *Memoirs of the Manchester Literary and Philosophical Society*, **69**, 57–60.
- Andrews, H.N. (1940) A new cupule from the Lower Carboniferous of Scotland. *Bulletin of the Torrey Botanical Club*, **67**, 595–601.
- Andrews, H.N. (1948) Some evolutionary trends in pteridosperms. *Botanical Gazette*, **110**, 13–31.
- Andrews, H.N. (1961) *Studies in Paleobotany*, John Wiley, New York.
- Andrews, H.N. (1963) Early seed plants. *Science*, **142**, 925–31.
- Andrews, H.N. (1980) *The fossil hunters. In search of ancient plants*, Cornell University Press, Ithaca and London.
- Andrews, H.N., Kasper, A.E., Forbes, W.H., Gensel, P.G. and Chaloner, W.G. (1977) Early Devonian flora of the Trout Valley Formation, Northern Maine. *Review of Palaeobotany and Palynology*, **23**, 255–85.

## References

- Andrews, H.N. and Murdy, W.H. (1958) *Lepidophloios* and ontogeny in arborescent lycopods. *American Journal of Botany*, **45**, 552-60.
- Anisimova, O.I. (1979) *Flora and phytostратigraphy of the Middle Carboniferous of North Caucasus*, Naukova Dumka, Kiev [In Russian].
- Arber, E.A.N. (1904a) The Silurian plants. *Proceedings of the Geologists' Association*, **18**, 458-9.
- Arber, E.A.N. (1904b) The fossil flora of the Culm Measures of north-west Devon, and the palaeobotanical evidence with regard to the age of the beds. *Philosophical Transactions of the Royal Society of London*, **197**, 291-325.
- Arber, E.A.N. (1912) On the fossil flora of the Forest of Dean Coalfield (Gloucestershire), and the relationships of the coalfields of the west of England and South Wales. *Philosophical Transactions of the Royal Society of London*, **202**, 233-81.
- Arber, E.A.N. (1914) On the fossil floras of the Wyre Forest, with special reference to the geology of the coalfield and its relationships to the neighbouring Coal Measure areas. *Philosophical Transactions of the Royal Society of London*, **204**, 363-445.
- Arber, E.A.N. (1916) On the fossil floras of the Coal Measures of south Staffordshire. *Philosophical Transactions of the Royal Society of London*, **208**, 127-55.
- Arber, E.A.N. (1921) *Devonian floras. A study of the origin of Cormophyta*. Cambridge University Press, Cambridge.
- Arber, E.A.N. and Goode, R.H. (1915) On some fossil plants from the Devonian rocks of north Devon. *Proceedings of the Cambridge Philosophical Society*, **18**, 89-104.
- Arbey, F. (1973) Les milieux de sédimentation des séries ordoviciennes terminales des Mouts d'Ougarta (Sahara algérien). *Compte Rendu Hebdomadaire des Séances de l'Académie des Sciences, Paris*, **273**, 1265-7.
- Archangelsky, S. (1990) Plant distribution in Gondwana during the Late Palaeozoic. In *Antarctic paleobiology* (eds T.N. Taylor and E.L. Taylor), Springer, Berlin, pp. 102-117.
- Archangelsky, S. and Arrondo, O.G. (1966) Elementos florísticos del Pérmico argentino. II. *Rhacopteris chubutiana* n. sp. de la Formación Nueva Lubecka, Provincia de Chubut. *Revista Museo de La Plata*, **NS 5**, 1-15.
- Archangelsky, S. and Arrondo, O.G. (1969) The Permian taphofloras of Argentina with some considerations about the presence of 'northern' elements and their possible significance. In *Gondwana stratigraphy, IUGS Symposium, Buenos Aires (Mar del Plata), October 1967*. UNESCO, pp. 197-212.
- Archangelsky, S. and Arrondo, O.G. (1975) Paleogeografía y plantas fósiles en el Pérmico inferior Austrosudamericano. *Actas I Congreso Argentina de Paleontología y Bioestratigrafie* (Tucumán, 1974), **1**, 479-96.
- Archangelsky, S., Azcuy, C.L. and Wagner, R.H. (1981) Three dwarf lycophytes from the Carboniferous of Argentina. *Scripta Geologica*, **64**, 1-35.
- Archangelsky, S. and Cúneo, R. (1990) *Polyspermum*, a new Permian gymnosperm from Argentina, with considerations about the Dicranophyllales. *Review of Palaeobotany and Palynology*, **63**, 117-35.
- Armstrong, M. and Paterson, I.B. (1970) The Lower Old Red Sandstone of the Strathmore Region. *Report of the Institute of Geological Sciences*, **70/12**, 1-23.
- Arnold, C.A. (1952) A specimen of *Prototaxites* from the Kettle Point black shale of Ontario. *Palaeontographica*, **B 93**, 45-56.
- Artis, E.T. (1825) *Antediluvian phytology, illustrated by a collection of the fossil remains of plants peculiar to the coal formations of Great Britain*, London (reprinted 1838).
- Asama, K. (1984) *Gigantopteris* flora in China and south-east Asia. *Geology and palaeontology of south-east Asia*, **24**, 311-23.
- Baker, J.W. and Hughes, C.P. (1979) Summer (1973) field meeting in central Wales 31 August to 7 September 1973. *Proceedings of the Geologists' Association*, **90**, 65-79.
- Ball, H.W. and Dineley, D.L. (1961) The Old Red Sandstone of Brown Clee Hill and the adjacent area. 1. Stratigraphy. *Bulletin of the British Museum of Natural History (Geology)*, **5**, 177-242.
- Banks, H.P. (1960) Notes on Devonian lycopods. *Senckenbergiana*, **41**, 59-88.
- Banks, H.P. (1968) The early history of land plants. In *Evolution and environment* (ed. E.T. Drake), Yale University Press, New Haven, pp. 73-107.
- Banks, H.P. (1972) The stratigraphic occurrence of early land plants. *Palaeontology*, **15**, 365-77.
- Banks, H.P. (1973) Occurrence of *Cooksonia*, the oldest vascular land plant macrofossil, in the upper Silurian of New York State. *Journal of*

## References

- the Indian Botanical Society Golden Jubilee Volume, **50A**, 227-35.
- Banks, H.P. (1975a) The oldest vascular land plants: a note of caution. *Review of Palaeobotany and Palynology*, **20**, 13-25.
- Banks, H.P. (1975b) Reclassification of Psilophyta. *Taxon*, **24**, 401-13.
- Banks, H.P. (1980) Floral assemblage zones in the Siluro-Devonian. In *Biostratigraphy of fossil plants: successional and paleoecological analysis* (eds D. Dilcher and T.N. Taylor), Dowden, Hutchinson and Ross, Stroudsburg, pp. 1-24.
- Banks, H.P. and Davis, M.R. (1969) *Crenaticaulis*, a new genus of Devonian plants allied to *Zosterophyllum*, and its bearing on the classification of early land plants. *American Journal of Botany*, **56**, 436-49.
- Barber, C.A. (1889) The structure of *Pachytheca*. *Annals of Botany*, **3**, 141-8.
- Barber, C.A. (1891) The structure of *Pachytheca*. II. *Annals of Botany*, **5**, 145-62.
- Barber, C.A. (1892) *Nematophycus storrei*, nov. sp. *Annals of Botany*, **6**, 329-38.
- Barghoorn, F.S. and Darrah, W.C. (1938) *Horneophyton*, a necessary change of name for *Hornea*. *Harvard University Botanical Museum Leaflets*, **6**, 142-4.
- Barker, W.R. and Whittle, W.L. (1944) The Coal Measure strata of Nostell, near Wakefield. *Proceedings of the Yorkshire Geological Society*, **25**, 175-89.
- Barnard, P.D.W. (1959) On *Eosperma oxroadense* gen. et sp. nov.; a new Lower Carboniferous seed from East Lothian. *Annals of Botany*, **NS 23**, 285-96.
- Barnard, P.D.W. (1960a) Studies on some Lower Carboniferous plants from east Lothian. Unpublished PhD Thesis, University of London.
- Barnard, P.D.W. (1960b) *Calathospermum fimbriatum* sp. nov., a Lower Carboniferous pteridosperm cupule from Scotland. *Palaeontology*, **3**, 265-75.
- Barnard, P.D.W. (1962) Revision of the genus *Amyelon* Williamson. *Palaeontology*, **5**, 213-24.
- Barnard, P.D.W. and Long, A.G. (1973) On the structure of a petrified stem and some associated seeds from the Lower Carboniferous rocks of East Lothian, Scotland. *Transactions of the Royal Society of Edinburgh*, **69**, 91-108.
- Barnard, P.D.W. and Long, A.G. (1975) *Triradioxylon* - a new genus of Lower Carboniferous petrified stems and petioles together with a review of the classification of early Pterophytina. *Transactions of the Royal Society of Edinburgh*, **69**, 231-49.
- Barthel, M. (1976) Die Rotliegendflora Sachsens. *Abhandlungen der Staatlichen Museums für Mineralogie und Geologie zu Dresden*, **24**, 1-190.
- Barthel, M. (1980) *Pecopteris*-Arten E.F. von Schlothems aus Typuslokalitäten in der DDR. *Schriftenreihe für geologisches Wissenschaft*, **16**, 275-304.
- Bassett, M.G. (1984) Lower Palaeozoic Wales - a review of studies in the past 25 years. *Proceedings of the Geologists' Association*, **95**, 291-311.
- Bassett, M.G. and Edwards, D. (1973) Fossil plants from Wales. *Bulletin of the National Museum of Wales*, **13**, 2-27. (Also published in 1982 as a separate revised and expanded volume by the National Museum of Wales, Geological Series 2.)
- Bateman, R.M. (1988) Palaeobotany and palaeoenvironments of Lower Carboniferous floras from two volcanigenic terrains in the Scottish Midland Valley. Unpublished PhD Thesis, University of London.
- Bateman, R.M. (1991) Palaeobiological and phylogenetic implications of anatomically-preserved *Archaeocalamites* from the Dinantian of Oxroad Bay and Loch Humphrey Burn, southern Scotland. *Palaeontographica*, **B 223**, 1-59.
- Bateman, R.M. (1992) Morphometric reconstruction, palaeobiology and phylogeny of *Oxroadia gracilis* Alvin emend. and *O. conferta* sp. nov., anatomically-preserved rhizomorphic lycopsids from the Dinantian of Oxroad Bay, SE Scotland. *Palaeontographica*, **B 228**, 29-103.
- Bateman, R.M., DiMichele, W.A. and Willard, D.A. (1992) Experimental cladistic analysis of anatomically preserved arborescent lycopsids from the Carboniferous of Euramerica: an essay in paleobotanical phylogenetics. *Annals of the Missouri Botanical Garden*, **79**, 500-59.
- Bateman, R.M. and DiMichele, W.A. (in press) Heterospory: the most iterative key innovation in the evolutionary history of the Plant Kingdom. *Biological Review*, **69**.
- Bateman, R.M. and Rothwell, G.W. (1990) A reappraisal of the Dinantian floras at Oxroad Bay, East Lothian, Scotland. 1. Floristics and development of whole plant concepts. *Transactions of the Royal Society of Edinburgh (Earth Sciences)*, **81**, 127-59.
- Bateman, R.M. and Scott, A.C. (1990) A reappraisal of the Dinantian floras at Oxroad Bay, East Lothian, Scotland, 2. Palaeoenvironments and

## References

- palaeoecology. *Transactions of the Royal Society of Edinburgh (Earth Sciences)*, **81**, 161-94.
- Batenburg, L.H. (1977) The *Sphenophyllum* species in the Carboniferous flora of Holz (Westphalian D, Saar Basin, Germany). *Review of Palaeobotany and Palynology*, **24**, 69-99.
- Batenburg, L.H. (1981) Vegetative anatomy and ecology of *Sphenophyllum zwickaviense*, *S. emarginatum*, and other 'compression species' of *Sphenophyllum*. *Review of Palaeobotany and Palynology*, **32**, 275-313.
- Beck, C.B. (1958) *Levicaulis arranensis*, gen. et sp. nov., a lycopsid axis from the Lower Carboniferous of Scotland. *Transactions of the Royal Society of Edinburgh*, **63**, 445-57.
- Beck, C.B. (1960) Connection between *Archaeopteris* and *Callixylon*. *Science*, **131**, 1524-5.
- Beck, C.B. (1962) Reconstructions of *Archaeopteris* and further consideration of its phylogenetic position. *American Journal of Botany*, **49**, 373-82.
- Beck, C.B. (1964) Predominance of *Archaeopteris* in Upper Devonian flora of Western Catskills and adjacent Pennsylvania. *Botanical Gazette*, **125**, 126-8.
- Beck, C.B. (1970) The appearance of gymnospermous structure. *Biological Review*, **45**, 379-400.
- Beck, C.B. (1971) On the anatomy and morphology of lateral branch systems of *Archaeopteris*. *American Journal of Botany*, **58**, 758-84.
- Beck, C.B. (1976) Current status of the Progymnospermopsida. *Review of Palaeobotany and Palynology*, **21**, 5-23.
- Bell, J., Holden, J., Pettigrew, T.H. and Sedman, K.W. (1979) The Marl Slate and Basal Permian Breccia at Middridge, County Durham. *Proceedings of the Yorkshire Geological Society*, **42**, 439-60.
- Bell, W.A. (1960) Mississippian Horton Group of type Windsor-Horton District, Nova Scotia. *Memoir of the Geological Survey, Canada*, **215**.
- Benson, M. (1904) *Telangium scotti* a new species of *Telangium (Calymmatotheca)* showing structure. *Annals of Botany*, **18**, 161.
- Benson, M. (1908) The sporangiophore, a unit of structure in the Pteridophyta. *New Phytologist*, **1**, 143-9.
- Benson, M. (1911) New observations on *Botryopteris antiqua* Kidston. *Annals of Botany*, **25**, 1045-57.
- Benson, M. (1914) *Sphaerostoma ovale*, a Lower Carboniferous ovule from Pettycur, Scotland. *Transactions of the Royal Society of Edinburgh*, **50**, 1-15.
- Benson, M. (1922) *Heterotheca grievii*, the microsporangium of *Heterangium grievii*. *Botanical Gazette*, **74**, 121-42.
- Benson, M. (1933) New evidence of the nature of the reproductive bodies and habit of the Lower Carboniferous pteridosperms. *Proceedings of the Linnean Society, London*, **1**, 38-40.
- Benson, M. (1935a) The ovular apparatus of *Sphenopteridium affine* and *bifidum* and of *Diplopteridium (Sphenopteridium) teillanum* (Walton). *New Phytologist*, **34**, 232-44.
- Benson, M. (1935b) The fructification *Calatbiops bernhardi*, n. sp. *Annals of Botany*, **49**, 155-60.
- Bertrand, P. (1907) Principaux caractères de la fronde du *Stauropteris oldhamia* Binney. *Compte Rendu Hebdomadaire des Séances de l'Académie des Sciences, Paris*, **145**, 147-9.
- Bertrand, P. (1909) Études sur la fronde des Zygoptéridées. Thesis, University of Lille.
- Bertrand, P. (1911a) Structure des stipes d'*Asterocblæna laxa*. *Mémoires de la Société Géologique du Nord*, **7**, 1-72.
- Bertrand, P. (1911b) L'étude anatomique des fougères anciennes et les problèmes qu'elle soulève. *Progressus Rei Botanicae*, **4**, 258.
- Bertrand, P. (1935) Contribution à l'étude des Cladoxylées de Saalfeld. *Palaeontographica*, **B 80**, 101-70.
- Besly, B.M. and Turner, P. (1983) Origin of red beds in a moist tropical climate (Etruria Formation, Upper Carboniferous, UK). In *Residual deposits* (ed. R.C.L. Wilson), *Geological Society of London, Special Publication*, **11**, 131-47.
- Bhutta, A.A. (1969) Studies on the flora of the Rhynie Chert. Unpublished PhD Thesis, University of Wales, Bangor.
- Bhutta, A.A. (1972) Observations on the sporangia of *Horneophyton lignieri* (Kidston and Lang) Barghoorn and Darrah, 1938. *Pakistan Journal of Botany*, **4**, 27-34.
- Bhutta, A.A. (1973a) On the spores (including germinating spores) of *Horneophyton (Hornea) lignieri* (Kidston and Lang) Barghoorn and Darrah, 1938. *Pakistan Journal of Botany*, **5**, 45-55.
- Bhutta, A.A. (1973b) On the spores (including germinating spores) of *Rhynia major* Kidston and Lang. *Biologia*, **19**, 47-57.
- Binney, E.W. (1871) Observations on the structure of fossil plants found in the Carboniferous strata. Part II. *Lepidostrobus* and some allied

## References

- cones. *Palaeontographical Society (Monographs)* [for 1870], 33-62.
- Black, G.P. (1988) Geological conservation: a review of past problems and future promise. *Special Papers in Palaeontology*, **40**, 105-11.
- Boersma, M. (1972) The heterogeneity of the form-genus *Mariopteris* Zeiller. A comparative morphological study with special reference to the frond composition of west-European species. Thesis, Rijksuniversiteit te Utrecht.
- Boullard, B. and Lemoigne, Y. (1971) Les champignons endophytes du *Rhynia gwynne-vaughanii* K. et L.: Étude morphologique et deductions sur leur biologie. *Botaniste*, **54**, 49-89.
- Boulter, M.C. (1968) On a species of compressed lycopod sporophyll from the Upper Coal Measures of Somerset. *Palaeontology*, **11**, 445-57.
- Boulter, M.C., Spicer, R.A. and Thomas, B.A. (1988) Patterns of plant extinction from some palaeobotanical evidence. In *Extinction and survival in the fossil record* (ed. G.P. Larwood), *Systematics Association Special Volume*, **34**, 1-36.
- Boureau, E. (1953) Sur la présence d'une flore carbonifère dans l'Air (Sahara central). *Bulletin de la Société Géologique de France*, **6**(3), 293-8.
- Boureau, E. and Doubinger, J. (1975) *Traite de paléobotanique IV (2), Pteridophylla (première partie)*, Masson et Cie, Paris.
- Boureau, E., Jovet-ast, S., Høeg, O.A. and Chaloner, W.G. (1967) *Traité de paléobotanique. Tome II. Bryophyta, Psilophyta, Lycophyta*. Masson et Cie, Paris.
- Boureau, E., Lejal-nicol, A. and Massa, D. (1978) A propos du Silurien et du Dévonien en Libye. Il faut reporter au Silurien la date d'apparition des plantes vasculaires. *Compte Rendu Hebdomadaire des Séances de l'Académie des Sciences, Paris*, **286D**, 1567-71.
- Bouroz, A. and Doubinger, J. (1977) Report on the Stephanian-Autunian boundary and on the contents of upper Stephanian and Autunian in their stratotypes. In *Symposium on Carboniferous stratigraphy* (eds V.M. Holub and R.H. Wagner), Geological Survey, Prague, pp. 147-169.
- Bouroz, A., Einor, O.L., Gordon, M., Meyen, S.V. and Wagner, R.H. (1978) Proposals for an international chronostratigraphic classification of the Carboniferous. *Compte Rendu 8e Congrès International de Stratigraphie et de Géologie Carbonifère* (Moscow, 1975), **1**, 36-69.
- Bower, F.O. (1908) *The origin of a land flora. A theory based upon the facts of alteration*, Macmillan and Co, London.
- Bower, F.O. (1920) The earliest known land flora. *Report of the Royal Institute of Great Britain for 1920*, 133-146.
- Bowman, J.E. (1837) On the bone cave in Carboniferous limestone at Cefn in Denbighshire. *Report of the British Association for the Advancement of Science for 1836*, 88-90.
- Brack, S.D. (1970) On a new structurally preserved arborescent lycosid fructification from the Lower Pennsylvanian of North America. *American Journal of Botany*, **57**, 317-30.
- Brack-Hanes, S.D. and Thomas, B.A. (1983) A re-examination of *Lepidostrobus* Brongniart. *Botanical Journal of the Linnean Society*, **86**, 125-33.
- Bridge, J.S., Veen, P.M. van and Matten, L.C. (1980) Aspects of the sedimentology, palynology and palaeobotany of the Upper Devonian of southern Kerry Head, County Kerry, Ireland. *Geological Journal*, **15**, 143-70.
- Brodie, P.B. (1869) On the occurrence of remains of *Eurypteris* and *Pterygotus* in the Upper Silurian rocks in Herefordshire. *Quarterly Journal of the Geological Society of London*, **25**, 235-7.
- Brodie, P.B. (1871) On the 'Passage-Beds' in the neighbourhood of Woolhope, Herefordshire, and on the discovery of a new species of *Eurypteris*, and some new land-plants in them. *Quarterly Journal of the Geological Society of London*, **27**, 256-61.
- Brousmiche, C. (1982) Sur la synonymie de *Crossotheca boulayi* Zeiller, 1886-88 et *Crossotheca bourozii* Danzé, 1956 avec l'espèce-type du genre: *Crossotheca crepinii* Zeiller, 1883. Une nouvelle interprétation de la fructification. *Geobios*, **15**, 679-703.
- Brousmiche, C. (1983) Les fougères sphénoptéridiennes du Bassin Houiller Sarro-Lorraine. *Publication Société Géologique du Nord*, **10**, 1-480.
- Brown, R. (1935) Note on the Glenarbut beds with fossil plants. Unpublished manuscript in Botany Departmental Library, Glasgow University.
- Bureau, E. (1913-1914) Bassin de la Basse Loire. II. Description des flores fossiles. *Études des Gîtes Minéraux de la France* (Atlas 1913, Text 1914).
- Burgess, N.D. (1991) Silurian cryptospores and miospores from the type Llandovery area, south-west Wales. *Palaeontology*, **34**, 575-99.

## References

- Burgess, N.D. and Edwards, D. (1988) A new Palaeozoic plant closely allied to *Prototaxites* Dawson. *Botanical Journal of the Linnean Society*, **97**, 189-203.
- Burgess, N.D. and Richardson, J.B. (1991) Silurian cryptospores and miospores from the type Wenlock area, Shropshire, England. *Palaeontology*, **34**, 601-28.
- Calder, M.G. (1934) Notes on the Kidston Collection of fossil plant slides. No. V. On the structure of two Lower Carboniferous lepidodendroid stems, one of the *Lepidophloios wunschianus* type and the other of the *Lepidodendron fuliginosum* type. No. VI. On the structure of two lepidodendroid stems from the Carboniferous flora of Berwickshire. *Transactions of the Royal Society of Edinburgh*, **58**, 113-24.
- Calder, M.G. (1935) Further observations on the genus *Lyginorachis* Kidston. *Transactions of the Royal Society of Edinburgh*, **58**, 549-59.
- Calder, M.G. (1938) On some undescribed species from the Lower Carboniferous flora of Berwickshire; together with a note on the genus *Stenomyelon* Kidston. *Transactions of the Royal Society of Edinburgh*, **59**, 309-31.
- Campbell, D.H. (1895) *The structure and development of the mosses and ferns (Archegoniatae)*, Macmillan and Co., London.
- Campbell, R. (1913) The geology of south-eastern Kincardineshire. *Transactions of the Royal Society of Edinburgh*, **48**, 923-60.
- Canright, J.E. (1959) Fossil plants of Indiana. *Indiana Geological Survey Report Program*, **14**, 1-45.
- Carr, J.W. (1914) Permian. In *Report of an excursion to the Nottingham district* (eds J.W. Carr and H.H. Swinerton), *Proceedings of the Geologists' Association*, **28**, 88-9.
- Carruthers, R.G. (1927) The oil shales of the Lothians (3rd edn). *Memoir of the Geological Survey of Great Britain*.
- Carruthers, W. (1869) On the structure of the stems of the arborescent Lycopodiaceæ of the Coal Measures. *Monthly Microscopical Journal*, **2**, 177.
- Carruthers, W. (1870) On the nature of the scars in the stems of *Ulodendron*, *Bothrodendron* and *Megaphyllum*. *Monthly Microscopical Journal*, **3**, 144-54.
- Carruthers, W. (1873) On some lycopodiaceous plants from the Old Red Sandstone of the north of Scotland. *Journal of Botany, London*, **11**, 321-7.
- Chaloner, W.G. (1953) On the megaspores of four species of *Lepidostrobus*. *Annals of Botany*, **17**, 264-73.
- Chaloner, W.G. (1958) Isolated megaspore tetrads of *Stauropteris burntislandica*. *Annals of Botany*, **22**, 197-204.
- Chaloner, W.G. (1960) The origin of vascular plants. *Science Progress*, **48**, 524-34.
- Chaloner, W.G. (1968) The cone of *Cyclostigma killtorkense* Houghton, from the Upper Devonian of Ireland. *Botanical Journal of the Linnean Society*, **61**, 25-36.
- Chaloner, W.G. (1970) The rise of the first land plants. *Biological Reviews*, **45**, 353-77.
- Chaloner, W.G. (1972) Devonian plants from Fair Isle, Scotland. *Review of Palaeobotany and Palynology*, **14**, 49-61.
- Chaloner, W.G. (1986) Reassembling the whole plant fossil, and naming it. In *Systematic and taxonomic approaches in palaeobotany* (eds R.A. Spicer and B.A. Thomas), *Systematics Association Special Volume*, **31**, 79-89. Oxford University Press.
- Chaloner, W.G. and Creber G.T. (1988) Fossil plants as indicators of late Palaeozoic plate positions. In *Gondwana and Tethys* (eds M.G. Audley-Charles and A. Hallam), *Geological Society of London, Special Publication*, **37**, 201-10.
- Chaloner, W.G. and Creber G.T. (1990) Do fossil plants give a climatic signal? *Journal of the Geological Society of London*, **147**, 343-50.
- Chaloner, W.G., Hill, A. and Rogerson, E.C.W. (1978) Early Devonian plant fossils from a southern England borehole. *Palaeontology*, **21**, 693-707.
- Chaloner, W.G. and Lacey, W.S. (1973) The distribution of Late Palaeozoic floras. In *Organisms and continents through time* (ed. N.F. Hughes), *Special Papers in Palaeontology*, **12**, 271-89.
- Chaloner, W.G. and Macdonald, P. (1980) *Plants invade the land*. HMSO, Edinburgh.
- Chaloner, W.G. and Meyen, S.V. (1973) Carboniferous and Permian floras of the northern continents. In *Atlas of Palaeobiogeography* (ed. A. Hallam), Elsevier, Amsterdam, pp. 169-86.
- Chaphekar, M. (1963) Some calamitean plants from the Lower Carboniferous of Scotland. *Palaeontology*, **6**, 408-29.
- Chaphekar, M. (1965) On the genus *Pothocites* Paterson. *Palaeontology*, **8**, 107-12.
- Chaphekar, M. and Alvin, K.L. (1972) On the fertile parts of the coenopterid fern *Metaclepsydropsis*

## References

- duplex* (Williamson). *Review of Palaeobotany and Palynology*, **14**, 63-76.
- Chodat, R. (1912) Le *Bensonites fusiformis* D.H. Scott, glandes du *Stauropteris burntislandica* P. Bertrand. *Bulletin Société Botanique de Genève* (2e Sér.), **3**, 353-60.
- Church, A.H. (1926) Reproductive mechanism in land flora. IV. Sporogonia. *Journal of Botany, London*, **64**, 99-103, 132-6, 172-8.
- Cleal, C.J. (1978) Floral biostratigraphy of the upper Silesian Pennant Measures of South Wales. *Geological Journal*, **13**, 165-94.
- Cleal, C.J. (1979) The Ravenhead Collection of fossil plants. *Amateur Geologist*, **9**, 12-23.
- Cleal, C.J. (1984a) The recognition of the base of the Westphalian D Stage in Britain. *Geological Magazine*, **121**, 125-9.
- Cleal, C.J. (1984b) The Westphalian D floral biostratigraphy of Saarland (Fed. Rep. Germany) and a comparison with that of South Wales. *Geological Journal*, **19**, 327-51.
- Cleal, C.J. (1985) Kilmersdon Colliery coal tip. In *New sites for old. A student's guide to the geology of the east Mendips* (eds K.L. Duff, A.P. McKirdy and M.J. Harley), Nature Conservancy Council, Peterborough, pp. 61-4.
- Cleal, C.J. (1986a) Plant macrofossils from the Edgehills Sandstone, Forest of Dean. *Bulletin of the British Museum of Natural History (Geology)*, **40**, 235-46.
- Cleal, C.J. (1986b) Identifying plant fragments. In *Systematic and taxonomic approaches in palaeobotany* (eds R.A. Spicer and B.A. Thomas), *Systematics Association Special Volume*, **31**, Oxford University Press, 54-65.
- Cleal, C.J. (1986c) Fossil plants of the Severn Coalfield and their biostratigraphical significance. *Geological Magazine*, **123**, 553-68.
- Cleal, C.J. (1987a) This is the forest primaeval. *Nature, London*, **326**, 828.
- Cleal, C.J. (1987b) Macrofloral biostratigraphy of the Newent Coalfield, Gloucestershire. *Geological Journal*, **22**, 207-17.
- Cleal, C.J. (1988) British palaeobotanical sites. In *The use and conservation of palaeontological sites* (eds P.R. Crowther and W.A. Wimbledon), *Special Papers in Palaeontology*, **40**, 57-71.
- Cleal, C.J. (1989) Evolution in hidden forests. *Nature, London*, **339**, 16.
- Cleal, C.J. (1991) (ed.) *Plant fossils in geological investigation: the Palaeozoic*, Ellis Horwood, Chichester.
- Cleal, C.J. (1993) Pteridophyta and Gymnospermophyta. In *The fossil record 2* (ed. M.J. Benton), Chapman and Hall, London, pp. 779-808.
- Cleal, C.J. and Laveine, J.-P. (1988) The juvenile frond of the Middle Carboniferous pteridosperm *Paripteris* Gothan. *Geobios*, **21**, 245-50.
- Cleal, C.J. and Shute, C.H. (1991) The Carboniferous pteridosperm frond *Neuropteris heterophylla* (Brongniart) Sternberg. *Bulletin of the British Museum of Natural History (Geology)*, **46**, 153-74.
- Cleal, C.J. and Shute, C.H. (1992) Epidermal features of some Carboniferous neuropteroid fronds. *Review of Palaeobotany and Palynology*, **71**, 191-206.
- Cleal, C.J., Shute, C.H. and Zodrow, E.L. (1991) A revised taxonomy for Palaeozoic neuropterid foliage. *Taxon*, **39**, 486-92.
- Cleal, C.J. and Thomas, B.A. (1988) The Westphalian fossil floras from the Cattybrook Claypit, Avon (Great Britain). *Geobios*, **21**, 409-33.
- Cleal, C.J. and Thomas, B.A. (1991) Lower Westphalian D fossil plants from the Nolton-Newgale Coalfield, Dyfed (Great Britain). *Geobios*, **25**, 315-22.
- Cleal, C.J. and Zodrow, E.L. (1989) Epidermal structure of some medullosan *Neuropteris* foliage from the middle and upper Carboniferous of Canada and Germany. *Palaeontology*, **32**, 837-82.
- Clement-Westerhof, J.A. (1987) Aspects of Permian palaeobotany and palynology. 7. The Majonicaceae, a new family of Late Permian conifers. *Review of Palaeobotany and Palynology*, **52**, 375-402.
- Clement-Westerhof, J.A. (1988) Morphology and phylogeny of Paleozoic conifers. In *Origin and evolution of gymnosperms* (ed. C.B. Beck), Columbia University Press, New York, pp. 298-337.
- Clouston, C. (1845) Parish of Sandwick. *The New Statistical Account of Scotland*, **15**, 41.
- Cocks, L.R.M., Holland, C.H., Rickards, R.B. and Strachan, I. (1971) A correlation of Silurian rocks in the British Isles. *Geological Society of London Special Report*, **10**.
- Collinson, M.E. (1986) Use of modern generic names for plant fossils. In *Systematic and taxonomic approaches in palaeobotany* (eds R.A. Spicer and B.A. Thomas), *Systematics Association Special Volume*, **31**, 91-104. Oxford University Press.

## References

- Cornet, B. (1989) The reproductive morphology and biology of *Sanmiguelia lewisii*, and its bearing on angiosperm evolution in the Late Triassic. *Evolution Trends in Plants*, **3**, 25–51.
- Corsin, P. and Dubois, G. (1932) Caractères de la flore du Culm dinantien de Champenay, dans la haute vallée de la Bruche. *Compte Rendu Hebdomadaire des Séances de l'Académie des Sciences, Paris*, **194**, 1846–7.
- Cox, A.H. and Heard, A. (1937) Week-end field meeting in the Cardiff district. *Proceedings of the Geologists' Association*, **48**, 52–60.
- Crane, P.R. (1985) Phylogenetic analysis of seed plants and the origin of angiosperms. *Annals of the Missouri Botanical Garden*, **72**, 716–93.
- Croft, W.N. and George, E.A. (1959) Blue-green algae from the Middle Devonian of Rhynie, Aberdeenshire. *Bulletin of the British Museum of Natural History (Geology)*, **3**, 341–53.
- Croft, W.N. and Lang, W.H. (1942) The Lower Devonian flora of the Senni Beds of Monmouthshire and Breconshire. *Philosophical Transactions of the Royal Society of London*, **B 231**, 131–63.
- Crookall, R. (1927) On a new species of *Sutcliffia*. *Summary of Progress of the Geological Survey of Great Britain* [for 1926], pp. 161–5.
- Crookall, R. (1930) On some curious fossils from the Downtonian and Lower Old Red Sandstone of Scotland. *Proceedings of the Royal Society of Edinburgh*, **50**, 175–8.
- Crookall, R. (1931a) The genus *Lyginorachis* Kidston. *Proceedings of the Royal Society of Edinburgh*, **51**, 27–34.
- Crookall, R. (1931b) Petrified plants from the Pennant Rock. *Summary of Progress of the Geological Survey of Great Britain* [for 1930] (2), pp. 52–60.
- Crookall, R. (1932) The stratigraphical distribution of British Lower Carboniferous plants. *Summary of Progress of the Geological Survey of Great Britain* [for 1931] (II), pp. 70–104.
- Crookall, R. (1938) *The Kidston Collection of fossil plants, with an account of the life and work of Robert Kidston*, Geological Survey of Great Britain, London.
- Crookall, R. (1939) Lycopodiaceous stems (?*Cyclostigma killtorkense* Haughton) from Mitcheldean in the Forest of Dean. *Bulletin of the Geological Survey of Great Britain*, **2**, 72–7.
- Crookall, R. (1955–1975) Fossil plants of the Carboniferous rocks of Great Britain [Second Section]. *Memoir of the Geological Survey of Great Britain, Palaeontology*, **4**. Pt.1 (1955), 1–84; Pt.2 (1959), 85–216; Pt.3 (1964), 217–354; Pt.4 (1966), 355–572; Pt.5 (1969), 573–792; Pt.6 (1970), 793–840; Pt.7 (1975), 841–1004.
- Cross, A.T. and Hoskins, J.H. (1951) Palaeobotany of the Devonian–Mississippian black shales. *Journal of Paleontology*, **25**, 713–28.
- Cummins, W.A. (1957) The Denbigh Grits; Wenlock greywackes in Wales. *Geological Magazine*, **94**, 433–51.
- Daber, R. (1971) *Cooksonia* – one of the most ancient Psilophytes – widely distributed but rare. *Botanique*, **2**, 35–40.
- DalINVAL, A. (1960) Les *Pecopteris* du bassin houiller du Nord de la France. *Études Géologiques pour l'Atlas de Topographie Souterraine*, **1(3)**, 1–222.
- Danzé, J. (1955) Le genre *Crossotheca* Zeiller. *Compte Rendu Hebdomadaire des Séances de l'Académie des Sciences, Paris*, **241**, 1616–18.
- Danzé, J. (1956) Contribution à l'étude des *Sphenopteris*: les fougères sphénoptéridiennes du bassin houiller du Nord de la France. *Études Géologiques pour l'Atlas de Topographie Souterraine*, **1(2)**, 1–568.
- Danzé, J. (1957) Découverte d'une échantillon de *Noeggerathia* dans le bassin houiller du Nord de la France. *Annales de la Société Géologique Nord*, **77**, 197–212.
- Danzé-Corsin, P. (1953) Contribution à l'étude des Mariopteridées. Les *Mariopteris* du Nord de la France. *Études Géologiques pour l'Atlas de Topographie Souterraine*, **1(1)**, 1–269.
- Danzé-Corsin, P. (1955) Contribution à l'étude des flores dévoniennes du Nord de la France. I. – Flore éodevonnaise de Matringhem. *Annales de la Société Géologique du Nord*, **75**, 143–60.
- Davies, A., McAdam, A.D. and Cameron, I.B. (1986) Geology of the Dunbar district. *Memoir of the Geological Survey of Great Britain*.
- Davies, D. (1929) Correlation and palaeontology of the Coal Measures in east Glamorganshire. *Philosophical Transactions of the Royal Society of London*, **B 217**, 91–154.
- Dawson, J.W. (1859) On fossil plants from the Devonian rocks of Canada. *Quarterly Journal of the Geological Society of London*, **15**, 477–88.
- Dawson, J.W. (1870) The primitive vegetation of the earth. *Nature, London*, **2**, 85–8.
- Dawson, J.W. (1871) *The fossil plants of the Devonian and Upper Silurian formations of Canada*, Geological Survey of Canada, Ottawa.

## References

- Dawson, J.W. (1878) Notes on some Scottish Devonian plants. *Canadian Naturalist and Geologist*, **8**, 379-89.
- Dawson, J.W. (1882) Notes on *Prototaxites* and *Pachytheca* discovered by Dr Hicks in the Denbighshire Grits of Corwen, N. Wales. *Quarterly Journal of the Geological Society of London*, **38**, 103-9.
- Dawson, J.W. (1888) *The geological history of plants*. Kegan, Paul, Trench and Co, London.
- Dawson, J.W. and Penhallow, D.P. (1891) *Parka decipiens* - Notes on specimens from the collections of James Reid, Esq., of Allan House, Blairgowrie, Scotland. *Transactions of the Royal Society of Canada*, **9**, 3-16.
- Day, J.B.W. (1970) Geology of the country around Bewcastle. *Memoir of the Geological Survey of Great Britain*.
- De la Beche, H.T. (1839) Report on the geology of Cornwall, Devon and west Somerset. *Memoir of the Geological Survey UK*.
- Delevoryas, T. (1955) The Medullosae - structure and relationships. *Palaeontographica*, **B 97**, 114-67.
- Delevoryas, T. (1962) *Morphology and evolution of fossil plants*, Holt, Rinehart and Winston, New York.
- Dennis, R.L. (1974) Studies of Palaeozoic ferns: *Zygopteris* from the middle and upper Pennsylvanian of the United States. *Palaeontographica*, **B 148**, 95-136.
- DiMichele, W.A. (1979) Arborescent lycopods of Pennsylvanian age coals: *Lepidophloios*. *Palaeontographica*, **B 171**, 57-77.
- DiMichele, W.A. (1980) *Paralycopodites* Morey and Morey, from the Carboniferous of Euramerica - a reassessment of generic affinities and evolution of '*Lepidodendron*' *brevifolium* Williamson. *American Journal of Botany*, **67**, 1466-76.
- DiMichele, W.A. and Demaris, P.J. (1987) Structure and dynamics of a Pennsylvanian-age *Lepidodendron* forest: colonizers of a disturbed swamp habitat in the Herrin (No. 6) Coal of Illinois. *Palaios*, **2**, 146-57.
- DiMichele, W.A., Phillips, T.L. and Peppers, R.A. (1985) The influence of climate and depositional environment on the distribution and evolution of Pennsylvanian coal-swamp plants. In *Geological factors and the evolution of plants* (ed. B.H. Tiffney), Yale University Press, Harvard, pp. 223-56.
- Dix, E. (1933) The succession of fossil plants in the Millstone Grit and the lower portion of the Coal Measures of the South Wales Coalfield (near Swansea) and a comparison with that of other areas. *Palaeontographica*, **B 78**, 158-202.
- Dix, E. (1934) The sequence of floras in the Upper Carboniferous, with special reference to South Wales. *Transactions of the Royal Society of Edinburgh*, **57**, 789-821.
- Dix, E. (1935) Note on the flora of the highest 'Coal Measures' of Warwickshire. *Geological Magazine*, **72**, 555-7.
- Dixon, E.E.L. (1921) The geology of the South Wales Coalfield. Part XIII. The country around Pembroke and Tenby. *Memoir of the Geological Survey UK*.
- Dobruskina, I.A. (1980) *Stratigraficheskoe polozhenie florasnykh tolsbch Triasa Eurazii*. Academy of Sciences USSR, Order of Red Banner of Labour Geological Institute, Moscow [In Russian].
- Don, A.W.R. and Hickling, G. (1917) On *Parka decipiens*. *Quarterly Journal of the Geological Society of London*, **71**, 648-66.
- Doubinger, J. (1956) Contribution à l'étude des flores autuno-stéphaniennes. *Mémoires de la Société Géologique de France*, **35**, 1-180.
- Doubinger, J. and Alvarez Ramis, C. (1980) Nota sobre la flora de la Formación Ambó, Carbonífero inferior del Perú. *Acta II Congreso Argentinas de Paleontología y Bioestratigrafía y I Congreso Latinoamericano Paleontología* (Buenos Aires, 1978), **4**, 89-101.
- Doubinger, J. and Bouroz, A. (1984) Stéphanien-Autunien, Gzhélien-Assélien: zonation palynologiques et corrélations stratigraphiques. *Compte Rendu 9e Congrès International de Stratigraphie et de Géologie Carbonifère* (Washington and Urbana, 1979), **2**, 599-605.
- Doubinger, J. and Krusemann, G.P. (1966) Sur la flore du Permien de la région de Lodeve ('zone de transition' et Saxonien inférieur). *Bulletin de la Société Géologique de France*, **B7**, 541-8.
- Doubinger, J. and Remy, W. (1958) Bemerkungen über *Odontopteris subcrenulata* Rost und *Odontopteris lingulata* Göppert. *Abhandlungen der deutschen Akademie der Wissenschaft Berlin, Klasse für Chemie Geologie und Biologie*, **5**, 7-14.
- Douglas, J.G. and Lejal-Nicol, A. (1981) Sur les premières flores vasculaires terrestres datées du Silurien: Une comparaison entre la 'Flore à Baragwanathia' d'Australie et la 'Flore à

## References

- Psilophytes et Lycophytes' d'Afrique du Nord. *Compte Rendu Hebdomadaire des Séances de l'Académie des Sciences, Paris*, **292**, 685-8.
- Eames, A.J. (1936) *Morphology of vascular plants. Lower groups (Psilophytales to Filicales)*, McGraw Hill Book Co., New York.
- Edwards, D. (1968) A new plant from the Lower Old Red Sandstone of South Wales. *Palaeontology*, **1**, 683-90.
- Edwards, D. (1969a) Further observations on *Zosterophyllum llanoveranum* from the Lower Devonian of South Wales. *American Journal of Botany*, **56**, 201-10.
- Edwards, D. (1969b) *Zosterophyllum* from the Lower Old Red Sandstone of South Wales. *New Phytologist*, **68**, 923-31.
- Edwards, D. (1970a) Further observations on the Lower Devonian plant, *Gosslingia breconensis* Heard. *Philosophical Transactions of the Royal Society of London*, **B 258**, 225-43.
- Edwards, D. (1970b) Fertile Rhyniophytina from the Lower Devonian of Britain. *Palaeontology*, **13**, 451-61.
- Edwards, D. (1972) A *Zosterophyllum* fructification from the Lower Old Red Sandstone of Scotland. *Review of Palaeobotany and Palynology*, **14**, 77-83.
- Edwards, D. (1973) Devonian floras. In *Atlas of Palaeobiogeography* (ed. A. Hallam), Elsevier, Amsterdam, pp. 105-15.
- Edwards, D. (1975) Some observations on the fertile parts of *Zosterophyllum myretonianum* Penhallow from the Lower Old Red Sandstone of Scotland. *Transactions of the Royal Society of Edinburgh*, **69**, 251-65.
- Edwards, D. (1976) On the systematic position of *Hicklingia edwardii* Kidston and Lang. *New Phytologist*, **76**, 173-81.
- Edwards, D. (1977) A new non-calcified alga from the upper Silurian of mid-Wales. *Palaeontology*, **20**, 823-32.
- Edwards, D. (1979a) A late Silurian flora from the Lower Old Red Sandstone of south-west Dyfed. *Palaeontology*, **22**, 23-52.
- Edwards, D. (1979b) The early history of vascular plants based on late Silurian and early Devonian floras of the British Isles. In *The Caledonides of the British Isles - reviewed* (eds A.L. Harris, C.H. Holland and C.H. Leake), Geological Society of London, pp. 405-10.
- Edwards, D. (1980a) Studies on Lower Devonian petrifications from Britain. 1. Pyritised axes of *Hostinella* from the Brecon Beacons Quarry, Powys, South Wales. *Review of Palaeobotany and Palynology*, **29**, 189-200.
- Edwards, D. (1980b) Early land floras. In *The terrestrial environment and the origin of land vertebrates* (ed. A.L. Panchen), *Systematics Association, Special Volume*, **15**, 55-85.
- Edwards, D. (1981) Studies on Lower Devonian petrifications from Britain. 2. *Sennicaulis*, a new form genus for sterile axes based on pyrite and limonite petrifications from the Senni Beds. *Review of Palaeobotany and Palynology*, **32**, 207-26.
- Edwards, D. (1982) Fragmentary non-vascular plant microfossils from the late Silurian of Wales. *Botanical Journal of the Linnean Society*, **84**, 223-56.
- Edwards, D. (1984) Robert Kidston. The most professional palaeobotanist. A tribute on the 60th anniversary of his death. *Forth Naturalist and Historian*, **8**, 65-93.
- Edwards, D. (1986) Preservation in early vascular plants. *Geology Today*, **2**, 176-81.
- Edwards, D. (1990) Constraints on Silurian and Early Devonian phytogeographic analysis based on megafossils. In *Palaeozoic palaeogeography and biogeography* (eds W.S. McKerrrow and C.R. Scotese), *Geological Society Memoir*, **12**, 233-42.
- Edwards, D. and Banks, H.P. (1965) Branching in *Gosslingia breconensis*. *American Journal of Botany*, **52**, 636.
- Edwards, D., Bassett, M.G. and Rogerson, E.C.W. (1979) The earliest vascular land plants: continuing the search for proof. *Lethaia*, **12**, 313-24.
- Edwards, D. and Davies, E.C.W. (1976) Oldest recorded *in situ* tracheids. *Nature, London*, **263**, 494-5.
- Edwards, D., Davies, K.L. and Axe, L.M. (1992) A vascular conducting strand in the early land plant *Cooksonia*. *Nature, London*, **357**, 683-5.
- Edwards, D. and Edwards, D.S. (1986) A reconsideration of the Rhyniophytina Banks. In *Systematic and taxonomic approaches in palaeobotany* (eds R.A. Spicer and B.A. Thomas), *Systematics Association, Special Volume*, **31**, 199-220, Oxford University Press.
- Edwards, D., Edwards, D.S. and Rayner, R. (1982) The cuticle of early vascular plants and its evolutionary significance. In *The Plant Cuticle* (eds D.F. Cutler, K.L. Alvin and C.E. Price), Academic Press, London, pp. 341-62.
- Edwards, D. and Fanning, U. (1985) Evolution and environment in the late Silurian - early Devonian: the rise of the pteridophytes.

## References

- Philosophical Transactions of the Royal Society of London*, **B 309**, 147-65.
- Edwards, D., Fanning, U. and Richardson, J.B. (1986) Stomata and sterome in early land plants. *Nature, London*, **323**, 438-40.
- Edwards, D. and Feehan, J. (1980) Records of *Cooksonia*-type sporangia from late Wenlock strata in Ireland. *Nature, London*, **287**, 41-2.
- Edwards, D., Feehan, J. and Smith, D.G. (1983) A late Wenlock flora from Co. Tipperary, Ireland. *Botanical Journal of the Linnean Society*, **86**, 19-36.
- Edwards, D. and Kenrick, P. (1986) A new zosterophyll from the Lower Devonian of Wales. *Botanical Journal of the Linnean Society*, **92**, 269-83.
- Edwards, D., Kenrick, P. and Carluccio, L.M. (1989) A reconsideration of cf. *Psilophyton princeps* (Croft and Lang, 1942), a zosterophyll widespread in the Lower Old Red Sandstone of South Wales. *Botanical Journal of the Linnean Society*, **100**, 293-318.
- Edwards, D. and Richardson, J.B. (1974) Lower Devonian (Dittonian) plants from the Welsh Borderland. *Palaeontology*, **17**, 311-24.
- Edwards, D. and Rogerson, E.C.W. (1979) New records of fertile Rhyniophytina from the late Silurian of Wales. *Geological Magazine*, **116**, 93-8.
- Edwards, D. and Rose, V. (1984) Cuticles of *Nematoballus*: a further enigma. *Botanical Journal of the Linnean Society*, **88**, 35-54.
- Edwards, D.S. (1973) Studies on the flora of the Rhynie Chert. Unpublished PhD Thesis, University of Wales, Cardiff.
- Edwards, D.S. (1980) Evidence for the sporophytic status of the Lower Devonian plant *Rhynia gwynne-vaughanii* Kidston and Lang. *Review of Palaeobotany and Palynology*, **29**, 177-88.
- Edwards, D.S. (1986) *Aglaophyton major*, a non-vascular land-plant from the Devonian Rhynie Chert. *Botanical Journal of the Linnean Society*, **93**, 173-204.
- Edwards, D.S. and Lyon, A.G. (1983) Algae from the Rhynie Chert. *Botanical Journal of the Linnean Society*, **86**, 37-55.
- Edwards, W.N. (1921) Note on *Parka decipiens*. *Annals and Magazine of Natural History*, **7**, 442-4.
- Edwards, W.N. (1924) On the cuticular structure of the Devonian plant *Psilophyton*. *Botanical Journal of the Linnean Society*, **46**, 377-85.
- Eggert, D.A. (1961) The ontogeny of Carboniferous arborescent Lycopsida. *Palaeontographica*, **B 108**, 43-92.
- Eggert, D.A. (1974) The sporangium of *Horneophyton lignieri* (Rhyniophytina). *American Journal of Botany*, **61**, 405-13.
- Eggert, D.A. and Taylor, T.N. (1966) Studies of Paleozoic ferns: on the genus *Tedelea* gen. nov. *Palaeontographica*, **B 118**, 52-73.
- Eggert, D.A. and Taylor, T.N. (1971) *Telangiosis* gen. nov., an Upper Mississippian pollen organ from Arkansas. *Botanical Gazette*, **132**, 30-7.
- El-Saadawy, W.E.L.-S. (1966) Studies on the flora of the Rhynie Chert. Unpublished PhD Thesis, University Wales, Bangor.
- El-Saadawy, W.E.L.-S. and Lacey, W.S. (1979a) Observations on *Nothia aphylla* Lyon ex. Høeg. *Review of Palaeobotany and Palynology*, **27**, 119-47.
- El-Saadawy, W.E.L.-S. and Lacey, W.S. (1979b) The sporangia of *Horneophyton lignieri* (Kidston and Lang) Barghoorn and Darrah. *Review of Palaeobotany and Palynology*, **28**, 137-44.
- Elles, G.L. (1900) The zonal classification of the Wenlock Shales of the Welsh Borderland. *Quarterly Journal of the Geological Society of London*, **56**, 370-414.
- Elliott, G.F. (1971) A new fossil alga from the English Silurian. *Palaeontology*, **14**, 637-41.
- Emberger, L. (1968) *Les plantes fossiles dans leurs rapports avec les végétaux vivants*, Masson, Paris.
- Engel, B.A. (1989) S.C.C.S. Ballot results. *Newsletter on Carboniferous Stratigraphy*, **7**, 6-8.
- Erben, H.K. (1964) Facies developments in the marine Devonian of the Old World. *Proceedings of the Ussber Society*, **1**, 92-118.
- Erwin, D.H. (1990) End-Permian. In *Palaeobiology, a synthesis* (eds D.E.G. Briggs and P.R. Crowther), Blackwell, Oxford, pp. 187-94.
- Etheridge, R. (1867) On the physical structure of west Somerset and north Devon, and on the palaeontological value of the Devonian fossils. *Quarterly Journal of the Geological Society of London*, **23**, 568-698.
- Etheridge, R. (1874) On the remains of *Pterygotus* and other crustaceans from the Upper Silurian of the Pentland Hills. *Transactions of the Edinburgh Geological Society*, **2**, 314-6.
- Evans, W.D. and Cox, A.H. (1956) An Old Red Sandstone-Carboniferous Limestone Series junction at Tongwynlais, north of Cardiff. *Geological Magazine*, **93**, 431-4.
- Fairon-Demaret, M. (1977) A new lycophyte cone from the Upper Devonian of Belgium. *Palaeontographica*, **B 162**, 51-63.

## References

- Fairon-Demaret, M. (1986a) Some uppermost Devonian megafloras: a stratigraphical review. *Annales de la Société Géologiques de Belgique*, **109**, 43-8.
- Fairon-Demaret, M. (1986b) Les plantes emsiennes du Sart Tilman (Belgique), II. *Sartilmania jabachensis* (Kräusel et Weyland). *Review of Palaeobotany and Palynology*, **47**, 225-39.
- Fairon-Demaret, M. and Scheckler, S.E. (1987) Typification and redescription of *Moresnetia zaleskyi* Stockmans, 1948, an early seed plant from the upper Famennian of Belgium. *Bulletin de l'Institut Royal des Sciences Naturelles de Belgique, Sciences de la Terre*, **57**, 183-99.
- Fanning, U. (1987) Late Silurian - early Devonian plant assemblages in the Welsh Borderland. Unpublished PhD Thesis, University of Wales.
- Fanning, U., Edwards, D. and Richardson, J.B. (1990) Further evidence for diversity in late Silurian land vegetation. *Journal of the Geological Society of London*, **147**, 725-8.
- Fanning, U., Edwards, D. and Richardson, J.B. (1991) A new rhyniophytoid from the late Silurian of the Welsh Borderland. *Abhandlungen Neues Jahrbuch für Geologie und Paläontologie*, **183**, 37-47.
- Fanning, U., Edwards, D. and Richardson, J.B. (1992) A diverse assemblage of early land plants from the Lower Devonian of the Welsh Borderland. *Botanical Journal of the Linnean Society*, **109**, 161-88.
- Fanning, U., Richardson, J.B. and Edwards, D. (1988) Cryptic evolution in an early land plant. *Evolutionary trends in plants*, **2**, 13-24.
- Fefilova, L.A. (1978) *Listostebel'nye mkbi permi evropeiskogo severa SSSR*. Komi Branch of the Geological Institute, Leningrad [In Russian].
- Felix, C.J. (1954) Some American arborescent lycopod fructifications. *Annals of the Missouri Botanical Garden*, **41**, 351-94.
- Filzer, P. (1948) Ein Beitrag zur ökologischen Anatomie von *Rhynia*. *Biologisches Zentralblatt*, **67**, 13-7.
- Finlay, T.M. (1926) The Old Red Sandstone of Shetland. Part 1. South-eastern area. *Transactions of the Royal Society of Edinburgh*, **54**, 553-72.
- Fleming, J. (1811) Mineralogical account of Papa Stour, one of the Zetland Islands. *Memoir of the Wernerian Society*, **1**, 162-75.
- Fleming, J. (1831) On the occurrence of the scales of vertebrated animals in the Old Red Sandstone of Fifeshire. *Edinburgh Journal of Natural Geographical Science*, **3**, 81-6.
- Florin, R. (1936) Die fossilen Ginkgophyten von Franz-Joseph-Land, nebst Erörterungen über vermeintliche Cordaitales mesozoischen Alters. *Palaeontographica*, **B 81**, 71-173.
- Florin, R. (1938-1945) Die Koniferen des Oberkarbons und des unteren Perms. *Palaeontographica*, **B 85**, 1-729.
- Florin, R. (1949) The morphology of *Trichopitys heteromorpha* Saporta, a seed-plant of Palaeozoic age, and the evolution of the female flowers in the Ginkgoinae. *Acta Horti Bergiana*, **15**, 80-109.
- Florin, R. (1951) Evolution of cordaites and conifers. *Acta Horti Bergiana*, **15**, 285-388.
- Ford, J. (1974) Palynology of the Upper Silurian and Lower Devonian of the Midland Valley of Scotland. Unpublished PhD Thesis, London University.
- Fox, H. (1900) Geological notes. *Transactions of the Royal Geological Society of Cornwall*, **12**, 342-60.
- Fox, H. (1901) Gunwalloe. *Transactions of the Royal Geological Society of Cornwall*, **12**, 434-7.
- Fox, H. (1904) Geological notes. No. 2. Supplementary notes on the distribution of fossils on the north coast of Cornwall south of the Camel. *Transactions of the Royal Geological Society of Cornwall*, **12**, 753-9.
- Frederiksen, N.O. (1972) The rise of the Mesophytic flora. *Geoscience and Man*, **4**, 17-28.
- Frenguelli, J. (1944) Apuntes acerca del Paleozoico superior del noroeste argentino. *Revista Museo de La Plata N.S. Geol.* **2**, pp. 213-65.
- Friend, P.F. and Williams, B.P.J. (1978) *A field guide to selected outcrop areas of the Devonian of Scotland, the Welsh Borderland and South Wales*, Palaeontologists' Association, London.
- Fry, W.L. (1954) A study of the Carboniferous lycopod *Paurodendron*, gen. nov. *American Journal of Botany*, **41**, 415-28.
- Galtier, J. (1964) Anatomie comparée et affinités de deux Zygopteridacées du Carbonifère inférieur. *Compte Rendu Hebdomadaire des Séances de l'Académie des Sciences, Paris*, **259**, 4764-7.
- Galtier, J. (1967) Les sporanges de *Botryopteris antiqua* Kidston. *Compte Rendu Hebdomadaire des Séances de l'Académie des Sciences, Paris*, **264**, 897-900.
- Galtier, J. (1968) Un nouveau type de fructification filicinéenne du Carbonifère inférieur. *Compte*

## References

- Rendu Hebdomadaire des Séances de l'Académie des Sciences, Paris*, **266**, 1004-7.
- Galtier, J. (1969) Observations sur les structures foliaires et caulinaires de *Botryopteris antiqua* Kidston. *Compte Rendu Hebdomadaire des Séances de l'Académie des Sciences, Paris*, **268**, 3025-8.
- Galtier, J. (1970) Recherches sur les végétaux à structure conservée du Carbonifère inférieur français. *Paléobiologie continentale*, **1**(4), 1-220.
- Galtier, J. (1971) Sur les flores du Carbonifère inférieur d'Esnot et du Roannais. *Bulletin. Société d'Histoire Naturelle d'Autun*, **57**, 24-8.
- Galtier, J. (1977) *Tristichia longii*, nouvelle pteridosperme probable du Carbonifère de la Montagne Noire. *Compte Rendu Hebdomadaire des Séances de l'Académie des Sciences, Paris*, **284**, 2215-8.
- Galtier, J. (1980) Données nouvelles sur la flore du Viséen d'Esnot près d'Autun. *Bulletin. Société d'Histoire Naturelle l'Autun*, **95**, 27-33.
- Galtier, J. (1981) Structures foliaires de fougères et ptéridospermes du Carbonifère inférieur et leur signification évolutive. *Palaeontographica*, **B 180**, 1-38.
- Galtier, J. and Scott, A.C. (1985) Diversification of early ferns. *Proceedings of the Royal Society of Edinburgh*, **B 86**, 289-301.
- Galtier, J. and Scott, A.C. (1986a) *Lyginorachis gordonii*, nouvelle Pteridosperm probable du Carbonifère inférieur d'Ecosse. *Compte Rendu Hebdomadaire des Séances de l'Académie des Sciences, Paris*, **302**, 251-6.
- Galtier, J. and Scott, A.C. (1986b) A partially permineralized *Lepidophloios* from the early Upper Carboniferous of Scotland. *Annals of Botany*, **58**, 617-26.
- Gao, Z. and Thomas, B.A. (1989) A review of fossil cycad megasporophylls, with new evidence of *Crossozamia* Pomel and its associated leaves from the Lower Permian of Taiyuan, China. *Review of Palaeobotany and Palynology*, **60**, 205-23.
- Garratt, M.J. (1979) New evidence for a Silurian (Ludlow) age for the earliest *Baragwanathia* flora. *Alcheringia*, **2**, 217-24.
- Garratt, M.J. (1981) The earliest vascular land plants: comment on the age of the oldest *Baragwanathia* flora. *Lethaia*, **14**, 8.
- Garratt, M.J., Tims, J.D., Rickards, R.B., Chambers, T.C. and Douglas, J.G. (1984) The appearance of *Baragwanathia* (Lycophytina) in the Silurian. *Botanical Journal of the Linnean Society*, **89**, 355-8.
- Gastaldo, R.A. (1985) Upper Carboniferous paleoecological reconstructions: observations and reconsiderations. *Compte Rendu 10e Congrès International de Stratigraphie et de Géologie Carbonifère* (Madrid, 1983), **2**, 281-96.
- Gastaldo, R.A. (1986) An explanation for lycopod configuration. 'Fossil Grove' Victoria Park, Glasgow. *Scottish Journal of Geology*, **22**, 77-83.
- Gastaldo, R.A. (1987) Confirmation of Carboniferous clastic swamp communities. *Nature, London*, **326**, 869-71.
- Gastaldo, R.A., Douglass, D.P. and McCarroll, S.M. (1987) Origin, characteristics, and provenance of plant macrodetritus in a Holocene crevasse splay, Mobile Delta, Alabama. *Palaios*, **2**, 229-40.
- Gayer, R.A., Allen, K.C., Bassett, M.G. and Edwards, D. (1973) The structure of the Taff Gorge area, Glamorgan, and the stratigraphy of the Old Red Sandstone - Carboniferous Limestone transition. *Geological Journal*, **8**, 345-74.
- Gensel, P.G. (1976) *Renalia hueberii*, a new plant from the Lower Devonian of Gaspé. *Review of Palaeobotany and Palynology*, **22**, 19-37.
- Gensel, P.G. (1992) Phylogenetic relationships of the zosterophylls and lycopsids: evidence from morphology, paleoecology, and cladistic methods of inference. *Annals of the Missouri Botanical Gardens*, **79**, 450-73.
- Gensel, P.G. and Andrews, H.N. (1984) *Plant life in the Devonian*, Praeger, New York.
- Gensel, P.G., Andrews, H.N. and Forbes, W.H. (1975) A new species of *Sawdonia* with notes on the origin of microphylls and lateral sporangia. *Botanical Gazette*, **136**, 50-62.
- George, T.N. (1970) *British Regional Geology: South Wales*, 3rd edn. Institute of Geological Sciences, HMSO, London.
- George, T.N., Johnson, G.A.L., Mitchell, M., Prentice, J.E., Ramsbottom, W.H.C., Sevastopulo, G.D. and Wilson, R.B. (1976) A correlation of Dinantian rocks in the British Isles. *Geological Society of London, Special Report*, **7**, 1-87.
- Gerrienne, P. (1988) Early Devonian plant remains from Marchin (north of Dinant Synclinorium, Belgium). 1. *Zosterophyllum deciduum* sp. nov. *Review of Palaeobotany and Palynology*, **55**, 317-35.
- Gerrienne, P. (1990a) Les *Pachytheca* de la Gileppe et de Nonceveux (Dévonien) inférieur

## References

- de Belgique). *Annals de la Société Géologique de Belgique*, **113**, 267-85.
- Gerrienne, P. (1990b) Quelques spécimens de *Gosslingia breconensis* (Heard) Heard, 1927 du Dévonien inférieur de Wihéries (bord nord du Synclinorium de Dinant) Belgique. *Annals de la Société Géologique de Belgique*, **113**, 287-93.
- Gerrienne, P. (1991) Les plantes fossiles du Dévonien inférieur de Marchin (bord nord du Synclinorium de Dinant, Belgique). II. *Forgesia curvata* gen. et sp. nov. *Compte Rendu Hebdomadaire des Séances de l'Académie des Sciences, Paris Série II*, **313**, 1213-9.
- Gibson, G.A. (1877) The Old Red Sandstone of Shetland. A graduation thesis. Williams and Norgate, Edinburgh.
- Gillespie, W.M. and Pfefferkorn, H.W. (1979) Distribution of commonly occurring plant megafossils in the proposed Pennsylvanian System stratotype. In *Proposed Pennsylvanian System stratotype, Virginia and West Virginia* (eds K.J. England, H.H. Arndt and T.W. Henry), *American Geological Institute Selected Guidebook Series*, **1**, 87-96.
- Gillespie, W.M., Rothwell, G.W. and Scheckler, S.E. (1981) The earliest seeds. *Nature, London*, **293**, 462-4.
- Goldring, R. (1970) The stratigraphy about the Devonian-Carboniferous boundary in the Barnstaple area of north Devon, England. *Compte Rendu 6e Congrès International de Stratigraphie et de Géologie Carbonifère* (Sheffield 1967), **2**, 807-16.
- Goldring, R. (1971) Shallow water sedimentation as illustrated in the Upper Devonian Baggy Beds. *Memoirs of the Geological Society of London*, **5**, 1-80.
- Good, C.W. (1981) A petrified fern sporangium from the British Carboniferous. *Palaeontology*, **24**, 483-92.
- Goode, R.H. (1913) On the fossil flora of the Pembrokeshire portion of the South Wales coalfield. *Quarterly Journal of the Geological Society of London*, **69**, 252-76.
- Göppert, H.R. (1864) Die fossil Flora der Permischen Formation. *Palaeontographica*, **12**, 1-316.
- Gordon, W.T. (1908a) On the prothallus of *Lepidodendron veltheimianus*. *Transactions of the Botanical Society of Edinburgh*, **23**, 330-2.
- Gordon, W.T. (1908b) On *Lepidophloios scottii* (a new species from the Carboniferous Sandstone Series at Pettycur, Fife), *Transactions of the Royal Society of Edinburgh*, **46**, 443-53.
- Gordon, W.T. (1909) On the nature and occurrence of the plant-bearing rocks at Pettycur (Fife). *Transactions of the Edinburgh Geological Society*, **15**, 395-7.
- Gordon, W.T. (1910a) On a new species of *Physostoma* from the Lower Carboniferous rocks of Pettycur (Fife). *Proceedings of the Cambridge Philosophical Society*, **15**, 395-7.
- Gordon, W.T. (1910b) Note on the prothallus of *Lepidodendron veltheimianus*. *Annals of Botany*, **24**, 821-2.
- Gordon, W.T. (1911a) On the structure and affinities of *Diplolabis roemeri* (Solms). *Transactions of the Royal Society of Edinburgh*, **47**, 711-36.
- Gordon, W.T. (1911b) On the structure of and affinities of *Metaclepsydropsis duplex* (Williamson). *Transactions of the Royal Society of Edinburgh*, **48**, 163-90.
- Gordon, W.T. (1912) On *Rbetinangium arberi*, a new genus of Cycadofilices from the Calciferous Sandstone Series. *Transactions of the Royal Society of Edinburgh*, **48**, 813-25.
- Gordon, W.T. (1914) The country around Burntisland and Kirkaldy. *Proceedings of the Geologists' Association*, **25**, 34-9.
- Gordon, W.T. (1935a) The genus *Pityis*, Witham, emend. *Transactions of the Royal Society of Edinburgh*, **58**, 279-311.
- Gordon, W.T. (1935b) Plant life and the philosophy of geology. *Report of the British Association for the Advancement of Science* (Aberdeen, 1934), pp. 49-82.
- Gordon, W.T. (1938) On *Tetrastichia bupatides* - a Carboniferous pteridosperm from East Lothian. *Transactions of the Royal Society of Edinburgh*, **59**, 351-70.
- Gordon, W.T. (1941) On *Salpingostoma dasu*. A new Carboniferous seed from East Lothian. *Transactions of the Royal Society of Edinburgh*, **60**, 427-64.
- Gorelova, S.G., Men'shikova, L.V. and Khalfin, L.L. (1973) Fitostratigrafiya i opredeliitel rastenii verkhnepaleozoiskikh ugleosnikh otlojenii Kuznetskogo Basseina. *Trudy S.N.I.I.G.G.I.M.Ca.*, **140**, 1-169 [In Russian].
- Gosh, A.K. and Bose, A. (1952) Spores and tracheids from the Cambrian of Kashmir. *Nature, London*, **169**, 1056-7.
- Gothan, W. (1913) Die ober-schlesische Steinkohlenflora. 1. Teil, Farnen und farnähnlichen Gewächse. *Abhandlungen der Preussischen Geologischen Landesanstalt*, pp. 1-278.

## References

- Gothan, W. (1937) Neuere Mitteilungen über die Kulmpflanzen von Rothwaltersdorf bei Neurode (Schles.). *Sitzungsberichte der Gesellschaft Naturforschende Freunde zu Berlin*, 1-7, 122-31.
- Gothan, W. (1952) Der 'Florensprung' and die 'Erzgebirgische Phase' Kossmats. *Geologica*, **11**, 41-9.
- Gothan, W. (1954) Pflanzengeographisches aus dem mitteleuropäischen Karbon. *Geologie*, **3**, 219-57.
- Gothan, W., Leggewie, W. and Schonenfeld, W. (1959) Die Steinkohlenflora des westlichen paraliischen Steinkohlenreviere Deutschlands. *Beibefte zum Geologischen Jahrbuch*, **36**, 1-90.
- Gothan, W. and Nagalhard, K. (1922) Kupferschieferpflanzen aus dem niederrheinischen Zechstein. *Jahrbuch der Preussischen Geologischen Landesanstalt*, **57**, 507-13.
- Gothan, W. and Weyland, H. (1954) *Lehrbuch der Paläobotanik*. Akademie, Berlin.
- Gould, R.E. (1981) Palaeobotany is blooming: 1970-1979, a review. *Alcheringa*, **5**, 49-70.
- Graham, R. (1935) An anatomical study of the leaves of the Carboniferous arborescent lycopods. *Annals of Botany*, **49**, 587-608.
- Gray, J. (1985) The microfossil record of early land plants: advances in understanding of early terrestrialization, 1970-1984. *Philosophical Transactions of the Royal Society of London*, **B309**, 167-95.
- Greguss, P. (1959) Abstract. *International Botanical Congress*, (Montreal, 1959), pp. 142.
- Greuter, W., Burdet, H.M., Chaloner, W.G. et al. (1988) *International Code of Botanical Nomenclature*, Koeltz, Königstein.
- Grierson, J.D. and Bonamo, P.M. (1979) *Leclercqia complexa*: the earliest ligulate lycopod (Middle Devonian). *American Journal of Botany*, **66**, 474-6.
- 'Gu and Zhi' (1974) *Palaeozoic plants from China*. Scientific Press, Beijing [In Chinese].
- Guion, P.D. and Fielding, C.R. (1988) Westphalian A and B sedimentation in the Pennine Basin, UK. In *Sedimentation in a synorogenic basin complex. The Upper Carboniferous of Northwest Europe* (eds B.M. Besly and G. Kelling) Blackie, Glasgow, pp. 153-77.
- Høeg, O.A. (1942) The Downtonian and Devonian flora of Spitsbergen. *Norges Svalbard-og Isbavsundersøkelser, Skrifter*, **83**, 1-28.
- Høeg, O.A., Bose, M.N. and Shukla, B.N. (1955) Some fossil plants from the Po Series of Spiti (NW Himalayas). *Palaeobotanist*, **4**, 10-13.
- Hall, I.H.S. (1978) Loch Humphrey borehole. *Report of the Institute of Geological Sciences*, **79/12**, pp. 13.
- Hall, T.M. (1867) On the relative distribution of fossils throughout the North Devon Series. *Quarterly Journal of the Geological Society of London*, **23**, 371-81.
- Halle, T.G. (1916) Lower Devonian plants from Røranen in Norway. *Kungliga Svenska Vetenskapsakademiens Handlingar*, **57**, 1-46.
- Halstead, L.B. (1990) Cretaceous-Tertiary (terrestrial). In *Palaeobiology, a synthesis* (eds D.E.G. Briggs and P.R. Crowther), Blackwell, Oxford, pp. 203-7.
- Harris, T.M. (1964) *The Yorkshire Jurassic flora. II Caytoniales, Cycadales and pteridosperms*. British Museum (Natural History), London.
- Harris, W.H. (1884) Fossil plants in the Silurian formation near Cardiff. *Science Gossip*, **20**, 28-30.
- Hartung, W. and Patteisky, K. (1960) Die Flora der Goniatiten-Zonen im Visé und Namur des ost-sudetische Karbons. *Compte Rendu 4e Congrès International de Stratigraphie et de Géologie Carbonifère* (Heerlen, 1958), **1**, 247-62.
- Harvey, R., Lyon, A.G. and Lewis, P.N. (1969) A fossil fungus from Rhynie Chert. *Transactions of the British Mycology Society*, **53**, 155-6.
- Heard, A. (1926) *Psilophyton breconensis*. *Report of the British Association for the Advancement of Science* (Southampton, 1925), pp. 311-12.
- Heard, A. (1927) On Old Red Sandstone plants showing structure from Brecon (South Wales). *Quarterly Journal of the Geological Society of London*, **83**, 195-207.
- Heard, A. (1939) Further notes on Lower Devonian plants from South Wales. *Quarterly Journal of the Geological Society of London*, **95**, 223-9.
- Heard, A. and Davies, R. (1924) The Old Red Sandstone of the Cardiff district. *Quarterly Journal of the Geological Society of London*, **80**, 489-519.
- Heard, A. and Jones, J.F. (1931a) *Eobepatica dyfriensis*, a liverwort-like plant from the lower Downtonian of the Llandovery district. *Report of the British Association for the Advancement of Science* (Bristol, 1930), pp. 330-1.
- Heard, A. and Jones, J.F. (1931b) A new plant (*Thallomia*) showing structure, from the Downtonian rocks of Llandovery, Carmarthenshire. *Quarterly Journal of the Geological Society of London*, **87**, 551-62.

## References

- Heer, O. (1876) Ueber permischen Pflanzen von Fünfkirchen in Ungarn. *Mitteilungen aus dem Jahrbuch der Königlich Ungarischen Geologischen Anstalt*, **5**, 3-18.
- Hemsley, A.R. (1989) The ultrastructure of the spores of the Devonian plant *Parka decipiens*. *Annals of Botany*, **64**, 359-67.
- Hemsley, A.R. (1990a) *Parka decipiens* and land plant spore evolution. *Historical Biology*, **4**, 39-50.
- Hemsley, A.R. (1990b) The ultrastructure of the exine of the megaspores in two Palaeozoic seed-like structures. *Review of Palaeobotany and Palynology*, **63**, 137-52.
- Hemsley, A.R., Galtier, J. and Clayton, G. (in press) Further studies on a late Tournaisian (Lower Carboniferous) flora from Loch Humphrey Burn, Scotland: spore taxonomy and ultrastructure. *Review of Palaeobotany and Palynology*.
- Henderson, S.M.K. (1932) Notes on Lower Old Red Sandstone plants from Callander, Perthshire. *Transactions of the Royal Society of Edinburgh*, **57**, 277-85.
- Hendriks, E.M.L. (1935) Rock succession and structure in south Cornwall: a revision. With notes on the central European facies and Variscan folding there present. *Quarterly Journal of the Geological Society of London*, **93**, 322-67.
- Hendriks, E.M.L. (1966) Correlation of south and north Cornwall. *Proceedings of the Ussher Society*, **1**, 224-7.
- Hendriks, E.M.L., House, M.R. and Rhodes, F.H.T. (1971) Evidence bearing on the stratigraphical succession in south Cornwall. *Proceedings of the Ussher Society*, **2**, 270-5.
- Hickling, G. (1908) The Old Red Sandstone of Forfarshire, upper and lower. *Geological Magazine*, **5**, 396-408.
- Hickling, G. (1912) On the geology and palaeontology of Forfarshire. *Proceedings of the Geologists' Association*, **23**, 302-11.
- Hicks, H. (1869) Notes on a species of *Eophyton* (?) from the lower Arenig rocks of St Davids. *Geological Magazine*, **6**, 534-5.
- Hicks, H. (1881) On the discovery of some remains of plants at the base of the Denbighshire Grits, near Corwen, North Wales. *Quarterly Journal of the Geological Society of London*, **37**, 482-96.
- Hicks, H. (1882) Additional notes on the land plants from the Pen-y-glog Slate Quarry near Corwen, North Wales. *Quarterly Journal of the Geological Society of London*, **38**, 97-102.
- Hind, W. (1907) Life-zones in the British Carboniferous rocks - Interim Report of Committee, with a note by A. Vaughan. *Report of the British Association for the Advancement of Science*, (York, 1906), pp. 302-13.
- Hind, W. and Stobbs, J.T. (1906) The Carboniferous succession below the Coal-Measures in north Shropshire, Denbighshire and Flintshire. *Geological Magazine*, **43**, 385-400.
- Hinxman, L.W. and Grant Wilson, J.S. (1902) The geology of Lower Strathspey. *Memoir of the Geological Survey UK*.
- Hirmer, M. (1927) *Handbuch der Paläobotanik*, Berlin.
- Hirmer, M. (1939) Die Pflanzen des Karbon und Perm und ihre stratigraphische Bedeutung. Teil 1: Einführung und Unterkarbon-Flora des euramerischen Florenraumes. *Palaeontographica*, **B 84**, 45-102.
- Hirmer, M. (1941) *Noeggerathia*, neuentdeckte verwandte Formen und ihre Stellung im System der Farne. *Biologia Generalis*, **15**, 134-71.
- Hirmer, M. and Guthörl, P. (1940) Die Karbon-Flora des Saargebietes. 3. Filicales und Verwandte. 1. *Noeggerathinae* (Hirmer): *Rhacopteris* (Hirmer and Guthörl), *Palaeontographica Supplement*, **9**, 1-60.
- Holden, H.S. (1960) The morphology and relationships of *Rachiopteris cylindrica*. *Bulletin of the British Museum of Natural History (Geology)*, **4**, 53-69.
- Holden, H.S. (1962) The morphology of *Botryopteris antiqua*. *Bulletin of the British Museum of Natural History (Geology)*, **5**, 361-80.
- Holland, C.H. and Bassett, M.G. (eds) (1989) *A global standard for the Silurian System*, National Museum of Wales, Cardiff (Geological Series, No. 9).
- Holland, C.H., Lawson, J.D. and Walmsley, V.G. (1963) The Silurian rocks of the Ludlow district, Shropshire. *Bulletin of the British Museum of Natural History (Geology)*, **8**, 93-171.
- Holmes, J.C. (1977) The Carboniferous fern *Psalixochlaena cylindrica* as found in Westphalian A coal balls from England. Part I. Structure and development of the cauline system. *Palaeontographica*, **B 164**, 33-75.
- Holmes, J.C. (1981) The Carboniferous fern *Psalixochlaena cylindrica* as found in Westphalian A coal balls from England. Part II. The frond and fertile parts. *Palaeontographica*, **B 176**, 147-73.

## References

- Holmes, J.C. (1989) Anomalous branching patterns in some fossil *Filicales*: implications in the evolution of the megaphyll and the lateral branch, habit and growth pattern. *Plant Systematics and Evolution*, **165**, 137-58.
- Hooker, J.D. (1889) *Pachytheca*. *Annals of Botany*, **3**, 135-40.
- Horne, J. (1917) The discovery of silicified peat beds in the Scottish Old Red Sandstone. *Scottish Geographical Magazine*, **33**, 385-92.
- Horne, J. and Mackie, W. (1917) The plant-bearing cherts at Rhynie, Aberdeenshire. *Report of the British Association for the Advancement of Science* (Newcastle upon Tyne, 1916), pp. 206-16.
- Horne, J. and Mackie, W. (1920a), Rhynie, Aberdeenshire. *Report of the British Association for the Advancement of Science* (Bournemouth, 1919), pp. 110-11.
- Horne, J. and Mackie, W. (1920b) Old Red Sandstone rocks at Rhynie, Aberdeenshire. *Report of the British Association for the Advancement of Science* (Cardiff, 1920), pp. 261.
- Hoskins, J.H. and Cross, A.T. (1951) Structure and classification of four plants from the New Albany Shale. *American Midland Naturalist*, **46**, 684-716.
- Hoskins, J.H. and Cross, A.T. (1952) The petrification flora of the Devonian-Mississippian Black Shale. *Palaeobotanist*, **1**, 215-38.
- House, M.R., Richardson, J.B., Chaloner, W.G., Allen, J.R.L., Holland, C.H. and Westoll, T.S. (1977) A correlation of Devonian rocks in the British Isles. *Geological Society of London, Special Report*, **7**, 1-110.
- Howell, H.H. (1859) The geology of the Warwickshire Coalfield. *Memoir of the Geological Survey of Great Britain*.
- Howse, R. (1890) Catalogue of the local fossils in the Museum of the Natural History Society. *Natural History Transactions of Northumberland*, **10**, 227-88.
- Hueber, F.M. (1964) The psilophytes and their relationship to the origin of ferns. *Memoir of the Torrey Botanical Club*, **21**, 5-8.
- Hueber, F.M. (1968) *Psilophyton*: the genus and the concept. In *Symposium on the Devonian System. Vol. 2.* (ed. D.H. Oswald), Alberta Society of Petroleum Geologists, Calgary, pp. 815-22.
- Hueber, F.M. (1971) *Sawdonia ornata*: a new name for *Psilophyton princeps* var. *ornatum*. *Taxon*, **20**, 641-2.
- Hueber, F.M. (1983) A new species of *Baragwanathia* from the Sextant Formation (Emsian) Northern Ontario, Canada. *Botanical Journal of the Linnean Society*, **86**, 57-79.
- Hueber, F.M. (1992) Thoughts on the early lycopsids and zosterophylls. *Annals of the Missouri Botanical Gardens*, **79**, 474-99.
- Hueber, F.M. and Banks, H.P. (1967) *Psilophyton princeps*: the search for organic connection. *Taxon*, **16**, 81-5.
- Hughes, N.F. (1976) *Palaeobiology of Angiosperm Origins*. Cambridge University Press, Cambridge.
- Ishchenko, T.A. (1965) Devonian flora of the Volynian-Podolian margin of the Russian platform. *Paleontologicheskii Sbornik*, **2**, 123-5 [In Russian]
- Ishchenko, T.A. (1969) Kuksonievaya paleoflora v Skal'skom Gorizonte Podolii i ee stratigraficheskoe znachenie. *Geologicheskii Zhurnal*, **29**, 101-9. [In Russian].
- Ishchenko, T.A. (1974) *Tirasophyton*, a new Early Devonian plant genus from Podolia. *Paleontologicheskii Zhurnal*, **1**, 112-6 [In Russian].
- Ishchenko, T.A. (1975) *Pozdnesiluritskaya flora Podolii*. Akad. Nauk. USSR, Institute of Geology, Kiev. [In Russian].
- Ishchenko, T.A. and Shlyakov, R.N. (1979) Middle Devonian Liverworts (Marchantiidae) from Podolia. *Paleontologicheskii Zhurnal*, **13**, 369-80 [In Russian].
- Jack, R.L. and Etheridge, R. (1877) On the discovery of plants in the Old Red Sandstone of the neighbourhood of Callander. *Quarterly Journal of the Geological Society of London*, **33**, 213-22.
- Jacob, K., Jacob, C. and Shivastava, R.N. (1953) Spores and tracheids of vascular plants from the Vindhyan System, India: the advent of vascular plants. *Nature, London*, **172**, 166-7.
- Jarzembowski, E.A. (1989) Writhlington Geological Nature Reserve. *Proceedings of the Geologists' Association*, **100**, 219-34.
- Jenkins, T.B.H. (1962) The sequence and correlation of the Coal Measures of Pembrokeshire. *Quarterly Journal of the Geological Society of London*, **118**, 65-101.
- Jennings, J.R. (1976) The morphology and relationships of *Rhodea*, *Telangium*, and *Heterangium*. *American Journal of Botany*, **63**, 1119-33.
- Johnson, J.H. and Konishi, K. (1959) A review of Silurian (Gotlandian) algae. *Colorado School of Mines Quarterly*, **54**, 2-114.
- Jongmans, W.J. (1940) Die Kohlenfelder von Gross Britannien. *Mededelingen Geologisch Bureau*

## References

- voor het Mijngebied te Heerlen [for 1938/9], pp. 15-222.
- Jongmans, W.J. (1952) Some problems on Carboniferous stratigraphy. *Compte Rendu 3e Congrès International de Stratigraphie et de Géologie Carbonifère* (Heerlen, 1951), **1**, 295-306.
- Jongmans, W.J. (1956) Contribución al conocimiento de la flora carbonifera del SO de España. *Estudios Geológicos*, **12**, 19-58.
- Jongmans, W.J., Gothan, W. and Darrah, W.C. (1937) Beitrage zur Kenntnis der Flora der Pocono-Schichten aus Pennsylvanien und Virginia. *Compte Rendu 2e Congrès International de Stratigraphie et de Géologie Carbonifère* (Heerlen, 1935), **1**, 423-44.
- Jonker, F.P. (1976) The Carboniferous 'genera' *Ulodendron* and *Halonía* - an assessment. *Palaeontographica*, **B 157**, 97-111.
- Jonker, F.P. (1979) *Prototaxites* in the Lower Devonian. *Palaeontographica*, **B 171**, 39-56.
- Josten, K.-H. (1962) Die wichtigsten Pflanzen-Fossilien des Ruhrkarbons und ihre Bedeutung für die Gliederung des Westfals. *Fortschritte in der Geologie von Rheinland und Westfalen*, **3**, 753-72.
- Josten, K.-H. (1983) Die fossilen Floren im Namur des Ruhrkarbons. *Fortschritte in der Geologie von Rheinland und Westfalen*, **31**, 1-327.
- Joy, K.W., Willis, A.J. and Lacey, W.S. (1956) A rapid cellulose peel technique in palaeobotany. *Annals of Botany*, **20**, 635-7.
- Keeping, W. (1882) On some remains of plants, foraminifera and annelida. *Geological Magazine*, **19**, 485-91.
- Keeping, W. (1883) On Silurian plants from central Wales. *Geological Magazine*, **20**, 192.
- Kenrick, P. and Edwards, D. (1988a) The anatomy of Lower Devonian *Gosslingia breconensis* Heard based on pyritized axes, with some comments on the permineralization process. *Botanical Journal of the Linnean Society*, **97**, 95-123.
- Kenrick, P. and Edwards, D. (1988b) A new zosterophyll from a recently discovered exposure of the Lower Devonian Senni Beds in Dyfed, Wales. *Botanical Journal of the Linnean Society*, **98**, 97-115.
- Kerp, J.H.F. (1983) Aspects of Permian palaeobotany and palynology. I. *Sobernbeimia jonkeri* nov. gen., nov. sp., a new fossil plant of cycadalean affinity from the Waderner Gruppe of Sobernheim. *Review of Palaeobotany and Palynology*, **38**, 173-83.
- Kerp, J.H.F. (1984a) Aspects of Permian palaeobotany and palynology. III. A new reconstruction of *Lilpopia raciborskii* (Lilpop) Cornert et Schaarschmidt (Sphenopsida). *Review of Palaeobotany and Palynology*, **40**, 237-61.
- Kerp, J.H.F. (1984b) Aspects of Permian palaeobotany and palynology. V. On the nature of *Asterophyllites dumasii* Zeiller, its correlation with *Calamites gigas* Brongniart and the problem concerning its sterile foliage. *Review of Palaeobotany and Palynology*, **41**, 301-17.
- Kerp, J.H.F. (1986) On *Callipteris* Brongniart from the European Rotliegend basins. Thesis, University of Utrecht.
- Kerp, J.H.F. and Fichter, J. (1985) Die Makrofloren des saarpfälzischen Rotliegend (? Ober-Karbon - Unter-Perm; SW-Deutschland). *Mainzer geowissenschaftliche Mitteilungen*, **14**, 159-286.
- Kevan, P.G., Chaloner, W.G. and Savile, D.B.O. (1975) Interrelationships of early terrestrial arthropods and plants. *Palaeontology*, **18**, 391-417.
- Kidston, R. (1882) On the affinities of the genus *Potbocites*, Paterson. *Annals and Magazine of Natural History (Series 5)*, **10**, 404-5.
- Kidston, R. (1883a) Report on fossil plants collected by the Geological Survey of Scotland in Eskdale and Liddesdale. *Transactions of the Royal Society of Edinburgh*, **30**, 531-50.
- Kidston, R. (1883b) On the affinities of the genus *Potbocites*, Paterson. With a description of a specimen from Glencartholm, Eskdale. *Annals and Magazine of Natural History (Series 5)*, **11**, 297-314.
- Kidston, R. (1883c) On the affinities of the genus *Potbocites*, Paterson. With a description of a specimen from Glencartholm, Eskdale. *Transactions of the Botanical Society of Edinburgh*, **16**, 28-38.
- Kidston, R. (1884) On a new species of *Lycopodites* Goldenberg (*L. stockii*) from the Calciferous Sandstone Series of Scotland. *Annals and Magazine of Natural History (Series 5)*, **14**, 111-7.
- Kidston, R. (1885a) On the occurrence of *Lycopodites (Sigillaria) vanuxemi* Goepfert in Britain, with remarks on its affinities. *Botanical Journal of the Linnean Society*, **21**, 560-6.
- Kidston, R. (1885b) On the relationship of *Ulodendron*, Lindley and Hutton, to *Lepidodendron*, Sternberg; *Bothrodendron*, Lindley and Hutton; *Sigillaria*, Brongniart; and *Rhytidodendron*, Boulay. *Annals and Magazine of Natural History (Series 5)* **16**, 123-39.

## References

- Kidston, R. (1886) *Catalogue of the Palaeozoic plants in the Department of Geology and Palaeontology, British Museum (Natural History)*, British Museum (Natural History), London.
- Kidston, R. (1888) Note on the nature of fossil trees found at Whiteninch. *Transactions of the Geological Society of Glasgow*, **8**, 235-6.
- Kidston, R. (1889a) On some fossil plants from Teilia Quarry, Gwaenysgor, near Prestatyn, Flintshire. *Transactions of the Royal Society of Edinburgh*, **35**, 419-28.
- Kidston, R. (1889b) Additional notes on some British Carboniferous lycopods. *Proceedings of the Royal Physical Society of Edinburgh*, **10**, 88-97.
- Kidston, R. (1889c) Additional notes on some British Carboniferous lycopods. *Annals and Magazine of Natural History (Series 6)*, **4**, 60-7.
- Kidston, R. (1889d) On the fossil plants in the Ravenhead Collection in the Free Public Library and Museum. *Transactions of the Royal Society of Edinburgh*, **35**, 391-417.
- Kidston, R. (1892) Notes on some fossil plants from the Lancashire Coal Measures. *Transactions of the Manchester Geological Society*, **13**, 401-28.
- Kidston, R. (1893) *Parka decipiens* - Notes on specimens from the collections of James Reid, Esq., of Allan House, Blairgowrie, Scotland. By Sir William Dawson, LL.D., F.R.S., and Professor Penhallow, B.Sc. 'Transactions of the Royal Society of Canada', Section IV., 1891, pp. 3-16, with a plate. *Annals of Scottish Natural History*, **2**, 252-4.
- Kidston, R. (1894a) On the various divisions of British Carboniferous rocks as determined by their fossil floras. *Proceedings of the Royal Physical Society of Edinburgh*, **12**, 183-257.
- Kidston, R. (1894b) Notes on some fossil plants from the Lancashire Coal Measures. *Transactions of the Manchester Geological Society*, **21**, 632-52.
- Kidston, R. (1897) On *Cryptoxylon forfareense*, a new species of fossil plant from the Old Red Sandstone. *Proceedings of the Royal Physical Society of Edinburgh*, **13**, 102-11.
- Kidston, R. (1901a) Notes on Carboniferous plants from Berwickshire. *Summary of Progress of the Geological Survey of Great Britain* [for 1900], pp. 174-5.
- Kidston, R. (1901b) Carboniferous lycopods and sphenophylls. *Transactions of the Natural History Society of Glasgow*, **6**, 25-140.
- Kidston, R. (1902a) Report on fossil plants from the Calciferous Sandstones of the Berwickshire border. *Summary of Progress of the Geological Survey of Great Britain* [for 1901], pp. 179-180.
- Kidston, R. (1902b) The flora of the Carboniferous Period; Pt. II. *Proceedings of the Yorkshire Geological Society*, **14**, 344-99.
- Kidston, R. (1903a) The fossil plants from the Canonbie Coal Field. *Summary of Progress of the Geological Survey of Great Britain* [for 1902], pp. 209-16.
- Kidston, R. (1903b) The fossil plants of the Carboniferous rocks of Canonbie, Dumfriesshire, and of parts of Cumberland and Northumberland. *Transactions of the Royal Society of Edinburgh*, **40**, 741-833.
- Kidston, R. (1907) Note on a new species of *Lepidodendron* from Pettycur (*Lepidodendron pettycureense*). *Proceedings of the Royal Society of Edinburgh*, **27**, 207-9.
- Kidston, R. (1908) On a new species of *Dineuron* and of *Botryopteris* from Pettycur, Fife. *Transactions of the Royal Society of Edinburgh*, **46**, 361-4.
- Kidston, R. (1922) Some fossil plants from the Old Red Sandstone at Rhynie. *Transactions of the Stirling Natural History and Archaeological Society*, **45**, 10-11.
- Kidston, R. (1923-1925) Fossil plants of the Carboniferous rocks of Great Britain. *Memoir of the Geological Survey U.K., Palaeontology*, **2**, Pt. 1 (1923a), 1-110; Pt. 2 (1923b), 111-98; Pt. 3 (1923c), 199-274; Pt. 4 (1923d), 275-376; Pt. 5 (1924), 377-522; Pt. 6 (1925), 523-670.
- Kidston, R. (1923e) On the vascular plants of the chert band of Rhynie, Aberdeenshire. *Transactions of the Edinburgh Geological Society*, **11**, 257-9.
- Kidston, R., Gordon, W.T., Flett, J.S., Garwood, E.J., Horne, J. and Peach, B.N. (1917) Investigation of the Lower Carboniferous flora at Gullane. *Report of the British Association for the Advancement of Science* (Newcastle upon Tyne, 1916), p. 217.
- Kidston, R. and Gwynne-Vaughan, D.T. (1912) On the Carboniferous flora of Berwickshire. I. *Stenomyleon tuedianum*. *Transactions of the Royal Society of Edinburgh*, **48**, 263-71.
- Kidston, R. and Jongmans, W.J. (1917) *Calamites* of western Europe, part 1. In *Flora of the Carboniferous of the Netherlands and adjacent regions* (ed. W.J. Jongmans), Mededelingen, Rijksopsporing Delfstoffen, No. 7.

## References

- Kidston, R. and Lang, W.H. (1917a) On *Rhynia gwynne-vaughanii*. *Report of the British Association for the Advancement of Science* (Newcastle upon Tyne, 1916), p. 493.
- Kidston, R. and Lang, W.H. (1917b) On Old Red Sandstone plants showing structure, from the Rhynie Chert Bed, Aberdeenshire. Part I. *Rhynia gwynne-vaughanii*, Kidston and Lang. *Transactions of the Royal Society of Edinburgh*, **51**, 761–84.
- Kidston, R. and Lang, W.H. (1920a) On Old Red Sandstone plants showing structure, from the Rhynie Chert Bed, Aberdeenshire. Part II. Additional notes on *Rhynia gwynne-vaughanii*, Kidston and Lang; with descriptions of *Rhynia major*, n. sp., and *Hornea lignieri*, n. g., n. sp. *Transactions of the Royal Society of Edinburgh*, **52**, 603–27.
- Kidston, R. and Lang, W.H. (1920b) On Old Red Sandstone plants showing structure, from the Rhynie Chert Bed, Aberdeenshire. Part III. *Asteroxylon mackei*, Kidston and Lang. *Transactions of the Royal Society of Edinburgh*, **52**, 643–80.
- Kidston, R. and Lang, W.H. (1921a) On Old Red Sandstone plants showing structure, from the Rhynie Chert Bed, Aberdeenshire. Part IV. Restorations of the vascular cryptogams, and discussion of their bearing on the general morphology of the Pteridophyta and the origin of the organisation of land-plants. *Transactions of the Royal Society of Edinburgh*, **52**, 831–54.
- Kidston, R. and Lang, W.H. (1921b) On Old Red Sandstone plants showing structure, from the Rhynie Chert Bed, Aberdeenshire. Part V. The Thallophyta occurring in the peat-bed; the succession of the plants throughout a vertical section of the bed, and the conditions of accumulation and preservation of the deposit. *Transactions of the Royal Society of Edinburgh*, **52**, 855–902.
- Kidston, R. and Lang, W.H. (1923a) Notes on fossil plants from the Old Red Sandstone of Scotland. I. *Hicklingia edwardi*, K. and L. *Transactions of the Royal Society of Edinburgh*, **53**, 405–7.
- Kidston, R. and Lang, W.H. (1923b) On *Palaeopitys milleri*, M'Nab. *Transactions of the Royal Society of Edinburgh*, **53**, 409–17.
- Kidston, R. and Lang, W.H. (1924) Notes on fossil plants from the Old Red Sandstone of Scotland. II. *Nematophyton forfareense*, Kidston sp. III. On two species of *Pachytheca* (*P. media* and *P. fasciculata*) based on the characters of the algal filaments. *Transactions of the Royal Society of Edinburgh*, **53**, 603–14.
- King, W. (1850) A monograph of the Permian fossils of England. *Palaeontographical Society (Monographs)*.
- King, W.W. (1925) Notes on the 'Old Red Sandstone' of Shropshire. *Proceedings of the Geologists' Association*, **36**, 385–9.
- King, W.W. (1934) The Downtonian and Dittonian strata of Great Britain and north-western Europe, with a note on a new Cyathaspidian fish from the upper Downtonian rocks of Corvedale by A.S. Woodward. *Quarterly Journal of the Geological Society of London*, **90**, 526–70.
- Kirkby, J.W. (1862) On the remains of fish and plants from the Upper Limestone of the Permian series of Durham. *Annals and Magazine of Natural History*, **3**, 267–9.
- Kirkby, J.W. (1864) On some remains of fish and plants from the 'Upper Limestone' of the Permian series of Durham. *Quarterly Journal of the Geological Society of London*, **20**, 345–58.
- Kirkby, J.W. (1867) On some remains of fish and plants from the 'Upper Limestone' of the Permian series of Durham. *Natural History Transactions of Northumberland, Durham and Newcastle upon Tyne*, **1**, 64–83.
- Kirkby, J.W. and Duff, J. (1872) Notes on the geology of part of south Durham. *Natural History Transactions of Northumberland, Durham and Newcastle upon Tyne*, **4**, 151–98.
- Klitzsch, E., Lejal-Nicol, A. and Massa, D. (1973) Le Siluro-Dévonien a psilophytes et lycophytes du bassin de Mourzouk (Libye). *Compte Rendu Hebdomadaire des Séances de l'Académie des Sciences, Paris*, **277**, 2465–7.
- Knight, J.A. (1985) The stratigraphy of the Stephanian rocks of the Sabero Coalfield, León (NW Spain) and an investigation of the fossil flora. Part III Systematic palaeobotany; pécop-terids. *Palaeontographica*, **B 197**, 1–80.
- Koeniguer, J.C. (1975) Les *Prototaxites* (nematophytes) Ordoviens et Dévoniens du Sahara central. *Actes Congrès National des Société Savantes*, (Bresançon 1974) *Sciences* **2**, 383–8.
- Kosłowski, R. and Greguss, P. (1959) Discovery of Ordovician land-plants. *Acta Palaeontologica Polonica*, **4**, 1.
- Kozur, H. (1984) Carboniferous-Permian boundary in marine and continental sediments. *Compte Rendu 9e Congrès International de Stratigraphie et de Géologie Carbonifère* (Washington and Urbana, 1979), **2**, 577–86.

## References

- Kräusel, R. and Weyland, H. (1926) Beiträge zur Kenntnis der Devonflora II. *Abhandlungen der Senckenbergischen Naturforschenden Gesellschaft*, **40**, 115-55.
- Kräusel, R. and Weyland, H. (1929) Beiträge zur Kenntnis der Devonflora III. *Abhandlungen der Senckenbergischen Naturforschenden Gesellschaft*, **41**, 317-59.
- Kräusel, R. and Weyland, H. (1930) Die Flora des deutschen Unterdevons. *Abhandlungen der Preussischen Geologischen Landesanstalt*, **131**, 1-92.
- Kräusel, R. and Weyland, H. (1932) Pflanzenreste aus dem Devon II. *Senckenbergiana*, **14**, 185-90.
- Kräusel, R. and Weyland, H. (1934) Algen im Deutschen Devon. *Palaeontographica*, **B 79**, 131-42.
- Kräusel, R. and Weyland, H. (1935) Neue Pflanzenfunde im rheinischen Unterdevon. *Palaeontographica*, **B 83**, 172-95.
- Kräusel, R. and Weyland, H. (1938) Neue Pflanzenfunde im Mitteldevon von Elberfeld. *Palaeontographica*, **83**, 172-195.
- Kryshstofovich, A.N. (1953) Nakhodka plaunobrenogo pasteniya v kembrii vostochnoi Sibiri. *Doklady Akademii Nauk S.S.S.R.*, **91**, 1377-9 [In Russian].
- Lacey, W.S. (1952a) Additions to the lower Carboniferous flora of North Wales. *Compte Rendu 3e Congrès International de Stratigraphie et de Géologie Carbonifère* (Heerlen, 1951), **2**, 375-7.
- Lacey, W.S. (1952b) Correlation of the Lower Brown Limestone of North Wales with part of the Lower Carboniferous succession in Scotland and northern England. *International Geological Congress* (London, 1948), **10**, 18-25.
- Lacey, W.S. (1952c) Additions to the Millstone Grit flora of Lancashire. *Compte Rendu 3e Congrès International de Stratigraphie et de Géologie Carbonifère* (Heerlen, 1951), **2**, 379-83.
- Lacey, W.S. (1953) Scottish Lower Carboniferous plants: *Eristophyton waltoni* sp. nov. and *Endoxylon zonatum* (Kidston) Scott in Dumbartonshire. *Annals of Botany*, **17**, 579-96.
- Lacey, W.S. (1962) Welsh Lower Carboniferous plants. 1. The flora of the Lower Brown Limestone in the Vale of Clwyd, North Wales. *Palaeontographica*, **B 111**, 126-60.
- Lacey, W.S. (1963) Palaeobotanical techniques. In *Viewpoints in Biology*, **2**, Butterworths, London, pp. 202-43.
- Lacey, W.S. (1969) Fossil bryophytes. *Biological Reviews*, **44**, 189-205.
- Lacey, W.S., Joy, K.W. and Willis, A.J. (1957) Observations on the aphlebiae and megasporangia of *Stauropteris burntislandica* P. Bertrand. *Annals of Botany*, **NS 21**, 621-5.
- Lane, H.R., Bouckaert, J., Brenckle, P., Einor, O.L., Havlena, V., Higgins, A.C., Yang J.-Z., Manger, W.L., Nassichuk, W., Nemirovskaya, T., Owens, B., Ramsbottom, W.H.C., Reitlinger, E.A. and Weyant, M. (1985) Proposal for an international mid-Carboniferous boundary. *Compte Rendu 10e Congrès International de Stratigraphie et de Géologie Carbonifère* (Madrid, 1983), **4**, 323-39.
- Lang, W.H. (1925) Contributions to the study of the Old Red Sandstone flora of Scotland. I. On plant-remains from the fish-beds of Cromarty. II. On a sporangium-bearing branch-system from the Stromness Beds. *Transactions of the Royal Society of Edinburgh*, **54**, 253-79.
- Lang, W.H. (1926) Contributions to the study of the Old Red Sandstone flora of Scotland. III. On *Hostimella (Ptilophyton) thomsoni*, and its inclusion in a new genus, *Milleria*. IV. On a specimen of *Protolepidodendron* from the Middle Old Red Sandstone of Caithness. V. On the identification of the large 'Stems' in the Carmyllie Beds of the Lower Old Red Sandstone as *Nematophyton*. *Transactions of the Royal Society of Edinburgh*, **54**, 785-99.
- Lang, W.H. (1927a) Contributions to the study of the Old Red Sandstone flora of Scotland. VI. On *Zosterophyllum myretonianum* Penh. and some other plant-remains from the Carmyllie Beds of the Lower Old Red Sandstone. VII. On a specimen of *Pseudosporochnus* from the Stromness Beds. *Transactions of the Royal Society of Edinburgh*, **55**, 443-55.
- Lang, W.H. (1927b) The fossil plants of the Old Red Sandstone in Orkney. *Proceedings of the Orkney Natural History Society*, 1-8.
- Lang, W.H. (1929) On fossil wood (*Dadoxylon bendricksi*, n. sp.) and other plant-remains from the Clay-Slates of south Cornwall. *Annals of Botany*, **43**, 663-81.
- Lang, W.H. (1932) Contributions to the study of the Old Red Sandstone flora of Scotland. VIII. On *Arthrostroma*, *Psilophyton*, and some associated plant-remains from the Strathmore Beds of the Caledonian Lower Old Red Sandstone. *Transactions of the Royal Society of Edinburgh*, **57**, 491-521.

## References

- Lang, W.H. (1937) On the plant remains from the Downtonian of England and Wales. *Philosophical Transactions of the Royal Society*, **B 227**, 245-91.
- Lang, W.H. (1945) *Pachytheca* and some anomalous early plants (*Prototaxites*, *Nematothallus*, *Parka*, *Foerstia*, *Orvillea* n. gen.). *Journal of the Linnean Society*, **52**, 535-52.
- Lang, W.H. (1952) Note on the interest of annular xylem in the Psilophytales. *Palaeobotanist*, **1**, 295-7.
- Laveine, J.-P. (1967) Contribution à l'étude de la flore du terrain houillère. Les Neuroptéridées du Nord de la France. *Études Géologiques pour l'Atlas de Topographie Souterraine*, **1(5)**, 1-344.
- Laveine, J.-P. (1986) The size of the frond in the genus *Alethopteris* Sternberg (Pteridospermopsida, Carboniferous). *Geobios*, **19**, 49-56.
- Laveine, J.-P. (1989) *Guide paléobotanique dans le terrain houiller Sarro-Lorraine*. Houillères du Bassin de Lorraine, Metz.
- Lawson, J.A. and Lawson, J.D. (1976) *Geology explained around Glasgow and south-west Scotland, including Arran*. David and Charles, Newton Abbott.
- Leary, R.L. and Thomas, B.A. (1989) *Lepidodendron aculeatum* with attached foliage: evidence of stem morphology and fossilization processes. *American Journal of Botany*, **76**, 283-8.
- Leclercq, S. (1942) Quelques plantes fossiles recueillies dans le Dévonien inférieur des environs de Nonceveux (bordure orientale du bassin de Dinant). *Annales de la Société Géologique de Belgique*, **65**, 193-211.
- Leclercq, S. (1970) Classe des Cladoxylopsida Pichi-Sermoli (1959). In *Traité de paléobotanique* (ed. E. Boureau), **4**, Masson, Paris.
- Leclercq, S. and Banks, H.P. (1962) *Pseudosporochnus nodosus* sp. nov., a Middle Devonian plant with *Cladoxylon* affinities. *Palaeontographica*, **B 110**, 1-34.
- Leclercq, S. and Bonamo, P.M. (1971) A study of the fructification of *Milleria* (*Protopteridium*) *thomsonii* Lang from the Middle Devonian of Belgium. *Palaeontographica*, **B 136**, 83-114.
- Leitch, D., Owen, T.R. and Jones, D.G. (1958) The basal Coal Measures of the South Wales Coalfield from Llandybie to Brynmawr. *Quarterly Journal of the Geological Society of London*, **113**, 461-86.
- Lele, K.M. and Walton, J. (1962a) Contributions to the knowledge of *Zosterophyllum myretonianum* Penhallow from the Lower Old Red Sandstone of Angus. *Transactions of the Royal Society of Edinburgh*, **64**, 469-75.
- Lele, K.M. and Walton, J. (1962b) Fossil flora of the Drybrook Sandstone in the Forest of Dean, Gloucestershire. *Bulletin of the British Museum of Natural History (Geology)*, **7**, 135-52.
- Lemoigne, Y. (1966) Sur un sporogone de bryale d'âge Dévonien. *Bulletin Mensuel de la Société Linnéenne de Lyon*, **35**, 13-6.
- Lemoigne, Y. (1968a) Observation d'archéogones portés par des axes du type *Rhynia gwynne-vaughanii* Kidston et Lang. Existence de gamétophytes vascularisés du Dévonien. *Compte Rendu Hebdomadaire des Séances de l'Académie des Sciences, Paris*, **266**, 1655-7.
- Lemoigne, Y. (1968b) Les genres *Rhynia* Kidston et Lang du dévonien et *Psilotum* Seward actuel appartiennent-ils au même phylum? *Bulletin Société Botanique de France*, **115**, 425-44.
- Lemoigne, Y. (1968c) Observation d'archéogones portés par des axes vascularisés du type *Rhynia gwynne-vaughanii* Kidston et Lang. Existence de gamétophytes vascularisés chez des Psilophytales du Dévonien. *Bulletin Mensuel de la Société Linnéenne de Lyon*, **37**, 148-9.
- Lemoigne, Y. (1969a) Organe assimilable à une anthéridie et stomates épidermiques, portés par des axes rampants du type *Rhynia gwynne-vaughanii* Kidston et Lang. *Compte Rendu Hebdomadaire des Séances de l'Académie des Sciences, Paris*, **269**, 1393-5.
- Lemoigne, Y. (1969b) Contribution à la connaissance du gamétophyte *Rhynia gwynne-vaughanii* Kidston et Lang: problème des protubérances et processus de ramification. *Bulletin Mensuel de la Société Linnéenne de Lyon*, **38**, 94-102.
- Lemoigne, Y. (1970) Nouvelles diagnoses du genre *Rhynia* et de l'espèce *Rhynia gwynne-vaughanii*. *Bulletin Société Botanique de France*, **117**, 307-20.
- Lemoigne, Y. (1975) The present status of *Rhynia gwynne-vaughanii* (K. and L.) Y.L. *Palaeobotanist*, **22**, 39-46.
- Lemoigne, Y. (1981) Confirmation de l'existence de gamétophytes vascularisés dans le Dévonien de Rhynie (Ecosse) et considération sur leur nature. *Compte Rendu Hebdomadaire des Séances de l'Académie des Sciences, Paris*, **292**, 267-70.

## References

- Lemoigne, Y. and Zdebska, D. (1980) Structures problematiques observées dans des axes provenant du chert Dévonien de Rhynie. *Acta Palaeobotanica*, **21**, 3-8.
- Lhuys, E. (1699) *Lithophylacii Britannici Ichnographia*, Oxford.
- Li C. and Edwards, D. (1992) A new genus of early land plants with novel strobilar construction from the Lower Devonian Posongchong Formation, Yunnan Province, China. *Palaeontology*, **35**, 257-72.
- Li X. (1980) The lepidophytic plants of the Cathaysia Flora in eastern Asia. *Scientia Sinica*, **23**, 634-41.
- Li Z.-Z. and Cai C.-Y. (1978) A type section of Lower Devonian strata in south-west China with brief notes on the succession and correlations of its plant assemblages. *Acta Geologica Sinica*, **1**, 1-14 [In Chinese].
- Lillie, D.G. (1910) On petrified plant remains from the Upper Coal Measures of Bristol. *Proceedings of the Cambridge Philosophical Society*, **15**, 411-2.
- Lindley, J. and Hutton, W. (1831-1837) *The fossil flora of Great Britain*, J. Ridgway, London. Vol. 1 (1831), Vol. 2 (1833), Vol. 3 (1837).
- Lindley, M. (1968) New plants from the past. *Nature, London*, 217, 127.
- Logan, K.J. and Thomas B.A. (1987) The distribution of lignin derivatives in fossil plants. *New Phytologist*, **105**, 157-73.
- Long, A.G. (1959a) The fossil plants of Berwickshire: a review of past work. Part 1. *History of the Berwickshire Naturalists' Club*, **34**, 248-73.
- Long, A.G. (1959b) On the structure of *Calymmatotheca kidstoni* Calder (emended) and *Genomosperma latens* gen. et sp. nov. from the Calciferous Sandstone Series of Berwickshire. *Transactions of the Royal Society of Edinburgh*, **64**, 29-44.
- Long, A.G. (1960a) *Stamnostoma buttonense* gen. et sp. nov. - a pteridosperm seed and cupule from the Calciferous Sandstone Series of Berwickshire. *Transactions of the Royal Society of Edinburgh*, **64**, 201-15.
- Long, A.G. (1960b) On the structure of *Samaropsis scotica* Calder (emended) and *Eurystoma angulare* gen. et sp. nov., petrified seeds from the Calciferous Sandstone Series of Berwickshire. *Transactions of the Royal Society of Edinburgh*, **64**, 261-80.
- Long, A.G. (1961a) On the structure of *Deltasperma foulendenense* gen. et sp. nov., and *Camptosperma berniciense* gen. et sp. nov., petrified seeds from the Calciferous Sandstone Series of Berwickshire. *Transactions of the Royal Society of Edinburgh*, **64**, 281-95.
- Long, A.G. (1961b) Some pteridosperm seeds from the Calciferous Sandstone Series of Berwickshire. *Transactions of the Royal Society of Edinburgh*, **64**, 401-19.
- Long, A.G. (1962) *Tristichia ovensi* gen. et sp. nov., a protostelic Lower Carboniferous pteridosperm from Berwickshire and East Lothian, with an account of some associated seeds and cupules. *Transactions of the Royal Society of Edinburgh*, **64**, 477-88.
- Long, A.G. (1963) Some specimens of *Lyginorachis papilio* Kidston associated with stems of *Pityx*. *Transactions of the Royal Society of Edinburgh*, **65**, 211-24.
- Long, A.G. (1964a) Some specimens of *Stenomyelon* and *Kalymma* from the Calciferous Sandstone Series of Berwickshire. *Transactions of the Royal Society of Edinburgh*, **65**, 435-46.
- Long, A.G. (1964b) On the structure of some petioles associated with *Rhetinangium* Gordon. *Transactions of the Royal Society of Edinburgh*, **66**, 1-7.
- Long, A.G. (1964c) A petrified Lower Carboniferous *Lepidodendron* showing rooting organs identified with *Calamopsis* Solms-Laubach. *Transactions of the Royal Society of Edinburgh*, **66**, 35-48.
- Long, A.G. (1965) On the cupule structure of *Eurystoma angulare*. *Transactions of the Royal Society of Edinburgh*, **66**, 111-28.
- Long, A.G. (1966) Some Lower Carboniferous fructifications from Berwickshire, together with a theoretical account of the evolution of ovules, cupules, and carpels. *Transactions of the Royal Society of Edinburgh*, **66**, 345-75.
- Long, A.G. (1967) Some specimens of *Protoclepsydropsis* and *Clepsydropsis* from the Calciferous Sandstone Series of Berwickshire. *Transactions of the Royal Society of Edinburgh*, **67**, 95-107.
- Long, A.G. (1968a) Some specimens of *Mazocarpon*, *Achlamydocarpon* and *Cystosporites* from the Lower Carboniferous rocks of Berwickshire. *Transactions of the Royal Society of Edinburgh*, **67**, 359-72.
- Long, A.G. (1968b) Some specimens of *Cladoxylon* from the Calciferous Sandstone

## References

- Series of Berwickshire. *Transactions of the Royal Society of Edinburgh*, **68**, 45–61.
- Long, A.G. (1969) *Eurystoma trigona* sp. nov., a pteridosperm ovule borne on a frond of *Alcicornopteris* Kidston. *Transactions of the Royal Society of Edinburgh*, **68**, 171–82.
- Long, A.G. (1971) A new interpretation of *Lepidodendron calamopsoides* Long and *Oxroadia gracilis* Alvin. *Transactions of the Royal Society of Edinburgh*, **68**, 491–506.
- Long, A.G. (1973) Presidential address delivered to the Berwickshire Naturalists' Club at Berwick, 4th October, 1972. *History of the Berwickshire Naturalists' Club*, **39**, 85–98.
- Long, A.G. (1975) Further observations on some Lower Carboniferous seeds and cupules. *Transactions of the Royal Society of Edinburgh*, **69**, 267–93.
- Long, A.G. (1976a) *Calathopteris heterophylla* gen. et spec. nov., a Lower Carboniferous pteridosperm bearing two types of petioles. *Transactions of the Royal Society of Edinburgh*, **69**, 329–36.
- Long, A.G. (1976b) *Psalixochlaena berwickense* sp. nov., a Lower Carboniferous fern from Berwickshire. *Transactions of the Royal Society of Edinburgh*, **69**, 513–21.
- Long, A.G. (1976c) Palaeobotanical reminiscences. *History of the Berwickshire Naturalists' Club*, **40**, 179–89.
- Long, A.G. (1977a) Some Lower Carboniferous pteridosperm cupules bearing ovules and microsporangia. *Transactions of the Royal Society of Edinburgh*, **70**, 1–11.
- Long, A.G. (1977b) Lower Carboniferous pteridosperm cupules and the origin of angiosperms. *Transactions of the Royal Society of Edinburgh*, **70**, 13–35.
- Long, A.G. (1977c) Observations on Carboniferous seeds of *Mitrospermum*, *Conostoma* and *Lagenostoma*. *Transactions of the Royal Society of Edinburgh*, **70**, 37–61.
- Long, A.G. (1979a) Observations on the Lower Carboniferous genus *Pitus* Witham. *Transactions of the Royal Society of Edinburgh*, **70**, 111–27.
- Long, A.G. (1979b) The resemblance between the Lower Carboniferous cupules *Hydrasperma* cf. *tenuis* Long and *Sphenopteris bifida* Lindley and Hutton. *Transactions of the Royal Society of Edinburgh*, **70**, 129–37.
- Long, A.G. (1984) *Oxroadopteris parvus* gen. et spec. nov.: a protostelic Lower Carboniferous pteridosperm from Oxroad Bay, East Lothian, Scotland. *Transactions of the Royal Society of Edinburgh*, **75**, 383–9.
- Long, A.G. (1985) The Cupule-Carpel Theory. A defence. *Transactions of the Botanical Society of Edinburgh*, **44**, 281–5.
- Long, A.G. (1986) Observations on the Lower Carboniferous lycopod *Oxroadia gracilis* Alvin. *Transactions of the Royal Society of Edinburgh*, **77**, 127–42.
- Long, A.G. (1987) Observations on *Eristophyton* Zalesky, *Lyginorachis waltoni* Calder, and *Cladoxylon edromense* sp. nov. from the Lower Carboniferous Cementstone Group of Scotland. *Transactions of the Royal Society of Edinburgh*, **78**, 73–84.
- Lowry, B., Lee, D. and Hébert, C. (1980) The origin of land plants: a new look at an old problem. *Taxon*, **29**, 183–97.
- Lumsden, G.I., Tulloch, W., Howells, M.F. and Davies, A. (1967) The geology of the neighbourhood of Langholm. *Memoir of the Geological Survey of Great Britain*.
- Lutz, J. (1933) Zur Kulmflora von Geigen bei Hof. *Palaeontographica*, **B 78**, 114–57.
- Lyell, C. (1865) *Elements of geology (6th edn)*, John Murray, London.
- Lyon, A.G. (1957) Germinating spores in the Rhynie Chert. *Nature, London*, **180**, 1219.
- Lyon, A.G. (1962) On the fragmentary remains of an organism referable to the Nematophytales, from the Rhynie Chert, *Nematoplexus rhyniensis* gen. et sp. nov. *Transactions of the Royal Society of Edinburgh*, **65**, 79–87.
- Lyon, A.G. (1964) The probable fertile region of *Asteroxylon mackei* K. and L. *Nature, London*, **203**, 1082–3.
- Lyon, A.G. and Edwards, D. (1991) The first zosterophyll from the Lower Devonian Rhynie Chert, Aberdeenshire. *Transactions of the Royal Society of Edinburgh (Earth Sciences)*, **82**, 323–32.
- Lions, P.C. and Darrah, W.C. (1989) Earliest conifers of North America: upland and/or paleoclimatic indicators? *Palaios*, **4**, 480–6.
- M'Nab, W.R. (1871) On the structure of a lignite from the Old Red Sandstone. *Transactions and Proceedings of the Botanical Society of Edinburgh*, **10**, 312–4.
- MacGregor, M. and Walton, J. (1948) *The story of the fossil grove of Glasgow Public Parks and Botanical Gardens, Glasgow*. Glasgow D.C. Parks Department, Glasgow.
- MacGregor, M. and Walton, J. (1972) *The story of the fossil grove of Glasgow Public Parks and*

## References

- Botanical Gardens, Glasgow*. (revised edition), Glasgow D.C. Parks Department, Glasgow.
- Mackie, A. (1980) Sandstone quarrying in Angus – some thoughts on an old craft. *The Edinburgh Geologist*, **8**, 14–25.
- Mackie, W. (1913) The rock series of Craigbeg and Ord Hill, Rhynie, Aberdeenshire. *Transactions of the Edinburgh Geological Society*, **10**, 205–36.
- Malone, E.J. (1968) Devonian of the Anakie High Area, Queensland, Australia. In *International Symposium on the Devonian System* (ed. D.H. Oswald), Alberta Society of Petroleum Geologists, Calgary, pp. 93–97.
- Mamay, S.H. (1957) *Biscalitbeca*, a new genus of Pennsylvanian coenopterids based on its fructifications. *American Journal of Botany*, **44**, 229–39.
- Mamay, S.H. and Bateman, R.M. (1991) *Archaeocalamites lazarii*, sp. nov.: the range of Archaeocalamitaceae extended from the lowermost Pennsylvanian to the mid-Lower Permian. *American Journal of Botany*, **78**, 489–96.
- Mantell, G.A. (1852) On the supposed fossil eggs from the Devonian rocks of Forfarshire. *Quarterly Journal of the Geological Society of London*, **8**, 106–9.
- Marshall, J.E.A. and Allen, K.C. (1982) Devonian miospore assemblages from Fair Isle, Shetland. *Palaeontology*, **25**, 277–312.
- Marston, A. (1870) *A guide to the ferns and many of the rarer plants, growing around Ludlow. With a paper on the geology of the district*. Ludlow.
- Martin, W., Gierl, A. and Saedler, H. (1989) Molecular evidence for pre-Cretaceous angiosperm origins. *Nature, London*, **339**, 46–8.
- Matten, L.C. (1981) *Svalbardia banksii* sp. nov. from the Upper Devonian (Frasnian) of New York State. *American Journal of Botany*, **68**, 1383–91.
- Matten, L.C., Lacey, W.S. and Edwards, D. (1975) Discovery of one of the oldest gymnosperm floras containing cupulate seeds. *Phytologia*, **32**, 299–303.
- Matten, L.C., Fine, T.I., Tanner, W.R. and Lacey, W.S. (1984a) The megagametophyte of *Hydrasperma tenuis* Long from the Upper Devonian of Ireland. *American Journal of Botany*, **71**, 1461–4.
- Matten, L.C. and Lacey, W.S. (1981) Cupule organization in early seed plants. In *Geobotany II* (ed. R.C. Romans), Plenum, New York, pp. 221–34.
- Matten, L.C., Lacey, W.S. and Lucas, R.C. (1980) Studies on the cupulate seed genus *Hydrasperma* Long from Berwickshire and East Lothian in Scotland and County Kerry in Ireland. *Botanical Journal of the Linnean Society*, **81**, 249–73.
- Matten, L.C., Lacey, W.S., May, B.I. and Lucas, R.C. (1980) A megafossil flora from the uppermost Devonian near Ballyheigue, Co. Kerry, Ireland. *Review of Palaeobotany and Palynology*, **29**, 241–51.
- Matten, L.C. and Schweitzer, H.-J. (1982) On the correct name for *Protopteridium* (*Rellimia*) *thomsonii* (fossil). *Taxon*, **31**, 322–6.
- Matten, L.C., Tanner, W.R. and Lacey, W.S. (1984b) Additions to the silicified Upper Devonian/Lower Carboniferous flora from Ballyheigue, Ireland. *Review of Palaeobotany and Palynology*, **43**, 303–20.
- McAdam, A.D. and Clarkson, E.N.K. (eds) (1986) *Lothian geology: an excursion guide*. Scottish Academic Press, Edinburgh.
- McAdam, A.D. and Tulloch, W. (1985) Geology of the Haddington district. *Memoir of the Geological Survey UK*.
- McLean, A.C. (1973) Excursion 1: Fossil Grove. In *Excursion guide to the geology of the Glasgow District* (ed. B.J. Bluck), Geological Society of Glasgow, Glasgow.
- Merker, H. (1958) Zum fehlenden Gliede der Rhynienflora. *Botaniska Notiser*, **111**, 608–18.
- Merker, H. (1959) Analyse der Rhynien-Basis und Nachweis des Gametophyten. *Botaniska Notiser*, **112**, 441–52.
- Merker, H. (1961) Entwurf zur Lebenskreis-Rekonstruktion der Psilophytales nebst phylogenetischen Ausblick. *Botaniska Notiser*, **114**, 88–102.
- Meyen, S.V. (1966) *Kordaitovie verkhnego paleozoya severnoi evrazii*. Akademia Nauk SSSR, Moscow [In Russian].
- Meyen, S.V. (1971) *Phyllotheca*-like plants from the Upper Palaeozoic flora of Angaraland. *Palaeontographica*, **B 133**, 1–33.
- Meyen, S.V. (1972) Are there ligula and parichnos in Angaran Carboniferous lepidophytes? *Review of Palaeobotany and Palynology*, **14**, 149–57.
- Meyen, S.V. (1976) Carboniferous and Permian lepidophytes of Angaraland. *Palaeontographica*, **B 157**, 112–57.
- Meyen, S.V. (1978) Systematics, phylogeny and ecology of propteridophytes. *Trudy Moskovskogo Obshchestva Ispytatelei Prirody*, **83**, 72–84 [In Russian].

## References

- Meyen, S.V. (1982) The Carboniferous and Permian floras of Angaraland. (A synthesis), *Biological Memoir*, **7**, 1-109.
- Meyen, S.V. (1984) Basic features of gymnosperm systematics and phylogeny as shown by the fossil record. *Botanical Review*, **50**, 1-111.
- Meyen, S.V. (1987) *Fundamentals of Palaeobotany*, Chapman & Hall, London.
- Meyen, S.V. (1988) Gymnosperms of the Angara flora. In *Origin and evolution of gymnosperms* (ed. C.B. Beck), Columbia University Press, New York, pp. 338-81.
- Meyer-Berthaud, B. (1986) *Melissiotheca*: a new pteridosperm pollen organ from the Lower Carboniferous of Scotland. *Botanical Journal of the Linnean Society*, **93**, 277-90.
- Meyer-Berthaud, B. and Galtier, J. (1986a) Studies on a Lower Carboniferous flora from Kingswood, near Pettycur, Scotland. II. *Phacelotheca*, a new synangiate fructification of pteridosperm affinities. *Review of Palaeobotany and Palynology*, **48**, 181-98.
- Meyer-Berthaud, B. and Galtier, J. (1986b) Une nouvelle fructification du Carbonifère inférieur d'Écosse: *Burnitheca*, Filicinée ou Pteridosperme. *Compte Rendu Hebdomadaire des Séances de l'Académie des Sciences, Paris*, **303**, 1263-8.
- Mickle, J.E. (1984) Taxonomy of specimens of the Pennsylvanian-age marattialean fern *Psaronius* from Ohio and Illinois. *Illinois State Museum of Science, Paper*, **19**, 1-64.
- Mickle, J.E. and Rothwell, G.W. (1979) *Bensoniotheca*, a new name for *Heterotheca* Benson. *Taxon*, **28**, 591.
- Millay, M. and Taylor, T.N. (1979) Paleozoic seed fern pollen organs. *Botanical Review*, **45**, 301-75.
- Miller, H. (1841) *The Old Red Sandstone; or, new walks in an old field*, A. and C. Black, Edinburgh.
- Miller, H. (1849) *Footprints of the Creator or the Asterolepis of Stromness*, A. and C. Black, Edinburgh.
- Miller, H. (1855) On the less-known fossil floras of Scotland. *Report of the British Association for the Advancement of Science*, (Edinburgh, 1855), pp. 83-5.
- Miller, H. (1857) *The testimony of the rocks or geology in its bearing on the two theologies, natural and revealed*, Nimo, Edinburgh.
- Mills, D.A.C. and Hull, J.H. (1976) Geology of the country around Barnard Castle. *Memoir of the Geological Survey UK*.
- Moore, L.R. (1941) The presence of the Namurian in the Bristol District. *Geological Magazine*, **78**, 279-92.
- Moore, L.R. and Trueman, A.E. (1942) The Bristol and Somerset coalfields with particular reference to their future development. *Proceedings of the South Wales Institute of Engineers*, **57**, 180-247, 303-5.
- Morgan, J. (1959) The morphology and anatomy of American species of the genus *Psaronius*. *Illinois Biological Monographs*, **27**, 1-108.
- Mortimer, M.G. (1967) Some Lower Devonian microfloras from southern Britain. *Review of Palaeobotany and Palynology*, **1**, 95-109.
- Morton, D.J. (1976) Lower Old Red Sandstone sedimentation in the north-west Midland Valley and north Argyll areas of Scotland. Unpublished PhD Thesis, University of Glasgow.
- Morton, G.H. (1871) On the Mountain Limestone of Flintshire and part of Denbighshire. *Report of the British Association for the Advancement of Science*, for 1870, 82.
- Morton, G.H. (1886) The Carboniferous Limestone and Cefn-y-Fedw Sandstone of Flintshire. *Proceedings of Liverpool Geological Association*, **5**, 169-97.
- Morton, G.H. (1898) The Carboniferous Limestone of the country around Llandudno (North Wales). *Quarterly Journal of the Geological Society of London*, **54**, 382-400.
- Münster, G. (1842) Ueber die Fucoiden des Kupferschiefers. *Beiträge zur Petrefacten-Kunde, Bayreuth*, **5**, 100-2.
- Murchison, R.I. (1839) *The Silurian System*. John Murray, London.
- Murchison, R.I. (1859) On the succession of the older rocks in the northernmost counties of Scotland; with some observations on the Orkney and Shetland islands. *Quarterly Journal of the Geological Society of London*, **15**, 353-418.
- Murchison, R.I. and Harkness, R. (1864) On the Permian rocks of the north-west of England and their extension into Scotland. *Quarterly Journal of the Geological Society of London*, **20**, 144-65.
- Mykura, W. (1960) The replacement of coal by limestone and the reddening of Coal Measures in the Ayrshire coalfield. *Bulletin of the Geological Survey of Great Britain*, **16**, 69-109.
- Mykura, W. (1965) The age of the lower part of the New Red Sandstone of south-west Scotland. *Scottish Journal of Geology*, **1**, 9-18.
- Mykura, W. (1972) The Old Red Sandstone sediments of Fair Isle, Shetland Islands. *Bulletin of*

## References

- the Geological Survey of Great Britain, **41**, 1-31.
- Mykura, W. and Phemister, J. (1976) The geology of western Shetland. *Memoir of the Geological Survey UK*.
- Nathorst, A.G. (1883a) On the so-called 'plant fossils' from the Silurian of central Wales. *Geological Magazine*, **20**, 33-4.
- Nathorst, A.G. (1883b) On the so-called plant fossils from central Wales. *Geological Magazine*, **20**, 286-7.
- Nathorst, A.G. (1915) Zur Devonflora des westlichen Norwegens. *Bergens Museums Arbog Afhandlinger og Arsberetning*, **9**, 1-34.
- Neaverson, E. (1930) The Carboniferous rocks around Prestatyn, Dyserth and Newmarket (Flintshire), Historical review. *Proceedings of the Liverpool Geological Society*, **15**, 179-212.
- Neaverson, E. (1945) The Carboniferous rocks between Abergele and Denbigh. *Proceedings of the Liverpool Geological Society*, **19**, 52-68.
- Neuber, E. (1979) *Parka decipiens* Fleming: Grunalga oder Lebermoos? *Neues Jahrbuch für Geologie und Paläontologie, Monatshefte* [for 1979], 681-9.
- Nicholson, H.A. (1869) On the occurrence of plants in the Skiddaw Slates. *Geological Magazine*, **6**, 494-8.
- Nicol, W. (1834) Observations on the structure of recent and fossil conifers. *Edinburgh New Philosophical Journal*, **16**, 137-58.
- Niklas, K.J. (1976a) Morphological and ontogenetic reconstruction of *Parka decipiens* Fleming and *Pachytheca* Hooker from the Lower Old Red Sandstone, Scotland. *Transactions of the Royal Society of Edinburgh*, **69**, 483-99.
- Niklas, K.J. (1976b) Chemical examinations of some non-vascular Palaeozoic plants. *Brittonia*, **28**, 113-37.
- Niklas, K.J. (1976c) The chemotaxonomy of *Parka decipiens* from the Lower Old Red Sandstone, Scotland, UK. *Review of Palaeobotany and Palynology*, **21**, 202-7.
- Niklas, K.J. (1981) Airflow patterns around some early seed plant ovules and cupules: implications concerning efficiency in wind pollination. *American Journal of Botany*, **68**, 635-50.
- Niklas, K.J. and Banks, H.P. (1990) A reevaluation of the Zosterophyllophytina with comments on the origin of lycopods. *American Journal of Botany*, **77**, 274-83.
- Niklas, K.J., Tiffney, B.H. and Knoll, A.H. (1980) Apparent changes in the diversity of fossil plants. A preliminary assessment. In *Evolutionary biology*, Vol. 12 (eds M.K. Hecht, W.C. Steere and B. Wallace), Plenum Press, New York, pp. 1-89.
- North, F.J. (1931) *Coal, and the coalfields in Wales* (2nd edn), National Museum of Wales, Cardiff.
- Novik, E.O. (1952) *Carboniferous flora of the European part of the USSR*. Akad. Nauk SSSR, Palaeontology [In Russian].
- Oberste-Brink, K. (1913) Beiträge zur Kenntnis der Farne und farnähnliche Gewächse des Kulms von Europa. *Jahrbuch der Preussischen Geologischen Landesanstalt*, **35**, 63-153.
- Obrhel, J. (1959) Ein Landpflanzfund im mittelböhmischen Ordovizium. *Geologie*, **8**, 535-41.
- Obrhel, J. (1962) Die Flora der Pridoli-Schichten (Budnany-Stufe) des mittelböhmischen Silurs. *Geologie*, **11**, 83-97.
- Obrhel, J. (1968) Die Silur- und Devonflora des Barrandiums. *Paläontologisches Abhandlungen (B)*, **4**, 635-793.
- Owen, T.R., Rhodes, F.H.T., Jones, D.G. and Kelling, G. (1965) Summer (1964) field meeting in South Wales. *Proceedings of the Geologists' Association*, **76**, 463-95.
- Pal, A.K. and Chaloner, W.G. (1979) A Lower Carboniferous *Lepidodendropsis* flora in Kashmir. *Nature, London*, **281**, 295-7.
- Pant, D.D. (1962) The gametophyte of the Psilophytales. *Proceedings of the Summer School on Botany, Darjeeling 1960*, pp. 276-301.
- Pant, D.D. and Walton, J. (1961) *Lycostachys protostelicus* gen. et sp. nov. and some associated megaspores from the Lower Carboniferous of Scotland. *Palaeontographica*, **B 108**, 1-10.
- Paproth, E. (1980) The Devonian-Carboniferous boundary. *Lethaia*, **13**, 287.
- Paterson, R. (1841) Description of *Pothocites grantonii*, a new fossil vegetable. *Transactions of the Botanical Society of Edinburgh*, **1**, 45.
- Patteisky, K. (1929) *Die Geologie und Fossilführung der mährisch-schlesischen Dachschiefer und Grauwacken Formation*. Naturwissenschaftliche Verein, Troppau.
- Patteisky, K. (1957) Die phylogenetische Entwicklung der Arten von *Lyginopteris* und ihre Bedeutung für die Stratigraphie. *Mitteilungen des Westfälischen Bergwerkschaftsklasse, Bochum*, **12**, 59-83.
- Peach, B.N. and Horne, J. (1903) The Canonbie Coalfield: its geological structure and relations to the Carboniferous rocks of the north of

## References

- England and central Scotland. *Transactions of the Royal Society of Edinburgh*, **40**, 835-77.
- Peach, B.N. and Horne, J. (1910) The geology of the neighbourhood of Edinburgh (2nd edn), *Memoir of the Geological Survey UK*.
- Peach, C.W. (1877) Notes on the fossil plants found in the Old Red Sandstone of Shetland, Orkney, Caithness, Sutherland, and Forfarshire. *Transactions of the Edinburgh Geological Society*, **3**, 148-52.
- Penhallow, D.P. (1892) Additional notes on Devonian plants of Scotland. *Canadian Record of Science*, **5**, 1-13.
- Petrosyan, N.M. (1968) Stratigraphic importance of the Devonian flora of the USSR. In *International Symposium on the Devonian System* (ed. D.H. Oswald), Alberta Society of Petroleum Geologists, Calgary, pp. 579-586.
- Pettitt, J.M. (1969) Pteridophytic features in some Lower Carboniferous seed megaspores. *Botanical Journal of the Linnean Society*, **62**, 233-9.
- Pettitt, J.M. and Beck, C.B. (1968) *Archaeosperma arnoldii* - a cupulate seed from the Upper Devonian of North America. *Contributions from the Museum of Paleontology. University of Michigan*, **22**, 139-54.
- Pfefferkorn, H.W. (1976) Pennsylvanian tree fern compressions *Caulopteris*, *Megaphyton* and *Artisophyton* gen. nov. in Illinois. *Illinois State Geological Survey Circular*, **492**, 11-31.
- Phillips, J. (1848) The Malvern Hills, compared with the Palaeozoic districts of Abberley, Woolhope, May Hill, Tortworth and Usk. *Memoir of the Geological Survey UK*, **2**, 1-330.
- Phillips, J. and Salter, J.W. (1848) Palaeontological appendix to Professor John Phillips' memoir on the Malvern Hills compared with the Palaeozoic districts of Abberley, etc. *Memoir of the Geological Survey UK*, **2**, 331-86.
- Phillips, T.L. (1979) Reproduction of heterosporous arborescent lycopods in the Mississippian-Pennsylvanian of Euramerica. *Review of Palaeobotany and Palynology*, **27**, 239-89.
- Phillips, T.L. (1980) Stratigraphic and geographic occurrences of permineralized coal-swamp plants - Upper Carboniferous of North America and Europe. In *Biostratigraphy of fossil plants* (eds D.L. Dilcher and T.N. Taylor), Dowden, Hutchinson and Ross, Stroudsburg, pp. 25-92.
- Phillips, T.L., Andrews, H.N. and Gensel, P.G. (1972) Two heterosporous species of *Archaeopteris* from the Upper Devonian of West Virginia. *Palaeontographica*, **B 139**, 47-71.
- Phillips, T.L. and DiMichele, W.A. (1992) Comparative ecology and life-history biology of arborescent lycopods in Late Carboniferous swamps of Euramerica. *Annals of the Missouri Botanical Garden*, **79**, 560-88.
- Pirozynski, K.A. (1981) Interactions between fungi and plants through the ages. *Canadian Journal of Botany*, **59**, 1824-7.
- Pirozynski, K.A. and Malloch, D.W. (1975) The origin of land plants: a matter of mycotrophism. *Biosystems*, **6**, 153-64.
- Poort, R.J. and Kerp, J.H.F. (1990) Aspects of Permian palaeobotany and palynology. XI. On the recognition of true peltasperms in the Upper Permian of western and central Europe and a reclassification of species formerly included in *Peltaspermum* Harris. *Review of Palaeobotany and Palynology*, **63**, 197-225.
- Potter, J.F. and Price, J.H. (1965) Comparative sections through rocks of Ludlovian - Downtonian age in the Llandovery and Llandeilo districts. *Proceedings of the Geologists' Association*, **76**, 379-402.
- Pratt, L.M., Phillips, T.L. and Dennison, J.M. (1978) Evidence of non-vascular land plants from the early Silurian (Llandoveryan) of Virginia, USA. *Review of Palaeobotany and Palynology*, **25**, 121-49.
- Ramsbottom, W.H.C., Calver, M.A., Eagar, R.M.C., Hodson, F., Holliday, D.W., Stubblefield, C.J. and Wilson, R.B. (1978) A correlation of Silesian rocks in the British Isles. *Geological Society of London, Special Report*, **10**, 1-81.
- Ramsbottom, W.H.C., Saunders, W.B. and Owens, B. (eds) (1982) *Biostratigraphic data for a mid-Carboniferous boundary*. IUGS Subcommittee on Carboniferous Stratigraphy, Leeds.
- Raup, D.M. and Sepkoski, J.J. (1986) Periodic extinctions of families and genera. *Science*, **231**, 833-6.
- Raymond, A. (1985) Floral diversity, phytogeography and climatic amelioration during the early Carboniferous (Dinantian). *Paleobiology*, **11**, 293-309.
- Raymond, A. (1987) Paleogeographic distribution of Early Devonian plant traits. *Palaios*, **2**, 113-32.
- Raymond, A., Parker, W.C. and Barrett, S.F. (1985) Early Devonian phytogeography. In *Geological factors and the evolution of plants* (ed. H. Tiffney), Yale University Press, pp. 129-67.

## References

- Raymond, A. and Parrish, J.T. (1985) Phytogeography and paleoclimate of the Early Carboniferous. In *Geological factors and the evolution of plants* (ed. B.H. Tiffney), Yale University Press, pp. 169-222.
- Rayner, D.H. (1963) The Achanarras Limestone of the Middle Old Red Sandstone, Caithness, Scotland. *Proceedings of the Yorkshire Geological Society*, **34**, 117-38.
- Rayner, D.H. (1982) Studies on Old Red Sandstone floras from Scotland. Unpublished PhD Thesis, University of Wales.
- Rayner, D.H. (1983) New observations on *Sawdonia ornata* from Scotland. *Transactions of the Royal Society of Edinburgh*, **74**, 79-93.
- Rayner, D.H. (1984) New finds of *Drepanophycus spinaeformis* Göppert from the Lower Devonian of Scotland. *Transactions of the Royal Society of Edinburgh*, **75**, 353-63.
- Read, C.B. (1937) The flora of the New Albany Shale Part 2. The Calamopityeae and their relationships. *US Geological Survey, Professional Paper*, **186-E**, 81-91.
- Read, C.B. and Campbell, G. (1939) Preliminary account of the New Albany Shale flora. *American Midland Naturalist*, **21**, 435-53.
- Read, C.B. and Mamay, S.H. (1964) Upper Paleozoic floral zones and floral provinces of the United States. *US Geological Survey, Professional Paper*, **454-K**, 1-35.
- Reid, J. (1895) The vegetable origin of *Parka decipiens*. *Transactions and Proceedings of the Perthshire Society of Natural Science*, **2**, 123-6.
- Reid, J., Graham, W. and Macnair, P. (1898) *Parka decipiens*, its origin, affinities, and distribution. *Transactions of the Geological Society of Glasgow*, **11**, 105-21.
- Reid, J. and Macnair, P. (1896) On the genera *Lycopodites* and *Psilophyton* of the Old Red Sandstone Formation of Scotland. *Transactions of the Geological Society of Glasgow*, **2**, 323-30.
- Reid, J. and Macnair, P. (1899) On the genera *Psilophyton*, *Lycopodites*, *Zosterophyllum* and *Parka decipiens* of the Old Red Sandstone of Scotland. Their affinities and distribution. *Transactions of the Edinburgh Geological Society*, **7**, 368-80.
- Remy, W. (1978) Der Dehizensmechanismus der Spornagien von *Rhynia*. *Argumenta Palaeobotanica*, **5**, 23-30.
- Remy, W. (1980a) Der Generationswechsel der archegoniaten Pflanzen im Übergangsfeld von aquatischer zu terrestrischer Lebensweise. *Argumenta Palaeobotanica*, **6**, 139-55.
- Remy, W. (1980b) Wechselwirkung von Vegetation und Boden im Palaophyticum. In *Festschrift für Gerhard Keller*. Wenner, Osnabruck, pp. 43-79.
- Remy, W. (1991) Forebears of the terrestrial plants. *German Research*, **3/82**, 12-13.
- Remy, W. and Hass, H. (1991a) Ergänzende Beobachtungen an *Lyonophyton rhyntiensis*. *Argumenta Palaeobotanica*, **8**, 1-27.
- Remy, W. and Hass, H. (1991b) *Langiophyton mackei* nov. gen., nov. spec., ein Gametophyt mit Archegoniophoren aus dem Chert von Rhynie (Unterdevon, Schottland). *Argumenta Palaeobotanica*, **8**, 69-117.
- Remy, W. and Hass, H. (1991c) *Kidstonophyton discoides* nov. gen., nov. spec., ein Gametophyt aus dem Chert von Rhynie (Unterdevon, Schottland). *Argumenta Palaeobotanica*, **8**, 29-45.
- Remy, W. and Remy, R. (1977) *Die Floren des Erdaltertums. Einführung in Morphologie, Anatomie, Geobotanik und Biostratigraphie der Pflanzen des Paläophytikums*. Glückauf, Essen.
- Remy, W. and Remy, R. (1980a) Devonian gametophytes with anatomically preserved gametangia. *Science*, **208**, 295-6.
- Remy, W. and Remy, R. (1980b) *Lyonophyton rhyntiensis* nov. gen. et nov. spec., ein Gametophyt aus dem Chert von Rhynie (Unterdevon, Schottland). *Argumenta Palaeobotanica*, **6**, 37-72.
- Remy, W., Remy, R., Hass, H., Schultka, S.T. and Franzmeyer, F. (1980) *Sciadophyton Steinmann* - ein Gametophyt aus dem Siegen. *Argumenta Palaeobotanica*, **6**, 73-94.
- Remy, W., Schultka, S.T., Hass, H. and Franzmeyer, F. (1980) *Sciadophyton* - Bestände im Siegen des Rheinischen Schiefergebirges als Beleg für festländische Bedingungen. *Argumenta Palaeobotanica*, **6**, 95-114.
- Remy, W. and Spassov, C. (1959) Der paläobotanische Nachweis von Oberdevon in Bulgarien. *Monatsberichte der Deutschen Akademie der Wissenschaften zu Berlin*, **1**, 384-6.
- Renault, B. (1896) Bassin Houiller et Permien d'Autun et d'Épinac, 4. Flore fossile. *Études des Gîtes Minéraux de la France*, 1-578.
- Renault, B. and Zeiller, R. (1888) Flore fossile de Commeny. *Bulletin Société Industrie Minéraux*, **41**, 1-746.

## References

- Retallack, G.J. (1980) Late Carboniferous to Middle Triassic megafossil floras from the Sydney Basin. In *A guide to the Sydney Basin* (eds C. Herbert and R.J. Helby), *Geological Survey of New South Wales Bulletin*, **26**, 384-430.
- Retallack, G.J. (1986) The fossil record of soils. In *Palaeosols: their recognition and interpretation* (ed. V.P. Wright), Blackwell Scientific Publications, Oxford, pp. 1-57.
- Retallack, G.J. and Dilcher, D.L. (1988) Reconstructions of selected seed ferns. *Annals of the Missouri Botanical Garden*, **75**, 1010-57.
- Rex, G.M. and Scott, A.C. (1987) The sedimentology, palaeoecology and preservation of the Lower Carboniferous plant deposits at Pettycur, Fife, Scotland. *Geological Magazine*, **124**, 43-66.
- Richardson, J.B. (1964) Middle Old Red Sandstone spore assemblages from the Orcadian Basin, north-east Scotland. *Palaeontology*, **7**, 559-605.
- Richardson, J.B. (1967) Some British Lower Devonian spore assemblages and their stratigraphic significance. *Review of Palaeobotany and Palynology*, **1**, 111-29.
- Richardson, J.B. and Lister, T.R. (1969) Upper Silurian and Lower Devonian spore assemblages from the Welsh Borderland and South Wales. *Palaeontology*, **12**, 201-52.
- Richardson, L. (1907) An outline of the geology of Herefordshire. *Woolhope Naturalists' Field Club* [for 1905], 1-68.
- Ritchie, A. (1963) Palaeontological studies on Scottish Silurian fish beds. Unpublished PhD Thesis, University of Edinburgh.
- Robertson, T. (1932) The geology of the South Wales Coalfield. Part V. The country around Merthyr Tydfil. 2nd Edn. *Memoir of the Geological Survey UK*.
- Rogers, I. (1926) On the discovery of fossil fishes and plants in the Devonian rocks of north Devon. *Report of the Transactions of the Devonshire Association for the Advancement of Science*, **58**, 223-34.
- Rolfe, W.D.I. (1969) Phyllocarida. In *Treatise on Invertebrate Paleontology R* (ed. R.C. Moore), Geological Society of America, Boulder, Colorado and University of Kansas Press, Lawrence, Kansas, pp. 296-331.
- Roselt, G. (1962) Über die ältesten Landpflanzen und eine mögliche Landpflanzen aus dem Ludlow Sachsens. *Geologie*, **11**, 320-33.
- Rosie, G. (1981) *Hugh Miller. Outrage and order. A biography and selected writings*, Mainstream Publishing Co, Edinburgh.
- Rothwell, G.W. (1975) The Callistophytaceae (Pteridospermopsida): 1. Vegetative structures. *Palaeontographica*, **B 151**, 171-96.
- Rothwell, G.W. (1981) The Callistophytales (Pteridospermopsida): reproductively sophisticated Palaeozoic gymnosperms. *Review of Palaeobotany and Palynology*, **32**, 103-21.
- Rothwell, G.W. (1986) Classifying the earliest gymnosperms. In *Systematic and taxonomic approaches in palaeobotany* (eds R.A. Spicer and B.A. Thomas), *Systematics Association Special Volume 31*, Oxford University Press, pp. 137-61.
- Rothwell, G.W. (1988) Cordaitales. In *Origin and evolution of gymnosperms* (ed. C.B. Beck), Columbia University Press, New York, pp. 273-97.
- Rothwell, G.W. and Erwin, D.M. (1987) Origin of seed plants: an aneurophyte/seed-fern link elaborated. *American Journal of Botany*, **74**, 970-3.
- Rothwell, G.W. and Scheckler, S.E. (1988) Biology of ancestral gymnosperms. In *Origin and evolution of gymnosperms* (ed. C.B. Beck), Columbia University Press, New York, pp. 85-134.
- Rothwell, G.W., Scheckler, S.E. and Gillespie, W.H. (1989) *Elkinsia* gen. nov., a Late Devonian gymnosperm with cupulate ovules. *Botanical Gazette*, **150**, 170-89.
- Rothwell, G.W. and Scott, A.C. (1992a) *Stamnostoma oliveri*, a gymnosperm with systems of ovulate cupules from the Lower Carboniferous (Dinantian) floras at Oxroad Bay, East Lothian, Scotland. *Review of Palaeobotany and Palynology*, **72**, 273-84.
- Rothwell, G.W. and Scott, A.C. (1992b) Confronting the *Buteoxylon/Triradiioxylon/Tristicbia/Calathopteris/Oxroadopteris* exasperplexium (abstract). *American Journal of Botany*, **79**, 104.
- Rothwell, G.W. and Warner, S. (1984) *Cordaixylon dumusum* n. sp. (Cordaitales), I. Vegetative structures. *Botanical Gazette*, **145**, 275-91.
- Rothwell, G.W. and Wight, D.C. (1989) *Pullaritheca longii* gen. nov. and *Kerryia matanii* gen. et sp. nov., Lower Carboniferous cupules with ovules of the *Hydrasperma tenuis*-type. *American Journal of Botany*, **60**, 295-309.

## References

- Rowe, N.P. (1986) The fossil flora of the Drybrook Sandstone (Lower Carboniferous) from the Forest of Dean, Gloucestershire. Unpublished PhD Thesis, University of Bristol.
- Rowe, N.P. (1988a) A herbaceous lycophyte from the Lower Carboniferous Drybrook Sandstone of the Forest of Dean, Gloucestershire. *Palaeontology*, **31**, 69–83.
- Rowe, N.P. (1988b) New observations on the Lower Carboniferous pteridosperm *Diplopteridium* Walton and an associated syngiate organ. *Botanical Journal of the Linnean Society*, **97**, 125–58.
- Rowe, N.P. (1988c) Two species of the lycophyte genus *Eskdalia* Kidston from the Drybrook Sandstone (Visean) of Great Britain. *Palaeontographica*, **B 208**, 81–103.
- Rowe, N.P. (1992) The gymnosperm *Archaeopteridium tschermackii* and an associated glandular fructification from the upper Visean Drybrook Sandstone of Great Britain. *Palaeontology*, **35**, 875–900.
- Rowley, D.B., Raymond, A., Parrish, J.T., Lottes, A.L., Scotese, C.R. and Ziegler, A.M. (1985) Carboniferous paleogeographic, phytogeographic and paleoclimatic reconstructions. *International Journal of Coal Geology*, **5**, 7–42.
- Roy Chowdhury, M.K., Sastry, M.V.A., Shah, S.C., Gopal Singh and Ghosh, S.C. (1975) Triassic floral succession in the Gondwana of Peninsular India. In *Gondwana geology* (ed. K.S.W. Campbell), Australia National University Press, Melbourne, pp. 149–58.
- Sadovnikov, G.N. (1981) Regional stratigraphic subdivisions of the Upper Permian and Lower Triassic of the Siberian platform and adjoining regions. *Sovetskaya Geologiya*, **6**, 74–84 [In Russian].
- Salter, J.W. (1858) On some remains of terrestrial plants in the Old Red Sandstone of Caithness. *Quarterly Journal of the Geological Society of London*, **14**, 72–8.
- Satterthwaite, D.F. and Schopf, J.W. (1972) Structurally preserved phloem zone tissue in *Rhynia*. *American Journal of Botany*, **59**, 373–6.
- Scheckler, S.E. (1974) Systematic characters in Devonian ferns. *Annals of the Missouri Botanical Garden*, **61**, 462–73.
- Scheckler, S.E. (1978) Ontogeny of progymnosperms. II. Shoots of Upper Devonian Archaeopteridales. *Canadian Journal of Botany*, **56**, 3136–70.
- Scheiing, M.H. and Pfefferkorn, H.W. (1984) The taphonomy of land plants in the Orinoco delta: a model for the incorporation of plant parts in clastic sediments of late Carboniferous age in Euramerica. *Review of Palaeobotany and Palynology*, **41**, 205–40.
- Schimper, W.P. (1869–1874) *Traité de paléontologie végétale*, Paris.
- Schlanker, C.M. and Leisman, G.A. (1969) The herbaceous Carboniferous lycopod *Selaginella fraiponti* comb. nov. *Botanical Gazette*, **130**, 35–41.
- Schopf, J.M. (1941) Contribution to Pennsylvanian paleobotany; *Mazocarpon oedipternum* sp. nov., and sigillarian relationships. *Illinois Geological Survey, Report of Investigations*, **75**, 1–53.
- Schopf, J.M. (1975) Modes of fossil preservation. *Review of Palaeobotany and Palynology*, **20**, 27–35.
- Schopf, J.M., Mencher, E., Boucot, A.J. and Andrews, H.N. (1966) Erect plants in the early Silurian of Maine. *US Geological Survey, Professional Paper*, **550-D**, 69–75.
- Schweitzer, H.-J. (1962) Die Makroflora des nieder-rheinischen Zechsteins. *Fortschritte in der Geologie von Rheinland und Westfalen*, **6**, 1–46.
- Schweitzer, H.-J. (1967) Die Oberdevon-Flora der Bäreninsel. 1. *Pseudobornia ursina* Nath. *Palaeontographica*, **B 120**, 116–37.
- Schweitzer, H.-J. (1968) Die Flora des Oberen Perms in Mitteleuropa. *Naturwissenschaftliche Rundschau Stuttgart*, **21**, 93–102.
- Schweitzer, H.-J. (1969) Die Oberdevon-Flora der Bäreninsel. 2. Lycopodiinae. *Palaeontographica*, **B 126**, 101–37.
- Schweitzer, H.-J. (1983a) Der Generationswechsel der Psilophyten. *Bericht der Deutschen Botanischen Gesellschaft*, **96**, 483–96.
- Schweitzer, H.-J. (1983b) Die Unterdevonflora des Rheinlandes. I. Teil. *Palaeontographica*, **B 189**, 1–138.
- Schweitzer, H.-J. (1986) The land flora of the English and German Zechstein sequences. In *The English Zechstein and related topics* (eds G.M. Harwood and D.B. Smith), *Geological Society Special Publication*, **22**, 31–54.
- Scotese, C.R. and McKerrow, W.S. (1990) Revised world maps and introduction. In *Palaeozoic palaeogeography and biogeography* (eds W.S. McKerrow and C.R. Scotese), *Geological Society of London Memoir*, **12**, 1–21.
- Scott, A.C. (1977) A review of the ecology of upper Carboniferous plant assemblages, with

## References

- new data from Strathclyde. *Palaeontology*, **20**, 447-73.
- Scott, A.C. (1978) Sedimentological and ecological control of Westphalian B plant assemblages from West Yorkshire. *Proceedings of the Yorkshire Geological Society*, **41**, 461-508.
- Scott, A.C. (1979) The ecology of Coal Measure floras from northern Britain. *Proceedings of the Geologists' Association*, **90**, 97-116.
- Scott, A.C. (1985) Distribution of Lower Carboniferous floras in northern Britain. *Compte Rendu 9e Congrès International de Stratigraphie et de Géologie Carbonifère* (Washington and Urbana, 1979), **5**, 77-82.
- Scott, A.C., Edwards, D. and Rolfe, W.D.I. (1976) Fossiliferous Lower Old Red Sandstone near Cardross, Dumbartonshire. *Proceedings of the Geological Society of Glasgow*, **117**, 4-5.
- Scott, A.C. and Galtier, J. (1985) Distribution and ecology of early ferns. *Proceedings of the Royal Society of Edinburgh*, **86B**, 141-9.
- Scott, A.C. and Galtier, J. (1988) A new Lower Carboniferous flora from East Lothian, Scotland. *Proceedings of the Geologists' Association*, **99**, 141-51.
- Scott, A.C., Galtier, J. and Clayton, G. (1984) Distribution of anatomically-preserved floras in the Lower Carboniferous in western Europe. *Transactions of the Royal Society of Edinburgh, Earth Sciences*, **75**, 311-40.
- Scott, A.C., Galtier, J. and Clayton, G. (1985) A new late Tournaisian (Lower Carboniferous) flora from the Kilpatrick Hills, Scotland. *Review of Palaeobotany and Palynology*, **44**, 81-99.
- Scott, A.C. and Meyer-Berthaud, B. (1985) Plants from the Dinantian of Foulden, Berwickshire, Scotland. *Transactions of the Royal Society of Edinburgh, Earth Sciences*, **76**, 13-20.
- Scott, A.C., Meyer-Berthaud, B., Galtier, J., Rex, G.M., Brindley, S.A. and Clayton, G. (1986) Studies on a new Lower Carboniferous flora from Kingswood, near Pettycur, Scotland. 1. Preliminary report. *Review of Palaeobotany and Palynology*, **48**, 161-80.
- Scott, A.C. and Rex, G.M. (1987) The accumulation and preservation of Dinantian plants from Scotland and its Borders. In *European Dinantian environments* (eds J. Miller, A.E. Adams and V.P. Wright), John Wiley, London, pp. 329-44.
- Scott, D.H. (1897) On the structure and affinities of fossil plants from the Palaeozoic rocks. Part. 1. On *Cheirostrobis*, a new type of fossil cone from the Lower Carboniferous strata (Califerous Sandstone Series). *Philosophical Transactions of the Royal Society of London*, **189**, 1-34.
- Scott, D.H. (1899) On the primary wood of certain Araucarioxylons. *Annals of Botany*, **13**, 615-9.
- Scott, D.H. (1900) Note on the occurrence of a seed-like fructification in certain Palaeozoic lycophytes. *Proceedings of the Royal Society of London*, **67**, 306-9.
- Scott, D.H. (1901) On the structure and affinities of fossil plants from the Palaeozoic rocks - IV. The seed-like fructification of *Lepidocarpon*. *Philosophical Transactions of the Royal Society of London*, **B 194**, 291-333.
- Scott, D.H. (1902) On the primary structure of certain Palaeozoic stems with the *Dadoxylon* type of wood. *Transactions of the Royal Society of Edinburgh*, **40**, 331-65.
- Scott, D.H. (1908-1909) *Studies in fossil botany* (2nd edn), A. and C. Black, London (2 vols).
- Scott, D.H. (1911) Presidential address. *Proceedings of the Linnean Society of London*, **123**, 17-29.
- Scott, D.H. (1918) Notes on *Calamopitys* Unger. *Botanical Journal of the Linnean Society*, **344**, 205-32.
- Scott, D.H. (1920-1923) *Studies in fossil botany* (3rd edn), A. and C. Black, London (2 vols).
- Scott, D.H. (1924a) *Extinct plants and problems of evolution*. Macmillan and Co, London.
- Scott, D.H. (1924b) Fossil plants of the *Calamopitys* type from the Carboniferous rocks of Scotland. *Transactions of the Royal Society of Edinburgh*, **53**, 569-96.
- Scott, D.H. (1926) The most remarkable plant I ever saw. *Conquest*, **7**, 101-3.
- Scott, D.H. (1928) Notes on Palaeozoic palaeobotany 1907-1927. *Recueil des travaux botaniques neerlandes*, **25**, 346-85.
- Scott, R. (1908) On *Bensonites fusiformis* sp. nov. a fossil associated with *Stauropteris burntislandica* P. Bertrand, and on the sporangia of the latter. *Annals of Botany*, **22**, 683-7.
- Scrutton, C.T. (1978) *A field guide to selected outcrop areas of the Devonian of south-west England*, Palaeontological Association, London.
- Sebby, W.S. and Matten, L.C. (1969) A reconstruction of the frond of *Kalymma*. *Transactions of the Illinois Academy of Science*, **62**, 356-61.
- Sedgwick, A. (1829) On the geological relations and the internal structure of the Magnesian Limestone, and the lower portions of the New Red Sandstone series in their range through

## References

- Nottinghamshire, Derbyshire, Yorkshire, and Durham, to the southern extremity of Northumberland. *Transactions of the Geological Society of London (Series 2)*, **3**, 37-124.
- Sedgwick, A. (1848) On the organic remains found in the Skiddaw Slate, with some remarks on the classification of the older rocks of Cumberland and Westmoreland. *Quarterly Journal of the Geological Society of London*, **4**, 216-25.
- Senkevich, M.A. (1963) Novie nakhodki flori verknego ordovika Kazakhstana. *Akademiye Nauk S.S.S.R. (Serie Geologiya)*, **5**, 67-81 [In Russian]. (Also, *International Geological Review*, **71**, 476-85 - in English).
- Senkevich, M.A. (1975) New Devonian psilophytes from Kazakhstan. *Eshbeg Vses Palaeontol Obschestva*, **21**, 288-98 [In Russian].
- Seward, A.C. (1895) Notes on *Pachytheca*. *Proceedings of the Cambridge Philosophical Society*, **8**, 278.
- Seward, A.C. (1917) *Fossil plants. Vol. 3*, Cambridge University Press, Cambridge.
- Seward, A.C. (1931) *Plant life through the ages*, Cambridge University Press, Cambridge.
- Seward, A.C. and Hill, A.W. (1900) On the structure and affinities of a lepidodendroid stem from the Calciferous Sandstone of Dalmeny, Scotland, possibly identical with *Lepidophloios barcourtii* Witham. *Transactions of the Royal Society of Edinburgh*, **39**, 907-31.
- Shadle, G.L. and Stidd, B.M. (1975) The frond of *Heterangium*. *American Journal of Botany*, **62**, 67-75.
- Shute, C.H. and Cleal, C.J. (1989) The holotype of the Carboniferous marattialean fern *Lobopteris miltoni* (Artis). *Bulletin of the British Museum of Natural History (Geology)*, **45**, 71-6.
- Shute, C.H. and Edwards, D. (1989) A new rhyniopsid with novel sporangium organization from the Lower Devonian of South Wales. *Botanical Journal of the Linnean Society*, **100**, 111-37.
- Simpson, S. (1959) *Lexique stratigraphique internationale. Europe 3, 2 vi, England, Wales and Scotland*. Centre Nationale de la Recherche Scientifique, Paris.
- Skog, J.E. and Gensel, P.G. (1980) A fertile species of *Triphyllopteris* from the Early Carboniferous (Mississippian) of south-western Virginia. *American Journal of Botany*, **67**, 440-51.
- Smith, A.H.V. (1962) The palaeoecology of Carboniferous peats based on the miospores and petrography of bituminous coals. *Proceedings of the Yorkshire Geological Society*, **33**, 423-74.
- Smith, B. (1913) The geology of the Nottingham district. *Proceedings of the Geologists' Association*, **24**, 205-40.
- Smith, B. and George, T.N. (1961) *North Wales, British Regional Geology*: 3rd edn. Institute of Geological Sciences, HMSO, London.
- Smith, D.B., Brunstron, R.G.W., Manning, P.I., Simpson, S. and Shotton, F.W. (1974) Permian. A correlation of Permian rocks in the British Isles. *Geological Society of London, Special Report*, **5**, 1-45.
- Smith, D.L. (1959) *Geminitheca scotica* gen. et sp. nov.: a pteridosperm from the Lower Carboniferous of Dunbartonshire. *Annals of Botany*, **23**, 477-91.
- Smith, D.L. (1960) The Lower Carboniferous flora of the Kilpatrick Hills. Unpublished PhD Thesis, University of Glasgow.
- Smith, D.L. (1962a) The spores of *Alcicornopteris ballei* Walton. *Annals of Botany*, **26**, 533-50.
- Smith, D.L. (1962b) Three fructifications from the Scottish Lower Carboniferous. *Palaeontology*, **5**, 225-37.
- Smith, D.L. (1962c) The stems of three species of lepidodendrid from the Scottish Lower Carboniferous. *Annals of Botany*, **26**, 533-50.
- Smith, D.L. (1964a) The evolution of the ovule. *Biological Reviews*, **39**, 137-59.
- Smith, D.L. (1964b) Two Scottish Lower Carboniferous floras. *Transactions of the Botanical Society of Edinburgh*, **39**, 460-6.
- Smith, G.M. (1955) *Cryptogamic botany* (2nd edn), McGraw-Hill Book Co., New York.
- Smith, J.A. (1862) Notes on fossils from the Old Red Sandstone of the south of Scotland. *Proceedings of the Royal Physical Society of Edinburgh*, **2**, 36-7.
- Smith, S. and Reynolds, S.H. (1929) The Carboniferous section at Cattybrook, near Bristol. *Quarterly Journal of the Geological Society of London*, **85**, 1-8.
- Snigirevskaya, N.S. (1972) Studies of coal balls of the Donets Basin. *Review of Palaeobotany and Palynology*, **14**, 197-204.
- Solms-Laubach, H. de (1892) Über die in den Kalksteinen des Kulm von Glätzig-Falkenberg in Schlesien erhaltenen strukturbietenden Pflanzenreste. *Botanisches Zentralblatt*, **50**, 49-113.
- Solms-Laubach, H. de (1893) Über die in den Kalksteinen des Kulm von Glätzig-Falkenberg in Schlesien erhaltenen

## References

- strukturbietenden Pflanzenreste. *Botanisches Zentralblatt*, **51**, 197.
- Solms-Laubach, H. de (1896) Über die seinerzeit von Unger beschriebenen strukturbietenden Pflanzenreste des Unterkulms von Saalfeld in Thuringen VII: *Sphenophyllum*. *Abhandlung der Königlich-Preussischen Geologischen Landesanstalt*, N.F. **23**, 1-100.
- Solms-Laubach, H. de (1910) Über die in den Kalksteinen des Kulm von Glätzisch-Falkenberg in Schlesien erhaltenen strukturbietenden Pflanzenreste. IV. *Volkelia refracta*, *Stenoxylon ludwigii*. *Zeitschrift für Botanik*, **2**, 529-54.
- Somerville, I.D., Strank, A.R.E. and Welsh, A. (1989) Chadian faunas and flora from Dyserth: depositional environments and palaeogeographical setting of Viséan strata in northeast Wales. *Geological Journal*, **24**, 49-66.
- Sorby, H.C. (1858) On the microscopical structure of crystals, indicating the origin of minerals and rocks. *Quarterly Journal of the Geological Society of London*, **14**, 453-500.
- Sorby, H.C. (1875) On the remains of a fossil forest in the Coal-measures at Wadsley, near Sheffield. *Quarterly Journal of the Geological Society of London*, **31**, 458-60.
- Speck, T. and Vogellehner, D. (1988a) Biophysikalische Untersuchungen zur Mechanostabilität verschiedener Stelentypen und zur Art des Festigungssystems früher Gefäßlandpflanzen. *Palaeontographica*, **B 210**, 91-126.
- Speck, T. and Vogellehner, D. (1988b) Biophysical examinations of the bending stability of various stele types and the upright axes of early 'vascular' land plants. *Botanica Acta*, **101**, 262-8.
- Spicer, R.A. (1980) The importance of depositional sorting to the biostratigraphy of plant megafossils. In *Biostratigraphy of Fossil Plants: succession and paleoecological Analyses* (eds D.L. Dilcher and T.N. Taylor), Dowden, Hutchinson and Ross, Stroudsburg, PA, USA, pp. 171-83.
- Spicer, R.A. and Hill, C.R. (1979) Principal components and correspondence analyses of quantitative data from a Jurassic plant bed. *Review of Palaeobotany and Palynology*, **28**, 273-99.
- Spicer, R.A. and Thomas, B.A. (1986) Systematic and taxonomic approaches in palaeobotany. *Systematics Association Special Volume 31*, Oxford University Press.
- Spicer, R.A. and Thomas, B.A. (1987) A Mississippian Alaska-Siberia connection: evidence from plant megafossils. In *Alaskan North Slope Geology, Volume 1* (eds I. Tailleux and P. Weimer), Pacific Section, Society of Economic Paleontologists and Mineralogists, Bakersfield CA, and Alaska Geological Society, Anchorage, pp. 355-8.
- Spinner, E. (1984) Further studies on the megaspore genus *Setispora* Butterworth and Spinner 1967. *Pollen et Spores*, **24**, 301-13.
- Sprengel, A. (1828) *Commentatio de Psarolithus ligni fossilis genere*.
- Squirrell, H.C. and Tucker, E.V. (1960) The geology of the Woolhope Inlier (Herefordshire). *Quarterly Journal of the Geological Society of London*, **116**, 139-85.
- Squirrell, H.C. and Tucker, E.V. (1967) Itinerary II - North Woolhope. In *The Silurian inliers of the south-eastern Welsh Borderland* (eds M.L.K. Curtis, J.D. Lawson, H.C. Squirrell, E.V. Tucker and V.G. Walmsley), *Geologists' Association Field Guides*, **5**, 1-32.
- Stamp, L.D. (1923) The base of the Devonian, with special reference to the Welsh Borderland. *Geological Magazine*, **60**, 276-82, 331-6, 367-72, 385-410.
- Stepanov, S.A. (1975) *Fitostratigrafiya opornikh pazvezov Devona okrain Kuzbassa*. Siberian Scientific Research Institute [In Russian].
- Stewart, W.N. (1960) More about the origin of vascular plants. *Plant Science Bulletin*, **6**, 1-4.
- Stewart, W.N. (1981) The Progymnospermopsida: the construction of a concept. *Canadian Journal of Botany*, **59**, 1539-42.
- Stewart, W.N. (1983) *Palaeobotany and the evolution of plants*. Cambridge University Press, Cambridge.
- Stewart, W.N. and Rothwell, G.W. (1992) *Paleobotany and the evolution of plants*. Cambridge University Press, Cambridge.
- Stockmans, F. (1940) Végétaux Eodévoniens de la Belgique. *Mémoires du Musée Royal d'Histoire Naturelle de Belgique*, **93**, 1-90.
- Stockmans, F. (1948) Végétaux du Dévonien supérieur de la Belgique. *Mémoires du Musée Royal d'Histoire Naturelle de Belgique*, **110**, 1-85.
- Stockmans, F. and Willière, Y. (1952-1953) Végétaux Namuriens de la Belgique. *Publications. Association pour l'Étude de la Paléontologie et de la Stratigraphie Houillères*, **13**, 1-382.
- Stoneley, H.M.M. (1956) *Hiltonia*, a new plant genus from the Upper Permian of England. *Annals and Magazine of Natural History*, (Series 12), **9**, 713-20.

## References

- Stoneley, H.M.M. (1958) The Upper Permian flora of England. *Bulletin of the British Museum of Natural History (Geology)*, **3**, 295-337.
- Stopa, S.Z. (1962) Subdivision stratigraphique du Houiller en Pologne. *Compte Rendu 4e Congrès International de Stratigraphie et de Géologie Carbonifère* (Heerlen, 1958), **3**, 683-96.
- Storch, D. (1966) Die Arten der Gattung *Sphenophyllum* Brongniart im Zwickau-Lugau-Oelsnitzer Steinkohlenrevier: Ein Beitrag zur Revision der Gattung. *Paläontologische Abhandlungen*, **B 2**, 195-326.
- Storrie, J. (1892) On the occurrence of *Pachytheca* at Tymawr Quarry, Rumney. *Report of the British Association for the Advancement of Science*, (Cardiff, 1891), pp. 652.
- Strahan, A. (1885) Geology of the coasts adjoining Rhyl, Abergel and Colwyn. *Memoir of the Geological Survey UK*.
- Strahan, A. and Cantrill, T.C. (1912) The geology of the South Wales Coalfield, Part III. The country around Cardiff (2nd edn), *Memoir of the Geological Survey UK*.
- Straw, S.H. (1926) Some notes on the genus *Actinophyllum*. *Memoir and Proceedings of the Manchester Literary and Philosophical Society*, **70**, 133-9.
- Straw, S.H. (1930) The Siluro-Devonian boundary in south-central Wales. *Journal of the Manchester Geological Association*, **11**, 79-102.
- Straw, S.H. (1937) The higher Ludlovian rocks of the Builth district. *Quarterly Journal of the Geological Society of London*, **93**, 406-56.
- Straw, S.H. (1953) The Silurian succession at Cwm Graig Ddu (Breconshire). *Liverpool and Manchester Geological Journal*, **1/2**, 208-19.
- Streel, M., Higgs, K., Loboziak, S., Riegel, W. and Steemans, P. (1987) Spore stratigraphy and correlation with faunas and floras in the type marine Devonian of the Ardenne-Rhenisch regions. *Review of Palaeobotany and Palynology*, **50**, 211-19.
- Stubblefield, S. and Banks, H.P. (1978) The cuticle of *Drepanophycus spinaeformis*, a long ranging Devonian lycopod from New York and eastern Canada. *American Journal of Botany*, **65**, 110-18.
- Stur, D. (1875) *Die Culm-Flora der mährisch-schlesisch Dachschiefers*, Geological Survey, Vienna.
- Sullivan, H.J. (1964) Miospores from the Drybrook Sandstone and associated measures in the Forest of Dean, Gloucestershire. *Palaeontology* **7**, 351-92.
- Sullivan, H.J. and Hibbert, A.F. (1964) *Tetrapterites visensis* - a new spore bearing structure from the Lower Carboniferous. *Palaeontology*, **7**, 64-71.
- Surange, K.R. (1952a) The morphology of *Stauropteris burntislandica* P. Bertrand and its megasporangium *Bensonites fusiformis* R. Scott. *Philosophical Transactions of the Royal Society of London*, **B 237**, 75-91.
- Surange, K.R. (1952b) The morphology of *Botryopteris antiqua* with some observations on *Botryopteris ramosa*. *Palaeobotanist*, **1**, 420-34.
- Tasch, P. (1957) Flora and fauna of the Rhynie Chert: a paleoecological re-evaluation of published evidence. *Bulletin of the University of Wichita*, **32**, 3-24.
- Taylor, T.N. (1981) *Paleobotany. An introduction to fossil plant biology*, McGraw-Hill Book Co., New York.
- Taylor, T.N. and Millay, M.A. (1981) Morphological variability of Pennsylvanian lyginopterid seed ferns. *Review of Palaeobotany and Palynology*, **25**, 151-62.
- Taylor, T.N., Remy, W. and Hass, H. (1992a) Parasitism in a 400-million-year-old green alga. *Nature, London*, **357**, 493-4.
- Taylor, T.N., Remy, W. and Hass, H. (1992b) Fungi from the Lower Devonian Rhynie Chert: Chytridiomycetes. *American Journal of Botany*, **79**, 1233-41.
- Taylor, T.N. and Taylor, E.L. (1992) *The biology and evolution of fossil plants*, Prentice Hall, New Jersey.
- Thiselton-Dyer, W.T. (1891) Note on Mr Barber's paper on *Pachytheca*. *Annals of Botany*, **5**, 223-5.
- Thomas, B.A. (1967a) The cuticle of two species of *Bothrodendron* (Lycopsida; Lepidodendrales). *Journal of Natural History*, **1**, 53-60.
- Thomas, B.A. (1967b) *Ulodendron* Lindley and Hutton and its cuticle. *Annals of Botany*, **NS 31**, 775-82.
- Thomas, B.A. (1968) A revision of the Carboniferous lycopod genus *Eskdalia*. *Palaeontology*, **11**, 439-44.
- Thomas, B.A. (1970) Epidermal studies in the interpretation of *Lepidodendron* species. *Palaeontology*, **13**, 145-73.
- Thomas, B.A. (1972) A probable moss from the Lower Carboniferous of the Forest of Dean, Gloucestershire. *Annals of Botany*, **36**, 155-61.

## References

- Thomas, B.A. (1974) The lepidodendroid stomata. *Palaeontology*, **17**, 525-39.
- Thomas, B.A. (1977) Epidermal studies in the interpretation of *Lepidophloios* species. *Palaeontology*, **20**, 273-93.
- Thomas, B.A. (1978a) Carboniferous Lepidodendraceae and Lepidocarpaceae. *Botanical Reviews*, **44**, 321-64.
- Thomas, B.A. (1978b) New British records of Carboniferous lycopod cones. *Geological Journal*, **13**, 11-14.
- Thomas, B.A. (1980) Notes on *Bothrodendron depereti* Vaffier and a *Sigillariostrobus* with *Tuberculatisporites brevispiculus* megaspores. *Argumenta Palaeobotanica*, **6**, 157-64.
- Thomas, B.A. (1981a) *Evolution of plants and flowers*. Eurobooks.
- Thomas, B.A. (1981b) Structural adaptations shown by the Lepidocarpaceae. *Review of Palaeobotany and Palynology*, **32**, 377-88.
- Thomas, B.A. (1986) The biochemistry and analysis of fossil plants and its use in taxonomy and systematics. In *Systematic and taxonomic approaches in palaeobotany* (eds R.A. Spicer and B.A. Thomas), *Systematics Association Special Volume*, **31**. Oxford University Press, pp. 39-51.
- Thomas, B.A. (1990) Rules of nomenclature: disarticulated plant fossils. In *Palaeobiology. A synthesis* (eds D.E.G. Briggs and P.R. Crowther), Blackwell Scientific Publications, Oxford, pp. 421-2.
- Thomas, B.A. (1992) Paleozoic herbaceous lycopsids and the beginnings of extant *Lycopodium* sens. lat. and *Selaginella* sens. lat. *Annals of the Missouri Botanical Garden*, **79**, 623-31.
- Thomas, B.A. and Brack-Hanes, S.D. (1984) A new approach to family groupings in the lepidophytes. *Taxon*, **33**, 247-55.
- Thomas, B.A. and Cleal, C.J. (1993) Middle Westphalian plant fossils from the West-Cumberland Coalfield, UK. *Geological Journal*, **28**, 101-23.
- Thomas, B.A. and Cleal, C.J. (1994) Plant fossils from the Writhlington Geological Nature Reserve. *Proceedings of the Geologists' Association*, **105**, 15-32.
- Thomas, B.A. and Crampton, D.M. (1971) A fertile *Zeilleria avoldensis* from the British Upper Carboniferous. *Review of Palaeobotany and Palynology*, **11**, 283-95.
- Thomas, B.A. and Meyen, S.V. (1984) A reappraisal of the Lower Carboniferous lepidophyte *Eskdalia* Kidston. *Palaeontology*, **27**, 707-18.
- Thomas, B.A. and Purdy, H.M. (1982) Additional fossil plants from the Drybrook Sandstone, Forest of Dean, Gloucestershire. *Bulletin of the British Museum of Natural History (Geology)*, **36**, 131-42.
- Thomas, B.A. and Spicer, R.A. (1987) *The evolution and palaeobiology of land plants*, Croom Helm, London.
- Thorpe, F.T. (1972) *A history of Middlewood Psychiatric Hospital*, Middlewood Hospital Printing and Bookbinding Department, Sheffield.
- Tims, J.D. and Chambers, T.C. (1984) Rhyniophytina and Trimerophytina from the early land floras of Victoria, Australia. *Palaeontology*, **27**, 265-79.
- Townrow, J.A. (1960) The Peltaspermaeae, a pteridosperm family of Permian and Triassic age. *Palaeontology*, **3**, 333-61.
- Trewin, N.H. (1985) Mass mortalities of Devonian fish - the Achanarras Fish Bed, Caithness. *Geology Today*, **1**, 45-9.
- Trewin, N.H. (1989) The Rhynie hot-spring deposit. *Earth science conservation*, **26**, 10-2.
- Trewin, N.H. and Rice, C.M. (1992) Stratigraphy and sedimentology of the Devonian Rhynie chert locality. *Scottish Journal of Geology*, **28**, 37-47.
- Trivett, M.L. and Rothwell, G.W. (1985) Morphology, systematics, and paleoecology of Paleozoic fossil plants: *Mesoxylon priapi*, sp. nov. (Cordaitales). *Systematic Botany*, **10**, 205-23.
- Tufnell, H. (1853) Notice of the discovery of fossil plants in the Shetland Islands. *Quarterly Journal of the Geological Society of London*, **9**, 49-51.
- Tyrrell, G.W. (1928) The geology of Arran. *Memoirs of the Geological Survey of Great Britain*.
- Utting, J. and Neves, R. (1970) Palynology of the Lower Limestone Shale Group (Basal Carboniferous Limestone series) and Portishead Beds (Upper Old Red Sandstone) of the Avon Gorge, Bristol, England. In *Colloque sur la Stratigraphie du Carbonifère* (eds M. Streel and R.H. Wagner), *Liège University Congrès et Colloques*, **55**, 411-27.
- Vakhrameev, V.A., Dobruskina, I.A. and Meyen, S.V. (1978) *Paläozoische und mesozoische Floren Eurasiens und die Phytogeographie dieser Zeit*. G. Fischer, Jena.
- Vernon, R.D. (1912) On the geology and palaeontology of the Warwickshire Coalfield.

## References

- Quarterly Journal of the Geological Society of London*, **68**, 587-638.
- Wagner, R.H. (1961) Some Alethopterideae from the South Limburg Coalfield. *Mededelingen van de Geologisch Stichting*, **14**, 5-13.
- Wagner, R.H. (1966) On the presence of probable upper Stephanian beds in Ayrshire, Scotland. *Scottish Journal of Geology*, **2**, 122-3.
- Wagner, R.H. (1968) Upper Westphalian and Stephanian species of *Alethopteris* from Europe, Asia Minor, and North America. *Mededelingen van's Rijks Geologischen Dienst*, **C 3-1-6**, 1-188.
- Wagner, R.H. (1974) The chronostratigraphic units of the Upper Carboniferous in Europe. *Bulletin de la Société Belge de Géologie, Paléontologie et d'Hydrologie*, **83**, 235-53.
- Wagner, R.H. (1977) Comments on the Upper Westphalian and Stephanian floras of Czechoslovakia, with particular reference to their stratigraphic age. In *Symposium on Carboniferous stratigraphy* (eds V.M. Holub and R.H. Wagner), Geological Survey, Prague, pp. 441-57.
- Wagner, R.H. (1983) A lower Rotliegend flora from Ayrshire. *Scottish Journal of Geology*, **19**, 135-55.
- Wagner, R.H. (1984) Megafloral zones of the Carboniferous. *Compte Rendu 9e Congrès International de Stratigraphie et de Géologie Carbonifère* (Washington and Urbana, 1979), **2**, 109-34.
- Wagner, R.H. and Spinner, E. (1972) The stratigraphic implication of the Westphalian D macro- and microflora of the Forest of Dean Coalfield (Gloucestershire). *International Geological Congress* (Montreal, 1972), **7**, 428-31.
- Wagner, R.H., Villegas, F.J. and Fonolla, F. (1969) Description of the Lower Cantabrian stratotype near Tejerina (León, NW Spain). *Compte Rendu 6e Congrès International de Stratigraphie et de Géologie Carbonifère* (Sheffield, 1967), **1**, 115-38.
- Wagner, R.H., Winkler Prins, C.F. and Granados, L.F. (eds) (1985) *The Carboniferous of the world. II Australia, Indian Subcontinent, South Africa, South America and north Africa*. Instituto Geológico y Minero de España, Madrid (IUGS Publication No. 20).
- Walton, J. (James) (1932) The Black Bed at Bradley Park, Huddersfield. *The Naturalist* [for 1932], 304-8.
- Walton, J. (John) (1926) Contributions to the knowledge of Lower Carboniferous plants. *Philosophical Transactions of the Royal Society of London*, **B 215**, 201-24.
- Walton, J. (John) (1928) A preliminary account of the Lower Carboniferous flora of North Wales and its relation to the floras of some other parts of Europe. *Compte Rendu Congrès pour l'Avancement des Études de Stratigraphie Carbonifère* (Heerlen, 1927), pp. 743-7.
- Walton, J. (John) (1931) Contributions to the knowledge of Lower Carboniferous plants - (cont.) III - On the fossil-flora of the Black Limestones in Teilia Quarry, Gwaenysgor, near Prestatyn, Flintshire, with special reference to *Diplopteridium teilianum* Kidston sp. (gen. nov.) and some other fern-like fronds. *Philosophical Transactions of the Royal Society of London*, **B 219**, 347-79.
- Walton, J. (John) (1935) Scottish Lower Carboniferous plants: the fossil hollow trees of Arran and their branches (*Lepidophloios wunschianus* Carruthers). *Transactions of the Royal Society of Edinburgh*, **58**, 313-37.
- Walton, J. (John) (1936) On the factors which influence the external form of fossil plants; with the description of some species of the Palaeozoic equisetalean genus *Annularia* Sternberg. *Philosophical Transactions of the Royal Society of London*, **B 226**, 219-37.
- Walton, J. (John) (1940) *Introduction to the study of fossil plants*, A. and C. Black, London.
- Walton, J. (John) (1941) On *Cardiopteridium*, a genus of fossil plants of Lower Carboniferous age, with special reference to Scottish specimens. *Proceedings of the Royal Society of Edinburgh*, **B 61**, 59-66.
- Walton, J. (John) (1949a) *Calatbosperrum scoticum* - an ovuliferous fructification of Lower Carboniferous age from Dumbartonshire. *Transactions of the Royal Society of Edinburgh*, **61**, 719-28.
- Walton, J. (John) (1949b) On a Lower Carboniferous Equisetinae from the Clyde area. *Transactions of the Royal Society of Edinburgh*, **61**, 729-43.
- Walton, J. (John) (1949c) A petrified example of *Alcicornopteris* (*A. hallei* sp. nov.) from the Lower Carboniferous of Dumbartonshire. *Annals of Botany*, **13**, 445-52.
- Walton, J. (John) (1954) The evolution of the ovule in the pteridosperms. *Report of the British Association for the Advancement of Science* (Edinburgh, 1953), pp. 223-30.

## References

- Walton, J. (John) (1957) On *Protopitys* (Göppert): with a description of a fertile specimen *Protopitys scotica* sp. nov. from the Calciferous Sandstone Series of Dumbartonshire. *Transactions of the Royal Society of Edinburgh*, **63**, 333-40.
- Walton, J. (John) (1959) Palaeobotany in Great Britain. *Vistas in Botany*, **1**, 230-44.
- Walton, J. (John) (1964a) On the morphology of *Zosterophyllum* and some other Early Devonian plants. *Phytomorphology*, **14**, 155-60.
- Walton, J. (John) (1964b) The pteridosperms. *Transactions of the Botanical Society of Edinburgh*, **39**, 449-59.
- Walton, J. (John) (1969) On the structure of a silicified stem of *Protopitys* and roots associated with it from the Carboniferous (Mississippian) of Yorkshire, England. *American Journal of Botany*, **56**, 808-13.
- Walton, J. (John) and Long, A.G. (1964) *Excursion S7. Scottish Palaeozoic*. Excursion Guide, 10th International Botanical Congress, Edinburgh.
- Walton, J. (John), Weir, J. and Leitch, D. (1938) A Summary of Scottish Carboniferous stratigraphy and palaeontology. *Compte Rendu 2e Congrès International de Stratigraphie et de Géologie Carbonifère* (Heerlen, 1935), **3**, 1343-56.
- Wang, Z.-Q. (1989) Permian gigantic palaeobotanical events in north China. *Acta Palaeont. Sinica*, **28**, 314-43 [In Chinese].
- Warden, A.J. (1881) *Angus or Forfarshire, the land and people, descriptive and historical*. Vol. 2. Alexander and Co., Dundee.
- Weigelt, J. (1928) Die Pflanzenreste des mitteldeutschen Kupferschiefers und ihre Einschaltung ins Sediment. *Fortschritte der Geologie und Paläontologie*, **6**, 395-592.
- Welch, F.B.A. and Trotter, F.M. (1961) Geology of the country around Monmouth and Chepstow. *Memoir of the Geological Survey UK*.
- Westoll, T.S. (1951) The vertebrate-bearing strata of Scotland. *International Geological Congress (1948)*, **11**, 5-21.
- Wight, D.C. (1987) Stellar morphology of early seed plants. *American Journal of Botany*, **74**, 693.
- Williams, B.P.J., Allen, J.R.L. and Marshall, J.E.A. (1982) Old Red Sandstone facies of the Pembrokeshire peninsula south of the Ritec Fault. In *Geological excursions in Dyfed, south-west Wales* (ed. M.G. Bassett), National Museum of Wales, Cardiff, 151-74.
- Williams, D. (1838) On some fossil wood and plants recently discovered by the author, low down in the Grauwacke of Devon. *Report of the British Association for the Advancement of Science*, (Liverpool, 1837), pp. 94-5.
- Williamson, W.C. (1872) On the organisation of the fossil plants of the Coal Measures. Part III. Lycopodiaceæ (continued). *Philosophical Transactions of the Royal Society of London*, **162**, 283-318.
- Williamson, W.C. (1873) On the organisation of the fossil plants of the Coal Measures. Part IV. *Dictyoxyton*, *Lyginodendron*, and *Heterangium*. *Philosophical Transactions of the Royal Society of London*, **163**, 377-407.
- Williamson, W.C. (1874a) On the organisation of the fossil plants of the Coal Measures. Part V. *Asterophyllites*. *Philosophical Transactions of the Royal Society of London*, **164**, 41-81.
- Williamson, W.C. (1874b) On the organisation of the fossil plants of the Coal Measures. Part VI. Ferns. *Philosophical Transactions of the Royal Society of London*, **164**, 675-703.
- Williamson, W.C. (1877) On the organisation of the fossil plants of the Coal Measures. Part VIII. Ferns (continued) and gymnospermous stems and seeds. *Philosophical Transactions of the Royal Society of London*, **167**, 213-70.
- Williamson, W.C. (1880) On the organisation of the fossil plants of the Coal Measures. Part X. *Philosophical Transactions of the Royal Society of London*, **171**, 493-539.
- Williamson, W.C. (1883) On the organisation of the fossil plants of the Coal Measures. Part XII. *Philosophical Transactions of the Royal Society of London*, **174**, 459-75.
- Williamson, W.C. (1887) A monograph on the morphology and histology of *Stigmaria ficoides*. *Palaeontographical Society (Monographs)*, **40**, 1-62.
- Williamson, W.C. (1893) On the organisation of the fossil plants of the Coal Measures. Part XIX. *Philosophical Transactions of the Royal Society of London*, **184**, 1-38.
- Williamson, W.C. (1895) On the light thrown upon the growth and development of the Carboniferous arborescent lepidodendra by a study of the details of their organization. *Proceedings of the Manchester Literary and Philosophical Society*, **39**, 31-65.
- Williamson, W.C. (1896) *Reminiscences of a Yorkshire naturalist*. G. Redway, London (Reprinted 1985, J. Watson and B.A. Thomas, University of Manchester).

## References

- Williamson, W.C. and Scott, D.H. (1894) Further observations on the organisation of the fossil plants of the Coal Measures. I. *Philosophical Transactions of the Royal Society of London*, **185**, 863-959.
- Williamson, W.C. and Scott, D.H. (1895) Further observations on the organisation of the fossil plants of the Coal Measures. III. *Philosophical Transactions of the Royal Society of London*, **B 186**, 703-79.
- Wilson, E. (1876) On the Permians of the north-east of England (at their southern margin) and their relations to the under- and overlying formations. *Quarterly Journal of the Geological Society of London*, **32**, 533-7.
- Wilson, E. (1881) The Permian formation in the north-east of England, with special reference to the physical conditions under which these rocks were formed. *Midland Naturalist*, **4**, 97-101, 121-4, 187-91, 201-8.
- Wilson, G.V., Edwards, W., Knox, J., Jones, R.C.B. and Stephens, J.V. (1935) The geology of the Orkneys. *Memoir of the Geological Survey UK*.
- Witham, H.T.M. (1830) *Observations on fossil vegetables*. W. Blackwood, Edinburgh and T. Cadell, London.
- Witham, H.T.M. (1831) Vegetation of the first period of an ancient world. *Philosophical Magazine*, **7**, 23-31.
- Witham, H.T.M. (1833) *The internal structure of fossil vegetables*. A. and C. Black, Edinburgh.
- Woodward, H. (1866-1878) A monograph on the British fossil crustaceae, belonging to the Merostomata. *Palaeontographical Society (Monographs)*, Pt. 1 (1866), 1-44; Pt. 2 (1869), 45-70; Pts 3-4 (1872), 71-180; Pt. 5 (1878), pp. 181-263.
- Young, J. (1873) Notes on a section of strata containing beds of impure coal and plant remains showing structure at Glenarbut, near Bowling. *Transactions of the Geological Society of Glasgow*, **4**, 123-8.
- Yurina, A.L. (1969) Devonskaya flora tsentral'nogo Kazakhstana. *Materialy po Geologii Tsentral'nogo Kazakhstana, Moscow State University*, **8**, 1-143 [In Russian].
- Zakharova, T.V. (1981) On the systematic position of the species '*Psilophyton*' *goldschmidtii* from the Lower Devonian of Eurasia. *Palaeontologicheskii Zhurnal*, **23**, 111-8.
- Zdebska, D. (1972) *Sawdonia ornata* (= *Psilophyton princeps* var. *ornatum*) from Poland. *Acta Paleobotanica*, **13**, 77-98.
- Zeiller, R. (1886-1888) Flore fossile du terrain houiller de Valenciennes. *Études des Gîtes Minéraux de la France*, 1-731.
- Ziegler, W. and Klapper, G. (1985) Stages of the Devonian System. *Episodes*, **8**, 104-9.
- Zimmermann, W. (1926) Die Spaltöffnungen der Psilophyta und Psilotales. *Zeitschrift für Botanik*, **19**, 129-70.

# Glossary

These are brief explanations for some of the botanical terms used in this volume. For further explanations, the reader is advised to consult one of the many biological or botanical dictionaries now available, or one of the standard botanical text books.

**Abaxial** – The side of a leaf facing away from the stem or main axis. In most leaves, this is the lower surface.

**Abscission** – The controlled shedding of a leaf, branch, fructification or other organ.

**Actinostele** – Stele with star-shaped cross-section.

**Adaxial** – The side of a leaf facing the stem or main axis. In most leaves, this is the upper surface.

**Adventitious** – A structure that arises in an unusual way. Usually applied to masses of small roots that never secondarily thicken.

**Angiosperms** – Flowering plants.

**Annular thickenings** – Rings of secondary thickening in walls of vessels and tracheids.

**Annulus** – A cluster, band or ring of thick-walled cells in the sporangial walls of many ferns. The annulus, in drying out, causes tension in the sporangial wall, which eventually ruptures at the stomium.

**Antheridium** – The male sex-organ which produces the motile male gametes.

**Arborescent** – Tree-like.

**Archegonium** – The female sex-organ which produces the egg cell.

**Axil** – The upper angle between a stem and a lateral branch or leaf. Structures growing out of that angle (tubercles, branches, sporangia etc.) are said to be axillary.

**Bifurcate** – Division into two branches.

**Bipartite fronds** – Fronds that have a dichotomy of the main rachis near the base, dividing the distal part of the frond in two halves. Occurs typically in a range of Palaeozoic pteridosperm fronds.

**Bisporangiate** – Bearing both megasporangia and microsporangia.

**Bract** – A leaf-like structure.

**Bryophytes** – Non-vascular land plants known as mosses, liverworts and hornworts.

**Cambium** – Meristematic tissue in stems and roots which gives rise to secondary growth.

**Campylotropous** – Description of seeds and ovules where the chalaza and lagenostome are close together.

**Central plug** – A parenchymatous structure within the lagenostome/salpinx of an ovule.

**Centrarch** – Description of a protostele in which the protoxylem is central.

**Chalaza** – Base of the nucellus where the integuments are attached.

**Charcoal** – Carbonized remains of plant tissue burnt at very high temperatures, in which some internal structure of the plant may be still preserved.

**Circinate** – A type of leaf development in which the young leaf is inrolled with its apex central. When the leaf starts to unroll, it forms a crozier, as seen in many living ferns.

**Cortex** – Zone of tissue outside the stele.

## Glossary

---

- Cupule** – Cup-shaped protective structure containing one or more seeds or ovules.
- Cuticle** – Outer protective ‘skin’ covering the aerial parts of most land plants.
- Cyclocytic** – Stomata where the guard cells are surrounded by a ring of subsidiary cells.
- Decorticated** – A stem which has had the epidermis and all or part of the cortex removed prior to fossilization.
- Dehiscence** – Splitting. Here, generally used to refer to the splitting open of a sporangium to release the spores.
- Dichotomous** – A type of branching where an axis divides into two equal branches.
- Disseminule** – A part of the plant, such as a seed, that is released from the parent to achieve propagation.
- Distichous** – Leaves or branches arranged in two vertical rows on opposite sides of the stem. The leaves or branches may be alternate or as opposite pairs on the stem.
- Dorsiventral** – A flattened structure, such as a leaf, showing differences in structure between the upper and lower sides.
- Dwarf shoot** – A lateral branch, of limited growth, arising in a bract axil in the cones of early conifers.
- Eligulate** – Having no ligule.
- Embryo sac** – The megaspore in gymnosperms and angiosperms, containing the female gametophyte.
- Endarch** – Description of a vascular strand, in which the metaxylem develops to the outside of the protoxylem.
- Endosporal gametophyte** – A gametophyte that develops within the protective wall of the spore. The archegonia or antheridia are exposed by the opening of the spore wall.
- Epidermis** – Outermost cells of a plant, usually (but not always) in a single layer.
- Exarch** – Description of a vascular strand, in which the metaxylem develops to the inside of the protoxylem.
- Exine** – The protective outer layer of a spore or pollen grain.
- Frond** – A leaf, especially of ferns and some primitive gymnosperms.
- Funicle** – Stalk of an ovule.
- Fusain** – See Charcoal.
- Gametangiophore** – An upright, extension from the gametophyte, bearing archegonia or antheridia.
- Gametes** – Sexual reproductive cells, equivalent to the eggs and sperm of animals.
- Gametophyte** – The sexual, gamete-forming phase (or generation) of the life-cycle of a plant.
- Guard cells** – Usually a pair of cells surrounding the pore of a stomata, that controls the size of the aperture and thus the movement of moisture and gases in and out of the plant.
- Gymnosperms** – Plants that reproduce by ‘naked’ seeds (i.e. seeds not enclosed in a carpel).
- Heterospory** – The production of two types of spore by a plant – larger megaspores that each produce a female gametophyte, and smaller microspores that each produce a male gametophyte.
- Holotype** – When a taxon (species, genus, etc.) is first established, the holotype is the one fixed specimen of that taxon. It must always belong to that taxon, no matter what subsequent systematic revisions occur. If the holotype is unavailable, a replacement lectotype must be selected from the original collection. If the original collection is unavailable, then a neotype must be selected from another collection.
- Homospory** – The production of only one type of spore by a plant.
- Hydroid** – An elongate water-conducting cell found in the stems of bryophytes. It is similar in function to the xylem of vascular plants.
- Intrafoliar bladders** – Spongy tissue connected to the parichnos in certain lycopsids, which is thought to be part of an aerating system.
- Integuments** – Protective structures enclosing the nucellus in ovules.
- Intercellular flange** – A cutinized ridge on the inner surface of the cuticle, marking the junction between adjacent epidermal cells.
- Lagenostome** – An apical projection of the nucellus that assisted fertilization in primitive ovules. When it is very prominent, it is sometimes known as a salpinx.
- Leaf cushion** – The swollen basal part of the leaf, especially in lycopsids. It usually remains attached to the stem after the leaf lamina has become detached.
- Leaf scar** – An abscission mark left on the stem or leaf cushion after a leaf has become detached.
- Leaf trace** – The vascular strand that enters the base of the leaf.
- Lianescent** – Vine-like.
- Lignin** – A complex polymer deposited in the walls of vessels, tracheids and fibres to increase their strength.
- Ligule** – A small flap of tissue on the upper surface of the leaf in some lycopsids.

## Glossary

---

- Lumen** – Central cavity of a cell.
- Medulla** – See Pith.
- Megaphyll** – A large, usually planated, leaf with veins that may be parallel, radiating or meshed.
- Megasporangium** – A spore case producing megaspores.
- Megaspore** – A spore that produces a female gametophyte.
- Meristem** – A zone of actively dividing cells, producing new growth.
- Mesarch** – A description of a vascular strand, in which the older, smaller xylem cells (protoxylem) are in the middle of the strand.
- Mesophyll** – Internal photosynthetic tissue in leaves.
- Metaxylem** – Primary xylem formed after the protoxylem.
- Microphyll** – A small leaf with just a single, or in some cases a pair of veins running along its length.
- Micropyle** – A small pore remaining from the incomplete closure of the integuments in an ovule, through which a pollen grain or pollen tube has to pass to effect fertilization.
- Microsporangium** – A spore case producing microspores.
- Microspore** – A spore that produces a male gametophyte.
- Monopodial** – A style of branching where a main axis produces lateral, subsidiary branches.
- Mycorrhiza** – An association of fungi with the roots of a plant.
- Neighbour cells** – Cells surrounding the stomatal guard cells, which are morphologically indistinguishable from the other epidermal cells (contrast with subsidiary cells).
- Nucellus** – Tissue surrounding the embryo sac in an ovule. It is equivalent to a pteridophyte megasporangium.
- Ontogeny** – Growth and development through the life of an individual organism.
- Ovule** – A female reproductive structure in gymnosperms and angiosperms, which contains an embryo sac surrounded by the nucellus and integuments. It is known as a seed after fertilization.
- Papilla** – Small 'bump' on the plant surface.
- Paracytic** – Stomata where subsidiary cells lie with their long-axes parallel to the guard cells.
- Parenchyma** – Tissue of thin-walled, unspecialized cells that often make up a large part of non-woody plants and plant-organs.
- Parichnos** – A zone of loosely arranged parenchyma that extended from the cortex to the leaf in many lycopsids, which is thought to have had an aerating function. Can often be recognized in leaf scars as a pair of small marks on either side of the vascular trace.
- Pedicel** – A short stalk to which a flower or synangium is attached. Also sometimes used for the short stalk at the base of a pinnule in some fronds.
- Pericycle** – The outermost cells of the stele, consisting mainly of parenchyma. In roots, the pericycle initiates lateral root formation.
- Petiole** – The stalk of a leaf.
- Phloem** – Conducting tissue responsible for the movement of sugars and other nutrients throughout a plant.
- Photosynthesis** – The process whereby green plants trap light in chlorophyll and use it to synthesize carbohydrates from carbon dioxide and water.
- Phyllophore** – A leaf-bearing organ.
- Phyllotaxy** – The pattern of arrangement of leaves on a stem.
- Pinna** – A subdivision of a compound leaf or frond.
- Pinnule** – The ultimate division of a compound leaf or frond.
- Pith** – A zone of central parenchyma within the stele of a stem or root.
- Platyspermic** – Ovules and seeds with a flattened, bilateral symmetry.
- Plinth** – The apical part of the nucellus, below the salpinx.
- Pollen** – The microspores of angiosperms and certain groups of gymnosperm.
- Pollen drop** – Fluid exuded from the distal part of some gymnosperm ovules to capture pollen.
- Polystele** – Vascular system consisting of more than one stele.
- Pre-pollen** – Pteridophyte-like microspores of some primitive gymnosperms.
- Progymnosperm** – An extinct group of plants thought to be ancestral to the true gymnosperms. They had gymnosperm-like woody stems and pteridophyte-like spores.
- Propagule** – Any part of a plant capable of growing into a new individual, e.g. seeds and spores.
- Protostele** – The simplest type of stele consisting of a solid strand of xylem, surrounded by a cylinder of phloem and pericycle.
- Protoxylem** – The older, first-formed xylem in a vascular strand. In cross-section, it can usually be recognized by the smaller diameter of the cells.
- Pseudomonopodial** – A variation on dichotomous branching, where one branch is more prominent than the other.

## Glossary

---

- Pseudoparenchyma** – Tissue found in some fungi and algae, consisting of an interwoven mass of fine tubes.
- Pteridophytes** – A generalized term used for vascular plants, including ferns, horsetails and club mosses, that reproduce by spores.
- Pteridosperm** – A heterogeneous group of, mainly Palaeozoic, gymnosperms with large dissected leaves which superficially resemble fern fronds.
- Rachis** – The supporting axis of a compound leaf or frond, to which the leaflets or pinnules are attached.
- Radiospermic** – Seeds and ovules that are radially symmetrical.
- Rays** – Radially arranged lines of parenchyma cells in vascular tissue.
- Rhizome** – A horizontal stem, usually underground, that facilitates vegetative propagation.
- Rhizomorph** – Creeping ‘stems’ of certain algae and fungi.
- Salpinx** – A trumpet-shaped extension of the nucellus that aided pollen-capture.
- Saprophyte** – Plants and fungi that grow on the decaying remains of dead organisms.
- Scalariform thickenings** – Interlocking bands of secondary wall thickenings in vessels and tracheids, forming ‘ladder-like’ rows.
- Sclerenchyma** – Tissue with strengthened, usually lignified, cell walls.
- Sclerotic** – Thickened with lignin.
- Secondary growth** – The increase in girth of a plant by cell divisions in the cambium. Secondary wood in particular is an important means of increasing the girth of many plants, especially in gymnosperms and angiosperms.
- Seed** – A reproductive structure formed from a fertilized ovule.
- Sessile** – Unstalked.
- Sexine** – The outermost part of the protective coat of a spore.
- Siphonostele** – A stele consisting of a vascular cylinder with a central core or pith.
- Sparganum** – Cortex in which there are radiating bands of vertically-aligned fibrous cells.
- Sporangiophore** – A structure bearing one or more sporangia.
- Sporangium** – A spore case or capsule that produces spores.
- Spore** – A reproductive unit of one or more cells, produced by plants, protozoa and bacteria.
- Sporophyll** – A modified leaf, usually in a strobilus, on which a sporangium is borne.
- Sporophyte** – The spore-producing, non-sexual phase (or generation) in the life-cycle of a plant.
- Stele** – Sometimes known as the vascular cylinder, consisting of xylem and phloem.
- Sterome** – Outer zone of thick-walled cells in the stems of some non-vascular plants (e.g. certain mosses), which assisted with support of the plant.
- Stomata** – Small pores with guard cells in the epidermis, which facilitate the movement of moisture and gases in and out of the plant (singular – stoma).
- Stomium** – An area of thin-walled cells on a sporangium wall, where rupture takes place.
- Strobilus** – A well-defined, terminal, spike of fertile appendages with sporangia.
- Subsidiary cells** – Cells surrounding the stomatal guard cells, which are morphologically distinct from the other epidermal cells.
- Symphodium** – A discrete, axial vascular bundle, from which leaf traces are emitted at intervals.
- Synangium** – A fused cluster of elongate sporangia.
- Taphonomy** – The study of the process of fossilization.
- Terete** – Smooth, cylindrical and tapering.
- Thallus** – A plant body that is not differentiated into leaves, stems, root, etc.
- Tracheids** – Discrete, elongated, water-conducting xylem cells, joined by pits and open ends.
- Trichomes** – Epidermal hairs, that may have a protective function. In some cases, a gland occurs at the trichome tip from which an exudant may be produced.
- Trifurcate** – The production of three branches at one place.
- Trilete mark** – A ‘Y’-shaped mark on a spore, formed through the development of the spores in tetrahedrally symmetrical groups.
- Tubercle** – A wart-like projection.
- Vascular plants** – Plants with conducting tissue (xylem and phloem) in the roots, stems and usually the foliage.
- Venation** – The pattern of veins on a leaf or pinnule.
- Vernation** – The way in which a young leaf or shoot is folded when in the bud.
- Vessel** – A series of open-ended cells, arranged end-to-end, to form an elongate tube, found in the xylem of many angiosperms, and in some ferns and gymnosperms.
- Xylem** – Woody conducting tissue responsible for the movement of water and solutes around a plant.
- Zygote** – The product of the sexual fusion of two gametes. In bryophytes and vascular plants, it forms the embryo from which develops the sporophyte.

# Index

Page numbers in **bold** type refer to figures and page numbers in *italic* type refer to *tables*.

- Aberlemno Quarry 64  
Acetate peel method 82, 142  
*Achlamydocarpon* sp. 151  
*Actinophyllum* sp. 43, 44  
Adaptations for life 3, 4  
*Adiantites*  
    *antiquus* (Ettingshausen) Kidston 179  
    *bibernicus* Forbes 101-2  
    *machanekii* Stur 179, **180**  
Adpressions 10  
*Aglaophyton major* (Kidston and Lang) D.S.  
    Edwards 86, 89-90, **90**  
*Alcicornopteris*  
    *convoluta* Kidston 124  
    *ballei* Walton 163  
*Aldanophyton* 25-7  
*Alethopteris* **201**  
    *ambigua* Lesquereux 221  
    *grandinioides* Kessler 221  
    *lancifolia* Wagner 212  
    *lonchitica* Sternberg 216  
Algae 3, 28-9, 91, 172, 185, 233  
*Algites virgatus* (Munster) Stoneley 233  
Allen, J.R.L., and Dineley, D.L. 56  
Allen, K.C. 169  
    and Marshall, J.E.A. 97  
Alvin, K.L. 131  
American fossils *see* North America  
*Amyelon* 149  
    *bovius* Barnard 135  
*Anemites acadica* Dawson 120, 124  
Angaran Palaeokingdom 107, 195, 203, 228  
Angiosperms 126, 225  
*Annularia* 216  
    cf. *spicata* Gutbier 231  
    *stellata* (Sternberg) Wood 231  
Arachnids 92  
Arber, E.A.N. 31  
    and Goode, R.H. 101, 102  
Arbuthnott Group 59, 62, 63-7  
Archaeocalamitaceae 111, 155  
*Archaeocalamites* 111, 196  
    *radiatus* (Brongniart) Stur 102, 160, 174, 177, 186  
Archaeopteridaceae 111  
*Archaeopteridium tschermakii* (Stur) Kidston 171  
*Archaeopteris* 6, 61, 97, 100  
*Archaeosigillaria stobbsii* Lacey 172, 173-4, **174**  
Archangelsky, S., and Arrondo, O.G. 161-2  
Aridity 229  
Arnsbergian-Chokierian (E<sub>2</sub>-H<sub>1</sub>) stage boundary 107  
Arrondo, O.G., and Archangelsky, S. 161-2  
Arthropods 91-2  
Asbian 141-50, 150-2  
*Asterophyllites equisetiformis* Brongniart 216, 231  
Asteroxylaceae 89  
*Asteroxylon*  
    *elberfeldense* Kräusel and Weyland 91  
    *mackei* Kidston and Lang 80, 88, **88**, 88-9, 92  
    *setchellii* Read and Campbell 91  
Atlantic Palaeoarea (Vakhrameev *et al.*) 235

## Index

---

- Auchensail Quarry **78**, 78–80, **79**  
Australia **25**  
*Autunia* **227**  
Autunian **225**  
Axes, spiny **46**, **49**, **77**  
Aymestry Limestone Formation **37**
- Baggy Formation **61**, **100**, 100–3, **101**  
Ballanucater Farm **75–7**  
Banks, H.P. **43**, **84**  
*Baragwanathia* **26–8**, **57**  
Barber, C.A. **31**, **34**  
Barinophytales **72**, **74**, **75**  
Barinophytosida **57**  
Barker, W.R. **215**, **216–17**  
Barnard, P.D.W. **126**, **127**, **136**  
    and Long, A.G. **126**  
*Barrandeina pectinata* Høeg **94**  
Bassett, M.G. (Edwards, D. *et al.*) **38–9**  
Bateman, R.M. **131**, **137**, **138**, **145**, **155**, **160**  
    and Rothwell, G.W. **135**, **136**, **137**  
    *et al.* **131**  
Bay of Skail **93–6**  
Beck, C.B. **161–2**  
Belgium **62**  
Bell, J., *et al.* **234**  
Bennettitales **181**  
Benson, M. **149**  
*Bensonites* **140**  
    *fusiformis* R. Scott **148**  
*Berwynia carruthersii* Hicks **32**, **34**, **34–5**  
Bhutta, A.A. **86**, **88**, **88–9**  
*Bilignea*  
    *resinosa* Scott **162**  
    *cf. solida* Scott **135**  
Binney, E.W. **154**  
Bonamo, P.M., and Leclercq, S. **94**  
Boon, G. **208**  
Borders Region (Scotland) **113**  
*Bothrodendron wardiense* Crookall **181**, **183**  
*Botrychiopsis* tundra **203**  
Botryopteridaceae **148–9**  
Botryopteridales **111**, **148**, **161**, **199–200**, **206**  
*Botryopteris*  
    *antiqua* Kidston **148**  
    *cf. antiqua* Kidston **161**  
Boullard, B., and Lemoigne, Y. **91**  
Bower, F.O. **186**  
Bowmaniales **146**, **199**, **200**  
*Bowmanites tenerrimus* (Ettingshausen) Hoskins  
    and Cross **174–5**  
Brack-Hanes, S.D. **206**  
    and Thomas, B.A. **12**, **145**  
Branch knots **91**  
Brindley, S.A. (Scott, A.C. *et al.*) **151**, **152**  
Brithdir Beds **218–19**  
Brousmiche, C. **216**  
Brownstone Group **67**  
Bryophyta **28**, **88**, **168**  
Burdiehouse Limestone **113**, **183**  
Burgess, N.D., and Edwards, D. **31**, **44**, **91**  
*Burnitbeca pusilla* Meyer-Berthaud and Galtier  
    **161**  
*Buteoxylon* **126**  
    *gordonianum* Barnard and Long **135**  
    *Tantalosperma* correlation **134**  
Buteoxylonaceae **126**, **135**  
*Bythotrepsis* sp. **185**
- Caia langii* Fanning, Edwards and Richardson **44**,  
    **45**  
*Calamites* **96–7**, **200**, **206**, **218**, **220**  
    *carinatus* Sternberg **212**, **220**  
    *pettycurensis* Scott **145**  
    *undulatus* Sternberg **221**  
Calamopityales **114**, **116**, **118**, **119**, **120**, **124–6**,  
    **160**, **163**, **179**, **188**  
*Calamopitys radiata* Scott **163**  
Calamostachyales **199**, **200**  
*Calamostachys paniculata* Weiss **212**  
*Calathiops*  
    *acicularis* Göppert **178**  
    *dysertbensis* Lacey **172**, **175**  
    *glomerata* Walton **178–9**  
    *gotthardii* Benson **179**  
    *renieri* Walton **179**  
    *trisperma* Smith **163**  
*Calathopteris heterophylla* Long **135**  
*Calathopteris-Calathospermum-Salpingostoma*  
    **134**  
*Calathospermum*  
    *fimbriatum* Barnard **121**, **136**, **162**  
    *scoticum* Walton **162**  
*Cf. Calathospermum* **152**  
Calder, M.G. **155**  
Caldy Island (Dyfed) **62**, **66**  
Callistophytales **202**, **202**, **227**  
*Camptosperma berniciense* Long **122–4**, **123**  
Canonbie Coalfield **219**, **220**  
Capel Horeb Quarry **39–43**, **40**  
Carbonate beds **225**  
Carboniferous **8**  
    Lower **107–91**  
        palaeogeography **107**, **109**  
        plant fossils **112–14**  
        research history **20–1**  
        stratigraphy **107–9**, **130**  
        vegetation **110–12**

## Index

- Upper 8, 10, 193–221  
  palaeogeography 195, 195–6  
  plant fossils 203–4  
  research history 21–2  
  stratigraphy 109, 110, 196, 204  
  vegetation 196–203
- Carboniferous-Permian boundary 225
- Cardiopteridium nanum* (Eichwald) Walton 188
- Carpolithus* 179  
  *puddlebrookense* Thomas and Purdy 171
- Casts 10
- Cathaysia Palaeokingdom 199, 227, 228
- Cattybrook Claypit 210, 210–14, 211
- Caulopteris?* *peachii* Salter 94
- Cementstone Group 112–27, 117, 164
- Chaloner, W.G. (Kevan, P.G. *et al.*) 85
- Chaphekar, M. 145, 160, 183
- Charales 6
- Charophytes 28
- Cheirostrobaceae 141, 146, 150
- Cheirostrobus pettycurensis* Scott 146, 146
- Chert *see* Rhynie chert
- China 227–8, 236
- Chlorophycophyta 6  
  Ballanucater Farm 75  
  Craig-y-Fro Quarry 72  
  Freshwater East 46  
  Llanover Quarry 67  
  Perton Lane 43  
  Rhynie 84  
  Targrove Quarry 61  
  Turin Hill 64
- Cladoxyales 161
- Cladoxylon*  
  *kidstonii* Solms-Laubach 119  
  *cf.taeniatum* Bertrand 161  
  *waltonii* Long 119  
  *cf.waltonii* Long 134
- Clayton, G. (Scott, A.C. *et al.*) 151, 152, 157–9, 161
- Cleal, C.J., and Thomas, B.A. 213
- Clepsydropsis* 161  
  *antiqua* Unger 119
- Clocksbriggs Quarry (Wemyss Quarry) 64
- Club-mosses *see* Lycopsidea
- Clwydia decussata* Lacey 173–4
- Clyde Plateau Volcanic Formation 157, 158, 159, 164
- Coal formation 186
- Coal Measures 203, 204–7, 208–10, 209, 210–14, 211, 214–17
- Coal-balls 21, 22, 199, 203–4, 219
- Coalfields 195–6, 203, 217
- Coenopteridales 199
- Compressions 10
- Conifers (Pinales) 3  
  Permian 196, 227, 228  
  Triassic 225  
  Upper Carboniferous 202–3
- Cooksonia* 38–9  
  *caledonica* Edwards 63, 66, 67  
  *cambrensis* Edwards 38, 45, 46  
  *downtonensis* Heard 42  
  *hemisphaerica* Lang 42, 43, 46, 61, 62  
  *pertoni* Lang 38, 39, 42, 43, 44, 44, 45
- Cordaitanthus*  
  *flagellibracteatus* Barker 217  
  *nostellensis* Barker 217
- Cordaitea 126, 196, 202, 202–3, 214, 215, 216–17
- 'Corduroy plant' 96–7
- Corynepteridaceae 161, 163
- Corynepteris* 161
- Craig-y-Fro Quarry 70, 71–5, 72
- Crane, P.R. 227
- Croft, W. 67  
  and Lang, W.H. 68, 70, 71
- Crookall, R. 21, 31, 126, 183, 206, 212, 218, 220
- Crossotheca cf.crepinii* Zeiller 216
- Croyde Hoe Quarry 101, 103
- Cryptoxylon forfareense* Kidston 65
- Cupules, ovulate, pteridosperm 136–7
- Cuticles 6, 75, 76, 172, 175
- Cwm Craig Ddu Quarry 38–9
- Cyanochloronta 84
- Cyathocarpus* sp. 221
- Cycadales (cycads) 3, 226, 227, 228, 233, 234
- Cycadopsida  
  Cattybrook Claypit 211  
  Jockie's Syke 220  
  Middridge Quarry 233  
  Nant Llech 206  
  Nostell Priory Brickpit 214–15, 216  
  Stairhill 231  
  Teilia Quarry 176, 179
- Cyclostigma* 61
- Cyrtograptus murchisoni* Zone 31
- Cystosporites devonicus* Chaloner and Pettit 119
- Czech Republic 62, 66
- Daber, R. 25
- Dadoxylon* sp. 152, 218
- Dasyclades 37
- Davies, D. 21
- Dawsonites* 77, 80  
  *arcuatus* Halle 69–70, 70, 71
- Debeubarbia splendens* Edwards, Kenrick and Carluccio 68
- Deltas, Upper Carboniferous 10, 195, 203

## Index

- Deltasperma fouldenense* Long 122, **123**, **133**, 138  
Desiccation 25  
Devonian 6–8, 53–103  
    Lower **48**, **59**  
    Middle 61  
    palaeogeography 53–6, **55**  
    plant fossils 59–60  
    research history 19–20  
    stratigraphy 56, **61**, **130**  
    Upper 61  
    vegetation 56–9  
*Dichotangium quadrotbecum* Rowe 170  
*Didymosporites scottii* Chaloner 148  
Dilcher, D.L., and Retallack, G.J. 120–1, 124  
DiMichele, W.A. 144, 154  
    (Bateman, R.M. *et al.*) 131  
Dineley, D.L., and Allen, J.R.L. 56  
*Diplolabis roemeri* (Solms-Laubach) Bertrand 147, **148**  
*Diplopteridium* **113**  
    *holdenii* Lele and Walton 167, 169–70, **171**, 172  
    *teilianum* (Kidston) Walton 176, 178  
Dispersal *see* Reproduction and dispersal  
Ditton Group 59  
Dix, E. 21, 204, 206–7, 213–14  
*Dolichosperma*  
    *pentagonum* Long 124  
    *sexangulatum* Long 124, **125**  
    *cf.sexangulatum* Long 137  
Drepanophycopsida 89  
*Drepanophycus spinaeformis* Göppert 68–9, 71, 76, **76**, 80  
Drybrook Sandstone Formation 113, **167**, 167  
Dryden Shale Formation 84  
Dundee Formation 64  
Dyfed **48**, 62, 66  
Dyserth 172–5  
  
Eames, A.J. 88  
*Eccrustosperma langtonense* Long 122, **123**  
*Cf.Eccrustosperma langtonense* Long 138  
Edwards, D. 19, 25, 35, 42, 53, 66, 68, 73, 74  
    and Burgess, N.D. 31, 44, 91  
    and Edwards, D.S. 42  
    and Fanning, U. 62  
    and Lyon, A.G. 88  
    and Rogerson, E.C.W. 42  
    and Rose, V. 62  
    *et al.* 38–9  
    (Fanning, U. *et al.*) 44  
Edwards, D.S. 85, 86, 89–90, 91  
    and Edwards, D. 42  
  
Eggert, D.A. 86  
El-Saadawy, W.E.L.-S., and Lacey, W.S. 86–7, 89  
Emergences 6  
Emsian 56, 61, 75–7, 78–80  
*Endoxylon zonatum* (Kidston) Scott 166  
Enville Formation 229  
*Eosperma*  
    *edromense* Long 122, **123**  
    *oxroadense* Barnard 137, 138  
Eospermaceae 122–4  
Equatorial and low latitudes flora  
    phytogeographic subunit  
        American 77  
        European 70  
Equisetales 145  
Equisetopsida 8  
    Carboniferous  
        Lower 107, **108**, 111  
        Upper **197**, 199, **200**  
    Cattybrook Claypit 211, **212**  
    Devonian **54**, 59  
    Glenarbuck 166  
    Glencarholm 185, 186  
    Jockie's Syke 220  
    Kingswood End 150  
    Laggan 153, 155  
    Loch Humphrey Burn 159, 160  
    Middridge Quarry 233  
    Moel Hiraddug 173, 174  
    Nant Lech 206  
    Nostell Priory Brickpit 214, 216  
    Oxroad Bay 130, 134  
    Permian 225–7, **226**  
    Pettycur 143, 145–6  
    Plaiستow Quarry 101  
    Stairhill 231  
    Teilia Quarry 176, 177  
    Triassic **226**  
    Wardie Shore 181  
*Eristophyton*  
    *beinertianum* Zalesky 135  
    *fasciculare* Scott 162  
    *waltonii* Lacey 162  
*Eskdalia* 174, 183  
    *fimbriophylla* Rowe 169  
    *minuta* Kidston 185  
    *variabilis* (Lele and Walton) Rowe 169, **170**  
*Etapteris tubicaulis* Göppert 161  
Etheridge, R. 29, 101–2  
Etruria Formation 203, 217  
Euramerian Palaeokingdom 107, 196, 225, 232  
    Palaeophytic-Mesophytic transition 229  
*Eurystoma*  
    *angulare* Long **124**, 125, 171

## Index

---

- burnense* Long 124  
Cf. *Eurystoma burnense* Long 137  
Eurystomaceae 121  
Evolutionary history 12  
Extinctions 8
- Fair Isle 96, 96–100, 98, 99  
Famennian 59  
Fanning, U.  
  and Edwards, D. 62  
  *et al.* 44  
Fern-like plants 58, 107, 111  
Filicopsida (ferns) 8  
  Carboniferous  
    Lower 107, 108, 111  
    Upper 196, 197, 199  
  Cattybrook Claypit 211  
  Devonian 54  
  Glenar buck 166  
  Glencarholm 185, 186  
  Jockie's Syke 220  
  Kingswood End 150, 152  
  Loch Humphrey Burn 155, 159–60, 161  
  Nant Llech 206  
  Nostell Priory Brickpit 214, 216  
  Oxroad Bay 130, 134  
  Permian 225, 226  
  Pettycur 141, 142, 143, 146–8  
  Stairhill 231  
  Teilia Quarry 176, 177  
  Triassic 225, 226  
  Weak Law 139  
  Whiteadder 118, 119–20  
Filzer, P. 85  
Flemingitaceae 145  
*Flemingites*  
  *allantonensis* (Chaloner) Brack-Hanes and Thomas 119  
  *scottii* (Jongmans) Brack-Hanes and Thomas 144  
Flett, J.S. (Kidston, R. *et al.*) 139  
'Florensprung' 107  
Florin, R. 236  
Foel Formation 172–5  
Foliar organs, pteridosperm 136  
Forest of Dean 61  
  *see also* Puddlebrook Quarry  
Forests 8, 107, 229  
  *see also* Tropical swamp-forests; Wadsley Fossil Forest  
Fossil, definition 8  
Fossilization processes 8–10, 9  
Freshwater East 45, 45–9, 47  
Fructifications 74–5, 80, 176, 178, 186–8  
Fungi 85, 91–2  
Fusain 133, 143, 150, 151–2, 169
- Galtier, J.  
  and Scott, A.C. 140  
  (SCOTT, A.C. *et al.*) 151, 152, 157–9, 161  
Gametophytes 3–4, 70, 86, 90, 90  
Garleton Hills Volcanic Formation, North Berwick  
  Member 129–39, 130, 132, 133  
Garwood, E.J. (Kidston, R. *et al.*) 139  
Gastaldo, R.A. 190, 209  
Gedinnian 56, 59, 61–3  
*Geminitheca scotica* Smith 162  
*Genomosperma*  
  *kidstonii* Long 116, 121, 122, 127  
  *latens* Long 116, 121, 122, 122  
Gensel, P.G. 42  
Genus concept 11–12  
Gigantopterids 228, 232  
Ginkgophytes 227, 233  
Glasgow  
  area 190  
  'Fossil Grove' 188–91, 189  
Gleicheniaceae 199–200  
Glenar buck 149, 157, 164–6, 165  
Glencarholm 184–8  
Glencarholm Volcanic Group 184–8  
Gondwana 25, 107, 195, 203  
  Laurussia collision 195, 196, 225, 229, 236  
Goode, R.H., and Arber, E.A.N. 101, 102  
Gordon, W.T. 20, 127, 137, 139, 145, 149  
  (Kidston, R. *et al.*) 139  
Gorstian 35  
*Goslingia* 57  
  *breconensis* Heard 68, 71, 73, 74, 75  
Gothan, W. 107  
Graig Quarry 175  
*Granulatisporites* 148  
'Greenhouse effect' 229  
Gronant Group 175–81  
Gymnospermophyta 5, 8  
  Carboniferous 107, 112, 200–1  
  Devonian 54, 59  
  Loch Humphrey Burn 160  
  Oxroad Bay 130–1  
  Plaistow Quarry 101  
  Triassic 225  
  Whiteadder 120–4, 126
- Hall, T.M. 101  
Halle, T.G. 77  
Hass, H. (Taylor, T.N. *et al.*) 91  
Heard, A. 71, 72, 74–5  
Heerlen classification 196

## Index

---

- Hemsley, A.R. 58, 65  
*Heterangium grievii* Williamson 149  
Heterosporous 5  
*Heterotheca grievii* Benson 149  
Hicks, H. 34, 35  
*Hierogramma* 161  
    *mysticum* Unger 119  
Hilton Beck Plant Bed 235  
*Hiltonia rivulii* Stoneley 235-6  
*Holcospermum ellipsoideum* (Göppert) Walton 179  
Holden, H.S. 148  
Holden, J. (Bell, J. *et al.*) 234  
Horne, J. (Kidston, R. *et al.*) 139  
*Hornea lignieri* Kidston and Lang *see below*  
    *Horneophyton lignieri*  
*Horneophyton lignieri* (Kidston and Lang)  
    Barghoorn and Darrah 86-8, 87, 90  
Horneophytosida 85, 86-8  
Horsetails *see* Equisetopsida  
*Hostinella* 38, 39, 46  
    *beardii* Edwards 71, 74  
Hueber, F.M. 69  
*Hydrasperma tenuis* Long 121, 122, 122, 132, 136-7, 137  
Hydrasperman reproduction concept 135  
*Hyenia* Zone 93, 94-5  
  
Impressions 10, 211  
*Inopinatella lawsonii* Elliot 36-8, 38  
  
Jockie's Syke 219, 219-22  
  
*Kaloxylon* sp. 155  
*Kalymma* 152  
    *tuediana* Calder 124  
    *cf. tuediana* Long 163  
*Karinopteris acuta* (Brongniart) Boersma 210, 212-13, 213, 214  
Keele Formation 203, 204, 229, 232  
Keltie Water 80  
Kerp, J.H.F. 227, 231  
    and Poort, R.J. 236  
Kerry Head (Irish Republic) 127  
*Kerryia* 121  
Kevan, P.G., *et al.* 85  
Kidston, R. 20, 21, 65, 94, 107, 117, 170-1, 177, 178, 183-8, 199, 220  
    and Lang, W.H. 19, 65, 81-2, 84, 85, 87, 88-9  
    *et al.* 139  
*Kidstonophyton discoides* Remy and Hess 90  
Kilpatrick Hills *see* Glenarbuck; Loch Humphrey Burn  
Kiltorcan assemblage 61  
  
Kimberley Railway Cutting 236-8  
King, Wickham 67  
King, W.W. 46  
Kingswood End 150-2, 151  
Kingswood Limestone 150  
Kingwater 140-1  
*Knorria* sp. 102  
Kräusel, R., and Weyland, H. 68-9  
*Kritbodeophyton croftii* Edwards 71, 73-4, 75  
Kuznetsk (Siberia) 62, 66  
  
Lacey, W.S. 20, 126, 173-4  
    and El-Saadawy, W.E.L.-S. 86-7, 89  
    and Matten, L.C. 136, 162  
Lagenostomales 112, 112, 113, 160, 162-3, 201-2  
Lagenostomopsida  
    Cattybrook Claypit 211-12  
    Glenarbuck 166  
    Glencartholm 185, 186-8  
    Kingswood End 150, 152  
    Laggan 153  
    Lennel Braes 116  
    Loch Humphrey Burn 162-3  
    Moel Hiraddug 173  
    Nant Llech 206  
    Nostell Priory Brickpit 215, 216  
    Pettycur 143, 148  
    Plaistow Quarry 101  
    Puddlebrook Quarry 168-9  
    Teilia Quarry 176, 178-9  
    Wardie Shore 181  
    Weak Law 139-40  
    Whiteadder 118, 119, 120-4  
Laggan 152-5  
Lang, W.H. 19, 34, 44, 45, 62, 76-8, 91, 94  
    and Croft, W. 68, 70, 71  
    *see also* Kidston, R., and Lang, W.H.  
*Langiophyton mackei* Kidston and Lang 90  
Langsettian 210-14  
Langton Burn and Cove 126  
Laurussia 25, 53, 70, 107  
    *see also* Gondwana  
*Laveineopteris losbii* (Brongniart) Cleal, Shute and Zodrow 212, 213, 216  
*Laveineopteris losbii* Subzone 212, 213  
*Laveineopteris rarinervis* Subzone 215  
Leclercq, S., and Bonamo, P.M. 94  
Leisman, G.A., and Schlanker, C.M. 155  
Lele, K.M., and Walton, J. 169, 170-1, 172  
Lemoigne, Y. 86, 88  
    and Boullard, B. 91  
    and Zdebska, D. 86

## Index

- Lennel Braes 113–16  
Lepidocarpaceae 111  
*Lepidocarpon*  
  *lomaxii* Scott 145  
  *wildianum* Scott 145  
*Lepidodendron* 65, 175, 176–7, **199**  
  *aculeatum* Sternberg 206  
  *calamopsoides* Long 119  
  *mannebachensis* Presl 206  
  *obovatum* 206  
  *veltheimianum* Sternberg 183, 185  
*Lepidodendron?*  
  *pettycurense* Kidston 145  
  *solenofolium* Smith 166  
*Lepidodendropsis jonesii* Lacey 172, 174  
*Lepidodendropsis-Rhacopteris-Triphylopteris*  
  107  
*Lepidopbloios*  
  *kilpatrickensis* Smith 160, 166  
  *scottii* Gordon 145  
  *wuenschianus* (Williamson) Walton 153–4,  
  **154**  
*Lepidostrobophyllum fimbriatum* (Kidston)  
  Allen 169, 174, 185  
*Lepidostrobos* 185  
  *cylindrica* Gordon M.S. 145  
  *ornatus* Brongniart 185, 206  
  *variabilis* Lindley and Hutton 185, 206  
*Lesleya* 235  
Levée-banks 204–7, 210–14, 214–17  
*Levicaulis arranensis* Beck 154  
Libya 25  
Lignin 10  
Limestone Coal Group 188–91, **189**, **190**  
Limonitization 10  
Liverworts *see* Bryophyta  
Llanbradach Quarry 217–19, **218**  
Llangammarch Wells Quarry 35, **36**  
Llanover Quarry 67–71  
*Lobatopteris*  
  *geinitzii* (Gutbier) Wagner 231–2, 232  
  *miltoni* (Artis) Wagner 216  
*Lobatopteris micromiltoni* Zone 219–22  
Loch Humphrey Burn 155–64, **156**, **157**, **158**,  
  **159**  
*Lonchopteris rugosa* Brongniart 212, 214  
Long, A.G. 21, 117, 119, 120–1, 124, 125, 126,  
  127, 135, 136–7, 139–40  
  and Barnard, P.D.W. 126  
  and Walton, John 149  
Long Quarry Formation **40**, **41**, 41–2  
Low latitudes *see* Equatorial and low latitudes  
  flora  
Lower Brown Limestones 172–5  
Lower Carboniferous *see* Carboniferous, Lower  
Ludfordian Upper Perton Formation 43  
Ludlow Series 26  
*Lycopodites stockii* Kidston 186  
Lycopsida 5, 8, 75, 153–5, 186, 229  
  Auchensail Quarry 79  
  Ballanucater Farm 76  
  Bay of Skail 94  
  Carboniferous  
    Lower 107, **108**, 111  
    Upper 196–9, **197**, **199**  
  Cattybrook Claypit 211  
  Craig-y-Fro Quarry 72  
  Devonian 53, **54**, 57, 58  
  Glenarbuck 166  
  Glencartholm 185–6  
  Jockie's Syke 220  
  Kingswood End 150  
  Lennel Braes 116  
  Llanover Quarry 68, 71  
  Loch Humphrey Burn 160  
  Moel Hiraddug 172  
  Nant Llech 205–6  
  Nostell Priory Brickpit 214, 215–16  
  Oxroad Bay 130, 131–4  
  Permian 225, **226**  
  Pettycur 141, 143, 144–5  
  Plaiستow Quarry 101  
  Puddlebrook Quarry 168, 169  
  Rhynie 85  
  Silurian 26–8  
  Teilia Quarry 176–7  
  Triassic **226**  
  Victoria Park 188–91, **189**  
  Wardie Shore 181  
  Weak Law 139  
  Whiteadder 118, 119–20  
*Lycostachys protostelicus* Pant and Walton 154–5  
Lydiénne Formation (France) 127  
*Lyginopteris bermudensisiformis* (Sternberg)  
  Patteisky 178  
*Lyginopteris hoeninghausii* Zone 204, 206–7,  
  210–14  
*Lyginorachis* 135, 136, 152, 162  
  *arberi* Long 121  
  *brownii* Calder 166  
  *gordonii* Galtier and Gordon 140  
  *kidstonii* Long 121  
  *trinervis* Calder 162  
  *waltonii* Calder 135, 155  
Lyon, A.G. 88–9  
  and Edwards, D. 88  
*Lyonophyton*  
  *rhyniensis* Remy and Remy **90**, 90  
  *Sciadophyton* correlation 91

## Index

---

- Lyrasperma, scotica* (Calder) Long **114**, 124, 124-6, **125**
- MacGregor, M., and Walton, J. 190
- Majonicaceae 227, 233-6, **235**, 236
- Marattiales 111, 163, 196, 200
- Margophyton? goldschmidtii* (Halle) Zacharova 77
- Marine algae *see* Algae
- Mariopteris*
- sauveurii* (Brongniart) Zeiller 216
- cf. sphenopteroides* (Lesquereux) Zeiller 206-7
- Marl Slate 229, 234, 236
- Marshall, J.E.A., and Allen, K.C. 97
- Matten, L.C. 97
- and Lacey, W.S. 136, 162
- Mauchline Volcanic Group 229-33
- Mazocarpon pettycurense* Benson 119, 145
- Medullosales *see* Trigonocarpales
- Megacupules 162
- Megaphylls 6
- cf. Melissiotheca* 138
- Melissiotheca longiana* Meyer-Berthaud 150, 152
- Merker, H. 86
- cf. Mesoxylon* sp. 218
- Metaclepsydropsis* 161
- duplex* (Williamson) Bertrand **147**, 147
- Metadineuron ellipticum* (Kidston) Galtier 147
- Meyen, S.V. 88, 203, 235
- Meyer-Berthaud, B. 152
- (Scott, A.C. *et al.*) 151, 152
- Microcupules 162
- Microphylls 6
- Middle Rock Formation 208-10, **209**
- Middridge Quarry 233-6
- Midlands 217
- Milford Haven Group 46, **47**
- Miller, H. 19
- Milleria pinnata* Lang 94
- Millstone grit 203
- Mitrospermum bulbosum* Long **126**, 126
- Cf. Mittagia seminiformis* Lignier 166
- Mixoneura* 232
- Moel Hiraddug 172-5, 173
- Monograptus riccartonensis* Zone 31
- Moulds 10
- Musatea*
- duplex* Chaphekar and Alvin 147
- globata* Galtier 147
- Muscites plumatus* Thomas 167, 169
- Mycelia 91
- Mykura, W. 97
- Myreton Quarry 66
- Namurian 196, 203
- Nant Llech 204-7, **205**
- Nematasketum* 91
- diversiforme* Burgess and Edwards 44, 61, 62
- Nematophytes 28, 90-1
- Nematophyton* 65
- Nematoplexus* 42
- rhyiniense* Lyon 91
- Nematothallus* 28, 41, 57-8, 71
- pseudovasculosa* Lang 62
- Namurian 113
- Neocalamites mansfeldicus* Weigelt 234
- Neuraethopteris jongmansii* Laveine 207, **208**
- Neuraethopteris jongmansii* Subzone 207, **208**
- Neuropteris antecedens* Stur 179
- Neuropteris antecedens* Zone 184, 188
- Neuropteris? buttoniana* King 234
- New Albany Shales (USA) 127
- New Red Sandstone 231
- Newton Dingle (Shropshire) 62, 66
- Niklas, K.J. 65, 121
- Noeggerathia* 200
- Nomenclature 10-12, **11**
- North America 199, 228, 232
- North America Palaeokingdom 228, 232
- North Gavel Formation **96**, 97
- Northern hemisphere 228
- Nostell Priory Brickpit 214-17, **215**
- Nothia aphylla* Høeg 89-90
- Oberste-Brink, K. 177
- Odontopteris cantabrica* Zone 204
- Odontopteris subcrenulata* var. *gallica*
- Doubinger and Remy 232, 233
- Oil Shale Group of Scotland 113, 181-4
- Old Red Sandstone 53, 67-71
- Ovules 116, 120-4, **122**, **123**, 124-6, **125**, 137-8
- Oxroad Bay 127-39, **128**, **129**, **130**
- Oxroadia*
- conferta* Bateman 131, **133**
- gracilis* Alvin **111**, **113**, 119, 131, **132**, **133**, 151
- parvus* Long 135
- Pachytheca* 28, 34, 57-8, 65, 68, 72, 91
- Palaeobotanical problems 8-12
- Palaeoenvironmental analyses 12
- Palaeomyces* sp. 76-7, 91
- Palaeonitella cranii* (Kidston and Lang) Pia 91
- Palaeophytic 3, 195
- Palaeophytic-Mesophytic transition 225, 229
- Palaeostachya ettingshausenii* Kidston 216
- Pangaea 107, 195, 196, 199, 225
- Pant, D.D. 81, 86

## Index

- Paracalamites kutorgai* (Geinitz) Zalesky 234  
Paralic Belt 195–6  
*Paralycopodites brevifolius* (Williamson)  
DiMichele 119, **144**, 144–5  
*Paripteris linguaefolia* Zone 214, 215  
*Parka* 35, 61, 65  
*decipiens* Fleming 29, 58, 63, **64**, 64, 65, 67  
Parrish, J.T., and Raymond, A. 107  
*Paurodendron* 131  
*arranensis* Fry 155  
cf. *Paurodendron* 134  
Peach, B.N. (Kidston, R. *et al.*) 139  
Peach, C.W. 65  
Peat deposits 195–6, 196–9  
*Pecopteris* sp. 206  
Peel method *see* Acetate peel method  
Peltaspermaceae 236–7  
Peltaspermales 227, 234, 236  
*Peltaspermum* 227  
*martinsii* (Germar) Poort and Kerp 234,  
235–7, 236  
Pen-y-Glog Grit Formation 31, **32**  
Pen-y-Glog Quarry 31–5, **32**, **33**  
Pen-y-Glog Slate Formation 31, **32**  
Penhallow, D.P. 65  
Pennant Measures 218–19  
Permian 196, 225–38  
palaeogeography 225, **227**  
plant fossils 229  
research history 22  
stratigraphy 225, **231**  
Upper 8, **230**, 232–6  
vegetation 225–8  
Permineralization 113  
Perton Lane 43–5  
*Pertonella dactylethra* Fanning, Edwards and  
Richardson 44  
Petrifactions 10, 113  
Pettigrew, T.H. (Bell, J. *et al.*) 234  
Pettitt, J.M. 138  
Pettycur 141–50, **142**, **143**, 152  
Pettycur Limestone 143, 144–5, 146, 149  
*Phacelotheca pilosa* Meyer-Berthaud and Galtier  
150, 152  
Phaeophycophyta  
Auchensail Quarry 79  
Capel Horeb Quarry 41  
Craig-y-Fro Quarry 71  
Freshwater East 46  
Llanover Quarry 67  
Perton Lane 43  
Rhynie 84  
Targrove Quarry 61  
Turin Hill 64  
Phillips, J. 44  
*Phlegmaria* 186  
Photosynthesis 6  
Phylogenetic radiation 112  
Pilton Formation **101**  
Pinales *see* Conifers (Pinales)  
Pinopsida  
Cattybrook Claypit 212  
Kimberley Railway Cutting 236  
Midridge Quarry 233  
Nant Lech 206  
Nostell Priory Brickpit 216–17  
Permian and Triassic **226**  
Upper Carboniferous **197**  
*Pitus*  
*antiqua* Witham 116  
*dayi* Gordon 139–40  
*primaeva* Witham 120, 139, **141**  
*Plagiozamites middridgensis* Schweitzer 235  
Plaistow Quarry 100–3  
Plant architecture 5–6  
Plant systematics 12–14  
Polar ice-cap 203  
Pollak Stollen Formation (Upper Silesia) 188  
Pollen-organs, pteridosperm 138  
Poort, R.J., and Kerp, 236  
*Pothocites grantoni* Paterson 160, 181, 183, 184,  
**186**, 186  
*Powysia bassettii* Edwards 35, **37**  
Pre-adaptation hypothesis 3  
Pre-Silurian vegetation, evidence 25–7  
Preservation, modes 10, **11**  
Přídolí 45–9, **48**  
Progymnospermopsida 8  
Bay of Skail 94–6  
Carboniferous **108**, 111, **197**, 200  
Devonian **54**, 58  
Glencartholm 185, 186  
Loch Humphrey Burn 155, 160, 161–2  
Moel Hiraddug 173, 175  
Permian and Triassic **226**  
Teilia Quarry 176, 177–8  
*Protocalamites* 155  
*goeppertii* (Solms-Laubach) Bateman 155, 160  
*longii* Bateman 131, 134  
*pettycurensis* (Scott) Scott 145, 152  
*Protocalamostachys*  
*arranensis* Walton 155, 160  
*farringtonii* Bateman **132**, 134  
*pettycurensis* Chaphekar 145, 160  
*Protoclepsydroopsis kidstonii* (Bertrand) Hirmer  
119–20  
Protolepidodendrales 89  
Protopytyaceae 111

## Index

- Protopytales 155, 161  
*Protopytis*  
  *buchiana* Solms-Laubach 161  
  *scotica* Walton 161  
*Protopteridium* 6, **58**, 58, 100  
  *thomsonii* (Dawson) Kräusel and Weyland 93,  
  94, **95**, 96  
*Prototaxites* 28, 57–8, 62, 65, 79, 80, 97  
  cf. *calendonianus* (Lang) Kräusel and Weyland  
  68  
  *bicksii* (Etheridge) Dawson 31, **32**, 34  
  (*Nematophyton*) sp. 72  
  *storrei* (Barber) Dawson 31  
  *taitii* (Kidston and Lang) Pia 90–1  
*Prototaxites-Pachytheca* assemblage 31–4  
Provincialism 53, 56, 107, 196, 225  
*Psaliexochlaena berwickense* Long 120  
*Psaronius* sp. 218  
*Pseudoctenis middridgensis* Stoneley 234  
*Pseudosporochnus* 58, 58  
*Pseudovoltzia liebeana* (Geinitz) Florin 234, 236,  
  **237**  
Psilophytes 89  
*Psilophytites* sp. 46, 49  
*Psilophyton* 77  
  *goldschmidtii* Halle 77  
*Psilophyton* Zone 67, 70  
*Psygmyphyllum cuneifolium* (Kutorga) Schimper  
  234–5  
Pteridophyta 3–4, 8, 225  
Pteridosperms 115–16  
  callamopytalean 196  
  callistophytalean **202**, 202  
  Carboniferous  
    Lower **112**, 112, **113**, **114**, **118**  
    Upper 196, **197**, 200–1, **201**, **202**  
  lagenostomalean 201–2  
  Laggen 155  
  Loch Humphrey Burn 155, 162  
  Moel Hiraddug 175  
  Nant Llech 206  
  Oxroad Bay 134–8  
  Permian **226**, 227  
  Puddlebrook Quarry 169  
  Triassic **226**  
  trigonocarpalean 196, **201**, 201  
  Whiteadder 120–4  
Pterinea Beds 38  
Puddlebrook Quarry **167**, 167–72, **168**  
*Pullaritheca* 121  
  *longii* Rothwell and Wight **132**, 136–7  
Purdy, H.M., and Thomas, B.A. 169, 171  
Pyrization 10  
Raudfjorden (Spitsbergen) 25  
Raymond, A. 53–6, 107  
  and Parrish, J.T. 107  
Rayner, D.H. 76–7  
Reconstructions, whole-plant 10, 134–8  
Red Marls Formation 41  
Red Sandstone Group 219  
Red-beds 225  
*Remia pinnatifida* (Gutbier) Knight 232  
Remy, W. 86  
  and Remy, R. 235  
  (Taylor, T.N. *et al.*) 91  
*Renalia* 86  
*Renaultia* 206  
*Renaultia? crepinii* (Stur) Kidston 206, **207**  
Reproduction and dispersal 3–5  
Research history 19–22  
Retallack, G.J., and Dilcher, D.L. 120–1, 124  
Rex, G.M.  
  and Scott, A.C. 143, 149, 152  
  (Scott, A.C. *et al.*) 151, 152  
*Rhacophyton* Zone 100–3  
*Rhacopteris* 111, 176  
  (*Anisopteris*) 177  
  *circularis* Walton 177  
  *fertilis* Walton 178  
  *geikiei* Kidston 184, 186  
  *inaequilaterata* (Göppert) Stur 177  
  *lindsaeformis* (Bunbury) Kidston 186  
  *machanekii* Stur 177  
  *petiolata* (Göppert) Schimper 177–8  
  *robusta* Kidston 177  
  *subcuneata* Kidston 175  
  *weissii* (Walton) Hirmer 172, 175  
*Rhetinangium arberi* Gordon 121, 149  
*Rhodeopteridium*  
  *machanekii* (Ettingshausen) Purkyňová 184,  
  186, 188  
  *tenuis* (syn. *Rhodea tenuis* Gothan) 177  
*Rhynia* 6  
  *Salopella* correlation 91  
  *gwynnevaughanii* Kidston and Lang 80, **85**,  
  85–6, **87**, 92  
  *major* Kidston and Lang 86  
Rhyniaceae 73  
Rhynie 19, 20, 80–92, **81**, **82–3**, **92**  
Rhynie chert 8, 61, **81**, 81, **82–3**, **84**, 84  
Rhyniophytina 86  
Rhyniophytoids 26–9, **28**, 39, 41–6, 49, 56, 61–4,  
  67, 79  
Rhyniopsida 72, 84–5  
Rice, C.M., and Trewin, N.H. 84  
Richardson, J.B., (Fanning, U. *et al.*) 44  
Ridgeway Thrust Zone 210

## Index

- Ritchie, A. 34  
Rockhall Quarry 36-7  
Rogerson, E.C.W.  
    and Edwards, D. 42  
    (Edwards, D. *et al.*) 38-9  
Roots and rooting structures 6, 135  
Rose, V., and Edwards, D. 62  
Rosettes 76  
Rothwell, G.W.  
    and Bateman, R.M. 135, 136, 137  
    and Wight, D.C. 137  
Rowe, N.P. 20, 167, 169-70, 174  
Rufloiriaceae 228  
Rushall Formation 43
- Saalfeld 127  
Sahara 34  
St Maughan's Group 61  
*Salopella-Rhynia* correlation 91  
*Salpingostoma dasu* Gordon 121, **122**, 122, 137  
*Samaropsis*  
    *bicaudata* Kidston 124  
    *triangularis* (Geinitz) Seward 236, **237**  
Sandwick Fish Bed **93**, 93  
Sap-sucking aniamls 92  
*Sartilmania jabachensis* (Kräusel and Weyland)  
    89  
Savile, D.B.O. (Kevan, P.G. *et al.*) 85  
*Sawdonia ornata* (Dawson) Hueber 76, 79-80  
Saxonian 229  
Saxony 28  
Scheckler, S.E. 97  
Schlanker, C.M., and Leisman, G.A. 155  
Schweitzer, H.J. 234, 236  
*Sciadophyton*  
    *Lyonophyton* correlation 91  
    *steinmannii* Kräusel and Weyland **90**  
    cf. *steinmannii* Kräusel and Weyland 70  
Scotland 113, **115**  
Scott, A.C. 21  
    and Galtier, J. 140  
    and Rex, G.M. 143, 149, 152  
    *et al.* 151-2, 157-9, 161  
*Scutelocladus variabilis* Lele and Walton 169  
Secondary wood 6  
Sedman, K.W. (Bell, J. *et al.*) 234  
Seed plants *see* Gymnospermophyta  
Selaginellaceae 169  
*Selaginellites resimus* Rowe 169  
Senni Beds 61, 67, 71-5, **72**  
*Sennicaulis bipprocipiformis* Edwards 70, 71, 74  
Sermeyaceae 200  
*Setispora pannosa* (Alvin) Spinner 131, **133**  
Siegenian 56, 57, 61, 67-71
- Sigillaria* sp. 177  
Sigillariostrobaceae 119, 145  
Silurian 6, 25-49  
    palaeography 25, **27**  
    plant fossils 29-31  
    research history 19  
    stratigraphy 25, **30**  
    vegetation 26-9  
Sites, choice 14, 14-15, **15**  
Skaill, Bay of *see* Bay of Skaill  
Sloagar **96**, 96-100, **98**, **99**  
Smith, D.L. 124, 136, 144, 162, 166  
Smith, G.M. 88  
Sorby, H.C. 208-9  
Southern hemisphere 228  
*Spathulopteris* 163  
    *clavigera* (Kidston) Walton 179  
    *decomposita* Kidston 184, 188  
    *dunsii* Kidston 183  
    *ettingsbausenii* (Feistmantel) Kidston 179  
    *obovata* (Lindley and Hutton) Kidston 184,  
        188  
Specimen interpretation 10  
Speck, T., and Vogelleher, D. 85-6  
*Sphaerostoma ovale* (Williamson) Benson 149  
cf. *Sphaerostoma* sp. nov 137-8  
*Sphenobaiera* 227  
    *digitata* (Brongniart) Florin 234  
*Sphenophyllum* **200**  
    *cuneifolium* (Sternberg) Zeiller 210, 212-13,  
        214  
    *insigne* Williamson 146  
*Sphenopteridium*  
    *capillare* Walton 176, 178  
    *crassum* (Göppert) Schimper 163, 178, 186  
    *macconochiei* Kidston 184, 186, 188  
    *pachyrrachis* (Göppert) Schimper 121, 124,  
        163, 178, 186, **187**  
    *rigidium* (Ludwig) Potonié 101, **102**  
*Sphenopteris* 101  
    *affinis* Lindley and Hutton 120, 149, 183  
    *bifida* Lindley and Hutton 137, 186-8  
    *cuneolata* Lindley and Hutton 170  
    *elegans* Brongniart 149  
    cf. *filiformis* Kidston 179  
    *obfalcata* Walton 170, 179  
    *warei* Dix 206  
Spicer, R.A., and Thomas, B.A. 12  
Spitsbergen 66  
Sporangia 62, 77  
*Sporogonites exuberans* Halle 68, 80  
Sporophytes 3-4  
Stairhill 229-33, **232**

## Index

---

- Stamnostoma* **112**  
  *buttonense* Long 120-1, **122**, 122, 137  
  *oliveri* Rothwell and Scott 137, 138  
*Staphylotheca kilpatrickensis* Smith 163  
*Stauropteris*  
  *berwickensis* Long 119, 134  
  *burntislandica* Bertrand 147, 148  
*Steganotheca striata* Edwards 42  
Stele 6  
  and leaves, evolution 86  
Stems, pteridosperm 135-6  
*Stenokoleos* 91  
*Stenomyelon tuedianum* Kidston 124  
Stephanian 204  
Sterome 5  
*Stigmara* 190  
  *ficoides* (Sternberg) Brongniart 144, 160, 164, 185  
  cf. *Stigmara* 169  
Stomata 6, 77  
Stoneley, H.M.M. 22, 233, 234, 235, 236  
Strathmore Group 61, 75-7, **78**, 78-80, **79**  
Straw, S.H. 44  
Strobili 152  
Study techniques 10  
Stur, D. 183  
*Svalbardia scotica* Chaloner 96, 97-100  
*Svalbardia* Zone 96  
Swamp-forests *see* Tropical swamp-forests  
Symbiosis 91  
Synangia 138  
*Syncardia* 161  
  
*Taenocrada* sp. 68  
*Taeniopteris eckhardtii* Kurtze 235  
*Taitia* 31  
*Taitia?* 72-3  
Tantallon area (East Lothian) **129**  
*Tantallasperma setigera* Barnard and Long 137  
*Tarella trouwenii* Edwards and Kenrick 71, 73, 75  
Targrove Quarry 42-3, 61-3, 66  
Taxonomic radiation 6-8  
Taxonomy 11  
Taylor, T.N. 126  
  *et al.* 91  
Tedeleaceae 163, 200, 206  
Teilia Quarry 175-81  
*Telangium* 101, 152  
  cf. *Telangium* 138  
Terrestrial ecosystem, *in situ* 80, 91-2  
*Tetrapterites visensis* Sullivan 169  
*Tetrastichia*  
  *bupatides* Gordon **132**, 135  
  *Eosperma* correlation 134  
  Thatto Heath 213  
Thin sectioning method 20, 113, 116  
Thomas, B.A. 12, 169, 183, 185, 206  
  and Brack-Hanes, S.D. 12, 145  
  and Cleal, C.J. 213  
  and Purdy, H.M. 169, 171  
  and Spicer, R.A. 12  
*Thursphyton milleri* (Salter) Nathorst 94  
*Tomiodendron* 169  
*Tortilicaulis transwalliensis* Edwards 45, 46, **48**  
Tournaisian 113, 116-27, **117**, 155  
Townrow, J.A. **236**  
Tracheids, *in situ* 60, 62  
Tree stumps 8  
  Kingwater 140-1, **141**  
  Laggan 152, 153, **154**  
  Nant Llech 205  
  Victoria Park 188-91, **189**, **190**  
  Wadsley Fossil Forest 208-10, **209**  
Tree-ferns, Upper Carboniferous 196, 200, **201**  
Trewin, N.H., and Rice, C.M. 84  
Triassic 225  
*Trichopherophyton teuchansii* Lyon and Edwards 88  
*Trichopitys* 227  
Trigonocarpaceae (Medullosales) 176, 179, 181, 233  
  Permian 227  
  Upper Carboniferous **201**, 201  
Trimerophytes 57, 69-70, 71  
Trimerophytopsida 68, 72, 76, 79  
*Triradioxylon primaevum* Barnard and Long 126, 136  
*Tristichia ovensii* Long 121  
Tropical extra-basinal areas, Upper Carboniferous 195  
Tropical swamp-forests  
  Early Carboniferous 143, 144, 147-8, 149, 164-6  
  Late Carboniferous 195, **198**, 202, 204-7, 210-14, 214-17, 221  
Turin Hill 62, **63**, 63-7  
  
*Ullmannia*  
  *bronni* Göppert 236  
  *frumentaria* (Brongniart) Göppert 234, 235  
Ullmanniaceae 227, 233-6, 234, 235, 236  
Ulodendroid-scars 183  
*Ulodendron* 144-5, 183  
Upper Black Limestone Group *see* Gronant Group  
Upper Carboniferous *see* Carboniferous, Upper  
Upper Roman Camp Formation **40**, 41-2  
*Uskiella spargens* Shute and Edwards 68, **73**, 73

## Index

---

- Vascular plants 6  
  evolution 6, 7  
  fungi and arthropods interaction 91-2  
Vegetational history 3  
Vesicles 91  
Victoria Park ('Fossil Grove') 188-91, **189**, **190**  
Virginia 31-4  
Visean 113-4, 141-50, 150-2, 155, 160, 164-6,  
  167-72, 172-5, 181-4  
Vogelleher, D., and Speck, T. 85-6  
Vojnovskyaceae 228  
Volcanogenic sites 113  
  
Wadsley Fossil Forest 208-10, **209**  
Wagner, R.H. 221, 231-2  
*Walchia* **228**  
Walchiaceae 227  
Wales **29**  
  North **33**, 113  
  South **48**, **59**, 217  
  Welsh Borderland **29**, **48**, **59**  
  *see also* Dyfed  
Walton, John 20, 81, 153, 154, 155, 176-7, 178,  
  179, 188  
  and Lele, K.M. 169, 170-1, 172  
  and Long, A.G. 149  
  and MacGregor, M. 190  
Wardie Shales Formation 113, 181-4, **182**, 188  
Wardie Shore 181-4, **182**  
Water relations 6  
Water transport 9  
Weak Law 139-40  
Welsh Borderland *see* Wales  
Wenlock Series 28, 29, **33**, 34  
Westphalian 195, 196, 199, 203, 214-17, 217-19  
  
Weyland, H., and Kräusel, R. 68-9  
Whiteadder 116-27, **117**, **118**  
Whole-plant reconstructions 10, 134-8  
Wight, D.C., and Rothwell, G.W. 137  
Willard, D.A. (Bateman, R.M. *et al.*) 131  
Williamson, W.C. 153  
Wilsonia Shales Formation 38  
Wind transport 9  
Witham, H.T.M. 20, 114-6  
Wood, thin sectioning method 20, 114, 116  
  
*Xenotheca* 101  
Xylem 5, 6  
  
Zakharova, T.V. 77  
Zdebska, D., and Lemoigne, Y. 86  
Zechstein Sea 235  
Zimmermann, W. 86  
Zosterophyllales 75, 76  
Zosterophyllopsida  
  Auchensail Quarry 79-80  
  Craig-y-Fro Quarry 72, 73, 75  
  Devonian **56**, 56-7  
  Llanover Quarry 67, 71  
  Rhynie 85, 88  
  Targrove Quarry 62  
  Turin Hill 64-7  
*Zosterophyllum* 46, **56**, 56-7  
  *fertile* Leclercq 66  
  *llanoveranum* Croft and Lang 67, 68, **69**, 73  
  *myretonianum* Penhallow **65**, 65-6, **66**, 67  
*Zosterophyllum* Zone 62, 63, 64, 65-7  
Zygopterid Limestone 143, 149  
Zygopteridaceae 146-8, 161